







*Presented by*

---

*193*

---



22500172256



















FOR OFFICIAL USE.

WEEKLY RETURNS  
OF  
BIRTHS AND DEATHS

IN THE  
DUBLIN REGISTRATION AREA

AND IN

TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND,  
1915.



DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & CO., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from

E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or

WYMAN AND SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and  
54, ST. MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;

or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of

T. FISHER UNWIN, LIMITED, LONDON, W.C

1916.

Price 1½d.



WELLCOME INSTITUTE

WEEKLY RETURNS

BIRTHS AND DEATHS

DUBLIN REGISTRATION AREA

TWENTY-SIX OF THE LONDON BOROUGH DISTRICTS IN 1911

WELLCOME INSTITUTE  
LIBRARY

Coll.	WelMOMec
Coll.	
No.	



# YEARLY SUMMARY

OF THE

WEEKLY RETURNS

OF

## BIRTHS AND DEATHS

IN THE

### DUBLIN REGISTRATION AREA

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

---

1915.

---

The number of Births in the Dublin Registration Area during the year 1915 (52 weeks), exclusive of those occurring in institutions of infants (610) whose mothers were admitted from outside localities, was 10,229, or 25·0 per 1,000 of the estimated population of the Registration Area which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown.

The results of the correction for births in Dublin Institutions, above outlined, are shown in detail in Table V., which also shows the infant mortality rate for the several districts comprised within the Registration Area, based on the corrected births and deaths.

Of the 10,229 births, 8,456 belonged to the city, affording a rate of 27·0 per 1,000 of the population, and 1,773 to the urban districts named above, equivalent to 18·4 per 1,000 of the population.

The total births registered during the year amounted to 10,839 (5,574 boys and 5,265 girls), and represented a rate of 26·5 per 1,000 of the population, as against an average rate for the preceding ten years of 28·3 per 1,000 of the mean population of these years.

Of the 10,839 births, 2,953 were registered during the first quarter, 2,876 in the second, 2,652 in the third, and 2,358 in the fourth.

In London the number of births registered during the year 1915 (52 weeks) was 103,199, being equal to a rate of 23 in every 1,000 of the estimated population ; in Glasgow the number was 28,036, equal to 26 per 1,000 ; and in Edinburgh it was 6,095, or 19 per 1,000 of the population.

DEATHS.—The number of deaths appertaining to the Dublin Registration Area, during the year 1915 was 8,902 ; this number is equal to 21·8 per 1,000 of the population of the Area, estimated to the middle of the year 1915. The average death-rate for the 10 years 1905-14 was 21·1 per 1,000. Thus the rate for last year is 0·7 above the average—an increase equivalent to 3·3 per cent.

The total number of deaths registered during the year, namely, 9,521 (4,690 males and 4,831 females), including the deaths of 619 persons who were admitted into public institutions from localities outside the Area, is equal to 23·3 per 1,000 of the estimated population. The average rate for all the deaths registered during the preceding 10 years was 22·4 per 1,000.



The rate for the city of Dublin was 23·0 per 1,000 (22·2 on the North side, and 23·9 on the South), and for the suburbs 17·7 per 1,000. The rates for the several districts range from 15·0 each for Coolock and Drumcondra, part of, and Finglas and Glasnevin, part of, to 28·5 for the district of South City No. 2.

Of the 9,521 deaths in the entire Area, 3,197 were registered during the first quarter of the year, 2,251 in the second, 1,797 in the third, and 2,276 in the fourth, the weekly average being 183.

In the twenty-six provincial Urban Districts, for which statistics are given in the Weekly Returns, the respective death-rates are as follow, ranging from the lowest to the highest:—Bangor, 12·1 per 1,000 of the population\*; Bray, 13·1; Armagh, 13·5; Lurgan, 13·5; Clonmel, 13·8; Tralee, 14·8; Dundalk, 16·5; Lisburn, 16·5; Portadown, 16·5; Sligo, 17·0; Newry, 17·5; Limerick, 17·7; Ballymena, 17·7; Athlone, 17·7; Galway, 17·8; Drogheda, 17·8; Belfast, 17·9; Coleraine, 18·2; Waterford, 18·7; Newtownards, 18·8; Londonderry, 19·2; Larne, 19·5; Wexford, 20·0; Kilkenny, 20·3; Cork, 20·7, and Queenstown, 22·9.

The number of deaths registered in London during the year 1915 (52 weeks) was 72,406, being equal to a rate of 16·0 in every 1,000 of the inhabitants; in Glasgow, 20,062, equal to 18·6 per 1,000; and in Edinburgh, 5,413, or 16·5 in every 1,000 of the estimated population.

**PUBLIC INSTITUTIONS.**—Of the 9,521 deaths registered in the Dublin Registration Area last year, 3,992, or 41·9 per cent., occurred in public institutions, viz.:—2,250 in the various hospitals, prisons, and lunatic asylums; 698 in the North Dublin Union Workhouse, 1,005 in the South Dublin Union Workhouse; and 39 (those of persons admitted from the Dublin Registration Area) in the Rathdown Union Workhouse.

### DISEASES.

**DUBLIN REGISTRATION AREA.**—(See Tables IV. and V.)—The records of last year show that the total number of deaths from some of the principal epidemic diseases† registered in the Dublin Registration Area was 888. This number is equal to a rate of 2·2 per 1,000 of the estimated population.

The following tabular statement shows the mortality from some of the principal epidemic diseases during the year 1915, and the average annual number of deaths for the ten years 1905–1914.

NAMES OF DISEASES.	No of Deaths in 1915.	Average No. of Deaths, 1905–1914.
Enteric Fever, ... ..	33	58
Typhus, ... ..	3	4
Small-pox, ... ..	—	—
Measles, ... ..	118	150
Scarlet Fever, ... ..	33	36
Whooping-cough, ... ..	181	117
Diphtheria, ... ..	64	67

**ENTERIC FEVER.**—The deaths from enteric fever registered during the year 1915 numbered 33, and are 25 under the average for the preceding ten years, this mortality being the lowest recorded for any one year in the Dublin Registration Area. Of the 33 deaths, 9 appertained to North City districts, 16 to South City districts, 3 to Rathmines and Rathgar urban district, 2 to Pembroke, and 3 were those of persons admitted to hospitals from localities outside the Dublin Registration Area. The number of cases of this disease under treatment in Dublin hospitals during the year was 309, and of these 255 were discharged, 23 died, and 31 remained under treatment at the close of the year.

**TYPHUS.**—There were 3 deaths from typhus registered, as against an average of 4 for the ten years, 1905–14. The 3 deaths appertained to North City districts. Forty-four typhus patients were under treatment in hospitals, 42 of these having been discharged, 2 died in hospital and there was no case under treatment at the end of the year.

\* See note (†), page xv.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.



**SMALL POX.**—No case of small-pox was reported during the year in the Dublin Registration Area.

**MEASLES.**—Measles caused 118 deaths, affording a rate of 0·29 per 1,000 of the population; the 118 deaths are 32 below the average (150) for the preceding 10 years, this latter mortality having been considerably increased owing to the large number of deaths registered in 1914, namely 386 deaths. Of the 118 deaths, 23 belonged to North City districts, 67 to South City districts, 4 to Rathmines and Rathgar, 3 to Pembroke, one to Blackrock, and 20 to Kingstown, the latter number being equivalent to a rate of 1·18 per 1,000 of the population. There were 364 cases of the disease admitted to hospital during the year; 279 of these were discharged, 23 died, and 62 cases remained under treatment at the end of the year. At the close of the preceding year, no measles patients were under treatment in Dublin hospitals.

**SCARLET FEVER.**—Deaths from scarlet fever, which in the three preceding years numbered, respectively, 68, 33 and 41, fell to 33 last year, as against an average of 36 for the ten years ending with 1914. Of the 33 deaths, 18 appertained to North City districts, 8 to South City districts, 5 to Pembroke urban district, one to Blackrock, and one was that of a person admitted to hospital from without the Area. Table I. shows that 636 cases of the disease were admitted to Dublin hospitals during the year, that 649 were discharged, that 29 died and that 55\* cases remained under treatment at the close of the year, such cases numbering 97 at the close of the preceding year.

**WHOOING-COUGH.**—As compared with the average (117) for the ten years, 1905–14, deaths from this cause during the year 1915, namely 181, show an increase of 64. With the exception of the years 1907 and 1911, the mortality for 1915 is higher than that recorded for any of the ten preceding years, as may be observed from Table III., and represents a rate of 0·44 per 1,000 of the population, as against an average of 0·30 for the ten years, 1905–14. Of the 181 deaths from whooping-cough, 115 appertained to the South side of the city, and 48 to the North side, the rates represented by these deaths being 0·78 and 0·29 per 1,000 of the respective populations. Thus, for the year 1915, the mortality from whooping-cough in the South City districts is nearly three times that of the North City districts. Although the disparity between the two areas is not so pronounced in the preceding ten years, during which period the average rate for the south side was 0·40 per 1,000 as against 0·33 for the north side, the figures show that fatalities from whooping-cough are much higher in the southern than in the northern portion of the city.

There were 7 deaths from whooping-cough in Rathmines and Rathgar urban district, 10 (or 0·33 per 1,000) in Pembroke, and one in Blackrock.

**DIPHTHERIA.**—Deaths from diphtheria numbered 64 or 0·16 per 1,000 of the population, and were below the average for the decennium, 1905–14, viz. 67, and also below the numbers registered during the three preceding years, namely, 110, 90, and 77, respectively. Of the 64 deaths from diphtheria, 22 were those of residents of North City districts, 28 of South City districts, 3 were those of residents of the urban district of Rathmines and Rathgar, 6 of Pembroke, one of Blackrock, and 4 were deaths of persons admitted to institutions from localities outside the Dublin Registration Area. Of 414 patients under treatment in hospitals, 361 were admitted during the year, 344 were discharged, 48 died and 22 remained under treatment at the end of the year.

**DIARRHŒAL DISEASES.**—The deaths under this group registered during the year 1915 amounted to 446, and of these 433 were those of children under 2 years of age, as compared with an average of 456 for the four preceding years. Of the deaths of the 433 children, 208 appertained to North City districts, 180 to South City districts, 15 to Rathmines and Rathgar urban district, 17 to Pembroke, one to Blackrock, 4 to Kingstown, and 8 were deaths in institutions of children admitted from without the Area.

**INFLUENZA.**—The deaths from this cause numbered 161, a number affording a rate of 0·39 per 1,000 of the population, the average number for the preceding ten years being 93. The mortality in 1915 from influenza was higher than that for any year of the preceding decennial period, with the exception of the year 1908, during which 176 deaths were registered.

**CEREBRO-SPINAL FEVER.**—Of the 15 deaths from this disease, 7 were registered in the first quarter, 6 in the second, one in the third, and one in the fourth quarter of the year. In the three preceding years such deaths numbered 3, one, and 3, respectively.

**PNEUMONIA.**—From pneumonia 701 deaths (comprising 352 deaths from broncho-pneumonia, 73 deaths from lobar pneumonia and 276 deaths from pneumonia, type not distinguished) were registered during the year. This number is 29 above the average for the preceding ten years, and represents a rate of 1·72 per 1,000 of the population, as against a yearly average rate of 1·70 per 1,000 for the decennial period referred to.

\* See note (\*) at foot of Table I.



## TUBERCULOSIS.

TABLE showing the Number of DEATHS from all forms of Tuberculous Disease and from Pulmonary Tuberculosis registered in the Dublin Registration Area during each of the 11 years, 1905-1915, with the respective rates per 1,000 of the population represented thereby ; also the averages for the years, 1905-14.

Years.*	Deaths from all Forms of Tuberculous Disease.		Deaths from Pulmonary Tuberculosis.	
	Number.	Rate per 1,000.	Number.	Rate per 1,000.
1905	1,724	4.55	1,207	3.18
1906	1,694	4.47	1,152	3.04
1907	1,793	4.59	1,183	3.03
1908	1,742	4.34	1,174	2.93
1909	1,508	3.79	1,049	2.64
1910	1,491	3.70	1,006	2.50
1911	1,451	3.59	1,052	2.60
1912	1,440	3.59	1,065	2.66
1913	1,444	3.59	1,070	2.66
1914	1,467	3.55	1,111	2.69
Average 1905-1914	1,576	3.99	1,107	2.80
1915	1,543	3.78	1,193	2.92

From this table it will be seen that the number of deaths (1,543) from tuberculous disease registered during the 52 weeks ended 1st January, 1916, and representing a rate of 3.78 per 1,000 of the population, is 33 under the average for the preceding ten years, but higher than that recorded during any of the preceding 6 years. Of the 1,543 deaths, 1,193 (or 2.92 per 1,000) were from pulmonary tuberculosis, 124 from tuberculous meningitis, 91 from abdominal tuberculosis, 14 from tuberculosis of the spinal column, 15 from tuberculosis of joints, 24 from tuberculosis of other organs, and 82 from disseminated tuberculosis.

There were 625 deaths of residents of North City districts, or 3.76 per 1,000 of the population, and 606 belonged to South City districts, affording a rate of 4.13 per 1,000. For Rathmines and Rathgar urban district, the deaths from tuberculous disease represent a rate of 1.87 per 1,000 of the population, for Pembroke the rate was 2.32, for Blackrock 1.73, and for Kingstown 2.36 per 1,000 of the population. The total number of deaths from tuberculosis of persons whose homes were in the Dublin Registration Area, amounted to 1,432, or 3.50 per 1,000 of the entire population. During the year the deaths occurred in institutions of 111 tuberculosis patients whose homes were situated outside the Dublin Registration Area.

CANCER.—Cancer caused 510 deaths or 1.25 per 1,000 of the population, as against an average of 1.14 for the preceding ten years. Of the 510 deaths registered, 76 were those of persons admitted into institutions from localities outside the Area.

DISEASES OF THE BRAIN AND NERVOUS SYSTEM.—There were 908 deaths from these diseases, or 2.22 per 1,000 of the population. Included in the total are 243 deaths from convulsions, 240 of the latter being those of children under 5 years of age.

DISEASE OF THE CIRCULATORY SYSTEM.—To this group 944 deaths, affording a rate of 2.31 per 1,000 of the population, were ascribed. In comparison with the average for the four years preceding, deaths from these diseases show an increase of 67.

CONGENITAL CONDITIONS.—Thirty-nine deaths were attributed to congenital malformations, 211 to premature birth, and 251 to congenital debility.

\* See notes (\*) and (†) on page ix.



VIOLENCE.—There were 213 accidental deaths including 5 caused by poisoning (one each by morphia, hydrocyanic acid, ammonia, opium, and arsenic), 53 by burns or scalds, 29 of the latter being those of children under 5 years of age, 32 by drowning, 6 (those of infants under one year old) by overlaying, 10 by railways, and 27 by motor and other vehicles.

Sixteen deaths of soldiers were caused by wounds received in battle.

Four cases of homicide, and 11 cases of suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated during the YEAR 1915 (52 weeks), in the principal Dublin Hospitals in which cases of infectious diseases are received.

DISEASES.	No. of Cases in Hospital at close of previous year.	No. admitted during year.	Discharged.	Died.	No. under treatment at close of period.
Enteric Fever, ... ..	47	262	255	23	31
Typhus, ... ..	11	33	42	2	—
Small-pox, ... ..	—	—	—	—	—
Measles, ... ..	—	364	279	23	62
Scarlet Fever, ... ..	97	636	649	29	55*
Diphtheria, ... ..	53	361	344	48	22
Pneumonia, ... ..	31	317	280	49	19

\* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 322 cases the cause of death was uncertified, there having been no medical attendant during the last illness ; of these 322 cases, 163, or 50·6 per cent., were deaths of children under 5 years of age ; these 163 deaths form 6·1 per cent. of the total number of deaths of children of that age-period. Of the deaths of 538 infants under one month old registered, there were 74 (or 13·8 per cent.) regarding which the cause was uncertified.

STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities, are set forth in the following Table :—

TABLE II.—Showing the NUMBER OF CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz. :—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the Year 1915 (52 weeks). A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Population†	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Pulmonary Tuberculosis.	Acute Poliomyelitis.	Other Notifiable Diseases.	Total.
CITY OF DUBLIN .. ..	312,747	.	—	—	425	31	.	256	.	14	207	151	4	—	—	14	—	1182	.	—	2,284
RATHMINES AND RATHGAR URBAN DISTRICT.	39,541	.	—	—	57	.	.	46	.	.	24	15	.	—	—	—	—	—	—	—	142
PEMBROKE URBAN DISTRICT	30,538	.	129	.	63	.	.	17	1	3	12	10	2	—	225	2	—	27	—	—	491
BLACKROCK URBAN DISTRICT	9,233	.	5	—	10	.	.	10	.	.	.	2	.	—	—	.	—	2	—	—	29
KINGSTOWN URBAN DISTRICT	16,941	.	—	—	32	1	.	8	.	.	.	8	1	—	—	—	—	20	—	—	70
CITY OF BELFAST .. ..	403 000	.	—	—	1994	.	.	174	5	5	49	181	6	—	—	64	—	216	1	—	2,695
CITY OF CORK .. ..	76,673	.	161	—	244	.	.	66	8	5	31	44	2	—	—	—	178	—	—	—	739
CITY OF LONDONDERRY ..	41,200	.	—	—	88	11	.	15	.	.	8	25	1	—	—	—	—	—	—	—	148
CITY OF LIMERICK .. ..	38 518	.	—	—	23	.	.	3	1	4	12	.	.	—	—	.	—	—	—	—	43
CITY OF WATERFORD ..	27,464	.	—	—	304	3	.	18	.	.	6	15	.	—	—	—	—	50	—	—	396

† See Note (†) on page xv.

AGES.—Of the 9,521 deaths registered during the year, 2,682, or 28 per cent., were of children under five years of age, and 2,336, or 25 per cent., were of persons aged 65 years and upwards, including those of 1,697 persons aged 70 years and upwards, of whom 72 were stated to have been nonagenarians, and three (females) were stated to have been aged 100, 100, and 104 years, respectively.

The deaths of infants under 1 year old were equal to 157 for every 1,000 births registered in the Dublin Registration Area as against 149 in the preceding year, 157 in 1913, and 142 in 1912.

Exclusive of births and deaths in institutions relating to localities outside the Area, the infant mortality rate for the Dublin Registration Area during the year 1915 was 163 per 1,000 births (see Table V).

TABLE III. (i).—Showing, by certain Age-Periods, the Population of the Dublin Registration Area in 1901, the Number of Deaths registered in each of the years 1901–1910, and the proportion which the Deaths at each age-period bear to the estimated Population\* at the same age.

YEARS, &c.		AGES.							
		ALL AGES.	Under 20 years.			20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.
			Under 5 years.	5 and under 20.	Total.				
CENSUS POPULATION IN 1901 .. ..		375,350	38,157	106,723	144,880	135,683	68,610	24,273	1,904
NUMBER of DEATHS Registered.	Year 1901 .. ..	9,571	2,750	751	3,501	1,548	1,988	2,084	450
	" 1902,† .. ..	9,727	3,192	762	3,954	1,582	1,924	1,857	410
	" 1903, .. ..	9,047	2,563	648	3,211	1,522	1,950	1,962	402
	" 1904 .. ..	9,264	3,023	654	3,677	1,445	1,808	1,927	407
	" 1905 .. ..	8,425	2,426	640	3,066	1,372	1,733	1,851	403
	" 1906 .. ..	8,857	2,497	626	3,123	1,380	1,934	2,046	374
	" 1907 .. ..	9,447	2,935	669	3,604	1,410	1,910	2,117	406
	" 1908† .. ..	9,070	2,768	576	3,344	1,358	1,932	2,032	404
	" 1909 .. ..	8,750	2,620	561	3,181	1,318	1,763	2,109	379
	" 1910 .. ..	8,504	2,441	557	2,998	1,239	1,731	2,124	412
Yearly average, 1901–1910		9,066	2,722	644	3,366	1,417	1,867	2,011	405
NUMBER of DEATHS at each AGE-PERIOD to every 1,000 of the Estimated Population at SAME AGE.	Year 1901 .. ..	25.4	71.9	7.0	24.1	11.4	28.9	85.7	235.8
	" 1902† .. ..	25.3	81.5	7.0	26.6	11.4	27.3	74.5	209.9
	" 1903 .. ..	23.9	66.5	6.0	22.0	11.1	28.1	80.1	209.2
	" 1904 .. ..	24.4	78.5	6.1	25.1	10.5	26.1	78.6	211.8
	" 1905 .. ..	22.2	63.0	5.9	21.0	10.0	25.0	75.5	209.7
	" 1906 .. ..	23.4	64.8	5.8	21.3	10.1	27.9	83.5	194.6
	" 1907 .. ..	24.2	73.9	6.0	23.9	10.0	26.7	83.8	204.8
	" 1908† .. ..	22.6	67.9	5.1	21.6	9.4	26.4	78.4	198.6
	" 1909 .. ..	22.0	64.7	5.0	20.7	9.2	24.2	81.9	187.5
	" 1910 .. ..	21.1	59.6	4.9	19.3	8.5	23.5	81.5	201.6
Yearly average, 1901–1910		23.5	69.2	5.9	22.6	10.2	26.4	80.4	206.4

TABLE III. (ii).—Showing, by certain Age-Periods, the population of the Dublin Registration Area in 1911, the number of Deaths registered during each of the five years, 1911–1915, and the proportion which the Deaths at each Age-Period bear to the estimated Population\* at the same age.

YEAR.		AGES.									
		ALL AGES.	Under 1 year.	1 and under 2.	2 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
CENSUS POPULATION IN 1911 ..		397,957	8,917	31,996		70,937	80,218	124,528	58,889	16,879	5,593
NUMBER of DEATHS Registered.	Year 1911 ..	9,118	1,808	698	497	406	443	1,426	1,907	1,121	812
	Year 1912 ..	8,728	1,560	578	535	429	435	1,395	1,930	1,132	734
	Year 1913 ...	8,657	1,753	431	310	359	441	1,426	1,996	1,159	774
	Year 1914† ...	9,175	1,652	613	506	386	423	1,426	2,130	1,203	835
	Year 1915 ...	9,521	1,703	538	441	339	499	1,448	2,217	1,365	971
NUMBER of DEATHS at each AGE-PERIOD to every 1,000 of the Estimated Population at SAME AGE.	1st Quarter, 1915	3,197	534	180	148	97	137	444	749	516	392
	2nd "	2,251	365	109	107	83	152	386	549	285	215
	3rd "	1,797	398	91	65	75	90	302	389	229	155
	4th "	2,276	406	155	121	84	120	316	530	335	209
	Year 1911 ..	22.6	73.3		5.6	5.4	11.3	31.9	65.5	143.2	
	Year 1912 ..	21.8	64.9		6.0	5.4	11.1	32.5	66.6	130.4	
	Year 1913 ...	21.5	60.4		5.0	5.4	11.3	33.5	67.8	136.7	
	Year 1914 ...	22.2	65.3		5.2	5.1	11.0	31.9	68.7	144.0	
	Year 1915 ...	23.3	63.8		4.6	6.1	11.3	36.6	78.7	168.9	

\* See note (\*) on page ix. † 53 weeks See note (†) on page ix.



TABLE IV.—DUBLIN REGISTRATION AREA.\*—CAUSES OF DEATH in the years 1905-1915, with the Ratio of the Deaths to the Population.

CAUSES OF DEATH.		NUMBER OF DEATHS REGISTERED.											Annual rate for each cause per 10,000 Persons living.					
		1915.											Yearly Average, 1905-1914.	1915 (52 weeks).				
		TOTAL (52 weeks).	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.												
1905 (52 weeks).	1906 (52 weeks).	1907 (52 weeks).	1908 (53† weeks.)	1909 (52 weeks).	1910 (52 weeks).	1911 (52 weeks).	1912 (52 weeks).	1913 (52 weeks).	1914 (53 weeks).†	Yearly Average, 1905-14.	1915.	1915.	1915.					
Enteric Fever ..	64	54	38	58	68	48	83	52	43	69	58	33	8	5	14	1.5	0.8	
Typhus ..	.	4	8	2	3	5	4	3	13	2	4	3	3	.	.	0.1	0.1	
Small-pox ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles ..	97	56	154	150	121	20	207	280	29	386	150	118	5	10	80	3.8	2.9	
Scarlet Fever ..	24	13	14	19	25	44	77	68	33	41	36	33	11	6	12	0.9	0.8	
Whooping-cough ..	48	101	228	91	156	126	183	94	86	59	117	181	98	13	20	3.0	4.4	
Diphtheria ..	32	40	47	49	60	64	101	110	90	77	67	64	16	16	14	1.7	1.6	
Croup ..	8	10	6	4	4	6	5	3	4	3	5	6	3	.	3	0.1	0.1	
Influenza ..	79	69	121	176	102	104	71	72	93	43	93	161	112	6	16	2.3	3.9	
Dysentery ..	.	.	.	.	.	.	7	4	4	8	.	10	.	4	2	.	0.2	
{ Pulmonary ..	1,207	1,152	1,183	1,174	1,049	1,006	1,052	1,065	1,070	1,111	1,107	1,193	316	256	274	28.0	29.2	
{ Other Forms ..	517	542	610	568	459	485	399	375	374	356	469	350	98	67	85	11.9	8.6	
Tuberculosis ..	372	453	399	426	418	476	447	470	521	514	450	510	133	117	142	11.4	12.5	
Cancer ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of	{ Nervous System ..	1,981	2,002	2,027	1,960	1,852	1,841	858	821	870	1,853	908	292	199	196	46.6	22.2	
	{ Circulatory System ..	.	.	.	.	.	.	874	874	935	.	944	306	195	221	.	23.1	
	{ Organs of Special Sense ..	10	6	9	6	14	9	13	15	13	11	16	5	3	2	0.3	0.4	
	{ Respiratory { Pneumonia ..	553	622	770	663	746	647	603	806	622	687	672	701	330	71	137	17.0	17.2
	{ Others ..	1,000	1,083	1,285	1,180	1,175	1,185	1,042	1,160	978	1,127	1,121	1,340	646	303	32.8	32.8	
	{ Diarrhoea and Enteritis under 2 years ..	430	577	359	507	396	459	62	15	34	12	486	433	74	49	126	12.3	10.6
	{ Diarrhoea 2 yrs. and upwards. ..	.	.	.	.	.	.	663	235	541	333	.	.	.	.	.	.	.
	{ Enteritis 2 yrs. and upwards. ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	{ Others ..	415	441	367	394	362	353	390	347	399	403	387	415	104	104	101	9.8	10.1
	{ Genito-urinary System ..	253	306	324	294	319	301	315	311	391	379	319	360	118	54	98	8.1	8.8
Puerperal Septicæmia, &c. ..	9	16	10	9	9	16	13	28	18	18	14	12	2	2	5	0.4	0.3	
Other Causes incident to Pregnancy and Childbirth. ..	21	26	27	23	27	18	23	21	32	29	25	31	5	10	7	0.6	0.8	
Diseases of Skin and Cellular Tissue ..	16	15	16	18	14	16	46	53	56	65	32	67	17	14	24	0.8	1.6	
Diseases of Locomotor System ..	5	11	20	14	14	10	17	13	18	8	13	11	5	3	1	0.3	0.2	
Violent Deaths ..	208	203	232	222	179	220	222	185	204	225	210	228	77	38	55	5.3	5.6	
Other Specified Causes, ..	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Ill-defined, &c., Causes, ..	1,076	1,055	1,193	1,063	1,178	1,051	1,084	964	1,081	1,152	1,172	1,182	347	253	286	29.6	28.9	
{ Causes, ..	.	.	.	.	.	.	187	249	231	155	.	154	57	27	38	.	3.7	
DEATHS FROM ALL CAUSES -	8,425	8,857	9,447	9,070	8,750	8,504	9,118	8,728	8,667	9,175	8,873	9,521	3,197	2,251	2,276	224.1	232.8	
Annual Death-rate per 1,000 of Pop.*	22.2	23.4	24.2	22.6	22.0	21.1	22.6	21.8	21.5	22.2	22.4	23.3	31.3	22.0	22.3	.	.	
Mean Temperature of the Air (Fahr.)	48.4	48.3	47.7	48.8	47.5	47.8	49.0	47.9	48.7	48.9a	48.3	47.0	39.8	48.8	42.8	.	.	
Rainfall (in inches) ..	24.46	23.59	27.80	24.41	26.42	31.33	23.33	27.04	28.59	27.24a	26.42	34.85	8.15	4.33	13.31	.	.	

\* The rates are calculated on the population estimated to the middle of the respective years.  
† The numbers for the years 1908 and 1914 embrace the returns for 53 weeks. This arrangement is occasionally necessary in order that the annual series may correspond with the calendar year.  
(a) For 52 weeks only.



Registration of Births and Deaths in the Dublin Registration Area.

TABLE V.—Showing for the YEAR 1915 (52 weeks) the number of BIRTHS and DEATHS relating to Rate per 1,000 of the Population of the respective Districts represented by the Deaths from year old per 1,000 Births ; with the Mortality from some of the principal causes ; also the *Infants occurring in Institutions have been assigned to the Districts containing the homes of the were admitted.*

REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1915.	YEAR (52 WEEKS) ENDED												
		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		INFANT MORTALITY (DEATHS UNDER ONE YEAR PER 1,000 BIRTHS).	TOTAL BIRTHS.	TOTAL DEATHS.	DEATHS.							
		FROM ALL CAUSES	FROM CERTAIN EPI-DEMIC DISEASES.*				Under 1 year.	1 and under 2.	2 and under 6.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.
COLS.	(1).	(2).	(3).	(4).	(5).	(6).	(7).	(8).	(9).	(10).	(11).	(12).	(13).	(14).
<b>North City.</b>														
NORTH CITY, No. 1, E., ..	30,504	25·0	3·1	183	1,043	763	191	48	33	31	37	110	175	138
„ 1, W.,	41,685	25·2	2·4	172	1,195	1,052	206	48	43	37	58	159	256	245
„ 2, ..	27,883	26·0	1·9	165	822	725	136	54	45	27	40	97	177	149
„ 3, ..	35,887	19·4	1·6	154	837	696	129	35	27	29	32	113	168	163
CLONTARF AND HOWTH, No. 1 part of.	5,539	15·7	0·9	71	99	87	7	1	2	6	6	9	22	34
COOLOCK AND DRUMCONDRA, part of.	13,820	15·0	1·0	80	288	207	23	9	3	5	11	34	54	68
FINGLAS AND GLASNEVIN, part of.	10,829	15·0	1·1	141	192	162	27	2	8	6	11	25	41	42
<b>South City.</b>														
SOUTH CITY, No. 1, ..	41,170	24·1	3·2	199	1,078	991	215	93	66	33	46	138	194	206
„ 2, ..	18,341	28·5	3·5	196	464	522	91	48	30	14	22	84	124	109
„ 3, ..	43,970	25·6	3·0	162	1,248	1,126	202	70	82	40	57	156	252	267
„ 4, ..	33,171	21·3	2·2	166	920	708	153	59	31	22	25	98	169	151
NEW KILMAINHAM ..	9,948	15·6	2·0	152	270	155	41	8	7	12	12	24	28	23
<b>Urban Districts.</b>														
RATHMINES AND RATHGAR.	39,541	16·7	0·9	123	675	659	83	17	17	13	26	73	150	280
PEMBROKE, .. ..	30,538	19·0	1·4	160	618	581	99	21	19	23	25	76	122	196
BLACKROCK .. ..	9,233	15·8	0·5	144	111	146	16	4	2	1	5	25	29	64
KINGSTOWN .. ..	16,941	19·0	1·4	119	369	322	44	17	14	9	11	52	64	111
<b>Total City.</b>	<b>North,</b> ..	166,147	22·2	2·0	161	4,476	3,692	719	197	161	141	195	547	839
	<b>South,</b> ..	146,600	23·9	2·9	176	3,980	3,502	702	278	216	121	162	500	756
	<b>North and South,</b>	312,747	23·0	2·4	168	8,456	7,194	1,421	475	377	262	357	1,047	1,595
<b>Total Urban Districts,</b> ..	96,253	17·7	1·1	136	1,773	1,708	242	59	52	46	67	226	365	651
<b>Total Registration Area,</b> ..	409,000	21·8	2·1	163	10,229	8,902	1,663	534	429	308	424	1,273	2,025	2,246
Births and Deaths in Institutions relating to residents of localities situated outside the Dublin Registration Area (not included in above).					610	619	40	4	12	31	75	175	192	90

\* See note (†) on page iv.



the Residents of the several REGISTRARS' DISTRICTS, &c., in the DUBLIN REGISTRATION AREA, the All Causes and from the principal Epidemic Diseases; and the Rate for deaths of Infants under one Deaths at certain age-periods, and the number of Uncertified Deaths. *The Births and Deaths of mothers, all other deaths in Institutions having been referred to the districts from which the deceased*

1ST JANUARY, 1916.																	REGISTRARS' DISTRICTS &c.
DEATHS.																	
CAUSED BY																	
Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tubercu- losis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years.	Diarrhoea 2 years and upwards.	Violence.	Number of Uncertified Deaths.	
(15).	(16).	(17).	(18).	(19).	(20).	(21).	(22).	Pulmonary.	Other Forms	(25).	Pneumonia.	Others.	(28).	(29).	(30).	(31).	
																COLS.	
North City.																	
2	1	-	2	3	18	5	2	96	38	35	59	112	61	-	15	36	NORTH CITY. No. 1, E.
1	2	-	6	3	9	1	2	147	32	40	90	147	78	-	23	35	„ 1, W.
2	-	-	9	-	10	-	1	88	47	26	62	122	32	-	16	28	„ 2.
3	-	-	5	6	10	8	-	88	25	43	52	83	25	1	16	30	„ 3.
-	-	-	-	1	-	2	2	10	2	7	3	12	-	-	-	-	CLONTARF AND HOWTH, No. 1 part of.
1	-	-	1	4	-	3	-	23	6	21	13	21	5	-	4	5	COOLOCK AND DRUMCONDRA, part of.
-	-	-	-	1	1	3	-	17	6	10	17	19	7	-	3	4	FINGLAS AND GLASNEVIN, part of.
South City.																	
3	-	-	20	1	35	10	-	131	39	36	56	171	60	3	23	23	SOUTH CITY, No. 1.
1	-	-	10	1	24	3	-	77	23	23	37	97	24	2	8	11	„ 2.
8	-	-	22	4	41	13	-	164	39	51	91	190	42	3	18	45	„ 3.
3	-	-	13	1	10	2	-	91	18	35	63	100	43	2	17	19	„ 4.
1	-	-	2	1	5	-	-	17	7	7	13	27	11	-	5	8	NEW KILMAINHAM.
Urban Districts.																	
3	-	-	4	-	7	3	1	61	13	47	44	94	15	1	11	21	RATHMINES AND RATHGAR.
2	-	-	3	5	10	6	-	62	9	25	47	61	17	-	16	26	PEMBROKE.
-	-	-	1	1	1	1	-	14	2	8	12	10	1	-	5	10	BLACKROCK.
-	-	-	20	-	-	-	-	33	7	20	22	38	4	-	6	21	KINGSTOWN.
9	3	-	23	18	48	22	7	469	156	182	296	516	208	1	77	138	North,
16	-	-	67	8	115	28	-	480	126	152	260	585	180	10	71	106	South,
25	3	-	90	26	163	50	7	949	282	334	556	1,101	388	11	148	244	North and South,
5	-	-	28	6	18	10	1	170	31	100	125	203	37	1	38	78	Total Urban Districts.
30	3	-	118	32	181	60	8	1,119	313	434	681	1,304	425	12	186	322	Total Registration Area.
3	-	-	-	1	-	4	2	74	37	76	20	36	8	1	42	-	Details relating to outside localities (not included in above).



OCCUPATIONS.—Table VII. exhibits the occupations or social position of the persons whose deaths were registered during the year, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this Table it will be observed that the deaths in families of the “Professional and Independent Class” were equal to a rate of 22·4 per 1,000 of the persons in that class according to the Census of 1911; in the “Middle Class” the death-rate was 16·1 per 1,000; among the “Artisan Class and Petty Shopkeepers” it was 18·4; and in the “General Service Class” it was 22·8. The number of the living in each of the several classes and orders of occupations in 1911 is shown by age-periods in the following Table.

TABLE VI.—Showing by AGES, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the INHABITANTS of the Dublin Registration Area in 1911.

Class.	OCCUPATION OR SOCIAL POSITION. [The 31,318 persons returned under the head “Unspecified” in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.]	Population in each Class and Group in 1911.	AGES.						
			Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.
	ALL PERSONS .. .. .	397,957	40,913	70,937	80,218	124,528	58,889	16,879	5,593
	CLASSES.								
	Families of the:—								
I.	PROFESSIONAL AND INDEPENDENT CLASS ..	14,658	873	1,844	2,194	4,594	3,491	1,145	517
II.	MIDDLE CLASS .. .. .	101,798	8,041	16,143	22,941	33,015	15,950	4,138	1,570
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS ..	108,420	12,745	21,352	21,313	33,312	15,179	3,745	774
IV.	GENERAL SERVICE CLASS .. .. .	167,479	18,987	31,440	33,431	52,329	22,389	6,574	2,329
V.	INMATES OF WORKHOUSES .. .. .	5,602	267	158	339	1,278	1,880	1,277	403
I.	PROFESSIONAL AND INDEPENDENT CLASS.								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers; and Heads of Public Departments.	7,868	569	983	721	2,924	2,037	464	170
	2. Merchants and Manufacturers, Higher Class	1,347	132	265	128	374	345	90	13
	3. Persons of Rank and Property, not otherwise described.	5,443	172	596	1,345	1,296	1,109	591	334
II.	MIDDLE CLASS.								
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	948	1,649	1,580	3,289	1,708	261	88
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	3,176	5,502	2,134	8,383	4,880	942	182
	6. Clerks and Commercial Assistants .. .. .	33,249	2,541	4,118	10,931	11,813	3,334	428	84
	7. Miscellaneous—including all Household in Second Class Localities, not included in above.	33,827	1,376	4,874	8,296	9,530	6,028	2,507	1,216
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.								
	8. Working Engineers, Engravers, Printers, Watch-makers, and Jewellers.	11,777	1,762	2,608	1,900	3,951	1,330	196	30
	9. Building and Furnishing Trades .. .. .	28,823	4,056	6,921	3,752	8,727	4,207	1,000	160
	10. Clothing Trades .. .. .	20,026	1,270	2,313	6,078	6,173	2,892	1,030	270
	11. Food Supply Trades .. .. .	8,952	1,321	1,962	1,407	2,965	1,112	163	22
	12. Other Trades and Callings ranking with Trades	32,070	3,582	6,129	7,173	9,320	4,509	1,102	255
	13. Petty Shopkeepers .. .. .	6,772	754	1,419	1,003	2,176	1,129	254	37
IV.	GENERAL SERVICE CLASS.								
	14. Army, Police, Postal Delivery, and Prison Services &c.	12,977	1,223	1,971	4,205	3,423	1,513	487	155
	15. Domestic Servants .. .. .	36,041	1,166	2,162	12,812	13,179	4,899	1,496	327
	16. Coach and Car Drivers, Vanmen, &c. .. .	15,380	2,610	3,728	1,756	5,318	1,707	230	31
	17. Hawkers, Porters, Labourers, &c. .. .	103,081	13,988	23,579	14,658	30,409	14,270	4,361	1,816
V.	INMATES OF WORKHOUSES.								
	18. Workhouse Inmates .. .. .	5,602	267	158	339	1,278	1,880	1,277	403







**PROVINCIAL URBAN DISTRICTS.**—(See Tables VIII. and IX.)—The respective death-rates per 1,000 of the population represented by the deaths from the principal epidemic diseases\* registered during the year in the twenty-six urban districts included in the Weekly Returns are as follow, ranging in order from the lowest to the highest—Armagh, 0·0; Athlone, 0·0; Lurgan, 0·2; Drogheda, 0·3; Wexford, 0·3; Limerick, 0·4; Bray, 0·4; Newry, 0·5; Clonmel, 0·5; Tralee, 0·7; Galway, 0·8; Bangor, 0·8; Dundalk, 1·1; Newtownards, 1·1; Sligo, 1·3; Lisburn, 1·4; Kilkenny, 1·4; Cork, 1·5; Belfast, 1·7; Ballymena, 1·8; Queenstown, 1·8; Coleraine, 1·9; Waterford, 2·0; Larne, 2·1; Londonderry, 2·6; and Portadown, 2·9.

**ENTERIC FEVER.**—Of 34 deaths, 10 belonged to Belfast, 6 to Limerick, 5 to Cork, 4 to Londonderry, 2 to each of Newry and Ballymena, and one to each of Galway, Dundalk, Drogheda, Sligo, and Clonmel.

**TYPHUS.**—Of 6 deaths registered, 4 appertained to Londonderry, one to Galway, and one to Kilkenny.

**SMALL-POX.**—No death from this disease was recorded.

**MEASLES.**—Of the total, 177 belonged to Belfast, 27 to Portadown, 14 to Cork, 13 to Coleraine, 3 to each of Newtownards and Queenstown, 2 to each of Londonderry, Ballymena and Larne, and one to each of Dundalk and Lisburn.

**SCARLET FEVER.**—There were 107 deaths for Belfast, 27 for Waterford, 12 for Cork, 6 for Newtownards, 3 for Sligo, 2 for each of Lisburn and Larne, and one for each of Londonderry, Limerick, Ballymena, Tralee, Clonmel and Bangor.

**WHOOPING-COUGH.**—There were recorded for Belfast 134 deaths, for Londonderry 55 deaths, for Cork 22 deaths, for Ballymena 12 deaths, for Limerick 8 deaths, for Larne 8 deaths, for Kilkenny 6 deaths, for Dundalk 5 deaths, for each of Portadown and Sligo 4 deaths, for Lisburn 3 deaths, for Coleraine 2 deaths, and for Drogheda, Queenstown and Bray, one death each was registered.

**DIPHTHERIA.**—Of 69 deaths from this cause, 27 belonged to Belfast, 14 to Cork, 7 to Kilkenny, 4 to Londonderry, 3 to each of Waterford and Sligo, 2 to each of Newry, Portadown and Wexford, and one to each of Dundalk, Drogheda, Lisburn, Newtownards, and Bangor.

**DIARRHŒAL DISEASES.**—The deaths from diarrhœal diseases include 366 deaths of children under 2 years of age from diarrhœa and enteritis. Of these deaths, 209 belonged to Belfast, 43 to Cork, 34 to Londonderry, 17 to Waterford, and 9 to each of Galway and Lisburn.

---

**PULMONARY TUBERCULOSIS.**—The number of deaths from pulmonary tuberculosis registered in the twenty-six Urban Districts amounted to 1,698, equivalent to an annual rate of 2·1 per 1,000 of the aggregate population of these districts. The deaths in Belfast (813) represent a rate of 2·0 per 1,000 of the estimated population. In the remaining twenty-five urban districts the deaths, 885, represent an annual rate of 2·2 per 1,000 of the aggregate population of these areas. In the Dublin Registration Area the rate for deaths from pulmonary tuberculosis (exclusive of deaths in public institutions of persons admitted from outside the Area) is equal to 2·7 per 1,000 of the estimated population.

\* See note (†) on page iv.



TABLE VIII.—BIRTHS and DEATHS Registered during the YEAR 1915 (52 weeks) in the Dublin Registration Area\*, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

REGISTRATION—YEAR, 1915 (53 WEEKS).																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
NUMBERS REGISTERED														DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Census Statistics of Districts.		Annual Rate per 1,000 persons Represented by		BIRTHS.										DEATHS.										BIRTHS.		DEATHS.		Caused by										No. of Deaths in Public Institutions.		No. of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
POPULATION.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From Diseases in Cols. 10-17.		BIRTHS.		From all Causes.		From	

\* See Table A

† The population given for the Dublin Registration Area and the cities of Belfast and Londonderry, is that estimated to the middle of 1915; that for each of the other districts is the population according to the Census of 1911.

† Including 13 deaths from cerebro-spinal fever or cerebro-spinal meningitis recorded for Dublin, and 39 for Belfast, and one from cerebro-spinal meningitis for each of Cork, Lurgan, Lisburn, and Larne.

TABLE IX.--Showing by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the YEAR 1915 (52 weeks). Deaths in Public Institutions of persons admitted from *without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE OF MORTALITY per 1,000 of the Population according to the Census of 1911 represented by the Deaths from All Causes and from certain Epidemic Diseases; the number of Deaths at certain AGE PERIODS; the Number of Deaths from some of the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

[illegible]

\* See note (†) on page xv.

† The rates for the total of Belfast City are calculated on the population estimated to the middle of the year.

GENERAL REGISTER-OFFICE,  
Charlemont House, Dublin,  
9th March, 1916.

Printed by A. THOM & Co. (Ltd.) 13224 Wt. 6.237. 375. 3. 1916. Sch. 10.

WILLIAM J. THOMPSON,  
*Registrar-General.*



## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 9TH JANUARY, 1915.

[No. 1.

*General Register Office, Charlemont House,  
Dublin, 11th January, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 26·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHES, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 19	Dec. 26	Jan. 2	Jan. 9	
<b>27 Town Districts, (a)</b>	<b>21·8</b>	<b>17·0</b>	<b>27·8</b>	<b>26·5</b>	<b>23·3</b>
Dublin Reg. Area ...	24·7	16·4	35·2	36·5	28·2
Dublin City ...	24·7	16·5	37·6	40·2	29·7
Belfast ...	18·3	22·0	23·1	21·0	21·1
Cork ...	27·2	14·3	30·6	23·1	23·8
Londonderry ...	15·2	11·4	22·8	13·9	15·8
Limerick ...	20·3	13·5	28·4	33·8	24·0
Waterford ...	22·8	9·5	51·3	22·8	26·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·7 per 1,000. Among the 162 deaths from all causes for Belfast are 6 from measles, 3 from whooping-cough, and 2 of children under 2 years of age from diarrhoea and enteritis. One death from whooping-cough and 2 deaths of children under 2 years of age from diarrhoea and enteritis are included in the 34 deaths from all causes for Cork. One of the 11 deaths from all causes for Londonderry was from diphtheria; one of the 4 deaths from all causes for Ballymena was from enteric fever; 2 of the 5 deaths from all causes for Kilkenny were from diphtheria; and one of the 4 deaths from all causes for Bangor was from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 232—127 boys and 105 girls—and the deaths to 297—137 males and 160 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 36·5 per 1,000 of the population, and the total deaths registered, numbering 297, represent an annual rate of 37·9 per 1,000, the average number of deaths in the corresponding week of the ten years, 1905–1914 being 197.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases  
(a. For particulars of other town districts, see Table II.

Included in the total deaths registered are 2 from enteric fever, one from typhus, one from scarlet fever, 7 from whooping-cough, 2 from diphtheria, 8 from diarrhoeal diseases, and 4 from influenza.

In the three preceding weeks, deaths from enteric fever were one, 2, and 2; deaths from typhus were 0, 0, and 0; deaths from scarlet fever were 2, one, and 2; deaths from whooping-cough were 0, 0, and 4; deaths from diphtheria were 4, 2, and 2; deaths from diarrhoeal diseases were 7, 5, and 8; and deaths from influenza were 0, one, and one, respectively.

Thirty-five\* deaths were due to tuberculous disease, 25 having been caused by pulmonary tuberculosis, 2 by tuberculous meningitis, 3 by abdominal tuberculosis, and 5 by other forms of tuberculous disease. In the 3 preceding weeks, deaths from all forms of tuberculous disease numbered 31, 25, and 45, respectively.

Cancer caused 14\* deaths.

There were 26\* deaths from broncho-pneumonia, 2 from lobar pneumonia, and 14 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 10 were ascribed to convulsions, 2 to congenital malformations, 5 to prematurity, and 8 to congenital debility.

Organic diseases of the heart caused 35 deaths and bronchitis 50.

The only accidental death registered was one (that of a child aged 2½ years) caused by burns.

One case of suicide was recorded.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age (including 5 infants under one year old), and the deaths of 3 persons age 165 years and upwards.

One hundred of the persons whose deaths were registered during the week were under 5 years of age (63 being infants under one year, of whom 21 were under one month old), and 67 were aged 65 years and upwards, including 51 persons aged 70 and upwards; among the latter were 27 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

One hundred and eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, and 37 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 36.5 per 1,000; the rate in the City was 40.2 (North City Districts, 41.4; South, 38.8), and in the Suburbs, 24.4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2.5 per 1,000 inhabitants, the rate for the City being 3.2 (in the North City Districts 2.5, and in the South 3.9), and for the Suburbs 0.5 per 1,000.

*No. 1 North City District, East (Clarence-street, North).—*The deaths (33) are equal to an annual rate of 56.4 per 1,000. Among them are one death each from enteric fever, typhus, whooping-cough, and pulmonary tuberculosis, 8 from broncho-pneumonia, 7 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

*No. 1 North City District, West (Summer-hill).—*The deaths (39) are equal to an annual rate of 48.8 per 1,000. There were 6 deaths from tuberculous disease, 4 from pneumonia, 6 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

*No. 2 North City District (Lisburn-street).—*The deaths (33) are equivalent to an annual rate of 61.7 per 1,000. Three deaths were caused by pulmonary tuberculosis, 6 by pneumonia, 8 by bronchitis, and 2 by diarrhoea and enteritis of children under 2 years of age.

*No. 3 North City District (Benburb-street).—*The deaths (18) represent an annual rate of 26.2 per 1,000, and include one death from enteric fever, 2 from broncho-pneumonia, and one from bronchitis.

*Other North City Districts.—*The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9.4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18.9; and Finglas and Glasnevin, part of, 14.4. The 3 deaths from all causes for the last-named district include one from lobar pneumonia and one from bronchitis.

*No. 1 South City District (South Earl-street).—*The deaths (32) represent an annual rate of 40.5 per 1,000. There were 2 deaths from whooping-cough, one from influenza, 6 deaths each from tuberculous disease and pneumonia, 4 deaths from bronchitis, and one death of a child under 2 years from diarrhoea and enteritis.

*No. 2 South City District (Castle-street).—*The deaths (20) are equal to an annual rate of 56.9 per 1,000. Two deaths from whooping-cough, 4 from pulmonary tuberculosis, one from lobar pneumonia, 5 from bronchitis, and one case of suicide, were recorded.

*No. 3 South City District (Peter-street).—*The deaths (34) are equal to an annual rate of 40.3 per 1,000. Among them are one death each from scarlet fever and whooping-cough, 2 from diphtheria, 2 from tuberculous disease, 5 from pneumonia, 8 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

*No. 4 South City District (Grand Canal Street).—*The deaths (17) are equivalent to an annual rate of 26.7 per 1,000, and include 2 deaths from pulmonary tuberculosis, 3 from pneumonia, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

*New Kilmainham District.—*The deaths (6) are equal to an annual rate of 31.4 per 1,000. Pneumonia caused one death and bronchitis 2.

*Urban Districts.—*The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21.1; Pembroke, 35.9; Blackrock, 22.6; and Kingstown, 12.3. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Rathmines and Rathgar; the 16 deaths from all causes for that district also including one from influenza, 2 from pulmonary tuberculosis, 3 from broncho-pneumonia, and 2 from bronchitis. Among the 21 deaths from all causes for Pembroke are one from influenza, 2 from pulmonary tuberculosis, one from pneumonia, and 4 from bronchitis. Of the 4 deaths from all causes for Blackrock 2 were caused by tuberculous disease and one by accidental burns; and of the 4 deaths from all causes for Kingstown one was from influenza, one from disseminated tuberculosis, and one from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 20.1), was equal to an average annual death-rate of 19.4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 24.5 per 1,000, the rate for Glasgow being 26.3, and for Edinburgh 21.6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th January. From this Report it appears that of a total of 66 cases notified, 22 were scarlet fever, 19 diphtheria, 14 phthisis, 10 erysipelas, and one cerebro-spinal fever. Among the 668 cases of infectious diseases in hospital at the close of the week were 256 cases of scarlet fever, 188 of diphtheria, 159 of phthisis, 17 of erysipelas, 4 of enteric fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th January, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin un- certain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuber- culosis.	Total.
City of Dublin.	Dec. 19,	.	—	—	10	1	.	4	.	.	1	1	1	—	—	—	—	—	11	29
	Dec. 26,	.	—	—	8	3	.	8	.	1	1	3	.	—	—	—	—	—	15	39
	Jan. 2,	.	—	—	13	8	.	9	.	.	4	3	.	—	—	—	—	—	21	58
	Jan. 9,	.	—	—	7	.	.	4	.	.	3	6	.	—	—	—	—	—	23	43
Rathmines and Rathgar Urban District	Dec. 19,	.	—	—	.	.	.	6	1	.	1	1	.	—	—	—	—	—	—	9
	Dec. 26,	.	—	—	.	.	.	5	.	.	.	.	.	—	—	—	—	—	—	5
	Jan. 2,	.	—	—	.	.	.	4	.	.	1	1	.	—	—	—	—	—	—	6
	Jan. 9,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
Pembroke Urban District.	Dec. 19,	.	.	.	.	.	.	1	.	.	.	.	.	—	—	—	—	—	2	3
	Dec. 26,	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 2,	.	.	.	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2	4
	Jan. 9,	.	.	.	.	.	.	1	.	.	.	1	.	—	—	—	—	—	1	3
Blackrock Urban District.	Dec. 19,	.	.	—	.	.	.	.	.	.	.	2	.	—	—	—	—	—	.	2
	Dec. 26,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 9,	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	1
Kingstown Urban District.	Dec. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 9,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	.	3
City of Belfast.	Dec. 19,	.	—	—	61	.	.	8	.	2	5	8	.	—	—	—	—	.	4	88
	Dec. 26,	.	—	—	39	.	.	4	1	.	.	6	.	—	—	—	—	.	.	50
	Jan. 2,	.	—	—	41	.	.	2	1	1	2	7	.	—	—	—	—	.	6	60
	Jan. 9,	.	—	—	37	.	.	6	.	.	.	3	.	—	—	—	—	.	3	49
City of Cork.	Dec. 19,	.	5	—	7	.	.	2	.	.	.	.	1	—	—	—	—	—	—	15a
	Dec. 26,	.	6	—	8	.	.	2	.	.	.	.	1	—	—	—	—	—	—	17
	Jan. 2,	.	2	—	3	.	.	3	1	.	.	.	.	—	—	—	—	—	—	9b
	Jan. 9,	.	9	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	16
City of Londonderry.	Dec. 19,	.	—	—	3	.	.	.	.	.	1	2	.	—	—	—	—	—	—	7
	Dec. 26,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	Dec. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Waterford.	Dec. 19,	.	—	—	5	1	.	1	.	.	.	.	.	—	—	—	—	—	.	7
	Dec. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
	Jan. 2,	.	—	—	10	.	.	.	.	.	.	.	.	—	—	—	—	—	.	10
	Jan. 9,	.	—	—	15	.	.	2	.	.	.	.	.	—	—	—	—	—	.	17

(a) Not including 2 cases of varicella and one of whooping-cough.

(b) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th January, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 9 were discharged, and 43 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 63, 51, and 47.

Two cases of typhus were discharged from hospital during the week, and 9 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 3, 8, and 11 respectively.

Two cases of measles were admitted to hospital during the week and remained under treatment at its close.

Fourteen cases of scarlet fever were admitted to hospital, 25 were discharged, there was one death, and 85\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 101, 91, and 97, respectively.

Five cases of diphtheria were admitted to hospital during the week, 9 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 46, 43, and 53 respectively, were 48 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 14 were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

Registration of Births and Deaths, Ireland.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th January, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 9TH JANUARY, 1915.																														
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.			BIRTHS.											DEATHS.													
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	27.9	26.5	1.7	649	615	117	147	3	1	...	6	2	11	5	...	49	16	30	66	103	11	1	6	16	182	30		
DUBLIN REGISTRATION AREA:—																														
TOTAL, (c.) ...	409,000	29.8	29.6	36.5	2.5	232	286	63	65	2	1	...	...	1	7	2	...	23	8	13	41	51	7	...	2	6	97	11		
CITY OF DUBLIN, ...	312,747	39.5	32.0	40.2	3.2	192	241	56	50	2	1	...	...	1	6	2	...	18	6	11	37	44	7	...	1	5	89	9		
Urban Districts.																														
RATHMINES and RATHGAR, ...	39,541	23.1	22.4	21.1	1.3	17	16	4	7	...	...	...	...	...	1	...	...	2	..	1	3	2	...	...	...	...	2	...		
PEMBROKE, ...	30,538	19.4	25.6	35.9	.	15	21	2 <sup>b</sup>	5	...	...	...	...	...	...	...	...	2	...	1	1	4	...	...	...	...	5	2		
BLACKROCK, ...	9,233	8.5	16.9	22.6	.	3	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	1	1	...		
KINGSTOWN, ...	16,941	11.6	15.4	12.3	.	5	4	1	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...		
Urban Districts																														
BELFAST ..	403,000	27.0	26.8	21.0	1.4	207	162	29	38	...	...	...	6	...	3	...	...	9	5	8	15	30	2	...	1	5	38	...		
CORK, ..	76,673	28.6	27.9	23.1	2.0	41	34	6	12	...	...	...	...	...	1	...	...	3	2	...	3	5	2	...	1	2	14	3		
LONDON-DERRY	41,200	16.0	39.2	13.9	1.3	31	11	2	3	...	...	...	...	...	...	1	...	1	...	1	1	1	...	...	...	...	1	...		
LIMERICK, ...	38,518	16.1	19.0	33.8	.	14	25	3	6	...	...	...	...	...	...	...	...	4	...	1	..	3	...	...	...	...	12	6		
WATERFORD, ...	27,464	19.1	28.5	22.8	.	15	12	2	2	...	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	...	2	1		
GALWAY, ...	13,255	2.5				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
DUNDALK, ...	13,128	9.5				13	8	2	...	...	...	...	...	...	...	...	...	2	1	..	...	1	...	1	1	1	2	2		
LURGAN, ...	12,553	14.7				9	6	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...		
DROGHEDA, ...	12,501	8.4				2	8	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
LISBURN, ...	12,388	10.9				4	4	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...		
NEWRY, ...	11,963	17.0				8	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...		
PORTADOWN, ...	11,727	15.3				1	5	1	1	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22.8				12	5	...	2	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	1		
BALLYMENA ..	11,381	9.3				15	4	...	2	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	2	...		
SLIGO, ...	11,163	3.8				6	7	...	3	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	4	3		
KILKENNY, ...	10,514	11.4				2	5	...	2	...	...	...	...	...	...	2	...	1	...	...	1	...	...	...	...	...	4	...		
TRALEE, ...	10,300	17.4				3	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...		
CLONMEL, ...	10,209	7.8				5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
NEWTOWNARDS	9,587	20.1				7	8	4	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	1	...		
QUEENSTOWN, ...	8,209	14.7				3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...		
LARNE, ...	8,036	13.4				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
COLERAINE. ...	7,785	7.7				3	6	2	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1	1		
BANGOR, ..	7,776	8.5				3	4	...	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...		
BRAY, ..	7,691	7.2				2	..	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ..	7,472	6.2				3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1		
ARMAGH, ...	7,356	21.8				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 11 deaths of persons (including 2 at 65 years of age or upwards) admitted to hospital from localities outside the Area. Of the 11 deaths, 4 were caused by tuberculous disease, one by cancer, and one by broncho pneumonia.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 9th of January, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.
Enteric Fever,	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Typhus,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Whooping-cough,	1	.	.	.	.	.	2	2	1	.	.	1	.	.	.	.	7	.
Diphtheria,	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	4	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	1	4	3	.	.	.	3	4	1	2	.	2	2	1	.	.	23	2
Other Forms,	.	2	.	.	.	.	3	.	1	.	.	.	.	1	1	.	8	2
Cancer,	1	3	2	.	.	.	1	2	1	1	.	1	1	.	.	.	13	1
Diseases of Nervous System,	1	3	3	1	.	.	3	2	3	2	1	1	2	.	.	.	22	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	2	7	2	6	.	4	5	.	4	2	1	2	2	.	.	.	38	2
" Respiratory System, { Pneumonia,	8	4	6	2	.	1	6	1	5	3	1	3	1	.	.	.	41	1
Others,	8	6	8	1	.	1	4	5	8	1	2	2	4	.	1	.	51	1
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	1	2	.	.	.	1	.	1	1	.	.	.	.	.	.	7	.
" " { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" " { Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
" " { Others,	3	3	.	4	.	.	1	1	.	1	1	1	1	.	.	.	15	.
" Genito-urinary System,	.	2	2	.	.	.	.	.	2	4	.	1	1	1	.	.	13	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	4	2	5	3	1	1	1	2	3	.	.	1	4	.	1	.	28	.
Violent Deaths,	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	.
Ill-defined, &c. Causes,	.	2	.	.	.	.	1	.	.	.	.	.	1	.	.	.	4	.
Deaths from All Causes	33	39	33	18	1	5	3	32	20	34	17	6	16	21	4	4	286	11
Annual Rate of Mortality from All Causes in every 1,000 of the population.	56.4	48.8	61.7	26.2	9.4	18.9	14.4	40.5	56.9	40.3	26.7	31.4	21.1	35.9	22.6	12.3	36.5	.
	41.4							38.8					24.4					
	40.2																	
Ages at Death. { Under 1 year,	11	5	10	2	.	1	1	8	2	8	6	2	4	2	.	1	63	.
" { 1 and under 2 years,	1	.	2	.	.	.	.	5	2	3	1	.	1	1	1	.	17	.
" { 2 " 5 "	4	2	1	.	.	.	.	2	1	3	.	1	1	3	1	.	19	1
" { 5 " 15 "	.	1	.	.	.	.	.	1	.	2	.	.	.	1	.	.	5	2
" { 15 " 25 "	.	4	.	2	.	.	1	3	1	1	1	1	.	1	.	.	15	.
" { 25 " 45 "	7	5	4	4	.	2	.	1	3	4	.	2	2	.	1	.	35	3
" { 45 " 65 "	4	13	12	3	.	1	1	6	7	8	3	1	1	7	.	.	67	3
" { 65 and upwards,	6	9	4	7	1	1	.	7	6	6	2	1	7	5	1	2	65	2
Number of Uncertified Deaths,	1	2	.	.	.	.	.	3	.	1	.	2	.	2	.	.	11	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	8	6	3	3	.	.	2	.	4	9	4	1	1	2	1	.	44	10
Workhouse Hospitals.	4	4	8	1	.	.	.	14	9	4	5	.	1	3	.	.	53	1





FIRST WEEK, ending Saturday, 9th January, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in First Week of the 10 years, 1905-1914.	In the Week ending Saturday, 9th January, 1915.											
	Jan. 7, 1905.	Jan. 6, 1906.	Jan. 5, 1907.	Jan. 4, 1908.	Jan. 9, 1909.	Jan. 8, 1910.	Jan. 7, 1911.	Jan. 6, 1912.	Jan. 4, 1913.	Jan. 3, 1914.		All Ages.	Deaths of Persons of the Ages of										
													Under 1 month.	0-5.				15-25.	25-45.	45-65.	65-75.	75 and upwards.	
														1 month and under a year.	1-2.	2-5.	5-15.						
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	2	.	1	6	—	5	.	1	.	.	.	.	2	1	.	.	1
Diarrhoea and Enteritis of Children under 2 years.	4	3	12	5	5	4	4	5	7	3	5.4	7	.	5	2	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							
Appendicitis and Typhlitis,...	—	—	—	—	—	—	—	1	1	3	—	2	.	.	.	1	.	1	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	2	1	—	2	.	.	.	.	.	.	1	1	.	.	.
Cirrhosis of Liver, ...	1	8	2	2	.	2	1	1	1	1	1.4	1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	.	2	.	.	.	.	.	.	1	.3	2	.	.	.	.	.	.	2	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	.	1	.	1	.	2	.5	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	7	7	7	7	8	1	.	3	1	4.5	3	.	1	1	.	.	.	.	1	.	.	.
Acute Nephritis, ...	2	7	10	3	11	7	4	.	2	.	6.8	2	.	.	1	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...								4	9	6		9	.	.	.	.	.	.	3	3	2	1	
Urinary Calculi, ...								.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).								.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)								1	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.								2	.	.		2	.	.	.	.	.	.	1	.	1	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	2	.	1	.	.	1	.	.	.	.4	1	.	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	1	2	4	—	2	.	.	1	1	.	.	.	.	.	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	—	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	1	7	5	4	2	5	6	10	6	4.8	5	5	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	4	1	4	8	—	8	3	5	.	.	.	.	.	.	.	.	.
Old Age, ...	1	3	8	3	3	1	4	9	3	9	4.4	7	.	.	.	.	.	.	.	.	.	.	7
Other Specified Diseases, ...	—	—	—	—	—	—	1	.	3	2	—	2	2	.	.	.	.	.	.	.	.	.	.
ACCIDENT :																							
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	2	4	3	.	.	.	1	3	1	1.7	1	.	.	.	1	.	.	.	.	.	.	.
Drowning, ...	1	.	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	2	1	2	.	2	2	1	3	4	1.8	.	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	5	4	6	5	.	3	2	3	7	5	4.0	1	.	.	.	1	.	.	.	.	.	.	.
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	.	.	2	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	1	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	1	.	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	2	.	1	.	1	.	.	.	.	1	.5	1	.	.	.	.	1	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	5	6	8	—	4	.	.	.	1	.	.	.	1	2	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																											
		July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.		
No. of weeks in Annual Series,		29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1		
Births registered.		208	197	195	166	204	200	246	187	213	184	193	199	223	185	205	173	222	190	209	187	185	195	224	117	236	232		
Average Births in corresponding week of previous 10 years, ...		221	221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223		
Deaths registered, ...		139	129	144	136	159	186	163	160	139	161	154	154	141	144	134	118	153	155	155	152	204	190	203	134	283	297		
Annual Death-rate per 1,000, ...		17.9	16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9		
Average Deaths in corresponding week of previous 10 years, ...		143	145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197		
Ages, { Under 5 years, ... 5-15 " " " " " " 15-25 " " " " " " 25-45 " " " " " " 45-65 " " " " " " 65-75 " " " " " " 75 and upwards, ...		44	36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100		
		9	6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	7	8	8	11	3	6	7	9	8	12	7	
		3	9	8	5	7	6	6	8	5	6	7	1	6	7	4	1	1	8	7	6	6	8	9	7	10	15	15	
		29	26	27	26	26	27	23	24	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	23	38	
		31	30	37	34	35	35	38	40	28	35	36	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	
		14	15	13	15	18	17	18	17	18	22	16	20	21	19	17	29	14	23	20	19	28	40	19	28	23	42	40	40
Deaths from:— Enteric Fever, ... Typhus, ... Small-pox, ... Measles, ... Scarlet Fever, ... Whooping-cough, ... Diphtheria, ... Influenza, ... Dysentery, ... Tuberculosis { Pulmonary ... Other Forms, ... Cancer, ... Diseases of Circulatory System, ... Diseases of Respi- { Pneumonia ratory System, { Others, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards, Violent Deaths, ... Number of Uncertified Deaths, ...		9	7	8	15	15	10	11	11	11	15	14	14	17	16	11	19	16	18	16	16	16	17	25	9	34	27		
		1	2	2	2	1	2	2	1	1	3	3	1	1	2	3	3	2	3	2	2	5	1	1	2	2	2	2	
		1	2	2	2	1	2	2	1	1	3	3	1	1	2	3	3	2	3	2	2	5	1	1	2	2	2	2	
		6	2	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		2	1	1	1	2	1	1	4	2	1	1	2	1	1	2	1	2	1	1	1	1	3	1	4	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		16	19	23	19	18	19	18	25	13	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	
		8	11	5	6	4	2	4	9	8	9	7	7	9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10
		7	10	9	7	6	12	10	20	6	15	13	15	15	8	6	9	8	3	15	9	17	12	10	7	8	12	14	14
		15	15	13	15	15	17	18	18	17	19	15	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	
		12	4	8	4	3	7	7	8	5	4	6	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	
		5	7	12	10	11	10	11	7	7	9	7	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	
		6	6	9	10	11	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7
		5	3	3	7	10	3	3	3	1	4	6	4	2	7	1	1	1	5	3	7	7	1	1	1	1	3	2	1
		6	2	7	4	2	2	2	1	4	2	5	2	8	8	2	3	3	3	1	4	3	4	8	4	6	14	11	





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1914-5, Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncer- tified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea, 2 years and upwards.	Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 5	25.9	3.5	15	.	.	.	.	.	.	.	.	.	.	2	2	3	2	.	.	1
	" 12	24.2	3.5	14	.	.	.	.	.	.	.	.	3	.	1	.	1	2	.	.	1
	" 19	24.2	.	14	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	" 26	17.3	.	10	.	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	2
Population in 1915	Jan. 2	34.5	.	20	.	.	.	.	.	.	.	.	3	.	.	3	2	.	.	1	.
(Est.) 30,504.	" 9	56.4	6.8	33	1	1	.	.	.	1	.	.	1	.	1	8	8	1	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 5	50.3	1.3	24	1	.	.	.	.	.	.	.	1	1	.	2	3	.	.	1	1
	" 12	17.7	2.5	14	.	.	.	.	.	.	.	.	3	.	.	2	1	2	.	1	2
	" 19	20.2	1.3	16	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	.
	" 26	15.2	1.3	12	.	.	.	.	.	.	.	.	1	.	1	1	5	1	.	.	.
Population in 1915	Jan. 2	46.7	2.5	37	.	.	.	.	.	.	.	.	7	.	.	9	5	2	.	.	3
(Est.) 41,685.	" 9	48.8	1.3	59	.	.	.	.	.	.	.	.	4	2	3	4	6	1	.	.	2
North City, No. 2. (Office, Lisburn-street.)	Dec. 5	33.7	3.7	18	1	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	.
	" 12	24.3	1.9	13	.	.	.	.	.	.	.	.	3	.	1	1	2	1	.	1	.
	" 19	41.1	1.9	22	.	.	.	.	.	.	.	.	3	2	1	3	2	1	.	1	1
	" 26	22.4	1.9	12	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	.	1
Population in 1915	Jan. 2	29.9	5.6	16	.	.	.	.	1	.	.	.	3	.	.	1	4	2	.	1	2
(Est.) 27,883.	" 9	61.7	3.7	33	.	.	.	.	.	.	.	.	3	.	2	6	8	2	.	.	.
North City, No. 3. (Office, Benburb-street.)	Dec. 5	23.5	1.5	16	.	.	.	.	1	.	.	.	2	.	.	2	.	.	.	.	.
	" 12	23.5	2.9	16	.	.	.	.	1	.	1	.	1	.	1	3	1	.	.	1	3
	" 19	30.8	5.9	21	.	.	.	1	2	.	1	.	2	.	.	3	5	.	.	.	.
	" 26	7.3	1.5	5	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.
Population in 1915	Jan. 2	24.9	1.5	17	.	.	.	.	.	.	1	.	1	1	1	3	1	.	.	.	.
(Est.) 35,887.	" 9	26.2	1.5	18	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
Clontarf and Howth No. 1 (part of).	Dec. 5	28.5	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 12	9.5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	9.5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	19.0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Jan. 2	19.0	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(Est.) 5,539.	" 9	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Dec. 5	34.3	.	9	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	" 12	7.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	11.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Population in 1915	Jan. 2	19.1	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
(Est.) 13,820.	" 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Dec. 5	19.5	4.9	4	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
	" 12	9.7	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	" 19	29.2	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	" 26	24.3	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Population in 1915	Jan. 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 9	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Dec. 5	25.6	1.3	20	.	.	.	.	.	.	.	.	3	.	.	3	1	1	.	.	.
	" 12	38.4	2.6	30	.	.	.	.	.	1	.	.	3	2	1	4	7	1	.	.	.
	" 19	20.5	1.3	16	.	.	.	.	.	.	.	.	1	1	.	3	1	1	.	1	.
	" 26	15.3	1.3	12	.	.	.	.	.	.	.	.	3	1	1	.	2	1	.	1	.
Population in 1915	Jan. 2	48.6	9.0	38	.	.	.	.	.	3	.	.	3	1	.	5	8	4	.	.	1
(Est.) 41,170.	" 9	40.5	3.8	32	.	.	.	.	.	2	.	.	3	3	1	6	4	1	.	.	3
South City, No. 2. (Office, Castle-street.)	Dec. 5	28.4	.	10	.	.	.	.	.	.	.	.	1	1	2	.	2	.	.	.	.
	" 12	22.7	2.8	8	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.
	" 19	28.4	.	10	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.
	" 26	14.2	2.8	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Population in 1915	Jan. 2	68.2	5.7	24	1	.	.	.	.	1	.	.	3	.	.	5	6	.	.	.	.
(Est.) 18,341.	" 9	56.9	5.7	20	.	.	.	.	.	2	.	.	4	.	2	1	5	.	.	1	.
South City, No. 3. (Office, Peter-street.)	Dec. 5	27.5	1.2	23	.	.	.	.	.	.	1	.	6	1	.	1	2	.	.	.	1
	" 12	32.3	1.2	27	.	.	.	.	.	.	.	.	3	2	.	8	4	.	.	.	.
	" 19	21.6	3.6	18	.	.	.	.	.	1	.	2	3	.	.	1	3	.	1	.	.
	" 26	27.5	1.2	23	1	.	.	.	.	.	.	.	2	2	1	1	8	.	.	.	1
Population in 1915	Jan. 2	49.1	2.4	41	.	.	.	.	1	.	1	.	7	2	2	3	8	.	.	.	2
(Est.) 43,970.	" 9	50.3	5.9	34	.	.	.	.	1	1	2	.	1	1	1	5	8	1	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Dec. 5	23.6	1.6	15	.	.	.	.	.	.	.	.	4	.	.	1	2	1	.	.	1
	" 12	31.4	.	20	.	.	.	.	.	.	.	.	2	1	1	4	3	.	.	1	.
	" 19	33.0	.	21	.	.	.	.	.	.	.	.	3	.	1	4	2	.	.	1	1
	" 26	9.4	1.6	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Population in 1915	Jan. 2	33.0	.	21	.	.	.	.	.	.	.	.	6	2	1	.	3	.	.	.	1
(Est.) 33,171.	" 9	26.7	1.6	17	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.	.	.
New Kilmainham.	Dec. 5	10.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 12	15.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 19	10.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 26	15.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Population in 1915	Jan. 2	15.9	.	3	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
(Est.) 9,948.	" 9	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN INFECTIOUS DISEASES.*		Enteric Fever.	Typhus. †	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	† Infants, 2 years o age and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Dec. 5 " 12 " 19 " 26	16.0 20.0 28.0 16.0	. 2.7 2.7 5.3	12 15 21 12	. . . .	. . . .	. . . .	. . . .	. . . .	. . . 1	. . 1 2	. . . .	1 1 1 3	. . . 2	1 2 2 1	1 1 1 1	1 2 1 5	. 2 1 12	. . . .	. . . .		
Population in 1915 (Est.) 39,541.	Jan. 2 " 9	29.3 21.1	. 1.3	22 16	. .	. .	. .	. .	. .	. 1	. .	. .	2 2	. .	1 1	3 2	5 2	. .	. .	. .		
Pembroke Urban District.	Dec. 5 " 12 " 19 " 26	17.2 20.7 17.2 19.0	1.7 . 3.4 .	10 12 10 11	1 . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 1 2 3	. . 1 .	2 1 . 1	1 . 1 2	2 2 1 1	. . 2 .	. . . .	. . . .		
Population in 1915 (Est.) 20,538	Jan. 2 " 9	24.1 35.9	1.7 .	14 21	1 .	. .	. .	. .	. .	. .	. .	. .	3 2	. .	1 1	5 1	1 4	. .	. .	. 2		
Blackrock Urban District.	Dec. 5 " 12 " 19 " 26	17.0 5.7 39.7 11.3	. . . .	3 1 7 2	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 1 1 1	. 1 . 1	2 . . .	. . . .	. . 1 .	. . . .	. . . .	. . . .		
Population in 1915 (Est.) 9,233.	Jan. 2 " 9	22.7 22.6	. .	4 4	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. 1	. .	. .	. .	. .	. .	1 1		
Kingstown Urban District.	Dec. 5 " 12 " 19 " 26	18.5 9.2 21.5 15.4	3.1 . . .	6 3 7 5	1 . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 2 .	. . . .	. . . .	. . 1 3	. . 2 1	. . . .	. . . .	. . . .		
Population in 1911 16,941.	Jan. 2 " 9	30.8 12.3	. .	10 4	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. 1	2 .	. 1	2 1	. .	. .	1 .		
Belfast.	Dec. 5 " 12 " 19 " 26	21.2 20.8 18.3 22.0	2.5 2.9 3.3 2.1	162 159 140 168	. 1 1 .	. . . .	. . . .	8 11 7 9	3 3 7 1	2 1 5 2	1 1 . 1	. . . .	15 12 12 20	6 1 7 4	7 6 6 5	22 15 11 16	21 31 15 27	5 5 5 1	. . . 1			
Population in 1915 (Est.) 403,000.	Jan. 2 " 9	23.1 21.0	2.2 1.4	177 162	2 .	. .	. .	8 6	2 .	2 3	. .	. .	20 9	6 5	5 8	24 15	23 30	1 2	1 .	5 1		
Cork.	Dec. 5 " 12 " 19 " 26	14.3 25.2 27.2 14.3	2.7 3.4 1.4 0.7	21 37 40 21	. . . .	. 1 . .	. 1 . .	. . . .	. 1 . 1	2 . . 1	1 . . 1	. . . .	1 2 8 4	3 4 2 2	2 2 2 1	1 3 3 3	3 5 9 2	1 2 2 2	. . . 1			
Population in 1911 76,673.	Jan. 2 " 9	30.6 23.1	2.0 2.0	45 34	. .	. .	. .	. .	1 .	. 1	. .	. .	6 3	2 2	. .	3 3	2 5	. 2	1 .	1 .		
Londonderry.	Dec. 5 " 12 " 19 " 26	10.1 17.8 15.2 11.4	1.3 . . .	8 14 12 9	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . 1	. . . .	. 2 1 1	. . 1 .	. . . .	. 2 2 .	1 4 4 6	1 . . .	. . . .	. . 1 2		
Population in 1915 (Est.) 41,200.	Jan. 2 " 9	22.8 13.9	. 1.3	18 11	. .	. .	. .	. .	. .	. .	. 1	. .	. 1	. .	1 1	1 1	1 1	. .	. .	. .		
Limerick.	Dec. 5 " 12 " 19 " 26	25.7 19.0 20.3 13.5	. 1.4 1.4 .	19 14 15 10	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 3 . 3	2 . 1 .	1 . . 1	. . 2 3	3 3 4 2	. . 1 .	. 1 . .	. . . .		
Population in 1911 38,518.	Jan. 2 " 9	28.4 33.8	. .	21 25	. .	. .	. .	. .	. .	. .	. .	. .	3 4	. .	. 1	. .	3 3	. .	. .	. 6		
Waterford.	Dec. 5 " 12 " 19 " 26	13.3 30.4 22.8 9.5	1.9 7.6 1.9 1.9	7 16 12 5	. 1 . .	. . . .	. . . .	. . 1 .	1 3 1 1	. . . .	. . . .	. . . .	. 1 . 2	2 . . 3	. 1 . 1	. . . 1	. 2 . 4	. . . .	. . . 2	. 1 . .		
Population in 1911 27,464.	Jan. 2 " 9	51.3 22.8	13.3 .	27 12	. .	1 .	. .	. .	. 4 .	. .	. .	. .	2 1	3 .	1 .	1 .	4 4	. .	. .	. 1		

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																										
		July 18.	July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	
No. of weeks in Annual Series,		29	30	31	32	32	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	
Births registered, ...		190	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	
Deaths registered, ...		103	110	113	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	
Annual Death-rate per 1,000 of estimated population, ...		13.5	14.4	14.8	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,		25	19	21	20	27	30	49	56	52	42	69	86	38	29	23	19	26	24	22	31	28	32	31	29	30	29	
		10	11	20	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	
		9	14	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	
		20	22	21	22	18	19	16	24	18	24	18	19	13	20	24	13	21	21	24	18	24	24	19	21	21	29	22
		19	26	23	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27	20	36	29	37	
		20	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	
Deaths from:—																												
Enteric Fever, ...		1	1	1	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Small-pox, ...		4	1	6	5	8	7	2	2	1	7	4	1	3	7	7	6	10	7	9	14	8	11	7	9	8	6	
Measles, ...		2	1	1	4	1	1	2	2	1	1	2	1	2	3	1	3	1	8	6	3	3	3	7	1	2	1	
Scarlet Fever, ...		4	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	8	2	2	1	2	1	5	5	2	3	
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		10	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	
Tuberculosis, { Pulmonary,		3	4	7	5	8	7	4	8	1	5	4	5	1	6	4	4	5	2	8	1	6	1	7	4	6	5	
Other Forms,		7	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	
Cancer ...		8	10	5	10	8	10	8	4	6	13	7	10	9	10	6	16	15	11	18	21	22	15	11	16	24	15	
Diseases of Respi- { Pneumonia,		5	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	
ratory System, { Others, ...		6	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	1	1	1	2	
Diarrhoea and Enteritis, under 2 years,		1	1	1	1	2	1	10	1	3	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diarrhoea, 2 years and upwards,		2	2	2	2	1	1	1	4	1	5	1	3	3	3	1	2	2	2	2	5	1	2	2	4	5	1	
Violent Deaths, ...		1	2	1	2	1	1	1	2	1	5	1	3	3	3	1	2	2	2	2	5	2	2	1	3	3	1	
Number of Uncertified Deaths, ...		1	2	1	2	1	1	3	2	1	5	2	2	1	1	2	1	2	1	1	2	2	2	1	3	3	1	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
		RETURN, 1914				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
		AND 1915  Week ending											
LONDON, ---	4,516,612	Jan. 9,	2,320	1,738	20·1	5	.	39	6	25	19	18	
EDINBURGH, ---	328,700	" 9,	152	136	21·6	1	.	.	1	1	7	3	
GLASGOW, ---	1,078,400	" 9,	713	543	26·3	2	.	.	9	33	7	5	
CALCUTTA, ---	896,067	Nov. 28,	.	.	.	.	.	.	.	.	.	.	
BOMBAY, ---	979,445	Dec. 5,	430	405	21·5	37*	1	.	.	1	.	43a	
MADRAS ---	518,660	Nov. 28,	378	425	42·6	67*	2	2	?	?	?	77½a	
CAIRO, {	Egyptians, ...	655,200	Oct. 28,	580	410	32·5	6	.	1	.	?	25†	78
	Foreigners, ...	70,875	" 28,	18	10	7·3	.	.	.	.	?	1†	.
ALEXAN- DRIA, {	Egyptians, ...	337,781	" 28,	255	161	24·8	2	.	.	.	?	.	29
	Foreigners, ...	75,880	" 28,	35	14	9·6	.	1	.	.	?	.	1
PARIS, ...	2,847,229	Nov. 28,	729	806	14·5	8	.	5	1	1	2	16	
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ...	597,888	—	.	.	.	.	.	.	.	.	.	.	
COPENHAGEN, ...	492,000	Dec. 12,	190	127	13·5	1	.	.	.	.	1†	3	
STOCKHOLM, ...	382,085	" 12,	142	134	18·2	.	.	1	1	.	2	.	
CHRISTIANIA, ...	251,446	" 19,	101	57	11·8	.	.	.	1	1	4	1a	
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ...	1,694,000	—	.	.	.	.	.	.	.	.	.	.	
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, ...	750,768	Dec. 19,	.	264b	18·3	1	.	1	3	2	4	10a	

\* Deaths from "fever," including one death from plague and 3 from enteric fever in Bombay,

† Including deaths from croup.

‡ Including 12 deaths from cholera in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e., non-residents deducted, 226 (including two deaths from scarlet fever, 3 from diphtheria, and 8 from diarrhoeal diseases) rate, 15·7 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th January, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 1, West,	...	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 2, ...	...	1	.	.	.	.	.	.	.	.	.	.	7	8
„ „ 3, ...	...	.	.	.	.	.	.	1	2	.	.	.	.	3
Clontarf and Howth No. 1 (part of),	.	2	.	.	1	.	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	...	.	.	.	.	.	.	.	1	.	.	.	8	9
„ „ 2, ...	...	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	...	2	.	.	3	.	.	1	2	.	.	.	3	11
„ „ 4, ...	...	.	.	.	.	.	.	.	.	.	.	.	.	.
New Kilmainham,	...	.	.	.	.	.	.	1	1	.	.	.	.	2
Total,	...	7	.	.	4	.	.	3	6	.	.	.	23	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 9th January, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th January.			
	Dec. 19.	Dec. 26.	Jan. 2.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	63	51	47	5	9	.	43
Typhus, ...	3	8	11	.	2	.	9
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	.	.	2	.	.	2
Scarlet Fever, ...	101	91	97	14	25	1	85*
Diphtheria, ...	46	43	53	5	9	1	48
Pneumonia, ...	25	22	31	6	14	1	22

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C. and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 16TH JANUARY, 1915.

[No. 2.]

*General Register Office, Charlemont House,  
Dublin, 18th January, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 26	Jan. 2	Jan. 9	Jan. 16	
<b>27 Town Districts, (a)</b>	<b>17·0</b>	<b>27·8</b>	<b>26·5</b>	<b>24·4</b>	<b>23·9</b>
Dublin Reg. Area ...	16·4	35·2	36·5	29·2	29·3
Dublin City ...	16·5	37·6	40·2	31·8	31·5
Belfast ...	22·0	23·1	21·0	21·7	22·0
Cork ...	14·3	30·6	23·1	29·9	24·5
Londonderry ...	11·4	22·8	13·9	27·8	19·0
Limerick ...	13·5	28·4	33·8	17·6	23·3
Waterford ...	9·5	51·3	22·8	30·4	28·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·1 per 1,000. Among the 168 deaths from all causes for Belfast are 10 from measles, 5 from scarlet fever, 5 from whooping-cough, one from diphtheria, and 2 (children under 2 years of age) from diarrhoea and enteritis. Of the 44 deaths from all causes for Cork, 2 were from measles, 2 from scarlet fever, one from whooping-cough, one from diphtheria, and one of a child under 2 years of age from diarrhoea and enteritis. One of the 16 deaths from all causes for Waterford was caused by scarlet fever, and one (a child under 2 years) by diarrhoea and enteritis. Included in the 6 deaths from all causes for Lisburn is one from whooping-cough, and among the 3 deaths from all causes for Portadown is one from diphtheria.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 259—134 boys and 125 girls—and the deaths to 241—113 males and 128 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 29·2 per 1,000 of the population. During the two weeks, ending with Saturday last, the death-rate averaged 32·9, and was 8·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 241, represent an annual rate of 30·7 per 1,000; the annual rate for the past two weeks was 34·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·4 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from enteric fever, 3 from whooping-cough, 8 from diarrhoeal diseases, and 2 from influenza.

In the three preceding weeks, deaths from enteric fever were 2, 2, and 2; deaths from whooping-cough were 0, 4, and 7; deaths from diarrhoeal diseases were 5, 8, and 8; and deaths from influenza were one, one, and 4, respectively.

Deaths from all forms of tuberculous disease, which in the 3 preceding weeks were 25, 45, and 35, respectively, numbered 27\* last week, the latter comprising 17 from pulmonary tuberculosis, one from tuberculous meningitis, 3 from abdominal tuberculosis, and 6 from other forms of the disease.

Sixteen\* deaths from cancer were registered.

Of 34 deaths from pneumonia, 25 were from broncho-pneumonia, 3 from lobar pneumonia, and 6 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 3 were caused by convulsions, one by congenital malformation, 2 by prematurity, and one by congenital debility.

There were 20 deaths from organic diseases of the heart, and 53 from bronchitis.

Four accidental deaths were registered, including one caused by an overdose of morphia, and 2 by burns, one of the latter being that of a child aged 15 months.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old, and the deaths of 2 persons aged 72 and 74 years, respectively.

Seventy-four of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 9 were under one month old), and 67 were aged 65 years and upwards, including 45 persons aged 70 and upwards; among the latter were 22 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 92, and 94 years, respectively.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, and 23 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·2 per 1,000; the rate in the City was 31·8 (North City Districts, 31·7; South, 32·0), and in the Suburbs, 20·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants the rate for the City being 2·0 (in the North City Districts 1·3, and in the South 2·8), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 30·8 per 1,000, and include one from influenza, one from disseminated tuberculosis, 4 from broncho-pneumonia, 6 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 35·0 per 1,000. There were 3 deaths from tuberculous disease, 5 from pneumonia, 7 from bronchitis, and 2 accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (25) are equivalent to an annual rate of 46·8 per 1,000. Among them are 4 from tuberculous disease, 4 from pneumonia, 6 from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (22) represent an annual rate of 32·0 per 1,000. Two deaths were caused by whooping-cough, 2 by pulmonary tuberculosis, 2 by broncho-pneumonia, 4 by bronchitis, and one death was that of a child under 2 years of age caused by diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 15·1 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 19·3, the 4 deaths from all causes for the last-named district including one from broncho-pneumonia and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (27) represent an annual rate of 34·2 per 1,000, and include one from whooping-cough, 5 from tuberculous disease, 2 from pneumonia, 7 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Two deaths from tuberculous disease, one from pneumonia, 2 from bronchitis, and 3 from diarrhoeal diseases were recorded.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·0 per 1,000. There were 5 deaths from pulmonary tuberculosis, one from enteric fever, 4 from broncho-pneumonia, 4 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 4 South City District (Grand Canal Street).—The deaths (22) are equivalent to an annual rate of 34·6 per 1,000. Among them are one from pulmonary tuberculosis, 5 from pneumonia, 7 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000, and were caused by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 30·3; Pembroke, 18·8; Blackrock, 22·6; and Kingstown, 0·0. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 23 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease, 4 from pneumonia, and 3 from bronchitis. The 11 deaths from all causes for Pembroke include one from pulmonary tuberculosis, 2 from broncho-pneumonia, and 3 from bronchitis; and the 4 deaths from all causes for Blackrock include one from influenza.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 19·6), was equal to an average annual death-rate of 18·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 22·8 per 1,000, the rate for Glasgow being 24·2, and for Edinburgh 19·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th January. From this Report it appears that of a total of 90 cases notified, 36 were diphtheria, 24 scarlet fever, 20 phthisis, and 10 erysipelas. Among the 647 cases of infectious diseases in hospital at the close of the week were 231 cases of scarlet fever, 185 of diphtheria, 161 of phthisis, 16 of erysipelas, 4 of enteric fever, 4 of whooping-cough, 2 of measles, and 2 of chicken-pox.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th January, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 26,	.	—	—	8	3	.	8	.	1	1	3	.	—	—	—	—	—	15	39
	Jan. 2,	.	—	—	13	8	.	9	.	.	4	3	.	—	—	—	—	—	21	58
	Jan. 9,	.	—	—	7	.	.	4	.	.	3	6	.	—	—	—	—	—	23	43
	Jan. 16,	.	—	—	14	.	.	5	.	.	4	5	.	—	—	—	—	—	36	64
Rathmines and Rathgar Urban District.	Dec. 26,	.	—	—	.	.	.	5	.	.	.	1	.	—	—	—	—	—	—	5
	Jan. 2,	.	—	—	.	.	.	4	.	.	1	1	.	—	—	—	—	—	—	6
	Jan. 9,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 16,	.	—	—	.	.	.	4	.	.	1	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	Dec. 26,	.	.	.	.	.	.	2	.	.	.	.	.	—	.	—	—	—	.	4
	Jan. 2,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	—	—	—	2	3
	Jan. 9,	.	.	.	.	.	.	.	.	.	.	1	.	—	.	—	—	—	1	3
	Jan. 16,	.	.	.	.	.	.	2	.	.	.	1	.	—	3	—	—	—	2	8
Blackrock Urban District.	Dec. 26,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 9,	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	1
	Jan. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Dec. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 9,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Dec. 26,	.	—	—	39	.	.	4	1	.	.	6	.	—	—	—	—	.	.	50
	Jan. 2,	.	—	—	41	.	.	2	1	1	2	7	.	—	—	—	—	6	60	
	Jan. 9,	.	—	—	37	.	.	6	.	.	3	3	.	—	—	—	—	3	49	
	Jan. 16,	.	—	—	41	.	.	6	1	.	3	3	.	—	—	—	—	3	57	
City of Cork.	Dec. 26,	.	6	—	8	.	.	2	.	.	.	.	1	—	—	—	—	—	17	9a
	Jan. 2,	.	2	—	3	.	.	3	1	.	.	.	.	—	—	—	—	—	—	16
	Jan. 9,	.	9	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	18b
	Jan. 16,	.	7	—	6	.	.	1	.	.	3	1	.	—	—	—	—	—	—	18b
City of Londonderry.	Dec. 26,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 16,	.	—	—	.	3	.	.	.	.	.	.	.	—	—	—	—	—	—	3
City of Limerick.	Dec. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Dec. 26,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
	Jan. 2,	.	—	—	10	.	.	.	.	.	.	.	.	—	—	—	—	—	.	10
	Jan. 9,	.	—	—	15	.	.	2	.	.	.	.	.	—	—	—	—	—	.	17
	Jan. 16,	.	—	—	16	.	.	.	.	.	.	.	.	—	—	—	—	—	.	16

(a) Not including one case of varicella.

(b) Not including one case of whooping-cough.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th January, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 44 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 51, 47, and 43.

Nine cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 preceding weeks the cases numbered 8, 11, and 9 respectively.

Three cases of measles were admitted to hospital during the week and 5 cases remained under treatment at its close.

Seventeen cases of scarlet fever were admitted to hospital, 26 were discharged, there was one death, and 75\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 91, 97, and 85, respectively.

Nine cases of diphtheria were admitted to hospital during the week, and 14 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 53, and 48 respectively, were 43 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths, and 17 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th January, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 16TH JANUARY, 1915.																															
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
		POPULATION.				BIRTHS.		DEATHS.																							
		Total. (a)	Per- sons to an Acre.	BIRTHS.	DEATHS.		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																				Inquest Cases.
From all Causes.	From certain Epidemic Diseases. (c)				Enteric Fever.	Typhus.					Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ..	1,212,380	19.2	29.8	24.4	2.1	603	168	101	147	1	...	...	12	8	10	3	...	47	30	25	54	110	14	1	8	19	140	25			
DUBLIN REGISTRATION AREA:—																															
TOTAL. (c.) ...	409,000	29.8	33.0	29.2	1.5	259	229	40	65	1	...	...	...	...	3	...	...	16	10	15	34	58	7	1	3	5	63	7			
CITY OF DUBLIN.	312,747	39.5	38.5	31.8	2.0	231	191	38	48	1	..	...	...	...	3	...	...	14	9	7	28	51	7	1	3	5	62	7			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	7.9	30.3	.	6	23	...	10	...	...	...	...	...	...	...	...	1	1	6	4	4	...	...	...	...	4	...			
PEMBROKE. ...	30,538	19.4	22.2	18.8	.	13	11	2	4	...	...	...	...	...	...	...	...	1	...	...	2	3	...	...	...	...	1	...			
BLACKROCK. ...	9,233	8.5	11.3	22.6	.	2	4	...	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...			
KINGSTOWN. ...	16,941	11.6	21.5	.	.	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
Urban Districts																															
BELFAST ..	403,000	27.0	.	21.7	3.0	212	168	32	36	...	..	...	10	5	5	1	...	15	14	6	9	30	2	...	...	6	35	2			
CORK, ..	76,673	28.6	36.0	9.9	4.8	53	44	8	11	...	...	...	2	2	1	1	...	5	1	1	2	5	1	...	...	11	5				
LONDON-DERRY	41,200	16.0	34.2	27.8	.	27	22	4	5	...	...	...	...	...	...	...	...	1	2	1	1	7	...	...	1	1	3	1			
LIMERICK, ...	38,518	16.1	17.6	17.6	.	13	13	1	6	...	...	...	...	...	...	...	...	2	1	..	1	...	...	...	...	...	7	1			
WATERFORD. ...	27,464	19.1	32.3	30.4	3.8	17	16	2	5	...	...	...	1	...	...	...	...	1	...	...	1	3	1	...	2	2	5	2			
GALWAY, ...	13,255	2.5	.	.	.	3	7	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	2	2	...	1			
DUNDALK, ...	13,128	9.5	.	.	.	7	5	1	3	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...			
LURGAN, ...	12,553	14.7	.	.	.	7	6	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...			
DROGHEDA, ...	12,501	8.4	.	.	.	2	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	3	...				
LISBURN, ...	12,388	10.9	.	.	.	8	6	2	1	...	...	...	...	...	1	...	...	...	1	...	1	...	...	...	...	...	...	1			
NEWRY, ...	11,963	17.0	.	.	.	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
PORTADOWN, ...	11,727	15.3	.	.	.	4	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	1	...	...			
WEXFORD, ...	11,531	22.8	.	.	.	3	3	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	1			
BALLYMENA ..	11,381	9.3	.	.	.	3	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
SLIGO, ...	11,163	3.8	.	.	.	6	4	1	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	1	...			
KILKENNY, ...	10,514	11.4	.	.	.	9	5	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2			
TRALEE, ...	10,300	17.4	.	.	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...			
CLONMEL, ...	10,209	7.8	.	.	.	5	6	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	4	...			
NEWTOWNARDS	9,587	20.1	.	.	.	9	2	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...			
QUEENSTOWN, ..	8,209	14.7	.	.	.	5	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
LARNE, ...	8,036	13.4	.	.	.	10	4	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...			
COLERAINE. ...	7,785	7.7	.	.	.	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...			
BANGOR, ..	7,776	8.5	.	.	.	8	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...			
BRAY, ...	7,691	17.2	.	.	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2	.	.	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ARMAGH, ...	7,356	21.8	.	.	.	9	3	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	2			

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. Of the 12 deaths, one was caused by pulmonary tuberculosis, and one by cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 16th of January, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES- &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, . . . . .	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	3	.	
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary, . . . . .	.	1	1	2	.	.	.	3	1	5	1	.	1	1	.	.	16	
{ Other Forms, . . . . .	1	2	3	.	.	.	.	2	1	.	.	.	1	.	.	.	10	
Cancer, . . . . .	1	.	.	1	.	2	.	1	1	.	1	.	6	.	2	.	15	
Diseases of Nervous System, . . . . .	2	2	1	1	.	.	.	4	.	3	2	.	.	.	.	.	15	
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System, . . . . .	.	3	5	2	.	1	1	1	1	4	1	.	2	.	.	.	21	
" Respiratory System, { Pneumonia, . . . . .	4	5	4	2	.	1	1	2	1	4	5	.	4	2	.	.	34	
{ Others, . . . . .	6	8	6	4	.	1	1	9	2	4	8	3	4	3	.	.	58	
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	.	.	1	.	.	.	1	2	1	1	.	.	.	.	.	7	
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
{ Others, . . . . .	.	1	.	.	.	1	.	1	.	2	.	.	1	2	1	.	8	
" Genito-urinary System, . . . . .	.	1	1	.	.	1	1	1	.	.	1	.	.	2	.	.	7	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	1	3	1	6	.	.	.	1	.	2	1	.	5	.	.	.	20	
Violent Deaths, . . . . .	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	
Ill-defined, &c. Causes, . . . . .	1	.	1	1	.	.	.	.	.	1	1	.	.	.	.	.	5	
Deaths from All Causes . . . . .	18	28	25	22	.	4	4	27	11	27	22	3	23	11	4	.	229	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	30·8	35·0	46·8	32·0	.	15·1	19·3	34·2	31·3	32·0	34·6	15·7	30·3	18·8	22·6	.	29·2	
	31·7							32·0					20·6					
	31·8																	
Ages at Death. { Under 1 year, . . . . .	6	5	3	3	.	.	.	7	2	6	5	1	.	2	.	.	40	
{ 1 and under 2 years, . . . . .	2	4	4	3	.	.	.	2	1	1	1	.	.	.	.	.	17	
{ 2 " 5 " . . . . .	1	1	1	1	.	.	1	3	2	2	1	1	2	.	.	.	16	
{ 5 " 15 " . . . . .	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	
{ 15 " 25 " . . . . .	.	3	1	1	.	.	.	1	2	.	.	.	1	1	.	.	10	
{ 25 " 45 " . . . . .	.	2	3	1	.	1	.	6	1	6	4	.	3	1	.	.	28	
{ 45 " 65 " . . . . .	5	6	5	4	.	1	.	4	2	5	7	.	7	3	1	.	50	
{ 65 and upwards, . . . . .	3	5	8	9	.	2	3	4	2	7	4	1	10	4	3	.	65	
Number of Uncertified Deaths, . . . . .	1	.	3	2	.	.	.	.	.	.	1	.	.	.	.	.	7	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	1	5	1	5	.	1	.	3	1	5	5	.	4	1	1	.	33	
Workhouse Hospitals, . . . . .	2	3	6	1	.	.	.	11	4	4	4	.	.	.	.	.	35	





SECOND WEEK, ending Saturday, 16th January, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 10 Weeks of the 10 years, 1905-1914.	In the Week ending Saturday, 16th January, 1915.																															
	Jan. 14, 1905.	Jan. 13, 1906.	Jan. 12, 1907.	Jan. 11, 1908.	Jan. 16, 1909.	Jan. 15, 1910.	Jan. 14, 1911.	Jan. 13, 1912.	Jan. 11, 1913.	Jan. 10, 1914.		All Ages.	Deaths of Persons of the Ages of																														
													0-5.																														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Diseases of Stomach, ...	—	—	—	—	—	—	5	4	1	—	3	.	1	.	.	.	.	.	.	.	.	.																					
Diarrhoea and Enteritis of Children under 2 years.	}	2	3	2	6	7	4	{	5	2	{	7	1	5	1	.	.	.	.	.	.	.																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							1	2	.	1	.	1	.	1	.	1	.	1	.	1	.	1	.	1	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	1	2	.	—	3	.	.	.	.	.	.	3	.	.	.																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	3	3	2	1	—	1	.	.	.	.	.	.	1	.	.	.																					
Cirrhosis of Liver, ...	1	.	1	3	4	1	.	.	1	1	1.2	.	.	.	.	.	.	.	.	.	.	.																					
Other Diseases of Liver, ...	1	1	.	1	1	3	2	.	.	1	1.0	2	.	.	.	.	.	.	.	2	.	.																					
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	.																					
Other Diseases of Digestive System.	6	7	5	6	3	7	1	.	2	1	3.8	.	.	.	.	.	.	.	.	.	.	.																					
Acute Nephritis, ...	}	8	8	6	9	1	8	{	3	1	{	.	.	.	.	.	.	.	.	.	.	.																					
Chronic Bright's Disease, ...																							4	7	2	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.																					
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	2	.	1	.	1	1	.7	.	.	.	.	.	.	.	.	.	.	.																					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	2	.	3	—	2	.	.	.	1	.	.	.	.	.	1																					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	.	.	—	.	.	.	.	.	.	.	.	.	.	.																					
Premature Birth, ...	.	6	8	2	5	5	6	6	8	7	5.3	2	2	.	1	.	.	.	.	.	.	.																					
Congenital Debility, ...	—	—	—	—	—	—	6	2	6	1	—	1	.	1	.	.	.	.	.	.	.	.																					
Old Age, ...	5	5	6	2	3	4	6	4	6	13	5.4	9	.	.	.	.	.	.	.	.	1	8																					
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	.	.	—	1	1	.	.	.	.	.	.	.	.	.																					
ACCIDENT :																																											
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	2	.3	1	.	.	.	.	.	1	.	.	.	.																					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Burns and Scalds, ...	1	2	1	.	1	2	3	4	1	3	1.8	2	.	.	1	.	.	1	.	.	.	.																					
Drowning, ...	.	.	.	1	.	1	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.																					
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.																					
Other Deaths by Accident, ...	3	1	.	2	.	1	2	.	3	5	1.7	1	.	.	.	.	.	.	.	1	.	.																					
Total Deaths from Accident,	4	3	1	4	1	4	5	4	5	12	4.3	4	.	.	1	.	.	2	.	1	.	.																					
Included in above are Deaths in connection with—																																											
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
VIOLENCE OTHER THAN ACCIDENTAL :																																											
Homicide, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Suicide, ...	.	.	.	.	.	.	2	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																												

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5.—WEEK ENDING																									
		July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.
No. of weeks in Annual Series.		30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2
Births registered.		197	195	166	204	200	246	187	213	184	198	199	223	185	205	173	222	190	209	187	185	185	224	117	236	232	259
Average Births in corresponding week of previous 10 years.		221	220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227
Deaths registered.		129	144	136	159	136	163	160	139	161	154	154	141	144	134	118	158	155	155	152	204	190	203	134	283	297	241
Annual Death-rate per 1,000.		16.6	18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7
Average Deaths in corresponding week of previous 10 years.		145	144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188
Ages, { Under 5 years, 5-15    " 15-25    " 25-45    " 45-65    " 65-75    " 75 and upwards,		36	46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100	74
		6	4	6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8	12	7	8
		9	8	5	7	6	8	8	5	6	7	1	6	7	4	1	7	7	6	6	8	9	7	7	10	15	11
		26	27	26	26	27	24	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	23	38	31
		30	37	34	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	
		15	13	15	18	17	18	22	16	20	21	19	17	17	19	14	23	20	19	28	40	19	28	23	42	40	45
		7	9	15	15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22
Deaths from:—		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Enteric Fever.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Typhus.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Small-pox.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Measles.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Scarlet Fever.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Whooping-cough.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Diphtheria.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Influenza.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Dysentery.		2	2	2	1	2	2	1	3	3	1	1	2	3	2	2	3	2	2	5	5	1	1	2	2	2	1
Tuberculosis { Pulmonary		19	23	19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17
" { Other Forms.		11	5	6	4	2	4	9	8	9	7	9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10
Cancer.		10	9	7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16
Diseases of Circulatory System.		15	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21
Diseases of Respiratory System.		4	8	4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	34
Diarrhoea and Enteritis, under 2 years.		7	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58
Diarrhoea, 2 years and upwards.		6	9	10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7
Violent Deaths.		3	3	7	10	3	6	1	4	6	4	1	7	1	1	3	5	3	1	7	1	5	1	3	2	2	1
Number of Uncertified Deaths.		2	7	4	2	2	1	4	2	5	2	8	2	2	3	3	3	4	3	4	4	8	4	6	14	11	7





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 12	24.2	3.5	14	.	.	.	.	.	.	.	.	3	.	1	.	1	2	.	.	1
	" 19	24.2	.	14	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	1	.
	" 26	17.3	.	10	.	.	.	.	.	.	.	.	4	.	.	1	2	.	.	2	.
	Jan. 2	34.5	.	20	.	.	.	.	.	.	.	.	3	.	.	3	2	.	.	1	2
Population in 1915 (Est.) 30,504.	" 9	56.4	6.8	33	1	1	.	.	.	1	.	.	1	.	1	8	8	1	.	.	1
	" 16	30.8	1.7	18	.	.	.	.	.	.	.	.	.	1	1	4	6	1	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 12	17.7	2.5	14	.	.	.	.	.	.	.	.	3	.	.	2	1	2	.	.	2
	" 19	20.2	1.3	16	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	2	.
	" 26	15.2	1.3	12	.	.	.	.	.	.	.	.	1	.	1	1	5	1	.	.	.
	Jan. 2	46.7	2.5	37	.	.	.	.	.	.	.	.	7	.	.	9	5	2	.	.	3
Population in 1915 (Est.) 41,685.	" 9	48.8	1.3	39	.	.	.	.	.	.	.	.	4	2	3	4	6	1	.	.	2
	" 16	35.0	.	28	.	.	.	.	.	.	.	.	1	2	.	5	8	.	2	.	2
North City, No. 2. (Office, Lisburn-street.)	Dec. 12	24.3	1.9	13	.	.	.	.	.	.	.	.	3	.	1	1	2	1	.	1	.
	" 19	41.1	1.9	22	.	.	.	.	.	.	.	.	3	.	1	3	2	1	.	1	1
	" 26	22.4	1.9	12	.	.	.	.	.	.	.	.	1	1	1	1	3	1	.	1	1
	Jan. 2	29.9	5.6	16	.	.	.	.	1	.	.	.	3	.	.	1	4	2	.	1	2
Population in 1915 (Est.) 27,883.	" 9	61.7	3.7	33	.	.	.	.	.	.	.	.	3	.	2	6	8	2	.	.	.
	" 16	46.8	.	25	.	.	.	.	.	.	.	.	1	3	.	4	6	.	1	.	3
North City, No. 3. (Office, Benburb-street.)	Dec. 12	23.5	2.9	16	.	.	.	.	1	.	1	.	1	.	1	3	1	.	.	1	3
	" 19	30.8	5.9	21	.	.	.	1	2	.	1	.	2	.	.	3	1	.	.	.	.
	" 26	7.3	1.5	5	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.
	Jan. 2	24.9	1.5	17	.	.	.	.	.	.	1	.	1	1	1	3	1	.	.	.	.
Population in 1915 (Est.) 35,887.	" 9	26.2	1.5	18	1	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.
	" 16	32.0	4.4	22	.	.	.	.	.	2	.	.	2	.	1	2	4	1	.	.	2
Clontarf and Howth No. 1 (part of).	Dec. 12	9.5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	9.5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	19.0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	Jan. 2	19.0	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 9	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Dec. 12	7.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	11.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Jan. 2	19.1	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
Population in 1915 (Est.) 13,820.	" 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	15.1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Dec. 12	9.7	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	" 19	29.2	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
	" 26	24.3	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	Jan. 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 10,829.	" 9	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 16	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
South City, No. 1. (Office, Stth. Earl-street.)	Dec. 12	38.4	2.6	30	.	.	.	.	.	1	.	.	3	2	1	4	7	1	.	.	.
	" 19	20.5	1.3	16	.	.	.	.	.	.	.	.	1	1	.	3	1	1	.	1	.
	" 26	15.3	1.3	12	.	.	.	.	.	.	.	.	3	1	1	.	2	1	.	1	.
	Jan. 2	48.6	9.0	38	.	.	.	.	.	.	.	.	3	1	.	5	8	4	.	.	1
Population in 1915 (Est.) 41,170.	" 9	40.5	3.8	32	.	.	.	.	.	3	.	.	3	3	1	6	4	1	.	.	3
	" 16	34.2	2.5	27	.	.	.	.	.	1	.	.	3	2	1	2	9	1	.	.	.
South City, No. 2. (Office, Castle-street.)	Dec. 12	22.7	2.8	8	.	.	.	.	.	.	.	.	1	1	.	.	1	1	.	.	.
	" 19	28.4	.	10	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	1
	" 26	14.2	2.8	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 2	68.2	5.7	24	1	.	.	.	.	1	.	.	3	.	.	5	6	.	.	.	1
Population in 1915 (Est.) 18,341.	" 9	56.9	5.7	20	.	.	.	.	.	2	.	.	4	.	2	1	5	.	1	.	.
	" 16	31.3	8.5	11	.	.	.	.	.	.	.	.	1	1	1	1	2	2	1	.	.
South City, No. 3. (Office, Peter-street.)	Dec. 12	32.3	1.2	27	.	.	.	.	.	1	.	.	3	2	.	8	4	.	.	.	.
	" 19	21.6	3.6	18	.	.	.	.	.	.	2	.	3	.	.	1	3	.	1	.	1
	" 26	27.5	1.2	23	1	.	.	.	.	.	.	.	2	2	1	1	8	.	.	.	2
	Jan. 2	49.1	2.4	41	.	.	.	.	.	.	1	.	7	2	2	3	8	.	.	.	1
Population in 1915 (Est.) 43,970.	" 9	40.3	5.9	34	.	.	.	.	1	1	2	.	1	1	1	5	8	1	.	.	1
	" 16	32.0	2.4	27	1	.	.	.	.	.	.	.	5	.	.	.	4	1	.	.	.
South City, No. 4. (Office, Grand Canal-st.)	Dec. 12	31.4	.	20	.	.	.	.	.	.	.	.	2	1	1	4	3	.	.	1	.
	" 19	33.0	.	21	.	.	.	.	.	.	.	.	3	.	1	4	2	.	.	1	1
	" 26	9.4	1.6	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Jan. 2	33.0	.	21	.	.	.	.	.	.	.	.	6	2	1	.	3	.	.	.	1
Population in 1915 (Est.) 33,171.	" 9	26.7	1.6	17	.	.	.	.	.	.	.	.	2	.	1	3	1	.	.	.	1
	" 16	34.6	1.6	22	.	.	.	.	.	.	.	.	1	.	1	5	8	1	.	.	1
New Kilmainham.	Dec. 12	15.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 19	10.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 26	15.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Population in 1915 (Est.) 9,948.	Jan. 2	15.9	.	3	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	" 9	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	2
	" 16	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.					
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.				
Rathmines and Rathgar Urban District.	Dec. 12 " 19 " 26 Jan. 2	20.0 28.0 16.0 29.3	2.7 2.7 5.3 .	15 21 12 22	.	.	.	.	.	.	.	.	1 1 3 1	.	2 2 1 2	1 1 1 1	1 1 1 5	2 1 2 .	.	.	.	1 1 .	1 1 .
Population in 1915 (Est.) 39,541.	" 9 " 16	21.1 30.3	1.3 .	16 23	.	.	.	.	.	1	.	.	2 1	.	1 6	3 4	2 4	.	.	.	.	.	.
Pembroke Urban District.	Dec. 12 " 19 " 26 Jan. 2	20.7 17.2 19.0 24.1	.	12 10 11 14	.	.	.	.	.	.	.	.	1 2 3 .	.	1 1 1 5	.	2 1 1 1	.	2 .	.	.	1 .	.
Population in 1915 (Est.) 20,538	" 9 " 16	35.9 18.8	.	21 11	.	.	.	.	.	.	.	.	2 1	.	1 .	1 2	4 3	.	.	.	.	.	.
Blackrock Urban District.	Dec. 12 " 19 " 26 Jan. 2	5.7 39.7 11.3 22.7	.	1 7 2 4	.	.	.	.	.	.	.	.	.	1 1 .	1 .	.	.	1 .	.	.	.	1 .	.
Population in 1915 (Est.) 9,233.	" 9 " 16	22.6 22.6	.	4 4	.	.	.	.	.	.	.	.	1 .	1 .	2 .	.	.	.	.	.	1 .	.	
Kingstown Urban District.	Dec. 12 " 19 " 26 Jan. 2	9.2 21.5 15.4 30.8	.	3 7 5 10	.	.	.	.	.	.	.	.	1 2 .	.	.	.	1 3 2	.	.	.	.	.	
Population in 1911 16,941.	" 9 " 16	12.3 .	.	4 .	.	.	.	.	.	.	.	.	.	1 .	1 .	.	1 .	.	.	.	.	1 .	
Belfast.	Dec. 12 " 19 " 26 Jan. 2	20.8 18.3 22.0 23.1	2.9 3.3 2.1 2.2	159 140 168 177	1 1 .	.	.	11 7 9 8	3 7 1 2	1 5 5 2	1 .	1 .	12 12 20 20	1 7 4 6	6 6 5 5	15 11 16 24	31 15 27 30	5 5 1 1	.	5 .	1 .	2 4 5 1	2 1 3 2
Population in 1915 (Est.) 403,000.	" 9 " 16	21.0 21.7	1.4 3.0	162 168	.	.	.	6 10	3 5	3 5	.	.	9 15	5 14	8 6	15 9	30 30	2 2	.	.	1 .	5 .	3 2
Cork.	Dec. 12 " 19 " 26 Jan. 2	25.2 27.2 14.3 30.6	3.4 1.4 0.7 2.0	37 40 21 45	.	1	.	1 .	1 .	.	.	.	2 8 4 6	.	2 2 1 3	3 3 1 3	5 9 2 5	2 2 .	.	1 .	.	1 3 3 5	1 2 1 5
Population in 1911 76,673.	" 9 " 16	23.1 29.9	2.0 4.8	34 44	.	.	.	2	2	1	1	.	3 5	2 1	1 1	3 2	5 5	2 1	.	.	1 .	1 .	3 5
Londonderry.	Dec. 12 " 19 " 26 Jan. 2	17.8 15.2 11.4 22.8	.	14 12 9 18	.	.	.	.	.	.	.	.	2 1 1 1	.	.	2 .	4 4 6 1	.	.	.	.	1 2 .	.
Population in 1915 (Est.) 41,200.	" 9 " 16	13.9 27.8	1.3 .	11 22	.	.	.	.	.	.	1	.	1 1	.	1 1	1 1	1 7	.	.	.	1 .	1 .	1 1
Limerick.	Dec. 12 " 19 " 26 Jan. 2	19.0 20.3 13.5 28.4	1.4 1.4 . .	14 15 10 21	.	.	.	.	.	.	.	.	3 . . 3	.	2 . 1 .	.	3 2 3 .	.	1 .	.	.	.	2 5 5 6
Population in 1911 38,518.	" 9 " 16	33.8 17.6	.	25 13	.	.	.	.	.	.	.	.	4 2	1 .	1 .	1 .	.	.	.	.	.	.	1
Waterford.	Dec. 12 " 19 " 26 Jan. 2	30.4 22.8 9.5 51.3	7.6 1.9 1.9 13.3	16 12 5 27	1 .	.	.	.	3 1 1 4	.	.	.	1 . 2 1	.	1 . 1 .	.	2 2 4 4	.	.	.	2 .	.	1 1 1 2
Population in 1911 27,464.	" 9 " 16	22.8 30.4	. 3.8	12 16	.	.	.	.	.	.	.	.	1 1	.	.	1 3	4 3	1 .	.	2 .	.	2 .	1 2

\* See note (†) at foot of first page.

TABLE VIII. — Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th January, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
								Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric fever.	Typhus.	Small-pox.	Measles.	Scarlet fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Pneumonia.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.			Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
																						Pulmonary.	Other forms.		Cancer.	Other.						
Colts.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																																
Belfast Urban No. 1 District.		15,879	10	29.6	5.3	9	3	7	1	1	2	2									1	1	1	1	3					1	1	
Do. 2 do.		49,500	31	29.5	5.3	28	5	4	5	5	6	6									5	2	1	1	6					6	7	
Do. 3 do.		50,032	28	20.8	3.2	10	4	3	1	2	2	2									1	1	1	1	3					2	3	
Do. 4 do.		32,637	15	16.0	3.2	11	5	1	3	1	2	3									1	1	2	1	1					1	1	
Do. 5 do.		16,112	8	35.6	1.4	11	5	1	3	1	2	3									1	1	1	1	1					1	1	
Do. 6 do.		37,238	12	15.4		11	1	1																								
Do. 7 do.		2,681	1	8.7		1																										
Do. 8 do.		5,964	1	14.9		1																										
Do. 9 do.		24,427	7	14.9		7	1	1																								
Do. 10 do.		28,958	24	23.4	3.6	13	2	2	1	2	3	3									1	1	1	2	2					1	1	
Do. 11 do.		39,311	20	22.5	5.3	17	3	2	1	2	1	8									1	1	1	2	3					1	1	
Do. 12 do.		38,076	29	24.6	2.7	18	2	2	2	4	7	1									2	4	2	1	1					1	1	
Do. 13 do.		23,233	15	18.0	2.2	18	2	1	1		3	1									1	1								1	1	
Do. 14 do.		175	1	34.5	6.9	15	1	3	1	4	3	3									3	1			2					1	1	
Do. 15 do.		22,669	11			15	1	3	1																							
Total.		386,947	212	21.7	3.0	168	32	25	15	23	37	36			10	5	5	1		15	14	6	9	30	2			6	25	2		
City of Cork.																																
Cork Urban No. 1 District		13,455	10	7.8	30.1	2	4	2	1	2	1	2									1											
Do. 2 do.		10,399	7	70.2		14	4	2	1	2	1	2																				
Do. 3 do.		9,793	10	47.9	5.7	9	1	2	1	1	1	2																				
Do. 4 do.		9,139	5	22.8		4	1	1	1	1	1	3																				
Do. 5 do.		6,250	5	16.7		2	1	1	1	1	1	1																				
Do. 6 do.		11,581	3	31.5		7	1	1	1	1	3	1	5																			
Do. 7 do.		16,056	13	19.5		6																										
Total.		76,673	53	29.9	4.8	44	8	5	6	8	6	11			2	2	1	1		5	1	1	2	5	1				11	5		

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914-5—WEEK ENDING																										
BELFAST.																										
July 25.	Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	
No. of weeks in Annual Series,	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2
BIRTHS registered, ...	218	212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212
DEATHS registered, ...	110	113	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168
Annual Death-rate per 1,000 of estimated population, ...	14.4	14.8	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	19	21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32
	11	20	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25
	14	11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15
	22	21	22	18	19	16	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23
	26	23	32	16	30	26	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27	20	36	29	37	37
	18	17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36
Deaths from :—																										
Enteric Fever, ...	1	1	1	1	1		2	1	1	1	2			1	1	1	1	1	1		1	1		2		
Typhus, ...	1		1																							
Small-pox, ...																										
Measles, ...	1	6	5	8	7	2	2	1	7	4		3	7	7	6	10	7	9	14	8	11	7	9	8	6	10
Scarlet Fever, ...	1	1	4		2	2	2	1	1	2	1	2	3		3	1	8	8	3	3	3	7	1	2		5
Whooping-cough, ...	2	7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5
Diphtheria, ...						1			7				1		1		1	1		1			1		1	
Dysentery, ...																										
Tuberculosis, {	16	15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15
Other Forms, ...	4	7	5	8	7	4	8	1	5	4	5		6	4	4	5	2	8		6	1	7	4	6	5	14
Cancer ...	8	1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6
Diseases of Respiratory System, {	10	5	10	8	10	8	4	6	13	7	10	9	10	3	16	15	11	18	21	22	15	11	16	24	15	9
Others, ...	8	12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30
Diarrhoea and Enteritis, under 2 years, ...	8	9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2
Diarrhoea, 2 years and upwards, ...	1			2	1	10	1	3	2	4	2	1	1			1	1		1				1			
Violent Deaths, ...	2	2	2	1	1		4	1	5	1	3	3	3	1	2	2	2	2	5		2	2	4	5	1	
Number of Uncertified Deaths, ...	2		2		1	3	2		5	2	2		1	2	1	2	1		2	2	2	1	3	3		2

TABLE X — BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Jan. 16,	2,284	1,702	19·6	1	.	44	10	13	15	20	
EDINBURGH, ...	328,700	„ 16,	120	121	19·2	.	.	.	.	1	4	1	
GLASGOW, ...	1,078,400	„ 16,	569	501	24·2	3	.	1	6	30	1	4	
CALCUTTA, ...	896,067	Nov. 28,	.	478	27·7	9	19	.	.	.	.	16†a	
BOMBAY, ...	979,445	Dec. 12,	437	467	24·8	50*	1	.	.	1	.	41a	
MADRAS, ...	518,660	„ 5,	402	416	41·7	63*	1	.	?	?	?	84†a	
CAIRO, {	Egyptians, ...	Nov. 4,	621	467	37·1	4	.	1	1	?	30†	81	
	Foreigners, ...	„ 4,	9	17	12·5	1	.	.	.	?	.	3	
ALEXAN- DRIA, {	Egyptians, ...	„ 4,	266	144	22·2	2	.	.	.	?	1†	35	
	Foreigners, ...	„ 4,	15	14	9·6	.	.	.	.	?	.	3	
PARIS, ...	2,847,229	Dec. 5,	709	865	15·5	12	.	11	1	4	2†	29	
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ...	597,888	—	.	.	.	.	.	.	.	.	.	.	
COPENHAGEN, ...	492,000	Dec. 19,	206	141	14·9	.	.	1	.	.	.	1	
STOCKHOLM, ...	382,085	„ 19,	151	133	18·1	1	1	.	.	.	.	1	
CHRISTIANIA, ...	251,446	„ 26,	97	27	5·6	.	.	.	.	.	.	.	
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ...	1,694,000	—	.	.	.	.	.	.	.	.	.	.	
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, ...	750,768	Dec. 26,	.	207b	14·4	.	.	2	1	.	5	4a	

\* Deaths from "fever," including 2 deaths from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 22 deaths from cholera in Calcutta, and 4 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non residents deducted, 188 deaths (including 2 from diarrhoeal diseases) rate, 13·1 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th January, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	.	.	.	1	.	.	.	.	6	7
„ „ 1, West,	...	1	.	.	.	.	.	.	.	.	.	.	6	7
„ „ 2, ...	...	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 3, ...	...	4	.	.	1	.	.	1	2	.	.	.	4	12
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	...	2	.	.	.	.	.	1	1	.	.	.	2	6
„ „ 2, ...	...	.	.	.	1	.	.	.	.	.	.	.	2	3
„ „ 3, ...	...	3	.	.	2	.	.	.	.	.	.	.	5	10
„ „ 4, ...	...	.	.	.	1	.	.	1	1	.	.	.	6	9
New Kilmainham, ...	...	4	.	.	.	.	.	.	.	.	.	.	.	4
Total, ...	...	14	.	.	5	.	.	4	5	.	.	.	36	61

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 16th January, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th January.			
	Dec. 26	Jan. 2.	Jan. 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	51	47	43	5	4	.	44
Typhus, ...	8	11	9	.	.	.	9
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	.	.	2	3	.	.	5
Scarlet Fever, ...	91	97	85	17	26	1	75*
Diphtheria, ...	43	53	48	9	14	.	43
Pneumonia, ...	22	31	22	6	9	2	17

\* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 23RD JANUARY, 1915.

[No. 3.]

General Register Office, Charlemont House,  
Dublin, 25th January, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 2	Jan. 9	Jan. 16	Jan. 23	
<b>27 Town Districts, (a)</b>	<b>27·8</b>	<b>26·5</b>	<b>24·4</b>	<b>24·0</b>	<b>25·7</b>
Dublin Reg. Area ...	35·2	36·5	29·2	27·7	32·1
Dublin City ...	37·6	40·2	31·8	30·0	34·9
Belfast ...	23·1	21·0	21·7	20·2	21·5
Cork ...	30·6	23·1	29·9	37·4	30·2
Londonderry ...	22·8	18·9	27·8	19·0	20·9
Limerick ...	28·4	33·8	17·6	12·2	23·0
Waterford ...	51·3	22·8	30·4	26·6	32·8

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·5 per 1,000. Among the 156 deaths from all causes for Belfast are 11 from measles, 3 from scarlet fever, and 2 from whooping-cough. Included in the 55 deaths from all causes for Cork are one from measles, one from whooping-cough, and one from diarrhoea and enteritis of a child under 2 years. Of the 9 deaths from all causes for Limerick, one is from enteric fever. One of the 2 deaths for Portadown is from measles. Of the 4 deaths from all causes for Sligo, one is from diphtheria; and included in the 6 deaths from all causes for Queenstown is one from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 185—88 boys and 97 girls—and the deaths to 233—119 males and 114 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 27·7 per 1,000 of the population. During the three weeks, ending with Saturday last, the death-rate averaged 31·1, and was 6·8 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

† Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 233, represent an annual rate of 29·7 per 1,000; the annual rate for the past three weeks was 32·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·5 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from each of enteric fever, measles, scarlet fever,\* and diphtheria, 6 from whooping-cough, 4 from influenza, and 2 from diarrhoea and enteritis of children under 2 years.

In the three preceding weeks, deaths from enteric fever were 2, 2, and one; deaths from measles were 0, 0, and 0; deaths from scarlet fever were 2, one, and 0; deaths from diphtheria were 2, 2, and 0; deaths from whooping-cough were 4, 7, and 3; deaths from influenza were one, 4, and 2; and deaths from diarrhoea and enteritis of children under 2 years were 8, 7, and 7, respectively.

Tuberculous disease caused 21\* deaths, comprising 16 from pulmonary tuberculosis, one from each of tuberculous meningitis, abdominal tuberculosis, and tuberculosis of the vertebral column, and 2 deaths from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease were 45, 35, and 27, respectively.

Cancer caused 11\* deaths.

Of 22 deaths from pneumonia, 15 were from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia (type not distinguished.)

Included in the deaths of infants under one year of age are 9 from convulsions, one from congenital malformation, 6 from premature birth, and 3 from congenital debility.

Organic diseases of the heart caused 29 deaths, and there were 47 deaths from bronchitis.

There were 4 accidental deaths, of which 2 were caused by drowning.

In 11 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 children under 5 years of age (including 6 infants under one year old), and the deaths of 2 persons aged 165 years and upwards.

Sixty of the persons whose deaths were registered during the week were under 5 years of age (45 being infants under one year, of whom 16 were under one month old), and 62 were aged 65 years and upwards, including 43 persons aged 70 and upwards; among the latter were 24 aged 75 and upwards, of whom 4 (one male and 3 females) were stated to have been aged 94, 92, 96, and 96, years, respectively.

Ninety-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 26 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 27·7 per 1,000; the rate in the City was 30·0 (North City Districts, 25·7; South, 34·9), and in the Suburbs, 20·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants the rate for the City being 1·8 (in the North City Districts 0·9, and in the South 2·8), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (23) are equal to an annual rate of 39·3 per 1,000, and include one from influenza, 4 from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, 2 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·3 per 1,000. Among them are one from measles, one from whooping-cough, 2 from tuberculosis, 2 from broncho-pneumonia, one from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. One death was caused by pulmonary tuberculosis, 2 by broncho-pneumonia, one by pneumonia, 2 by bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·0 per 1,000. One death from pulmonary tuberculosis, 2 from broncho-pneumonia, and 3 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 47·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 24·1. Of the 5 deaths from all causes for Clontarf and Howth, No. 1, part of, one was caused by influenza, one by broncho-pneumonia, and one by bronchitis. Of the 2 deaths recorded for Coolock and Drumcondra, part of, one was caused by bronchitis; and among the 5 deaths from all causes for Finglas and Glasnevin, part of, one was caused by pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (30) represent an annual rate of 38·0 per 1,000. Among them are one death from enteric fever, 2 from whooping-cough, one from diphtheria, one from pulmonary tuberculosis, 3 from broncho-pneumonia, one from pneumonia, 6 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·5 per 1,000, and include 2 from pulmonary tuberculosis, 2 from broncho-pneumonia, and 7 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (32) are equal to an annual rate of 37·9 per 1,000. Two deaths from whooping-cough, 2 from tuberculosis, 9 from bronchitis, and one accidental death were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Included in the 15 deaths are 2 from tuberculosis, one from pneumonia, 5 from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·2 per 1,000. One of the 5 deaths was caused by whooping-cough, one by tuberculous meningitis, and one by accident.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·1; Pembroke, 20·5; Blackrock, 11·3; and Kingstown, 21·5. Among the 16 deaths from all causes for Rathmines and Rathgar are one from influenza, 2 from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis. The 12 deaths from all causes for Pembroke include one from influenza, one from broncho-pneumonia, one from lobar-pneumonia, one from pneumonia, and 3 from bronchitis; and of the 7 deaths from all causes for Kingstown one was from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·4), was equal to an average annual death-rate of 18·0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 21·7 per 1,000, the rate for Glasgow being 22·2, and for Edinburgh 18·6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd January. From this Report it appears that of a total of 74 cases notified, 22 were scarlet fever, 21 diphtheria, 20 phthisis, one other form of tuberculosis, 8 erysipelas, one enteric fever, and one puerperal fever. Among the 631 cases of infectious diseases in hospital at the close of the week were 218 cases of scarlet fever, 190 of diphtheria, 167 of phthisis, 15 of erysipelas, 8 of whooping-cough, 4 of enteric fever, 2 of measles, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd January, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Jan. 2,	.	—	—	18	8	.	9	.	.	4	3	.	—	—	.	—	.	21	58
	Jan. 9,	.	—	—	7	.	.	4	.	.	3	6	.	—	—	.	—	.	23	43
	Jan. 16,	.	—	—	14	.	.	5	.	.	4	5	.	—	—	.	—	.	36	61
	Jan. 23,	.	—	—	7	.	.	8	.	.	8	3	.	—	—	.	—	.	48	74
Rathmines and Rathgar Urban District.	Jan. 2,	.	—	—	.	.	.	4	.	.	1	1	.	—	—	—	—	—	—	6
	Jan. 9,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 16,	.	—	—	.	.	.	4	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 23,	.	—	—	2	.	.	1	.	.	4	.	.	—	—	—	—	—	—	7
Pembroke Urban District.	Jan. 2,	.	.	.	.	.	.	2	.	.	.	.	.	—	—	—	—	—	2	4
	Jan. 9,	.	.	.	.	.	.	1	.	.	.	1	.	—	—	—	—	—	1	3
	Jan. 16,	.	.	.	.	.	.	2	.	.	.	1	.	—	8	—	—	—	2	8
	Jan. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
Blackrock Urban District.	Jan. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 9,	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	.
	Jan. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Jan. 2,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 9,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 23,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
City of Belfast.	Jan. 2,	.	—	—	41	.	.	2	1	1	2	7	.	—	—	.	—	.	6	60
	Jan. 9,	.	—	—	37	.	.	6	.	.	.	3	.	—	—	.	—	.	3	49
	Jan. 16,	.	—	—	41	.	.	6	1	.	3	3	.	—	—	.	—	.	3	57
	Jan. 23,	.	—	—	55	.	.	8	.	.	1	6	1	—	—	.	—	.	2	68
City of Cork.	Jan. 2,	.	2	—	3	.	.	3	1	.	.	.	.	—	—	—	—	—	—	2 <sup>a</sup>
	Jan. 9,	.	9	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	16
	Jan. 16,	.	7	—	6	.	.	1	.	.	3	1	.	—	—	—	—	—	—	18 <sup>b</sup>
	Jan. 23,	.	1	—	9	.	.	.	.	.	.	3	1	—	—	—	—	—	—	14
City of Londonderry.	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 16,	.	—	—	.	3	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 23,	.	—	—	1	7	.	1	.	.	.	.	.	—	—	—	—	—	—	9
City of Limerick.	Jan. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Waterford.	Jan. 2,	.	—	—	10	.	.	.	.	.	.	.	.	—	—	—	—	—	.	10
	Jan. 9,	.	—	—	15	.	.	2	.	.	.	.	.	—	—	—	—	—	.	17
	Jan. 16,	.	—	—	16	.	.	.	.	.	.	.	.	—	—	—	—	—	.	16
	Jan. 23,	.	—	—	7	.	.	.	.	.	1	.	.	—	—	—	—	—	1	9

(a) Not including one case of varicella.

(b) Not including one case of whooping-cough.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd January, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 13 were discharged, there was one death, and 38 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 47, 43, and 44.

One case of typhus was admitted to hospital during the week, and 10 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 11, 9, and 9 respectively.

Two cases of measles were admitted to hospital during the week and 7 cases remained under treatment at its close.

Sixteen cases of scarlet fever were admitted to hospital, 17 were discharged, there was one death, and 73\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 97, 85, and 75, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 53, 48, and 43 respectively, were 45 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 7 were discharged, and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd January, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 23RD JANUARY, 1915.																												
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																						
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																				
								Caused by																				
		Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.6	24.0	1.5	665	557	101	140	2	...	...	15	3	9	2	...	51	20	27	50	87	4	...	8	14	177	28
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	23.6	27.7	1.4	185	217	44	61	1	...	...	1	...	6	1	...	15	4	10	22	48	2	...	4	6	80	11
CITY OF DUBLIN.	312,747	39.5	25.3	30.0	1.8	152	180	39	42	1	...	...	1	...	6	1	...	13	4	6	18	40	2	...	4	6	70	9
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	7.9	21.1	.	6	16	2	5	...	...	...	...	...	...	...	...	2	...	3	1	4	...	...	...	...	3	...
PEMBROKE, ...	30,538	19.4	22.2	20.5	.	13	12	1	7	...	...	...	...	...	...	...	...	...	...	...	3	3	...	...	...	...	4	...
BLACKROCK, ...	9,233	8.5	11.3	11.3	.	2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	36.9	21.5	.	12	7	2	5	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	1	2
Urban Districts																												
BELFAST ..	403,000	27.0	36.4	20.2	2.1	281	156	27	31	...	...	...	11	3	2	...	...	19	6	12	12	20	.	...	1	2	38	1
CORK, ..	76,673	28.6	28.6	37.4	2.0	42	55	10	13	...	...	...	1	...	1	...	...	3	2	1	6	6	1	...	1	2	19	5
LONDON- DERRY	41,200	16.0	41.8	19.0	1.3	33	15	3	3	...	...	...	...	...	...	...	...	2	3	...	1	3	1	...	...	1	4	...
LIMERICK, ...	38,518	16.1	12.2	12.2	1.4	9	9	1	1	1	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	5	2
WATERFORD, ...	27,464	19.1	22.8	26.6	.	12	14	2	3	...	...	...	...	...	...	...	...	...	2	...	1	3	...	...	...	1	6	1
GALWAY, ...	13,255	2.5				12	16	4	4	...	...	...	...	...	...	...	...	4	...	...	2	...	...	...	...	...	8	3
DUNDALE, ...	13,128	9.5				9	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	3	...
LURGAN, ...	12,553	14.7				3	8	2	2	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	...	...	4	...
DROGHEDA, ...	12,501	8.4				10	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10.9				4	6	2	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	1	1	...
NEWRY, ...	11,963	17.0				1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
PORTADOWN, ...	11,727	15.3				8	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				5	7	2	2	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	2	2
BALLYMENA ..	11,381	9.3				2	7	...	3	...	...	...	...	...	...	...	...	3	...	...	1	...	...	...	...	...	1	...
SLIGO, ...	11,163	3.8				6	4	...	2	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1
KILKENNY, ...	10,514	11.4				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
TRALEE, ...	10,300	17.4				7	6	...	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				8	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
NEWTOWNARDS	9,587	20.1				.	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
QUEENSTOWN, ..	8,209	14.7				1	6	...	1	...	...	...	1	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...
LARNE, ...	8,036	13.4				9	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7.7				2	5	1	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...
BANGOR, ..	7,776	8.5				4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				.	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
ARMAGH, ...	7,356	21.8				2	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 16 deaths of persons (including one under one year old and one at 66 years) admitted to hospital from localities outside the Area. Included in the 16 deaths, are one from scarlet fever, 2 from tuberculous disease, and one from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 23rd of January, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.													URBAN DISTRICTS OF				
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.					PEMBROKE.
Enteric Fever, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Measles, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough, . . . . .	.	1	.	.	.	.	.	2	.	2	.	1	.	.	.	.	6	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	1	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	4	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	4	1	1	1	.	1	1	2	1	1	1	1	2	.	.	.	15	1
{ Other Forms, . . . . .	.	1	.	.	.	.	.	.	.	1	1	1	.	.	.	.	4	1
Cancer, . . . . .	.	.	.	.	1	.	1	.	.	1	3	.	3	.	.	1	10	1
Diseases of Nervous System, . . . . .	3	5	1	2	.	1	1	4	1	3	1	.	.	.	1	.	23	2
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System, . . . . .	3	4	1	2	.	.	.	4	3	6	.	2	3	2	1	1	32	1
" Respiratory System, { Pneumonia, . . . . .	2	3	3	2	1	.	.	4	2	.	1	.	1	3	.	.	22	.
{ Others, . . . . .	2	3	3	3	1	1	.	6	7	9	5	.	4	3	.	1	48	1
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Others, . . . . .	2	1	1	.	.	.	.	.	.	1	.	.	1	.	.	.	6	3
" Genito-urinary System, . . . . .	1	.	.	.	.	.	1	2	.	3	2	.	.	1	.	.	10	2
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	4	1	3	1	1	.	1	3	.	4	.	.	1	1	.	4	24	2
Violent Deaths, . . . . .	.	.	1	.	.	.	.	.	.	1	1	1	.	.	.	.	4	.
Ill-defined, &c. Causes, . . . . .	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from All Causes . . . . .	23	21	15	11	5	2	5	30	16	32	15	5	16	12	2	7	217	16
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	39·3	26·3	28·1	16·0	47·1	7·5	24·1	38·0	45·5	37·9	23·6	26·2	21·1	20·5	11·3	21·5	27·7	.
	25·7							34·9							20·0			
	30·0																	
Ages at Death, { Under 1 year, . . . . .	6	4	2	4	1	1	.	12	1	6	1	1	2	1	.	2	44	1
{ 1 and under 2 years, . . . . .	1	2	1	1	.	.	.	1	1	3	1	.	.	.	.	.	11	.
{ 2 " 5 " . . . . .	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	4	.
{ 5 " 15 " . . . . .	.	1	.	.	.	.	1	1	.	1	.	1	.	.	.	.	5	1
{ 15 " 25 " . . . . .	.	1	1	.	.	.	.	2	.	1	1	.	2	.	.	.	7	4
{ 25 " 45 " . . . . .	4	1	1	2	.	.	.	2	2	5	4	1	1	1	.	.	24	7
{ 45 " 65 " . . . . .	7	6	5	2	1	.	3	6	4	13	4	1	6	3	.	.	61	2
{ 65 and upwards, . . . . .	5	6	5	2	3	1	1	7	5	3	3	1	5	7	2	5	61	1
Number of Uncertified Deaths, . . . . .	3	2	.	1	.	.	.	1	.	1	1	.	.	.	.	2	11	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	.	1	1	.	.	.	3	6	7	8	1	2	3	.	1	35	14
Workhouse Hospitals, . . . . .	5	7	2	3	.	1	1	6	6	8	2	.	1	1	.	2	45	2

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday												In the Week ending Saturday, 23rd January, 1915.											
CAUSES OF DEATH.	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.	Jan. 18, 1913.	Jan. 17, 1914.	Averages in 3rd Week of the 10 years, 1905-1914.	All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
ALL CAUSES.	160	154	214	246	200	181	190	212	188	205	195.0	233	16	29	11	4	6	11	31	63	38	24	
Enteric Fever, ...	1	.	1	3	.	.	.	4	1	3	1.3	1	.	.	.	.	1	.	.	.	.	.	
Typhus, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	5	.	1	.	9	.	6	1	.	1	2.3	1	.	1	.	.	.	.	.	.	.	.	
Scarlet Fever, ...	2	1	.	.	.	.	3	1	2	.	.9	1	.	.	.	.	1	.	.	.	.	.	
Whooping-cough, ...	.	1	5	.	2	4	6	6	2	.	2.6	6	.	3	3	.	.	.	.	.	.	.	
Diphtheria, ...	2	.	2	.	1	3	4	3	3	.	1.8	1	.	.	1	.	.	.	.	.	.	.	
Croup, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	4	.	4	8	2	5	1	.	1	1	2.6	4	.	.	.	.	.	.	.	1	1	2	
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	1	.	1	1	.	.	.	2	.	.5	1	.	.	.	.	.	.	.	1	.	.	
Other Epidemic Diseases, ...	.	.	.	2	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	.	1	.	3	1	1	2	1	.	.	.9	3	.	.	.	.	.	.	1	1	1	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	27	23	22	28	18	21	27	27	26	19	23.8	16	.	.	.	.	1	5	5	5	.	.	
Tuberculous Meningitis, ...	3	2	3	4	3	2	4	5	2	3	3.2	1	.	.	.	.	.	.	1	.	.	.	
Abdominal Tuberculosis, ...	1	.	1	1	2	1	1	.	2	.	.9	1	.	.	.	.	.	.	1	.	.	.	
Tuberculosis of the Vertebral Column.	8	3	11	5	4	3	4	1	1	.	4.3	2	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints, ...													.	.	.	.	.	.	.	.	.		
Tuberculosis of other Organs, ...													.	.	.	.	.	.	.	.	.		
Scrofula, ...													.	.	.	.	.	.	.	.	.		
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.	1	1	.	.	.	.	
Venereal Diseases, ...	2	.	1	1	2	1	1	2	.	.	1.1	2	1	1	.	.	.	.	.	.	.	.	
Cancer, ...	5	12	8	7	5	8	12	5	13	12	8.7	11	.	.	.	.	.	.	1	6	2	2	
Tumour, situation undefined, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever, ...	.	.	.	.	.	.	.	1	2	1	.4	.	.	.	.	.	.	.	.	.	.	.	
Diabetes, ...	.	1	.	3	1	.	1	2	2	.	1.0	1	.	.	.	.	.	.	.	1	.	.	
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	2	.	2	1	.	1	.	.	.	.	.	.	.	1	.	.	
Other General Diseases, ...	.	.	.	.	.	.	5	6	1	2	.	3	.	.	.	.	.	.	.	1	2	.	
Alcoholism, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis, ...	35	37	47	47	48	46	35	2	4	1	16	43.3	1	.	1	.	.	.	.	.	.	.	
Cerebral Hæmorrhage, Apoplexy.													5	.	.	.	.	.	1	4	.	.	
Softening of Brain, ...													1	.	.	.	.	.	.	1	.	.	
Paralysis, without specified cause.													4	.	.	.	.	.	2	1	1	.	
Epilepsy, ...													.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal), ...													9	5	4	.	.	.	.	.	.	.	
Other Diseases of Nervous System.													5	.	.	.	1	.	1	3	.	.	
Pericarditis, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis, ...													.	.	.	.	.	.	.	.	.		
Organic Diseases of the Heart, ...													.	.	.	.	.	.	.	.	.		
Embolism and Thrombosis (including Cerebral).													29	.	.	.	1	.	7	14	4	3	
Other Diseases of Circulatory system.													3	.	.	.	.	2	.	1	.	.	
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis, ...	15	20	30	44	31	25	26	25	27	27	27.0	47	.	6	2	1	.	.	.	15	12	10	
Broncho-pneumonia, ...	6	5	10	12	10	12	7	8	7	13	9.0	15	1	7	3	1	.	.	1	1	1	.	
Lobar pneumonia, ...	.	2	2	1	.	1	.	2	1	2	1.1	1	.	.	.	.	.	.	1	1	1	.	
Pneumonia (type not distinguished)	6	5	7	11	9	8	3	3	2	6	6.0	6	.	2	.	1	.	.	2	1	.	.	
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	3	2	3	3	3	4	2	1	.	1	2.8	2	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System.													.	.	.	.	.	.	1	1	2	.	.



THIRD WEEK, ending Saturday, 23rd January, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 3rd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 23rd January, 1915.																																
	Jan. 21, 1905.	Jan. 20, 1906.	Jan. 19, 1907.	Jan. 18, 1908.	Jan. 23, 1909.	Jan. 22, 1910.	Jan. 21, 1911.	Jan. 20, 1912.	Jan. 18, 1913.	Jan. 17, 1914.		All Ages.	Deaths of Persons of the Ages of																															
													Under 1 month.	0-5.				15-25.	25-45.	45-65.	65-75.	75 and upwards.																						
														1 month, and under a year.	1-2.	2-5.	5-15.																											
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																					
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	4	2	—	2	.	1	.	.	.	.	1	.	.	.	.																					
Diarrhoea and Enteritis of Children under 2 years.	}	2	5	4	12	7	2	{	4	3	6	{	2	.	2	.	.	.	.	.	.	.	.																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	—	.	2	1	1	3	.	.	.	.	.	2	1	.	.	1	1																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	2	3	—	1	.	.	.	.	.	.	1	.	.	.	.																					
Cirrhosis of Liver, ...	1	1	.	1	3	.	.	1	1	3	1.1	2	.	.	.	.	.	.	1	1	.	.																						
Other Diseases of Liver, ...	.	.	2	1	.	.	1	1	1	1	.7	.	.	.	.	.	.	.	.	.	.	.																						
Peritonitis (cause unknown), ...	.	.	1	.	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																						
Other Diseases of Digestive System.	5	6	8	6	3	3	.	.	.	1	3.2	1	.	.	.	.	.	1	.	.	.	.																						
Acute Nephritis, ...	}	8	5	11	7	4	4	8	{	2	1	1	{	2	.	.	1	.	1	.	.	.	.																					
Chronic Bright's Disease, ...																								6	5	3	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Urinary Calculi, ...																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.																								.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	.
Puerperal Septicæmia, &c., ...	.	.	.	1	1	.	.	1	1	.	.3	.	.	.	.	.	.	.	.	.	.	.																						
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	1	.	1	1	.	.4	1	.	.	.	.	.	1	.	.	.	.																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	4	1	2	2	—	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	1	2	—	2	1	.	1	.	.	.	.	.	.	.																						
Premature Birth, ...	2	4	7	4	2	7	2	4	2	4	3.8	6	6	.	.	.	.	.	.	.	.	.																						
Congenital Debility, ...	—	—	—	—	—	—	4	4	6	6	—	3	2	1	.	.	.	.	.	.	.	.																						
Old Age, ...	5	3	7	7	.	4	7	8	3	12	5.6	4	.	.	.	.	.	.	.	.	1	3																						
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	4	.	—	.	.	.	.	.	.	.	.	.	.	.																						
ACCIDENT :																																												
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.																						
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Burns and Scalds, ...	2	4	2	1	2	.	1	.	1	1	1.4	1	.	.	.	.	.	.	.	1	.	.																						
Drowning, ...	.	.	1	.	.	.	.	2	.	1	.4	2	.	.	.	.	1	.	1	.	.	.																						
Suffocation in Bed, ...	.	1	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																						
Other Deaths by Accident, ...	2	2	3	2	3	.	.	3	.	1	1.6	1	.	.	.	.	.	1	.	.	.	.																						
Total Deaths from Accident,	4	7	6	4	5	.	1	5	2	3	3.7	4	.	.	.	.	1	.	2	.	1	.																						
Included in above are Deaths in connection with—																																												
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Vehicles and Horses, ...	1	.	.	.	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																						
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
VIOLENCE OTHER THAN ACCIDENTAL :																																												
Homicide, ...	.	.	.	2	.	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.																						
Suicide, ...	1	.	2	1	.	.	.	1	.	1	.6	.	.	.	.	.	.	.	.	.	.	.																						
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	10	3	2	—	2	.	.	1	.	.	.	.	.	.	1																						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																											
		Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.		
No. of weeks in Annual Series,		31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3		
Births registered.		195	166	204	200	246	187	213	184	193	199	223	185	205	173	222	190	209	187	185	185	224	117	236	232	259	185		
Average Births in corresponding week of previous 10 years, ...		220	209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212		
Deaths registered, ...		144	136	159	136	163	160	139	161	154	154	141	144	134	118	158	155	155	152	204	190	203	134	283	297	241	233		
Annual Death-rate per 1,000, ...		18.5	17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7		
Average Deaths in corresponding week of previous 10 years, ...		144	145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195		
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		46	35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100	74	60		
		8	5	7	6	6	8	3	8	4	5	12	7	2	7	7	8	8	11	6	7	9	8	12	7	3	6		
		27	26	26	27	23	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	33	38	31	31		
		37	34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63		
		13	15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38		
		9	15	15	10	11	11	15	14	14	17	16	11	19	11	11	16	18	16	16	16	17	25	9	34	27	22	24	
		Deaths from:—																											
		Enteric Fever, ...	2	2	1	.	2	1	3	3	1	1	2	3	.	2	.	3	2	2	.	5	1	1	2	2	2	1	1
		Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
		Small-pox, ...	.	.	.	3	1	.	.	.	1	.	.	.	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	2	1	1	1	1	1	1	.	1	.	1	.	.	2	1	1	1	1	1	1	1	2	1	.	.	1		
Scarlet Fever, ...	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1	.	.		
Whooping-cough, ...	.	1	2	1	4	2	1	1	1	2	1	.	2	1	.	1	.	.	1	3	1	4	2	4	7	3	1		
Diphtheria, ...	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2	2	.	.		
Influenza, ...	.	.	.	.	.	.	1	.	.	.	.	2	2	.	2	1	.	.	.	1	2	.	1	1	4	2	4		
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	.	.	.		
Tuberculosis { Pulmonary ...	23	19	18	19	18	25	13	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16		
Other Forms, ...	5	6	4	2	4	9	8	9	7	7	9	11	4	5	4	3	5	9	6	3	6	5	5	7	10	10	5		
Cancer, ...	9	7	6	12	10	20	6	15	13	15	8	6	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11		
Diseases of Circulatory System, ...	13	15	15	17	18	18	17	19	15	16	20	8	17	15	17	12	19	21	13	23	17	32	14	29	40	21	33		
Diseases of Respiratory System, { Pneumonia	8	4	3	7	8	7	5	4	6	10	11	9	9	9	8	12	12	9	7	15	23	19	7	36	42	34	22		
Others, ...	12	10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	23	28	20	24	25	27	49	52	58	49		
Diarrhoea and Enteritis, under 2 years, ...	9	10	11	13	28	18	17	17	25	14	11	14	11	11	7	10	6	7	8	4	10	6	5	8	7	7	2		
Diarrhoea, 2 years and upwards, ...	1	1	.	.	3	.	.	.	.	.	1	.	1	.	.	.	.	1	.	.	.	1	1	.	1	1	.		
Violent Deaths, ...	3	7	10	3	6	1	4	4	6	4	2	7	1	1	3	5	3	7	7	1	5	9	3	2	2	4	4		
Number of Uncertified Deaths, ...	7	4	2	2	1	4	2	2	5	2	8	.	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11		





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 19	24.2	.	14	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	1	.
	" 26	17.3	.	10	.	.	.	.	.	.	.	.	4	.	.	.	1	1	.	.	.	.
	Jan. 2	34.5	.	20	.	.	.	.	.	.	.	.	3	.	.	1	3	2	2	.	1	.
	" 9	56.4	6.8	33	1	1	.	.	.	1	.	.	1	.	.	1	8	8	1	.	.	1
Population in 1915	" 16	30.8	1.7	18	.	.	.	.	.	.	.	.	.	1	1	1	4	6	1	.	.	1
(Est.) 30 504.	" 23	39.3	1.7	23	.	.	.	.	.	.	.	.	4	.	.	.	2	2	1	.	.	3
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 19	20.2	1.3	16	.	.	.	.	.	.	.	.	2	.	.	.	3	1	.	.	2	.
	" 26	15.2	1.3	12	.	.	.	.	.	.	.	.	1	.	1	.	1	5	.	.	.	.
	Jan. 2	46.7	2.5	37	.	.	.	.	.	.	.	.	7	.	.	1	9	5	2	.	.	3
	" 9	48.8	1.3	39	.	.	.	.	.	.	.	.	4	2	3	4	6	1	.	.	.	2
Population in 1915	" 16	35.0	.	28	.	.	.	1	.	.	.	.	1	2	.	5	8	.	.	2	.	
(Est.) 41,685.	" 23	26.3	2.5	21	.	.	.	1	.	1	.	.	1	1	.	3	3	.	.	.	2	
North City, No. 2. (Office, Lisburn-street.)	Dec. 19	41.1	1.9	22	.	.	.	.	.	.	.	.	3	2	1	3	2	1	.	1	1	
	" 26	22.4	1.9	12	.	.	.	.	.	.	.	.	1	1	1	.	1	3	1	.	.	
	Jan. 2	29.9	5.6	16	.	.	.	1	.	.	.	.	3	.	.	1	4	2	2	1	2	
	" 9	61.7	3.7	33	.	.	.	.	.	.	.	.	3	.	2	6	8	2	.	.	.	
Population in 1915	" 16	46.8	.	25	.	.	.	.	.	.	.	.	1	3	.	4	6	.	.	1	3	
(Est.) 27,883.	" 23	28.1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	1	.	
North City, No. 3. (Office, Benburb-street.)	Dec. 19	30.8	5.9	21	.	.	.	1	2	.	1	.	2	.	.	3	5	.	.	.	.	
	" 26	7.3	1.5	5	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
	Jan. 2	24.9	1.5	17	.	.	.	.	.	.	1	.	1	1	1	3	1	.	.	.	.	
	" 9	26.2	1.5	18	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	
Population in 1915	" 16	32.0	4.4	22	.	.	.	.	.	2	.	.	2	.	1	2	4	1	.	.	2	
(Est.) 35,887.	" 23	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	1	
Clontarf and Howth No. 1 (part of).	Dec. 19	9.5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 26	19.0	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Jan. 2	19.0	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
Population in 1915	" 9	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 5,539.	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 23	47.1	.	5	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	
Coolock and Drumcondra (part of).	Dec. 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 26	11.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	Jan. 2	19.1	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
	" 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 16	15.1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	
(Est.) 13,820.	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
Finglas and Glasnevin (part of).	Dec. 19	29.2	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
	" 26	24.3	.	5	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
	Jan. 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 9	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
Population in 1915	" 16	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
(Est.) 10,829.	" 23	24.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	
South City, No. 1. (Office, Sth. Earl-street.)	Dec. 19	20.5	1.3	16	.	.	.	.	.	.	.	.	1	1	.	3	1	1	.	1	.	
	" 26	15.3	1.3	12	.	.	.	.	.	.	.	.	3	1	1	.	2	1	.	1	.	
	Jan. 2	48.6	9.0	38	.	.	.	.	.	3	.	.	3	1	.	5	8	4	.	.	1	
	" 9	40.5	3.8	32	.	.	.	.	.	2	.	.	3	3	1	6	4	1	.	.	3	
Population in 1915	" 16	34.2	2.5	27	.	.	.	.	.	1	.	.	3	2	1	2	9	1	.	.	.	
(Est.) 41,170.	" 23	38.0	6.3	30	1	.	.	.	.	2	1	.	1	.	.	4	6	1	.	.	1	
South City, No. 2. (Office, Castle-street.)	Dec. 19	28.4	.	10	.	.	.	.	.	.	.	.	2	.	1	1	3	.	.	.	.	
	" 26	14.2	2.8	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
	Jan. 2	68.2	5.7	24	1	.	.	.	.	1	.	.	3	.	.	5	6	.	.	.	.	
	" 9	56.9	5.7	20	.	.	.	.	.	2	.	.	4	.	2	1	5	.	.	1	.	
Population in 1915	" 16	31.3	8.5	11	.	.	.	.	.	.	.	.	1	1	1	1	2	2	1	.	.	
(Est.) 18,341.	" 23	45.5	.	16	.	.	.	.	.	.	.	.	2	.	.	2	7	.	.	.	.	
South City, No. 3. (Office, Peter-street.)	Dec. 19	21.6	3.6	18	.	.	.	.	.	.	2	.	3	.	.	1	3	.	1	.	.	
	" 26	27.5	1.2	23	1	.	.	.	.	.	.	.	2	2	1	1	8	.	.	.	1	
	Jan. 2	49.1	2.4	41	.	.	.	.	1	.	1	.	7	2	2	3	8	.	.	.	2	
	" 9	40.3	5.9	34	.	.	.	.	1	1	2	.	1	1	1	5	8	1	.	.	1	
Population in 1915	" 16	32.0	2.4	27	1	.	.	.	.	.	.	.	5	.	.	4	4	1	.	.	1	
(Est.) 43,970.	" 23	37.9	2.4	32	.	.	.	.	.	2	.	.	1	1	1	.	9	.	.	1	1	
South City, No. 4. (Office, Grand Canal-st.)	Dec. 19	33.0	.	21	.	.	.	.	.	.	.	.	3	.	1	4	2	.	.	1	1	
	" 26	9.4	1.6	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
	Jan. 2	33.0	.	21	.	.	.	.	.	.	.	.	6	2	1	.	3	.	.	.	1	
	" 9	26.7	1.6	17	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.	.	.	
Population in 1915	" 16	34.6	1.6	22	.	.	.	.	.	.	.	.	1	.	1	5	8	.	.	.	1	
(Est.) 33,171.	" 23	23.6	.	15	.	.	.	.	.	.	.	.	1	1	3	1	5	.	.	1	1	
New Kilmainham.	Dec. 19	10.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	" 26	15.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Jan. 2	15.9	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	
Population in 1915	" 9	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	
(Est.) 9,948.	" 16	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	
	" 23	26.2	5.2	5	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Enteric of Children under 2 years of age.	Diarrhoea, 2 years of age and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District.	Dec. 19	28.0	2.7	21	.	.	.	.	.	.	1	.	1	.	2	1	2	1	.	1	1		
	" 26	16.0	5.3	12	.	.	.	.	.	.	2	.	3	.	1	1	5	2	.	.	1		
	Jan. 2	29.3	.	22	.	.	.	.	.	.	.	.	1	.	2	1	3	2	.	.	.		
	" 9	21.1	1.3	16	.	.	.	.	.	1	.	.	2	.	1	3	2	.	.	.	.		
Population in 1915 (Est.) 39,541.	" 16	30.3	.	23	.	.	.	.	.	.	.	.	1	1	6	4	4	.	.	.	.		
	" 23	21.1	.	16	.	.	.	.	.	.	.	.	2	.	3	1	4	.	.	.	.		
Pembroke Urban District.	Dec. 19	17.2	3.4	10	.	.	.	.	.	.	.	.	2	1	.	1	1	2	.	1	.		
	" 26	19.0	.	11	.	.	.	.	.	.	.	.	3	.	1	2	5	1	.	.	2		
	Jan. 2	24.1	1.7	14	1	.	.	.	.	.	.	.	.	.	.	5	1	4	.	.	2		
	" 9	35.9	.	21	.	.	.	.	.	.	.	.	2	.	1	1	4	3	.	.	2		
Population in 1915 (Est.) 30,538	" 16	18.8	.	11	.	.	.	.	.	.	.	.	1	.	.	2	3	3	.	.	.		
	" 23	20.5	.	12	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.	.		
Blackrock Urban District.	Dec. 19	39.7	.	7	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.		
	" 26	11.3	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
	Jan. 2	22.7	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Population in 1915 (Est.) 9,233.	" 9	22.6	.	4	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.		
	" 16	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	" 23	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Kingstown Urban District.	Dec. 19	21.5	.	7	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.		
	" 26	15.4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.		
	Jan. 2	30.8	.	10	.	.	.	.	.	.	.	.	1	.	2	.	2	.	.	.	.		
Population in 1911 16,941.	" 9	12.3	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1		
	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	" 23	21.5	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2		
Belfast.	Dec. 19	18.3	3.3	140	1	.	.	7	7	5	.	.	12	7	6	11	15	5	.	2	1		
	" 26	22.0	2.1	168	.	.	.	9	1	5	.	.	20	4	5	16	27	1	.	4	3		
Population in 1915 (Est.) 403,000.	Jan. 2	23.1	2.2	177	2	.	.	8	2	2	1	.	20	6	5	24	23	1	1	5	3		
	" 9	21.0	1.4	162	.	.	.	6	.	3	.	.	9	5	8	15	30	2	.	1	.		
	" 16	21.7	3.0	168	.	.	.	10	5	5	1	.	15	14	6	9	30	2	.	.	2		
	" 23	20.2	2.1	156	.	.	.	11	3	2	.	.	19	6	12	12	20	.	1	.	1		
Cork.	Dec. 19	27.2	1.4	40	.	.	.	.	.	.	.	.	8	4	2	3	9	2	.	.	2		
	" 26	14.3	0.7	21	.	.	.	.	.	.	1	.	4	2	1	1	2	.	.	.	1		
Population in 1911 76,673.	Jan. 2	30.6	2.0	45	.	.	.	.	1	.	1	.	6	2	.	3	2	.	1	.	3		
	" 9	23.1	2.0	34	.	.	.	.	.	1	.	.	3	2	.	3	5	2	.	1	3		
	" 16	29.9	4.8	44	.	.	.	2	2	1	1	.	5	1	1	2	5	1	.	.	5		
	" 23	37.4	2.0	55	.	.	.	1	.	1	.	.	3	2	1	6	6	1	.	1	5		
Londonderry.	Dec. 19	15.2	.	12	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	1	.		
	" 26	11.4	.	9	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	2	.		
Population in 1915 (Est.) 41,200.	Jan. 2	22.8	.	18	.	.	.	.	.	.	.	.	.	.	.	.	6	.	.	.	1		
	" 9	13.9	1.3	11	.	.	.	.	.	.	1	.	1	.	1	1	7	.	.	.	1		
	" 16	27.8	.	22	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	1	.		
	" 23	19.0	1.3	15	.	.	.	.	.	.	.	.	2	3	.	1	3	1	.	.	.		
Limerick.	Dec. 19	20.3	1.4	15	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	5		
	" 26	13.5	.	10	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1		
Population in 1911 38,518.	Jan. 2	28.4	.	21	.	.	.	.	.	.	.	.	3	1	.	3	.	.	.	.	5		
	" 9	33.8	.	25	.	.	.	.	.	.	.	.	4	.	1	.	3	.	.	.	6		
	" 16	17.6	.	13	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1		
	" 23	12.2	1.4	9	1	.	.	.	.	.	.	.	1	1	1	.	2	.	.	.	2		
Waterford.	Dec. 19	22.8	1.9	12	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	1	.		
	" 26	9.5	1.9	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1		
Population in 1911 27,464.	Jan. 2	51.3	13.3	27	.	1	.	.	4	.	.	.	2	3	1	1	4	.	2	.	1		
	" 9	22.8	.	12	.	.	.	.	.	.	.	.	1	.	.	.	4	.	.	.	1		
	" 16	30.4	3.8	16	.	.	.	.	1	.	.	.	1	.	.	1	3	1	.	2	2		
	" 23	26.6	.	14	.	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	1		

\* See note (†) at foot of first page.

TABLE VIII. —Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th January, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						AGES AT DEATH.										DEATHS FROM													No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.
				All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.	AGES AT DEATH.						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.			Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.							
							Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.											Pneumonia.	Other.											
																									(6)				(7)	(8)	(9)	(10)			
City of Belfast.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)				
BELFAST URBAN No. 1 DISTRICT,	15,879	5	42.7	6.6	13	4	1	1	2	4	1	.	.	.	1	1	.	.	.	.	2	.	2	1	5	.	.	.	4	1					
Do. 2 do.	49,500	32	19.0	1.1	18	3	2	1	1	4	7	.	.	.	1	1	.	.	.	.	2	.	1	2	2	.	.	.	3	.					
Do. 3 do.	50,032	36	19.8	1.0	19	4	1	1	3	6	3	.	.	.	1	1	.	.	.	.	1	1	1	1	1	.	.	.	1	.					
Do. 4 do.	32,637	42	11.2	29.1	7	1	2	1	1	2	2	.	.	2	.	.	.	.	.	.	1	1	1	1	1	.	.	.	2	.					
Do. 5 do.	16,112	13	29.1	6.5	9	3	3	1	1	1	1	.	.	1	.	.	.	.	.	.	1	1	1	1	1	.	.	.	5	.					
Do. 6 do.	37,293	21	21.0	1.4	15	1	2	2	2	4	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	2	.					
Do. 7 do.	2,681	1	35.0	.	4	.	.	.	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.					
Do. 8 do.	5,964	1	19.2	4.3	9	2	2	2	.	2	1	.	.	.	1	.	.	.	.	.	2	1	1	1	1	.	.	.	1	.					
Do. 9 do.	21,427	16	19.8	1.8	11	3	1	1	1	3	6	.	.	1	.	.	.	.	.	.	2	1	1	1	4	.	.	.	3	.					
Do. 10 do.	28,958	21	22.5	4.0	17	3	5	1	2	3	1	.	.	3	.	.	.	.	.	.	3	1	1	1	2	.	.	.	3	.					
Do. 11 do.	39,311	29	22.6	4.1	18	3	2	3	1	1	1	.	.	.	.	.	.	.	.	.	3	2	2	.	1	.	.	.	1	.					
Do. 12 do.	38,076	32	24.6	.	17	3	2	3	1	1	1	.	.	.	.	.	.	.	.	.	1	1	2	.	1	.	.	.	2	.					
Do. 13 do.	23,233	22	15.7	.	7	.	2	.	1	1	3	.	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.	2	.				
Do. 14 do.	175	10	20.7	.	9	3	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	1	.				
Do. 15 do.	22,669	10	20.7	.	9	3	3	.	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	1	.				
Total,	386,947	281	20.2	2.1	156	27	27	14	18	39	31	.	.	11	3	2	.	19	6	12	12	20	.	.	.	1	2	28	1						
City of Cork.																																			
CORK URBAN No. 1 DISTRICT	13,455	9	31.0	10.0	8	3	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 2 do.	10,399	4	30.1	.	6	2	.	1	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 3 do.	9,793	3	31.9	.	6	.	.	1	3	2	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 4 do.	9,139	5	57.1	11.4	10	3	2	.	2	2	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 5 do.	6,250	5	33.4	.	7	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 6 do.	11,581	8	31.5	.	4	2	.	3	2	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Do. 7 do.	16,056	8	45.5	.	14	.	.	3	3	4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Total,	76,673	42	37.4	2.0	55	10	3	5	12	12	13	.	.	1	.	1	.	3	2	1	6	6	1	.	.	1	2	19	5						

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted

BELFAST.		1914-5—WEEK ENDING																									
		Aug. 1.	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.
No. of weeks in Annual Series,		31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3
BIRTHS registered, ...		212	226	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	231
DEATHS registered, ...		113	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156
Annual Death-rate per 1,000 of estimated population, ...		14.8	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	22.0	23.1	21.0	21.7	20.2	
AGES, { Under 1 year, ...		21	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27
1-5 years, ...		20	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27
5-25 " ...		11	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14
25-45 " ...		21	22	18	19	16	24	18	24	13	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18
45-65 " ...		23	32	16	30	26	25	20	22	23	38	20	25	27	24	25	26	34	46	31	27	20	36	29	37	39	39
65 and upwards, ...		17	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31
Deaths from :—																											
Enteric Fever, ...		1	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		6	5	8	7	2	2	1	7	4	1	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11
Scarlet Fever, ...		1	4	1	1	2	2	1	1	2	1	2	3	3	3	1	8	6	3	3	3	7	1	2	1	5	3
Whooping-cough, ...		7	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis. { Pulmonary, ...		15	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19
Other Forms, ...		7	5	8	7	4	8	1	5	4	5	1	6	4	4	5	2	8	1	6	1	7	4	6	5	14	6
Cancer ...		1	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	5	5	5	8	6	12
Diseases of Respiratory System, { Pneumonia, ...		5	10	8	10	8	4	6	13	7	10	9	10	6	16	15	11	18	21	22	15	11	16	24	15	9	12
Others, ...		12	13	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20
Diarrhoea and Enteritis, under 2 years, ...		9	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	1
Diarrhoea, 2 years and upwards, ...		4	2	2	1	10	1	3	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		2	2	1	1	1	4	1	5	1	3	3	3	1	2	2	2	2	5	1	2	2	4	5	1	1	1
Number of Uncertified Deaths, ...		1	2	1	1	3	2	1	5	2	2	1	1	2	1	2	1	1	2	2	2	1	3	3	1	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Jan. 23,	1,791	1,597	18·4	2	.	51	4	22	8	14
EDINBURGH, ---	328,700	" 23,	141	117	18·6	.	.	.	1	6	2	1
GLASGOW, --	1,078,400	" 23,	611	460	22·2	1	.	1	8	37	4	3
CALCUTTA, --	896,067	Dec. 5,	.	527	30·5	65*	13	2	.	.	.	78†a
BOMBAY, ---	979,445	" 19,	418	404	21·4	27*	5	.	.	.	.	35†a
MADRAS, ---	518,660	" 12,	370	436	43·7	64*	.	1	?	?	?	110†a
CAIRO, {	Egyptians, ...	Nov. 11,	612	353	28·0	3	.	.	.	?	16†	67
	Foreigners,	" 11,	6	15	11·0	.	.	.	.	?	1†	1
ALEXAN- DRIA, {	Egyptians,	" 11,	321	167	25·7	.	.	.	.	?	.	25
	Foreigners,	" 11,	36	17	11·7	.	2	.	.	?	.	2
PARIS, ---	2,847,229	Dec. 12,	764	789	14·2	5	.	3	.	1	1†	14
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	597,888	—	.	.	.	.	.	.	.	.	.	.
COPENHAGEN, ---	492,000	Dec. 26,	199	116	12·3	.	.	1	.	.	.	2
STOCKHOLM, ---	382,085	" 26,	112	134	18·2	.	.	1	2	.	3	1
CHRISTIANIA, ---	251,446	Jan. 2,	107	56	11·6	1	.	1	.	.	.	1
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	—	.	.	.	.	.	.	.	.	.	.
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	Jan. 2,	.	309b	21·0	.	.	.	1	.	4	9a

\* Deaths from "fever," including 3 deaths from enteric fever in Calcutta, 2 in Bombay, and 6 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 27 deaths from cholera in Calcutta, 2 in Bombay, and 6 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 280 deaths (including 6 from diarrhoeal diseases) rate, 19·1 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd January, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	2	.	.	.	.	.	.	.	7	9
"    "    1, West, ...	.	.	.	.	1	.	.	.	.	.	.	.	11	12
"    "    2, ...	.	1	.	.	.	.	.	1	.	.	.	.	5	7
"    "    3, ...	.	1	.	.	2	.	.	2	.	.	.	.	8	13
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumecondra (part of),	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	2	.	.	3	.	.	.	.	6	12
"    "    2, ...	.	.	.	.	1	.	.	.	.	.	.	.	4	5
"    "    3, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	5
"    "    4, ...	.	.	.	.	.	.	.	2	.	.	.	.	2	4
New Kilmainham, ...	.	2	.	.	.	.	.	.	2	.	.	.	.	4
Total, ...	.	7	.	.	8	.	.	8	3	.	.	.	48	74

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 23rd January, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 23rd January.			
	Jan. 2.	Jan. 9.	Jan. 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	47	43	44	8	13	1	38
Typhus, ...	11	9	9	1	.	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	.	2	5	2	.	.	7
Scarlet Fever, ...	97	85	75	16	17	1	73*
Diphtheria, ...	53	48	43	9	6	1	45
Pneumonia, ...	31	22	17	6	7	.	16

\* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 30TH JANUARY, 1915.

[No. 4.]

*General Register Office, Charlemont House,  
Dublin, 1st February, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 9	Jan. 16	Jan. 23	Jan. 30	
<b>27 Town Districts, (a)</b>	<b>26·5</b>	<b>24·4</b>	<b>24·0</b>	<b>24·7</b>	<b>24·9</b>
Dublin Reg. Area ...	36·5	29·2	27·7	29·8	30·8
Dublin City ...	40·2	31·8	30·0	33·7	33·9
Belfast ...	21·0	21·7	20·2	20·4	20·8
Cork ...	23·1	29·9	37·4	26·5	29·2
Londonderry ...	13·9	27·8	19·0	21·5	20·6
Limerick ...	33·8	17·6	12·2	20·3	21·0
Waterford ...	22·8	30·4	26·6	32·3	28·0

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·5 per 1,000. Among the 158 deaths from all causes for Belfast are 2 from measles, 3 from scarlet fever, 3 from whooping-cough, and 3 from diarrhoea and enteritis of children under 2 years of age. Included in the 39 deaths from all causes for Cork are one from whooping-cough and 2 from diphtheria. One of the 17 deaths from all causes for Londonderry is from typhus. Of the 7 deaths from all causes for Dundalk, 2 are from whooping-cough. One of the 10 deaths from all causes for Kilkenny is from diphtheria. Enteric fever caused one of the 5 deaths from all causes for Clonmel; and one of the 6 deaths from all causes for Larne is from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 238—117 boys and 121 girls—and the deaths to 249—127 males and 122 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 29·8 per 1,000 of the population. During the four weeks, ending with Saturday last, the death-rate averaged 30·8, and was 6·3 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a. For particulars of other town districts, see Table II.



The total deaths registered, numbering 249, represent an annual rate of 31·7 per 1,000; the annual rate for the past four weeks was 32·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from enteric fever, 2 from measles, one from scarlet fever, 4 from whooping-cough, 4 from influenza, and 6\* from diarrhoea and enteritis of children under 2 years.

In the three preceding weeks, deaths from enteric fever were 2, one, and one; deaths from measles were 0, 0, and one; deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 7, 3, and 6; deaths from influenza were 4, 2, and 4; and deaths from diarrhoea and enteritis of children under 2 years were 7, 7, and 2, respectively.

Tuberculous disease caused 30\* deaths, comprising 22 from pulmonary tuberculosis, 2 from tuberculous meningitis, one from tuberculosis of a joint, one from tuberculosis of other organs, and 4 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease were 35, 27, and 21, respectively.

There were 9\* deaths from cancer.

Pneumonia caused 25 deaths, comprising 18 from broncho-pneumonia, and 7 from pneumonia (type not distinguished.)

The deaths of infants under one year of age include 3 from convulsions, 2 from premature birth, and 2 from congenital debility.

Organic diseases of the heart caused 30 deaths, and there were 51 deaths from bronchitis.

There were 8 accidental deaths, of which 2 were by burns, and one (that of an infant) by suffocation in bed.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 persons age 65 years and upwards.

Fifty-two of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old), and 77 were aged 65 years and upwards, including 55 persons aged 70 and upwards; among the latter were 36 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 years each, respectively.

One hundred and seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 37 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 29·8 per 1,000; the rate in the City was 33·7 (North City Districts, 31·1; South, 36·6), and in the Suburbs, 17·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants the rate for the City being 1·8 (in the North City Districts 0·9, and in the South 2·8), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·2 per 1,000, and include 2 deaths from influenza, 3 from tuberculosis, 2 from broncho-pneumonia, one from pneumonia, and 4 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (30) are equal to an annual rate of 37·5 per 1,000. Among the 30 deaths are one from measles, one from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, 4 from bronchitis, one of a child under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (22) are equivalent to an annual rate of 41·1 per 1,000. Five of these 22 deaths were caused by tuberculosis, one by broncho-pneumonia, 6 from bronchitis, one of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 26·2 per 1,000. They include 2 deaths from tuberculosis, 2 from broncho-pneumonia, 4 from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·3 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 19·3. One of the 2 deaths for Clontarf and Howth, No. 1, was from bronchitis. One accidental death is included in the 3 deaths from all causes for Coolock and Drumcondra; and of the 4 deaths recorded for Finglas and Glasnevin one was caused by bronchitis and one was accidental.

No. 1 South City District (South Earl-street).—The deaths (34) represent an annual rate of 43·1 per 1,000. Among them are 2 deaths from whooping-cough, 5 from tuberculosis, one from broncho-pneumonia, 2 from pneumonia, 10 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (22) are equal to an annual rate of 62·5 per 1,000. One death from whooping-cough, 5 from pulmonary tuberculosis, 2 from broncho-pneumonia, 4 from bronchitis, one of a child under 2 years of age from diarrhoea and enteritis, and one accidental death, were recorded.

No. 3 South City District (Peter-street).—The deaths (31) are equal to an annual rate of 36·8 per 1,000. Included in the 31 deaths are one from enteric fever, one from whooping-cough, one from croup, 3 from pulmonary tuberculosis, 3 from broncho-pneumonia, and 6 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. One of the deaths was from measles, 3 from broncho-pneumonia, one from pneumonia, one from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000, and include one from pulmonary tuberculosis and one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·1; Pembroke, 20·5; Blackrock, 11·3; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts were one from scarlet fever for Pembroke, and one of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar. The 13 deaths from all causes for Rathmines and Rathgar include one from broncho-pneumonia, and 5 from bronchitis. Of the 12 deaths from all causes for Pembroke 2 were from influenza, one from pulmonary tuberculosis, and one from broncho-pneumonia. One of the 2 deaths from all causes for Blackrock was from pulmonary tuberculosis, the other being caused by pneumonia; and included in the 5 deaths from all causes for Kingstown are one from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 20·3), was equal to an average annual death-rate of 19·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 22·4 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 20·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th January. From this Report it appears that of a total of 75 cases notified, 26 were scarlet fever, 26 diphtheria, 15 phthisis, 4 other forms of tuberculosis, and 4 erysipelas. Among the 615 cases of infectious diseases in hospital at the close of the week were 208 cases of scarlet fever, 182 of diphtheria, 171 of phthisis, 11 of erysipelas, 9 of whooping-cough, 3 of enteric fever, and 3 of measles.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th January, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Jan. 9,	.	—	—	7	.	.	4	.	.	3	6	.	—	—	—	—	.	23	43
	Jan. 16,	.	—	—	14	.	.	5	.	.	4	5	.	—	—	—	—	.	36	61
	Jan. 23,	.	—	—	7	.	.	8	.	.	8	3	.	—	—	—	—	.	48	74
	Jan. 30,	.	—	—	10	8	.	8	.	.	8	2	.	—	—	—	—	.	36	72
Rathmines and Rathgar Urban District.	Jan. 9,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	—	4
	Jan. 16,	.	—	—	.	.	.	4	.	.	1	.	.	—	—	—	—	—	—	5
	Jan. 23,	.	—	—	2	.	.	1	.	.	4	.	.	—	—	—	—	—	—	7
	Jan. 30,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Jan. 9,	.	.	.	.	.	.	1	.	.	.	1	.	—	—	—	—	—	1	3
	Jan. 16,	.	.	.	.	.	.	2	.	.	.	1	.	—	—	—	—	—	2	8
	Jan. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	3	—	—	—	.	1
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	—	7	—	—	—	1	10
Blackrock Urban District.	Jan. 9,	.	.	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	1
	Jan. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Jan. 9,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	.	3
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Jan. 23,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Jan. 9,	.	—	—	37	.	.	6	.	.	3	3	.	—	—	—	—	.	3	49
	Jan. 16,	.	—	—	41	.	.	6	1	.	3	3	.	—	—	—	—	.	3	57
	Jan. 23,	.	—	—	55	.	.	3	.	.	1	6	1	—	—	—	—	.	2	68
	Jan. 30,	.	—	—	53	.	.	2	1	1	2	5	.	—	—	—	—	.	7	71
City of Cork.	Jan. 9,	.	9	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	16
	Jan. 16,	.	7	—	6	.	.	1	.	.	3	1	.	—	—	—	—	—	—	18a
	Jan. 23,	.	1	—	9	.	.	.	.	.	.	3	1	—	—	—	—	—	—	14
	Jan. 30,	.	2	—	5	.	.	1	1	.	.	.	.	—	—	—	—	—	—	9
City of Londonderry.	Jan. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 16,	.	—	—	.	3	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Jan. 23,	.	—	—	1	7	.	1	.	.	.	.	.	—	—	—	—	—	—	9
	Jan. 30,	.	—	—	.	1	.	.	.	.	.	3	.	—	—	—	—	—	—	4
City of Limerick.	Jan. 9,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Jan. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Jan. 9,	.	—	—	15	.	.	2	.	.	.	.	.	—	—	—	—	—	.	17
	Jan. 16,	.	—	—	16	.	.	.	.	.	.	.	.	—	—	—	—	—	.	16
	Jan. 23,	.	—	—	7	.	.	.	.	.	1	.	.	—	—	—	—	—	1	9
	Jan. 30,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	—	1	9

(a) Not including one case of whooping-cough.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th January, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 38 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 43, 44, and 38.

Seven cases of typhus were admitted to hospital during the week, 6 were discharged and 11 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 9, 9, and 10 respectively.

Five cases of measles were admitted to hospital during the week 2 were discharged, and 10 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 2, 5, and 7 respectively.

Eleven cases of scarlet fever were admitted to hospital, 12 were discharged, and 72\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 85, 75, and 73, respectively.

Eight cases of diphtheria were admitted to hospital during the week, and 11 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 48, 43, and 45 respectively, were 42 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 10 were discharged, there were 3 deaths, and 9 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 30th January, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 30TH JANUARY, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																							
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	29.2	24.7	1.5	680	575	85	157	2	1	...	4	4	11	3	...	69	20	20	47	113	8	1	12	19	194	19			
DUBLIN REGISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29.8	30.3	29.8	1.7	238	234	31	76	1	...	...	2	1	4	...	...	21	7	6	25	52	5	...	8	10	92	6			
CITY OF DUBLIN, ...	312,747	39.5	35.3	33.7	1.8	212	202	28	66	1	..	...	2	...	4	...	...	18	7	5	21	44	4	...	8	10	85	4			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	17.1	17.1	1.3	13	13	1	4	...	...	...	...	...	...	...	...	...	...	1	1	5	1	...	...	...	4	1			
PEMBROKE, ...	30,538	19.4	12.0	20.5	1.7	7	12	1	6	...	...	...	...	1	..	...	...	1	...	...	1	1	...	...	...	...	2	...			
BLACKROCK, ...	9,233	8.5	.	11.3	.	.	2	...	...	...	...	...	...	...	...	...	...	1	..	...	1	..	...	...	...	...	...	1			
KINGSTOWN, ...	16,941	11.6	18.5	15.4	.	6	5	1	...	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	1	...			
Urban Districts																															
BELFAST ..	403,000	27.0	28.1	20.4	1.4	217	158	36	25	...	..	...	2	3	3	...	...	17	7	9	15	30	3	...	...	4	41	2			
CORK, ..	76,673	28.6	28.6	26.5	2.0	42	39	6	10	...	...	...	...	...	1	2	...	10	1	1	3	7	...	...	...	...	14	2			
LONDON DERRY, ...	41,200	16.0	29.1	21.5	1.3	23	17	2	3	...	1	...	...	...	...	...	...	...	3	..	2	5	..	...	...	...	7	...			
LIMERICK, ...	38,518	16.1	50.1	20.3	.	37	15	3	...	...	...	...	...	...	...	...	...	4	...	...	...	6	...	...	...	...	6	2			
WATERFORD, ...	27,464	19.1	24.7	32.3	1.9	13	17	...	7	...	...	...	...	...	...	...	...	1	...	2	1	2	...	1	...	1	7	...			
GALWAY, ...	13,255	2.5	...	...	...	8	8	...	4	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	6	...			
DUNDALK, ...	13,128	9.5	...	...	...	8	7	1	1	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	...	...	...			
LURGAN, ...	12,553	14.7	...	...	...	8	4	...	2	...	...	...	...	...	...	...	...	1	..	...	...	1	...	...	...	...	2	..			
DROGHEDA, ...	12,501	8.4	...	...	...	2	6	...	4	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	6	...			
LISBURN, ...	12,388	10.9	...	...	...	7	3	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...			
NEWRY, ...	11,963	17.0	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
PORTADOWN, ...	11,727	15.3	...	...	...	9	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1			
WEXFORD, ...	11,531	22.8	...	...	...	6	8	1	5	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	1			
BALLYMENA ..	11,381	9.3	...	...	...	7	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1			
SLIGO, ...	11,163	3.8	...	...	...	7	7	1	3	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	5	1			
KILKENNY, ...	10,514	11.4	...	...	...	6	10	...	4	...	...	...	...	...	...	1	...	2	..	...	...	...	...	...	...	...	5	...			
TRALEE, ...	10,300	17.4	...	...	...	6	4	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...			
CLONMEL, ...	10,209	7.8	...	...	...	4	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
NEWTOWNARDS	9,587	20.1	...	...	...	5	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...			
QUEENSTOWN, ...	8,209	14.7	...	...	...	6	8	1	2	...	...	...	...	...	...	...	...	3	...	1	...	1	...	...	...	...	...	1			
LARNE, ...	8,036	13.4	...	...	...	4	6	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	3	1	...			
COLERAINE. ...	7,785	7.7	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BANGOR, ..	7,776	8.5	...	...	...	3	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...			
BRAY, ..	7,691	7.2	...	...	...	5	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2	...	...	...	.	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ARMAGH, ...	7,356	21.8	...	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2			

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 15 deaths of persons (including 2 under one year old and one at 67 years) admitted to hospital from localities outside the Area. Included in the 15 deaths are 2 from tuberculous disease, 3 from cancer, and one (a child under 2 years) from diarrhoea and enteritis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 30th of January, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
	CITY OF DUBLIN.																					
	REGISTRATION DISTRICTS IN																					
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.						
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.				
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Measles,	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.				
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.				
Whooping-cough,	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	4	.				
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Croup,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.				
Influenza,	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.				
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Tuberculosis, { Pulmonary,	1	1	3	1	.	.	3	5	3	.	1	.	1	1	1	.	21	1				
Other Forms,	2	.	2	1	.	.	2	.	.	.	.	.	.	.	.	.	7	1				
Cancer,	.	1	.	.	.	.	1	1	2	.	.	1	.	.	.	.	6	3				
Diseases of Nervous System,	2	1	.	4	.	1	4	1	3	1	.	1	1	.	.	.	19	1				
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Circulatory System,	2	5	4	2	.	1	4	4	3	1	1	2	1	.	.	.	30	2				
Respiratory System, { Pneumonia,	3	2	1	2	.	.	3	2	3	4	1	1	1	1	1	.	25	.				
Others,	4	6	6	4	1	1	10	4	6	1	.	5	1	.	2	.	52	4				
Diarrhoea and Enteritis, under 2 years,	.	1	1	.	.	.	1	1	.	.	.	1	.	.	.	.	5	1				
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.				
Others,	.	1	1	1	.	1	.	1	.	.	.	.	.	.	.	.	5	.				
Genito-urinary System,	1	2	.	.	.	.	1	.	2	1	.	.	1	.	.	.	8	.				
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.				
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.				
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1				
Other specified Causes,	2	5	2	2	.	.	1	.	2	2	.	1	2	.	1	.	20	1				
Violent Deaths,	.	2	1	1	.	1	1	.	1	.	1	.	.	.	.	.	8	.				
Ill-defined, &c. Causes,	1	1	1	.	1	.	2	.	1	.	.	1	1	.	.	.	9	.				
Deaths from All Causes	20	30	22	18	2	3	4	34	22	31	13	3	13	12	2	5	234	15				
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34.2	37.5	41.1	26.2	18.8	11.3	19.3	43.1	62.5	36.3	20.4	15.7	17.1	20.5	11.3	15.4	29.8	.				
	31.1								36.6				17.3									
	33.7																					
Ages at Death. { Under 1 year,	4	5	2	4	.	1	.	3	3	2	4	.	1	1	.	1	31	2				
1 and under 2 years,	.	1	.	1	.	.	.	5	3	1	1	.	.	.	.	.	12	.				
2 " 5 "	.	1	1	.	.	.	.	2	.	2	.	.	.	1	.	.	7	.				
5 " 15 "	2	1	1	.	.	.	.	1	.	1	1	.	.	.	.	2	9	2				
15 " 25 "	1	.	1	.	.	.	.	.	1	2	.	1	.	.	.	.	6	2				
25 " 45 "	3	2	5	1	1	1	2	4	6	5	.	.	1	1	1	1	34	1				
45 " 65 "	5	9	5	4	.	1	6	6	6	4	1	7	3	1	.	.	59	7				
65 and upwards,	5	11	7	8	1	1	13	3	12	3	1	4	6	.	.	.	76	1				
Number of Uncertified Deaths,	1	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	6	.				
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																						
Public Hospitals, Prisons, and Lunatic Asylums,	2	6	2	3	1	.	1	6	6	5	3	.	3	2	.	1	41	11				
Workhouse Hospitals.	2	3	9	4	.	.	.	10	7	11	3	1	1	.	.	.	51	4				





FOURTH WEEK, ending Saturday, 30th January, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 4th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 30th January, 1915.																															
	Jan. 28, 1905.	Jan. 27, 1906.	Jan. 26, 1907.	Jan. 25, 1908.	Jan. 30, 1909.	Jan. 29, 1910.	Jan. 28, 1911.	Jan. 27, 1912.	Jan. 25, 1913.	Jan. 24, 1914.		All Ages.	Deaths of Persons of the Ages of																														
													0-5.																														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Diseases of Stomach, ...	—	—	—	—	—	—	1	.	2	3	—	1	.	.	.	.	.	.	.	.	1	.																					
Diarrhoea and Enteritis of Children under 2 years.	3	4	4	2	3	6	6	1	2	5	4.0	6	2	4	.	.	.	.	.	.	.	.																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Appendicitis and Typhlitis,...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	4	4	.	.	—	1	.	.	.	.	.	.	.	1	.	.																					
Cirrhosis of Liver, ...	2	.	1	1	2	2	1	.	.	.	.9	1	.	.	.	.	.	.	.	1	.	.																					
Other Diseases of Liver, ...	.	2	3	1	.	2	1	2	2	.	1.3	1	.	.	.	.	.	.	1	.	.	.																					
Peritonitis (cause unknown),	.	.	.	.	1	1	.	.	.	2	.4	.	.	.	.	.	.	.	.	.	.	.																					
Other Diseases of Digestive System.	5	4	6	3	6	7	.	.	2	2	3.5	1	.	1	.	.	.	.	.	.	.	.																					
Acute Nephritis, ...	5	7	8	3	8	6	9	.	.	.	6.6	1	.	.	.	.	.	.	.	.	.	.																					
Chronic Bright's Disease, ...																							3	5	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.																					
Puerperal Septicæmia, &c.,...	.	.	1	.	1	.	1	1	1	.	.2	1	.	.	.	.	.	.	1	.	.	.																					
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	1	.	1	1	1	.	.6	1	.	.	.	.	.	.	1	.	.	.																					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	.	1	—	3	.	.	.	.	1	.	.	.	1	1																					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	1	.	.	.	.	.																					
Premature Birth, ...	3	4	6	4	4	4	4	5	5	2	4.1	2	2	.	.	.	.	.	.	.	.	.																					
Congenital Debility, ...	—	—	—	—	—	—	6	3	10	3	—	2	.	2	.	.	.	.	.	.	.	.																					
Old Age, ...	5	2	3	6	4	3	12	5	4	15	5.9	15	.	.	.	.	.	.	.	.	1	14																					
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.																					
ACCIDENT :																																											
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Burns and Scalds, ...	2	3	1	.	.	2	1	1	2	1	1.3	2	.	.	.	.	1	.	.	1	.	.																					
Drowning, ...	.	2	1	.	.	1	.	1	.	1	.6	.	.	.	.	.	.	.	.	.	.	.																					
Suffocation in Bed, ...	.	.	.	.	3	.	.	.	.	.	.3	1	.	1	.	.	.	.	.	.	.	.																					
Other Deaths by Accident, ...	3	3	4	2	2	.	2	1	.	6	2.3	5	.	.	.	.	.	1	4	.	.	.																					
Total Deaths from Accident,	5	8	6	2	6	3	3	3	2	8	4.6	8	.	1	.	.	1	.	5	.	.	.																					
Included in above are Deaths in connection with—																																											
Railways, ...	.	.	.	1	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Vehicles and Horses, ...	.	.	1	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
VIOLENCE OTHER THAN ACCIDENTAL :																																											
Homicide, ...	.	.	1	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.																					
Suicide, ...	.	.	.	.	.	1	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	6	4	6	—	9	.	.	.	.	1	.	1	3	4	.																					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.
No. of weeks in Annual Series,		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4
Births registered,		166	204	200	246	187	213	184	198	199	223	185	205	173	222	190	209	187	185	195	224	117	236	232	259	185	238
Average Births in corresponding week of previous 10 years, ...		209	223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	223	227	212	220	220
Deaths registered, ...		136	159	186	163	160	139	161	154	154	141	144	134	118	158	155	155	152	204	190	203	134	283	287	241	232	249
Annual Death-rate per 1,000, ...		17.5	20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7
Average Deaths in corresponding week of previous 10 years, ...		145	156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		35	53	35	62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100	74	60	52
		6	5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	6	7	9	8	12	7	8	11
		15	25	6	6	8	5	6	7	1	6	7	4	1	8	7	6	6	8	9	7	7	10	15	11	11	8
		26	27	23	24	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	33	38	31	31	35
		34	35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66
		15	18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41
		15	15	10	11	11	15	14	14	17	16	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22	24
Deaths from:—																											
Enteric Fever,		2	1	.	2	1	3	3	1	1	2	3	.	2	3	2	2	.	5	1	1	2	2	2	1	1	1
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		2	.	3	1	.	.	.	1	.	.	.	.	1	.	1	.	.	1	1	2	1	2	1	1	1	2
Scarlet Fever,		.	1	1	1	.	1	.	1	.	.	1	.	2	.	1	1	1	1	2	1	1	2	1	3	6	4
Whooping-cough, ...		.	.	1	1	2	1	1	1	1	.	.	.	.	1	.	.	.	3	1	4	2	2	2	2	1	4
Diphtheria,		1	2	1	4	.	.	.	1	.	.	2	1	.	1	.	1	.	1	1	1	1	1	1	4	4	.
Influenza,		.	.	.	.	1	.	.	1	.	.	2	.	2	1	.	.	.	1	2	.	1	1	4	2	4	.
Dysentery,		.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...		19	18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22
" { Other Forms, ...		6	4	2	4	9	8	9	7	9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10	5	8
Cancer, ...		7	6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10	10	8	12	14	16	11	9
Diseases of Circulatory System,		15	15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32
Diseases of Respi- ( Pneumonia		4	3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	34	22	25
ratory System, { Others, ...		10	11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56
Diarrhoea and Enteritis, under																											
2 years,		10	11	13	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6
Diarrhoea, 2 years and upwards,		.	.	3	3	.	.	.	.	1	.	1	1	.	.	.	1	.	.	.	1	.	.	1	1	1	.
Violent Deaths,		7	10	3	6	1	4	6	4	2	7	1	1	3	5	3	7	7	1	5	3	2	2	2	4	4	8
Number of Uncertified Deaths,		4	2	2	1	4	2	5	2	8	.	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th January, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION.		Popula- tion in each Class and Group in 1911.		REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 30TH JANUARY, 1915.										CAUSES OF DEATH										Violence.	Other Causes.	Number of Uncertified Deaths.									
						AGES.																							DISEASES OF THE RESPIRATORY SYSTEM								
						Total Number of Deaths.										Tuberculosis.							Diphtheria.														
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
		Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.		AGES.							Tuberculosis.							Diphtheria.						Diphtheria & Eritis of children under 2 years of age.						Diarrhoea, 2 years of age and upwards.					
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Eritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.						
						(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)						
						52	11	8	35	66	41	36	1	.	.	2	1	4	.	.	22	8	9	4	25	56	6	.	8	103	6						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2	5	4	.	.	.	.	1	1	.	.	4	.	1	1	4	2	.	.	1	4	.						
						5	6	2	1	2																											

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	17.3 34.5 56.4 30.8 39.3 34.2	. . 6.8 1.7 1.7 .	10 20 33 18 23 20	. . 1 . . .	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	4 3 1 . 4 1	. . . 1 . 2	. . 1 1 . .	1 3 8 4 2 3	2 2 8 6 2 4	. . 1 1 1 .	. . . . . .	. . . . . .	. 1 . . . . .	2 1 1 1 3 1
North City, No. 1 (W.) (Office, Summer-hill.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	15.2 46.7 48.8 35.0 26.3 37.5	1.3 2.5 1.3 . 2.5 2.5	12 37 39 28 21 30	. . . . . .	. . . . . .	. . . . . .	. . . . 1 1	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	1 7 4 1 1 1	. . 2 2 1 .	1 . 3 . . . 1	1 9 4 5 3 2	5 6 6 8 3 6	1 2 1 . 3 1	. . . . . .	. . . . . 2	. . 2 . . 2 2	. 3 2 2 2 2
North City, No. 2. (Office, Lisburn-street.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	22.4 29.9 61.7 46.8 28.1 41.1	1.9 5.6 3.7 . . 1.9	12 16 33 25 15 22	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 3 3 1 1 3	1 . . 3 . . 2	1 . 2 . . . .	1 1 6 4 3 1	3 4 8 6 3 6	1 2 2 . 3 1	. . . . . .	. 1 . . . 1 1	. 1 2 . 1 1 1	1 2 3 1 1 .
North City, No. 3. (Office, Benburb-street.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	7.3 24.9 26.2 32.0 16.0 26.2	1.5 1.5 1.5 4.4 . .	5 17 18 22 11 18	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 2	. . . . . .	. 1 . . . . .	1 . . 2 1 1	. 1 . . . 1	. 1 . 1 . . .	1 3 2 2 2 2	1 1 2 4 3 4	. . 1 1 . . .	. . . 1 . . .	. . . . . .	. . . . . 1	. . . . 2 1 .	
Clontarf and Howth No. 1 (part of).	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	19.0 19.0 9.4 . 47.1 18.8	. . . . . .	2 2 1 . 5 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . .	. . . . 1 . .	. . . . 1 . .	. . . . 1 1	. 1 . . 1 1	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	
Coolock and Drumcondra (part of).	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	11.4 19.1 18.9 15.1 7.5 11.3	. . . . . .	3 5 5 4 2 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . .	1 . . 2 . . .	. . . . . .	. . . . 1 1	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	
Finglas and Glasnevin (part of).	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	24.3 . 14.4 19.3 24.1 19.3	. . . . . .	5 . 3 4 5 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . 1 .	1 . . . . 1	. . . . 1 .	. . . 1 . . .	. . 1 1 . 1	. . 1 1 . .	. . . 1 . . .	. . . . . 1	. . . . . .	
South City, No. 1. (Office, St. Earl-street.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	15.3 48.6 40.5 34.2 38.0 43.1	1.3 9.0 3.8 2.5 6.3 3.8	12 38 32 27 30 34	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 3 2 1 2 2	. . . . 1 .	. . . . 1 .	3 3 3 3 1 3	1 1 3 2 1 2	1 . 1 1 1 1	2 5 6 4 4 3	2 8 4 9 6 10	1 4 1 1 6 1	. . . 1 . .	. . . 1 . .	. . . . 1 .	1 1 3 1 1 .
South City, No. 2. (Office, Castle-street.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	14.2 68.2 56.9 31.3 45.5 62.5	2.8 5.7 5.7 8.5 . 5.7	5 24 20 11 16 22	. 1 . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. 1 2 . . .	. . . . . .	. . . . . .	. 3 4 1 2 5	. . . 1 1 .	. . 2 1 1 1	. . . 1 2 2	. 5 6 1 5 7	. 6 5 2 7 4	. . . 2 . .	. . . 1 . .	. 1 . . . 1	. . . . 1 .
South City, No. 3. (Office, Peter-street.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	27.5 49.1 40.3 32.0 37.9 36.8	1.2 2.4 5.9 2.4 2.4 2.4	23 41 34 27 32 31	1 . . 1 1 1	. . . . . .	. . . . . .	. . . . . .	. 1 1 1 2 1	. . . 1 2 . .	. . . . . .	. . 1 2 . . .	2 7 1 5 1 3	2 1 1 . 1 2	1 2 1 . 1 3	1 3 5 4 9 6	8 8 8 4 1 6	. 1 1 1 1 .	. . . . . .	. . . 1 . .	. . . 1 1 1	1 2 1 1 1 .
South City, No. 4. (Office, Grand Canal-st.)	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	9.4 33.0 26.7 34.6 23.6 29.4	1.6 . 1.6 1.6 . 1.6	6 21 17 22 15 13	1 . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 6 2 1 1 .	. . 1 . 1 .	. . 1 1 3 .	. . 3 5 8 1	1 3 1 8 5 1	. . 1 1 1 .	. . . 1 . .	. . . 1 . .	. . . 1 1 1	. 1 . 1 1 .
New Kilmainham.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	15.9 15.9 31.4 15.7 26.2 15.7	. . . . 5.2 .	3 3 6 3 5 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. 1 . . . 1 .	. . . . 1 .	. . . . . 1	. . . 1 2 3	1 2 2 3 . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	1 2 . . . .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	16.0 29.3 21.1 30.3 21.1 17.1	5.3 . 1.3 . . 1.3	12 22 16 23 16 13	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	2 . . . . .	. . . . . .	. 3 1 1 2 .	. . . 1 . .	1 2 1 6 3 1	. 1 3 4 1 1	1 5 2 4 4 5	2 . . . . 1	. . . . . .				
Pembroke Urban District. Population in 1915 (Est.) 30,538	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	19.0 24.1 35.9 18.8 20.5 20.5	. 1.7 . . . 1.7	11 14 21 11 12 12	. 1 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	3 . 2 1 . 1	. . . . . .	1 . 1 . . . .	2 5 1 2 3 1	. 1 4 3 3 1	. . . . . .	. . . . . .				
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	11.3 22.7 22.6 22.6 11.3 11.3	. . . . . .	2 4 4 4 2 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . 1 . . 1	. . 1 . . .	. . . 2 . . 1	. . . . . .	. . . . . .	. . . . . .	1 1 . . . .				
Kingstown Urban District. Population in 1911 16,941.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	15.4 30.8 12.3 . 21.5 15.4	. . . . . .	5 10 4 . 7 5	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . 1	. . 1 . . . .	. 2 . . . 1 .	. . 1 . . 1 2	3 2 1 . 1 2	. . . . . .	. . . . . .				
Belfast. Population in 1915 (Est.) 403,000.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	22.0 23.1 21.0 21.7 20.2 20.4	2.1 2.2 1.4 3.0 2.1 1.4	168 177 162 168 156 158	. 2 . . . .	. . . . . .	. . . . . .	9 8 6 10 11 2	1 2 . 5 3 3	5 2 3 5 2 3	. 1 . 1 . .	. . . . . .	20 20 9 15 19 17	4 6 5 14 6 7	5 5 8 6 12 9	16 24 15 9 12 15	27 23 30 30 20 30	1 1 2 2 . 3	. 1 . . . .				
Cork. Population in 1911 76,673.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	14.3 30.6 23.1 29.9 37.4 26.5	0.7 2.0 2.0 4.8 2.0 2.0	21 45 34 44 55 39	. . . . . .	. . . . . .	. . . . 1 .	. . . 2 1 .	. 1 . 2 1 .	. . 1 1 . 1	1 1 . 1 . 2	. . . . . .	4 6 3 5 3 10	2 2 2 1 2 1	1 . . 1 1 1	1 3 3 2 6 3	2 5 5 5 6 7	. . 2 1 1 .	. 1 . . . .				
Londonderry. Population in 1915 (Est.) 41,200.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	11.4 22.8 13.9 27.8 19.0 21.5	. . 1.3 . 1.3 1.3	9 18 11 22 15 17	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	. . . . . .	1 1 . 1 2 .	1 . . 1 3 3	. . 1 1 1 .	. 1 1 1 1 3 2	4 6 1 7 3 5	. . . . 1 .	. . . . . .				
Limerick. Population in 1911 38,518.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	13.5 28.4 33.8 17.6 12.2 20.3	. . . . 1.4 .	10 21 25 13 9 15	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 3 4 2 1 4	1 1 . 1 1 .	. . 1 . 1 .	2 3 . 1 . .	2 3 3 2 6 .	. . . . . .	. . . . . 1				
Waterford. Population in 1911 27,464.	Dec. 26 Jan. 2 " 9 " 16 " 23 " 30	9.5 51.3 22.8 30.4 26.6 32.3	1.9 13.3 . 3.8 . 1.9	5 27 12 16 14 17	. . . . . .	. 1 . . . . .	. . . . . .	. . . . . .	1 4 . 1 . .	. . . . . .	. . . . . .	. . . . . .	2 1 1 1 1	. . . 2 . .	. . . . 1 .	. 1 4 3 1 2	. . 4 3 3 . 2	. . . 1 . . 1	. . . . . 2				

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 30th January, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.											DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																										
				All Causes.	Certain Epi- demic Diseases,†	Total Number of DEATHS.					Under 1 year.						5 and under 25 years.					25 and under 45 years.							45 and under 65 years.					65 years and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)			(24)	(25)	(26)	(27)	(28)	(29)	(30)																			
City of Belfast.																																																						
BELFAST URBAN No. 1 District.	15,879	13	36.1	2.1	11	1	6	4	1	3	7	2	6	1	1	1	1	1	1	1	3	1	2	1	4	1	1	1	1	6	1																							
Do. 2 do.	49,500	26	30.5	1.0	29	6	4	4	4	6	3	6	4	2	1	1	1	1	1	1	3	1	1	1	7	1	1	1	1	5	1																							
Do. 3 do.	50,032	29	25.0	1.6	24	7	3	3	4	8	1	5	4	1	1	1	1	1	1	1	2	1	1	3	4	1	1	1	1	6	1																							
Do. 4 do.	32,637	16	14.4	3.2	9	3	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	4	1																								
Do. 5 do.	16,112	7	22.7	16.8	7	1	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1																								
Do. 6 do.	37,293	14	16.8	12	12	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	3	1																								
Do. 7 do.	2,681	2	2.6	2.6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																								
Do. 8 do.	5,964	2	2.6	2.6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																								
Do. 9 do.	24,427	17	36.3	4.3	17	7	8	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																							
Do. 10 do.	28,958	24	12.6	5.4	7	3	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																							
Do. 11 do.	39,311	21	13.3	1.4	10	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																							
Do. 12 do.	38,076	21	16.4	1.4	12	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																							
Do. 13 do.	23,233	15	15.7	1.4	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 14 do.	175	10	29.9	1.4	13	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 15 do.	22,669	10	29.9	1.4	13	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Total,	386,947	217	20.4	1.4	158	36	14	15	20	48	25	1	1	1	1	1	1	1	1	1	17	7	9	15	30	3	4	41	2	2	2																							
City of Cork.																																																						
CORK URBAN No. 1 District	13,455	6	15.5	5.3	4	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 2 do.	10,399	5	45.1	5.7	9	3	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																							
Do. 3 do.	9,793	7	31.9	5.7	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 4 do.	9,139	5	34.2	5.7	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 5 do.	6,250	5	16.7	1.4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 6 do.	11,581	6	18.5	3.2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Do. 7 do.	16,056	13	29.2	3.2	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																							
Total,	76,673	42	26.5	2.0	39	6	5	3	7	8	10	1	1	1	1	1	1	1	1	1	10	1	1	3	7	1	1	14	2	2	2																							

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Aug. 8.	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.
No. of weeks in Annual Series,	32	32	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4
BIRTHS registered, ...	226	214	218	196	215	215	187	223	238	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217
DEATHS registered, ...	137	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158
Annual Death-rate per 1,000 of estimated population, ...	17.9	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	20	27	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	39	32	27	36
	21	23	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14
	14	9	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15
	22	18	19	16	24	18	24	18	19	13	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20
	32	16	30	26	25	20	22	23	38	20	25	27	24	25	26	34	46	31	27	20	36	29	37	37	59	48
	28	20	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25
Deaths from:—	1	1	1	.	.	2	1	1	1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.
Enteric Fever, ...	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	5	8	7	2	2	1	7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2
Scarlet Fever, ...	4	.	.	2	2	1	1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3
Whooping-cough, ...	2	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3
Diphtheria, ...	.	.	.	1	.	.	1	.	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	18	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17
Other Forms,	5	8	7	4	8	1	5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7
Cancer ...	3	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9
Diseases of Respi- ratory System, { Pneumonia	10	8	10	8	4	6	13	7	10	9	10	8	16	15	11	18	21	22	15	11	16	24	15	9	12	15
Others, ...	18	13	11	9	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30
Diarrhoea and Enteritis, under 2 years, ...	3	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3
Diarrhoea, 2 years and upwards, ...	.	2	1	10	1	3	2	4	2	1	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.
Violent Deaths, ...	2	1	1	.	4	1	5	1	3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.
Number of Uncertified Deaths, ...	2	.	1	3	2	.	5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Jan. 30,	2,282	1,767	20·8	1	.	40	6	20	16	21
EDINBURGH, ...	328,700	" 30,	129	128	20·8	.	.	.	1	4	2	.
GLASGOW, ...	1,078,400	" 30,	563	447	21·6	8	.	.	6	45	8	8
CALCUTTA, ...	896,067	Dec. 12,	.	520	30·1	72*	28	1	.	.	.	59†a
BOMBAY, ...	979,445	" 26,	.	.	.	.	.	.	.	.	.	.
MADRAS, ...	518,660	" 19,	.	.	.	.	.	.	.	.	.	.
CAIRO, {	Egyptians, ...	Nov. 18,	653	367	29·1	1	.	2	.	?	18†	54
	Foreigners, ...	" 18,	15	12	8·8	.	.	.	.	?	.	1
ALEXAN- DRIA, {	Egyptians, ...	" 18,	302	136	20·9	.	1	.	.	?	.	22
	Foreigners, ...	" 18,	20	17	11·7	1	.	.	.	?	.	2
PARIS, ...	2,847,229	Dec. 19,	714	804	14·4	14	.	9	1	.	5†	23
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ...	597,888	Aug. 1,	264	90	7·8	.	.	.	.	2	.	7
		" 8,	302	114	9·9	.	.	.	.	2	.	7
COPENHAGEN, ...	492,000	Jan. 2,	257	128	13·6	.	.	.	1	.	.	8
STOCKHOLM, ...	382,085	" 2,	184	144	19·6	.	.	2	.	.	.	1
CHRISTIANIA, ...	251,446	" 9,	96	51	10·5	.	.	2	.	.	1	4
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ...	1,694,000	—	.	.	.	.	.	.	.	.	.	.
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	766,136	Jan. 9,	.	252b	17·1	1	.	.	1	1	7	3a

\* Deaths from "fever,"

† Including deaths from croup.

‡ Including 17 deaths from cholera in Calcutta.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 222 deaths (including 6 from diphtheria and 2 from diarrhoeal diseases) rate, 15·1 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th January, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	4	.	1	.	.	.	.	.	.	.	4	9
„ „ 1, West, ...	.	1	3	.	.	.	.	1	.	.	.	.	5	10
„ „ 2, ...	.	.	.	.	.	.	.	4	.	.	.	.	7	11
„ „ 3, ...	.	1	.	.	2	.	.	1	1	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
South City No. 1, ...	.	1	1	.	.	.	.	.	1	.	.	.	6	9
„ „ 2, ...	.	1	.	.	1	.	.	.	.	.	.	.	5	7
„ „ 3, ...	.	6	.	.	3	.	.	.	.	.	.	.	5	14
„ „ 4, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	10	8	.	8	.	.	8	2	.	.	.	36	72

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 30th January, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th January.			
	Jan. 9.	Jan. 16.	Jan. 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	43	44	38	7	7	.	38
Typhus, ...	9	9	10	7	6	.	11
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	2	5	7	5	2	.	10
Scarlet Fever, ...	85	75	73	11	12	.	72*
Diphtheria, ...	48	43	45	8	11	.	42
Pneumonia, ...	22	17	16	6	10	2	9

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

*Price 1½d.*

Vol. LII.]

WEEK ENDING SATURDAY, 6TH FEBRUARY, 1915.

[No. 5.]

*General Register Office, Charlemont House,  
Dublin, 8th February, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 26·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 16	Jan. 23	Jan. 30	Feb. 6	
<b>27 Town Districts, (a)</b>	<b>24·4</b>	<b>24·0</b>	<b>24·7</b>	<b>26·2</b>	<b>24·8</b>
Dublin Reg. Area ...	29·2	27·7	29·8	30·5	29·3
Dublin City ...	31·8	30·0	33·7	30·8	31·6
Belfast ...	21·7	20·2	20·4	25·2	21·9
Cork ...	29·9	37·4	26·5	27·9	30·4
Londonderry ...	27·8	19·0	21·5	29·1	24·4
Limerick ...	17·6	12·2	20·3	23·0	18·3
Waterford ...	30·4	26·6	32·3	15·2	26·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·8 per 1,000. Among the 195 deaths from all causes for Belfast are 4 from each of measles, scarlet fever, whooping-cough, and diarrhoeal diseases. Of the 41 deaths from all causes for Cork one is from diphtheria. Three of the 23 deaths from all causes for Londonderry are from typhus. Enteric fever caused one of the 17 deaths from all causes for Limerick. Included in the 8 deaths from all causes for Waterford is one from scarlet fever. Among the 6 deaths from all causes for Queenstown are one from measles and one from whooping-cough, and included in the 5 deaths from all causes for Coleraine were also 2 deaths, one from measles and one from whooping-cough,

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—119 boys and 117 girls—and the deaths to 254—112 males and 142 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 30·5 per 1,000 of the population. During the five weeks, ending with Saturday last, the death-rate averaged 30·7, and was 6·2 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.



The total deaths registered, numbering 254, represent an annual rate of 32·4 per 1,000; the annual rate for the past five weeks was 32·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths are one from typhus, 7 from whooping-cough, 2 from diphtheria, 8 from influenza, and 8 from diarrhoea and enteritis\* of children under 2 years.

In the three preceding weeks, deaths from typhus were 0, 0, and 0; deaths from whooping-cough were 3, 6, and 4; deaths from diphtheria were 0, one, and 0; deaths from influenza were 2, 4, and 4; and deaths from diarrhoea and enteritis of children under 2 years were 7, 2, and 6, respectively.

Tuberculous disease caused 35 deaths, comprising 22 from pulmonary tuberculosis\*, 2 from tuberculous meningitis, 6 from abdominal tuberculosis, one from tuberculosis of a joint, and 4 from disseminated tuberculosis. In the 3 preceding weeks deaths from tuberculous disease numbered 27, 21, and 30, respectively.

Cancer\* caused 4 deaths.

Of the 32 deaths from pneumonia, 19 were from broncho-pneumonia, 4 from lobar pneumonia, and 9 from pneumonia (type not distinguished).

Included in the deaths of infants under one year of age are 9 from convulsions, 3 from premature birth, one from congenital malformation, and 7 from congenital debility.

There were 16 deaths from organic diseases of the heart and 57 from bronchitis.

Of 4 accidental deaths 3 were from burns and scalds.

In 15 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 9 infants under one year of age and the death of one person aged 65 years.

Eighty-four of the persons whose deaths were registered during the week were under 5 years of age (57 being infants under one year, of whom 11 were under one month old), and 71 were aged 65 years and upwards, including 53 persons aged 70 and upwards; among the latter were 32 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Ninety-nine of the deaths registered during the week occurred in hospitals and other public institutions; of this number 23 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 30·5 per 1,000; the rate in the City was 30·8 (North City Districts, 28·6; South, 33·4), and in the Suburbs, 29·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants; the rate for the City being 2·5 (in the North City Districts 1·9, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (26) are equal to an annual rate of 44·4 per 1,000, and include 2 from influenza, 4 from pulmonary tuberculosis, one from broncho-pneumonia, one from pneumonia, 5 from bronchitis, 3 of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (23) are equal to an annual rate of 28·8 per 1,000. One of the deaths was caused by typhus, one by whooping-cough, 5 by tuberculosis, 3 by broncho-pneumonia, one by pneumonia, and 6 by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Among them are one from influenza, 2 from abdominal tuberculosis, one from pneumonia, and 6 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 33·4 per 1,000. These include one death from influenza, 7 from tuberculosis, 3 from broncho-pneumonia, one from pneumonia, one from bronchitis, one of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 9·6. The only death recorded for Clontarf and Howth, No. 1, was caused by bronchitis; of the 5 deaths from all causes for Coolock and Drumcondra one was from abdominal tuberculosis, one from pneumonia, and one from bronchitis, and the only 2 deaths recorded for Finglas and Glasnevin were caused by pneumonia.

No. 1 South City District (South Earl-street).—The deaths (16) represent an annual rate of 20·3 per 1,000. Two of these deaths were from whooping-cough, 2 from pulmonary tuberculosis, one from lobar-pneumonia, one from broncho-pneumonia, and 5 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·6 per 1,000. Among them are one from whooping-cough, one from diphtheria, 2 from tuberculosis, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (42) are equal to an annual rate of 49·8 per 1,000. Three deaths were due to whooping-cough, 3 to tuberculosis, 3 to broncho-pneumonia, 2 to pneumonia, 11 to bronchitis, and one of a child under 2 years of age to diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. They include one from influenza, 6 from bronchitis, one (a child under 2 years) from diarrhoea and enteritis, and one accidental death.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·0 per 1,000. One was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 30·3; Pembroke, 27·3; Blackrock, 22·6; and Kingstown, 33·9. The only death from the principal epidemic diseases tabulated for these districts was from diphtheria in Rathmines and Rathgar. Of the 23 deaths from all causes for Rathmines and Rathgar one was from influenza, 2 from pulmonary tuberculosis, one from pneumonia, 3 from bronchitis, and one accidental death. The 16 deaths from all causes for Pembroke include one from influenza, 4 from broncho-pneumonia, and 4 from bronchitis. One of the 4 deaths from all causes for Blackrock was from broncho-pneumonia; and among the 11 deaths recorded for Kingstown one was caused by influenza, 2 by broncho-pneumonia, one by lobar-pneumonia, and one by bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 21·5), was equal to an average annual death-rate of 20·1 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 24·1 per 1,000, the rate for Glasgow being 22·7, and for Edinburgh 20·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th February. From this Report it appears that of a total of 98 cases notified, 36 were diphtheria, 30 scarlet fever, 19 phthisis, 6 other forms of tuberculosis, 5 erysipelas, one enteric fever, and one cerebro-spinal fever. Among the 617 cases of infectious diseases in hospital at the close of the week were 198 cases of scarlet fever, 181 of diphtheria, 174 of phthisis, 16 of whooping-cough, 10 of erysipelas, 3 of enteric fever, 3 of measles, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th February, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 16,	.	—	—	14	.	.	5	.	.	4	5	.	—	—	.	—	.	36	61
	Jan. 23,	.	—	—	7	.	.	8	.	.	8	3	.	—	—	.	—	.	48	74
	Jan. 30,	.	—	—	10	8	.	8	.	.	8	12	.	—	—	.	—	.	36	72
	Feb. 6,	.	—	—	6	.	.	6	.	.	6	1	.	—	—	.	—	.	34	53
Rathmines and Rathgar Urban District.	Jan. 16,	.	—	—	.	.	.	4	.	.	1	.	.	—	—	.	—	.	—	5
	Jan. 23,	.	—	—	2	.	.	1	.	.	4	.	.	—	—	.	—	.	—	7
	Jan. 30,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	.	—	.	—	3
	Feb. 6,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
Pembroke Urban District.	Jan. 16,	.	.	.	.	.	.	2	.	.	.	1	.	—	—	.	—	.	2	8
	Jan. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	—	—	.	—	.	1	10
	Feb. 6,	.	.	.	.	.	.	1	.	.	.	2	.	—	—	.	—	.	.	3
Blackrock Urban District.	Jan. 16,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Jan. 23,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	.	—	.	1	4
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Feb. 6,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	.	—	.	.	5
City of Belfast.	Jan. 16,	.	—	—	41	.	.	6	1	.	3	3	.	—	—	.	—	.	3	57
	Jan. 23,	.	—	—	55	.	.	3	.	.	1	6	1	—	—	.	—	.	2	68
	Jan. 30,	.	—	—	53	.	.	2	1	1	2	5	.	—	—	.	—	.	7	71
	Feb. 6,	.	—	—	36	.	.	4	.	.	1	2	.	—	—	.	—	.	3	46
City of Cork.	Jan. 16,	.	7	—	6	.	.	1	.	.	3	1	.	—	—	.	—	.	—	18a
	Jan. 23,	.	1	—	9	.	.	.	.	.	.	3	1	—	—	.	—	.	—	14
	Jan. 30,	.	2	—	5	.	.	1	1	.	.	.	.	—	—	.	—	.	—	9
	Feb. 6,	.	1	—	5	.	.	.	.	.	.	.	.	—	—	.	—	.	—	6
City of Londonderry.	Jan. 16,	.	—	—	.	3	.	.	.	.	.	.	.	—	—	.	—	.	—	3
	Jan. 23,	.	—	—	1	7	.	1	.	.	.	.	.	—	—	.	—	.	—	9
	Jan. 30,	.	—	—	.	1	.	.	.	.	.	3	.	—	—	.	—	.	—	4
	Feb. 6,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	.	—	.	—	2
City of Limerick.	Jan. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Jan. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	.	—	.	—	2
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Feb. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	—	1
City of Waterford.	Jan. 16,	.	—	—	16	.	.	.	.	.	.	.	.	—	—	.	—	.	.	16
	Jan. 23,	.	—	—	7	.	.	.	.	.	1	.	.	—	—	.	—	.	1	9
	Jan. 30,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	.	—	.	1	9
	Feb. 6,	.	—	—	17	.	.	.	.	.	.	1	.	—	—	.	—	.	.	18

(a) Not including one case of whooping-cough.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th February, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 8 were discharged, there was one death, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 44, 38, and 38.

Two cases of typhus were discharged from hospital during the week, one died and 8 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 9, 10, and 11 respectively.

Two cases of measles were admitted to hospital during the week, one was discharged, and 11 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 5, 7, and 10 respectively.

Ten cases of scarlet fever were admitted to hospital, 17 were discharged, and 65\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 75, 73, and 72, respectively.

Six cases of diphtheria were admitted to hospital during the week, 13 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 43, 45, and 42 respectively, were 33 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 4 were discharged, and 17 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th February, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 6TH FEBRUARY, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																					
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																			
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.4	26.2	1.8	661	609	112	165	1	4	...	6	5	13	3	...	57	25	15	56	118	10	1	6	10	174	27	
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	30.1	30.5	2.0	236	239	54	70	...	1	...	...	...	7	2	...	21	13	3	30	60	6	...	4	3	84	15	
CITY OF DUBLIN,	312,747	39.5	32.7	30.8	2.5	196	185	43	51	...	1	...	...	...	7	1	...	19	13	2	21	47	6	...	3	2	76	8	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	18.5	30.3	1.3	14	23	3	10	...	...	...	...	...	...	1	...	2	...	...	1	8	...	...	1	1	2	2	
PEMBROKE, ...	30,538	19.4	18.8	27.3	.	11	16	2	5	...	...	...	...	...	...	...	...	...	...	1	4	4	...	...	...	...	5	2	
BLACKROCK, ...	9,233	8.5	28.2	22.6	.	5	4	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	
KINGSTOWN, ...	16,941	11.6	30.8	33.9	.	10	11	5	2	...	...	...	...	...	...	...	...	...	...	...	3	1	...	...	...	...	...	2	
Urban Districts																													
BELFAST ...	403,000	27.0	34.2	25.2	2.1	264	195	35	44	...	...	...	4	4	4	...	...	24	8	6	15	30	3	1	...	3	52	3	
CORK, ...	76,673	28.6	19.0	27.9	0.7	28	41	2	16	...	...	...	...	...	...	1	...	2	2	1	2	9	...	...	...	1	15	1	
LONDON- DERRY	41,200	16.0	35.4	29.1	3.8	28	23	4	4	...	3	...	...	...	...	...	...	2	...	2	1	5	...	...	1	1	4	...	
LIMERICK, ...	38,518	16.1	12.2	23.0	1.4	9	17	3	5	1	...	...	...	...	...	...	...	2	...	...	1	4	...	...	...	...	6	1	
WATERFORD, ...	27,464	19.1	13.3	15.2	1.9	7	8	2	...	...	...	...	...	1	...	...	...	1	...	1	1	...	...	...	1	2	2	1	
GALWAY, ...	13,255	2.5				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
DUNDALK, ...	13,128	9.5				8	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				7	4	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				6	8	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	
LISBURN, ...	12,388	10.9				7	6	2	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				1	5	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	
PORTADOWN, ...	11,727	15.3				7	4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	
BALLYMENA ..	11,381	9.3				2	8	1	1	...	...	...	...	...	...	...	...	2	...	1	1	1	...	...	...	...	2	...	
SLIGO, ...	11,163	3.8				3	6	1	3	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	1	1	
KILKENNY, ...	10,514	11.4				6	7	...	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	3	1	
TRALEE, ...	10,300	17.4				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1				2	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	1	
QUEENSTOWN,	8,209	14.7				2	6	...	...	...	...	...	1	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4				3	4	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	2	...	
COLERAINE. ...	7,785	7.7				9	5	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
BANGOR, ...	7,776	8.5				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2				6	4	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2				.	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 15 deaths of persons (including 3 under one year old and one at 80 years) admitted to hospital from localities outside the Area. Included in the 15 deaths are one from pulmonary tuberculosis, one from cancer, and 2 (of children under 2 years) from diarrhoea and enteritis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 6th of February, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																
	REGISTRATION DISTRICTS IN																
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF		
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, . . . . .	.	1	.	.	.	.	2	1	3	.	.	.	.	.	.	.	
Diphtheria, . . . . .	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	2	.	1	1	.	.	.	.	.	.	1	1	1	.	1	.	
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary, . . . . .	4	3	.	4	.	.	2	1	4	.	1	2	.	.	.	21	
{ Other Forms, . . . . .	.	2	2	3	.	1	.	1	4	.	.	.	.	.	.	13	
Cancer, . . . . .	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	3	
Diseases of Nervous System, . . . . .	1	2	1	.	.	1	.	4	3	3	1	.	2	.	2	22	
"    Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
"    Circulatory System, . . . . .	4	2	.	2	.	.	.	.	2	3	1	.	1	2	.	18	
"    Respiratory System, { Pneumonia, . . . . .	2	4	1	4	.	1	2	2	.	5	.	.	1	4	1	30	
{ Others, . . . . .	6	6	6	1	1	1	.	5	3	11	7	.	8	4	.	60	
"    Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	3	.	.	1	.	.	.	.	.	1	1	.	.	.	.	6	
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others, . . . . .	.	1	.	.	.	1	.	.	2	.	.	.	1	.	.	5	
"    Genito-urinary System, . . . . .	.	1	.	2	.	.	.	.	.	1	.	.	2	1	1	8	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	
"    Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other specified Causes, . . . . .	3	.	.	3	.	.	1	1	5	2	2	3	2	.	2	24	
Violent Deaths, . . . . .	1	.	.	1	.	.	.	.	.	.	1	1	.	.	.	4	
Ill-defined, &c. Causes, . . . . .	.	.	.	1	.	.	.	.	.	.	2	.	1	.	.	4	
Deaths from All Causes . . . . .	26	23	11	23	1	5	2	16	15	42	17	4	23	16	4	11	
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	44.4	28.8	20.6	33.4	9.4	18.9	9.6	20.3	42.6	49.3	26.7	21.0	30.3	27.3	22.6	33.9	
	28.6							33.4							29.3		
	30.8															30.5	
Ages at Death. Under 1 year, . . . . .	9	3	.	5	.	2	.	2	2	17	2	1	3	2	1	5	
1 and under 2 years, . . . . .	.	2	2	.	.	.	.	.	3	3	.	.	.	1	.	.	
2 " 5 " . . . . .	1	1	1	1	.	.	.	2	1	5	1	.	1	1	.	1	
5 " 15 " . . . . .	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	3	
15 " 25 " . . . . .	1	.	.	1	.	1	.	1	1	1	.	.	1	.	.	7	
25 " 45 " . . . . .	6	3	.	7	.	.	.	1	.	3	.	2	1	4	1	29	
45 " 65 " . . . . .	5	5	2	3	.	1	.	5	5	6	6	.	6	3	2	49	
65 and upwards, . . . . .	4	9	6	6	1	1	2	4	3	7	8	.	10	5	2	70	
Number of Uncertified Deaths, . . . . .	2	.	1	1	.	.	.	.	1	2	1	.	2	2	1	2	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																	
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	7	5	1	5	.	.	.	1	6	5	3	3	2	4	1	43	
Workhouse Hospitals, . . . . .	2	10	4	6	.	.	.	4	2	6	5	1	.	1	.	41	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 5th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 6th February, 1915.												
	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.	Feb. 1, 1913.	Jan. 31, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
ALL CAUSES.	183	187	193	203	196	239	200	184	158	201	194.9	254	11	46	11	16	4	8	31	56	39	32		
Enteric Fever, ...	.	1	.	.	.	.	3	1	.	.	.5	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	5	.	.	2	7	.	2	2	1	3	2.2	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, ...	1	1	.	.	.	.	.	2	.	1	.5	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, ...	2	2	2	2	1	2	4	1	1	2	1.9	7	.	3	2	2	.	.	.	.	.	.	.	
Diphtheria, ...	1	1	.	.	3	2	5	2	.	1	1.5	2	.	.	1	.	1	.	.	.	.	.	.	
Croup, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	2	.	6	6	.	4	3	2	2	2	2.7	8	.	.	.	1	.	.	1	3	1	2		
Dysentery, ...	—	—	—	—	—	—	—	1	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	.	.	2	.	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	1	.	.	.	1	1	.	.	.	1	.4	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																								
Pulmonary Tuberculosis, ...	28	29	24	28	24	26	19	25	15	25	24.3	22	.	.	.	.	1	4	12	4	1	.	.	
Tuberculous Meningitis, ...	.	2	3	3	1	4	2	2	2	4	2.7	2	.	1	.	1	.	.	.	.	.	.	.	
Abdominal Tuberculosis, ...	2	.	1	.	2	1	.	.	1	2	.9	6	.	1	2	1	.	1	1	.	.	.	.	
Tuberculosis of the Vertebral Column.	5	7	8	6	5	12	2	.	1	.	5.6	1	.	.	.	.	.	.	1	.	.	.	.	
Tuberculosis of Joints, ...													.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs, ...													.	.	.	.	.	.	.	.	.	.	.	.
Scrofula, ...													.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	3	.	5	.	4	.	1	.	.	1	1	1	.	.	.	.	
Venereal Diseases, ...	1	1	2	1	1	2	.	.	.	1	.9	2	.	1	.	.	.	.	1	.	.	.	.	
Cancer, ...	8	8	10	6	4	19	16	6	7	7	9.1	4	.	.	.	.	.	.	.	3	1	.	.	
Tumour, situation undefined, ...	—	—	—	—	—	—	—	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever, ...	.	.	.	.	.	.	1	.	2	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes, ...	.	.	1	1	1	.	1	2	2	1	.9	1	.	.	.	.	.	.	.	.	1	.	.	
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	1	1	.	2	—	.	.	.	.	.	.	.	.	.	.	.	.	
Other General Diseases, ...	—	—	—	—	—	—	—	1	.	2	—	1	.	.	.	.	.	.	.	1	.	.	.	
Alcoholism, ...	1	.	.	.	.	.	.	1	1	.	.3	1	.	.	.	.	.	.	1	.	.	.	.	
Chronic Poisonings, ...	—	—	—	—	—	—	—	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis, ...	41	45	41	41	43	42	45	3	5	3	39.7	7	.	.	.	.	.	.	.	.	.	.	.	
Cerebral Hæmorrhage, Apoplexy.													.	.	.	.	.	.	.	1	1	5	.	.
Softening of Brain, ...													.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.													1	.	.	.	.	.	.	1	.	.	.	.
Epilepsy, ...	41	45	41	41	43	42	45	2	4	6	2	10	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal), ...													4	5	1	.	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.													5	.	.	.	.	.	.	5	.	.	.	.
Pericarditis, ...	7	3	4	2	3	.	4	1	1	1	3.2	1	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis, ...													.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart, ...													.	.	.	.	.	.	.	.	.	.	.	.
Embolism and Thrombosis (including Cerebral).													16	.	.	.	.	.	1	8	5	2	.	.
Other Diseases of Circulatory system.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	—	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis, ...	25	24	40	41	32	43	26	37	29	29	32.7	57	2	8	1	4	.	.	.	.	.	.	.	
Broncho-pneumonia, ...	7	11	6	9	8	12	11	10	4	9	8.7	19	1	9	3	3	1	.	.	.	.	.	.	
Lobar pneumonia, ...	2	.	1	2	3	1	3	.	3	1	1.6	4	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia (type not distinguished)	2	8	6	8	12	7	4	6	4	7	6.4	9	.	.	1	.	.	.	2	2	3	1	.	
Pleurisy, ...	7	3	4	2	3	.	4	1	1	1	3.2	1	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.													.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.													.	.	.	.	.	.	.	.	.	.	.	.
													3	.	.	.	.	.	3	.	.	.	.	.



FIFTH WEEK, ending Saturday, 6th February, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 5th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 6th February, 1915.																			
	Feb. 4, 1905.	Feb. 3, 1906.	Feb. 2, 1907.	Feb. 1, 1908.	Feb. 6, 1909.	Feb. 5, 1910.	Feb. 4, 1911.	Feb. 3, 1912.	Feb. 1, 1913.	Jan. 31, 1914.		All Ages.	Deaths of Persons of the Ages of																		
													0-5.																		
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.									
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.									
Diseases of Stomach, ...	—	—	—	—	—	—	2	.	1	2	—	4	.	1	.	.	.	.	1	2	.	.									
Diarrhoea and Enteritis of Children under 2 years.	5	3	5	3	.	11	8	2	5	5	5.0	8	.	.	.	.	.	.	.	.	.	.									
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	.	.	—	2	.	.	.	.	.	1	1	.	.	.									
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	.	.	—	1	.	.	.	.	.	.	1	.	.	.									
Cirrhosis of Liver, ...	1	.	.	.	1	.	1	1	1	1	.6	.	.	.	.	.	.	.	.	.	.	.									
Other Diseases of Liver, ...	.	.	.	2	1	.	.	.	.	2	.5	1	.	.	.	.	.	.	.	1	.	.									
Peritonitis (cause unknown),	.	.	.	1	1	2	1	.	.	2	.9	.	.	.	.	.	.	.	.	.	.	.									
Other Diseases of Digestive System.	4	4	1	4	1	2	.	.	.	.	1.6	.	.	.	.	.	.	.	.	.	.	.									
Acute Nephritis, ...	4	9	5	5	7	8	4	2	5	5	6.7	1	.	.	.	1	.	.	.	.	.	.									
Chronic Bright's Disease, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	4	1	1	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.													.	.	.	.	.	.	2	3	2	.	.	1	.	.	.	.	.	.	.
Puerperal Septicæmia, &c.,...	.	.	.	1	.	1	.	.	1	2	.5	.	.	.	.	.	.	.	.	.	.	.									
Other Causes incident to Pregnancy and Childbirth.	.	1	1	3	1	1	.	.	.	1	.8	1	.	.	.	.	.	1	.	.	.	.									
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	2	2	2	—	2	.	.	.	.	.	1	1	.	.	.									
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	.	.	—	1	.	.	.	1	.	.	.	.	.	.									
Premature Birth, ...	7	6	3	7	4	6	4	7	11	5	6.0	3	3	.	.	.	.	.	.	.	.	.									
Congenital Debility, ...	—	—	—	—	—	—	5	3	2	5	—	7	.	7	.	.	.	.	.	.	.	.									
Old Age, ...	5	8	4	6	9	8	6	1	5	10	6.2	8	.	.	.	.	.	.	.	2	6	.									
Other Specified Diseases, ...	—	—	—	—	—	—	1	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.									
ACCIDENT:																															
Poisons or Poisonous Vapours.	.	1	.	.	.	.	1	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.									
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Burns and Scalds, ...	2	2	2	1	2	1	1	2	.	3	1.6	3	.	.	.	3	.	.	.	.	.	.									
Drowning, ...	.	.	1	1	.	2	3	1	1	.	.9	.	.	.	.	.	.	.	.	.	.	.									
Suffocation in Bed, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.									
Other Deaths by Accident, ...	1	1	1	.	.	2	1	3	.	2	1.1	1	.	.	.	.	.	.	.	1	.	.									
Total Deaths from Accident,	4	4	4	2	2	5	6	6	2	5	4.0	4	.	.	.	3	.	.	.	1	.	.									
Included in above are Deaths in connection with—																															
Railways, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.									
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
VIOLENCE OTHER THAN ACCIDENTAL:																															
Homicide, ...	.	1	1	.	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.									
Suicide, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.									
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	5	3	5	—	5	.	1	.	.	.	.	2	1	1	.									

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.
No. of weeks in Annual Series,		33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5
BIRTHS REGISTERED.		204	200	246	187	213	184	198	199	223	185	205	178	222	190	209	187	185	195	224	117	236	232	259	185	238	256
Average Births in corresponding week of previous 10 years, ...		223	218	205	244	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239
DEATHS REGISTERED.		159	136	163	160	139	161	154	154	141	144	134	118	158	155	155	152	204	190	203	184	283	297	241	238	249	254
Annual Death-rate per 1,000, ...		20.4	17.5	20.9	20.5	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4
Average Deaths in corresponding week of previous 10 years, ...		156	160	157	159	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195
Ages,		53	35	62	51	48	52	47	39	80	47	36	29	35	34	26	38	38	57	51	35	87	100	74	60	52	84
{ Under 5 years,		5	6	5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8	12	7	8	6	11	4
{ 5-15 "		7	6	6	8	5	6	7	1	6	7	4	1	8	7	6	6	8	9	7	10	10	15	11	11	8	8
{ 15-25 "		26	27	28	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	23	38	31	31	35	31
{ 25-45 "		35	35	38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66	56
{ 45-65 "		18	17	18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	88	41	39
{ 65-75 "		15	10	11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22	24	36	32
{ 75 and upwards,																											
Deaths from:—		1	2	2	1	3	3	1	1	2	3	3	2	3	2	2	1	5	1	1	2	2	2	1	1	1	1
Enteric Fever,																											
Typhus, "																											
Small-pox,																											
Measles, "			3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever,																											
Whooping-cough,			1	1	2	1	1	2	1	1	2	1	2	1	1	1	1	1	2	4	4	4	2	3	6	1	7
Diphtheria,			1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	3	2	4	2	2	2	2	1	4	8
Influenza,																											
Dysentery,																											
Tuberculosis { Pulmonary ...		18	19	18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22	22
{ Other Forms,		4	2	4	9	8	9	7	9	11	4	5	4	3	7	5	6	6	6	5	5	7	10	10	5	8	13
Cancer, ...		6	12	10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11	9	4
Diseases of Circulatory System,		15	17	18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19
Diseases of Respi- ( Pneumonia		3	7	8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	36	42	34	22	25	32	32
ratory System, { Others, ...		11	10	7	10	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56	61
Diarrhoea and Enteritis, under																											
2 years,		11	18	28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6	8
Diarrhoea, 2 years and upwards,																											
Violent Deaths, ...		10	3	6	1	4	6	4	2	7	1	1	3	5	3	7	7	1	5	9	3	2	2	1	4	8	4
Number of Uncertified Deaths,		2	2	1	4	2	5	2	8		2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 2	34.5	.	20	.	.	.	.	.	.	.	.	3	.	.	3	2	.	.	1	.
	" 9	56.4	6.8	33	1	1	.	.	.	1	.	.	1	.	1	8	8	1	.	.	1
	" 16	30.8	1.7	18	.	.	.	.	.	.	.	.	.	1	1	4	6	1	.	.	1
	" 23	39.3	1.7	23	.	.	.	.	.	.	.	.	4	.	.	2	2	1	.	.	3
Population in 1915 (Est.) 30,504.	" 30	34.2	.	20	.	.	.	.	.	.	.	.	1	2	.	3	4	.	.	.	1
	Feb. 6	44.4	5.1	26	.	.	.	.	.	.	.	.	4	.	.	2	6	3	.	1	2
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 2	46.7	2.5	37	.	.	.	.	.	.	.	.	7	.	.	9	5	2	.	.	3
	" 9	48.8	1.3	39	.	.	.	.	.	.	.	.	4	2	3	4	6	1	.	.	2
	" 16	35.0	.	28	.	.	.	.	.	.	.	.	1	2	.	5	8	.	.	2	.
	" 23	26.3	2.5	21	.	.	.	1	.	1	.	.	1	1	.	3	3	.	.	.	2
Population in 1915 (Est.) 41,685.	" 30	37.5	2.5	30	.	.	.	1	.	.	.	.	1	.	1	2	6	1	.	2	2
	Feb. 6	28.8	2.5	23	.	1	.	.	.	1	.	.	3	2	.	4	6	.	.	2	.
North City, No. 2. (Office, Lisburn-street.)	Jan. 2	29.9	5.6	16	.	.	.	.	1	.	.	.	3	.	.	1	4	2	.	1	2
	" 9	61.7	3.7	33	.	.	.	.	.	.	.	.	3	.	2	6	8	2	.	.	.
	" 16	46.8	.	25	.	.	.	.	.	.	.	.	1	3	.	4	6	.	.	1	3
	" 23	28.1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	1	.
Population in 1915 (Est.) 27,883.	" 30	41.1	1.9	22	.	.	.	.	.	.	.	.	3	2	.	1	6	1	.	1	.
	Feb. 6	20.6	.	11	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	.	1
North City, No. 3. (Office, Benburb-street.)	Jan. 2	24.9	1.5	17	.	.	.	.	.	.	1	.	1	1	1	3	1	.	.	.	.
	" 9	26.2	1.5	18	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
	" 16	32.0	4.4	22	.	.	.	.	.	2	.	.	2	.	1	2	4	1	.	.	2
	" 23	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	2	3	.	.	.	1
Population in 1915 (Est.) 35,887.	" 30	26.2	.	18	.	.	.	.	.	.	.	.	1	1	.	2	4	.	.	1	.
	Feb. 6	33.4	1.5	23	.	.	.	.	.	.	.	.	4	3	.	4	1	1	.	1	1
Clontarf and Howth No. 1 (part of).	Jan. 2	19.0	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 9	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	" 23	47.1	.	5	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	" 30	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 6	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Coolock and Drumcondra (part of).	Jan. 2	19.1	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	" 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	15.1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915 (Est.) 13,820.	" 30	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Feb. 6	18.9	.	5	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
Finglas and Glasnevin (part of).	Jan. 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 9	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 16	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 23	24.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
Population in 1915 (Est.) 10,829.	" 30	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Feb. 6	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Jan. 2	48.6	9.0	38	.	.	.	.	.	3	.	.	3	1	.	5	8	.	.	.	1
	" 9	40.5	3.8	32	.	.	.	.	.	2	.	.	3	3	1	6	4	1	.	.	3
	" 16	34.2	2.5	27	.	.	.	.	.	1	.	.	3	2	1	2	9	1	.	.	.
	" 23	38.0	6.3	30	1	.	.	.	.	2	1	.	1	.	.	4	6	1	.	.	1
Population in 1915 (Est.) 41,170.	" 30	43.1	3.8	34	.	.	.	.	.	2	.	.	3	2	1	3	10	1	.	.	.
	Feb. 6	20.3	2.5	16	.	.	.	.	.	2	.	.	2	.	.	2	5	.	.	.	.
South City, No. 2. (Office, Castle-street.)	Jan. 2	68.2	5.7	24	1	.	.	.	.	1	.	.	3	.	.	5	6	.	.	.	.
	" 9	56.9	5.7	20	.	.	.	.	.	2	.	.	4	.	2	1	5	.	1	.	.
	" 16	31.3	8.5	11	.	.	.	.	.	.	.	.	1	1	1	1	2	2	.	.	.
	" 23	45.5	.	16	.	.	.	.	.	.	.	.	2	.	.	2	7	.	.	.	.
Population in 1915 (Est.) 18,341.	" 30	62.5	5.7	22	.	.	.	.	.	1	.	.	5	.	1	2	4	1	.	1	.
	Feb. 6	42.6	5.7	15	.	.	.	.	.	1	1	.	1	1	.	.	3	.	.	.	1
South City, No. 3. (Office, Peter-street.)	Jan. 2	49.1	2.4	41	.	.	.	.	1	.	1	.	7	2	2	3	8	.	.	.	2
	" 9	40.3	5.9	34	.	.	.	.	1	.	2	.	1	1	1	5	8	1	.	.	1
	" 16	32.0	2.4	27	1	.	.	.	.	.	.	.	5	.	.	4	4	1	.	.	.
	" 23	37.9	2.4	32	.	.	.	.	.	2	.	.	1	1	1	9	.	.	1	.	1
Population in 1915 (Est.) 43,970.	" 30	36.8	2.4	31	1	.	.	.	.	1	.	.	3	.	2	3	6	.	.	.	1
	Feb. 6	49.8	4.7	42	.	.	.	.	.	3	.	.	4	4	1	5	11	1	.	.	2
South City, No. 4. (Office, Grand Canal-st.)	Jan. 2	33.0	.	21	.	.	.	.	.	.	.	.	6	2	1	3	1	.	.	.	1
	" 9	26.7	1.6	17	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.	.	.
	" 16	34.6	1.6	22	.	.	.	.	.	.	.	.	1	.	1	5	8	1	.	.	1
	" 23	23.6	.	15	.	.	.	.	.	.	.	.	1	1	3	1	5	.	.	1	1
Population in 1915 (Est.) 33,171.	" 30	20.4	1.6	13	.	.	.	1	.	.	.	.	.	.	.	4	1	.	.	1	.
	Feb. 6	26.7	1.6	17	.	.	.	.	.	.	.	.	.	.	1	.	7	1	.	1	1
New Kilmainham.	Jan. 2	15.9	.	3	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	" 9	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2
	" 16	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
Population in 1915 (Est.) 9,948.	" 23	26.2	5.2	5	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
	" 30	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	Feb. 6	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1914-5. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	29.3 21.1 30.3 21.1 17.1 30.3	. 1.3 . . 1.3 1.3	22 16 23 16 13 23	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . .	. 1 2 2 2 2 2	. . 1 . . .	2 1 6 3 1 .	1 3 4 4 1 1	5 2 4 4 5 8	. . . . 1 .	. . . . . .	. . . . 1 .				
Pembroke Urban District. Population in 1915 (Est.) 30,538	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	24.1 35.9 18.8 20.5 20.5 27.3	1.7 . . . 1.7 .	14 21 11 12 12 16	1 . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. 2 1 . 1 . .	. . . . . .	. 1 . . . . 1	5 1 2 3 1 4	1 4 3 3 1 4	. . . . . .	. . . . . .	. . . . . .				
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	22.7 22.6 22.6 11.3 11.3 22.6	. . . . . .	4 4 4 2 2 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . 1 . .	. 1 . . . . .	. . 2 . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . .				
Kingstown Urban District. Population in 1911 16,941.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	30.8 12.3 . 21.5 15.4 33.9	. . . . . .	10 4 . 7 5 11	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . 1 .	. 1 . . . .	2 . . 1 . . .	. . . . 1 3	2 1 . 1 2 1	. . . . . .	. . . . . .	. . . . . .				
Belfast. Population in 1915 (Est.) 403,000.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	23.1 21.0 21.7 20.2 20.4 25.2	2.2 1.4 3.0 2.1 1.4 2.1	177 162 168 156 158 195	2 . . . . .	. . . . . .	. . . . . .	8 6 10 11 2 4	2 . 5 3 3 4 4	2 3 5 2 3 4	1 . 1 . . . .	. . . . . .	20 9 15 19 17 24	6 5 14 6 7 8	5 8 6 12 9 6	24 15 9 30 15 15	23 30 30 20 30 30	1 2 2 . 3 3	1 . . . . 1	5 1 . 1 . .			
Cork. Population in 1911 76,673.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	30.6 23.1 29.9 37.4 26.5 27.9	2.0 2.0 4.8 2.0 2.0 0.7	45 34 44 55 39 41	. . . . . .	. . . . . .	. . . 2 1 . .	1 . 2 . . .	. . 1 1 1 .	. . 1 1 2 1	. . . . . .	6 3 5 3 10 2	2 2 1 2 1 2	. 1 1 1 1 1	3 3 2 6 3 2	2 5 5 6 7 9	. 2 1 1 . .	1 . 1 1 . .	. 1 . . . .	. 1 . 1 . .			
Londonderry. Population in 1915 (Est.) 41,200.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	22.8 13.9 27.8 19.0 21.5 29.1	. 1.3 . 1.3 1.3 3.8	18 11 22 15 17 23	. . . . . .	. . . . 1 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	. 1 1 2 3 2	. . 1 3 . 2	. 1 1 1 2 1	. 1 1 1 2 5	6 1 7 3 5 5	. . . 1 . .	. . . . . .	. . . 1 . .	. 1 . . . 1			
Limerick. Population in 1911 38,518.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	28.4 33.8 17.6 12.2 20.3 23.0	. . . 1.4 . 1.4	21 25 13 9 15 17	. . . 1 . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 4 2 1 4 2	1 . 1 1 . .	. 1 1 . . .	3 . 1 . . 1	. 3 . 2 6 4	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .			
Waterford. Population in 1911 27,464.	Jan. 2 " 9 " 16 " 23 " 30 Feb. 6	51.3 22.8 30.4 26.6 32.3 15.2	13.3 . 3.8 . 1.9 1.9	27 12 16 14 17 8	. . . . . .	1 . . . . .	. . . . . .	. . . . . .	4 . 1 . . 1	. . . . . .	. . . . . .	2 1 1 1 1 1	3 . . 2 . . .	1 . . 1 2 1	1 1 1 1 1 1	4 4 3 3 2 .	. . 1 . . . .	2 . . . . 1 .	. . . . 1 .	. . 2 . . 1 .			

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Aug. 15.	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.
No. of weeks in Annual Series,	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5
BIRTHS registered, ...	214	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264
DEATHS registered, ...	113	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	188	195
Annual Death-rate per 1,000 of estimated population, ...	14.8	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...	27 23 9 18 16 20	30 18 17 19 30 21	49 23 14 16 26 17	56 18 19 24 25 13	52 21 14 18 20 13	42 21 12 24 22 30	69 21 12 18 23 17	36 11 10 19 38 19	36 11 10 19 20 16	38 13 11 13 20 16	29 22 15 10 20 21	23 15 10 13 24 27	19 20 13 21 24 18	26 22 14 21 25 39	24 18 10 20 26 28	22 15 20 24 34 31	31 22 10 18 46 32	28 24 17 24 31 38	32 20 11 19 27 50	29 22 13 21 36 47	30 35 15 29 29 39	29 24 12 22 37 38	32 25 15 23 37 36	27 27 14 18 39 31	36 14 15 20 48 25	35 24 30 28 28 44
Deaths from :— Enteric Fever, ...	1	1	.	.	2	1	1	1	2	.	1	1	1	.	.	1	1	1	1	.	2	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	8	7	2	2	1	7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4
Scarlet Fever, ...	.	.	2	2	1	1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4
Whooping-cough, ...	3	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4
Diphtheria, ...	.	.	1	.	.	1	.	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, Other Forms,	12	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24
Cancer ...	8	7	4	8	1	5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8
Diseases of Respi- ratory System, { Pneumonia, Others, ...	5	10	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6
Diarrhoea and Enteritis, under 2 years, ...	8	10	8	4	6	13	7	10	9	10	3	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15
Diarrhoea, 2 years and upwards, ...	13	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3
Violent Deaths, ...	2	1	10	1	3	2	4	2	1	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1
Number of Uncertified Deaths, ...	1	1	.	4	1	5	1	3	3	3	1	2	2	2	2	2	.	2	2	4	5	1	.	1	.	.
	.	1	3	2	.	5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3

TABLE X — BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Feb. 6,	2,191	1,859	21·5	5	1	57	7	21	16	13
EDINBURGH, ...	328,700	" 6,	130	131	20·8	1	.	.	2	6	4	.
GLASGOW, ...	1,078,400	" 6,	574	470	22·7	1	.	1	9	47	4	8
CALCUTTA, ...	896,067	Dec. 19,	.	550	31·9	79*	43	.	.	.	2	89†a
BOMBAY, ...	979,445	" 26,	359	418	21·9	34*	3	2	.	.	.	62a
MADRAS, ...	518,660	" 19,	357	390	39·1	60*	.	4	?	?	?	78†a
CAIRO, {	Egyptians, ...	Nov. 25,	578	447	35·5	2	.	.	.	?	27†	53
	Foreigners,	" 25,	21	14	10·3	.	.	.	.	?	1	1
ALEXAN- DRIA, {	Egyptians,	" 25,	301	137	21·1	1	.	.	.	?	1†	17
	Foreigners,	" 25,	36	18	12·3	.	.	.	.	?	.	1
PARIS, ...	2,847,229	Dec. 26,	692	809	14·5	9	.	9	1	.	1†	18
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ...	598,185 {	Aug. 15,	285	107	9·3	.	.	2	.	.	1†	8
		" 22,	245	104	9·1	.	.	.	.	.	.	7
COPENHAGEN, ...	492,000	Jan. 9,	269	154	16·3	.	.	2	4	.	.	4
STOCKHOLM, ...	382,085	" 9,	161	123	16·7	.	.	1	1	.	.	.
CHRISTIANIA, ...	251,446	" 16,	120	63	13·0	.	.	.	1	1	1	.
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ...	1,694,000	—	.	.	.	.	.	.	.	.	.	.
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	766,186	Jan. 16,	.	235b	15·9	.	.	.	2	1	4	5a

\* Deaths from "fever," including 7 deaths from enteric fever in Calcutta, 2 in Bombay, and 3 in Madras.

† Including deaths from croup.

‡ Including 18 deaths from cholera in Calcutta, and 5 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 202 deaths (including 3 from diphtheria and 4 from diarrhoeal diseases) rate, 13·7 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th February, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	.	4	6
"    "    1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	8	8
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	6	6
"    "    3, ...	.	.	.	.	2	.	.	1	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	2	3
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1, ...	.	2	.	.	1	.	.	.	.	.	.	.	3	6
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
"    "    3, ...	.	.	.	.	.	.	.	2	.	.	.	.	5	7
"    "    4, ...	.	1	.	.	1	.	.	2	.	.	.	.	3	7
New Kilmainham, ...	.	1	.	.	.	.	.	.	1	.	.	.	1	3
Total, ...	.	6	.	.	6	.	.	6	1	.	.	.	34	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 6th February, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th February.			
	Jan. 16.	Jan. 23.	Jan. 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	44	38	38	5	8	1	34
Typhus, ...	9	10	11	.	2	1	8
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	5	7	10	2	1	.	11
Scarlet Fever, ...	75	73	72	10	17	.	65*
Diphtheria, ...	43	45	42	6	13	2	33
Pneumonia, ...	17	16	9	12	4	.	17

\* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 13TH FEBRUARY, 1915.

[No. 6.]

*General Register Office, Charlemont House,  
Dublin, 15th February, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 26·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 23	Jan. 30	Feb. 6	Feb. 13	
<b>27 Town Districts, (a)</b>	<b>24·0</b>	<b>24·7</b>	<b>26·2</b>	<b>26·5</b>	<b>25·3</b>
Dublin Reg. Area ...	27·7	29·8	30·5	28·0	29·0
Dublin City ...	30·0	33·7	30·8	29·0	30·9
Belfast ...	20·2	20·4	25·2	24·6	22·6
Cork ...	37·4	26·5	27·9	39·4	32·8
Londonderry ...	19·0	21·5	29·1	27·8	24·4
Limerick ...	12·2	20·3	23·0	23·0	19·6
Waterford ...	26·6	32·3	15·2	13·3	21·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·0 per 1,000. Among the 190 deaths from all causes for Belfast are 3 from measles, 3 from scarlet fever, one from whooping-cough, and 2 from diarrhoea and enteritis of children under 2 years. Of the 58 deaths from all causes for Cork 3 are from whooping-cough, and one from diarrhoea and enteritis of a child under 2 years. Included in the 22 deaths from all causes for Londonderry are one from measles and one from diphtheria. Two of the 7 deaths from all causes for Waterford are from diarrhoeal diseases. Of the 4 deaths from all causes for Galway one is from typhus. Diphtheria caused one of the 6 deaths from all causes for Newry. Included in the 6 deaths from all causes for Portadown is one from measles, and 3 deaths from whooping-cough are included in the 9 deaths from all causes for Larne.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 269—127 boys and 142 girls—and the deaths to 236—103 males and 133 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 28·0 per 1,000 of the population. During the six weeks, ending with Saturday last, the death-rate averaged 30·3, and was 5·8 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 236, represent an annual rate of 30·1 per 1,000; the annual rate for the past six weeks was 32·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Among the 236 deaths registered are one death each from enteric fever and scarlet fever, 10 from whooping-cough, 3\* from diphtheria, 10\* from influenza, and 8 from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were one, one, and 0; deaths from scarlet fever were one, one, and 0; deaths from whooping-cough were 6, 4, and 7; deaths from diphtheria were one, 0, and 2; deaths from influenza were 4, 4, and 8; and deaths from diarrhoea and enteritis of children under 2 years of age, 2, 6, and 8, respectively.

There were 32\* deaths from all forms of tuberculous disease, including 25 from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease.

In the three preceding weeks, deaths from all forms of the disease numbered 21, 30, and 35, respectively.

Eight\* deaths from cancer were registered.

There were 14 deaths from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age 6 were ascribed to convulsions, 4 to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 14 deaths, and bronchitis 50 deaths.

Of 4 accidental deaths, 2 (those of children under 5 years of age), were caused by burns, and one by drowning.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 infants under one year of age and the death of one person aged 79 years.

Sixty-eight of the persons whose deaths were registered during the week were under 5 years of age (44 being infants under one year, of whom 18 were under one month old), and 58 were aged 65 years and upwards, including 48 persons aged 70 and upwards; among the latter were 33 aged 75 and upwards, of whom 4 (2 males and 2 females) were stated to have been aged 92, 92, 90, and 99 years respectively.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·0 per 1,000; the rate in the City was 29·0 (North City Districts, 27·3; South, 30·9), and in the Suburbs, 24·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·3 (in the North City Districts 1·3, and in the South 5·7), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (25) are equal to an annual rate of 42·7 per 1,000. Among them are one death each from scarlet fever and diphtheria, 2 from tuberculous disease, 5 from broncho-pneumonia, and 4 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 38·8 per 1,000. There were 4 deaths each from pulmonary tuberculosis and pneumonia, 11 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. One death from influenza, one from tuberculous meningitis, 3 from pneumonia, and 3 from bronchitis were recorded.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·4 per 1,000, and include one death from diphtheria, 2 each from influenza and pulmonary tuberculosis, one from pneumonia, and 2 from bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 14·4. Of the 3 deaths from all causes for Clontarf and Howth, No. 1, part of, one was from influenza, and one of the 3 deaths from all causes for Coolock and Drumcondra, part of, was caused by influenza, and one by pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (35) represent an annual rate of 43·3 per 1,000. There were 4 deaths from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, 12 from bronchitis, 5 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Among them are one death each from whooping-cough and abdominal tuberculosis, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 30·8 per 1,000. Of the deaths 4 were from whooping-cough, one from influenza, 2 each from tuberculous disease and pneumonia, and 5 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000, and include 2 from pulmonary tuberculosis, 3 from pneumonia, 3 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000. One of the deaths was caused by whooping-cough and one by pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·8; Pembroke, 27·3; Blackrock, 28·2; and Kingstown, 30·8. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from enteric fever for Rathmines and Rathgar, and one (that of a child under 2 years of age) from diarrhoea and enteritis for Pembroke. Among the 15 deaths from all causes for Rathmines and Rathgar are one from influenza, two from pulmonary tuberculosis, one from pneumonia, and 5 from bronchitis; the 16 deaths from all causes for Pembroke include 2 from influenza, 3 from pulmonary tuberculosis, 3 from broncho-pneumonia, and one from bronchitis; 2 of the 5 deaths from all causes for Blackrock were caused by pulmonary tuberculosis; and of the 10 deaths from all causes for Kingstown one was from bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 19·6), was equal to an average annual death-rate of 18·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 23·1 per 1,000, the rate for Glasgow being 21·6, and for Edinburgh 20·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th February. From this Report it appears that of a total of 72 cases notified, 19 were diphtheria, 19 scarlet fever, 18 phthisis, 10 other forms of tuberculosis, 5 erysipelas, and one puerperal fever. Among the 590 cases of infectious diseases in hospital at the close of the week were 181 cases of scarlet fever, 177 of phthisis, 165 of diphtheria, 25 of whooping-cough, 13 of erysipelas, 4 of measles, 2 of enteric fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th February, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total
City of Dublin.	Jan. 23,	.	—	—	7	.	.	8	.	.	8	3	.	—	—	.	—	.	48	74
	Jan. 30,	.	—	—	10	8	.	8	.	.	8	12	.	—	—	.	—	.	36	72
	Feb. 6,	.	—	—	6	.	.	6	.	.	6	1	.	—	—	.	—	.	34	53
	Feb. 13,	.	—	—	15	.	.	8	.	.	5	4	1	—	—	.	—	.	27	55
Rathmines and Rathgar Urban District.	Jan. 23,	.	—	—	2	.	.	1	.	.	4	.	.	—	—	—	—	—	—	7
	Jan. 30,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 6,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 13,	.	—	—	.	.	.	1	.	.	1	2	.	—	—	—	—	—	—	4
Pembroke Urban District.	Jan. 23,	.	.	.	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	1
	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	—	—	—	—	.	10	
	Feb. 6,	.	.	.	.	.	.	1	.	.	.	2	.	7	—	—	—	.	3	
	Feb. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	
Blackrock Urban District.	Jan. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	Jan. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	Feb. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	Feb. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
Kingstown Urban District.	Jan. 23,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	.	1	4
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	Feb. 6,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	.	5	
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
City of Belfast.	Jan. 23,	.	—	—	55	.	.	3	.	.	1	6	1	—	—	.	—	2	68	
	Jan. 30,	.	—	—	53	.	.	2	1	1	2	5	.	—	—	.	—	7	71	
	Feb. 6,	.	—	—	36	.	.	4	.	.	1	2	.	—	—	.	—	3	46	
	Feb. 13,	.	—	—	40	.	.	6	.	.	.	5	.	—	—	.	—	4	55	
City of Cork.	Jan. 23,	.	1	—	9	.	.	.	.	.	.	3	1	—	—	.	—	—	14	
	Jan. 30,	.	2	—	5	.	.	1	1	.	.	.	.	—	—	.	—	—	9	
	Feb. 6,	.	1	—	5	.	.	.	.	.	.	.	.	—	—	.	—	—	6	
	Feb. 13,	.	.	—	4	.	.	.	1	.	1	1	.	—	—	.	—	—	7a	
City of Londonderry.	Jan. 23,	.	—	—	1	7	.	1	.	.	.	.	.	—	—	—	—	—	9	
	Jan. 30,	.	—	—	.	1	.	.	.	.	.	3	.	—	—	—	—	—	4	
	Feb. 6,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	2	
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	
City of Limerick.	Jan. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	
	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	
	Feb. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	
City of Waterford.	Jan. 23,	.	—	—	7	.	.	.	.	.	1	.	.	—	—	—	—	1	9	
	Jan. 30,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	1	9	
	Feb. 6,	.	—	—	17	.	.	.	.	.	.	1	.	—	—	—	—	.	18	
	Feb. 13,	.	—	—	13	.	.	.	.	.	.	2	.	—	—	—	—	4	19	

(a) Not including 3 cases of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th February, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 36 cases remained under treatment in hospital at the close of the week; the respective numbers in hospital at the close of the 3 preceding weeks being 38, 38, and 34.

One case of typhus was admitted to hospital during the week, 2 were discharged and 7 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 10, 11, and 8 respectively.

Four cases of measles were admitted to hospital during the week, 5 were discharged, and 10 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 7, 10, and 11 respectively.

Thirteen cases of scarlet fever were admitted to hospital, 12 were discharged, there were 2 deaths, and 64\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 73, 72, and 65, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 3 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 45, 42, and 33 respectively, were 36 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 4 were discharged, there were 3 deaths, and 22 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th February, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 13TH FEBRUARY, 1915.																												
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																						
		POPULATION.				DEATHS.		BIRTHS.		DEATHS.																		
		Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.					From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.
						Other Forms.	Cancer.	Pneumonia.	Other.																			
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	29.2	26.5	2.0	680	615	109	160	1	1	...	5	4	17	4	...	62	28	17	66	116	13	1	6	15	175	25
DUBLIN REG- ISTRATION AREA:—																												
TOTAL, (c.) ...	409,000	29.8	34.3	28.0	2.8	269	220	42	55	1	...	...	...	1	10	2	...	21	6	7	23	55	8	...	2	...	76	10
CITY OF DUBLIN,	312,747	39.5	38.8	29.0	3.3	233	174	35	40	...	...	...	...	1	10	2	...	14	6	5	19	45	7	...	2	...	67	3
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	10.5	19.8	1.3	8	15	...	8	1	...	...	...	...	...	...	...	2	...	1	1	5	...	...	...	...	3	2
PEMBROKE, ...	30,538	19.4	27.3	27.3	1.7	16	16	3	4	...	...	...	...	...	...	...	...	3	...	1	3	1	1	...	...	...	5	1
BLACKROCK, ...	9,233	8.5	11.3	28.2	.	2	5	...	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1
KINGSTOWN, ...	16,941	11.6	30.8	30.8	.	10	10	4	2	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1	3
Urban Districts																												
BELFAST ..	403,000	27.0	28.7	24.6	1.2	222	190	39	48	...	...	...	3	3	1	...	...	19	9	6	23	43	2	...	2	7	46	3
CORK, ..	76,673	28.6	22.4	39.4	2.7	33	58	7	15	...	...	...	...	...	3	...	...	3	5	2	3	4	1	...	2	5	22	0
LONDON- DERRY	41,200	16.0	22.8	27.8	2.5	18	22	6	4	...	...	...	1	...	1	...	...	2	...	...	6	3	...	...	...	...	...	1
LIMERICK, ...	38,518	16.1	21.7	23.0	.	16	17	...	2	...	...	...	...	...	...	...	...	6	2	...	1	3	...	...	...	...	6	...
WATERFORD, ...	27,464	19.1	22.8	13.3	3.8	12	7	1	3	...	...	...	...	...	...	...	...	1	...	...	...	1	1	1	...	1	1	...
GALWAY, ...	13,255	2.5				4	4	1	...	...	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...
DUNDALK, ...	13,128	9.5				9	10	2	...	...	...	...	...	...	...	...	...	2	1	...	2	...	...	...	...	...	3	...
LURGAN, ...	12,553	14.7				6	5	1	2	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	1
DROGHEDA, ...	12,501	8.4				6	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10.9				4	7	1	6	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...
NEWRY, ...	11,963	17.0				4	6	...	2	...	...	...	...	...	...	1	...	1	...	...	2	...	...	...	...	2	2	1
PORTADOWN, ...	11,727	15.3				4	6	1	2	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				6	5	...	1	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	3	1
BALLYMENA ..	11,381	9.3				13	3	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8				6	6	2	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	4	1
KILKENNY, ...	10,514	11.4				2	7	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	5	...
TRALEE, ...	10,300	17.4				1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				7	4	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1
NEWTOWNARDS	9,587	20.1				7	6	...	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...
QUEENSTOWN, ..	8,209	14.7				3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
LARNE, ...	8,036	13.4				1	9	2	...	...	...	...	...	...	3	...	...	...	...	3	...	...	...	...	...	...	...	...
COLERAINE, ...	7,785	7.7				3	5	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
BANGOR, ..	7,776	8.5				5	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				1	5	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				13	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8				5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (†) at foot of first page. (c) Exclusive of 16 deaths of persons (including 2 under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. Included in the 16 deaths are one each from diphtheria, influenza, and cancer, and 5 from tuberculous disease.



TABLE III. —DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 13th of February, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.												URBAN DISTRICTS OF					
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.						
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Whooping-cough,	.	.	.	.	.	.	.	4	1	4	.	1	.	.	.	.	10		
Diphtheria,	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	.	.	.	1	2	1	1	.	.	1	.	.	1	2	.	.	9		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	.	1	4	.	2	.	1	.	2	.	1	2	1	2	3	2	21		
Other Forms,	.	1	.	1	.	.	.	.	2	1	1	.	.	.	.	.	6		
Cancer,	.	1	1	.	1	.	.	.	.	.	1	1	.	1	1	.	7		
Diseases of Nervous System,	.	2	4	1	.	2	1	1	4	1	1	1	.	1	2	.	22		
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
" Circulatory System,	.	3	2	.	1	.	1	.	.	1	3	.	1	.	1	.	13		
" Respiratory System.	{ Pneumonia,	5	4	3	1	.	.	.	1	.	2	3	.	1	3	.	23		
	Others,	5	11	3	2	.	1	12	3	5	3	.	5	1	1	3	55		
	Diarrhoea and Enteritis, under 2 years,	.	1	.	.	.	.	5	.	.	1	.	.	1	.	.	8		
" Digestive System.	Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1		
	Others,	1	1	1	.	.	.	.	.	.	.	.	.	.	1	1	5		
" Genito-urinary System,	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	1	5		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,	.	3	3	.	2	.	.	.	2	.	4	1	.	3	1	1	24		
Violent Deaths,	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2		
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	.	3		
Deaths from All Causes	.	25	31	10	12	3	3	3	35	9	26	14	3	15	16	5	10	220	16
Annual Rate of Mortality from All Causes in every 1,000 of the population.	.	42.7	38.8	18.7	17.4	28.2	11.3	14.4	43.3	25.6	30.8	22.0	15.7	19.8	27.3	28.2	30.8	28.0	.
		27.3						30.9						24.9					
		29.0																	
Ages at Death.	Under 1 year,	7	3	.	2	1	.	.	13	1	4	3	1	.	3	.	4	42	2
	1 and under 2 years,	2	1	1	.	.	.	.	3	1	1	1	.	.	1	.	.	11	.
	2 " 5 "	1	2	1	1	.	.	.	2	1	4	.	.	1	.	.	13	.	
	5 " 15 "	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	5	4
	15 " 25 "	1	.	1	.	.	.	.	.	.	2	1	.	.	2	.	1	8	1
	25 " 45 "	1	7	1	2	.	1	1	3	1	1	2	1	2	1	3	1	27	4
	45 " 65 "	6	7	2	5	2	1	.	9	4	5	6	1	4	4	1	2	59	2
	65 and upwards,	6	11	4	2	.	2	1	3	1	9	1	.	8	4	1	2	55	3
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	1	.	1	.	.	2	1	1	3	10	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	.	5	7	.	4	.	.	1	4	1	4	5	.	2	4	.	1	38	16
Workhouse Hospitals,	.	3	10	3	2	.	.	.	8	3	5	2	.	1	1	.	.	38	.





SIXTH WEEK, ending Saturday, 13th February, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 6th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 13th February, 1915.										
	Feb. 11, 1905.	Feb. 10, 1906.	Feb. 9, 1907.	Feb. 8, 1908.	Feb. 13, 1909.	Feb. 12, 1910.	Feb. 11, 1911.	Feb. 10, 1912.	Feb. 8, 1913.	Feb. 7, 1914.		All Ages.	Deaths of Persons of the Ages of									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	1	4	—	1	5	2	1	.	1	.	.	.	.	
Diarrhoea and Enteritis of Children under 2 years.	4	1	3	.	2	9	5	3	2	3	3.7	8	.	.	.	.	.	.	.	.	.	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	1	1	.	2		1	1	.	.	.	.	.	.	.	1	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	1	.	2	1	1	.	.	.	.	1	.	.	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	.	2	1	—	1	.	.	.	.	.	.	.	.	1	
Cirrhosis of Liver, ...	.	1	1	2	2	.	2	1	1	2	1.2	2	.	.	.	.	1	1	.	.	.	
Other Diseases of Liver, ...	.	1	.	3	.	.	.	1	.	1	.6	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown),	.	.	.	1	.	1	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	3	4	6	8	3	6	.	.	.	.	3.0	.	.	.	.	.	.	.	.	.	.	
Acute Nephritis, ...	7	4	14	6	5	4	9	2	1	1	6.9	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...								5	5	2		3	.	.	.	.	1	1	.	1		
Urinary Calculi, ...								.	.	.		.	.	.	.	.	.	.	.	.		
Uterine Tumour (non-can- cerous).								.	.	.		.	.	.	.	.	.	.	.	.		
Ovarian Tumour (non-can- cerous)								.	.	.		.	.	.	.	.	.	.	.	.		
Other Diseases of Genito- urinary System.								.	2	2		2	.	.	.	.	.	2	.	.		
Puerperal Septicæmia, &c., ...	1	.	.	.	1	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	2	.	.	1	.	1	.6	1	.	.	.	1	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	1	.	—	1	.	.	.	.	.	.	1	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	.	—	.	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	2	2	4	2	6	1	1	4	1	13	3.6	4	4	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	3	2	3	2	—	6	3	3	.	.	.	.	.	.	.	
Old Age, ...	4	5	7	9	4	4	8	8	5	7	6.1	10	.	.	.	.	.	.	3	7	.	
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	.	4	—	.	.	.	.	.	.	.	.	.	.	
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	1	1	2	1	1	.	2	3	3	.	1.4	2	.	.	1	1	.	.	.	.	.	
Drowning, ...	1	.	.	.	.	1	.	.	1	1	.4	1	.	.	.	.	.	.	1	.	.	
Suffocation in Bed,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	2	2	1	3	3	.	2	3	4	3	2.3	1	.	.	.	.	1	.	.	.	.	
Total Deaths from Accident,	5	3	3	5	4	1	4	6	8	4	4.3	4	.	.	1	1	.	.	1	.	.	
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	.	.	.	1	.	.	1	.	1	1	.4	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	1	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	1	2	1	.	.	.	.	1	.	.	.5	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	5	2	6	—	3	.	.	.	.	.	3	.	.	.	





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th February, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH FEBRUARY, 1915.																																	
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)				AGES.										CAUSES OF DEATH																			
				Annual Death Rate per 1,000 of the Population in 1911.							Total Number of Deaths.	AGES.							CAUSES OF DEATH														
Popula- tion in each Class and Group in 1911.				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
ALL PERSONS.				397,957	—	236	68	9	9	31	61	25	33	1																			
CLASSES.																																	
Deaths in Families of the—																																	
I. PROFESSIONAL AND INDEPENDENT CLASS, ...				14,658	28.5	8																											
II. MIDDLE CLASS, ...				101,798	19.5	38	5	1	6	15	5	6	3																				
III. ARTISAN CLASS AND PETTY SHOPKEEPERS, ...				108,420	27.4	57	13	4	3	7	21	6	3																				
IV. GENERAL SERVICE CLASS, ...				167,479	29.6	95	46	4	5	11	16	7	1																				
V. INMATES OF WORKHOUSES, ...				5,602	—	38	4		1	6	7	6	14																				
PROFESSIONAL AND INDEPENDENT CLASS.																																	
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...				7,868	46.4	7				1	2	2	2																				
2. Merchants and Manufacturers, Higher Class				1,347																													
3. Persons of Rank and Property, not otherwise described, ...				5,443	9.6	1							1																				
MIDDLE CLASS.																																	
4. General Body of Officials—Civil Service, Banking, &c., ...				9,523	22.0	4		1		1	1		1																				
5. Traders (except Petty Shopkeepers), Business Managers, &c., ...				25,199	18.6	9					5	3	1																				
6. Clerks and Commercial Assistants, Miscellaneous—including all Householders in Second Class Localities not included in above, ...				33,249	20.4	13	3			2	6	1	1																				
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																	
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...				11,777	13.3	3	1	1		1	5	1	2																				
9. Building and Furnishing Trades, ...				28,323	28.9	16	7																										
10. Clothing Trades, ...				20,026	20.8	8			1	1	6																						
11. Food Supply Trades				8,952	11.6	2				1	1																						
12. Other Trades and Callings ranking with Trades, ...				32,070	39.0	24	3	2	2	2	9	5	1																				
13. Petty Shopkeepers				6,772	30.8	4	2	1		1																							
GENERAL SERVICE CLASS.																																	
14. Army, Police, Postal Delivery and Prison Services, &c., ...				12,977	48.2	12	7		1	1		1	2	1																			
15. Domestic Servants, ...				36,041	13.0	9	3	2			1	2	1																				
16. Coach and Car Drivers, Vainmen, &c., ...				15,380	37.3	11	4	1	1	4																							
17. Hawkers, Porters, Labourers, &c., ...				103,081	31.9	63	32	3	1	6	15	3	3																				
INMATES OF WORKHOUSES.																																	
18. Workhouse Inmates, ...				5,602	—	38	4		1	6	7	6	14																				

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Un- certified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 9	56.4	6.8	33	1	1	.	.	.	1	.	.	1	.	1	8	8	1	.	.	1
	" 16	30.8	1.7	18	.	.	.	.	.	.	.	.	1	1	1	4	6	1	.	.	.
	" 23	39.3	1.7	23	.	.	.	.	.	.	.	.	4	.	.	2	2	1	.	.	1
	" 30	34.2	.	20	.	.	.	.	.	.	.	.	1	2	.	3	4	.	.	.	3
Population in 1915 (Est.) 30,504.	Feb. 6	44.4	5.1	26	.	.	.	.	.	.	.	.	4	.	.	2	6	3	.	1	2
	" 13	42.7	3.4	25	.	.	.	.	1	.	1	.	1	1	1	5	5	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 9	48.8	1.3	39	.	.	.	.	.	.	.	.	4	2	3	4	6	1	.	.	2
	" 16	35.0	.	28	.	.	.	.	.	.	.	.	1	2	.	5	8	.	2	.	.
	" 23	26.3	2.5	21	.	.	1	.	1	.	.	.	1	1	.	3	3	.	.	.	2
	" 30	37.5	2.5	30	.	.	1	.	.	.	.	.	1	.	1	2	6	1	.	2	2
Population in 1915 (Est.) 41,685.	Feb. 6	28.8	2.5	23	.	1	.	.	1	.	.	.	3	2	.	4	6	.	.	.	1
	" 13	38.8	1.3	31	.	.	.	.	.	.	.	.	4	.	1	4	11	1	.	.	1
North City, No. 2. (Office, Lisburn-street.)	Jan. 9	61.7	3.7	33	.	.	.	.	.	.	.	.	3	.	2	6	8	2	.	.	.
	" 16	46.8	.	25	.	.	.	.	.	.	.	.	1	3	.	4	6	.	1	.	3
	" 23	28.1	.	15	.	.	.	.	.	.	.	.	1	.	.	3	3	.	1	.	.
	" 30	41.1	1.9	22	.	.	.	.	.	.	.	.	3	2	.	1	6	1	1	.	.
Population in 1915 (Est.) 27,883.	Feb. 6	20.6	.	11	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	.	1
	" 13	18.7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	.	.
North City, No. 3. (Office, Benburb-street.)	Jan. 9	26.2	1.5	18	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	2
	" 16	32.0	4.4	22	.	.	.	.	2	.	.	.	2	.	1	2	3	1	.	.	1
	" 23	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	2	4	.	.	.	.
	" 30	26.2	.	18	.	.	.	.	.	.	.	.	1	1	.	2	4	.	1	.	.
Population in 1915 (Est.) 35,887.	Feb. 6	33.4	1.5	23	.	.	.	.	.	.	.	.	4	3	.	4	1	1	.	1	1
	" 13	17.4	1.5	12	.	.	.	.	.	1	.	.	2	.	1	1	2	.	.	.	.
Clontarf and Howth No. 1 (part of).	Jan. 9	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 23	47.1	.	5	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Population in 1915 (Est.) 5,539.	" 30	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Feb. 6	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 13	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Jan. 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 16	15.1	.	4	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 30	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Population in 1915 (Est.) 13,820.	Feb. 6	18.9	.	5	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
	" 13	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Jan. 9	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 16	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 23	24.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.
	" 30	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Population in 1915 (Est.) 10,829.	Feb. 6	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	" 13	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Jan. 9	40.5	3.8	32	.	.	.	.	.	2	.	.	3	3	1	6	4	1	.	.	3
	" 16	34.2	2.5	27	.	.	.	.	.	1	.	.	3	2	1	2	9	1	.	.	1
	" 23	38.0	6.3	30	1	.	.	.	.	.	1	.	1	.	.	4	6	1	.	.	.
	" 30	43.1	3.8	34	.	.	.	.	.	2	.	.	3	2	1	3	10	1	.	.	1
Population in 1915 (Est.) 41,170.	Feb. 6	20.3	2.5	16	.	.	.	.	.	2	.	.	2	.	.	2	5	.	.	.	.
	" 13	43.3	11.4	35	.	.	.	.	.	4	.	.	2	2	.	1	12	5	1	.	1
South City, No. 2. (Office, Castle-street.)	Jan. 9	56.9	5.7	20	.	.	.	.	.	2	.	.	4	.	2	1	5	.	.	1	.
	" 16	31.3	8.5	11	.	.	.	.	.	.	.	.	1	1	1	1	2	2	1	.	.
	" 23	45.5	.	16	.	.	.	.	.	.	.	.	2	.	.	2	7	.	.	.	.
	" 30	62.5	5.7	22	.	.	.	.	.	1	.	.	5	.	1	2	4	1	.	1	.
Population in 1915 (Est.) 18,341.	Feb. 6	42.6	5.7	15	.	.	.	.	.	1	1	.	1	1	.	3	3	.	.	.	1
	" 13	25.6	2.8	9	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	.
South City, No. 3. (Office, Peter-street.)	Jan. 9	40.3	5.9	34	.	.	.	.	1	1	2	.	1	1	1	5	8	1	.	.	1
	" 16	32.0	2.4	27	1	.	.	.	.	.	.	.	5	.	.	4	4	1	.	.	1
	" 23	37.9	2.4	32	.	.	.	.	.	2	.	.	1	1	1	.	9	.	1	.	1
	" 30	36.8	2.4	31	1	.	.	.	.	1	.	.	3	.	2	3	6	.	.	1	1
Population in 1915 (Est.) 43,970.	Feb. 6	49.8	4.7	42	.	.	.	.	.	3	.	.	4	4	1	5	11	1	.	.	2
	" 13	30.8	4.7	26	.	.	.	.	.	4	.	.	1	1	1	2	5	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Jan. 9	26.7	1.6	17	.	.	.	.	.	.	.	.	2	.	1	3	1	1	.	.	1
	" 16	34.6	1.6	22	.	.	.	.	.	.	.	.	1	.	1	5	8	1	.	.	1
	" 23	23.6	.	15	.	.	.	.	.	.	.	.	1	1	3	1	5	.	1	.	1
	" 30	20.4	1.6	13	.	.	.	1	.	.	.	.	.	.	.	4	1	.	1	.	1
Population in 1915 (Est.) 33,171.	Feb. 6	26.7	1.6	17	.	.	.	.	.	.	.	.	.	.	1	7	1	.	.	1	1
	" 13	22.0	1.6	14	.	.	.	.	.	.	.	.	2	.	1	3	3	1	.	1	.
New Kilmainham.	Jan. 9	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2
	" 16	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	" 23	26.2	5.2	5	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	1	.
Population in 1915 (Est.) 9,948.	" 30	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	Feb. 6	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 13	15.7	5.2	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in the Dead.

DISTRICTS.	1915.		ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
	Week ending	FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.	Enteric Fever.		Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pneumonitis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Fever, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Jan. 9	21.1	1.3	16	.	.	.	.	.	1	.	.	2	.	1	3	2	.	.	.	.	
	" 16	30.3	.	23	.	.	.	.	.	.	.	1	1	1	6	4	4	.	.	.	.	
	" 23	21.1	.	16	.	.	.	.	.	.	.	.	2	.	3	1	4	.	.	.	.	
	" 30	17.1	1.3	13	.	.	.	.	.	.	.	.	.	.	1	1	5	1	.	.	.	
	Feb. 6	30.3	1.3	23	.	.	.	.	.	.	1	.	2	.	.	1	8	.	.	.	1	
" 13	19.8	1.3	15	1	.	.	.	.	.	.	.	2	.	1	1	5	.	.	.	.		
Pembroke Urban District. Population in 1915 (Est.) 30,538	Jan. 9	35.9	.	21	.	.	.	.	.	.	.	2	.	1	1	4	.	.	.	.	2	
	" 16	18.8	.	11	.	.	.	.	.	.	.	1	.	.	.	3	3	.	.	.	.	
	" 23	20.5	.	12	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	.	
	" 30	20.5	1.7	12	.	.	.	.	1	.	.	1	.	.	.	1	1	.	.	.	.	
	Feb. 6	27.3	.	16	.	.	.	.	.	.	.	.	.	1	4	4	1	1	.	.	2	
" 13	27.3	1.7	16	.	.	.	.	.	.	.	3	.	1	3	1	1	1	1	.	.		
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Jan. 9	22.6	.	4	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	
	" 16	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 23	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 30	11.3	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
	Feb. 6	22.6	.	4	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	.	
" 13	28.2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
Kingstown Urban District. Population in 1911 16,941.	Jan. 9	12.3	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	
	" 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 23	21.5	.	7	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	" 30	15.4	.	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	2	
	Feb. 6	33.9	.	11	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	2	
" 13	30.8	.	10	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3		
Belfast. Population in 1915 (Est.) 403,000.	Jan. 9	21.0	1.4	162	.	.	.	6	.	3	.	9	5	8	15	30	2	.	.	1	.	
	" 16	21.7	3.0	168	.	.	.	10	5	5	1	15	14	6	9	30	2	.	.	2	2	
	" 23	20.2	2.1	156	.	.	.	11	3	2	.	19	6	12	12	20	.	.	.	1	1	
	" 30	20.4	1.4	158	.	.	.	2	3	3	.	17	7	9	15	30	3	.	.	.	2	
	Feb. 6	25.2	2.1	195	.	.	.	4	4	4	.	24	8	6	15	30	3	1	.	.	3	
" 13	24.6	1.2	190	.	.	.	3	3	1	.	19	9	6	23	43	2	.	.	2	3		
Cork. Population in 1911 76,673.	Jan. 9	23.1	2.0	34	.	.	.	.	.	1	.	3	2	.	3	5	2	.	.	1	3	
	" 16	29.9	4.8	44	.	.	.	2	2	1	1	5	1	1	2	5	1	.	.	1	5	
	" 23	37.4	2.0	55	.	.	.	1	.	1	.	3	2	1	6	6	1	.	.	1	5	
	" 30	26.5	2.0	39	.	.	.	.	.	1	2	10	1	1	3	7	.	.	.	1	2	
	Feb. 6	27.9	0.7	41	.	.	.	.	.	1	1	2	2	2	2	9	.	.	.	.	1	
" 13	39.4	2.7	58	.	.	.	.	.	3	.	3	5	2	3	4	1	.	.	2	6		
Londonderry. Population in 1915 (Est.) 41,200.	Jan. 9	13.9	1.3	11	.	.	.	.	.	.	1	1	.	1	1	.	.	.	.	.	.	
	" 16	27.8	.	22	.	.	.	.	.	.	.	1	2	1	1	7	.	.	1	1	.	
	" 23	19.0	1.3	15	.	.	.	.	.	.	.	2	3	.	1	3	1	.	.	.	.	
	" 30	21.5	1.3	17	.	1	.	.	.	.	.	.	3	.	2	5	.	.	.	.	.	
	Feb. 6	29.1	3.8	23	.	3	.	.	.	.	.	2	.	2	1	5	.	.	1	.	1	
" 13	27.8	2.5	22	.	.	1	.	.	.	1	.	2	.	.	3	.	.	.	.	1		
Limerick. Population in 1911 38,518.	Jan. 9	33.8	.	25	.	.	.	.	.	.	.	4	.	1	.	3	.	.	.	.	6	
	" 16	17.6	.	13	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	.	1	
	" 23	12.2	1.4	9	1	.	.	.	.	.	.	1	1	1	.	2	.	.	.	.	2	
	" 30	20.3	.	15	.	.	.	.	.	.	.	4	.	.	.	6	.	.	.	.	2	
	Feb. 6	23.6	1.4	17	1	.	.	.	.	.	.	2	.	.	1	4	.	.	.	.	1	
" 13	23.0	.	17	.	.	.	.	.	.	.	6	2	.	1	3	.	.	.	.	.		
Waterford. Population in 1911 27,464.	Jan. 9	22.8	.	12	.	.	.	.	.	.	.	1	.	.	4	.	.	.	.	.	1	
	" 16	30.4	3.8	16	.	.	.	.	1	.	.	1	.	.	1	3	1	.	.	2	2	
	" 23	26.6	.	14	.	.	.	.	.	.	.	.	2	.	1	3	.	.	.	.	1	
	" 30	32.3	1.9	17	.	.	.	.	.	.	.	1	.	.	1	2	.	.	1	.	1	
	Feb. 6	15.2	1.9	8	.	.	.	.	1	.	.	1	.	.	1	.	.	1	.	1	1	
" 13	13.3	3.8	7	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th February, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Cols.	(1)	(2)	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
							All Causes.	Certain Epi- demic Diseases.†	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.				DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																										Pulmonary.	Other Forms.					Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
City of Belfast.					15,879	12	26.3	3.3	8	5	2	3	3	6	4	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</

† See note (†) at foot of first page.

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Aug. 22.	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.
No. of weeks in Annual Series,	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6
BIRTHS registered, ...	218	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	166	234	207	212	281	217	264	222
DEATHS registered, ...	135	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190
Annual Death-rate per 1,000 of estimated population, ...	17.6	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6
AGES, { Under 1 year, ...	30	49	56	52	42	69	36	38	29	23	19	26	24	22	31	23	32	31	29	30	29	32	27	36	35	39
1-5 years, ...	18	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18
5-25 " ...	17	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18
25-45 " ...	19	16	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29
45-65 " ...	30	26	25	20	22	23	38	20	25	27	24	25	26	34	46	31	27	20	36	29	37	37	39	48	28	38
65 and upwards, ...	21	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48
Deaths from :—	1	.	.	2	1	1	1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	7	2	2	1	7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3
Scarlet Fever, ...	.	2	2	1	1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3
Whooping-cough, ...	3	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1
Diphtheria, ...	.	1	.	.	1	.	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. { Pulmonary, ...	14	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19
Other Forms, ...	7	4	8	1	5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9
Cancer ...	10	6	6	6	7	8	9	9	9	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6
Diseases of Respiratory System, { Pneumonia, ...	10	8	4	6	13	7	10	9	10	6	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23
Others, ...	11	9	16	9	13	19	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43
Diarrhoea and Enteritis, under 2 years, ...	9	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2
Diarrhoea, 2 years and upwards, ...	1	10	1	3	2	4	2	1	1	.	.	1	1	.	1	.	.	.	1	1	.	.	.	.	1	.
Violent Deaths, ...	1	.	4	1	5	1	3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.	.	2
Number of Uncertified Deaths, ...	1	3	2	.	5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3

TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Feb. 13,	2,280	1,696	19·6	4	.	68	13	26	16	17
EDINBURGH, ---	328,700	,, 13,	129	127	20·1	.	.	.	.	4	1	1
GLASGOW, ---	1,078,400	,, 13,	517	446	21·6	1	.	1	4	42	2	5
CALCUTTA, ---	896,067	Dec. 26,	.	537	31·1	90*	53	1	.	.	.	90†a
BOMBAY, ---	979,445	Jan. 2,	429	449	28·8	39*	5	2	.	1	.	58a
MADRAS, ---	518,660	Dec. 26,	370	378	37·9	52*	.	1	?	?	?	77‡a
CAIRO, {	Egyptians, ...	,, 2,	658	383	30·4	4	.	1	.	?	14†	52
	Foreigners,	,, 2,	13	20	14·7	.	.	.	.	?	.	1
ALEXAN- DRIA, {	Egyptians,	,, 2,	343	151	23·2	1	.	.	.	?	1†	19
	Foreigners,	,, 2,	30	19	13·0	.	2	.	.	?	.	1
PARIS, ---	2,847,229	Jan. 2,	762	888	15·9	5	.	7	1	1	1†	16
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	598,185	Aug. 29,	244	102	8·9	.	.	.	.	.	1†	5
		Sept. 5,	263	98	8·5	.	.	1	.	.	3	5
COPENHAGEN, ---	492,000	Jan. 16,	221	141	14·9	1	.	1	.	.	.	1
STOCKHOLM, ---	382,085	,, 16,	133	104	14·2	.	.	1	.	1	3	1
CHRISTIANIA, ---	251,446	,, 23,	110	61	12·6	.	.	.	.	.	.	1
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	—	.	.	.	.	.	.	.	.	.	.
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,186	Jan. 23,	.	231b	15·7	.	.	.	1	1	1	3a

\* Deaths from "fever," including 3 deaths from enteric fever in Calcutta, 2 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 18 deaths from cholera in Calcutta, and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 202 deaths (including 2 from diarrhoeal diseases) rate, 13·8 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th February, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	2	.	.	.	.	.	.	.	.	.	.	3	5
"    "    1, West,	...	.	.	.	1	.	.	1	.	.	.	.	3	5
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	3	3
"    "    3,	...	1	.	.	1	.	.	3	.	.	.	.	2	7
Clontarf and Howth No. 1 (part of),	.	5	.	.	.	.	.	.	1	.	.	.	.	6
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
South City No. 1,	...	4	.	.	1	.	.	.	1	.	.	.	3	9
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	4	4
"    "    3,	...	1	.	.	.	.	.	.	1	1	.	.	2	5
"    "    4,	...	2	.	.	.	.	.	1	.	.	.	.	6	9
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	...	15	.	.	3	.	.	5	4	1	.	.	27	55

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 13th February, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th February.			
	Jan. 23.	Jan. 30.	Feb. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	38	38	34	7	5	.	36
Typhus, ...	10	11	8	1	2	.	7
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	7	10	11	4	5	.	10
Scarlet Fever, ...	73	72	65	13	12	2	64*
Diphtheria, ...	45	42	33	8	3	2	36
Pneumonia, ...	16	9	17	12	4	3	22

\* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 20TH FEBRUARY, 1915.

[No. 7.]

*General Register Office, Charlemont House,  
Dublin, 22nd February, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 26·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Jan. 30	Feb. 6	Feb. 13	Feb. 20	
<b>27 Town Districts, (a)</b>	<b>24·7</b>	<b>26·2</b>	<b>26·5</b>	<b>26·5</b>	<b>26·0</b>
Dublin Reg. Area ...	29·8	30·5	28·0	31·5	29·9
Dublin City ...	33·7	30·8	29·0	33·2	31·7
Belfast ...	20·4	25·2	24·6	23·3	23·4
Cork ...	26·5	27·9	39·4	31·3	31·3
Londonderry ...	21·5	29·1	27·8	27·8	26·5
Limerick ...	20·3	23·0	23·0	19·0	21·3
Waterford ...	32·3	15·2	13·3	34·2	23·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·5 per 1,000. Among the 180 deaths from all causes for Belfast are 5 from measles, 3 from whooping-cough, and 4 from diarrhoea and enteritis of children under 2 years. The 46 deaths from all causes for Cork include 3 from whooping-cough, and one (a child under 2 years) from diarrhoea and enteritis. Two of the 18 deaths from all causes for Waterford are from scarlet fever. Among the 10 deaths from all causes for Wexford is one from diphtheria. One of the 8 deaths from all causes for Larne is from scarlet fever, and one of the 2 deaths recorded for Coleraine is from measles.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—122 boys and 103 girls—and the deaths to 256—113 males and 143 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 31·5 per 1,000 of the population. During the seven weeks, ending with Saturday last, the death-rate averaged 30·5, and was 6·0 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 256, represent an annual rate of 32·6 per 1,000; the annual rate for the past seven weeks was 32·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from scarlet fever, 6 from whooping-cough, 3 from diphtheria, 8 from influenza, and 4 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from scarlet fever in the three preceding weeks were one, 0, and one; deaths from whooping-cough were 4, 7, and 10; deaths from diphtheria were 0, 2, and 3; deaths from influenza were 4, 8, and 10; and deaths of children under 2 years of age from diarrhoea and enteritis were 6, 8, and 8, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 30, 35, and 32, respectively, fell last week to 24\*, the latter comprising 19 deaths from pulmonary tuberculosis, and 5 from other forms of tuberculous disease.

Cancer accounted for 12\* deaths.

There were 18 deaths from broncho-pneumonia, 3 from lobar pneumonia, and 8 from pneumonia (type not distinguished.)

Three deaths of infants under one year of age were attributed to convulsions, one to congenital malformation, 6 to premature birth, and 5 to congenital debility.

Organic diseases of the heart caused 32 deaths, and bronchitis 39 deaths.

Accidental deaths numbered 10, including one (that of a child, 4 years of age) caused by burns, 4 by drowning, and one (that of an infant under one year old) by overlaying.

There was one case of suicide.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 3 infants under one year old, and the deaths of 5 persons aged 65 years and upwards.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 13 were under one month old), and 77 were aged 65 years and upwards, including 54 persons aged 70 and upwards; among the latter were 35 aged 75 and upwards, of whom 2 (males) were stated to have been aged 90 and 92 years, respectively.

Ninety-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, 23 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 31·5 per 1,000; the rate in the City was 33·2 (North City Districts, 30·1; South, 36·6), and in the Suburbs, 26·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·3 (in the North City Districts 1·3, and in the South 3·6), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (19) are equal to an annual rate of 32·5 per 1,000, and include one death from pulmonary tuberculosis, 3 from pneumonia, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 35·0 per 1,000. There were 3 deaths from pulmonary tuberculosis, 3 from pneumonia, 6 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 39·3 per 1,000. Two deaths were caused by general tuberculosis, 5 by pneumonia, and one by bronchitis.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 21·8 per 1,000. Among them are one death from diphtheria, 4 deaths from bronchitis, and one case of suicide.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 33·7. The 7 deaths from all causes for the last named district include one from influenza, 4 from pneumonia, and one from bronchitis; and of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (28) represent an annual rate of 35·5 per 1,000. Three deaths were ascribed to whooping-cough, 2 to diphtheria, one to influenza, 3 to tuberculous disease, one to broncho-pneumonia, 3 to bronchitis, and 2 to accidental causes.

No. 2 South City District (Castle-street).—The deaths (14) are equal to an annual rate of 39·8 per 1,000. There were 2 deaths from pulmonary tuberculosis, 3 from pneumonia, 2 from bronchitis, and one death was that of a child under 2 years of age from diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (31) are equal to an annual rate of 36·8 per 1,000. Among them are one death each from scarlet fever, whooping-cough and influenza, 5 deaths from pulmonary tuberculosis, one death from broncho-pneumonia, 4 deaths from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (26) are equivalent to an annual rate of 40·9 per 1,000, and include 2 deaths each from whooping-cough, tuberculous disease and pneumonia, and 4 deaths from bronchitis.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·0 per 1,000. Two deaths were caused by pneumonia and 2 by bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22·4; Pembroke, 30·7; Blackrock, 5·6; and Kingstown, 36·9. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 17 deaths from all causes for Rathmines and Rathgar are 3 from influenza, 2 from pulmonary tuberculosis, 3 from broncho-pneumonia, and 2 from bronchitis; the 18 deaths from all causes for Pembroke include one death each from influenza, pulmonary tuberculosis, and broncho-pneumonia, 3 deaths from bronchitis, and 3 accidental deaths; and the 12 deaths from all causes for Kingstown include one death each from influenza, pulmonary tuberculosis, and pneumonia, and 2 deaths from bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 20·8), was equal to an average annual death-rate of 20·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 22·8 per 1,000, the rate for Glasgow being 22·3, and for Edinburgh 21·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th February. From this Report it appears that of a total of 70 cases notified, 23 were diphtheria, 18 scarlet fever, 11 phthisis, 4 other forms of tuberculosis, 8 erysipelas, and 6 cerebro-spinal fever. Among the 595 cases of infectious diseases in hospital at the close of the week were 186 cases of scarlet fever, 174 of phthisis, 158 of diphtheria, 31 of whooping-cough, 14 of erysipelas, 6 of cerebro-spinal fever, 5 of measles, and 2 of enteric fever.

\* See note (c) at foot of Table II.

† See note (1) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th February, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Jan. 30,	.	—	—	10	8	.	8	.	.	8	2	.	—	—	.	—	.	36	72
	Feb. 6,	.	—	—	6	.	.	6	.	.	6	1	.	—	—	.	—	.	34	53
	Feb. 13,	.	—	—	15	.	.	3	.	.	5	4	1	—	—	.	—	.	27	55
	Feb. 20,	.	—	—	8	4	.	5	.	.	4	3	.	—	—	1	—	.	31	56
Rathmines and Rathgar Urban District	Jan. 30,	.	—	—	1	.	.	.	.	.	1	1	.	—	—	—	—	—	—	3
	Feb. 6,	.	—	—	2	.	.	1	.	.	.	2	.	—	—	—	—	—	—	2
	Feb. 13,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
	Feb. 20,	.	—	—	2	.	.	2	.	.	5	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	Jan. 30,	.	.	.	2	.	.	.	.	.	.	.	.	—	7	—	—	—	1	10
	Feb. 6,	.	.	.	.	.	.	1	.	.	.	2	.	—	—	—	—	.	3	3
	Feb. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	1
	Feb. 20,	.	.	.	1	.	.	2	.	.	.	.	.	—	—	—	—	3	6	6
Blackrock Urban District.	Jan. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Feb. 20,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Jan. 30,	.	—	—	.	.	.	1	.	.	.	4	.	—	—	—	—	—	.	5
	Feb. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Feb. 20,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	.	.	1
City of Belfast.	Jan. 30,	.	—	—	53	.	.	2	1	1	2	5	.	—	—	.	—	7	71	
	Feb. 6,	.	—	—	36	.	.	4	.	.	1	2	.	—	—	.	—	3	46	
	Feb. 13,	.	—	—	40	.	.	6	.	.	.	5	.	—	—	.	—	4	55	
	Feb. 20,	.	—	—	27	.	.	5	.	.	.	6	.	—	—	.	—	6	44	
City of Cork.	Jan. 30,	.	2	—	5	.	.	1	1	.	.	.	.	—	—	—	—	—	—	9
	Feb. 6,	.	1	—	5	.	.	.	.	.	.	.	.	—	—	—	—	—	—	6
	Feb. 13,	.	.	—	4	.	.	.	1	.	1	1	.	—	—	—	—	—	—	7 <sup>a</sup>
	Feb. 20,	.	.	—	2	.	.	.	.	.	2	2	.	—	—	—	—	—	—	6
City of Londonderry.	Jan. 30,	.	—	—	.	1	.	.	.	.	.	3	.	—	—	—	—	—	—	4
	Feb. 6,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	—	2
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 20,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Jan. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 6	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Jan. 30,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	1	9	
	Feb. 6,	.	—	—	17	.	.	.	.	.	.	1	.	—	—	—	—	.	18	
	Feb. 13,	.	—	—	13	.	.	.	.	.	.	2	.	—	—	—	—	4	19	
	Feb. 20,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	1	5	

(a) Not including 3 cases of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th February, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 39 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 38, 34, and 36.

Five cases of typhus were admitted to hospital during the week, and 12 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 11, 8, and 7 respectively.

One case of measles was admitted to hospital during the week, 2 were discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 10, 11, and 10 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 15 were discharged, and 66\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 65, and 64, respectively.

Six cases of diphtheria were admitted to hospital during the week, 12 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 42, 33, and 36 respectively, were 28 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 7 were discharged, and 24 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th February, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 20TH FEBRUARY, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		BIRTHS.			DEATHS.																						
	Total.(a)	Per- sons to an Acre.	BIRTHS.	DEATHS.		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
				From all Causes.	From certain Epidemic Diseases. (b)													Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	27.5	26.5	1.5	639	617	119	174	...	...	...	6	4	12	4	...	54	16	22	71	97	10	...	18	26	191	31
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	28.7	31.5	1.8	225	247	41	75	...	...	...	...	1	6	3	...	18	4	11	29	42	4	...	11	12	88	13
CITY OF DUBLIN,	312,747	39.5	33.0	33.2	2.3	198	199	31	60	...	...	...	...	1	6	3	...	14	4	8	24	35	4	...	8	9	76	9
Urban Districts.																												
RATHMINES and RATHGAR.	39,541	23.1	7.9	22.4	...	6	17	2	7	...	...	...	...	...	...	...	...	2	...	2	3	2	...	...	...	...	4	...
PEMBROKE, ...	30,538	19.4	22.2	30.7	...	13	18	6	1	...	...	...	...	...	...	...	...	1	...	1	1	3	...	...	3	3	6	1
BLACKBROOK, ...	9,233	8.5	11.3	5.6	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	18.5	36.9	...	6	12	2	6	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	2	3
Urban Districts																												
BELFAST ..	403,000	27.0	26.5	23.3	1.6	205	180	50	40	...	...	...	5	...	3	...	...	13	5	5	38	23	4	...	4	6	45	3
CORK, ..	76,673	28.6	38.1	31.3	2.7	56	46	8	13	...	...	...	...	...	3	...	...	8	1	3	...	9	1	...	...	1	23	4
LONDON- DERRY	41,200	16.0	32.9	27.8	...	26	22	4	6	...	...	...	...	...	...	...	...	1	2	...	1	5	...	...	...	1	5	...
LIMERICK, ...	38,518	16.1	19.0	19.0	...	14	14	2	2	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	...	5	1
WATERFORD, ...	27,464	19.1	19.0	34.2	3.8	10	18	2	5	...	...	...	...	2	...	...	...	3	1	1	...	2	...	...	...	2	10	...
GALWAY, ...	13,255	2.5	...	...	...	7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DUNDALK, ...	13,128	9.5	...	...	...	12	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
LURGAN, ...	12,553	14.7	...	...	...	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
DROGHEDA, ...	12,501	8.4	...	...	...	3	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
LISBURN, ...	12,388	10.9	...	...	...	11	5	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	1	...
NEWRY, ...	11,963	17.0	...	...	...	5	5	...	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1
PORTADOWN, ...	11,727	15.3	...	...	...	5	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8	...	...	...	5	10	1	3	...	...	...	...	...	...	1	...	2	...	...	1	2	...	...	1	1	1	2
BALLYMENA ..	11,381	9.3	...	...	...	1	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1
SLIGO, ...	11,163	3.8	...	...	...	5	7	2	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	2
KILKENNY, ...	10,514	11.4	...	...	...	2	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
TRALEE, ...	10,300	17.4	...	...	...	7	8	1	3	...	...	...	...	...	...	...	...	3	1	...	...	1	...	...	...	...	3	...
CLONMEL, ...	10,209	7.8	...	...	...	10	5	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...
NEWTOWNARDS	9,587	20.1	...	...	...	1	6	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	3
QUEENSTOWN,	8,209	14.7	...	...	...	6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
LARNE, ...	8,036	13.4	...	...	...	2	8	1	4	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7.7	...	...	...	2	2	...	...	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5	...	...	...	6	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2	...	...	...	...	5	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...
ARMAGH, ...	7,366	21.8	...	...	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 9 deaths of persons (including 2 at 65 years or upwards) admitted to hospital from localities outside the Area. The 9 deaths include 2 from tuberculous disease, and one from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 20th of February, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
Whooping-cough.	.	.	.	.	.	.	.	3	.	1	2	.	.	.	.	.	6	.	
Diphtheria.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	.	
Croup.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.	
Influenza.	.	.	.	.	.	.	1	1	.	1	.	3	1	.	.	1	8	.	
Dysentery.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	1	3	.	.	.	.	2	2	5	1	.	2	1	.	.	1	18	1	
Other Forms,	.	.	2	.	.	.	1	.	.	1	.	2	.	.	.	.	4	1	
Cancer.	1	.	.	.	1	1	1	.	1	3	.	2	1	.	.	.	11	1	
Diseases of Nervous System.	1	3	4	1	.	.	3	2	2	2	.	1	3	1	1	1	24	2	
Organs of Special Sense.	.	5	4	1	1	2	3	2	5	4	.	2	.	.	4	.	1	.	
Circulatory System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Respiratory System. { Pneumonia,	3	3	5	.	.	4	1	3	1	2	2	3	1	.	1	.	29	.	
Others,	3	7	1	5	.	1	3	2	5	5	2	2	3	.	2	.	42	1	
Diarrhoea and Enteritis, under 2 years,	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.	
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Others,	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	3	1	
Genito-urinary System,	.	2	.	2	.	.	1	.	1	1	.	.	2	.	.	.	9	1	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue,	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	
Locomotor System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Other specified Causes,	4	1	4	4	.	.	1	2	2	6	2	.	2	3	.	2	33	.	
Violent Deaths,	2	2	.	1	.	.	2	.	1	.	.	.	3	.	.	.	11	.	
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	3	1	
Deaths from All Causes	19	28	21	15	2	4	7	28	14	31	26	4	17	18	1	12	247	9	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	32.5	35.0	39.3	21.8	18.8	15.1	13.7	35.5	39.8	36.8	40.9	21.0	22.4	30.7	5.6	36.9	31.5	.	
	30.1							36.6				26.0							
	33.2																		
Ages at Death. { Under 1 year,	4	6	1	2	.	.	1	6	3	2	4	2	2	6	.	2	41	.	
1 and under 2 years,	2	.	1	.	.	.	.	2	1	1	4	.	1	.	.	2	14	.	
2 " 5 "	.	3	1	.	.	.	.	2	.	3	2	.	.	1	.	1	13	1	
5 " 15 "	1	3	1	.	.	.	.	2	.	2	1	.	.	1	.	.	11	.	
15 " 25 "	.	.	.	.	.	.	.	1	.	2	1	.	2	.	.	.	6	1	
25 " 45 "	3	2	2	1	.	1	4	2	1	2	3	3	3	3	.	1	25	3	
45 " 65 "	2	8	7	6	2	1	2	5	4	12	3	2	2	6	.	.	62	2	
65 and upwards,	7	9	6	5	.	3	3	6	4	8	9	.	7	1	1	6	75	2	
Number of Uncertified Deaths,	.	1	3	.	.	.	.	.	1	2	1	1	.	1	.	3	13	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	5	4	3	3	1	.	.	4	1	8	6	.	4	5	.	.	44	6	
Workhouse Hospitals,	1	5	8	5	.	1	1	6	4	6	3	1	.	1	.	2	44	3	





SEVENTH WEEK, ending Saturday, 20th February, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 7th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 20th February, 1915.												
	Feb. 13, 1905.	Feb. 17, 1906.	Feb. 16, 1907.	Feb. 15, 1908.	Feb. 20, 1909.	Feb. 19, 1910.	Feb. 18, 1911.	Feb. 17, 1912.	Feb. 15, 1913.	Feb. 14, 1914.		All Ages.	Deaths of Persons of the Ages of											
													Under 1 month.	1 month and under a year.	0-5.									75 and upwards.
															1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.			
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	1	4	3	5	—	1	.	.	.	.	.	.	.	.	.	1	.	
Diarrhoea and Enteritis of Children under 2 years.	2	2	3	5	3	6	4	4	4	5	4.0	4	1	.	.	.	.	.	.	.	.	.	.	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	.	1	—	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.	
Cirrhosis of Liver, ...	.	.	.	2	.	2	2	.	4	2	1.2	1	.	.	.	.	.	.	.	.	1	.	.	
Other Diseases of Liver, ...	3	1	.	.	.	.	2	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown),	.	1	.	.	1	.	.	.	.	.	.3	1	.	.	.	.	.	1	.	.	.	.	.	
Other Diseases of Digestive System.	3	1	9	4	7	2	1	2	.	.	2.9	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Nephritis, ...	5	8	8	4	4	9	4	5	5	2	5.7	1	.	.	.	.	.	.	.	1	.	.	.	
Chronic Bright's Disease, ...								.	.	.		8	.	.	.	.	.	.	2	5	.	1		
Urinary Calculi, ...								.	.	1		.	.	.	.	.	.	.	1	.	.	.	.	
Uterine Tumour (non-can- cerous).								.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)								.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.							2	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	
Puerperal Septicæmia, &c., ...	.	2	.	.	.	.	1	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	.	1	—	2	.	1	.	.	.	.	.	.	1	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	3	1	.	—	1	.	.	1	.	.	.	.	.	.	.	.	
Premature Birth, ...	2	1	6	6	4	4	1	5	5	5	3.9	6	5	1	.	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	6	2	6	4	—	5	1	4	.	.	.	.	.	.	.	.	.	
Old Age, ...	6	5	9	6	7	6	4	2	2	9	5.6	14	.	.	.	.	.	.	.	.	3	11	.	
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	4	.	—	1	1	.	.	.	.	.	.	.	.	.	.	
ACCIDENT :																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	.	.	4	1	3	2	1	2	1	1	1.5	1	.	.	.	1	.	.	.	.	.	.	.	
Drowning, ...	.	.	1	1	1	.	.	.	.	.	.3	4	.	.	.	3	.	1	.	.	.	.	.	
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	.	.1	1	.	1	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	.	.	.	2	.	4	1	5	1	2	1.5	4	.	.	.	1	.	2	.	.	1	.	.	
Total Deaths from Accident,	.	.	5	4	5	6	2	7	2	3	3.4	10	.	1	.	1	4	3	.	.	1	.	.	
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	.	.	.	.	.	.	.	1	.	1	.2	1	.	.	.	.	.	1	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL :																								
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	2	.	.	.	.	.	.	.	.	.	.2	1	.	.	.	.	.	1	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causee, ...	—	—	—	—	—	—	4	3	8	1	—	4	.	.	1	1	.	.	2	.	.	.	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.
No. of weeks in Annual Series,		35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7
BIRTHS REGISTERED.		246	187	213	184	198	199	223	185	205	173	222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	225
Average Births in corresponding week of previous 10 years,		...	205	244	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209
DEATHS REGISTERED.		163	160	139	161	154	154	141	144	184	118	158	155	155	152	204	190	203	134	283	297	241	233	249	254	236	256
Annual Death-rate per 1,000,		...	20.9	20.5	17.9	20.7	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	38.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6
Average Deaths in corresponding week of previous 10 years,		...	157	159	158	162	159	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193
Ages,		Under 5 years,	5-15	15-25	25-45	45-65	65-75	75 and upwards,	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Deaths from:—		62	51	48	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100	74	60	52	84	68	69
Enteric Fever,		5	4	3	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8	12	12	7	3	6	11	4	9
Typhus, ...		6	8	5	6	7	1	6	7	4	1	8	7	6	6	8	9	7	7	10	15	11	11	8	8	9	7
Small-pox,		23	24	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	33	38	31	31	35	31	31	28
Measles, ...		38	40	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66	56	61	64
Scarlet Fever,		18	22	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42
Whooping-cough,		11	11	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22	24	36	32	33	35
Diphtheria,		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Influenza,		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery,		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...		18	25	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22	22	25	19
Cancer, ...		4	4	9	9	7	9	11	4	5	4	3	7	5	6	8	6	5	5	7	10	10	5	8	13	7	5
Diseases of Circulatory System,		10	20	6	15	13	15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11	9	4	8	12
Diseases of Respiratory System, { Pneumonia,		18	18	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33
Diarrhoea and Enteritis, under		8	7	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	24	22	25	32	29	29
2 years,		7	10	7	9	14	19	12	22	15	13	21	18	23	23	20	24	25	27	49	52	58	49	56	61	55	43
Diarrhoea, 2 years and upwards,		28	18	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6	8	8	4
Violent Deaths,		3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Number of Uncertified Deaths,		6	1	4	6	4	2	7	1	1	3	5	3	7	7	1	5	9	3	2	2	4	4	8	4	4	11
		1	4	2	5	2	8	...	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13



REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH FEBRUARY, 1915.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH FEBRUARY, 1915.																																											
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).			Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH													Violence.	Other Causes.	Number of Unclassi- fied Deaths.												
						5 and under 15.					15 and under 25.					25 and under 45.					45 and under 65.					65 and under 75.						75 and upwards.					Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.
CLASS.																																											
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)												
			387,957	—	256	69	11	7	23	64	42	35	.	.	.	.	1	6	8	.	19	5	12	7	29	48	4	.	11	116	13												
	<b>ALL PERSONS.</b>																																										
	<b>CLASSES.</b>																																										
	<b>Deaths in Families of the—</b>																																										
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...																																										
II.	MIDDLE CLASS, ...																																										
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																																										
IV.	GENERAL SERVICE CLASS, ...																																										
V.	INMATES OF WORKHOUSES, ...																																										
	<b>PROFESSIONAL AND INDEPENDENT CLASS.</b>																																										
I.	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...																																										
	2. Merchants and Manufacturers, Higher Class																																										
	3. Persons of Rank and Property, not other- wise described, ...																																										
II.	MIDDLE CLASS.																																										
	4. General Body of Officials—Civil Service, Banking, &c., ...																																										
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...																																										
	6. Clerks and Commercial Assistants, ...																																										
	7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...																																										
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																										
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																																										
	9. Building and Furnishing Trades, ...																																										
	10. Clothing Trades, ...																																										
	11. Food Supply Trades ...																																										
	12. Other Trades and Callings ranking with Trades, ...																																										
IV.	PETTY SHOPKEEPERS ...																																										
	GENERAL SERVICE CLASS.																																										
	14. Army, Police, Postal Delivery and Prison Services, &c., ...																																										
	15. Domestic Servants, ...																																										
	16. Coach and Car Drivers, Vanmen, &c., ...																																										
	17. Hawkers, Porters, Labourers, &c., ...																																										
V.	INMATES OF WORKHOUSES.																																										
	18. Workhouse Inmates, ...																																										

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 16	30·8	1·7	18	.	.	.	.	.	.	.	.	.	.	1	1	4	6	1	.	.	1
	" 23	39·3	1·7	23	.	.	.	.	.	.	.	.	.	.	4	2	3	2	1	.	.	3
	" 30	34·2	.	20	.	.	.	.	.	.	.	.	.	.	1	.	2	4	.	.	.	1
	Feb. 6	44·4	5·1	26	.	.	.	.	.	.	.	.	.	.	4	4	6	6	3	.	1	2
Population in 1915 (Est.) 30,504.	" 13	42·7	3·4	25	.	.	.	.	1	.	.	1	.	.	1	1	5	5	.	.	.	.
	" 20	32·5	3·4	19	.	.	.	.	.	.	.	.	.	.	1	.	3	3	2	.	2	.
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 16	35·0	.	28	.	.	.	.	.	.	.	.	.	.	1	2	5	8	.	.	2	.
	" 23	26·3	2·5	21	.	.	.	1	.	1	.	.	.	.	1	1	3	3	.	.	2	2
	" 30	37·5	2·5	30	.	.	.	1	.	.	.	.	.	.	1	2	2	6	1	.	2	2
	Feb. 6	28·8	2·5	23	.	1	.	.	.	1	.	.	.	.	3	2	4	6	.	.	.	.
Population in 1915 (Est.) 41,685.	" 13	38·8	1·3	31	.	.	.	.	.	.	.	.	.	.	4	.	4	11	1	.	1	1
	" 20	35·0	1·3	28	.	.	.	.	.	.	.	.	.	.	3	.	3	7	1	.	2	1
North City, No. 2. (Office, Lisburn-street.)	Jan. 16	46·8	.	25	.	.	.	.	.	.	.	.	.	.	1	3	4	6	.	.	1	3
	" 23	28·1	.	15	.	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	1	.
	" 30	41·1	1·9	22	.	.	.	.	.	.	.	.	.	.	3	2	1	6	1	.	1	.
	Feb. 6	20·6	.	11	.	.	.	.	.	.	.	.	.	.	.	2	1	6	.	.	.	1
Population in 1915 (Est.) 27,883.	" 13	18·7	.	10	.	.	.	.	.	.	.	.	.	.	.	1	3	3	.	.	.	.
	" 20	39·3	.	21	.	.	.	.	.	.	.	.	.	.	2	.	5	1	.	.	.	3
North City, No. 3. (Office, Benburb-street.)	Jan. 16	32·0	4·4	22	.	.	.	.	.	2	.	.	.	.	2	.	1	4	1	.	.	2
	" 23	16·0	.	11	.	.	.	.	.	.	.	.	.	.	1	.	2	3	.	.	.	1
	" 30	26·2	.	18	.	.	.	.	.	.	.	.	.	.	1	1	2	4	.	.	1	.
	Feb. 6	33·4	1·5	23	.	.	.	.	.	.	.	.	.	.	4	.	4	1	.	.	1	1
Population in 1915 (Est.) 35,887.	" 13	17·4	1·5	12	.	.	.	.	.	.	1	.	.	.	2	3	1	2	.	.	.	.
	" 20	21·8	1·5	15	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.	.	1	.
Clontarf and Howth No. 1 (part of).	Jan. 16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 23	47·1	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 30	18·8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915 (Est.) 5,539.	Feb. 6	9·4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 13	28·2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 20	18·8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Coolock and Drumcondra (part of).	Jan. 16	15·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	" 23	7·5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 30	11·3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
	Feb. 6	18·9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Population in 1915 (Est.) 13,820.	" 13	11·3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.
	" 20	15·1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
Finglas and Glasnevin (part of).	Jan. 16	19·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 23	24·1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.	.
	" 30	19·3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	Feb. 6	9·6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
Population in 1915 (Est.) 10,829.	" 13	14·4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 20	33·7	.	7	.	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Jan. 16	34·2	2·5	27	.	.	.	.	.	1	.	.	.	.	3	2	1	2	9	.	.	.
	" 23	38·0	6·3	30	1	.	.	.	.	.	.	.	.	.	1	.	4	6	1	.	.	1
	" 30	43·1	3·8	34	.	.	.	.	.	.	.	.	.	.	3	2	1	3	10	.	.	.
	Feb. 6	20·3	2·5	16	.	.	.	.	.	.	.	.	.	.	2	.	2	5	.	.	.	.
Population in 1915 (Est.) 41,170.	" 13	43·3	11·4	35	.	.	.	.	.	.	.	.	.	.	2	2	.	1	5	.	1	1
	" 20	35·5	6·3	28	.	.	.	.	.	.	.	.	.	.	2	1	1	3	.	.	2	.
South City, No. 2. (Office, Castle-street.)	Jan. 16	31·3	8·5	11	.	.	.	.	.	.	.	.	.	.	1	1	1	2	2	1	.	.
	" 23	45·5	.	16	.	.	.	.	.	.	.	.	.	.	2	.	2	7	.	.	.	.
	" 30	62·5	5·7	22	.	.	.	.	.	1	.	.	.	.	5	.	1	4	1	.	1	1
	Feb. 6	42·6	5·7	15	.	.	.	.	.	1	1	.	.	.	1	1	.	3	.	.	.	.
Population in 1915 (Est.) 18,341.	" 13	25·6	2·8	9	.	.	.	.	.	1	.	.	.	.	.	1	.	3	.	.	.	.
	" 20	39·8	2·8	14	.	.	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	1
South City, No. 3. (Office, Peter-street.)	Jan. 16	32·0	2·4	27	1	.	.	.	.	.	.	.	.	.	5	.	.	4	4	.	.	.
	" 23	37·9	2·4	32	.	.	.	.	.	.	.	.	.	.	1	1	1	9	.	.	1	1
	" 30	36·8	2·4	31	1	.	.	.	.	1	.	.	.	.	3	.	2	6	.	.	.	1
	Feb. 6	49·8	4·7	42	.	.	.	.	.	.	.	.	.	.	4	4	1	5	11	1	.	2
Population in 1915 (Est.) 43,970.	" 13	30·8	4·7	26	.	.	.	.	.	4	.	.	.	.	1	1	2	5	.	.	.	1
	" 20	36·8	2·4	31	.	.	.	.	1	1	.	.	.	.	5	.	1	5	.	.	1	2
South City, No. 4. (Office, Grand Canal-st.)	Jan. 16	34·6	1·6	22	.	.	.	.	.	.	.	.	.	.	1	.	1	5	8	1	.	1
	" 23	23·6	.	15	.	.	.	.	.	.	.	.	.	.	1	1	3	5	.	.	1	1
	" 30	20·4	1·6	13	.	.	.	1	.	.	.	.	.	.	.	.	4	1	.	.	1	.
	Feb. 6	26·7	1·6	17	.	.	.	.	.	.	.	.	.	.	.	.	1	7	1	.	1	1
Population in 1915 (Est.) 33,171.	" 13	22·0	1·6	14	.	.	.	.	.	.	.	.	.	.	2	.	1	3	3	1	1	1
	" 20	40·9	3·1	26	.	.	.	.	.	.	.	.	.	.	1	1	3	2	.	.	.	1
New Kilmainham.	Jan. 16	15·7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.
	" 23	26·2	5·2	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
	" 30	15·7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,948.	Feb. 6	21·0	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 13	15·7	5·2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 20	21·6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.				
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.						
													Pulmonary.	Other Forms.		Pneumonia.	Other.								
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	30.3 21.1 17.1 30.3 19.8 22.4	. . 1.3 1.3 1.3 .	23 16 13 23 15 17	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	1 2 . 2 2 2	1 . . . . .	6 3 1 1 1 2	4 1 1 1 1 3	4 4 5 8 5 2	. . 1 . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . 1 . .	. . . . . 3	. . . 1 . .	. . 2 1 1 .
Pembroke Urban District. Population in 1915 (Est.) 30,538	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	18.8 20.5 20.5 27.3 27.3 30.7	. . 1.7 1.7 . .	11 12 12 16 16 18	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	1 . 1 3 1	. . . . 1 .	. . . 1 1 .	2 3 1 4 3 1	3 3 1 4 1 3	. . . . 1 . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. . . . 3 .	. . 2 1 1 .		
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	22.6 11.3 11.3 22.6 28.2 5.6	. . . . . .	4 2 2 4 5 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . 2 .	. . . . . .	2 . . . . .	. . 1 1 .	. . . 1 . .	. . . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 1 1 .		
Kingstown Urban District. Population in 1911 16,941.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	. 21.5 15.4 33.9 30.8 36.9	. . . . . .	. 7 5 11 10 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . 1 .	. . . . . .	. 1 . . . . .	. . 1 3 1	. . 2 1 3 2	. . . 1 1 2 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 2 2 3 3 3		
Belfast. Population in 1915 (Est.) 403,000.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	21.7 20.2 20.4 25.2 24.6 23.3	3.0 2.1 1.4 2.1 1.2 1.6	168 156 158 195 190 180	. . . . . .	. . . . . .	. . . . . .	10 11 2 4 3 5	5 3 3 4 3 .	5 2 3 4 1 3	1 . . . . .	. . . . . .	15 19 17 24 19 13	14 6 7 8 9 5	6 12 9 6 6 5	9 12 15 15 23 38	30 20 30 30 43 28	2 . 3 3 3 4	. . . 1 . .	. . . . . .	. . . . . .	. 1 . 2 4 .	. 1 2 3 3 4		
Cork. Population in 1911 76,673.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	29.9 37.4 26.5 27.9 39.4 31.3	4.8 2.0 2.0 0.7 2.7 2.7	44 55 39 41 58 46	. . . . . .	. . . . . .	. . . . . .	2 1 . . . .	2 . . . . .	1 1 1 2 3 3	1 . 2 1 . .	. . . . . .	5 3 10 2 3 8	1 2 1 2 5 1	1 1 1 1 2 3	2 6 3 2 3 .	5 6 7 9 4 9	1 1 . . 1 1	. . . . . .	. . . . . .	. 1 . . 2 .	. 1 1 1 2 .			
Londonderry. Population in 1915 (Est.) 41,200.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	27.8 19.0 21.5 29.1 27.8 27.8	. 1.3 1.3 3.8 2.5 .	22 15 17 23 22 22	. . . . . .	. . 1 . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	1 2 . 2 2 1	2 3 3 . . 2	1 . . 2 . . 1	1 1 2 1 6 1	7 3 5 5 3 5	. 1 . . . .	. . . . . .	. . . . . .	. 1 . 1 .	. . 1 .	1 . . 1 .		
Limerick. Population in 1911 38,518.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	17.6 12.2 20.3 23.0 23.0 19.9	. 1.4 . 1.4 . .	13 9 15 17 17 14	. 1 . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 2 1 4 2 6 1	1 1 1 . 2 1	. 1 . . . 1	1 . . 1 1 1 2	. . 2 4 3 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 1	. . . . 1 .	. 2 1 1 1 .		
Waterford. Population in 1911 27,464.	Jan. 16 " 23 " 30 Feb. 6 " 13 " 20	30.4 26.6 32.3 15.2 13.3 34.2	3.8 . 1.9 1.9 3.8 3.8	16 14 17 8 7 18	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . 1 2	. . . . . .	. . . . . .	. . . . . .	1 . 1 1 1 3	. 2 . . . 1	. . 2 1 1 1	1 3 2 1 1 2	1 3 2 1 1 .	1 . . 1 1 .	. . 1 1 1 .	. . 1 1 1 .	. . 1 1 1 .	. 2 1 1 .	2 1 1 1 .		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the OTTIER (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th February, 1915. Deaths in Public Institutions of Persons admitted from a without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Cols.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
					Under 1 year.					5 and under 5 years.					25 and under 45 years.					45 and under 65 years.								65 years and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
					All Causes.	Certain Epi- demic Diseases,†	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)				(21)	(22)	(23)	(24)	(25)								(26)	(27)	(28)	(29)				(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																									(1)	(2)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Aug. 29.	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.
No. of weeks in Annual Series,	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7
BIRTHS registered, ...	196	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	292	205
DEATHS registered, ...	145	155	138	151	169	133	111	132	129	107	147	127	146	159	162	159	140	108	177	162	168	156	158	195	190	180
Annual Death-rate per 1,000 of estimated population, ...	18.9	20.3	18.0	19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3
AGES, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	49	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50
	23	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21
	14	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9
	16	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	24	29	23
	26	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27	20	33	29	37	37	39	48	28	38	37
Deaths from :—	17	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40
Enteric Fever, ...	.	.	2	1	1	1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	2	1	7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5
Scarlet Fever, ...	2	2	1	1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3	.
Whooping-cough, ...	6	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3
Diphtheria, ...	1	.	.	1	.	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. { Pulmonary, ...	19	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13
Other Forms, ...	4	8	1	5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9	5
Cancer ...	6	6	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5
Diseases of Respi- ratory System, { Pneumonia, ...	8	4	6	13	7	10	9	10	8	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38
Others, ...	9	16	9	13	18	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28
Diarrhoea and Enteritis, under 2 years, ...	23	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2	4
Diarrhoea, 2 years and upwards, ...	10	1	3	2	4	2	1	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.
Violent Deaths, ...	.	4	1	5	1	3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.	.	2	4
Number of Uncertified Deaths, ...	3	2	.	5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3

TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	Feb. 20,	2,189	1,802	20·8	4	.	69	10	40	17	20
EDINBURGH, ...	328,700	" 20,	133	134	21·3	.	.	1	.	4	1	2
GLASGOW, ...	1,078,400	" 20,	553	461	22·3	1	.	6	4	50	4	3
CALCUTTA, ...	896,067	Jan. 2,	.	567	32·9	91*	87	2	.	2	.	68†a
BOMBAY, ...	979,445	" 9,	399	412	21·9	29*	3	1	.	.	.	48a
MADRAS, ...	518,660	" 2,	347	365	36·6	53*	.	.	?	?	?	76†a
CAIRO, {	Egyptians, ...	Dec. 9,	655	383	30·4	2	.	1	.	?	16†	44
	Foreigners, ...	" 9,	7	17	12·5	.	.	.	.	?	1†	1
ALEXAN- DRIA, {	Egyptians, ...	" 9,	320	154	23·7	3	2	.	.	?	1†	21
	Foreigners, ...	" 9,	31	17	11·7	.	.	.	.	?	.	.
PARIS, ...	2,847,229	Jan. 9,	813	981	17·6	8	.	17	2	2	2†	19
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ...	602,623 {	Sept. 12,	264	108	9·3	3	.	.	.	1	2†	7
		" 19,	258	99	8·6	1	.	1	.	.	2†	2
COPENHAGEN, ...	492,000	Jan. 23,	230	155	16·4	.	.	1	3	.	2	2
STOCKHOLM, ...	382,085	" 23,	126	126	17·1	.	.	1	.	.	4	1a
CHRISTIANIA, ...	251,446	" 30,	111	101	20·9	1	.	.	.	1	.	3a
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ...	1,694,000 {	Oct. 17,	.	638	19·6	11	.	4	20	3	12	43a
		" 24,	.	603	18·6	11	1	2	14	2	25	47a
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	766,186	Jan. 30,	.	226b	15·4	.	.	1	1	.	2	5a

\* Deaths from "fever," including 3 deaths from enteric fever in Calcutta, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, and 2 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 193 deaths; rate, 13·8 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th February, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    1, West,	...	.	.	.	.	.	.	.	1	.	.	.	8	9
"    "    2,     ...	...	.	.	.	.	.	.	1	.	.	.	.	8	9
"    "    3,     ...	...	1	.	.	.	.	.	.	2	.	.	.	4	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,     ...	...	.	4	.	3	.	.	1	.	.	.	.	3	11
"    "    2,     ...	...	.	.	.	.	.	.	.	.	.	.	.	1	1
"    "    3,     ...	...	2	.	.	1	.	.	.	.	.	.	.	3	6
"    "    4,     ...	...	2	.	.	1	.	.	2	.	.	.	.	1	6
New Kilmainham,     ...	...	1	.	.	.	.	.	.	.	.	1	.	.	2
Total,     ...	...	8	4	.	5	.	.	4	3	.	1	.	31	56

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 20th February, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th February.			
	Jan. 30.	Feb. 6.	Feb. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	38	34	36	8	5	.	39
Typhus, ...	11	8	7	5	.	.	12
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	10	11	10	1	2	.	9
Scarlet Fever, ...	72	65	64	17	15	.	66*
Diphtheria, ...	42	33	36	6	12	2	28
Pneumonia, ...	9	17	22	9	7	.	24

\* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
 E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
 WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
 H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
 or from the Agencies in the British Colonies and Dependencies,  
 the United States of America, the Continent of Europe and Abroad of  
 T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; CO., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 27TH FEBRUARY, 1915.

[No. 8.]

*General Register Office, Charlemont House,  
 Dublin, 1st March, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 27·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 6	Feb. 13	Feb. 20	Feb. 27	
<b>27 Town Districts, (a)</b>	<b>26·2</b>	<b>26·5</b>	<b>26·5</b>	<b>27·6</b>	<b>26·7</b>
Dublin Reg. Area ...	30·5	28·0	31·5	34·4	31·1
Dublin City ...	30·8	29·0	33·2	37·3	32·6
Belfast ...	25·2	24·6	23·3	22·8	24·0
Cork ...	27·9	39·4	31·3	26·5	31·3
Londonderry ...	29·1	27·8	27·8	21·5	26·6
Limerick ...	23·0	23·0	19·0	21·7	21·7
Waterford ...	15·2	13·3	34·2	39·9	25·7

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·7 per 1,000. Among the 176 deaths from all causes for Belfast are 4 from measles, 6 from whooping-cough, one from diphtheria, and one death of a child under 2 years of age from diarrhoea and enteritis. Of the 39 deaths from all causes for Cork, one was from whooping-cough, and one from diphtheria. Among the 17 deaths from all causes for Londonderry is one from diphtheria. Three of the 10 deaths from all causes for Portadown were caused by measles. Included in the 11 deaths from all causes for Kilkenny are 2 from diphtheria; and among the 7 deaths from all causes for Queenstown are one from each of measles and diarrhoea.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 231—112 boys and 119 girls—and the deaths to 287—145 males and 142 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 17) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 34·4 per 1,000 of the population. During the eight weeks, ending with Saturday last, the death-rate averaged 31·0, and was 6·5 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 287, represent an annual rate of 36·6 per 1,000; the annual rate for the past eight weeks was 32·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one from enteric fever, 11 from whooping-cough, one from diphtheria, 13 from influenza, and 2 from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 0, one, and 0; deaths from whooping-cough were 7, 10, and 6; deaths from diphtheria were 2, 3, and 3; deaths from influenza were 8, 10, and 8; and deaths of children under 2 years of age from diarrhoea and enteritis were 8, 8, and 4, respectively.

There were 39 deaths from tuberculous disease, comprising 29 deaths from pulmonary tuberculosis, 5 from tuberculous meningitis, 2 from abdominal tuberculosis, and 3 from disseminated tuberculosis. In the three weeks preceding, deaths from tuberculous disease numbered, respectively, 35, 32, and 24.

Cancer caused 10\* deaths.

Of 28 deaths from pneumonia, 14 were from broncho-pneumonia, 2 from lobar pneumonia, and 12 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 6 were attributed to convulsions, 2 to congenital malformations, 6 to premature birth, and 5 to congenital debility.

Seventeen deaths were caused by organic diseases of the heart, and 65 by bronchitis.

There were 5 accidental deaths, including one caused by burns, one by drowning, and one by a motor car.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old and the deaths of 2 persons aged 71 and 75 years, respectively.

Sixty-six of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 15 were under one month old), and 76 were aged 65 years and upwards, including 57 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom one (a female) was stated to have been aged 91 years.

One hundred and fourteen of the deaths registered during the week occurred in hospitals and other public institutions; of this number 29 took place in the North Dublin Union Workhouse, and 31 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 34·4 per 1,000; the rate in the City was 37·3 (North City Districts, 36·1; South, 38·8), and in the Suburbs, 24·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 0·9, and in the South 4·3), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (18) are equal to an annual rate of 30·8 per 1,000, and include 2 from tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and 2 accidental deaths.

No. 1 North City District, West (Summer-hill).—The deaths (31) are equal to an annual rate of 38·8 per 1,000. Included in this number are one death from influenza, 9 from tuberculosis, 5 from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (28) are equivalent to an annual rate of 52·4 per 1,000. Among them are one death from whooping-cough, 2 from influenza, 3 from pulmonary tuberculosis, one from broncho-pneumonia, and 9 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (23) represent an annual rate of 33·4 per 1,000. One death from whooping-cough, one from diphtheria, one from pulmonary tuberculosis, one from pneumonia, 7 from bronchitis, and 2 accidental deaths were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 30·2; and Finglas and Glasnevin, part of, 28·9. The only death recorded for Clontarf and Howth No. 1, part of, was caused by influenza; of the 8 deaths from all causes for Coolock and Drumcondra, part of, one was from influenza, one from broncho-pneumonia, and 3 from bronchitis; and the 6 deaths recorded for Finglas and Glasnevin part of, include one from pulmonary tuberculosis, one from lobar-pneumonia, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (29) represent an annual rate of 36·7 per 1,000. Three of the deaths were caused by whooping-cough, 4 by tuberculosis, 3 by pneumonia, and 7 by bronchitis.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42·6 per 1,000. Three deaths from whooping-cough, one from influenza, 4 from tuberculosis, one from broncho-pneumonia, and one from bronchitis, were recorded.

No. 3 South City District (Peter-street).—The deaths (34) are equal to an annual rate of 40·3 per 1,000. One of these deaths was from enteric fever, 2 from whooping-cough, 9 from tuberculosis, 4 from pneumonia, 10 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (28) are equivalent to an annual rate of 44·0 per 1,000. Among them are one from whooping-cough, one from influenza, one from disseminated tuberculosis, 3 from pneumonia, 6 from bronchitis, and one (a child under 2 years of age) from diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000. They consist of one death from influenza and 2 from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·5; Pembroke, 35·9; Blackrock, 11·3; and Kingstown, 27·7. There was no death from any of the principal epidemic diseases tabulated for these districts. The 14 deaths from all causes for Rathmines and Rathgar include one from influenza, one from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis; among the 21 deaths from all causes for Pembroke are 2 from influenza, 3 from pulmonary tuberculosis, 3 from pneumonia, and 2 from bronchitis; one of the two deaths recorded for Blackrock was from bronchitis; and included in the 9 deaths from all causes for Kingstown are 2 from influenza, one from pulmonary tuberculosis, 3 from pneumonia, and 2 from bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 21·2), was equal to an average annual death-rate of 20·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 21·2 per 1,000, the rate for Glasgow being 21·3, and for Edinburgh 20·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th February. From this Report it appears that of a total of 72 cases notified, 20 were pulmonary tuberculosis, 10 other forms of tuberculosis, 18 scarlet fever, 16 diphtheria, 4 erysipelas, 3 cerebro-spinal fever, and one enteric fever. Among the 555 cases of infectious diseases in hospital at the close of the week were 172 of pulmonary tuberculosis, 169 of scarlet fever, 135 of diphtheria, 26 of whooping-cough, 10 of erysipelas, 7 of measles, 4 of cerebro-spinal fever, and 2 of enteric fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th February, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Feb. 6,	—	—	—	6	—	—	6	—	—	6	1	—	—	—	—	—	—	34	53
	Feb. 13,	—	—	—	15	—	—	3	—	—	5	4	1	—	—	—	—	—	27	55
	Feb. 20,	—	—	—	8	4	—	5	—	—	4	3	—	—	—	1	—	—	31	56
	Feb. 27,	—	—	—	5	1	—	6	—	1	2	7	—	—	—	1	—	—	30	53
Rathmines and Rathgar Urban District.	Feb. 6,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Feb. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	Feb. 20,	—	—	—	2	—	—	2	—	—	5	—	—	—	—	—	—	—	—	9
	Feb. 27,	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
Pembroke Urban District.	Feb. 6,	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	3
	Feb. 13,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
	Feb. 20,	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	3	6
	Feb. 27,	—	22	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	24
Blackrock Urban District.	Feb. 6,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 20,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 27,	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	4
Kingstown Urban District.	Feb. 6,	—	—	—	—	—	—	1	—	—	—	4	—	—	—	—	—	—	—	5
	Feb. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 20,	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Feb. 27,	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4
City of Belfast.	Feb. 6,	—	—	—	36	—	—	4	—	—	1	2	—	—	—	—	—	—	3	46
	Feb. 13,	—	—	—	40	—	—	6	—	—	—	5	—	—	—	—	—	—	4	55
	Feb. 20,	—	—	—	27	—	—	5	—	—	—	6	—	—	—	—	—	—	6	44
	Feb. 27,	—	—	—	20	—	—	5	—	—	—	4	—	—	—	1	—	—	4	34
City of Cork.	Feb. 6,	—	1	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6
	Feb. 13,	—	—	—	4	—	—	—	1	—	1	1	—	—	—	—	—	—	—	7a
	Feb. 20,	—	—	—	2	—	—	—	—	—	2	2	—	—	—	—	—	—	—	6
	Feb. 27,	—	4	—	5	—	—	—	—	1	—	—	—	—	—	—	—	—	—	10
City of Londonderry.	Feb. 6,	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	2
	Feb. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 20,	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
	Feb. 27,	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
City of Limerick.	Feb. 6,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Feb. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 20,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Feb. 27,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Waterford.	Feb. 6,	—	—	—	17	—	—	—	—	—	—	1	—	—	—	—	—	—	—	18
	Feb. 13,	—	—	—	13	—	—	—	—	—	—	2	—	—	—	—	—	—	4	19
	Feb. 20,	—	—	—	3	—	—	—	—	—	—	1	—	—	—	—	—	—	1	5
	Feb. 27,	—	—	—	20	—	—	—	—	—	—	1	—	—	—	—	—	—	4	25

(a) Not including 3 cases of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th February, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 3 were discharged, and 37 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 36, and 39.

One case of typhus was admitted to hospital during the week, 3 were discharged, and 10 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 8, 7, and 12 respectively.

Twenty-one cases of measles were admitted to hospital during the week, 5 were discharged, and 25 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 11, 10, and 9 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 9 were discharged, and 74\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 65, 64, and 66, respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 6 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 33, 36, and 28 respectively, were 29 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 7 were discharged, there were 4 deaths and 21 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th February, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 27TH FEBRUARY, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																						
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																				
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																				
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	27.8	27.6	1.7	647	642	109	165	1	...	...	8	...	18	6	...	62	29	27	62	125	5	1	14	22	180	32
DUBLIN REGISTRATION AREA—TOTAL, (c.) ...	409,000	29.8	29.4	34.4	1.9	231	270	42	72	1	...	...	...	...	11	1	...	29	10	6	28	64	2	...	4	6	97	7
CITY OF DUBLIN.	312,747	39.5	34.0	37.3	2.5	204	224	39	48	1	...	...	...	...	11	1	...	24	10	5	21	54	2	...	4	6	87	6
Urban Districts.																												
RATHMINES and RATHGAR.	39,541	23.1	11.9	18.5	.	9	14	2	7	...	...	...	...	...	...	...	...	1	...	...	1	4	...	...	...	...	2	...
PEMBROKE, ...	30,538	19.4	20.5	35.9	.	12	21	1	12	...	...	...	...	...	...	...	...	3	...	1	3	3	...	...	...	...	6	...
BLACKROCK, ...	9,233	8.5	.	11.3	.	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
KINGSTOWN, ...	16,941	11.6	18.5	27.7	.	6	9	...	5	...	...	...	...	...	...	...	...	1	...	...	3	2	...	...	...	...	1	1
Urban Districts																												
BELFAST ..	403,000	27.0	27.4	22.8	1.6	212	176	33	41	...	...	...	4	...	6	1	...	15	12	6	21	31	1	...	3	8	40	4
CORK, ..	76,673	28.6	30.6	26.5	1.4	45	39	8	8	...	...	...	...	...	1	1	...	3	2	5	3	3	...	...	...	2	12	6
LONDON-DERRY.	41,200	16.0	19.0	21.5	1.3	15	17	2	2	...	...	...	...	...	...	1	...	4	...	1	1	6	...	...	1	1	...	...
LIMERICK, ...	38,518	16.1	43.3	21.7	.	32	16	3	1	...	...	...	...	...	...	...	...	1	2	...	1	3	...	...	...	...	3	4
WATERFORD, ...	27,464	19.1	31.2	39.9	1.9	18	21	6	5	...	...	...	...	...	...	...	...	2	2	2	1	4	1	...	2	2	7	3
GALWAY, ...	13,255	2.5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the quarterly Summary of the Weekly Returns.				4	5	...	4	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	3	1
DUNDALK, ...	13,128	9.5					7	4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
LURGAN, ...	12,553	14.7					5	7	2	3	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1
DROGHEDA, ...	12,501	8.4					9	6	1	3	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	2	...	1
LISBURN, ...	12,388	10.9					5	5	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17.0					7	9	1	3	...	...	...	...	...	...	...	1	...	...	...	4	...	...	...	...	5	...
PORTADOWN, ...	11,727	15.3					3	10	1	2	...	...	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...
WEXFORD, ...	11,531	22.8					3	10	2	2	...	...	...	...	...	...	...	2	1	...	1	3	...	...	1	...	3	...
BALLYMENA ..	11,381	9.3					2	3	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	...
SLIGO, ...	11,163	3.8					2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4					5	11	1	4	...	...	...	...	...	2	...	1	...	...	...	1	...	...	...	...	4	3
TRALEE, ...	10,300	17.4					5	5	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8					4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1					10	4	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	1
QUEENSTOWN, ...	8,209	14.7					3	7	2	1	...	...	1	...	...	...	...	...	1	1	1	...	1	...	...	2	...	...
LARNE, ...	8,036	13.4					4	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7.7					8	5	1	2	...	...	...	...	...	...	...	...	2	1	1	...	...	...	...	2	...	...
BANGOR, ..	7,776	8.5					3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
BRAY, ..	7,691	7.2					1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2					2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...
ARMAGH, ...	7,356	21.8					2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 17 deaths of persons (including one under one year old and 4 at 65 years or upwards) admitted to hospital from localities outside the Area. Four of the 17 deaths were from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 27th of February, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.														URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough,	.	.	1	1	.	.	3	3	2	1	.	.	.	.	.	11	.		
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	.	1	2	.	1	1	.	1	.	1	1	1	1	2	.	2	13		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	1	8	3	1	.	1	2	3	5	.	.	1	3	.	1	29	.		
Other Forms,	1	1	.	.	.	.	2	1	4	1	.	.	.	.	.	10	.		
Cancer,	.	1	1	.	.	1	1	.	1	.	.	.	1	.	.	6	4		
Diseases of Nervous System,	3	1	3	4	.	1	4	.	1	3	.	2	.	.	1	25	1		
Organs of Special Sense,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Circulatory System,	2	2	.	2	.	.	2	1	2	2	.	2	2	.	.	17	.		
Respiratory System, { Pneumonia,	1	5	1	1	.	1	3	1	4	3	.	1	3	.	3	23	.		
Others,	3	3	10	7	.	3	1	8	1	10	6	2	4	3	1	64	5		
Digestive System, { Diarrhoea and Enteritis, under 2 years,	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.		
Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Others,	.	1	1	.	.	.	.	.	.	.	1	.	1	.	.	4	.		
Genito-urinary System,	1	2	1	1	.	1	1	1	.	1	.	2	3	.	.	14	2		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.		
Locomotor System,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Other specified Causes,	2	3	3	1	.	1	3	3	3	8	.	.	4	.	.	31	4		
Violent Deaths,	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	4	1		
Ill-defined, &c. Causes,	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	6	.		
Deaths from All Causes	18	31	28	23	1	8	29	15	34	23	3	14	21	2	9	270	17		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	30.8	38.8	52.4	33.4	9.1	130.2	36.7	42.6	40.3	44.0	15.7	18.5	35.9	11.3	27.7	34.4	.		
	36.1							38.8							24.9				
	37.3																		
Ages at Death.	Under 1 year,	5	4	1	2	.	.	.	6	3	7	11	.	2	1	.	42	1	
1 and under 2 years,	.	.	.	1	.	.	.	.	2	2	.	4	1	1	.	.	11	1	
2 " 5 "	.	.	4	1	.	.	.	.	1	.	3	.	.	.	.	.	9	2	
5 " 15 "	1	.	1	3	.	.	.	.	1	.	1	1	.	.	.	.	8	1	
15 " 25 "	.	3	3	.	.	.	.	2	2	3	1	1	.	1	.	.	17	.	
25 " 45 "	6	4	3	5	.	2	1	2	2	5	1	.	1	1	1	3	35	4	
45 " 65 "	6	13	12	3	1	4	4	6	4	7	5	.	3	6	1	1	76	4	
65 and upwards,	.	7	4	8	.	2	1	11	1	8	5	1	7	12	.	5	72	4	
Number of Uncertified Deaths,	.	3	.	2	.	.	.	.	.	.	1	.	.	.	.	1	7	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	4	4	4	5	.	2	1	3	3	8	1	2	3	1	1	42	12		
Workhouse Hospitals,	2	13	6	4	.	2	8	5	8	4	.	.	3	.	.	55	6		





EIGHTH WEEK, ending Saturday, 27th February, 1915; with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 8th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 27th February, 1915.																																
	Feb. 25, 1905.	Feb. 24, 1906.	Feb. 23, 1907.	Feb. 22, 1908.	Feb. 27, 1909.	Feb. 26, 1910.	Feb. 25, 1911.	Feb. 24, 1912.	Feb. 22, 1913.	Feb. 21, 1914.		All Ages.	Deaths of Persons of the Ages of																															
													0-5.																															
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																						
Diseases of the Pharynx, Ton- sillitis.	1	.	.	.	1	.	.	1	1	.	4	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Stomach, ...	—	—	—	—	—	—	2	.	2	3	—	1	1	.	.	.	.	.	.	.	.	.																						
Diarrhoea and Enteritis of Children under 2 years.	5	4	5	1	9	7	5	2	6	4	4.9	2	1	.	1	.	.	.	.	.	.	.																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		.	.	.	.	.	.		.	.			.	.	.	.	.	.	.	.	.	.	.																					
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.																						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	4	2	3	.	—	1	.	.	.	.	.	.	.	.	1	.																						
Cirrhosis of Liver, ...	2	.	.	2	1	1	1	1	1	1	1.0	.	.	.	.	.	.	.	.	.	.	.																						
Other Diseases of Liver, ...	1	1	.	.	1	.	1	.	1	.	.5	2	.	.	.	.	.	.	.	.	1	1																						
Peritonitis (cause unknown),	.	2	.	.	2	.	.	2	.	1	.7	.	.	.	.	.	.	.	.	.	.	.																						
Other Diseases of Digestive System.	7	1	9	4	4	7	1	2	.	.	3.5	.	.	.	.	.	.	.	.	.	.	.																						
Acute Nephritis, ...	5	9	6	7	6	12	10	2	3	1	8.0	2	9	.	.	1	.	.	.	1	.	.	.																					
Chronic Bright's Disease, ...																								5	6	2	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	4	2	.	.	.	4	.	1	1	.	.	.	.	1	1	.																						
Puerperal Septicæmia, &c., ...	.	1	.	.	1	.	.	1	.	.	.3	1	.	.	.	.	.	.	1	.	.	.																						
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	1	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	.	2	—	1	.	.	.	.	.	.	.	.	1	.																						
Diseases of Locomotor System,	—	—	—	—	—	—	.	.	2	.	—	1	.	.	.	.	.	.	.	.	1	.																						
Congenital Malformations, ...	—	—	—	—	—	—	.	.	2	1	—	2	2	.	.	.	.	.	.	.	.	.																						
Premature Birth, ...	2	.	4	4	4	3	3	4	5	5	3.4	6	6	.	.	.	.	.	.	.	.	.																						
Congenital Debility, ...	—	—	—	—	—	—	4	3	7	3	—	5	2	3	.	.	.	.	.	.	.	.																						
Old Age, ...	8	6	4	3	3	12	6	7	3	8	6.0	10	.	.	.	.	.	.	.	.	6	4																						
Other Specified Diseases, ...	—	—	—	—	—	—	.	1	1	3	—	5	2	.	.	.	.	.	.	1	1	1																						
ACCIDENT :																																												
Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.																						
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Burns and Scalds, ...	1	2	1	1	1	5	2	1	1	1	1.6	1	.	.	.	.	1	.	.	.	.	.																						
Drowning, ...	.	.	1	2	.	.	1	.	1	.	.5	1	.	.	.	.	.	.	1	.	.	.																						
Suffocation in Bed, ...	.	.	2	.	.	.	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.																						
Other Deaths by Accident, ...	1	2	1	1	2	1	1	2	2	2	1.5	3	.	.	.	.	.	3	.	.	.	.																						
Total Deaths from Accident,	2	4	6	4	3	6	5	3	4	3	4.0	5	.	.	.	.	1	.	3	1	.	.																						
Included in above are Deaths in connection with—																																												
Railways, ...	1	.	.	.	.	1	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.																						
Vehicles and Horses, ...	.	1	.	.	1	.	.	1	.	.	.3	1	.	.	.	.	.	1	.	.	.	.																						
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.																						
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																						
VIOLENCE OTHER THAN ACCIDENTAL :																																												
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Suicide, ...	.	.	1	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																						
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	5	7	10	—	6	1	.	.	.	1	.	.	3	1	.																						







TABLE VII.—Showing for each of the last Six Weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.							
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.								
													Pulmonary.	Other Forms.		Pneumonia.	Other.											
North City, No. 1 (E.) (Office Clarence St. Nth.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	39.3 34.2 44.4 42.7 32.5 30.8	1.7 . 5.1 3.4 . .	23 20 26 25 19 18	.	.	.	.	.	.	.	.	.	.	4 1 4 1 1 1	.	2 2 3 1 1 1	2 3 3 5 5 3	1 4 6 3 3 2	.	.	.	.	.	.	.	3 1 2 .	
North City, No. 1 (W.) (Office, Summer-hill.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	26.3 37.5 28.8 38.8 55.0 58.8	2.5 2.5 2.5 1.3 1.3 .	21 30 23 31 28 31	.	.	.	1	.	1	.	.	.	.	1 1 3 4 3 8	1	2 1 2 . . 1	3 6 4 4 3 5	3 6 6 11 7 3	.	1 . . 1 . .	.	.	.	2 . . . 2 .	2 3 1 1 3		
North City, No. 2. (Office, Lisburn-street.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	28.1 41.1 20.6 18.7 39.3 52.4	. 1.9 . . . 1.9	15 22 11 10 21 28	.	.	.	.	.	.	.	.	.	.	1 3 . . . 3	.	2 2 2 1 2 1	3 1 6 3 5 10	3 6 6 3 1 .	.	1 . . . . .	.	.	.	1 1 . . . .	1 . . . 3		
North City, No. 3. (Office, Benburb-street.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	16.0 26.2 33.4 17.4 21.8 33.4	. . 1.5 1.5 1.5 2.9	11 18 23 12 15 23	.	.	.	.	.	.	.	.	.	.	1 1 4 2 . 1	.	2 1 3 1 1 .	3 4 1 1 5 7	.	1 . 1 . . .	.	.	.	1 1 1 1 2	1 . 1 . 2			
Clontarf and Howth No. 1 (part of).	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	47.1 18.8 9.4 28.2 18.8 9.4	. . . . . .	5 2 1 3 2 1	.	.	.	.	.	.	.	.	.	.	.	.	1 . . . 1 .	1 1 1 . . .	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	7.5 11.3 18.9 11.3 15.1 30.2	. . . . . .	2 3 5 3 4 8	.	.	.	.	.	.	.	.	.	.	.	.	.	1 1 1 . 1 3	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	24.1 19.3 9.6 14.4 33.7 28.9	. . . . . .	5 4 2 3 7 6	.	.	.	.	.	.	.	.	.	.	1 . . . . 1	1	2 . . . . 4 1	1 1 . 1 1 1	.	.	.	.	.	.	1 . . . .	.		
South City, No. 1. (Office, St. Earl-street.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	38.0 43.1 20.3 43.3 35.5 36.7	6.3 3.8 2.5 11.4 6.3 3.8	30 34 16 35 28 29	1	.	.	.	.	2 2 2 4 3 3	1 . . . 2 .	.	.	.	1 3 2 2 2 2	.	1 2 . 2 1 1	4 3 2 1 1 3	6 10 5 12 3 8	1 1 . 5 . .	.	.	.	1 . . . 2 .	1 . . 1 2			
South City, No. 2. (Office, Castle-street.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	45.5 62.5 42.6 25.6 39.8 42.6	. 5.7 5.7 2.8 2.8 8.5	16 22 15 9 14 15	.	.	.	.	.	1 . 1 . . 3	.	1 1 . . . .	.	.	2 5 1 1 2 3	.	1 1 . . . 1	2 4 3 3 2 1	.	1 . . . 1 .	.	.	.	1 . . . . .	1 . . . . .			
South City, No. 3. (Office, Peter-street.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	37.9 36.8 49.8 30.8 36.8 40.3	2.4 2.4 4.7 4.7 2.4 4.7	32 31 42 26 31 34	.	1	.	.	.	2 1 3 4 1 2	.	.	.	.	1 3 4 1 5 5	1 2 1 1 1 4	9 6 5 11 5 10	.	6 1 . 1 . 1	.	.	.	1 . . . 1 .	1 . . . 1 .				
South City, No. 4. (Office, Grand Canal-st.)	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	23.6 20.4 26.7 22.0 40.9 44.0	. 1.6 1.6 1.6 3.1 3.1	15 13 17 14 26 28	.	.	.	1	.	.	.	.	.	.	1 . . 2 1 . .	1 . . 1 . 3 .	1 4 7 3 2 6	5 1 1 3 5 6	.	1 . 1 . 1 .	.	.	.	1 1 1 . . .	1 . 1 . . . .			
New Kilmainham. Population in 1915 (Est.) 9,948.	Jan. 23 " 30 Feb. 6 " 13 " 20 " 27	26.2 15.7 21.0 15.7 21.0 15.7	5.2 . . 5.2 . .	5 3 4 3 4 3	.	.	.	.	.	1 . . 1 . . .	.	.	.	.	1 1 1 . . .	1 . . . . . .	1 . . . . 2 2	.	.	.	.	.	.	.	1 . . . . .	1 . . . . 1		

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.	
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Jan. 23	21.1	.	16	.	.	.	.	.	.	.	.	2	.	3	1	4	.	.	.
	" 30	17.1	1.3	13	.	.	.	.	.	.	.	.	.	.	1	1	5	1	.	1
	Feb. 6	30.3	1.3	23	.	.	.	.	.	.	1	.	2	.	1	1	8	.	.	2
	" 13	19.8	1.3	15	1	.	.	.	.	.	.	.	2	.	1	1	5	.	.	.
	" 20	22.4	.	17	.	.	.	.	.	.	.	.	2	.	2	3	2	.	.	.
" 27	18.5	.	14	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	
Pembroke Urban District. Population in 1915 (Est.) 30,538	Jan. 23	20.5	.	12	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	.
	" 30	20.5	1.7	12	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.
	Feb. 6	27.3	1.7	16	.	.	.	.	.	.	.	.	3	.	1	4	1	1	.	2
	" 13	27.3	.	16	.	.	.	.	.	.	.	.	1	.	1	3	1	.	1	.
	" 20	30.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	3	.	3	1
" 27	35.9	.	21	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Jan. 23	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 30	11.3	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1
	Feb. 6	22.6	.	4	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	1
	" 13	28.2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
	" 20	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" 27	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
Kingstown Urban District. Population in 1911 16,941.	Jan. 23	21.5	.	7	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	2
	" 30	15.4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.
	Feb. 6	33.9	.	11	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	2
	" 13	30.8	.	10	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	3
	" 20	36.9	.	12	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	3
" 27	27.7	.	9	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	
Belfast. Population in 1915 (Est.) 403,000.	Jan. 23	20.2	2.1	156	.	.	.	11	3	2	.	.	19	6	12	12	20	.	.	1
	" 30	20.4	1.4	158	.	.	.	2	3	3	.	.	17	7	9	15	30	3	.	2
	Feb. 6	25.2	2.1	195	.	.	.	4	4	4	.	.	24	8	6	15	30	3	1	3
	" 13	24.6	1.2	190	.	.	.	3	3	1	.	.	19	9	6	23	43	2	.	3
	" 20	23.3	1.6	180	.	.	.	5	.	3	.	.	13	5	5	38	28	4	.	3
" 27	22.8	1.6	176	.	.	.	4	.	6	1	.	15	12	6	21	31	1	3	4	
Cork. Population in 1911 76,673.	Jan. 23	37.4	2.0	55	.	.	.	1	.	1	.	.	3	2	1	6	6	1	.	5
	" 30	26.5	2.0	39	.	.	.	.	.	1	2	.	10	1	1	3	7	.	.	2
	Feb. 6	27.9	0.7	41	.	.	.	.	.	.	1	.	2	2	1	2	9	.	.	1
	" 13	39.4	2.7	58	.	.	.	.	.	3	.	.	3	5	2	3	4	1	.	6
	" 20	31.3	2.7	46	.	.	.	.	.	3	.	.	8	1	3	9	1	.	.	4
" 27	26.5	1.4	39	.	.	.	.	.	1	1	.	3	2	5	3	3	.	.	6	
Londonderry. Population in 1915 (Est.) 41,200.	Jan. 23	19.0	1.3	15	.	.	.	.	.	.	.	.	2	3	.	1	3	1	.	.
	" 30	21.5	1.3	17	.	1	.	.	.	.	.	.	.	3	.	2	5	.	.	.
	Feb. 6	29.1	3.8	23	.	3	.	.	.	.	.	.	2	.	2	1	5	.	1	.
	" 13	27.8	2.5	22	.	.	.	1	.	.	1	.	2	.	.	6	3	.	.	1
	" 20	27.8	.	22	.	.	.	.	.	.	.	.	1	2	.	1	5	.	.	.
" 27	21.5	1.3	17	.	.	.	.	.	.	1	.	4	.	1	1	6	.	1	.	
Limerick. Population in 1911 38,518.	Jan. 23	12.2	1.4	9	1	.	.	.	.	.	.	.	1	1	1	.	2	.	.	2
	" 30	20.3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	6	.	.	2
	Feb. 6	23.0	1.4	17	1	.	.	.	.	.	.	.	2	.	.	1	4	.	.	1
	" 13	23.0	.	17	.	.	.	.	.	.	.	.	6	2	.	1	3	.	.	1
	" 20	19.0	.	14	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.
" 27	21.7	.	16	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	4	
Waterford. Population in 1911 27,464.	Jan. 23	26.6	.	14	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	1
	" 30	32.3	1.9	17	.	.	.	.	.	.	.	.	1	.	2	1	2	.	1	1
	Feb. 6	15.2	1.9	8	.	.	.	.	1	.	.	.	1	.	1	1	.	1	.	.
	" 13	13.3	3.8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.
	" 20	34.2	3.8	18	.	.	.	.	2	.	.	.	3	1	1	.	2	.	.	.
" 27	39.9	1.9	21	.	.	.	.	.	.	.	.	2	2	2	1	4	1	2	3	

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks, Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Sept. 5.	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.
No. of weeks in Annual Series,	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8
BIRTHS registered, ...	215	215	187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	224	207	212	281	217	264	222	205	212
DEATHS registered, ...	155	138	151	169	183	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176
Annual Death-rate per 1,000 of estimated population, ...	20.3	18.0	19.7	22.1	17.4	14.5	17.8	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	56	52	42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	89	50	33
	18	21	21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26
	19	14	12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15
	24	18	24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20
	25	20	22	23	35	20	25	27	24	25	26	34	46	31	27	20	33	29	27	37	59	48	18	38	37	41
	13	13	30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41
Deaths from :—																										
Enteric Fever, ...	2	1	1	1	1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	1	7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4
Scarlet Fever, ...	2	1	1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3	.	.
Whooping-cough, ...	2	5	3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6
Diphtheria, ...	.	.	1	.	.	.	1	.	1	.	.	1	1	1	1	.	.	1	.	1	.	.	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, Other Forms,	20	13	17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15
Cancer ...	8	1	5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9	5	12
Diseases of Respi- ratory System, { Pneumonia, Others, ...	4	6	7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5	6
Diarrhoea and Enteritis, under 2 years, ...	16	9	13	13	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31
Diarrhoea, 2 years and upwards, ...	44	39	30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2	4	1
Violent Deaths, ...	4	1	5	1	3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.	1	.	.	.
Number of Uncertified Deaths, ...	2	.	5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3	4

TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending		BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
							Enteric Fever.	Small- pox.	Measles.	Scarlet Fever.	Whooping- cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, —	4,518,612	Feb. 27,	2,188	1,835	21·2	3	2	86	6	23	21	13	
EDINBURGH, —	328,700	" 27,	132	127	20·1	.	.	1	2	5	2	.	
GLASGOW, —	1,078,400	" 27,	599	441	21·3	1	.	6	5	45	3	4	
CALCUTTA, —	896,067	Jan. 9,	.	546	31·6	72*	82	5	.	1	2†	68‡a	
BOMBAY, —	979,445	" 16,	380	422	22·4	36*	3	1	.	.	1	43a	
MADRAS, —	518,660	" 9,	442	477	47·8	69*	.	1	?	?	?	109‡a	
CAIRO, {	Egyptians, ...	Dec. 16,	634	355	28·2	3	1	.	.	?	15†	43	
	Foreigners, ...	" 16,	10	16	11·7	2	.	.	.	?	1†	.	
ALEXAN- DRIA, {	Egyptians, ...	" 16,	367	159	24·5	1	2	.	.	?	.	16	
	Foreigners, ...	" 16,	43	18	12·8	2	1	.	.	?	.	1	
PARIS, —	2,847,229	Jan. 16,	888	891	16·0	8	.	12	.	2	3†	16	
BRUSSELS, —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, —	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, —	602,623	Sept. 26,	289	125	10·8	.	.	1	.	1	2†	8	
		Oct. 3,	256	101	8·7	.	.	2	1	.	2†	5	
COPENHAGEN, —	492,000	Jan. 30,	221	149	15·8	.	.	1	1	.	2	2	
STOCKHOLM, —	382,085	" 30,	139	107	14·6	.	.	.	1	1	2	1	
CHRISTIANIA, —	251,446	Feb. 6,	89	80	16·5	.	.	.	.	.	1	.	
PETROGRAD, —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, —	1,694,000	Oct. 31,	.	565	17·4	6	1	5	9	1	9	35a	
		Nov. 7,	.	652	20·1	11	.	10	16	4	12	55‡a	
ROME, —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,583,871	Oct. 24,	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, —	766,136	Feb. 6,	.	244b	16·6	.	.	1	2	.	7	4a	

\* Deaths from "fever," including 4 deaths from enteric fever in Calcutta; 2 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, one in Madras, and one in Moscow.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 212 deaths (including 6 from diphtheria, and 3 from diarrhoeal diseases); rate, 14·4 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th February, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	3	.	.	.	5	9
"    "    1, West, ...	.	1	.	.	1	.	.	.	1	.	.	.	4	7
"    "    2, ...	.	.	1	.	.	.	.	2	.	.	.	.	7	10
"    "    3, ...	.	2	.	.	1	.	1	.	.	.	.	.	2	6
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	1	.	.	.	3	4
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    3, ...	.	.	.	.	2	.	.	.	1	.	.	.	2	5
"    "    4, ...	.	.	.	.	.	.	.	.	1	.	.	.	4	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	1	.	1	2
Total, ...	.	5	1	.	6	.	1	2	7	.	1	.	30	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 27th February, 1915, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 27th February.			
	Feb. 6.	Feb. 13.	Feb. 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	36	39	1	3	.	37
Typhus, ...	8	7	12	1	3	.	10
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	10	9	21	5	.	25
Scarlet Fever, ...	65	64	66	17	9	.	74*
Diphtheria, ...	33	36	28	7	6	.	29
Pneumonia, ...	17	22	24	8	7	4	21

\* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 6TH MARCH, 1915.

[No. 9.]

*General Register Office, Charlemont House,  
Dublin, 8th March, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 27·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 13	Feb. 20	Feb. 27	Mar. 6	
<b>27 Town Districts, (a)</b>	<b>26·5</b>	<b>26·5</b>	<b>27·6</b>	<b>27·4</b>	<b>27·0</b>
Dublin Reg. Area ...	28·0	31·5	34·4	33·4	31·8
Dublin City ...	29·0	33·2	37·3	35·5	33·7
Belfast ...	24·6	23·3	22·8	26·9	24·4
Cork ...	39·4	31·3	26·5	26·5	30·9
Londonderry ...	27·8	27·8	21·5	20·2	24·3
Limerick ...	23·0	19·0	21·7	20·3	21·0
Waterford ...	13·3	34·2	39·9	22·8	27·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 208 deaths from all causes for Belfast are one from enteric fever, 5 from measles, 3 from scarlet fever, 3 from whooping-cough, one from diphtheria, and 3 from diarrhoeal diseases. Two of the 7 deaths from all causes for Portadown were caused by measles, and one death from whooping-cough is included in the 5 deaths from all causes for Larne.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—100 boys and 106 girls—and the deaths to 272—130 males and 142 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 33·4 per 1,000 of the population. During the nine weeks, ending with Saturday last, the death-rate averaged 31·2, and was 6·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 272, represent an annual rate of 34·7 per 1,000; the annual rate for the past nine weeks was 32·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·9 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from measles and scarlet fever, 6 deaths from whooping-cough, one from diphtheria, 18 from influenza, 10 deaths from diarrhoea and enteritis of children under 2 years of age, and 2 from cerebro-spinal fever. Deaths from measles in the three preceding weeks numbered 0, 0, and 0; deaths from scarlet fever were one, one, and 0; deaths from whooping-cough were 10, 6, and 11; deaths from diphtheria were 3, 3, and one; deaths from influenza were 10, 8, and 13; deaths of children under 2 years of age from diarrhoea and enteritis were 8, 4, and 2; and deaths from cerebro-spinal fever were 0, 0, and 0.

There were registered 35\* deaths from tuberculous disease, comprising 32 deaths from pulmonary tuberculosis, 2 from abdominal tuberculosis, and one from tuberculous caries. In the three weeks preceding, deaths from all forms of the disease amounted to 32, 24, and 39, respectively.

Cancer caused 11\* deaths.

Twelve deaths were caused by broncho-pneumonia, one by lobar pneumonia, and 12\* by pneumonia (type not distinguished.)

Of deaths of infants under one year old, 3 were ascribed to convulsions, 4 to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 23 deaths, and bronchitis, 57.

There were 5 accidental deaths, including 2 (children under 5 years of age) caused by burns, one by drowning, and one death caused by a railway train.

One death (that of a soldier) was caused by wounding.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the deaths of 2 persons aged 71 and 75 years, respectively.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 8 were under one month old), and 95 were aged 65 years and upwards, including 61 persons aged 70 and upwards; among the latter were 39 aged 75 and upwards, of whom 4 (females) were stated to have been aged 90, 90, 94, and 98 years, respectively.

One hundred and twenty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 26 took place in the North Dublin Union Workhouse, and 43 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 33·4 per 1,000; the rate in the City was 35·5 (North City Districts, 36·7; South, 34·1), and in the Suburbs, 26·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 2·3 (in the North City Districts 2·2, and in the South 2·5), and for the Suburbs 2·7 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (22) are equal to an annual rate of 37·6 per 1,000. Among them are one death each from measles, whooping-cough, and influenza, 2 from pneumonia, 4 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

*No. 1 North City District, West* (Summer-hill).—The deaths (27) are equal to an annual rate of 33·8 per 1,000, and include one from influenza, 3 from pulmonary tuberculosis, 3 from pneumonia, 6 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (34) are equivalent to an annual rate of 63·6 per 1,000. Four deaths were caused by influenza, 4 by pulmonary tuberculosis, 4 by pneumonia, and 10 by bronchitis.

*No. 3 North City District* (Benburb-street).—The deaths (20) represent an annual rate of 29·1 per 1,000. One death from whooping-cough, 2 from influenza, 4 from tuberculous disease, 2 from pneumonia, 2 from bronchitis, and one accidental death were recorded.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 41·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. The 11 deaths from all causes for Coolock and Drumcondra, part of, include one from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from pulmonary tuberculosis, one from bronchitis, and one was an accidental death.

*No. 1 South City District* (South Earl-street).—The deaths (27) represent an annual rate of 34·2 per 1,000. There were 4 deaths from pulmonary tuberculosis, one from pneumonia, 6 from bronchitis, and 2 deaths from diarrhoea and enteritis of children under 2 years of age.

*No. 2 South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Among them are one from pulmonary tuberculosis, one from broncho-pneumonia, and 4 from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 29·6 per 1,000. Three deaths were caused by whooping-cough, 4 by tuberculous disease, one by broncho-pneumonia, and 6 by bronchitis.

*No. 4 South City District* (Grand Canal Street).—The deaths (32) are equivalent to an annual rate of 50·3 per 1,000, and include one death from diphtheria, 2 from influenza, 4 from pulmonary tuberculosis, 6 from pneumonia, 8 from bronchitis, and one accidental death.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21·0 per 1,000. One death was caused by influenza, and one death of a child under 2 years of age by diarrhoea and enteritis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 31·6; Pembroke, 30·7; Blackrock, 5·6; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 deaths of children under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar; and one death from scarlet fever, one from whooping-cough, and one death from diarrhoea and enteritis of a child under 2 years of age for Pembroke. Of the 24 deaths from all causes for Rathmines and Rathgar, 3 were from influenza, 3 from pulmonary tuberculosis, 2 from pneumonia, and 5 from bronchitis. The 18 deaths from all causes for Pembroke include 2 from influenza, and 4 from pulmonary tuberculosis; and among the 6 deaths from all causes for Kingstown are 2 from influenza.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 20·6), was equal to an average annual death-rate of 20·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 23·2 per 1,000, the rate for Glasgow being 21·8, and for Edinburgh 22·8.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th March. From this Report it appears that of a total of 68 cases notified, 20 were pulmonary tuberculosis, 4 other forms of tuberculosis, 18 scarlet fever, 12 diphtheria, 10 erysipelas, and 4 cerebro-spinal fever. Among the 534 cases of infectious diseases in hospital at the close of the week were 173 of pulmonary tuberculosis, 161 of scarlet fever, 110 of diphtheria, 33 of whooping-cough, 11 of cerebro-spinal fever, 9 of erysipelas, 6 of measles, and 2 of enteric fever.

\* See note (c) at foot of Table II.

† See note (i) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th March, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Feb. 13,	.	—	—	15	.	.	3	.	.	5	4	1	—	—	.	—	.	27	55
	Feb. 20,	.	—	—	8	4	.	5	.	.	4	3	.	—	—	1	—	.	31	56
	Feb. 27,	.	—	—	5	1	.	6	.	1	2	7	.	—	—	1	—	.	30	53
	Mar. 6,	.	—	—	24	.	.	5	.	.	5	3	.	—	—	2	—	.	36	75
Rathmines and Rathgar Urban District.	Feb. 13,	.	—	—	.	.	.	1	.	.	1	2	.	—	—	—	—	—	—	4
	Feb. 20,	.	—	—	2	.	.	2	.	.	5	.	.	—	—	—	—	—	—	9
	Feb. 27,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 6,	.	—	—	4	.	.	3	.	.	2	.	.	—	—	—	—	—	—	9
Pembroke Urban District.	Feb. 13,	.	.	.	1	.	.	.	.	.	.	.	.	—	.	—	—	—	3	1
	Feb. 20,	.	.	.	1	.	.	2	.	.	.	.	.	—	.	—	—	—	6	6
	Feb. 27,	.	22	.	.	.	.	.	.	.	1	.	.	—	.	—	—	—	1	24
	Mar. 6,	.	1	.	1	.	.	.	.	.	.	.	.	—	11	—	—	—	1	14
Blackrock Urban District.	Feb. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 20,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Feb. 27,	.	.	—	.	.	.	4	.	.	.	.	.	—	—	—	—	—	.	4
	Mar. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Feb. 20,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Feb. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	1	.
	Mar. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Feb. 13,	.	—	—	40	.	.	6	.	.	.	5	.	—	—	.	—	.	4	55
	Feb. 20,	.	—	—	27	.	.	5	.	.	.	6	.	—	—	.	—	.	6	44
	Feb. 27,	.	—	—	20	.	.	5	.	.	.	4	.	—	—	1	—	.	4	34
	Mar. 6,	.	—	—	20	.	.	4	.	.	.	3	.	—	—	.	—	.	6	33
City of Cork.	Feb. 13,	.	.	—	4	.	.	.	1	.	1	1	.	—	—	—	—	—	—	7a
	Feb. 20,	.	.	—	2	.	.	.	.	.	2	2	.	—	—	—	—	—	6	6
	Feb. 27,	.	4	—	5	.	.	.	.	1	.	.	.	—	—	—	—	—	—	10
	Mar. 6,	.	1	—	3	.	.	.	.	.	.	3	.	—	—	—	—	—	—	7
City of Londonderry.	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 20,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 27,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
City of Limerick.	Feb. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Feb. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 6,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	.	—	—	—	1
City of Waterford.	Feb. 13,	.	—	—	13	.	.	.	.	.	.	2	.	—	—	—	—	—	4	19
	Feb. 20,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	1	5
	Feb. 27,	.	—	—	20	.	.	.	.	.	.	1	.	—	—	—	—	—	4	25
	Mar. 6,	.	—	—	10	1	.	.	.	.	.	.	.	—	—	—	—	—	.	11

(a) Not including 3 cases of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th March, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 41 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 36, 39, and 37.

Four cases of typhus were discharged from hospital during the week, and 6 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 7, 12, and 10 respectively.

Three cases of measles were admitted to hospital during the week, 2 were discharged, there was one death, and 25 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 10, 9, and 25 respectively.

Twenty-two cases of scarlet fever were admitted to hospital, 19 were discharged, and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 67, and 74, respectively.

Nine cases of diphtheria were admitted to hospital during the week, and 12 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 36, 28, and 29 respectively, were 26 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 9 were discharged, and 21 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th March, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 6TH MARCH, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.		BIRTHS.											DEATHS.												
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by										
																		Tuber- culosis.	Diseases of the Respir- atory System		Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.5	27.4	1.6	663	636	111	197	1	...	...	8	1	10	2	...	65	17	22	71	117	11	2	7	13	190	26
DUBLIN REG- ISTRATION AREA:—																												
TOTAL.(c) ...	409,000	29.8	26.3	33.4	2.4	206	262	38	93	...	...	...	1	1	6	1	...	31	2	9	23	58	10	...	4	4	112	9
CITY OF DUBLIN.	312,747	39.5	29.7	35.5	2.3	178	213	33	72	...	...	...	1	...	5	1	...	24	2	8	21	53	7	...	4	4	97	5
Urban Districts.																												
RATHMINES and RATHGAR.	39,541	23.1	14.5	31.6	2.6	11	24	2	11	...	...	...	...	...	...	...	...	3	...	1	2	5	2	...	...	...	6	3
PEMBROKE, ...	36,538	19.4	8.5	30.7	5.1	5	18	3	6	...	...	...	...	1	1	...	...	4	...	...	...	...	1	...	...	...	8	1
BLACKROCK, ...	9,233	8.5	5.6	5.6	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	33.9	18.5	.	11	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
Urban Districts																												
BELFAST ..	403,000	27.0	31.2	26.9	2.1	241	208	54	42	1	...	...	5	3	3	1	...	18	10	6	31	34	1	2	3	6	46	3
CORK, ..	76,673	28.6	32.0	26.5	.	47	39	3	18	...	...	...	...	...	...	...	...	6	...	1	4	7	...	...	...	...	14	2
LONDON- DERRY	41,200	16.0	31.6	10.2	.	25	16	3	6	...	...	...	...	...	...	...	...	2	1	1	3	5	...	...	...	...	...	2
LIMERICK, ...	38,518	16.1	19.0	20.3	.	14	15	...	1	...	...	...	...	...	...	...	...	1	3	1	...	1	...	...	...	1	4	1
WATERFORD, ...	27,464	19.1	22.8	22.8	.	12	12	...	6	...	...	...	...	...	...	...	...	1	...	...	1	3	...	...	...	...	2	1
GALWAY, ...	13,256	2.5				8	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DUNDALK, ...	13,128	9.5				8	7	2	2	...	...	...	...	...	...	...	...	...	...	1	4	...	...	...	...	...	2	1
LURGAN, ...	12,553	14.7				7	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
DROGHEDA, ...	12,501	8.4				9	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10.9				9	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
NEWRY, ...	11,963	17.0				5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15.3				7	7	1	3	...	...	...	2	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				5	8	1	3	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	1
BALLYMENA ..	11,381	9.3				2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...
SLIGO, ...	11,163	3.8				8	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4				4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
TRALEE, ...	10,300	17.4				3	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...
CLONMEL, ...	10,209	7.8				7	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
NEWTOWNARDS	9,587	20.1				6	8	2	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	2	1
QUEENSTOWN, ...	8,209	14.7				1	4	1	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	...
LARNE, ...	8,036	13.4				12	5	...	1	...	...	...	...	...	1	...	...	1	...	...	2	...	...	...	...	...	2	...
COLERAINE. ...	7,785	7.7				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5				4	5	1	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1
BRAY, ...	7,691	7.2				3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8				3	7	1	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	2

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (2) at foot of first page. (c) Exclusive of 10 deaths of persons (including 2 under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. The 10 deaths include 2 from each of tuberculous disease, cancer and pneumonia.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 6th of March, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
	CITY OF DUBLIN.																			
	REGISTRATION DISTRICTS IN																			
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.											
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMROKE.	BLACKROCK.	KINGSTOWN.				
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Whooping-cough,	1	.	.	1	.	.	.	.	.	3	.	.	.	1	.	.	.	6	.	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
Croup,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
Influenza,	1	1	4	2	.	.	.	.	.	.	2	1	3	2	.	2	.	18	.	
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	.	3	4	3	.	1	1	4	1	3	4	.	3	4	.	.	.	31	1	
{ Other Forms,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1	
Cancer,	1	.	2	1	.	1	.	1	.	1	.	1	1	.	.	.	9	2	.	
Diseases of Nervous System,	4	2	5	1	.	.	.	5	.	.	1	.	1	2	.	1	.	22	1	
"    Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
"    Circulatory System,	2	1	1	2	.	.	.	1	.	7	5	.	3	2	1	2	.	27	.	
"    Respiratory { Pneumonia,	2	3	4	2	.	1	.	1	1	1	6	.	2	.	.	.	.	23	2	
System. { Others,	4	6	11	2	.	4	1	7	4	6	8	.	5	.	.	.	.	58	1	
"    Digestive { Diarrhoea and Enteritis, under 2 years,	1	2	.	.	.	1	.	2	.	.	.	1	2	1	.	.	.	10	.	
System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others,	.	3	1	1	.	.	.	2	.	1	.	.	.	1	.	.	.	9	.	
"    Genito-urinary System,	1	2	.	1	.	.	.	1	1	1	2	.	1	.	.	.	.	10	.	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
"    Locomotor System,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
Other specified Causes,	4	3	2	2	.	2	.	3	1	1	1	.	2	4	.	1	.	26	1	
Violent Deaths,	.	1	.	1	.	.	1	.	.	.	1	.	.	.	.	.	.	4	1	
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	
Deaths from All Causes	22	27	34	20	.	11	3	27	8	25	32	4	24	18	1	6	.	262	10	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	37·6	33·8	63·6	29·1	.	41·5	14·4	34·2	22·7	29·6	50·3	21·0	21·6	30·7	5·6	18·5	.	33·4	.	
	36·7					34·1					26·5					35·5				
Ages at Death. { Under 1 year,	4	4	4	2	.	3	.	8	.	3	3	2	2	3	.	.	.	38	2	
1 and under 2 years,	1	1	2	2	.	2	.	1	2	2	2	.	1	.	.	.	.	15	.	
2 " 5 "	.	2	.	2	.	.	.	1	.	1	.	.	.	1	.	.	.	7	.	
5 " 15 "	2	.	.	.	.	.	.	1	.	1	2	.	.	.	.	.	.	7	.	
15 " 25 "	.	1	.	2	.	.	.	2	.	1	1	.	.	.	.	.	.	7	1	
25 " 45 "	1	4	7	.	1	1	1	3	1	6	4	1	3	2	.	2	.	36	4	
45 " 65 "	5	6	8	5	.	2	.	5	2	5	8	.	7	5	.	1	.	59	1	
65 and upwards,	9	9	13	7	.	3	2	7	3	7	11	1	11	6	1	3	.	93	2	
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	1	2	2	.	3	1	.	.	.	9	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,	3	5	8	5	.	2	1	2	.	3	5	2	3	5	.	1	.	45	8	
Workhouse Hospitals.	1	5	13	5	.	.	.	12	2	12	11	.	3	3	.	.	.	67	2	





NINTH WEEK, ending Saturday, 6th March, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 9th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 6th March, 1915.																																			
	Mar. 4, 1905.	Mar. 3, 1906.	Mar. 2, 1907.	Feb. 29, 1908.	Mar. 6, 1909.	Mar. 5, 1910.	Mar. 4, 1911.	Mar. 2, 1912.	Mar. 1, 1913.	Feb. 28, 1914.		All Ages.	Deaths of Persons of the Ages of																																		
													0-5.																																		
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																									
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Diseases of Stomach, ...	—	—	—	—	—	—	4	1	1	2	—	4	1	8	1	.	.	.	.	.	.	.	.	.																							
Diarrhoea and Enteritis of Children under 2 years.	4	1	3	6	3	6	4	4	6	2	4.0	10	1	8	1	.	.	.	.	.	.	.	.	.																							
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																									1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	6	.	—	4	.	.	.	.	.	.	.	2	2	.	.	.																							
Cirrhosis of Liver, ...	.	1	1	.	2	3	1	1	1	.	1.0	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Diseases of Liver, ...	1	1	2	.	1	2	.	.	1	1	.9	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Peritonitis (cause unknown),	1	.	2	.	.	3	.	.	.	1	.7	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Diseases of Digestive System.	3	4	5	3	6	3	.	.	2	1	2.7	1	.	1	.	.	.	.	.	.	.	.	.	.																							
Acute Nephritis, ...	3	5	6	8	4	6	4	1	2	7	5.6	8	1	.	.	.	.	.	.	.	.	.	.	.																							
Chronic Bright's Disease, ...																									4	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.																							
Puerperal Septicæmia, &c., ...	1	.	.	.	.	1	.	1	1	1	.5	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Causes incident to Pregnancy and Childbirth.	2	.	1	1	.	.	.	.	1	.	.5	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	1	1	—	1	.	.	.	.	.	.	.	1	.	.	.	.																							
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	1	2	2	—	1	.	.	.	.	.	.	.	1	.	.	.	.																							
Premature Birth, ...	5	.	5	6	1	3	1	6	6	6	3.9	4	4	.	.	.	.	.	.	.	.	.	.	.																							
Congenital Debility, ...	—	—	—	—	—	—	6	2	2	4	—	6	1	5	.	.	.	.	.	.	.	.	.	.																							
Old Age, ...	2	5	3	3	4	5	5	3	9	8	4.7	9	.	.	.	.	.	.	.	.	1	8	.	.																							
Other Specified Diseases, ...	—	—	—	—	—	—	1	4	1	3	—	1	.	.	.	.	.	.	.	1	.	.	.	.																							
ACCIDENT :																																															
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Burns and Scalds, ...	3	3	2	.	.	1	.	1	.	.	1.0	2	.	.	.	2	.	.	.	.	.	.	.	.																							
Drowning, ...	1	3	.	.	.	.	.	.	.	.	.4	1	.	.	.	.	1	.	.	.	.	.	.	.																							
Suffocation in Bed, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Deaths by Accident, ...	1	2	1	1	3	3	1	3	2	4	2.1	2	.	.	.	.	.	.	2	.	.	.	.	.																							
Total Deaths from Accident,	5	8	3	2	3	4	2	4	2	4	3.7	5	.	.	.	2	1	2	.	.	.	.	.	.																							
Included in above are Deaths in connection with—																																															
Railways, ...	.	1	.	1	.	.	.	.	.	.	.2	1	.	.	.	.	.	.	1	.	.	.	.	.																							
Vehicles and Horses, ...	1	.	.	.	.	.	.	.	.	2	.3	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
VIOLENCE OTHER THAN ACCIDENTAL:																																															
Homicide, ...	.	1	.	.	.	1	.	1	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Suicide, ...	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	5	3	6	—	1	.	.	.	.	.	.	1	.	.	.	.	.																							

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1914-5.—WEEK ENDING																									
	Sept. 12.	Sept. 19.	Sept. 26.	Oct. 8.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.
No. of weeks in Annual Series,	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9
BIRTHS registered.	213	184	193	199	223	185	205	173	222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	225	231	206
Average Births in corresponding week of previous 10 years, ...	200	222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	221	209	203	228
DEATHS registered, ...	139	161	154	154	141	144	134	118	153	155	155	152	204	190	203	134	283	297	241	233	249	254	236	256	287	272
Annual Death-rate per 1,000, ...	17.9	20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	38.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	26.6	31.7
Average Deaths in corresponding week of previous 10 years, ...	158	162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202
Ages, { Under 5 years, 5-15    " 15-25   " 25-45   " 45-65   " 65-75   " 75 and upwards, ...	48	52	47	39	30	47	36	29	35	34	26	28	38	57	51	35	87	100	74	60	52	84	63	69	66	62
	8	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8	12	7	3	6	11	4	9	11	9	7
	5	6	7	1	6	7	4	1	8	7	6	6	8	9	7	7	10	15	11	11	8	8	9	7	17	8
	24	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	23	38	31	31	35	31	28	39	40	40
	28	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66	56	61	61	80	60
	16	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56
Deaths from:—	15	14	14	17	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22	24	36	32	33	35	26	39
Enteric Fever, ...	3	3	1	1	2	3	2	2	3	2	2	1	5	1	1	2	2	2	1	1	1	1	1	1	1	1
Typhus, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Scarlet Fever, ...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Whooping-cough, ...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Influenza, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...	13	18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22	22	25	19	29	32
{ Other Forms, ...	8	9	7	9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10	5	8	13	7	5	10	3
Cancer, ...	6	15	13	15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11	9	4	8	12	10	11
Diseases of Circulatory System, ...	17	19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27
Diseases of Respi- ( Pneumonia, ...	5	4	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	34	22	25	32	23	29	28	25
atory System, { Others, ...	7	9	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56	61	55	43	69	59
Diarrhoea and Enteritis, under 2 years, ...	17	25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6	8	8	4	2	10
Diarrhoea, 2 years and upwards, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Violent Deaths, ...	4	6	4	2	7	1	1	3	5	3	7	7	1	5	9	3	2	1	4	4	8	4	4	11	5	5
Number of Uncertified Deaths, ...	2	5	2	8	...	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.
North City, No. 1 (E.) (Office Clarence St. Nth.) Population in 1915 (Est.) 30,504.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	34.2 44.4 42.7 32.5 30.8 37.6	. 5.1 3.4 3.4 . 5.1	20 26 25 19 18 22	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . 1	. . . . . .	. . 1 . . . .	. . . . . .	1 4 1 1 1 .	2 . 1 1 1 .	. . 1 1 1 1	3 2 5 3 1 2	4 6 5 3 3 4	. 3 2 2 . 1	. . . . . .	. 1 1 2 2 1 .	. . 1 2 2 .
North City, No. 1 (W.) (Office, Summer-hill.) Population in 1915 (Est.) 41,685.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	37.5 28.8 38.8 35.0 38.8 33.8	2.5 2.5 1.3 1.3 . 2.5	30 23 31 28 31 27	. . . . . .	. 1 . . . . .	1 . . . . .	. . . . . .	. 1 . . . . .	. . . . . .	. . . . . .	. . . . . .	1 3 4 3 8 3	. 2 . . 1 .	1 . 1 1 1 .	2 4 4 3 5 3	6 6 7 1 3 6	1 . 1 1 2 . .	. . . . . .	. . 2 2 1 1	2 . 2 1 1 .
North City, No. 2. (Office, Lislurn-street.) Population in 1915 (Est.) 27,883.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	41.1 20.6 18.7 39.3 52.4 63.6	1.9 . . . 1.9 .	22 11 10 21 28 34	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	3 . . . 3 4	2 2 1 2 . .	. . . 1 1 2	1 3 3 5 1 4	6 6 3 1 10 11	1 . . . . .	. . . . . .	. . . . . .	1 . . . . 1
North City, No. 3. (Office, Benburb-street.) Population in 1915 (Est.) 35,887.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	26.2 33.4 17.4 21.8 33.4 29.1	. 1.5 1.5 1.5 2.9 1.5	18 23 12 15 23 20	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 1	. . 1 . . .	. . . . . .	. . . . . .	1 4 2 . 1 3	1 3 . . . 1	. . 1 . . 1	2 4 1 5 1 2	4 1 2 5 7 2	. 1 . . . .	. . . . . .	. 1 . 1 2 2 1	1 1 . 1 2 1
Clontarf and Howth No. 1 (part of). Population in 1915 (Est.) 5,539.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	18.8 9.4 28.2 18.8 9.4 .	. . . . . .	2 1 3 2 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. 1 . . . . .	1 1 . 3 4 .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .
Coolock and Drumcondra (part of). Population in 1915 (Est.) 13,820.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	11.3 18.9 11.3 15.1 30.2 41.5	. . . . . 3.8	3 5 3 4 8 11	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . 1	. 1 . . 1 1	. . . 1 1 1	. 1 . 1 1 1	1 1 . 3 4 .	. . . . . 1	. . . . . .	. . . . . .	1 . . . . .
Finglas and Glasnevin (part of). Population in 1915 (Est.) 10,829.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	19.3 9.6 14.4 33.7 28.9 14.4	. . . . . .	4 2 3 7 6 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 1	. . . . . .	. . . 4 1 .	. 2 . 1 1 .	1 1 1 1 1 .	. . 1 1 1 .	. . . 1 1 .	. . . 1 1 .	1 . . . 1 .
South City, No. 1. (Office, Sth. Earl-street.) Population in 1915 (Est.) 41,170.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	43.1 20.3 43.3 35.5 36.7 34.2	3.8 2.5 11.4 6.3 3.8 2.5	34 16 35 28 29 27	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 . 4 3 3 .	. . . 2 . .	. . . . 2 .	3 2 2 2 4	2 2 1 2 1	1 . . 1 1	3 2 1 3 1	10 5 12 3 8 7	1 . 5 . . 2 .	. . . . . .	. . 1 2 2 .	. 1 1 2 .
South City, No. 2. (Office, Castle-street.) Population in 1915 (Est.) 18,341.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	62.5 42.6 25.6 39.8 42.6 22.7	5.7 5.7 2.8 2.8 8.5 .	22 15 9 14 15 8	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 1 .	1 1 1 .	. 1 . . .	. . . . . .	5 1 1 2 3 1	. 1 1 . 1 .	1 . . 3 1 .	2 . . 2 1 1	4 3 3 2 1 4	1 . . 1 1 .	. . . 1 .	. . . 1 .	1 . . 1 .
South City, No. 3. (Office, Peter-street.) Population in 1915 (Est.) 43,970.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	36.8 49.8 30.8 36.8 40.3 29.6	2.4 4.7 4.7 2.4 4.7 3.6	31 42 26 31 34 25	1 . . . 1 .	. . . . . .	. . . . . .	. . . . 1 .	1 3 4 1 2 3	. . . . . .	. . . . . .	. . . . . .	3 4 1 5 5 3	. 4 1 1 4 1	2 1 1 1 1 1	3 5 2 1 4 1	6 11 5 5 10 6	. 1 . . 1 .	. . . . . .	. . . 1 .	. 1 1 1 .
South City, No. 4. (Office, Grand Canal-st.) Population in 1915 (Est.) 33,171.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	20.4 26.7 22.0 40.9 44.0 50.3	1.6 1.6 1.6 3.1 3.1 1.6	13 17 14 26 28 32	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 1 .	. . . . . .	. . . . . 1	. . . . . .	. . 2 1 . 4	. . 1 1 1 .	. 1 3 .	4 3 2 3 6 8	1 7 3 5 6 8	. 1 1 . 1 .	. . . . 1 .	. 1 1 .	. 1 1 1 2
New Kilmainham. Population in 1915 (Est.) 9,948.	Jan. 30 Feb. 6 " 13 " 20 " 27 March, 6	15.7 21.0 15.7 21.0 15.7 21.0	. . 5.2 . . 5.2	3 4 3 4 3 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	1 1 1 . . .	. . . . . 1	. . . . . .	. . . 2 .	. . 2 2 1	. . . . 1 .	. . . . . .	. . . . . .	. . . 1 .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Hæmorrhage, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Jan. 30	17.1	1.3	13	.	.	.	.	.	.	.	.	.	.	1	1	5	1	.	.	.	1
	Feb. 6	30.3	1.3	23	.	.	.	.	.	.	.	.	2	.	.	1	8	.	.	.	2	
	" 13	19.8	1.3	15	1	.	.	.	.	.	.	.	2	.	.	1	5	.	.	.	2	
	" 20	22.4	.	17	.	.	.	.	.	.	.	.	2	.	2	3	2	.	.	.	.	
	" 27	18.5	.	14	.	.	.	.	.	.	.	.	1	.	1	1	4	.	.	.	3	
March, 6	31.6	2.6	24	.	.	.	.	.	.	.	.	3	.	1	2	5	2	.	.	.	.	
Pembroke Urban District. Population in 1915 (Est.) 30,538	Jan. 30	20.5	1.7	12	.	.	.	.	1	.	.	.	1	.	.	1	1	.	.	.	.	.
	Feb. 6	27.3	.	16	.	.	.	.	.	.	.	.	.	.	1	4	4	.	.	.	2	
	" 13	27.3	1.7	16	.	.	.	.	.	.	.	.	3	.	1	3	1	1	.	.	1	
	" 20	30.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	.	1	
	" 27	35.9	.	21	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	1	
March, 6	30.7	5.1	18	.	.	.	.	1	1	.	.	4	.	.	.	.	1	.	.	.	1	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Jan. 30	11.3	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	1	
	Feb. 6	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
	" 13	28.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	
	" 20	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 27	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
March, 6	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Kingstown Urban District. Population in 1911 16,941.	Jan. 30	15.4	.	5	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.
	Feb. 6	33.9	.	11	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	2	
	" 13	30.8	.	10	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3	
	" 20	36.9	.	12	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	3	
	" 27	27.7	.	9	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	1	
March, 6	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Belfast. Population in 1915 (Est.) 403,000.	Jan. 30	20.4	1.4	158	.	.	.	2	3	3	.	.	17	7	9	15	30	3	.	.	2	
	Feb. 6	25.2	2.1	195	.	.	.	4	4	4	.	.	24	8	6	15	30	3	1	.	3	
	" 13	24.6	1.2	190	.	.	.	3	3	1	.	.	19	9	6	23	43	2	.	2	3	
	" 20	23.3	1.6	180	.	.	.	5	.	3	.	.	13	5	5	38	28	4	.	4	3	
	" 27	22.8	1.6	176	.	.	.	4	.	6	1	.	15	12	6	21	31	1	.	3	4	
March, 6	26.9	2.1	208	1	.	.	5	3	3	1	.	18	10	6	31	34	1	2	3	3		
Cork. Population in 1911 76,673.	Jan. 30	26.5	2.0	39	.	.	.	.	.	1	2	.	10	1	1	3	7	.	.	.	2	
	Feb. 6	27.9	0.7	41	.	.	.	.	.	.	1	.	2	2	1	2	9	.	.	.	1	
	" 13	39.4	2.7	58	.	.	.	.	.	.	.	.	3	5	2	3	4	1	.	2	6	
	" 20	31.3	2.7	46	.	.	.	.	.	3	.	.	8	1	3	.	9	1	.	.	4	
	" 27	26.5	1.4	39	.	.	.	.	.	1	1	.	3	2	5	3	3	.	.	.	6	
March, 6	23.5	.	39	.	.	.	.	.	.	.	.	6	.	1	4	7	.	.	.	2		
Londonderry. Population in 1915 (Est.) 41,200.	Jan. 30	21.5	1.3	17	.	1	.	.	.	.	.	.	.	3	.	2	5	.	.	.	.	
	Feb. 6	29.1	3.8	23	.	3	.	.	.	.	.	.	2	.	2	1	5	.	.	1	.	
	" 13	27.8	2.5	22	.	.	.	1	.	.	1	.	2	.	.	6	3	.	.	.	1	
	" 20	27.8	.	22	.	.	.	.	.	.	.	.	1	2	.	1	5	.	.	.	.	
	" 27	21.5	1.3	17	.	.	.	.	.	.	1	.	4	.	1	1	6	.	.	1	.	
March, 6	20.2	.	16	.	.	.	.	.	.	.	.	2	1	1	3	5	.	.	.	2		
Limerick. Population in 1911 38,518.	Jan. 30	20.3	.	15	.	.	.	.	.	.	.	.	4	.	.	.	6	.	.	.	2	
	Feb. 6	23.0	1.4	17	1	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	1	
	" 13	23.0	.	17	.	.	.	.	.	.	.	.	6	2	.	1	3	.	.	.	.	
	" 20	19.0	.	14	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1	
	" 27	21.7	.	16	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.	4	
March, 6	20.3	.	15	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	.	1		
Waterford. Population in 1911 27,464.	Jan. 30	32.3	1.9	17	.	.	.	.	.	.	.	.	1	.	2	1	2	.	1	.	.	
	Feb. 6	15.2	1.9	8	.	.	.	.	1	.	.	.	1	.	1	.	1	1	1	.	1	
	" 13	13.3	3.8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
	" 20	34.2	3.8	18	.	.	.	.	2	.	.	.	3	1	1	.	2	.	.	.	.	
	" 27	39.9	1.9	21	.	.	.	.	.	.	.	.	2	2	2	1	4	1	.	2	3	
March, 6	22.8	.	12	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	1		

\* See note (†) at foot of first page.







TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending		BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
							Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Mar. 6,	2,263	1,781	20·6	3	.	113	7	27	16	16	
EDINBURGH, ---	328,700	" 6,	141	144	22·8	.	.	.	.	8	5	2	
GLASGOW, ---	1,078,400	" 6,	586	450	21·8	2	.	10	4	47	6	2	
CALCUTTA, ---	896,067	Jan. 16,	.	605	35·1	74*	90	.	.	.	.	77†a	
BOMBAY, ---	979,445	" 23,	391	400	21·2	42*	3	1	.	.	.	40a	
MADRAS, ---	518,660	" 16,	292	388	38·9	46*	.	.	?	?	?	80†a	
CAIRO, {	Egyptians, ...	Dec. 23,	609	348	27·6	1	.	.	1	?	12†	20	
	Foreigners, ...	" 23,	13	16	11·7	1	.	.	.	?	1†	.	
ALEXAN- DRIA, {	Egyptians, ...	" 23,	379	135	20·8	.	2	.	.	?	.	15	
	Foreigners, ...	" 23,	32	17	11·7	.	2	.	.	?	.	.	
PARIS, ---	2,847,229	Jan. 23,	844	901	16·2	3	.	10	.	1	.	14	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	602,623 {	Oct. 10,	285	108	9·3	.	.	.	.	.	.	2	
		" 17,	274	133	11·5	4	.	2	.	.	.	5	
COPENHAGEN, ---	492,000	Feb. 6,	225	144	15·3	.	.	.	.	.	1	3	
STOCKHOLM, ---	382,085	" 6,	107	100	13·6	.	.	.	1	1	.	2	
CHRISTIANIA, ---	251,446	" 13,	114	67	13·9	.	.	.	.	.	.	1	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000 {	Nov. 14,	.	673	20·7	9	1	5	5	1	11†	54†a	
		" 21,	.	661	20·3	13	.	9	11	7	10†	46a	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Jan. 9,	3,500	1,714	15·4	2	.	4	8	4	37	30	
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	Feb. 13,	.	253b	17·2	1	.	1	1	2	4	6a	

\* Deaths from "fever," including 3 deaths from enteric fever in Calcutta; 3 from plague and 2 from enteric fever in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, one in Madras, and one in Moscow.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 217 deaths (including 2 from diphtheria, and 3 from diarrhoeal diseases); rate, 14·8 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th March, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	5	.	.	.	.	.	.	1	.	2	.	3	11
"    "    1, West,	...	5	.	.	1	.	.	2	.	.	.	.	3	11
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	9	9
"    "    3,	...	2	.	.	1	.	.	1	.	.	.	.	4	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of),	...	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	...	2	.	.	1	.	.	.	.	.	.	.	2	5
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
"    "    3,	...	6	.	.	2	.	.	2	.	.	.	.	7	17
"    "    4,	...	2	.	.	.	.	.	.	1	.	.	.	4	7
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	3	3
Total,	...	24	.	.	5	.	.	5	3	.	2	.	36	75

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 6th March, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th March.			
	Feb. 13.	Feb. 20.	Feb. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	36	39	37	7	3	.	41
Typhus,	7	12	10	.	4	.	6
Small-pox,	.	.	.	.	.	.	.
Measles,	10	9	25	3	2	1	25
Scarlet Fever,	64	66	74	22	19	.	77*
Diphtheria,	36	28	29	9	12	.	26
Pneumonia,	22	24	21	9	9	.	21

\* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
**DUBLIN REGISTRATION AREA,**  
 CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
 AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;  
 AND IN  
**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
 E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
 WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
 H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
 or from the Agencies in the British Colonies and Dependencies,  
 the United States of America, the Continent of Europe and Abroad of  
 T. FISHER UNWIN, LONDON, W.C

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 13TH MARCH, 1915.

[No. 10.]

*General Register Office, Charlemont House,  
 Dublin, 15th March, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 25·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 20	Feb. 27	Mar. 6	Mar. 13	
<b>27 Town Districts, (a)</b>	<b>26·5</b>	<b>27·6</b>	<b>27·4</b>	<b>25·9</b>	<b>26·8</b>
Dublin Reg. Area ...	31·5	34·4	33·4	30·1	32·3
Dublin City ...	33·2	37·3	35·5	31·7	34·4
Belfast ...	23·3	22·8	26·9	25·2	24·5
Cork ...	31·3	26·5	26·5	25·8	27·5
Londonderry ...	27·8	21·5	20·2	15·2	21·2
Limerick ...	19·0	21·7	20·3	14·9	19·0
Waterford ...	34·2	39·9	22·8	9·5	26·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 195 deaths from all causes for Belfast are 6 from measles, 6 from whooping-cough, 4 (children under 2 years of age) from diarrhoea and enteritis, and 2 from cerebro-spinal fever. Of the 38 deaths from all causes for Cork, one was from enteric fever, one from whooping-cough, and one of a child under 2 years of age from diarrhoea and enteritis. One of the 6 deaths from all causes for Portadown was from measles, and one death from the same cause is included in the 3 deaths from all causes for Coleraine.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 220—107 boys and 113 girls—and the deaths to 249—125 males and 124 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 30·1 per 1,000 of the population. During the ten weeks, ending with Saturday last, the death-rate averaged 31·1, and was 6·5 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.



The total deaths registered, numbering 249, represent an annual rate of 31·7 per 1,000; the annual rate for the past ten weeks was 32·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Among the deaths registered are one from scarlet fever, 5 from whooping-cough, one from diphtheria, 8\* deaths of children under 2 years of age from diarrhoea and enteritis, 11 from influenza, and one from cerebro-spinal fever.

In the three preceding weeks deaths from scarlet fever were one, 0, and one; deaths from whooping-cough were 6, 11, and 6; deaths from diphtheria were 3, one, and one; deaths from diarrhoea and enteritis of children under 2 years of age were 4, 2, and 10; deaths from influenza were 8, 13, and 18; and deaths from cerebro-spinal fever were 0, 0, and 2.

Deaths from tuberculous disease, which in the three preceding weeks were 24, 39, and 35, respectively, numbered 36\* last week, the latter comprising 29 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, and 4 from other forms of the disease.

There were 7\* deaths from cancer.

Of 22\* deaths from pneumonia, 12 were from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 3 were ascribed to convulsions, one to congenital malformation, 6 to premature birth, and 5 to congenital debility.

Twelve deaths were caused by organic diseases of the heart, and 43 by bronchitis.

There were 8 accidental deaths, including 4 caused by burns or scalds (3 of the latter being deaths of children under 5 years of age), 2 by drowning, and 2 by vehicles.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 6 children under 5 years of age (including 5 infants under one year old), and the deaths of 3 persons aged 65 years and upwards.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (37 being infants under one year, of whom 10 were under one month old), and 74 were aged 65 years and upwards, including 60 persons aged 70 and upwards; among the latter were 39 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 years each.

One hundred and five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 24 took place in the North Dublin Union Workhouse, and 41 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 30·1 per 1,000; the rate in the City was 31·7 (North City Districts, 30·4; South, 33·1), and in the Suburbs, 24·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 0·9, and in the South 3·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (20) are equal to an annual rate of 34·2 per 1,000. There were 4 deaths from influenza, 3 from pulmonary tuberculosis, one from cerebro-spinal fever, and 2 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 27·5 per 1,000. Three deaths were from tuberculous disease, one from broncho-pneumonia, 7 from bronchitis, and one death was that of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (24) are equivalent to an annual rate of 41·9 per 1,000. Among them are 5 from tuberculous disease, one from broncho-pneumonia, and 7 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 30·5 per 1,000, and include one death each from scarlet fever and diphtheria, 5 from tuberculous disease, 2 from pneumonia, 2 from bronchitis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 14·4. Among the 3 deaths from all causes for Clontarf and Howth No. 1, part of, was one from pulmonary tuberculosis; the 4 deaths from all causes for Coolock and Drumcondra, part of, include 2 from pneumonia, and one from bronchitis; and the 3 deaths recorded for Finglas and Glasnevin, part of, comprise one from tuberculous meningitis, one from lobar pneumonia, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (21) represent an annual rate of 26·6 per 1,000. One death from whooping-cough, 5 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths were recorded.

No. 2 South City District (Castle-street).—The deaths (16) are equal to an annual rate of 45·5 per 1,000. There were 4 deaths from pulmonary tuberculosis, 3 from pneumonia, 3 from bronchitis, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (36) are equal to an annual rate of 42·7 per 1,000. Among them are 3 deaths from whooping-cough, 2 from influenza, 3 from pneumonia, 9 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000, and include one death from whooping-cough, 2 from influenza, 2 from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child of under 2 years of age.

New Kilmainham District.—The deaths (6) are equal to an annual rate of 31·4 per 1,000. Of the deaths 2 were from bronchitis, and one from diarrhoea and enteritis, the latter being that of a child under 2 years of age.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 25·1; Pembroke, 29·0; Blackrock, 22·6; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from diarrhoea and enteritis of children under 2 years of age for Rathmines and Rathgar; the 19 deaths from all causes for that district including one from influenza, 2 from pulmonary tuberculosis, 3 from bronchitis, and 2 accidental deaths; the 17 deaths from all causes for Pembroke include one from influenza, 3 from tuberculous disease, and 4 from broncho-pneumonia; and of the 4 deaths from all causes for Blackrock one is from influenza and one from bronchitis.

## ENGLAND AND SCOTLAND

The mortality last week in 96 large English towns (including London, in which the rate was 20·7), was equal to an average annual death-rate of 19·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·9 per 1,000, the rate for Glasgow being 19·9, and for Edinburgh 21·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th March. From this Report it appears that of a total of 91 cases notified, 12 were pulmonary tuberculosis, 40 were other forms of tuberculosis, 19 scarlet fever, 16 diphtheria, 3 erysipelas, and one cerebro-spinal fever. Among the 549 cases of infectious diseases in hospital at the close of the week were 176 of pulmonary tuberculosis, 172 of scarlet fever, 104 of diphtheria, 36 of whooping-cough, 19 of measles, 11 of cerebro-spinal fever, 8 of erysipelas, and 2 of enteric fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th March, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Feb. 20,	.	—	—	8	4	.	5	.	.	4	3	.	—	—	1	—	.	31	56
	Feb. 27,	.	—	—	5	1	.	6	.	1	2	7	.	—	—	1	—	.	30	53
	Mar. 6,	.	—	—	24	.	.	5	.	.	5	3	.	—	—	2	—	.	36	75
	Mar. 13,	.	—	—	8	.	.	3	.	.	.	3	1	—	—	.	—	.	35	50
Rathmines and Rathgar Urban District.	Feb. 20,	.	—	—	2	.	.	2	.	.	5	.	.	—	—	—	—	—	—	9
	Feb. 27,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 6,	.	—	—	4	.	.	3	.	.	2	.	.	—	—	—	—	—	—	9
	Mar. 13,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Feb. 20,	.	.	.	1	.	.	2	.	.	.	.	.	—	—	—	—	—	3	6
	Feb. 27,	.	22	.	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	24
	Mar. 6,	.	1	.	1	.	.	.	.	.	.	.	.	—	11	—	—	—	1	14
	Mar. 13,	.	5	.	1	.	.	.	.	.	.	.	.	—	2	—	—	—	.	8a
Blackrock Urban District.	Feb. 20,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Feb. 27,	.	.	—	.	.	.	4	.	.	.	.	.	—	—	—	—	—	.	4
	Mar. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Mar. 13,	.	.	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
Kingstown Urban District.	Feb. 20,	.	—	—	.	1	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Feb. 27,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	1	4
	Mar. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Feb. 20,	.	—	—	27	.	.	5	.	.	.	6	.	—	—	—	—	.	6	44
	Feb. 27,	.	—	—	20	.	.	5	.	.	.	4	.	—	—	1	—	.	4	34
	Mar. 6,	.	—	—	20	.	.	4	.	.	.	3	.	—	—	—	—	.	6	33
	Mar. 13,	.	—	—	33	.	.	1	.	.	.	.	.	—	—	6	—	.	.	40
City of Cork.	Feb. 20,	.	.	—	2	.	.	.	.	.	2	2	.	—	—	—	—	—	—	6
	Feb. 27,	.	4	—	5	.	.	.	.	1	.	.	.	—	—	—	—	—	—	10
	Mar. 6,	.	1	—	3	.	.	.	.	.	.	3	.	—	—	—	—	—	—	7
	Mar. 13,	.	1	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	7
City of Londonderry.	Feb. 20,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Feb. 27,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	Feb. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Feb. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 6,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	Mar. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
City of Waterford.	Feb. 20,	.	—	—	3	.	.	.	.	.	.	1	.	—	—	—	—	—	1	5
	Feb. 27,	.	—	—	20	.	.	.	.	.	.	1	.	—	—	—	—	—	4	25
	Mar. 6,	.	—	—	10	1	.	.	.	.	.	.	.	—	—	—	—	—	.	11
	Mar. 13,	.	—	—	23	.	.	.	.	.	.	.	.	—	—	—	—	—	2	25

(a) Not including one case of cerebro-spinal meningitis

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th March, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 9 were discharged, and 33 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 39, 37, and 41.

Six cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 preceding weeks the cases numbered 12, 10 and, 6 respectively.

Nine cases of measles were admitted to hospital during the week, and 34 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 25, and 25 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 15 were discharged, there was one death, and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases, in hospital were 66, 74, and 77, respectively.

Five cases of diphtheria were admitted to hospital during the week, and 6 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 29, and 26 respectively, were 25 at the close of last week.

In addition to the above-named diseases, 16 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 29 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th March, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 13TH MARCH, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																				
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	29.8	25.9	1.6	692	602	104	178	1	...	...	8	1	12	1	...	59	20	16	59	108	14	1	10	13	179	25
DUBLIN REG- ISTRATION AREA:—																												
TOTAL, (c.) ...	409,000	29.8	28.0	30.1	1.8	220	236	36	73	...	...	...	...	1	5	1	...	28	6	6	20	45	7	...	6	4	92	13
CITY OF DUBLIN,	312,747	39.5	30.5	31.7	2.0	183	190	31	52	...	...	...	...	1	5	1	...	24	5	4	16	41	5	...	4	3	79	11
Urban Districts.																												
RATHMINES and RATHGAR, ...	89,541	23.1	19.8	25.1	2.6	15	19	2	9	...	...	...	...	...	...	...	...	2	...	1	...	3	2	...	2	1	8	...
PEMBROKE, ...	30,538	19.4	22.2	29.0	.	13	17	2	8	...	...	...	...	...	...	...	...	2	1	...	4	...	...	...	...	...	5	2
BLACKROCK, ...	9,233	8.5	11.3	22.6	.	2	4	1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	21.5	18.5	.	7	6	...	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Urban Districts.																												
BELFAST ...	403,000	27.0	31.4	25.2	2.1	243	195(d)	44	46	...	...	...	6	...	6	...	...	13	8	6	29	31	4	...	...	6	41	4
CORK, ...	76,673	28.6	29.2	25.8	2.0	43	38	3	13	1	...	...	...	...	1	...	...	2	1	1	3	5	1	...	...	...	18	1
LONDON- DERRY, ...	41,200	16.0	35.4	15.2	1.3	28	12	3	4	...	...	...	...	...	...	...	...	1	...	1	2	2	1	...	...	...	3	1
LIMERICK, ...	38,518	16.1	25.7	14.9	.	19	11	1	1	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	1	1	4	1
WATERFORD, ...	27,464	19.1	20.9	9.5	.	11	5	1	2	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	...	...	...	...
GALWAY, ...	13,256	2.5				6	7	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	2	...
DUNDALK, ...	13,128	9.5				9	7	2	2	...	...	...	...	...	...	...	...	3	...	...	3	1	...	...	...	1	...	
LURGAN, ...	12,553	14.7				7	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	
DROGHEDA, ...	12,501	8.4				3	9	2	...	...	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	1	...	
LISBURN, ...	12,388	10.9				10	5	1	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	2	...	
NEWRY, ...	11,963	17.0				6	7	2	2	...	...	...	...	...	...	...	...	1	...	...	2	...	1	1	1	3	2	
PORTADOWN, ...	11,727	15.3				9	6	2	...	...	...	...	1	...	...	...	...	1	...	...	1	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				13	9	...	4	...	...	...	...	...	...	...	...	1	...	...	3	...	...	...	1	...	1	
BALLYMENA ...	11,381	9.3				20	10	...	8	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	...	
SLIGO, ...	11,163	3.8				5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	
KILKENNY, ...	10,514	11.4				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
TRALEE, ...	10,300	17.4				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				3	7	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1	
NEWTOWNARDS	9,587	20.1				6	6	...	3	...	...	...	...	...	...	...	...	1	...	1	1	1	...	1	...	2	...	
QUEENSTOWN,	8,209	14.7				4	8	2	3	...	...	...	...	...	...	...	...	...	2	...	1	3	...	...	...	...	...	
LARNE, ...	8,036	13.4				4	3	...	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7				7	3	1	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5				4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	
ARMAGH, ...	7,356	21.8				1	3	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (?) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and one at 80 years) admitted to hospital from localities outside the Area. The 13 deaths include 2 from tuberculous disease, one from cancer, 2 from pneumonia, and one of child under 2 years from diarrhoea and enteritis. (d) Including one death from cerebro-spinal fever in Dublin and 2 in Belfast.



TABLE III. —DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 13th of March, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																			Deaths in Institutions of Persons admitted from without the Registration Area.	
CITY OF DUBLIN.																				
NAMES OF DISEASES &c.	REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF									
	Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.														
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.	TOTAL FOR DUBLIN REGISTRATION AREA.			
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Whooping-cough,	.	.	.	.	.	.	.	1	.	3	1	.	.	.	.	.	5	.		
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	4	.	.	.	.	.	.	.	.	2	2	.	1	1	1	.	11	.		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	2	2	4	4	1	.	.	4	4	.	2	.	2	2	.	.	28	1		
Other Forms,	.	1	1	1	.	.	1	1	.	.	.	.	.	1	.	.	6	1		
Cancer,	1	.	.	1	.	.	.	.	.	1	1	.	1	.	.	1	6	1		
Diseases of Nervous System,	6	2	5	3	.	1	.	1	2	2	1	1	2	2	.	.	29	2		
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Circulatory System,	.	1	1	1	1	.	.	.	2	2	1	.	3	3	1	1	17	.		
Respiratory System, { Pneumonia,	.	1	1	2	.	2	1	2	3	3	1	.	.	4	.	.	20	2		
Others,	2	7	7	2	.	1	1	4	3	9	2	3	3	.	1	.	45	.		
Diarrhoea and Enteritis, under 2 years,	.	1	.	.	.	.	.	1	.	1	1	1	2	.	.	.	7	1		
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Others,	.	.	1	.	.	.	.	1	.	1	.	1	.	.	.	.	4	2		
Genito-urinary System,	1	2	1	.	.	.	.	3	.	3	.	.	.	1	1	.	12	.		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.		
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,	3	5	3	3	1	.	.	1	1	9	.	.	3	2	.	2	33	1		
Violent Deaths,	.	.	.	1	.	.	.	2	1	.	.	.	2	.	.	.	6	2		
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	2	4	.		
Deaths from All Causes	20	22	24	21	3	4	3	21	16	36	14	6	19	17	4	6	236	13		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	34.2	27.5	44.9	30.5	28.2	15.1	14.4	26.6	45.5	42.7	22.0	31.4	25.1	29.0	22.6	18.5	30.1	.		
	30.4						33.1						24.9							
	31.7																			
Ages at Death. { Under 1 year,	1	5	2	1	.	1	.	2	2	11	4	2	2	2	1	.	36	1		
1 and under 2 years,	1	.	.	1	.	1	.	1	3	3	3	.	.	1	.	.	14	.		
2 " 5 "	.	.	3	2	.	.	.	2	1	2	.	.	.	.	.	.	10	1		
5 " 15 "	.	.	1	4	.	.	.	3	.	.	.	1	.	1	.	.	10	1		
15 " 25 "	1	1	3	.	.	.	.	2	.	.	.	.	.	2	.	.	9	.		
25 " 45 "	5	3	4	4	.	.	1	3	4	3	3	.	4	2	1	1	38	3		
45 " 65 "	2	5	4	4	1	2	1	5	2	7	4	1	4	1	1	2	46	6		
65 and upwards,	10	8	7	5	2	.	1	3	4	10	.	2	9	8	1	3	73	1		
Number of Uncertified Deaths,	.	1	1	3	.	.	.	2	.	3	1	.	.	2	.	.	13	.		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,	2	2	5	5	.	1	1	3	.	5	.	1	5	.	.	.	30	10		
Workhouse Hospitals.	5	5	7	6	.	1	.	5	9	11	4	1	3	5	.	.	62	3		

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday											In the Week ending Saturday, 13th March, 1915.														
CAUSES OF DEATH.	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.	Mar. 9, 1912.	Mar. 8, 1913.	Mar. 7, 1914.	Averages in 10th Week of the 10 years, 1905-1914.	All Ages.	Deaths of Persons of the Ages of												
													0-5.												
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.			
ALL CAUSES.	189	187	194	193	223	204	174	218	190	169	194.1	249	10	27	14	11	11	9	41	52	35	3			
Enteric Fever, ...	1	.	.	2	3	.	3	2	1	1	1.3	.	.	.	.	.	.	.	.	.	.	.			
Typhus, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.			
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Measles, ...	1	.	1	.	5	.	7	4	.	4	2.2	.	.	.	.	.	.	.	.	.	.	.			
Scarlet Fever, ...	.	.	.	1	1	.	.	.	.	.	.2	1	.	.	.	.	1	.	.	.	.	.			
Whooping-cough, ...	.	1	7	2	5	2	4	2	2	3	2.8	5	.	2	3	.	1	.	.	.	.	.			
Diphtheria, ...	.	2	1	3	2	1	2	3	.	1	1.5	1	.	.	.	.	.	.	.	.	.	.			
Croup, ...	1	.	.	.	.	1	.	.	.	.	.2	.	.	.	.	.	.	.	2	2	3	2			
Influenza, ...	4	3	.	7	5	6	2	2	3	3	3.5	11	.	.	2	.	.	.	2	2	3	2			
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Erysipelas, ...	.	3	.	.	.	1	1	1	.	.	.6	.	.	.	.	.	.	.	.	.	.	.			
Other Epidemic Diseases, ...	1	.	1	.	.	.	.	1	.	.	.3	.	.	.	.	.	.	.	.	.	.	.			
Pyæmia and Septicæmia (non-puerperal).	.	.	1	2	1	.	1	.	.	.	.5	.	.	.	.	.	.	.	.	.	.	.			
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
TUBERCULOSIS.																									
Pulmonary Tuberculosis, ...	25	30	21	24	20	26	17	17	19	21	22.0	29	.	.	.	1	3	5	15	5	.	.			
Tuberculous Meningitis, ...	5	3	4	4	2	3	2	6	1	.	3.0	3	.	.	.	2	.	.	1	.	.	.			
Abdominal Tuberculosis, ...	1	.	2	2	.	1	1	.	.	.	.7	.	.	.	.	.	.	.	.	.	.	.			
Tuberculosis of the Vertebral Column, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.			
Tuberculosis of Joints, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.			
Tuberculosis of other Organs, ...	5	6	7	7	13	8	5	.	.	.	5.5	1	.	.	.	.	.	1	.	.	.	.			
Scrofula, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	1	.	.	.	.	.	.			
Venereal Diseases, ...	1	1	2	2	.	2	1	1	.	.	1.0	.	.	.	.	.	.	.	.	.	.	.			
Cancer, ...	3	6	7	6	6	13	8	9	13	9	8.0	7	.	.	.	.	.	.	3	3	1	.			
Tumour, situation undefined, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Rheumatic Fever, ...	.	.	2	.	1	.	1	1	1	.	.6	.	.	.	.	.	.	.	.	.	.	.			
Diabetes, ...	.	2	1	.	1	2	.	1	1	.	.7	.	.	.	.	.	.	.	.	.	.	.			
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	.	1	2	1	.	3	.	.	.	.	.	1	1	1	1	.			
Other General Diseases, ...	.	.	.	.	.	.	.	2	2	3	.	7	.	1	.	.	.	2	3	1	.	.			
Alcoholism, ...	3	1	.	.	.	.	.	.	1	.	.5	.	.	.	.	.	.	.	.	.	.	.			
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Cerebro-spinal Fever, ...	.	.	4	1	.	.	.	2	.	.	.7	1	.	.	.	.	1	.	.	.	.	.			
Simple Meningitis, ...	.	.	.	.	.	.	.	1	3	.	.	3	.	.	.	1	1	1	.	.	.	.			
Cerebral Hæmorrhage, Apoplexy.	.	.	.	.	.	.	.	2	7	1	.	10	.	.	.	.	.	4	1	4	.	.			
Softening of Brain, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Paralysis, without specified cause.	.	.	.	.	.	.	.	4	1	3	.	4	.	.	.	.	.	.	1	1	2	.			
Epilepsy, ...	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	1	.	.	.	.	.			
Convulsions (non-puerperal), ...	.	.	.	.	.	.	.	6	3	7	.	3	.	3	.	.	.	.	.	.	.	.			
Other Diseases of Nervous System.	.	.	.	.	.	.	.	1	2	2	.	9	.	.	.	.	2	3	2	1	1	.			
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Acute Endocarditis, ...	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Organic Diseases of the Heart,	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	21	19	16	.	12	.	.	.	.	1	.	4	4	3	.			
Other Diseases of Circulatory system.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.			
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Bronchitis, ...	34	24	29	28	32	34	24	41	33	16	29.5	43	.	6	3	1	.	.	2	13	8	10			
Broncho-pneumonia, ...	8	8	4	5	12	16	10	15	13	9	10.0	12	.	3	2	3	.	.	2	1	1	.			
Lobar pneumonia, ...	2	.	1	.	.	3	3	1	.	2	1.1	1	.	.	.	.	.	.	1	.	.	.			
Pneumonia (type not distinguished)	8	10	13	5	5	2	3	9	11	4	7.0	9	1	.	1	.	.	4	2	1	.	.			
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.			
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	.	.	.	.	.	2	.	3	.	1	.	.	.	.	.	.	.	.	.	.			
Other Diseases of Respiratory System.	3	4	2	2	2	1	1	.	.	1	2.8	.	.	.	.	.	.	.	.	.	.	.			



TENTH WEEK, ending Saturday, 13th March, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 10th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 13th March, 1915.										
	Mar. 11, 1905.	Mar. 10, 1906.	Mar. 9, 1907.	Mar. 7, 1908.	Mar. 13, 1909.	Mar. 12, 1910.	Mar. 11, 1911.	Mar. 9, 1912.	Mar. 8, 1913.	Mar. 7, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.1	1	.	.	.	.	.	1	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	4	2	—	2	.	.	.	.	.	.	2	.	.	
Diarrhoea and Enteritis of Children under 2 years.	3	4	2	3	5	10	5	6	3	5	4.7	8	.	7	1	.	.	.	.	.	.	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—	.	1	.	.			.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...		—	—	—	—	—	.	1	3	.			.	—	.	.	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	2	2	.	—	2	.	.	.	.	.	.	.	1	1	
Cirrhosis of Liver, ...	1	2	1	.	.	.	.	2	3	2	1.1	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Liver, ...	5	1	2	2	.	2	.	1	.	1	1.4	1	.	.	.	.	.	.	.	.	1	
Peritonitis (cause unknown), Other Diseases of Digestive System.	4	8	7	4	7	5	.	2	.	.	3.6	.	.	.	.	.	.	.	.	.	.	
Acute Nephritis, ...	4	8	3	5	8	5	6	.	1	.	5.3	8	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...								2	3	5			.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...								.	.	.			.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).								.	.	.			.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)								.	.	.			.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	3	.	4	.	.	.	.	.	1	.	1	2	.	
Puerperal Septicæmia, &c., ...	.	1	1	.	.	.	.	1	1	.	.4	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	2	.	1	.	2	1	.7	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	1	3	—	1	.	1	.	.	.	.	.	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	2	1	.	1	—	1	1	.	.	.	.	.	.	.	.	
Premature Birth, ...	5	4	5	6	3	3	9	7	1	7	5.0	6	6	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	3	4	1	4	—	5	2	3	.	.	.	.	.	.	.	
Old Age, ...	5	6	5	4	6	5	7	7	6	7	5.8	10	.	.	.	.	.	.	.	4	6	
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	3	1	—	2	.	.	.	.	.	.	.	1	1	
ACCIDENT :																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	.	.	1	2	.	1	3	2	2	.	1.1	4	.	.	1	2	.	.	1	.	.	
Drowning, ...	.	.	.	2	.	.	.	.	.	.	.2	2	.	.	.	.	1	.	1	.	.	
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	3	.	1	4	2	1	1	1	3	3	1.9	2	.	.	.	.	.	1	1	.	.	
Total Deaths from Accident,	3	.	2	9	2	2	4	3	5	4	3.4	8	.	.	1	2	1	.	2	2	.	
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	2	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	1	.	.	.	1	.	.	.	.	.	.2	2	.	.	.	.	.	1	1	.	.	
Ships, Boats, Docks, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL :																						
Homicide, ...	.	.	.	.	1	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	1	1	1	.	.	.	2	2	.	.7	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	5	4	1	—	4	.	.	1	.	.	.	2	.	1	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.
No. of weeks in Annual Series.		38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10
Births registered.		184	193	199	223	185	205	173	222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	225	231	206	220
Average Births in corresponding week of previous 10 years.		222	247	203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226
Deaths registered.		161	154	154	141	144	134	118	158	155	155	152	204	190	203	134	283	297	241	283	249	254	236	256	287	272	249
Annual Death-rate per 1,000.		20.7	19.8	19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	86.3	87.9	80.7	29.7	31.7	32.4	30.1	32.6	36.6	31.7	31.7
Average Deaths in corresponding week of previous 10 years.		162	159	157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194
Ages,	Under 5 years,	52	47	39	30	47	36	29	35	34	26	38	38	57	51	35	87	100	74	60	52	84	68	69	66	62	62
	5-15 "	8	4	5	12	7	2	7	8	8	11	3	6	7	9	8	12	7	3	6	11	4	9	11	9	7	11
	15-25 "	6	7	1	6	7	4	1	8	7	6	6	8	9	7	7	10	15	11	11	8	8	9	7	17	8	9
	25-45 "	26	25	33	21	19	22	30	27	28	35	26	42	31	22	17	23	88	31	31	35	31	31	28	39	40	41
	45-65 "	35	36	40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66	56	61	64	80	60	52
	65-75 "	20	21	19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56	35
Deaths from:—		14	14	17	16	11	19	11	16	18	16	16	16	17	17	9	34	27	22	24	36	32	33	35	26	39	39
Enteric Fever,		3	1	1	2	3	.	2	3	2	2	.	5	1	1	2	2	2	1	1	1	.	1	.	1	.	.
Typhus, ...		.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		.	1	.	.	.	.	1	.	1	1	.	1	1	1	1	2	.	.	1	2	.	.	.	.	1	.
Scarlet Fever,		.	1	.	.	1	.	2	.	1	1	1	1	2	2	1	4	7	8	1	1	1	1	1	1	1	1
Whooping-cough,		.	1	1	.	.	.	.	1	.	.	1	3	1	4	2	2	2	2	1	1	2	3	3	1	1	1
Diphtheria,		1	2	1	.	2	1	.	1	.	.	1	8	1	1	2	1	4	2	4	1	8	10	8	18	18	11
Influenza,		.	1	.	.	2	.	2	1	.	1	.	1	2	.	1	1	1	2	4	4	8	10	8	13	18	11
Dysentery,		.	.	.	1	1	.	.	.	.	50	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...		18	23	17	11	25	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22	22	25	19	29	32	29
{ Other Forms, ...		9	7	9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10	5	8	13	7	5	10	3	7
Cancer, ...		15	13	15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11	9	4	8	12	10	11	7
Diseases of Circulatory System,		19	15	16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27	17
Diseases of Respiratory System, { Pneumonia,		4	6	10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	34	22	25	32	29	23	25	22	22
{ Others, ...		9	14	19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56	61	55	43	69	59	45
Diarrhoea and Enteritis, under		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2 years,		25	14	11	14	11	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6	8	8	4	2	10	8
Diarrhoea, 2 years and upwards,		.	.	1	.	1	.	.	.	.	1	.	.	.	1	1	.	1	1	1	.	.	.	.	.	.	.
Violent Deaths,		6	4	2	7	1	1	3	5	3	7	7	1	5	9	3	2	2	4	4	8	4	4	11	5	5	8
Number of Uncertified Deaths,		5	2	8	.	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9	13



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th March, 1915; the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 13TH MARCH, 1915.																																																																																																																																																																																																																																																																																																							
OCCUPATION OR SOCIAL POSITION				AGES.										CAUSES OF DEATH										Number of Deaths																																																																																																																																																																																																																																																																															
Population in each Class and Group in 1911.				Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.										Under 5 years.										5 and under 15.										15 and under 25.										25 and under 35.										35 and under 45.										45 and under 55.										55 and under 65.										65 and under 75.										75 and upwards.										Enteric Fever.										Typhus.										Small-pox.										Measles.										Scarlet Fever.										Whooping-cough.										Diphtheria.										Dysentery.										Pulmonary.										Other Forms.										Cancer.										Convulsions.										Pneumonia.										Other.										Diarrhoea & Eri-teritis of children under 2 years of age.										Diarrhoea, 2 years of age and upwards.										Violence.										Other Causes.										Number of Uncertified Deaths									
Cois.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																					
ALL PERSONS.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
CLASSES.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
Deaths in Families of the—				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
PROFESSIONAL AND INDEPENDENT CLASS.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments,...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
2. Merchants and Manufacturers, Higher Class				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
3. Persons of Rank and Property, not otherwise described, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
MIDDLE CLASS.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
4. General Body of Officials—Civil Service, Banking, &c., ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
5. Traders (except Petty Shopkeepers), Business Managers &c., ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
6. Clerks and Commercial Assistants, Miscellaneous—including all Householders in Second Class Localities not included in above, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
ARTISAN CLASS AND PETTY SHOPKEEPERS.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
9. Building and Furnishing Trades, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
10. Clothing Trades, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
11. Food Supply Trades, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
12. Other Trades and Callings ranking with Trades, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
13. Petty Shopkeepers, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
GENERAL SERVICE CLASS.				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
14. Army, Police, Postal Delivery and Prison Services, &c., ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
15. Domestic Servants, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
16. Coach and Car Drivers, Vanmen, &c., ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
17. Hawkers, Porters, Labourers, &c., ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
18. Workhouse Inmates, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			
V. 18. Workhouse Inmates, ...				397,957		—		10		14,658		35·6		—		65		7		2		3		16		10		11		6		1		1		6		10		39		11		6		11		5		7		3		10		18		45		1		8		29		7		3		22		45		1		8		13		27		113		13																																																																																																																																																																																																																			

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Un- certified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 6	44.4	5.1	26	.	.	.	.	.	.	.	.	4	.	.	2	6	3	.	1	2	
	" 13	42.7	3.4	25	.	.	.	.	1	.	1	.	1	1	1	5	5	2	.	2	.	
	" 20	32.5	3.4	19	.	.	.	.	.	.	.	.	1	.	1	3	3	2	.	2	.	
	" 27	30.8	.	18	.	.	.	.	.	.	.	.	1	1	1	1	3	.	.	2	.	
Population in 1915	March, 6	37.6	5.1	22	.	.	.	1	.	1	.	.	3	.	1	2	4	1	.	.	.	
(Est.) 30,504.	" 13	34.2	.	20	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 6	28.8	2.5	23	.	1	.	.	.	1	.	.	3	2	.	4	6	.	.	.	1	
	" 13	38.8	1.3	31	.	.	.	.	.	.	.	.	4	.	1	4	11	1	.	.	1	
	" 20	35.0	1.3	28	.	.	.	.	.	.	.	.	3	.	.	3	7	1	.	2	1	
	" 27	38.8	.	31	.	.	.	.	.	.	.	.	8	1	1	5	3	.	.	.	3	
Population in 1915	March, 6	33.8	2.5	27	.	.	.	.	.	.	.	.	3	.	1	3	6	2	.	1	.	
(Est.) 41,685.	" 13	27.5	1.3	22	.	.	.	.	.	.	.	.	2	1	.	1	7	1	.	.	1	
North City, No. 2. (Office, Lisburn-street.)	Feb. 6	20.6	.	11	.	.	.	.	.	.	.	.	.	2	.	1	6	.	.	.	1	
	" 13	18.7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	.	.	
	" 20	39.3	.	21	.	.	.	.	.	.	.	.	.	.	.	5	1	.	.	.	3	
	" 27	52.4	1.9	28	.	.	.	.	.	1	.	.	3	.	1	1	10	.	.	.	.	
Population in 1915	March, 6	63.6	.	34	.	.	.	.	.	.	.	.	4	.	2	4	11	.	.	.	.	
(Est.) 27,883.	" 13	44.9	.	24	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	.	1	
North City, No. 3. (Office, Benburb-street.)	Feb. 6	33.4	1.5	23	.	.	.	.	.	.	.	.	4	3	.	4	1	1	.	1	1	
	" 13	17.4	1.5	12	.	.	.	.	.	.	1	.	2	.	1	1	2	.	.	.	.	
	" 20	21.8	1.5	15	.	.	.	.	.	.	1	.	.	.	.	.	5	.	.	1	.	
	" 27	33.4	2.9	23	.	.	.	.	.	1	1	.	1	.	.	1	7	.	.	2	2	
Population in 1915	March, 6	29.1	1.5	20	.	.	.	.	.	1	.	.	3	1	1	2	2	.	.	1	.	
(Est.) 35,887.	" 13	30.5	2.9	21	.	.	.	.	1	.	1	.	4	1	1	2	2	.	.	1	3	
Clontarf and Howth No. 1 (part of).	Feb. 6	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	" 13	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 20	18.8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Population in 1915	March, 6	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 5,539.	" 13	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	Feb. 6	18.9	.	5	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	
	" 13	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
	" 20	15.1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
	" 27	30.2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.	
Population in 1915	March, 6	41.5	3.8	11	.	.	.	.	.	.	.	.	1	.	1	1	4	1	.	.	.	
(Est.) 13,820.	" 13	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	
Finglas and Glasnevin (part of).	Feb. 6	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	
	" 13	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	" 20	33.7	.	7	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	
	" 27	28.9	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	
Population in 1915	March, 6	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	.	
(Est.) 10,829.	" 13	14.4	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	
South City, No. 1. (Office, St. Earl-street.)	Feb. 6	20.3	2.5	16	.	.	.	.	.	2	.	.	2	.	.	2	5	.	.	.	.	
	" 13	43.3	11.4	35	.	.	.	.	.	4	.	.	2	2	.	1	12	5	.	1	1	
	" 20	35.5	6.3	28	.	.	.	.	.	3	2	.	2	1	1	1	3	.	.	2	.	
	" 27	36.7	3.8	29	.	.	.	.	.	3	.	.	2	2	1	3	8	.	.	.	.	
Population in 1915	March, 6	34.2	2.5	27	.	.	.	.	.	.	.	.	4	.	1	1	7	2	.	.	.	
(Est.) 41,170.	" 13	26.6	2.5	21	.	.	.	.	1	.	.	.	4	1	.	2	4	1	.	2	2	
South City, No. 2. (Office, Castle-street.)	Feb. 6	42.6	5.7	15	.	.	.	.	.	1	1	.	1	1	.	.	3	.	.	.	1	
	" 13	25.6	2.8	9	.	.	.	.	.	1	.	.	.	1	.	.	3	.	.	.	1	
	" 20	39.8	2.8	14	.	.	.	.	.	.	.	.	2	.	.	3	2	1	.	.	1	
	" 27	42.6	8.5	15	.	.	.	.	.	3	.	.	3	1	.	1	1	.	.	.	1	
Population in 1915	March, 6	22.7	.	8	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1	
(Est.) 18,341.	" 13	45.5	.	16	.	.	.	.	.	.	.	.	4	.	.	3	3	.	.	1	.	
South City, No. 3. (Office, Peter-street.)	Feb. 6	49.8	4.7	42	.	.	.	.	.	3	.	.	4	4	1	5	11	1	.	.	2	
	" 13	30.8	4.7	26	.	.	.	.	.	4	.	.	1	1	1	2	5	.	.	1	1	
	" 20	36.8	2.4	31	.	.	.	.	1	1	.	.	5	.	1	1	5	.	.	2	2	
	" 27	40.3	4.7	34	1	.	.	.	.	2	.	.	5	4	1	4	10	1	.	.	.	
Population in 1915	March, 6	29.6	3.6	25	.	.	.	.	.	3	.	.	3	1	1	1	6	.	.	.	2	
(Est.) 43,970.	" 13	42.7	4.7	36	.	.	.	.	.	3	.	.	.	.	1	3	9	1	.	.	3	
South City, No. 4. (Office, Grand Canal-st.)	Feb. 6	26.7	1.6	17	.	.	.	.	.	.	.	.	.	.	1	.	7	1	.	1	1	
	" 13	22.0	1.6	14	.	.	.	.	.	.	.	.	2	.	1	3	3	1	.	1	1	
	" 20	40.9	3.1	26	.	.	.	.	.	2	.	.	1	1	.	2	5	.	.	.	1	
	" 27	44.0	3.1	28	.	.	.	.	.	1	.	.	.	1	.	3	6	1	.	.	1	
Population in 1915	March, 6	50.3	1.6	32	.	.	.	.	.	.	1	.	4	.	.	6	8	.	.	1	2	
(Est.) 33,171.	" 13	22.0	3.1	14	.	.	.	.	1	.	.	.	2	.	1	1	2	1	.	.	1	
New Kilmainham.	Feb. 6	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	" 13	15.7	5.2	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	
	" 20	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	
Population in 1915	" 27	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
(Est.) 9,948.	March, 6	21.0	5.2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
	" 13	31.4	5.2	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Feb. 6	30.3	1.3	23	.	.	.	.	.	.	1	.	2	.	.	1	3	.	.	1	2	
	" 13	19.8	1.3	15	1	.	.	.	.	.	.	.	2	.	1	1	5	.	.	.	2	
	" 20	22.4	.	17	.	.	.	.	.	.	.	.	2	.	2	3	2	.	.	.	.	
	" 27	18.5	.	14	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.	
Population in 1915 (Est.) 39,541.	March, 6	31.6	2.6	24	.	.	.	.	.	.	.	.	3	.	1	2	5	2	.	.	3	
	" 13	25.1	2.6	19	.	.	.	.	.	.	.	.	2	.	1	.	3	.	2	.	.	
Pembroke Urban District.	Feb. 6	27.3	.	16	.	.	.	.	.	.	.	.	.	.	1	4	4	.	.	.	2	
	" 13	27.3	1.7	16	.	.	.	.	.	.	.	.	3	.	.	3	1	1	.	.	1	
	" 20	30.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	3	1	
	" 27	35.9	.	21	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	1	
Population in 1915 (Est.) 30,538	March, 6	30.7	5.1	18	.	.	.	.	1	1	.	.	4	.	.	.	1	.	.	.	1	
	" 13	29.0	.	17	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	1	
Blackrock Urban District.	Feb. 6	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
	" 13	28.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	1	
	" 20	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915 (Est.) 9,233.	" 27	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	March, 6	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	" 13	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Kingstown Urban District.	Feb. 6	33.9	.	11	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	2	
	" 13	30.8	.	10	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	3	
	" 20	36.9	.	12	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	3	
	" 27	27.7	.	9	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.	.	1	
Population in 1911 16,941.	March, 6	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 13	18.5	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Belfast.	Feb. 6	25.2	2.1	195	.	.	.	4	4	4	.	.	24	8	6	15	30	3	1	.	3	
	" 13	24.6	1.2	190	.	.	.	3	3	1	.	.	19	9	6	23	43	2	.	2	3	
	" 20	23.3	1.6	180	.	.	.	5	.	3	.	.	13	5	5	38	28	4	.	4	3	
Population in 1915 (Est.) 403,000.	" 27	22.8	1.6	176	.	.	.	4	.	6	1	.	15	12	6	21	31	1	.	3	4	
	March, 6	26.9	2.1	208	1	.	.	5	3	3	1	.	18	10	6	31	34	1	2	3	3	
	" 13	25.2	2.1	195	.	.	.	6	.	6	.	.	13	8	6	29	31	4	.	.	4	
Cork.	Feb. 6	27.9	0.7	41	.	.	.	.	.	.	1	.	2	2	1	2	9	.	.	.	1	
	" 13	39.4	2.7	58	.	.	.	.	.	3	.	.	3	5	2	3	4	1	.	2	6	
	" 20	31.3	2.7	46	.	.	.	.	.	.	.	.	8	1	3	9	1	.	.	.	4	
Population in 1911 76,673.	" 27	26.5	1.4	39	.	.	.	.	.	3	1	.	3	2	5	3	3	.	.	.	6	
	March, 6	26.5	.	39	.	.	.	.	.	1	.	.	6	.	1	4	7	.	.	.	2	
	" 13	25.8	2.0	38	1	.	.	.	.	.	.	.	2	1	1	3	5	1	.	.	1	
Londonderry.	Feb. 6	29.1	3.8	23	.	3	.	.	.	.	.	.	2	.	2	1	5	.	.	1	.	
	" 13	27.8	2.5	22	.	.	.	1	.	.	1	.	2	.	.	6	3	.	.	.	1	
	" 20	27.8	.	22	.	.	.	.	.	.	.	.	1	2	.	1	5	.	.	.	.	
Population in 1915 (Est.) 41,200.	" 27	21.5	1.3	17	.	.	.	.	.	.	1	.	4	.	1	1	6	.	.	1	.	
	March, 6	20.2	.	16	.	.	.	.	.	.	.	.	2	1	1	3	5	.	.	.	2	
	" 13	15.2	1.3	12	.	.	.	.	.	.	.	.	1	.	1	2	2	1	.	.	1	
Limerick.	Feb. 6	23.0	1.4	17	1	.	.	.	.	.	.	.	2	.	.	1	4	.	.	.	1	
	" 13	23.0	.	17	.	.	.	.	.	.	.	.	6	.	.	1	3	.	.	.	1	
	" 20	19.0	.	14	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	1	
Population in 1911 38,518.	" 27	21.7	.	16	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.	4	
	March, 6	20.3	.	15	.	.	.	.	.	.	.	.	1	3	1	1	1	.	.	.	1	
	" 13	14.9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	1	1	
Waterford.	Feb. 6	15.2	1.9	8	.	.	.	.	1	.	.	.	1	.	1	1	.	.	.	1	1	
	" 13	13.3	3.8	7	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	
	" 20	34.2	3.8	18	.	.	.	.	2	.	.	.	3	1	1	2	4	1	.	.	.	
Population in 1911 27,464.	" 27	39.9	1.9	21	.	.	.	.	.	.	.	.	2	.	2	1	2	1	.	2	3	
	March, 6	22.8	.	12	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	1	
	" 13	9.5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th March, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.														
			All Causes.	Certain Epi- demic Diseases,†	1 year and under 5 years.						5 and under 25 years.				25 and under 45 years.				45 and under 65 years.		65 years and upwards.		Enteric Fever.	Typhus.				Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Erysipels.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.
					Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Diphtheria.	Dysentery.	Pulmonary.	Other Erysipels.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																					
																					(1)	(2)																			
City of Belfast.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)									
BELFAST URBAN No. 1 DISTRICT.	15,879	5	36.1	3.3	11	4	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1							
Do. 2 do.	49,500	23	25.3	2.1	24	5	4	3	3	4	6	7	7	4	2	1	1	1	1	1	1	1	2	1	2	2	1	1	1	1	1	1	1	1							
Do. 3 do.	50,032	37	27.1	4.2	26	4	3	2	7	8	8	7	4	2	1	1	1	1	1	1	1	3	2	1	4	6	3	1	1	1	1	1	1	1							
Do. 4 do.	32,637	37	25.6		16	4	1	1	5	4	2	2	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 5 do.	16,112	6	32.4		10	4	1	1	1	1	2	3	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 6 do.	37,293	13	31.0	2.8	15	4	1	1	1	1	2	3	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 7 do.	2,681		38.9		2	1																																			
Do. 8 do.	5,964		43.7		5	2	2	2	1	1	1	2	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 9 do.	24,427	10	12.8	2.1	6	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 10 do.	28,958	24	37.8	5.4	21	4	2	2	3	4	6	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 11 do.	39,311	26	18.6	1.3	14	1	2	2	2	4	2	4	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 12 do.	38,076	32	28.8	1.4	21	6	4	4	2	4	2	4	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 13 do.	23,233	13	33.7		15	5	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 14 do.	175				9	2	2																																		
Do. 15 do.	22,669	17	20.7	2.3	9	2	2						3																												
Total.	386,947	243	25.2	2.1	155	44	26	17	27	35	46						6		6		13	8	6	29	31	4					6	41	4								
City of Cork.																																									
CORK URBAN No. 1 DISTRICT	13,455	5	34.9	3.9	9	1	2	1	1	1	4																														
Do. 2 do.	10,399		25.1	5.0	5	1	2		2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 3 do.	9,793	4	26.6		5	2	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 4 do.	9,139	5	39.9		7				2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 5 do.	6,250	6	16.7	8.3	2				1																																
Do. 6 do.	11,581	9	18.0		4				1		1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 7 do.	16,056	14	19.5		6	2	1																																		
Total.	76,673	43	25.8	2.0	38	3	6	5	2	9	13										2	1	1	3	5	1						18	1								

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.  
† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		Sept. 19.	Sept. 26.	Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.
No. of weeks in Annual Series,		38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10
Births registered, ...		187	223	228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243
Deaths registered, ...		151	169	133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195
Annual Death-rate per 1,000 of estimated population, ...		19.7	22.1	17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2
Ages, {		42	69	36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44
Under 1 year,		21	21	11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26
1-5 years,		12	21	10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17
5-25 "		24	18	19	12	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27
25-45 "		22	23	35	20	25	27	24	25	26	34	46	31	27	20	36	29	37	37	59	48	28	38	37	41	43	35
45-65 "		30	17	19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46
65 and upwards,																											
Deaths from :—		1	1	1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		7	4	.	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6
Measles, ...		1	2	1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3	.	.	3	.
Scarlet Fever, ...		3	4	4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6
Whooping-cough, ...		1	.	.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.	.	.	1	1	.
Diphtheria, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, {		17	15	8	6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13
Pulmonary, ...		5	4	5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8
Other Forms, ...		7	8	9	2	4	10	7	6	4	5	10	7	6	6	5	8	8	6	12	9	6	6	5	6	6	6
Cancer ...		13	7	10	9	10	6	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	31	29
Diseases of Respi- ratory System, {		13	19	8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	48	28	31	34	31
Others, ...		30	44	21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2	4	1	1	4
Diarrhoea and Enteritis, under 2 years, ...		2	4	2	1	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.
Diarrhoea, 2 years and upwards, ...		5	1	3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.	.	2	4	3	3	.
Violent Deaths, ...		5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3	4	3	4
Number of Uncertified Deaths, ...		5	2	2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3	4	3	4

TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	Mar. 13,	2,237	1,795	20·7	1	.	120	7	35	6	25	
EDINBURGH, — —	328,700	„ 13,	137	138	21·9	.	.	.	.	9	5	.	
GLASGOW, — —	1,078,400	„ 13,	608	411	19·9	1	.	5	8	39	2	4	
CALCUTTA, — —	896,067	Jan. 23,	.	616	35·7	74*	157	.	.	1	1†	65‡a	
BOMBAY, — —	979,445	„ 30,	359	385	20·4	37*	6	.	.	.	.	23a	
MADRAS, — —	518,660	„ 23,	377	439	44·0	69*	.	1	?	?	?	97‡a	
CAIRO, {	Egyptians, ...	Dec. 30,	685	423	29·5	5	.	2	.	?	16†	41	
	Foreigners,	„ 30,	15	16	10·3	.	.	.	.	?	1†	1	
ALEXAN- DRIA, {	Egyptians,	„ 30,	416	154	20·8	.	1	.	.	?	.	17	
	Foreigners,	„ 30,	19	30	18·1	.	.	.	.	?	.	2	
PARIS, — —	2,847,229	Jan. 30,	923	927	16·6	11	.	12	2	2	3	19	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	605,444 {	Oct. 24,	294	116	9·9	.	.	.	.	.	2†	3	
		„ 31,	239	111	9·6	.	.	.	.	1	.	1	
COPENHAGEN, — —	492,000	Feb. 13,	229	141	14·9	.	.	1	2	.	1	2	
STOCKHOLM, — —	382,085	„ 13,	133	120	16·3	.	.	1	.	.	.	1	
CHRISTIANIA, — —	251,446	„ 20,	96	72	14·9	.	.	.	.	1	.	.	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000 {	Nov. 28,	.	693	21·3	14	1	3	8	.	11†	54a	
		Dec 5,	.	714	22·0	12	.	6	9	3	10†	50a	
ROME, — —	591,913	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	Jan. 16,	2,829	1,612	14·5	5	.	3	6	5	25	27	
PHILADELPHIA, — —	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	766,136	Feb. 20,	.	283b	19·3	1	.	1	3	4	5	5a	

\* Deaths from "fever," including one death from plague and 5 from enteric fever in Calcutta; and 2 from plague and 2 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, and 3 in Madras.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e., non-residents deducted, 235 deaths (including 3 from diarrhoeal diseases); rate, 15·9 per thousand.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th March, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	.	.	.	.	.	.	.	.	.	.	3	4
"    "    1, West,	...	2	.	.	.	.	.	.	.	.	.	.	11	13
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	6	6
"    "    3,	...	2	.	.	1	.	.	.	1	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	...	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,	...	1	.	.	1	.	.	.	1	.	.	.	2	5
"    "    2,	...	.	.	.	.	.	.	.	1	.	.	.	1	2
"    "    3,	...	2	.	.	.	.	.	.	.	.	.	.	8	10
"    "    4,	...	.	.	.	1	.	.	.	.	.	.	.	3	4
New Kilmainham,	...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	...	8	.	.	3	.	.	.	3	1	.	.	35	50

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospital during the week ended Saturday, 13th March, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th March.			
	Feb. 20.	Feb. 27.	Mar. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	39	37	41	1	9	.	33
Typhus,	12	10	6	.	.	.	6
Small-pox,	.	.	.	.	.	.	.
Measles,	9	25	25	9	.	.	34
Scarlet Fever,	66	74	77	16	15	1	77*
Diphtheria,	28	29	26	5	6	.	25
Pneumonia,	24	21	21	16	6	2	29

\* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE  
**DUBLIN REGISTRATION AREA,**  
 CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
 AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN  
**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
 E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
 WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
 H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
 or from the Agencies in the British Colonies and Dependencies,  
 the United States of America, the Continent of Europe and Abroad of  
 T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & CO., LIMITED, ABBEY STREET, DUBLIN.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 20TH MARCH, 1915.

[No. 11.]

*General Register Office, Charlemont House,  
 Dublin, 22nd March, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Feb. 27	Mar. 6	Mar. 13	Mar. 20	
<b>27 Town Districts, (a)</b>	<b>27·6</b>	<b>27·4</b>	<b>25·9</b>	<b>24·0</b>	<b>26·2</b>
Dublin Reg. Area ...	34·4	33·4	30·1	28·8	30·4
Dublin City ...	37·3	35·5	31·7	24·5	32·2
Belfast ...	22·8	26·9	25·2	25·0	25·0
Cork ...	26·5	26·5	25·8	25·8	26·2
Londonderry ...	21·5	20·2	15·2	21·5	19·6
Limerick ...	21·7	20·3	14·9	31·1	22·0
Waterford ...	39·9	22·8	9·5	32·3	26·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 193 deaths from all causes for Belfast are 7 from measles, one from whooping-cough, one from diphtheria, and 2 (children under 2 years of age) from diarrhoea and enteritis. One death from scarlet fever is included in the 38 deaths from all causes for Cork; 6 deaths from scarlet fever are included in the 17 deaths from all causes for Waterford; and one death from typhus (suspected) is included in the 6 deaths from all causes for Kilkenny.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 238—124 boys and 114 girls—and the deaths to 201—102 males and 99 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·8 per 1,000 of the population. During the eleven weeks, ending with Saturday last, the death-rate averaged 30·4, and was 5·9 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table I.

The total deaths registered, numbering 201, represent an annual rate of 25·6 per 1,000; the annual rate for the past eleven weeks was 32·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from measles, one from scarlet fever, 13 from whooping-cough, one from diphtheria, 2 deaths from diarrhoea and enteritis of children under 2 years of age, 11 from influenza, and one from cerebro-spinal fever.

In the three preceding weeks deaths from measles were 0, one, and 0; deaths from scarlet fever were 0, one, and one; deaths from whooping-cough were 11, 6, and 5; deaths from diphtheria were one, one, and one; deaths from diarrhoea and enteritis of children under 2 years of age were 2, 10, and 8; deaths from influenza were 13, 18, and 11; and deaths from cerebro-spinal meningitis were 0, 2, and one.

Of 30\* deaths from tuberculous disease, 24 were from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, and one from disseminated tuberculosis. Deaths from all forms of the disease in the three preceding weeks numbered 39, 35, and 36, respectively.

Seven\* deaths from cancer were registered.

Pneumonia caused 16 deaths, comprising 10 deaths from broncho-pneumonia, and 6 from pneumonia (type not distinguished.)

Included in deaths of infants under one year old are 5 attributed to convulsions, 5 to premature birth, and 4 to congenital debility.

Organic diseases of the heart caused 14 deaths, and bronchitis 32.

Of 11 deaths ascribed to accidental causes, 3 (2 being those of children under 5 years of age) were caused by burns, 2 by drowning, and 2 by vehicles and horses.

One death (that of a soldier) was caused by wounds received in battle.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 4 infants under one year old), and the deaths of 2 persons aged 65 years and upwards.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 11 were under one month old), and 70 were aged 65 years and upwards, including 51 persons aged 70 and upwards; among the latter were 28 aged 75 and upwards, of whom one (a female) was stated to have been aged 99 years.

Eighty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, and 21 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 23·8 per 1,000; the rate in the City was 24·5 (North City Districts, 21·7; South, 27·7), and in the Suburbs, 21·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 1·9, and in the South 3·2), and for the Suburbs 1·6 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·5 per 1,000, and include one from scarlet fever, 2 from whooping-cough, 3 from pulmonary tuberculosis, one from broncho-pneumonia, and one accidental death.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. Among them are one from whooping-cough, 2 from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, and 2 accidental deaths.

*No. 2 North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 37·4 per 1,000. One death from whooping-cough, 4 from tuberculosis, one from broncho-pneumonia, and 4 from bronchitis were recorded.

*No. 3 North City District* (Benburb-street).—The deaths (8) represent an annual rate of 11·6 per 1,000. They include 2 deaths from tuberculosis, one from pneumonia, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 26·4 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 19·3. The 7 deaths from all causes for Coolock and Drumcondra, part of, include 3 from influenza, and one from pulmonary tuberculosis; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, 2 were from pneumonia and one from bronchitis.

*No. 1 South City District* (South Earl-street).—The deaths (28) represent an annual rate of 35·5 per 1,000. Three deaths from whooping-cough, 6 from pulmonary tuberculosis, one from pneumonia, 3 from bronchitis, and 3 accidental deaths were recorded.

*No. 2 South City District* (Castle-street).—The deaths (17) are equal to an annual rate of 48·3 per 1,000. Included in this number are one death from whooping-cough, one from influenza, one from disseminated tuberculosis, 2 from pneumonia, 8 from bronchitis, and one accidental death.

*No. 3 South City District* (Peter-street).—The deaths (23) are equal to an annual rate of 27·3 per 1,000. Four of these deaths were caused by whooping-cough, one by influenza, 4 by pulmonary tuberculosis, 4 by pneumonia, and 5 by bronchitis.

*No. 4 South City District* (Grand Canal Street).—The deaths (7) are equivalent to an annual rate of 11·0 per 1,000. Among them are 2 deaths from tuberculous disease.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 15·7 per 1,000, and include one death from measles and one from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·5; Pembroke, 18·8; Blackrock, 56·5; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts consist of one from whooping-cough for Rathmines and Rathgar; one (a child under 2 years of age) from diarrhoea and enteritis for Pembroke; and one from diphtheria for Blackrock. Among the 14 deaths from all causes for Rathmines and Rathgar are one from influenza, one from pulmonary tuberculosis, 2 from broncho-pneumonia, and one from bronchitis. Of the 11 deaths recorded for Pembroke one was from influenza, one from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and there were 2 accidental deaths. Two of the 10 deaths from all causes for Blackrock were from influenza, and one was from pulmonary tuberculosis; and included in the 5 deaths from all causes for Kingstown are 2 deaths from influenza, and one from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 21·1), was equal to an average annual death-rate of 19·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow being 21·1, and for Edinburgh 21·7.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th March. From this Report it appears that of a total of 83 cases notified, 23 were scarlet fever, 21 diphtheria, 19 pulmonary tuberculosis, 13 other forms of tuberculosis, 4 erysipelas, and 3 cerebro-spinal fever. Among the 540 cases of infectious diseases in hospital at the close of the week were 177 of pulmonary tuberculosis, 168 of scarlet fever, 93 of diphtheria, 39 of whooping-cough, 16 of measles, 11 of cerebro-spinal fever, 9 of erysipelas, and 2 of enteric fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th March, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending		Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin un- certain) — Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuber- culosis.	Total.
City of Dublin.	Feb. 27,	.	—	—	5	1	.	6	.	1	2	7	.	—	—	1	—	.	30	53	
	Mar. 6,	.	—	—	24	.	.	5	.	5	3	3	.	—	—	2	—	.	36	75	
	Mar. 13,	.	—	—	8	.	.	3	.	.	.	3	1	—	—	.	—	.	35	50	
	Mar. 20,	.	—	—	4	4	.	2	.	.	2	2	.	—	—	2	—	.	37	53	
Rathmines and Rathgar Urban District	Feb. 27,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	—	2
	Mar. 6,	.	—	—	4	.	.	3	.	.	2	.	.	—	—	—	—	—	—	—	9
	Mar. 13,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	—	3
	Mar. 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	—	4
Pembroke Urban District.	Feb. 27,	.	22	.	.	.	.	.	.	.	.	1	.	.	—	.	—	—	—	1	24
	Mar. 6,	.	1	.	1	.	.	.	.	.	.	.	.	.	—	11	—	—	1	14	
	Mar. 13,	.	5	.	1	.	.	.	.	.	.	.	.	.	—	2	—	—	.	8a	
	Mar. 20,	.	.	.	3	.	.	1	.	.	1	.	.	.	—	7	—	—	2	17	
Blackrock Urban District.	Feb. 27,	.	.	—	.	.	.	.	4	.	.	.	.	.	—	—	.	—	.	.	4
	Mar. 6,	.	.	—	.	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	Mar. 13,	.	.	—	2	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	2
	Mar. 20,	.	.	—	.	.	.	2	.	.	.	.	.	.	—	—	.	—	.	.	2
Kingstown Urban District.	Feb. 27,	.	—	—	3	.	.	.	.	.	.	.	.	.	—	—	—	—	1	4	
	Mar. 6,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast.	Feb. 27,	.	—	—	20	.	.	5	.	.	.	4	.	—	—	1	—	.	4	34	
	Mar. 6,	.	—	—	20	.	.	4	.	.	.	3	.	—	—	—	—	.	6	33	
	Mar. 13,	.	—	—	33	.	.	1	.	.	.	.	.	—	—	6	—	.	.	40	
	Mar. 20,	.	—	—	29	.	.	5	.	.	.	1	.	—	—	1	—	.	5	41	
City of Cork.	Feb. 27,	.	4	—	5	.	.	.	.	1	.	.	.	.	—	—	—	—	—	—	10
	Mar. 6,	.	1	—	3	.	.	.	.	.	.	3	.	—	—	—	—	—	—	—	7
	Mar. 13,	.	1	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	7
	Mar. 20,	.	1	—	3	.	.	5	1	.	2	2	.	—	—	—	—	—	—	—	14
City of Londonderry.	Feb. 27,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 6,	.	—	—	1	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	Feb. 27,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Mar. 6,	.	—	—	.	.	.	.	.	.	1	.	.	.	—	—	.	—	—	—	1
	Mar. 13,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	2
	Mar. 20,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford	Feb. 27,	.	—	—	20	.	.	.	.	.	.	1	.	.	—	—	—	—	4	25	
	Mar. 6,	.	—	—	10	1	.	.	.	.	.	.	.	.	—	—	—	.	.	11	
	Mar. 13,	.	—	—	23	.	.	.	.	.	.	.	.	.	—	—	—	2	25		
	Mar. 20,	.	—	—	19	.	.	.	.	.	.	.	.	.	—	—	—	1	20		

(a) Not including one case of cerebro-spinal meningitis

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th March, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 37, 41, and 33.

Four cases of typhus were admitted to hospital during the week, 3 were discharged and 7 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 10, 6, and 6 respectively.

Three cases of measles were admitted to hospital during the week, 10 were discharged, there was one death, and 26 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 25, 25, and 34 respectively.

Ten cases of scarlet fever were admitted to hospital, 3 were discharged, there was one death, and 83\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 74, 77, and 77, respectively.

Six cases of diphtheria were admitted to hospital during the week, 5 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 26, and 25 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths, and 31 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th March, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 20TH MARCH, 1915.																												
TOWNS AND DISTRICTS.		Census Statistics of Districts.		NUMBERS REGISTERED.																								
		POPULATION.		Annual Rate per 1,000 Persons Represented by		BIRTHS.		DEATHS.																				
								Caused by																				
								From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respi- ratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.
Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.																								
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	26.8	24.0	1.6	622	558	103	176	...	1	...	8	8	14	2	...	55	11	14	60	95	4	...	18	23	160	24
DUBLIN REG- ISTRATION AREA:—																												
TOTAL, (c.) ...	409,000	29.8	30.3	23.8	2.3	238	187(d)	33	68	...	...	...	1	1	13	1	...	23	5	5	16	31	2	...	9	8	66	8
CITY OF DUBLIN,	312,747	39.5	32.8	24.5	2.5	197	147	28	46	...	...	...	1	1	12	...	...	20	5	4	13	28	1	...	7	6	58	6
Urban Districts.																												
RATHMINES and RATHGAR,	39,541	23.1	18.5	18.5	1.3	14	14	1	9	...	...	...	...	...	1	...	...	1	...	1	2	1	...	...	...	...	3	...
PEMBROKE, ...	36,538	19.4	23.9	18.8	1.7	14	11	2	7	...	...	...	...	...	...	...	...	1	...	...	1	1	1	...	2	2	4	...
BLACKROCK, ...	9,233	8.5	16.9	56.5	5.6	3	10	2	5	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	1	1
KINGSTOWN, ...	16,941	11.6	30.8	15.4	.	10	5	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1
Urban Districts																												
BELFAST ..	403,000	27.0	25.1	25.0	1.4	194	193	40	45	...	...	...	7	...	1	1	...	18	2	6	30	33	2	...	5	8	49	2
CORK, ..	76,673	28.6	26.5	25.8	0.7	39	38	7	13	...	...	...	...	1	...	...	...	3	2	...	5	6	...	...	...	...	16	1
LONDON- DERRY	41,200	16.0	25.3	21.5	.	20	17	4	5	...	...	...	...	...	...	...	...	2	...	...	1	3	...	...	...	...	1	2
LIMERICK, ...	38,518	16.1	13.5	31.1	.	10	23	2	9	...	...	...	...	...	...	...	...	1	...	...	...	7	...	...	...	...	6	6
WATERFORD, ...	27,464	19.1	34.2	32.3	11.4	18	17	1	4	...	...	...	...	6	...	...	...	1	...	...	1	3	...	...	...	1	8	...
GALWAY, ...	13,255	2.5				5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
DUNDALE, ...	13,128	9.5				5	5	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
LURGAN, ...	12,553	14.7				9	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...
DROGHEDA, ...	12,501	8.4				2	7	1	3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	1	...
LISBURN, ...	12,388	10.9				10	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	2	...
NEWRY, ...	11,963	17.0				3	5	1	2	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...
PORTADOWN, ...	11,727	15.3				5	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				3	7	1	4	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	2	1
BALLYMENA ..	11,381	9.3				2	10	1	6	...	...	...	...	...	...	...	...	2	...	1	2	2	...	...	1	1	...	...
SLIGO, ...	11,163	3.8				6	4	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1
KILKENNY, ...	10,514	11.4				6	6	...	3	...	1	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	5	...
TRALEE, ...	10,300	17.4				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1				16	8	3	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...
QUEENSTOWN,	8,209	14.7				5	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...
LARNE, ...	8,036	13.4				3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...
COLERAINE. ...	7,785	7.7				5	3	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	...
BANGOR, ..	7,776	8.5				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
BRAY, ..	7,691	7.2				4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8				5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. The 14 deaths include 2 from tuberculous disease, and 2 from cancer. (d) Including one death from cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 20th of March, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Whooping-cough,	2	1	1	.	.	.	.	3	1	4	.	.	1	.	.	.	.	13	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	3	.	.	1	1	.	.	1	1	2	2	.	11	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	3	2	3	.	.	1	.	6	.	4	1	.	1	1	1	.	23	1	.
Other Forms,	.	.	1	2	.	.	.	1	.	.	1	.	.	.	.	.	5	1	.
Cancer,	.	2	1	.	.	1	.	.	.	.	.	.	1	.	.	.	5	2	.
Diseases of Nervous System,	1	3	2	1	.	.	.	2	.	2	2	.	.	.	1	1	15	1	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	.	2	.	.	1	.	3	1	.	1	.	2	2	3	.	15	.	.
Respiratory System, { Pneumonia,	1	1	1	1	.	.	2	1	2	4	.	.	2	1	.	.	16	.	.
Others,	.	5	4	1	.	.	1	3	8	5	.	1	1	1	.	1	31	3	.
Diarrhoea and Enteritis, under 2 years,	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Others,	.	.	1	1	.	.	1	4	.	1	.	.	1	.	.	.	9	2	.
Genito-urinary System,	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	1	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	3	1	.	.	.	2	2	1	1	1	4	2	2	.	22	1	.
Violent Deaths,	1	2	.	.	.	.	.	3	1	.	.	.	.	2	.	.	9	2	.
Ill-defined, &c. Causes,	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	4	.	.
Deaths from All Causes	12	18	20	8	.	7	4	28	17	23	7	3	14	11	10	5	187	14	.
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20.5	22.5	37.4	11.6	.	26.4	19.3	35.5	48.3	27.3	11.0	15.7	18.5	18.8	56.5	15.4	23.8	.	.
	21.7							27.7							21.7				
	24.5																		
Ages at Death. { Under 1 year,	4	1	5	3	.	.	.	3	7	2	2	1	1	2	2	.	33	1	.
1 and under 2 years,	1	.	2	1	.	.	.	3	.	1	.	1	1	.	.	.	10	.	.
2 " 5 "	.	.	2	.	.	.	.	4	.	2	.	.	.	1	.	.	9	1	.
5 " 15 "	1	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	5	1	.
15 " 25 "	1	2	1	.	.	.	.	1	.	2	.	.	.	.	.	.	7	2	.
25 " 45 "	3	2	4	1	.	2	.	4	2	2	1	.	2	1	2	2	28	3	.
45 " 65 "	1	4	3	1	.	.	3	6	1	4	.	.	1	1	.	2	27	4	.
65 and upwards,	1	9	3	1	.	5	1	6	7	9	3	1	9	7	5	1	68	2	.
Number of Uncertified Deaths,	1	.	1	.	.	1	.	.	.	1	1	1	.	.	1	1	8	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	2	7	1	2	.	1	.	6	2	7	1	1	3	3	1	.	38	11	.
Workhouse Hospitals,	1	4	2	1	.	1	.	7	6	3	1	1	.	1	.	.	28	8	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the  
in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday.										Averages in 11th Week of the 10 years, 1905-1914.	All Ages.	In the Week ending Saturday, 20th March, 1915.										
	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.	Mar. 16, 1912.	Mar. 15, 1913.	Mar. 14 1914.			Deaths of Persons of the Ages of										
													0-5.					5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.							
ALL CAUSES.	182	173	203	191	232	149	170	257	192	189	193.8	201	11	23	10	10	6	9	31	31	42	2	
Enteric Fever, ...	1	3	1	1	3	1	1	3			1.4												
Typhus, ...																							
Small-pox, ...																							
Measles, ...	4		5		5		7	7		5	3.3	1			1								
Scarlet Fever, ...	1		1			1				1	1.4	1					1						
Whooping-cough, ...		2	5		4	1	4	10	2	2	3.0	13		5	5	2	1						
Diphtheria, ...	1	2	1	2	1	1		5	2	1	1.6	1				1							
Croup, ...								1			1.1												
Influenza, ...	5	1	4	7	5	7	2	4	8	1	4.4	11						1	2	6	2		
Dysentery, ...																							
Erysipelas, ...	1										1												
Other Epidemic Diseases, ...	1		1	2							4												
Pyæmia and Septicæmia (non-puerperal).			1		2			2	1		6												
Tetanus, ...									1		1												
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	27	23	28	29	35	15	28	28	20	26	25.9	24				2	1	4	13	4			
Tuberculous Meningitis, ...	4	5	6	2	2	7	5	2	4	5	4.2	2					2						
Abdominal Tuberculosis, ...		1	1	2	5		1	2	2	1	1.5	3				1	1		1				
Tuberculosis of the Vertebral Column.								1	1														
Tuberculosis of Joints, ...																							
Tuberculosis of other Organs, ...	8	6	7	3	4	3	2		1	1	4.6												
Scrofula, ...																							
Disseminated Tuberculosis, ...							2	5	2			1		1									
Veneral Diseases, ...	3	1	5		1		1			2	1.3	1		1									
Cancer, ...	6	6	8	11	11	5	6	7	14	7	8.1	7							2	2	3		
Tumour, situation undefined, ...																							
Rheumatic Fever, ...							1				1												
Diabetes, ...	1	1			1	1			1	1	6	1							1				
Anæmia, Leucocythæmia, ...								1				1							1				
Other General Diseases, ...							2	1	3	1													
Alcoholism, ...	1		1			1				1	4												
Chronic Poisonings, ...																							
Cerebro-spinal Fever, ...			1	1							2	1						1					
Simple Meningitis, ...								3	1			1											
Cerebral Hæmorrhage, Apoplexy.								6	4	2		4			1					2	2		
Softening of Brain, ...								1		2													
Paralysis, without specified cause.																							
Epilepsy, ...								1				1									1		
Convulsions (non-puerperal), ...								7	6	4		6	2	3	1								
Other Diseases of Nervous System.	48	49	34	41	39	37	40	6	1	7	39.9	3							1	1	1		
Pericarditis, ...								1	2			1											
Acute Endocarditis, ...								1															
Organic Diseases of the Heart, ...								20	16	16		14							1	3	6	4	
Embolism and Thrombosis (including Cerebral).								1		1													
Other Diseases of Circulatory system.								1	1														
Diseases of the Larynx, ...																							
Bronchitis, ...	13	20	30	23	43	23	20	42	33	32	27.9	32	1	3				1		8	10	9	
Broncho-pneumonia, ...	6	5	4	7	13	7	5	21	14	7	8.9	10	1	3		2					2	2	
Lobar pneumonia, ...	1	1	1	1	3	1	2	1	2	3	1.6												
Pneumonia (type not distinguished)	2	4	6	8	10	4	7	11	8	4	6.4	6			1			1	1	2	1		
Pleurisy, ...																							
Pulmonary Congestion, Pulmonary Apoplexy.								3	1	1		1						1					
Other Diseases of Respiratory System.	2	1	3	2	5	3	3	1		1	2.7	1											



ELEVENTH WEEK, ending Saturday, 20th March, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 11th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 20th March, 1915.																																		
	Mar. 18, 1905.	Mar. 17, 1906.	Mar. 16, 1907.	Mar. 14, 1908.	Mar. 20, 1909.	Mar. 19, 1910.	Mar. 18, 1911.	Mar. 16, 1912.	Mar. 15, 1913.	Mar. 14, 1914.		All Ages.	Deaths of Persons of the Ages of																																	
													0-5.																																	
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																								
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	1	4	—	7	.	2	.	1	.	1	.	2	.	1	.	.																						
Diarrhoea and Enteritis of Children under 2 years.	4	4	5	2	4	4	6	4	5	5	4.7	2	.	2	.	.	.	.	.	.	.	.	.	.																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																									3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	2	.	2	—	1	.	.	.	.	.	.	.	.	1	.	.	.																						
Cirrhosis of Liver, ...	2	1	.	1	.	.	.	3	1	1	.9	3	.	.	.	.	.	.	.	2	1	.	.	.																						
Other Diseases of Liver, ...	.	1	.	1	2	.	.	2	1	2	.9	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Peritonitis (cause unknown),	.	1	.	.	.	.	.	.	1	2	.4	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Other Diseases of Digestive System.	6	7	6	7	1	2	.	1	.	3	3.3	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Acute Nephritis, ...	6	8	7	5	7	4	5	6	4	2	6.5	1	.	.	1	.	.	.	.	1	.	.	.	.																						
Chronic Bright's Disease, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	1	.	3	.	1	.	.	.	.	.	.	1	.	.	.	.	.																						
Puerperal Septicæmia, &c., ...	1	.	.	1	.	1	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	1	.	.	—	1	.	.	.	.	.	.	.	1	.	.	.	.																						
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Premature Birth, ...	3	5	6	3	1	8	2	3	2	6	3.9	5	5	.	.	.	.	.	.	.	.	.	.	.																						
Congenital Debility, ...	—	—	—	—	—	—	1	3	5	4	—	4	2	2	.	.	.	.	.	.	.	.	.	.																						
Old Age, ...	10	3	3	4	8	2	10	5	7	4	5.6	10	.	.	.	.	.	.	.	.	3	7	.	.																						
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	3	1	—	1	.	.	.	.	.	.	.	.	1	.	.	.																						
ACCIDENT :																																														
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Burns and Scalds, ...	1	.	.	1	1	.	1	1	.	.	.5	3	.	1	.	1	.	.	1	.	.	.	.																							
Drowning, ...	.	1	1	1	.	1	1	.	.	.	.5	2	.	.	.	.	.	.	1	.	1	.	.																							
Suffocation in Bed, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Deaths by Accident, ...	1	1	4	5	2	.	2	1	2	1	1.9	6	.	.	.	.	.	.	3	.	1	2	.																							
Total Deaths from Accident,	2	2	5	8	3	1	5	2	2	1	3.1	11	.	1	.	1	.	5	.	2	2	.	.																							
Included in above are Deaths in connection with—																																														
Railways, ...	.	.	.	1	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.																							
Vehicles and Horses, ...	.	.	1	.	.	.	.	.	1	.	.2	2	.	.	.	.	.	1	.	.	.	1	.																							
Ships, Boats, Docks, ...	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
VIOLENCE OTHER THAN ACCIDENTAL :																																														
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Suicide, ...	.	.	.	.	1	.	.	2	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.																							
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	.	4	3	3	—	4	.	.	.	.	.	1	1	2	.	.	.																							





REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH MARCH, 1915.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 13	42.7	3.4	25	.	.	.	.	1	.	1	.	1	1	1	5	5	.	.	.	.
	" 20	32.5	3.4	19	.	.	.	.	.	.	.	.	1	.	1	3	3	2	.	2	.
	" 27	30.8	.	18	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	.	.
	March, 6	37.6	5.1	22	.	.	.	1	.	1	.	.	.	.	1	2	4	1	.	.	.
Population in 1915	" 13	34.2	.	20	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.
(Est.) 30,504.	" 20	20.5	5.1	12	.	.	.	.	1	2	.	.	3	.	.	1	.	.	1	1	.
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 13	38.8	1.3	31	.	.	.	.	.	.	.	.	4	.	1	4	11	1	.	.	1
	" 20	35.0	1.3	28	.	.	.	.	.	.	.	.	3	.	.	3	7	1	.	2	1
	" 27	38.8	.	31	.	.	.	.	.	.	.	.	8	1	1	5	3	.	.	.	3
	March, 6	33.8	2.5	27	.	.	.	.	.	.	.	.	3	.	.	3	6	2	.	1	.
Population in 1915	" 13	27.5	1.3	22	.	.	.	.	.	.	.	.	2	1	.	1	7	1	.	.	1
(Est.) 41,685.	" 20	22.5	1.3	18	.	.	.	.	.	1	.	.	2	.	2	1	5	.	2	.	.
North City, No. 2. (Office, Lisburn-street.)	Feb. 13	18.7	.	10	.	.	.	.	.	.	.	.	.	1	.	3	3	.	.	.	3
	" 20	39.3	.	21	.	.	.	.	.	.	.	.	.	2	.	5	1	.	.	.	.
	" 27	52.4	1.9	28	.	.	.	.	.	1	.	.	3	.	1	1	10	.	.	.	.
	March, 6	63.6	.	54	.	.	.	.	.	.	.	.	4	.	2	4	11	.	.	.	.
Population in 1915	" 13	44.9	.	24	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	.	1
(Est.) 27,883.	" 20	37.4	1.9	20	.	.	.	.	.	1	.	.	3	1	1	1	4	.	.	.	1
North City, No. 3. (Office, Benburb-street.)	Feb. 13	17.4	1.5	12	.	.	.	.	.	.	1	.	2	.	1	1	2	.	.	.	.
	" 20	21.8	1.5	15	.	.	.	.	.	.	1	.	.	.	.	5	.	.	1	.	.
	" 27	33.4	2.9	23	.	.	.	.	.	1	1	.	1	.	.	1	7	.	.	2	.
	March, 6	29.1	1.5	20	.	.	.	.	.	1	.	.	3	1	1	2	2	.	.	1	2
Population in 1915	" 13	30.5	2.9	21	.	.	.	.	1	.	1	.	4	1	1	2	2	.	.	1	3
(Est.) 35,887.	" 20	11.6	4.5	8	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.
Clontarf and Howth No. 1 (part of).	Feb. 13	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 20	18.8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 27	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	March, 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 13	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Feb. 13	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 20	15.1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	" 27	30.2	.	8	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	.	.
	March, 6	41.5	3.8	11	.	.	.	.	.	.	.	.	1	.	1	1	4	1	.	.	.
Population in 1915	" 13	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
(Est.) 13,820.	" 20	26.4	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of).	Feb. 13	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 20	33.7	.	7	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.
	" 27	28.9	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	March, 6	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	1	1	.	1	.	.
Population in 1915	" 13	14.4	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.
(Est.) 10,829.	" 20	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Feb. 13	43.3	11.4	35	.	.	.	.	.	4	.	.	2	2	.	1	12	5	.	1	1
	" 20	35.5	6.3	28	.	.	.	.	.	3	2	.	2	1	1	3	3	.	.	2	.
	" 27	36.7	3.8	29	.	.	.	.	.	3	.	.	2	2	1	3	8	.	.	.	.
	March, 6	34.2	2.5	27	.	.	.	.	.	.	.	.	4	.	1	1	7	2	.	.	.
Population in 1915	" 13	26.6	2.5	21	.	.	.	.	.	1	.	.	4	1	.	2	4	1	.	2	2
(Est.) 41,170.	" 20	35.5	3.8	28	.	.	.	.	.	3	.	.	6	.	.	1	3	.	.	3	.
South City, No. 2. (Office, Castle-street.)	Feb. 13	25.6	2.8	9	.	.	.	.	.	1	.	.	.	1	.	.	3	2	.	.	1
	" 20	39.8	2.8	14	.	.	.	.	.	.	.	.	2	.	.	3	2	1	.	.	1
	" 27	42.6	8.5	15	.	.	.	.	.	3	.	.	3	1	.	1	1	.	.	.	.
	March, 6	22.7	.	8	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1
Population in 1915	" 13	45.5	.	16	.	.	.	.	.	.	.	.	4	.	.	3	3	.	.	1	.
(Est.) 18,341.	" 20	48.3	2.8	17	.	.	.	.	.	1	.	.	.	1	.	2	8	.	.	1	.
South City, No. 3. (Office, Peter-street.)	Feb. 13	30.8	4.7	26	.	.	.	.	.	4	.	.	1	1	1	2	5	.	.	.	1
	" 20	36.8	2.4	31	.	.	.	.	1	1	.	.	5	4	1	1	5	.	1	.	2
	" 27	40.3	4.7	34	1	.	.	.	.	2	.	.	5	.	1	4	10	.	.	.	.
	March, 6	29.6	3.6	25	.	.	.	.	.	3	.	.	3	1	1	1	6	.	.	.	2
Population in 1915	" 13	42.7	4.7	36	.	.	.	.	.	3	.	.	.	.	1	3	9	1	.	.	3
(Est.) 43,970.	" 20	27.3	4.7	23	.	.	.	.	.	4	.	.	4	.	.	4	5	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Feb. 13	22.0	1.6	14	.	.	.	.	.	.	.	.	2	.	1	3	3	1	.	1	.
	" 20	40.9	3.1	26	.	.	.	.	.	2	.	.	1	1	.	.	5	.	.	.	1
	" 27	44.0	3.1	28	.	.	.	.	.	1	.	.	.	1	.	3	6	1	.	.	1
	March, 6	50.3	1.6	32	.	.	.	.	.	.	1	.	4	.	.	6	8	.	.	1	2
Population in 1915	" 13	22.0	3.1	14	.	.	.	.	.	1	.	.	2	.	1	1	2	1	.	.	1
(Est.) 33,171.	" 20	11.0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1
New Kilmainham.	Feb. 13	15.7	5.2	3	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
	" 20	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1
	" 27	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
Population in 1915	March, 6	21.0	5.2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
(Est.) 9,948.	" 13	31.4	5.2	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.
	" 20	15.7	5.2	3	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.				
													Pulmonary.	Other Forms.	Pneumonia.	Other.							
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	19.8 22.4 18.5 31.6 25.1 18.5	1.3 . . 2.6 2.6 1.3	15 17 14 24 19 14	1 . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	2 2 1 3 2 1	. . . . . .	1 2 . 1 1 1	1 3 1 2 . 2	5 2 4 5 3 1	. . . 2 2 .	. . . . . .	. . . . 2 .	. . . . . .	. . . . 2 .	2 . . . . .
Pembroke Urban District. Population in 1915 (Est.) 30,538	Feb. 13 " 20 " 27 March, 6 " 13 " 20	27.3 30.7 35.9 30.7 29.0 18.8	1.7 . . 5.1 . 1.7	16 18 21 18 17 11	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . 1 . .	. . . . . .	. . . . . .	3 1 3 4 2 1	. . . . 1 .	1 1 1 . . .	3 1 3 . . 1	1 3 3 . . 1	1 . . 1 . . 1	. . . . . .	. . . . . .	. . . . . .	3 . . . . 2	1 1 1 . .
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	28.2 5.6 11.3 5.6 22.6 56.5	. . . . . 5.6	5 1 2 1 4 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	2 . . . . 1	. . . . . .	. . . . . .	. . . . . .	1 . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . 1
Kingstown Urban District. Population in 1911 16,941.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	30.8 36.9 27.7 18.5 18.5 15.4	. . . . . .	10 12 9 6 6 5	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 1 . . .	. . . . . .	. . . . . 1	. 1 3 . . .	3 2 2 . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 3 1 . 1
Belfast. Population in 1915 (Est.) 403,000.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	24.6 23.3 22.8 26.9 25.2 25.0	1.2 1.6 1.6 2.1 2.1 1.4	190 180 176 298 195 193	. . . 1 . .	. . . . . .	. . . . . .	3 5 4 5 6 7	3 . . 3 . .	1 3 6 1 3 1	. . 1 . . 1	. . . . . .	19 13 15 18 13 18	9 5 12 10 8 2	6 5 6 6 6 6	23 38 21 31 29 30	43 23 31 34 31 33	2 4 1 1 4 2	. . . 2 . .	. . . . . .	2 4 3 3 . 5	3 3 4 3 4 2	
Cork. Population in 1911 76,673.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	39.4 31.3 26.5 25.5 25.8 25.8	2.7 2.7 1.4 . 2.0 0.7	58 46 39 39 38 38	. . . . 1 .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	3 3 1 . 1 .	. . 1 . . .	3 8 3 6 2 3	5 1 2 2 1 2	2 3 5 1 1 .	3 9 3 4 3 5	4 9 3 7 5 6	1 1 . . 1 .	. . . . . .	. . . . . .	2 . . . . . .	6 4 6 2 1 1	
Londonderry. Population in 1915 (Est.) 41,200.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	27.8 27.8 21.5 20.2 15.2 21.5	2.5 . 1.3 . 1.3 .	22 22 17 16 12 17	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . 1 . . .	2 1 4 2 1 2	. 2 . 1 . .	. 1 1 1 1 .	6 1 1 3 2 1	3 5 6 5 2 3	. . . . 1 .	. . . . . .	. . . . . .	1 . . . . .	1 . 2 1 2	
Limerick. Population in 1911 38,518.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	23.0 19.0 21.7 20.3 14.9 31.1	. . . . . .	17 14 16 15 11 23	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	6 1 1 1 2 1	2 . 2 . . .	. 1 . 1 . .	1 . 1 . 1 . 7	3 2 3 1 1 .	. . . . . .	. . . . . .	. . . . . .	1 . . . . 1	. 4 1 1 6	
Waterford. Population in 1911 27,464.	Feb. 13 " 20 " 27 March, 6 " 13 " 20	13.3 34.2 39.9 22.8 9.5 32.3	3.8 3.8 1.9 . . 11.4	7 18 21 12 5 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 2 6	. . . . . .	. . . . . .	. . . . . .	1 3 2 1 . 1	. 1 2 . . .	. . 1 . . .	. . 1 . . 3	1 2 4 3 4 3	1 1 1 . . .	. . . . . .	. . . . . .	. . 2 . . .	. . 3 1 .	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 20th March, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																					
				All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.					Enteric Fever.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.				DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)								(11)	(12)					(13)	(14)				(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																		
City of Belfast.																																																	
BELFAST URBAN No. 1 DISTRICT.		15,879	4	32.8	5.3	10	1	1	1	2	4	2	.	.	.	.	.	.	.	.	1	.	2	3	1	.	.	1	1	6	1																		
Do. 2 do.		49,500	25	29.5	5.3	28	4	8	1	5	8	7	.	.	.	.	.	.	.	3	.	1	5	4	.	.	1	2	6	6	1																		
Do. 3 do.		50,032	21	14.6	1.6	14	4	1	1	3	4	2	.	.	.	.	.	.	.	2	.	1	2	2	.	.	.	.	4	4	1																		
Do. 4 do.		32,637	31	30.4	.	19	5	4	1	2	4	3	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	7	7	1																		
Do. 5 do.		16,112	8	29.1	.	9	3	1	1	1	3	5	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	3	3	1																		
Do. 6 do.		37,298	21	16.8	.	12	.	.	2	2	3	5	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	5	5	1																		
Do. 7 do.		2,681	1	19.4	.	1	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.	.	.	2	.	.	.	.	1	1	1																		
Do. 8 do.		5,964	.	26.2	.	3	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1																	
Do. 9 do.		24,427	11	25.6	.	12	1	.	4	1	5	1	.	.	.	.	.	.	.	4	.	.	.	1	.	.	.	.	.	1	1	1																	
Do. 10 do.		28,958	13	16.2	1.8	9	3	.	2	1	3	3	.	.	.	.	.	.	.	1	.	1	2	3	.	.	.	.	2	2	1																		
Do. 11 do.		39,311	22	22.5	4.1	17	3	1	1	6	6	5	.	.	.	.	.	.	.	1	.	1	2	5	.	.	.	.	4	4	1																		
Do. 12 do.		38,076	19	42.5	.	31	9	9	2	1	5	5	.	.	.	.	.	.	.	3	.	.	.	9	6	.	.	.	.	1	1	1																	
Do. 13 do.		23,233	7	18.0	.	8	2	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1																	
Do. 14 do.		175	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																	
Do. 15 do.		22,669	11	46.0	2.3	20	5	.	2	3	7	3	.	.	.	.	.	.	.	1	.	.	1	5	.	.	.	.	2	2	1																		
Total,		386,947	194	25.0	1.4	193	40	19	14	24	51	45	.	.	.	7	.	1	1	.	18	2	6	30	33	.	.	5	8	49	2																		
City of Cork.																																																	
CORK URBAN No. 1 DISTRICT		13,455	7	19.4	5.0	5	.	.	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	1	1																	
Do. 2 do.		10,399	9	35.1	.	7	1	1	.	3	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	1																	
Do. 3 do.		8,793	7	16.0	.	3	1	1	.	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1																	
Do. 4 do.		9,139	4	39.9	.	7	3	.	1	.	1	4	.	.	.	.	.	.	.	1	.	1	1	1	.	.	.	.	6	6	1																		
Do. 5 do.		6,250	3	16.7	.	2	1	.	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1																	
Do. 6 do.		11,581	1	36.0	.	2	2	.	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	3	1																	
Do. 7 do.		16,056	8	19.5	.	6	1	.	1	1	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1																	
Total,		76,673	39	25.8	0.7	38	7	2	4	6	6	13	.	.	.	1	.	.	3	2	.	5	6	.	.	.	.	.	16	1	1																		

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.





TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS,  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, —	4,516,612	Mar. 20,	2,099	1,826 <sup>c</sup>	21·1	2	.	141	6	41	17	15
EDINBURGH, —	328,700	„ 20,	126	137 <sup>c</sup>	21·7	.	.	.	2	7	.	1
GLASGOW, —	1,078,400	„ 20,	554	437 <sup>c</sup>	21·1	1	.	15	5	44	4	.
CALCUTTA, —	896,067	Jan. 30,	.	644	37·3	83*	153	4	.	.	.	67 <sup>†a</sup>
BOMBAY, —	979,445	Feb. 6,	385	412	21·9	35*	2	.	.	.	.	41 <sup>a</sup>
MADRAS, —	518,660	Jan. 30,	331	405	40·6	55*	.	.	?	?	?	79 <sup>†a</sup>
CAIRO, {	Egyptians, ...	„ 7,	622	410	32·3	7	.	.	.	?	5 <sup>†</sup>	34
	Foreigners,	„ 7,	6	16	11·6	.	.	.	.	?	1 <sup>†</sup>	.
ALEXAN- DRIA, {	Egyptians,	„ 7,	342	144	22·0	.	2	.	.	?	.	19
	Foreigners,	„ 7,	26	21	14·2	.	2	.	.	?	.	3
PARIS, —	2,847,229	Feb. 6,	929	1,011	18·1	7	.	18	3	4	4	18
BRUSSELS, —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, —	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, —	607,406 {	Nov. 7,	286	109	9·4	1	.	1	.	2	2 <sup>†</sup>	2
		„ 14,	266	96	8·2	.	.	.	.	.	.	.
COPENHAGEN, —	492,000	Feb. 20,	226	181	19·2	.	.	.	1	.	1 <sup>†</sup>	1
STOCKHOLM, —	382,085	„ 20,	142	121	16·5	.	.	2	1	1	3	2
CHRISTIANIA, —	251,446	„ 27,	112	63	13·0	.	.	.	.	.	.	.
PETROGRAD, —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ...	1,694,000 {	Dec 12,	.	689	21·2	17	.	6	12	3	8 <sup>†</sup>	36 <sup>a</sup>
		„ 19,	.	661	20·3	18	.	9	8	1	9 <sup>†</sup>	40 <sup>a</sup>
ROME, —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, —	5,806,532	Jan. 23,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, —	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	766,136	Feb. 27,	.	261 <sup>b</sup>	17·8	1	.	.	2	3	3	9 <sup>a</sup>

\* Deaths from "fever," including 2 deaths from plague and 3 from enteric fever in Calcutta; 5 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 13 deaths from cholera in Calcutta, and 2 in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e., non-residents deducted, 223 deaths (including 6 from diarrhoeal diseases); rate, 15·2 per thousand.

<sup>c</sup> Including 8 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th March, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	7	8
„ „ 1, West,	.	.	4	.	.	.	.	.	.	.	1	.	13	18
„ „ 2,	.	1	.	.	.	.	.	.	.	.	.	.	4	5
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	2	.	.	.	.	1	4
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3,	.	.	.	.	1	.	.	.	1	.	1	.	3	6
„ „ 4,	.	1	.	.	.	.	.	.	1	.	.	.	2	4
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Total,	.	4	4	.	2	.	.	2	2	.	2	.	37	53

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th March, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th March.			
	Feb. 27.	Mar. 6.	Mar. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	37	41	33	2	4	1	30
Typhus,	10	6	6	4	3	.	7
Small-pox,	.	.	.	.	.	.	.
Measles,	25	25	34	3	10	1	26
Scarlet Fever,	74	77	77	10	3	1	83*
Diphtheria,	29	26	25	6	5	2	24
Pneumonia,	21	21	29	9	5	2	31

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 27TH MARCH, 1915.

[No. 12.]

*General Register Office, Charlemont House,  
Dublin, 29th March, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 6	Mar. 13	Mar. 20	Mar. 27	
<b>27 Town Districts, (a)</b>	<b>27·4</b>	<b>25·9</b>	<b>24·0</b>	<b>23·9</b>	<b>25·3</b>
Dublin Reg. Area ...	33·4	30·1	23·8	26·8	28·5
Dublin City ...	35·5	31·7	24·5	28·0	29·9
Belfast ...	26·9	25·2	25·0	21·3	24·6
Cork ...	26·5	25·8	25·8	26·5	26·1
Londonderry ...	20·2	15·2	21·5	34·2	22·8
Limerick ...	20·3	14·9	31·1	20·3	21·7
Waterford ...	22·8	9·5	32·3	11·4	19·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·2 per 1,000. Among the 165 deaths from all causes for Belfast are 4 from measles, 3 from whooping-cough, one from diphtheria, 6 from diarrhoeal diseases, and one from cerebro-spinal fever. The 39 deaths from all causes for Cork include one from measles, 3 from scarlet fever, and one from cerebro-spinal meningitis. Of the 6 deaths from all causes for Waterford, one is from scarlet fever. One of the 4 deaths from all causes for Dundalk is from whooping-cough. Of the 3 deaths from all causes for Lisburn, one is from whooping-cough. Included in the 4 deaths from all causes for Portadown are 2 from measles. Of the 8 deaths from all causes for Ballymena, one is from scarlet fever. One death from measles, one from whooping-cough, and one from cerebro-spinal meningitis are included in the 4 deaths recorded for Larne; and of the 8 deaths from all causes for Coleraine, 4 are from measles.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—112 boys and 106 girls—and the deaths to 228—113 males and 115 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·8 per 1,000 of the population. During the twelve weeks, ending with Saturday last, the death-rate averaged 30·1, and was 5·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.



The total deaths registered, numbering 228, represent an annual rate of 29.1 per 1,000; the annual rate for the past twelve weeks was 31.9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25.7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from scarlet fever, 10 from whooping-cough, one from diphtheria, 6 from diarrhoea and enteritis of children under 2 years of age, 11 from influenza, and 3\* from cerebro-spinal fever.

Deaths from scarlet fever in the three preceding weeks were one, one, and one; deaths from whooping-cough were 6, 5, and 13; deaths from diphtheria were one, one, and one; deaths from diarrhoea and enteritis of children under 2 years of age were 10, 8, and 2; deaths from influenza were 18, 11, and 11; and deaths from cerebro-spinal fever were 2, one, and one, respectively.

Deaths from tuberculous disease, which, in the three preceding weeks, numbered 35, 36, and 30, respectively, rose to 41\* last week, consisting of 32 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from other forms of the disease.

Cancer caused 11\* deaths.

There were 17 deaths from pneumonia, comprising 11 from broncho-pneumonia, and 6 from pneumonia (type not distinguished.)

Two deaths of infants under one year of age were ascribed to convulsions, 2 to congenital malformations, 4 to prematurity, and 6 to congenital debility.

Seventeen deaths were caused by organic diseases of the heart, and 34 by bronchitis.

Included in the 7 accidental deaths are one caused by an explosion in a brewery, one by drowning, and 2 by vehicles and horses.

Three deaths of soldiers were registered as having been caused by wounds received in battle.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old).

Sixty-one of the persons whose deaths were registered during the week were under 5 years of age (33 being infants under one year, of whom 10 were under one month old), and 55 were aged 65 years and upwards, including 43 persons aged 70 and upwards; among the latter were 26 aged 75 and upwards, of whom two (females) were stated to have been aged 90 and 91 years, respectively.

Ninety-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 17 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26.8 per 1,000; the rate in the City was 28.0 (North City Districts, 27.6; South, 28.5), and in the Suburbs, 22.8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2.3 per 1,000 inhabitants, the rate for the City being 2.3 (in the North City Districts 1.6, and in the South 3.2), and for the Suburbs 2.2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (24) are equal to an annual rate of 41.0 per 1,000, and include one from scarlet fever, 2 from influenza, 6 from tuberculous disease, 5 from bronchitis, one from diarrhoea and enteritis of a child under 2 years of age, and one from cerebro-spinal fever.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 26.3 per 1,000. Included in the total are one from influenza, 3 from pulmonary tuberculosis, 2 from pneumonia, 5 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20.6 per 1,000. Influenza caused one death, tuberculous disease 3 deaths, broncho-pneumonia 2 deaths, and bronchitis 3 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (17) represent an annual rate of 24.7 per 1,000, and include one from influenza, 4 from pneumonia, and 3 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28.2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 34.0; and Finglas and Glasnevin, part of, 14.4. Included in the 3 deaths from all causes for Clontarf and Howth No. 1, part of, are 2 from bronchitis. Among the 9 deaths from all causes for Coolock and Drumcondra, part of, are one from influenza, 3 from pulmonary tuberculosis, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis. Included in the 3 deaths from all causes for Finglas and Glasnevin, part of, are one from whooping-cough and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (28) represent an annual rate of 35.5 per 1,000, and include 3 from whooping-cough, 5 from tuberculous disease, 3 from pneumonia, 3 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years, and 2 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (16) are equal to an annual rate of 45.5 per 1,000. Included in the total are 2 from whooping-cough, 3 from tuberculous disease, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 24.9 per 1,000. There were 2 deaths from whooping-cough, 5 from pulmonary tuberculosis, 3 from pneumonia, 2 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17.3 per 1,000, and include 3 from tuberculous disease, one from broncho-pneumonia, and one from bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21.0 per 1,000. Included in the total are one from pneumonia and 2 from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21.1; Pembroke, 27.3; Blackrock, 16.9; and Kingstown, 21.5. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria and one from diarrhoea and enteritis of a child under 2 years for Rathmines and Rathgar, and 2 from whooping-cough for Pembroke. Included in the 16 deaths from all causes for Rathmines and Rathgar are one from influenza, one from pulmonary tuberculosis, 3 from bronchitis, and one accidental death. Of the 16 deaths from all causes for Pembroke 3 are from influenza, one from cerebro-spinal fever, one from pneumonia, and one from bronchitis. One of the 3 deaths from all causes for Blackrock is from bronchitis, and included in the 7 deaths from all causes for Kingstown are one from influenza and 3 from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 22.3), was equal to an average annual death-rate of 19.8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 21.1 per 1,000, the rate for Glasgow being 21.8, and for Edinburgh 20.5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th March. From this Report it appears that of a total of 47 cases notified, 12 were scarlet fever, 11 diphtheria, 11 pulmonary tuberculosis, 4 other forms of tuberculosis, 4 cerebro-spinal fever, 3 enteric fever, and 2 erysipelas. Among the 511 cases of infectious diseases in hospital at the close of the week were 177 of pulmonary tuberculosis, 147 of scarlet fever, 87 of diphtheria, 47 of whooping-cough, 18 of measles, 12 of cerebro-spinal fever, 6 of erysipelas, and 3 of enteric fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th March, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 6,	.	—	—	24	.	.	5	.	.	5	3	.	—	—	2	—	.	36	75
	Mar. 13,	.	—	—	8	.	.	3	.	.	3	3	1	—	—	—	—	.	35	50
	Mar. 20,	.	—	—	4	4	.	2	.	.	2	2	.	—	—	2	—	.	37	53
	Mar. 27,	.	—	—	3	1	.	4	.	.	2	6	.	—	—	—	—	.	24	40
Rathmines and Rathgar Urban District.	Mar. 6,	.	—	—	4	.	.	3	.	.	2	.	.	—	—	—	—	.	—	9
	Mar. 13,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	.	—	3
	Mar. 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	.	—	4
	Mar. 27,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	.	—	3
Pembroke Urban District.	Mar. 6,	.	1	.	1	.	.	.	.	.	.	.	.	—	11	—	—	—	1	14
	Mar. 13,	.	5	.	1	.	.	.	.	.	.	.	.	—	2	—	—	—	.	8a
	Mar. 20,	.	3	.	3	.	.	1	.	.	1	.	.	—	7	—	—	2	17	
	Mar. 27,	.	2	.	7	.	.	1	.	.	.	.	.	—	4	—	—	.	14a	
Blackrock Urban District.	Mar. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	2
	Mar. 13,	.	.	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	.	2
	Mar. 20,	.	.	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	.	2
	Mar. 27,	.	.	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
Kingstown Urban District.	Mar. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	3	4	
City of Belfast.	Mar. 6,	.	—	—	20	.	.	4	.	.	.	3	.	—	—	—	—	.	6	33
	Mar. 13,	.	—	—	33	.	.	1	.	.	.	1	.	—	—	6	—	.	.	40
	Mar. 20,	.	—	—	29	.	.	5	.	.	.	1	.	—	—	1	—	5	41	
	Mar. 27,	.	—	—	25	.	.	4	.	.	3	2	.	—	—	2	—	4	40	
City of Cork.	Mar. 6,	.	1	—	3	.	.	.	.	.	.	3	.	—	—	—	—	—	7	
	Mar. 13,	.	1	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	7	
	Mar. 20,	.	1	—	3	.	.	5	1	.	2	2	.	—	—	—	—	—	14	
	Mar. 27,	.	1	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	9b	
City of Londonderry.	Mar. 6,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	Mar. 6,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	Mar. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	
	Mar. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	
	Mar. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	
City of Waterford.	Mar. 6,	.	—	—	10	1	.	.	.	.	.	.	.	—	—	—	—	—	2	11
	Mar. 13,	.	—	—	23	.	.	.	.	.	.	.	.	—	—	—	—	—	25	
	Mar. 20,	.	—	—	19	.	.	.	.	.	.	.	.	—	—	—	—	1	20	
	Mar. 27,	.	—	—	17	.	.	4	.	.	1	.	.	—	—	—	—	2	24	

(a) Not including one case of cerebro-spinal meningitis.

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th March, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 41, 33, and 30.

Two cases of typhus were discharged from hospital during the week, and 5 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 6, 6, and 7 respectively.

Four cases of measles were admitted to hospital during the week, 18 were discharged, and 12 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 25, 34, and 26 respectively.

Seven cases of scarlet fever were admitted to hospital, 10 were discharged, there was one death, and 79\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 77, and 83, respectively.

Seven cases of diphtheria were admitted to hospital during the week, and 4 were discharged, The cases in hospital, which at the close of the 3 preceding weeks numbered 26, 25, and 24 respectively, were 27 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 10 were discharged, there was one death, and 30 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th March, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths,

TOWNS AND DISTRICTS.	REGISTRATION—WEEK ENDING SATURDAY, 27TH MARCH, 1915.																													
	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																							
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	28.0	23.9	2.2	651	555	92	136	...	...	...	12	6	16	2	...	76	20	19	57	88	11	3	8	14	157	17		
DUBLIN REGISTRATION AREA: TOTAL. (c.) ...	409,000	29.8	27.8	26.8	2.3	218	210(d)	32	53	...	...	...	...	1	10	1	...	30	8	7	17	39	6	...	4	4	80	5		
CITY OF DUBLIN, ...	312,747	39.5	31.5	28.0	2.3	189	168	25	36	...	...	...	...	1	8	...	...	26	8	6	16	34	5	...	3	3	63	2		
Urban Districts.																														
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	21.1	2.6	9	16	2	9	...	...	...	...	...	...	1	...	1	...	...	...	3	1	...	1	1	5	2		
PEMBROKE, ...	30,538	19.4	15.4	27.3	3.4	9	16	3	6	...	...	...	...	...	2	...	...	...	...	...	1	1	...	...	...	...	3	1		
BLACKROCK, ...	9,233	8.5	16.9	16.9	.	3	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...		
KINGSTOWN, ...	16,941	11.6	24.6	21.5	.	8	7	1	1	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	3	...		
Urban Districts																														
BELFAST ...	403,000	27.0	30.0	21.3	1.8	232	165(d)	34	32	...	...	...	4	...	3	1	...	20	7	3	26	25	3	3	3	5	39	2		
CORK, ...	76,673	28.6	20.4	26.5	2.7	30	39(d)	7	7	...	...	...	1	3	...	...	...	5	...	...	4	5	...	...	...	2	13	1		
LONDON-DERRY, ...	41,200	16.0	29.1	34.2	1.3	23	27	4	9	...	...	...	...	...	...	...	...	3	2	2	4	6	1	...	...	...	7	1		
LIMERICK, ...	38,518	16.1	24.4	20.3	.	18	15	3	3	...	...	...	...	...	...	...	...	3	1	1	1	3	...	...	...	1	3	2		
WATERFORD, ...	27,464	19.1	26.6	11.4	1.9	14	6	1	1	...	...	...	...	1	...	...	...	1	...	...	1	2	...	...	...	...	...	...		
GALWAY, ...	13,255	2.5				6	9	3	4	...	...	...	...	...	...	...	...	1	...	1	2	...	1	...	...	...	2	...		
DUNDALK, ...	13,128	9.5				7	4	2	2	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...		
LURGAN, ...	12,553	14.7				8	5	...	2	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	2	...		
DROGHEDA, ...	12,501	8.4				7	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
LISBURN, ...	12,388	10.9				6	3	2	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...		
NEWRY, ...	11,963	17.0				1	4	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	2	1		
PORTADOWN, ...	11,727	15.3				6	4	...	1	...	...	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22.8				8	6	...	1	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	1	1	...	1		
BALLYMENA, ...	11,381	9.3				3	8	1	3	...	...	...	...	1	...	...	...	2	...	1	...	2	...	...	...	...	...	2		
SLIGO, ...	11,163	3.8				3	5	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...		
KILKENNY, ...	10,514	11.4				7	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...		
TRALEE, ...	10,300	17.4				7	7	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	...		
CLONMEL, ...	10,209	7.8				5	7	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...		
NEWTOWNARDS, ...	9,587	20.1				11	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
QUEENSTOWN, ...	8,209	14.7				7	6	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	1	...		
LARNE, ...	8,036	13.4				8	4(d)	...	1	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...		
COLERAINE, ...	7,785	7.7				6	8	1	4	...	...	...	4	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
BANGOR, ...	7,776	8.5				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BRAY, ...	7,691	7.2				3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ...	7,472	6.2				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1		
ARMAGH, ...	7,356	21.8				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 18 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area: included in the 18 deaths are 3 from tuberculous disease, 4 from cancer, and one from cerebro-spinal fever. (d) Including 2 deaths from cerebro-spinal fever in Dublin, one in Belfast, and one death each from cerebro-spinal meningitis in Cork and Larne.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 27th of March, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.														URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN														RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.						
Enteric Fever,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,		.	.	.	.	.	.	1	3	2	2	.	.	.	2	.	.	.	10
Diphtheria,		.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Croup,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,		2	1	1	1	.	1	.	.	.	.	.	.	1	3	.	1	.	11
Dysentery,		2	3	1	.	.	3	.	4	5	5	2	.	1	.	.	3	.	30
Tuberculosis,	{ Pulmonary,	3	.	2	.	.	.	.	1	1	5	1	.	.	.	.	.	.	8
	{ Other Forms,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Cancer,		.	2	.	.	.	.	.	1	.	2	1	.	.	.	.	1	.	4
Diseases of Nervous System,		1	1	.	3	.	.	.	4	4	2	.	.	1	2	.	.	.	18
" Organs of Special Sense,		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
" Circulatory System,		2	.	.	2	.	1	1	1	2	2	1	.	1	4	1	.	.	18
" Respiratory System.	{ Pneumonia,	.	2	2	4	.	.	.	3	.	3	1	1	.	1	.	.	.	17
	{ Others,	6	6	4	3	2	1	1	4	2	2	1	2	3	1	1	.	.	39
" Digestive System.	{ Diarrhoea and Enteritis, under 2 years,	1	1	.	.	.	1	.	2	.	.	.	.	1	.	.	.	.	6
	{ Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	{ Others,	.	1	.	.	.	1	.	.	.	2	1	.	.	1	.	.	.	6
" Genito-urinary System,		1	.	1	1	.	1	.	.	.	.	.	.	1	.	.	.	.	5
Puerperal Septicæmia, etc.,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Locomotor System,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,		4	4	.	3	.	.	.	3	.	.	2	1	4	1	1	2	.	25
Violent Deaths,		.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	.	4
Ill-defined, &c. Causes,		.	.	.	.	1	.	.	.	.	.	1	.	1	.	.	.	.	3
Deaths from All Causes		24	21	11	17	3	9	3	28	16	21	11	4	16	16	2	7	210	18
Annual Rate of Mortality from All Causes in every 1,000 of the population.		41.0	26.3	20.6	24.7	28.2	34.0	14.4	35.5	45.5	24.9	17.3	21.0	21.1	27.3	16.9	21.5	26.8	.
		27.6							28.5							22.8		28.0	
Ages at Death.	Under 1 year,	4	3	1	1	.	1	1	9	2	.	1	2	2	3	1	1	32	1
	1 and under 2 years,	.	2	2	4	.	.	.	3	4	3	2	.	.	1	.	.	21	.
	2 " 5 "	1	.	.	1	.	.	.	1	.	2	2	.	.	.	.	.	7	.
	5 " 15 "	3	.	1	1	.	.	.	.	.	1	.	.	1	.	.	1	8	2
	15 " 25 "	3	2	1	.	.	2	.	1	.	.	1	.	.	.	.	.	10	3
	25 " 45 "	2	2	2	3	.	1	1	6	4	2	2	.	2	4	.	3	34	9
	45 " 65 "	6	4	3	4	2	2	.	4	4	9	1	.	2	2	1	1	45	1
	65 and upwards,	5	8	1	3	1	3	1	4	2	4	2	2	9	6	1	1	53	2
Number of Uncertified Deaths,		.	1	.	.	.	.	.	.	1	.	.	.	2	1	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,		4	5	3	6	.	4	.	5	4	4	.	.	3	3	1	.	42	18
Workhouse Hospitals.		3	3	3	6	.	.	.	7	2	6	1	.	2	.	.	3	38	.





TWELFTH WEEK, ending Saturday, 27th March, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks:

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 12th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 27th March, 1915.																				
	Mar. 25, 1905.	Mar. 24, 1906.	Mar. 23, 1907.	Mar. 21, 1908.	Mar. 27, 1909.	Mar. 26, 1910.	Mar. 25, 1911.	Mar. 23, 1912.	Mar. 22, 1913.	Mar. 21, 1914.		All Ages.	Deaths of Persons of the Ages of																			
													0-5.																			
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.										
Diseases of the Pharynx, Ton- sillitis.	.	.	1	.	.	.	3	1	.	5	.	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	4	2	—	4	.	.	.	.	1	1	2	.	.	.										
Diarrhoea and Enteritis of Children under 2 years.	1	6	4	3	5	3	9	2	4	6	4.7	6	.	5	1	.	.	.	.	.	.	.										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	1	3	1	—	.	.	.	.	.	.	.	.	.	.	.										
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	2	1	—	3	.	.	.	.	1	1	1	.	.	.										
Cirrhosis of Liver, ....	2	1	.	1	.	1	.	.	2	.	7	.	.	.	.	.	.	.	.	.	.	.										
Other Diseases of Liver, ...	1	2	.	2	1	3	.	.	1	1	1.1	.	.	.	.	.	.	.	.	.	.	.										
Peritonitis (cause unknown),	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Other Diseases of Digestive System.	5	7	5	5	4	11	.	.	.	2	3.9	1	.	.	.	.	.	1	.	.	.	.										
Acute Nephritis, ...	5	5	2	7	12	6	6	3	1	10	6.5	2	.	.	.	.	.	.	1	1	.	.										
Chronic Bright's Disease, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	2	1	2	.	1	.	.	.	.	.	.	.	1	.	.	.										
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	2	.	1	4	.	.	.	.	.	.	.	.	.	.	.										
Other Causes incident to Pregnancy and Childbirth.	1	1	.	2	.	.	1	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	2	.	1	—	1	.	.	.	.	1	.	.	.	.	.										
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	2	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.										
Premature Birth, ...	4	2	4	2	1	3	3	4	5	3	3.1	4	4	1	1	.	.	.	.	.	.	.										
Congenital Debility, ...	—	—	—	—	—	—	3	8	3	3	—	6	2	4	.	.	.	.	.	.	.	.										
Old Age, ...	4	3	2	8	2	5	7	4	10	4	4.9	7	.	.	.	.	.	.	.	1	6	.										
Other Specified Diseases, ...	—	—	—	—	—	—	2	1	2	4	—	2	.	.	.	.	.	2	.	.	.	.										
ACCIDENT:																																
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.										
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Burns and Scalds, ...	1	1	.	.	.	1	2	.	1	1	7	1	.	.	.	.	1	.	.	.	.	.										
Drowning, ...	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.										
Suffocation in Bed, ...	.	1	1	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.										
Other Deaths by Accident, ...	.	1	3	.	2	.	1	1	.	2	1.0	5	.	.	.	.	1	1	2	.	1	.										
Total Deaths from Accident,	2	4	4	.	2	1	4	1	1	3	2.2	7	.	.	.	.	1	2	3	.	1	.										
Included in above are Deaths in connection with—																																
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.										
Vehicles and Horses, ...	.	1	.	.	.	.	1	.	.	.	2	2	.	.	.	.	.	.	.	.	1	.										
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
VIOLENCE OTHER THAN ACCIDENTAL:																																
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Suicide, ...	1	.	.	.	.	1	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.										
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	6	3	3	—	3	.	.	.	.	.	2	1	.	.	.										

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																										
		Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	
No. of weeks in Annual Series,		40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	
BIRTHS registered.		199	223	185	205	173	222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	225	231	206	220	238	218	
Average Births in corresponding week of previous 10 years, ...		203	187	211	196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	
DEATHS registered, ...		154	141	144	134	118	153	155	155	152	204	190	203	134	233	297	241	233	249	254	236	256	287	272	249	207	228	
Annual Death-rate per 1,000, ...		19.8	18.1	18.5	17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	34.7	31.7	25.6	29.1		
Average Deaths in corresponding week of previous 10 years, ...		157	155	157	149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	
Ages, { Under 5 years, 5-15 " " 15-25 " " 25-45 " " 45-65 " " 65-75 " " 75 and upwards, ...		39	30	47	36	29	35	34	26	28	38	57	51	35	87	100	74	60	52	84	63	69	66	62	62	54	61	
		5	12	7	2	7	8	8	11	3	6	7	7	9	8	12	7	8	6	11	4	9	11	9	7	11	10	
		1	6	7	4	1	8	7	6	6	8	9	9	7	7	10	15	11	11	8	8	9	7	17	8	9	13	
		33	21	19	22	30	27	28	35	26	42	31	22	17	33	38	31	31	31	35	31	31	28	39	40	41	31	43
		40	39	36	22	26	41	40	42	35	54	50	61	35	65	70	35	63	63	66	56	61	64	80	60	52	31	46
		19	17	17	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	26
Deaths from:—		17	16	11	19	11	16	18	16	16	16	17	25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	
Enteric Fever, ...		1	2	3	.	2	3	2	2	1	5	1	1	2	2	2	1	1	1	1	1	.	1	.	.	.	.	
Typhus, ...		.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
Small-pox, ...		.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	1	2	.	.	.	.	1	1	1	1	
Measles, ...		.	.	1	.	2	1	1	1	1	1	1	2	1	2	1	3	6	1	1	1	1	1	1	1	1	1	
Scarlet Fever, ...		1	.	.	.	.	1	.	.	.	.	2	4	2	4	7	8	6	4	7	10	6	11	6	5	13	10	
Whooping-cough, ...		1	.	2	1	.	1	.	.	1	3	1	4	2	2	2	2	1	1	2	3	3	1	1	1	1	1	
Diphtheria, ...		.	.	2	2	2	1	.	1	.	.	2	.	1	1	1	2	4	4	8	10	8	13	18	11	11	11	
Influenza, ...		.	1	1	.	.	1	.	.	.	1	.	.	1	.	38	25	17	16	22	22	19	29	32	29	24	32	
Dysentery, ...		17	11	25	17	11	16	22	20	16	30	23	26	20	7	10	10	5	8	13	7	5	10	3	7	6	9	
Tuberculosis { Pulmonary ...		9	11	4	5	4	3	7	5	6	3	6	5	5	7	10	10	16	11	9	4	8	12	10	11	7	7	
Other Forms, ...		15	8	6	9	8	8	15	9	17	12	10	7	8	12	14	16	11	7	9	4	8	15	10	11	7	11	
Cancer, ...		16	20	8	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	
Diseases of Circulatory System, ...		10	11	9	9	8	12	12	9	7	15	23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	
Diseases of Respiratory System, ...		19	12	22	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	
Pneumonia, ...		11	14	11	11	7	10	6	7	3	4	10	6	5	8	8	7	2	6	8	8	4	2	10	8	2	6	
Diarrhoea and Enteritis, under 2 years, ...		1	7	1	1	.	.	.	1	.	.	.	1	.	.	2	4	4	.	4	4	11	5	.	8	11	7	
Diarrhoea, 2 years and upwards, ...		2	7	1	1	1	3	5	7	7	1	5	9	9	6	14	11	11	6	15	10	13	7	9	18	8	5	
Violent Deaths, ...		8	.	2	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9	18	8	5	
Number of Uncertified Deaths, ...																												





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 20	32.5	3.4	19	.	.	.	.	.	.	.	.	1	.	1	3	3	2	.	2	.	
	" 27	30.8	.	18	.	.	.	.	.	.	.	.	1	1	.	1	3	.	.	2	.	
	March, 6	37.6	5.1	22	.	.	.	1	.	1	.	.	3	.	1	2	4	1	.	.	.	
	" 13	34.2	.	20	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	
Population in 1915	" 20	20.5	5.1	12	.	.	.	.	1	2	.	.	3	.	.	1	.	.	.	1	1	
(Est.) 30,504.	" 27	41.0	3.4	24	.	.	.	.	1	.	.	.	3	3	.	.	6	1	.	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 20	35.0	1.3	28	.	.	.	.	.	.	.	.	3	.	.	3	7	1	.	2	1	
	" 27	38.8	.	31	.	.	.	.	.	.	.	.	8	1	1	5	3	.	.	.	3	
	March, 6	33.8	2.5	27	.	.	.	.	.	.	.	.	3	.	.	3	6	2	.	1	.	
	" 13	27.5	1.3	22	.	.	.	.	.	.	.	.	2	1	.	1	7	1	.	1	1	
Population in 1915	" 20	22.5	1.3	18	.	.	.	.	.	1	.	.	2	.	2	1	5	.	.	2	.	
(Est.) 41,685.	" 27	26.3	1.3	21	.	.	.	.	.	.	.	.	3	.	2	2	6	1	.	.	1	
North City, No. 2. (Office, Lisburn-street.)	Feb. 20	39.3	.	21	.	.	.	.	.	.	.	.	.	2	.	5	1	.	.	.	3	
	" 27	52.4	1.9	28	.	.	.	.	.	1	.	.	3	.	1	1	10	.	.	.	.	
	March, 6	63.6	.	34	.	.	.	.	.	.	.	.	4	.	2	4	11	.	.	.	.	
	" 13	44.9	.	24	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	.	1	
Population in 1915	" 20	37.4	1.9	20	.	.	.	.	.	1	.	.	3	1	1	1	4	.	.	.	1	
(Est.) 27,883.	" 27	20.6	.	11	.	.	.	.	.	.	.	.	1	2	.	2	4	.	.	.	.	
North City, No. 3. (Office, Benburb-street.)	Feb. 20	21.8	1.5	15	.	.	.	.	.	.	1	.	.	.	.	.	5	.	.	1	.	
	" 27	33.4	2.9	23	.	.	.	.	.	1	1	.	1	.	.	1	7	.	.	2	2	
	March, 6	29.1	1.5	20	.	.	.	.	.	1	.	.	3	1	1	2	2	.	.	1	.	
	" 13	30.5	2.9	21	.	.	.	.	1	.	1	.	4	1	1	2	2	.	.	1	3	
Population in 1915	" 20	11.6	1.5	8	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	
(Est.) 35,887.	" 27	24.7	.	17	.	.	.	.	.	.	.	.	.	.	.	4	3	.	.	.	.	
Clontarf and Howth No. 1 (part of).	Feb. 20	18.8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	" 27	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	March, 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 13	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
(Est.) 5,539.	" 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
	" 27	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cooclock and Drumcondra (part of).	Feb. 20	15.1	.	4	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
	" 27	30.2	.	8	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	
	March, 6	41.5	3.8	11	.	.	.	.	.	.	.	.	1	.	1	1	4	1	.	.	.	
	" 13	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	
Population in 1915	" 20	26.4	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	
(Est.) 13,820.	" 27	34.0	3.8	9	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.	.	
Finglas and Glasnevin (part of).	Feb. 20	33.7	.	7	.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	
	" 27	28.9	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	
	March, 6	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	
	" 13	14.4	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	
Population in 1915	" 20	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	
(Est.) 10,829.	" 27	14.4	4.8	3	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	
South City, No. 1. (Office, Sth. Earl-street.)	Feb. 20	35.5	6.3	28	.	.	.	.	.	3	2	.	2	1	1	1	3	.	.	2	.	
	" 27	36.7	3.8	29	.	.	.	.	.	3	.	.	2	2	1	3	8	.	.	.	.	
	March, 6	54.2	2.5	27	.	.	.	.	.	.	.	.	4	.	1	1	7	2	.	.	.	
	" 13	26.6	2.5	21	.	.	.	.	.	1	.	.	4	1	.	2	4	1	.	2	2	
Population in 1915	" 20	35.5	3.8	28	.	.	.	.	.	3	.	.	6	.	.	1	3	.	.	3	2	
(Est.) 41,170.	" 27	55.5	6.3	28	.	.	.	.	.	3	.	.	4	1	1	3	4	2	.	.	.	
South City, No. 2. (Office, Castle-street.)	Feb. 20	39.8	2.8	14	.	.	.	.	.	.	.	.	2	.	.	3	2	1	.	.	1	
	" 27	42.6	8.5	15	.	.	.	.	.	.	.	.	3	1	.	1	1	.	.	.	1	
	March, 6	22.7	.	8	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	1	
	" 13	45.5	.	16	.	.	.	.	.	.	.	.	.	.	.	3	3	.	.	1	.	
Population in 1915	" 20	48.3	2.8	17	.	.	.	.	.	1	.	.	4	.	1	2	8	.	.	1	1	
(Est.) 18,341.	" 27	45.5	5.7	16	.	.	.	.	2	.	.	.	5	1	.	.	2	.	.	.	1	
South City, No. 3. (Office, Peter-street.)	Feb. 20	36.8	2.4	31	.	.	.	.	1	1	.	.	5	.	1	1	5	.	.	1	2	
	" 27	40.3	4.7	34	1	.	.	.	.	2	.	.	5	4	1	4	10	1	.	.	2	
	March, 6	29.6	3.6	25	.	.	.	.	.	3	.	.	3	1	1	1	6	.	.	2	2	
	" 13	42.7	4.7	36	.	.	.	.	.	3	.	.	.	.	1	3	9	1	.	.	3	
Population in 1915	" 20	27.3	4.7	23	.	.	.	.	.	4	.	.	4	.	.	4	5	.	.	1	1	
(Est.) 43,970.	" 27	24.9	2.4	21	.	.	.	.	.	2	.	.	5	.	2	3	2	.	.	.	.	
South City, No. 4. (Office, Grand Canal-st.)	Feb. 20	40.9	3.1	26	.	.	.	.	.	2	.	.	1	1	3	2	5	.	.	.	1	
	" 27	44.0	3.1	28	.	.	.	.	.	1	.	.	.	1	.	3	6	1	.	.	1	
	March, 6	50.3	1.6	32	.	.	.	.	.	.	1	.	4	.	.	6	8	.	.	1	2	
	" 13	22.0	3.1	14	.	.	.	.	.	1	.	.	2	.	1	1	2	1	.	.	1	
Population in 1915	" 20	11.0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	1	
(Est.) 33,171.	" 27	17.3	.	11	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.	.	
New Kilmainham.	Feb. 20	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	2	2	.	.	.	1	
	" 27	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	March, 6	21.0	5.2	4	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
Population in 1915	" 13	31.4	.	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	.	
(Est.) 9,948.	" 20	15.7	5.2	3	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	
	" 27	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Feb. 20	22.4	.	17	.	.	.	.	.	.	.	.	2	.	2	3	2	.	.	.	.
	" 27	18.5	.	14	.	.	.	.	.	.	.	.	1	.	.	1	4	.	.	.	.
	March, 6	31.6	2.6	24	.	.	.	.	.	.	.	.	3	.	1	2	5	2	.	.	2
	" 13	25.1	2.6	19	.	.	.	.	.	.	.	.	2	.	1	.	3	12	.	.	.
Population in 1915 (Est.) 39,541.	" 20	18.5	1.3	14	.	.	.	.	.	1	.	.	1	.	1	2	1	.	.	.	2
	" 27	21.1	2.6	16	.	.	.	.	.	.	1	.	1	.	.	.	3	1	.	1	2
Pembroke Urban District.	Feb. 20	30.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	3	.	.	3	1
	" 27	35.9	.	21	.	.	.	.	.	.	.	.	3	.	1	3	3	.	.	.	1
	March, 6	30.7	5.1	18	.	.	.	.	1	1	.	.	4	.	.	.	.	1	.	.	1
	" 13	29.0	.	17	.	.	.	.	.	.	.	.	2	1	.	4	.	.	.	.	1
Population in 1915 (Est.) 30,538	" 20	18.8	1.7	11	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	2	1
	" 27	27.3	3.4	16	.	.	.	.	.	2	.	.	.	.	.	1	1	.	.	.	1
Blackrock Urban District.	Feb. 20	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 27	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	March, 6	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,233.	" 13	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 20	56.5	5.6	10	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1
	" 27	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Kingstown Urban District.	Feb. 20	36.9	.	12	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	3
	" 27	27.7	.	9	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	1
	March, 6	18.5	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 13	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Population in 1911 16,941.	" 20	15.4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 27	21.5	.	7	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.
Belfast.	Feb. 20	23.3	1.6	180	.	.	.	5	.	3	.	.	13	5	5	38	28	4	.	4	3
	" 27	22.8	1.6	176	.	.	.	4	.	6	1	.	15	12	6	21	31	1	.	3	4
	March, 6	26.9	2.1	298	1	.	.	5	3	3	1	.	18	10	6	31	34	1	2	3	3
Population in 1915 (Est.) 403,000.	" 13	25.2	2.1	195	.	.	.	6	.	6	.	.	13	8	6	29	31	4	.	.	4
	" 20	25.0	1.4	193	.	.	.	7	.	1	1	.	18	2	6	30	33	2	.	5	2
	" 27	21.3	1.8	165	.	.	.	4	.	3	1	.	20	7	3	26	25	3	3	3	2
Cork.	Feb. 20	31.3	2.7	46	.	.	.	.	.	3	.	.	8	1	3	.	9	1	.	.	4
	" 27	26.5	1.4	39	.	.	.	.	.	1	1	.	3	2	5	3	3	.	.	.	6
	March, 6	26.5	.	39	.	.	.	.	.	.	.	.	6	.	1	4	7	.	.	.	2
Population in 1911 76,673.	" 13	25.8	2.0	38	1	.	.	.	.	1	.	.	2	1	1	3	5	1	.	.	1
	" 20	25.8	0.7	38	.	.	.	.	1	.	.	.	3	2	.	5	6	.	.	.	1
	" 27	26.5	2.7	39	.	.	.	1	3	.	.	.	5	.	.	4	5	.	.	.	1
Londonderry.	Feb. 20	27.8	.	22	.	.	.	.	.	.	.	.	1	2	.	1	5	.	.	.	.
	" 27	21.5	1.3	17	.	.	.	.	.	.	1	.	4	.	1	1	6	.	.	1	.
	March, 6	20.2	.	16	.	.	.	.	.	.	.	.	2	1	1	3	5	.	.	.	2
Population in 1915 (Est.) 41,200.	" 13	15.2	1.3	12	.	.	.	.	.	.	.	.	1	.	1	2	2	1	.	.	1
	" 20	21.5	.	17	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	2
	" 27	34.2	1.3	27	.	.	.	.	.	.	.	.	3	2	2	4	6	1	.	.	1
Limerick.	Feb. 20	19.0	.	14	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1
	" 27	21.7	.	16	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.	4
	March, 6	20.3	.	15	.	.	.	.	.	.	.	.	1	3	1	.	1	.	.	.	1
Population in 1911 38,518.	" 13	14.9	.	11	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	1	1
	" 20	31.1	.	23	.	.	.	.	.	.	.	.	1	.	.	.	7	.	.	.	6
	" 27	20.3	.	15	.	.	.	.	.	.	.	.	3	1	1	1	3	.	.	.	2
Waterford.	Feb. 20	34.2	3.8	18	.	.	.	.	2	.	.	.	3	1	1	.	2	.	.	.	.
	" 27	39.9	1.9	21	.	.	.	.	.	.	.	.	2	2	2	1	4	1	.	2	3
	March, 6	22.8	.	12	.	.	.	.	.	.	.	.	1	.	.	1	3	.	.	.	1
Population in 1911 27,464.	" 13	9.5	.	5	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.
	" 20	32.3	11.4	17	.	.	.	6	.	.	.	.	1	.	.	1	3	.	.	.	.
	" 27	11.4	1.9	6	.	.	.	1	.	.	.	.	1	.	.	1	2	.	.	.	.

\* See note (§) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 27th March, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM													No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.						
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.					DISEASES OF THE RESPIRATORY SYSTEM.																					
				All Causes.						Certain Epi- demic Diseases.†	(5)	(6)	(7)	(8)	(9)	(10)	(11)	Butteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.					Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.
				Deaths from																																
		Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)				
City of Belfast.																																				
BELFAST URBAN No. 1 DISTRICT.				15,879	14	29.6	3.3	9	1	2	3	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
Do. 2 do.				49,500	25	23.2	2.1	22	5	7	6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 3 do.				50,032	35	31.3	4.2	30	4	4	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 4 do.				32,637	37	22.4	3.2	14	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 5 do.				16,112	12	25.9	.	8	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 6 do.				37,293	16	11.2	.	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 7 do.				2,681	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 8 do.				5,964	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 9 do.				24,427	19	21.3	.	10	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 10 do.				28,958	9	14.4	5.4	8	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 11 do.				39,311	17	17.2	1.3	13	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 12 do.				38,076	22	30.1	1.4	22	7	4	2	2	3	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 13 do.				23,233	11	20.2	.	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
Do. 14 do.				175	1	27.6	.	12	2	2	3	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 15 do.				22,669	13	27.6	.	12	2	2	3	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Total,				386,947	232	21.3	1.8	165	34	22	20	18	39	32	.	.	4	.	3	1	.	20	7	3	26	25	3	3	3	5	39	2				
City of Cork.																																				
CORK URBAN No. 1 DISTRICT				13,455	3	23.3	20.1	6	.	4	2	1	1	2	.	.	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 2 do.				10,399	4	45.1	.	9	.	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 3 do.				9,783	5	21.3	.	9	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 4 do.				9,139	3	17.1	.	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 5 do.				6,250	.	16.7	.	2	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 6 do.				11,581	4	31.5	.	7	1	2	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Do. 7 do.				16,056	11	26.0	.	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Total,				76,673	30	26.5	2.7	39	7	6	5	6	8	7	.	.	1	3	.	.	5	.	.	4	5	.	.	.	.	2	13	1				

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		Oct. 3.	Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.
No. of weeks in Annual Series,		40	41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12
BIRTHS registered, ...		228	246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232
DEATHS registered, ...		133	111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	153	195	190	180	176	208	195	193	165
Annual Death-rate per 1,000 of estimated population, ...		17.4	14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3
AGES, { Under 1 year, ...		36	38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34
1-5 years, ...		11	13	22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22
5-25 " ...		10	11	15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20
25-45 " ...		19	13	20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	84	29	23	20	27	27	24	13
45-65 " ...		38	20	25	27	24	25	26	34	46	31	27	20	33	29	37	37	39	48	18	38	37	41	43	35	51	39
65 and upwards, ...		19	16	21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32
Deaths from:—		1	2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		1	3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4
Scarlet Fever, ...		1	2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3	.	.	3	.	.	.
Whooping-cough, ...		4	4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3
Diphtheria, ...		.	.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.	.	.	1	1	.	1	1
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, ...		8	6	11	13	10	13	18	19	12	15	12	12	20	.	9	15	19	17	24	19	13	15	18	13	18	20
Other Forms, ...		5	.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7
Cancer ...		9	2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	3
Diseases of Respiratory System, { Pneumonia, ...		10	9	10	8	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26
Others, ...		8	11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25
Diarrhoea and Enteritis, under 2 years, ...		21	10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2	4	1	1	4	2	3
Diarrhoea, 2 years and upwards, ...		2	1	1	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	3
Violent Deaths, ...		3	3	3	1	2	2	2	2	5	.	2	2	4	5	1	.	1	.	.	2	4	3	3	3	5	3
Number of Uncertified Deaths, ...		2	.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3	4	3	4	2	2

TABLE X — BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Mar. 27,	2,172	1,935 <sup>c</sup>	22·3	5	.	140	13	31	16	24
EDINBURGH, ---	328,700	„ 27,	148	129 <sup>c</sup>	20·5	.	.	.	1	11	1	1
GLASGOW, ---	1,078,400	„ 27,	616	450 <sup>c</sup>	21·8	.	.	14	6	46	4	5
CALCUTTA, ---	896,067	Feb. 6,	.	540	31·3	62*	111	1	.	.	.	74† <sup>a</sup>
BOMBAY, ---	979,445	„ 13,	340	432	22·9	38*	3	3	.	1	.	47 <sup>a</sup>
MADRAS, ---	518,660	„ 6,	302	385	38·6	51*	.	2	?	?	?	101† <sup>a</sup>
CAIRO, {	Egyptians, ...	Jan. 14,	619	400	31·5	7	.	.	.	.	9†	29
	Foreigners,	„ 14,	12	22	15·9	.	.	.	.	.	1†	.
ALEXAN- DRIA, {	Egyptians,	„ 14,	338	192	29·3	.	1	.	.	?	.	9
	Foreigners,	„ 14,	25	23	15·6	2	.	.	.	?	.	3
PARIS, ---	2,847,229	Feb. 13,	835	1,028	18·5	5	.	20	3	5	3	18
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	607,406 {	Nov 21,	262	136	11·7	.	.	2	.	2	5†	4
		„ 28,	272	150	12·9	.	.	4	.	1	5†	2
COPENHAGEN, ---	492,000	Feb. 27,	218	162	17·2	.	.	.	1	.	1†	2
STOCKHOLM, ---	382,085	„ 27,	154	127	17·3	.	.	.	4	1	.	1
CHRISTIANIA, ---	251,446	Mar. 6,	127	59	12·2	.	.	.	.	1	.	.
PETROGRAD, ---	3,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000 {	Dec 26,	.	685	21·1	10	4	7	10	2	8†	53 <sup>a</sup>
		Jan. 2,	.	827	25·5	15	1	10	19	5	7†	53 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Jan. 23,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	Mar. 6,	.	235 <sup>b</sup>	15·9	2	.	2	2	1	3	6 <sup>a</sup>

\* Deaths from "fever," including 4 deaths from enteric fever in Calcutta; 3 from plague and 3 from enteric fever in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 18 deaths from cholera in Calcutta, and 4 in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 210 deaths (including 2 from diphtheria); rate, 14·3 per thousand.

<sup>c</sup> Including 7 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th March, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	2	.	.	.	.	.	.	3	.	.	.	3	8
„ „ 1, West,	.	.	1	.	1	.	.	.	.	.	.	.	8	10
„ „ 2,	.	.	.	.	.	.	.	1	.	.	.	.	2	3
„ „ 3,	.	.	.	.	1	.	.	.	3	.	.	.	3	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	2	.	.	.	.	.	.	.	.	2
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 4,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham,	.	1	.	.	.	.	.	1	.	.	.	.	1	3
Total,	.	3	1	.	4	.	.	2	6	.	.	.	24	40

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th March, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th March			
	Mar. 6.	Mar. 13.	Mar. 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	41	33	30	6	7	.	29
Typhus,	6	6	7	.	2	.	5
Small-pox,	.	.	.	.	.	.	.
Measles,	25	34	26	4	18	.	12
Scarlet Fever,	77	77	83	7	10	1	79*
Diphtheria,	26	25	24	7	4	.	27
Pneumonia,	21	29	31	10	10	1	30

\* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, the Continent of Europe and Abroad of  
T. FISHER UNWIN, LONDON, W.C.

PRINTED BY ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 3RD APRIL, 1915.

[No. 13.]

*General Register Office, Charlemont House,  
Dublin, 6th April, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 13	Mar. 20	Mar. 27	April 3	
<b>27 Town Districts, (a)</b>	<b>25·9</b>	<b>24·0</b>	<b>23·9</b>	<b>22·9</b>	<b>24·2</b>
Dublin Reg. Area ...	30·1	28·8	26·8	22·9	25·9
Dublin City ...	31·7	24·5	28·0	24·0	27·0
Belfast ...	25·2	25·0	21·3	23·3	23·7
Cork ...	25·8	25·8	26·5	28·6	26·7
Londonderry ...	15·2	21·5	34·2	10·1	20·3
Limerick ...	14·9	31·1	20·3	13·5	20·0
Waterford ...	9·5	32·3	11·4	26·6	20·0

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·7 per 1,000. Among the 180 deaths from all causes for Belfast are 4 from measles, 3 from whooping-cough, and 6 from diarrhoeal diseases. Included in the 42 deaths from all causes for Cork are 2 from enteric fever and one from diarrhoea and enteritis of a child under 2 years. Of the 5 deaths from all causes for Portadown 3 are from measles, and one of the 5 deaths from all causes for Clonmel is from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—110 boys and 86 girls—and the deaths to 194—90 males and 104 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·9 per 1,000 of the population. During the thirteen weeks, ending with Saturday last, the death-rate averaged 29·6, and was 5·1 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 194, represent an annual rate of 24·7 per 1,000; the annual rate for the past thirteen weeks was 31·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from enteric fever and typhus, 2 from scarlet fever, 10 from whooping-cough, 4 from diarrhoea and enteritis of children under 2 years of age, and 8 from influenza.

In the three preceding weeks there was no death from either enteric fever or typhus; deaths from scarlet fever were one, one, and one; deaths from whooping-cough were 5, 13, and 10; deaths of children under 2 years of age from diarrhoea and enteritis were 8, 2, and 6; and deaths from influenza were 11, 11, and 11, respectively.

Deaths from tuberculous disease, numbering 36, 30, and 41 in the three preceding weeks, fell to 29\* last week. Of the latter, 24 were from pulmonary tuberculosis, one from tuberculous meningitis, 3 from abdominal tuberculosis, and one from disseminated tuberculosis.

Thirteen\* deaths from cancer were registered.

Pneumonia caused 15 deaths, comprising 5 from broncho-pneumonia, 3 from lobar pneumonia, and 7 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 3 were ascribed to convulsions, 2 to congenital malformations, 2 to premature birth, and 5 to congenital debility.

There were 17 deaths from organic diseases of the heart, and 25 from bronchitis.

Included in the accidental deaths is one (that of a child aged 4½ years) caused by burns.

Two deaths of soldiers were registered as having been caused by wounds received in battle.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 89 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (23 being infants under one year, of whom 5 were under one month old), and 59 were aged 65 years and upwards, including 48 persons aged 70 and upwards; among the latter were 25 aged 75 and upwards, of whom one (a female) was stated to have been aged 96 years.

Seventy-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·9 per 1,000; the rate in the City was 24·0 (North City Districts, 22·3; South, 26·0), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·8 (in the North City Districts 2·2, and in the South 3·6), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (11) are equal to an annual rate of 18·8 per 1,000, and include one from influenza, 2 from tuberculous disease, 2 from lobar pneumonia, and one from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·0 per 1,000. Among them are one from typhus, 2 from whooping-cough, one from influenza, 4 from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. One death was caused by enteric fever, 2 by pulmonary tuberculosis, one by broncho-pneumonia, and one by bronchitis.

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 27·6 per 1,000. Included in these 19 deaths are 2 from influenza, 2 from pulmonary tuberculosis, one from pneumonia, 3 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 28·9. Of the 2 deaths recorded for Clontarf and Howth No. 1, part of, one was from pulmonary tuberculosis; the 3 deaths from all causes for Coolock and Drumcondra, part of, include one from pneumonia; and among the 6 deaths from all causes for Finglas and Glasnevin, part of, were one from scarlet fever, one from tuberculous meningitis, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (26) represent an annual rate of 32·9 per 1,000. Three deaths from whooping-cough, one from influenza, 6 from pulmonary tuberculosis, 5 from bronchitis, and one (a child under 2 years of age) from diarrhoea and enteritis were recorded.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Among them are one death from whooping-cough, one from pneumonia, and one accidental death.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·5 per 1,000. Four deaths from whooping-cough, 5 from tuberculosis, one from broncho-pneumonia, 6 from bronchitis, and one of child under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000, and include 4 from tuberculous disease, 3 from pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·8; Pembroke, 15·4; Blackrock, 28·2; and Kingstown, 21·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Pembroke. Of the 15 deaths from all causes for Rathmines and Rathgar one was from influenza, one from lobar pneumonia, and 3 from bronchitis; the 9 deaths recorded for Pembroke include one from influenza, one from pulmonary tuberculosis, and one from pneumonia; and included in the 7 deaths from all causes for Kingstown are one from influenza, one from broncho-pneumonia, and one from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 21·3), was equal to an average annual death-rate of 19·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 22·1 per 1,000, the rate for Glasgow being 23·1, and for Edinburgh 23·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd April. From this Report it appears that of a total of 77 cases notified, 30 were scarlet fever, 19 pulmonary tuberculosis, 11 other forms of tuberculosis, 8 erysipelas, 7 diphtheria, one cerebro-spinal fever, and one puerperal fever. Among the 532 cases of infectious diseases in hospital at the close of the week were 178 of pulmonary tuberculosis, 160 of scarlet fever, 79 of diphtheria, 58 of whooping-cough, 15 of measles, 12 of erysipelas, 10 of cerebro-spinal fever, 3 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd April, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 13,	.	—	—	8	.	.	3	.	.	.	3	1	—	—	—	—	.	35	50
	Mar. 20,	.	—	—	4	4	.	2	.	.	2	2	.	—	—	2	—	.	37	53
	Mar. 27,	.	—	—	3	1	.	4	.	.	2	6	.	—	—	—	—	.	24	40
	April. 3,	.	—	—	7	.	.	2	.	.	2	1	.	—	—	2	—	.	22	36
Rathmines and Rathgar Urban District.	Mar. 13,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
	Mar. 27,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	April. 3,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Mar. 13,	.	5	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	.	8a
	Mar. 20,	.	3	.	3	.	.	1	.	.	1	.	.	—	7	—	—	2	17	
	Mar. 27,	.	2	.	7	.	.	1	.	.	.	.	.	—	4	—	—	.	14a	
	April. 3,	.	3	.	3	.	.	.	.	.	.	.	.	—	10	—	—	.	16	
Blackrock Urban District.	Mar. 13,	.	.	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	.	2
	Mar. 20,	.	.	—	.	.	.	2	.	.	.	.	.	—	—	—	—	.	.	2
	Mar. 27,	.	.	—	2	.	.	.	.	.	.	1	.	—	—	—	—	.	.	3
	April. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
Kingstown Urban District.	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	1	—	—	—	—	.	.	.
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	4	
	April. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast.	Mar. 13,	.	—	—	33	.	.	1	.	.	.	1	.	—	—	6	—	.	.	40
	Mar. 20,	.	—	—	29	.	.	5	.	.	.	.	.	—	—	1	—	.	5	41
	Mar. 27,	.	—	—	25	.	.	4	.	.	3	2	.	—	—	2	—	.	4	40
	April. 3,	.	—	—	18	.	.	4	.	1	.	4	.	—	—	3	—	.	6	36
City of Cork.	Mar. 13,	.	1	—	6	.	.	.	.	.	.	.	.	—	—	—	—	—	—	7
	Mar. 20,	.	1	—	3	.	.	5	1	.	2	2	.	—	—	—	—	—	—	14
	Mar. 27,	.	1	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	9b
	April. 3,	.	3	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	10
City of Londonderry.	Mar. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	Mar. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Mar. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Mar. 13,	.	—	—	23	.	.	.	.	.	.	.	.	—	—	—	—	2	25	
	Mar. 20,	.	—	—	19	.	.	.	.	.	.	.	.	—	—	—	—	1	20	
	Mar. 27,	.	—	—	17	.	.	4	.	.	1	.	.	—	—	—	—	2	24	
	April. 3,	.	—	—	13	.	.	.	.	.	.	1	.	—	—	—	—	.	14	

(a) Not including one case of cerebro-spinal meningitis

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd April, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 4 were discharged, there were 2 deaths, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 33, 30, and 29.

One case of typhus was admitted to hospital during the week, one was discharged, there was one death, and 4 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 6, 7, and 5 respectively.

Five cases of measles were admitted to hospital during the week, 5 were discharged, and 12 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 34, 26 and 12 respectively.

Eleven cases of scarlet fever were admitted to hospital, 13 were discharged, there were 2 deaths, and 75\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 83, and 79, respectively.

Twelve cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 25, 24, and 27 respectively, were 28 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 14 were discharged, there was one death, and 22 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 3rd April, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 3RD APRIL, 1915.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.				BIRTHS.		DEATHS.																					
		Total.(a)	Per-sons to an Acre.	BIRTHS.	DEATHS.		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.
From all Causes.	From certain Epidemic Diseases. (b)				Enteric Fever.	Typhus.					Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber-culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.			
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	24.9	22.9	1.7	579	533	81	157	3	1	...	7	3	13	...	...	60	27	29	50	71	11	2	5	8	161	28	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	25.0	22.9	2.3	196	180	22	57	1	1	...	...	2	10	...	...	23	5	11	15	25	4	...	1	1	63	8	
CITY OF DUBLIN, ...	312,747	39.5	29.2	24.0	2.8	175	144	18	38	1	1	...	...	1	10	...	...	22	5	5	12	21	4	...	1	1	54	6	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	6.6	19.8	.	5	15	2	10	...	...	...	...	...	...	...	...	...	...	1	1	3	...	...	...	...	3	1	
PEMBROKE, ...	30,538	19.4	6.8	15.4	1.7	4	9	2	3	...	...	...	...	1	...	...	...	1	...	2	1	...	...	...	...	...	5	...	
BLACKROCK, ...	9,233	8.5	22.6	28.2	.	4	5	...	4	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	24.6	21.5	.	8	7	...	2	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	1	1	
Urban Districts																													
BELFAST ..	403,000	27.0	22.9	23.3	1.7	177	180	31	46	...	...	...	4	...	3	...	...	15	13	8	22	29	4	2	3	5	43	2	
CORK, ..	76,673	28.6	29.9	28.6	2.0	44	42	11	8	2	...	...	...	...	...	...	...	7	2	2	3	2	1	...	...	...	21	5	
LONDON-DERRY	41,200	16.0	19.0	10.1		15	8	1	1	...	...	...	...	...	...	...	...	2	...	...	2	1	...	...	...	...	1	...	
LIMERICK, ...	38,518	16.1	46.0	13.5	.	34	10	2	1	...	...	...	...	...	...	...	...	1	1	...	...	4	...	...	...	...	...	3	
WATERFORD, ...	27,464	19.1	30.4	26.6		16	14	1	7	...	...	...	...	...	...	...	...	2	...	1	1	2	...	...	...	...	7	1	
GALWAY, ...	13,255	2.5				9	5	1	2	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	1	1	
DUNDALK, ...	13,128	9.5				10	7	1	1	...	...	...	...	...	...	...	...	1	...	3	1	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				7	5	...	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				6	10	...	5	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	3	...		
LISBURN, ...	12,388	10.9				4	4	...	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	2	...		
NEWRY, ...	11,963	17.0				6	9	1	5	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	3	1		
PORTADOWN, ...	11,727	15.3				7	5	3	...	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	
WEXFORD, ...	11,531	22.8				3	6	...	3	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	1	1	1	3	
BALLYMENA ..	11,381	9.3				2	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
SLIGO, ...	11,163	3.8				6	4	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...		
KILKENNY, ...	10,514	11.4				5	6	...	1	...	...	...	...	...	...	...	...	1	2	...	1	...	...	...	...	2	...		
TRALEE, ...	10,300	17.4				4	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	2	...		
CLONMEL, ...	10,209	7.8				10	5	...	2	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	2	1		
NEWTOWNARDS	9,587	20.1				...	4	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...		
QUEENSTOWN, ...	8,209	14.7				2	3	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	...		
LARNE, ...	8,036	13.4				7	5	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	1	...		
COLERAINE. ...	7,785	7.7				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5				1	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				2	6	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	5	...	
ARMAGH, ...	7,356	21.8				...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area. Included in the 14 deaths are one from pulmonary tuberculosis and 2 from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 3rd of April, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN												URBAN DISTRICTS OF					
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,		.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Typhus,		.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Small-pox,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,		.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.
Whooping-cough,		.	2	.	.	.	.	.	3	1	4	.	.	.	.	.	.	10	.
Diphtheria,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,		1	1	.	2	.	.	.	1	.	.	.	.	1	1	.	1	8	.
Dysentery,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis,	{ Pulmonary,	.	4	2	2	1	.	.	6	.	4	3	.	.	1	.	.	23	1
	{ Other Forms,	2	.	.	.	.	.	1	.	.	1	1	1	.	.	2	.	5	.
Cancer,		1	.	1	.	.	.	1	.	.	.	1	1	1	2	2	1	11	2
Diseases of Nervous System,		3	.	1	3	1	1	.	3	1	1	1	.	3	1	.	.	19	.
" Organs of Special Sense,		.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
" Circulatory System,		.	1	.	1	.	.	.	2	1	2	4	.	3	.	1	.	15	3
" Respiratory System,	{ Pneumonia,	2	2	1	1	.	1	.	.	1	1	3	.	1	1	.	1	15	.
	{ Others,	1	2	2	3	.	.	1	5	.	6	1	.	3	.	.	1	25	1
	{ Diarrhoea and Enteritis, under 2 years,	.	1	.	1	.	.	.	1	.	1	.	.	.	.	.	.	4	.
" Digestive System,	{ Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	{ Others,	.	1	.	1	.	.	1	.	1	2	.	.	.	.	2	1	9	1
" Genito-urinary System,		.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.	5	1
Puerperal Septicæmia, etc.,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,		1	4	1	3	.	.	1	2	.	1	.	1	1	2	.	1	18	2
Violent Deaths,		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	3
Ill-defined, &c. Causes,		.	1	1	2	.	1	.	.	.	.	1	.	.	.	.	1	7	.
Deaths from All Causes		11	20	10	19	2	3	6	26	6	24	15	2	15	9	5	7	180	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.		18.8	25.0	18.7	27.6	18.8	11.3	28.9	32.9	17.1	28.5	23.6	10.5	19.8	15.4	28.2	21.5	22.9	.
		22.3							26.0							19.5			.
		24.0																.	
Ages at Death	{ Under 1 year,	1	5	3	2	.	.	.	4	1	2	.	.	2	2	.	.	22	1
	{ 1 and under 2 years,	2	1	1	.	.	.	.	4	.	5	2	.	.	.	.	.	15	.
	{ 2 " 5 "	2	1	1	.	.	.	2	1	1	2	.	.	1	1	.	1	12	.
	{ 5 " 15 "	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	3	.
	{ 15 " 25 "	.	3	1	2	.	.	.	2	.	2	1	.	.	.	.	.	11	1
	{ 25 " 45 "	1	2	.	.	1	.	1	4	2	3	1	1	2	3	.	2	21	4
	{ 45 " 65 "	3	3	3	8	.	.	1	5	1	3	7	.	2	.	1	2	39	6
	{ 65 and upwards,	2	5	1	6	1	3	2	6	1	7	3	1	10	3	4	2	57	2
Number of Uncertified Deaths,		.	1	2	2	.	1	.	.	.	.	.	.	1	.	.	1	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,		1	5	1	1	.	1	1	4	3	5	6	1	2	4	.	.	35	13
Workhouse Hospitals.		.	3	3	3	1	.	.	10	1	2	2	.	1	1	.	1	28	1





THIRTEENTH WEEK, ending Saturday, 3rd April, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday									Averages in 13th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 3rd April, 1915.											
	Apr. 1, 1905.	Mar. 31, 1906.	Mar. 30, 1907.	Mar. 28, 1908.	Apr. 3, 1909.	Apr. 2, 1910.	Apr. 1, 1911.	Mar. 30, 1912.	Mar. 29, 1913.		Mar. 28, 1914.	All Ages.	Deaths of Persons of the Ages of									
													0-5.									
												Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	1	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	3	2	—	2	.	.	.	.	1	1	.	.	.	
Diarrhoea and Enteritis of Children under 2 years.	6	4	4	2	8	.	2	1	5	4	4.2	4	.	4	.	.	.	.	.	.	.	
Diarrhoea 2 years and upwards.		.	.	.	.	.		.	.	.			.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	1	.	.	.	.	
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	.	2	.	1	—	2	.	.	.	.	.	.	.	1	1	
Cirrhosis of Liver, ...	.	.	.	2	.	1	1	2	1	.	.7	1	.	.	.	.	.	1	.	.	.	
Other Diseases of Liver, ...	2	1	1	1	.	2	.	1	.	.	.8	2	.	.	.	.	.	1	1	.	.	
Peritonitis (cause unknown), ...	.	1	.	.	.	.	.	1	.	2	.4	2	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	4	15	6	3	5	4	1	2	2	.	4.2	.	.	.	.	.	.	2	.	.	.	
Acute Nephritis, ...	5	3	2	11	10	8	2	.	.	.	6.1	5	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...								4	5	9			.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...								.	.	.			1	.	.	.	.	.	.	.	.	
Uterine Tumour (non-cancerous).								.	.	1			.	.	.	.	1	.	.	.	.	
Ovarian Tumour (non-cancerous)								.	.	.			.	.	.	.	.	.	.	.	.	
Other Diseases of Genito-urinary System.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
Puerperal Septicæmia, &c., ...	1	.	.	1	.	.	.	.	.	2	.4	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	1	2	1	1	2	.	.	.	.	.7	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	3	2	—	.	.	.	.	.	.	.	.	.	.	
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	.	1	—	.	.	.	.	.	.	.	.	.	.	
Congenital Malformations, ...	—	—	—	—	—	—	.	2	.	4	—	2	1	.	.	.	.	.	.	.	.	
Premature Birth, ...	3	3	2	6	4	7	3	1	3	1	3.3	2	1	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	3	3	4	3	—	5	1	4	.	.	.	.	.	.	.	
Old Age, ...	7	3	4	5	4	6	7	6	6	5	5.3	5	.	.	.	.	.	.	.	1	4	
Other Specified Diseases, ...	—	—	—	—	—	—	2	1	.	.	—	1	.	.	1	.	.	.	.	.	.	
ACCIDENT :																						
Poisons or Poisonous Vapours.	.	1	.	1	1	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	1	.	3	2	1	1	2	.	.	.	1.0	1	.	.	1	.	.	.	.	.	.	
Drowning, ...	1	.	.	.	.	.	1	1	2	.	.5	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	.	.	1	.	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	1	4	1	.	.	4	2	3	2	1	1.8	3	.	.	.	.	1	1	1	.	.	
Total Deaths from Accident,	3	5	5	3	3	5	5	4	4	1	3.8	4	.	.	1	.	1	1	1	.	.	
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	.	1	.	.	.	1	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	1	.	.	.	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL :																						
Homicide, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	7	5	7	3	—	7	.	.	.	.	.	1	4	.	2	







TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Feb. 27 March, 6 " 13 " 20	30.8 37.6 34.2 20.5	. 5.1  5.1	18 22 20 12	. . . . . .	. . . . . .	. . . . .	. . . .	. 1 . . .	. 1 . . .	. . . .	. . . .	1 3 3 3	1 . . . 3 2	. 1 1 1	1 2 2 1	3 4 2 6	. 1 . . . 1	. . . . . . .	. . . . 1 1	2 . . . 1 . . .	. . . . 1 . . .
Population in 1915 (Est.) 30,504.	" 27 April, 3	41.0 18.8	3.4	24 11	. . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	. . . .	3 3 3 4	. . . . 2 . . .	1 1 2 1	2 2 2 2	6 1 1 2	. . . . . . .	. . . . . . .	. . . . 1 1	. . . . 2 . . .	. . . . 1 1	
North City, No. 1 (W.) (Office, Summer-hill.)	Feb. 27 March, 6 " 13 " 20	38.8 33.8 27.5 22.5	. 2.5 1.3 1.3	31 27 22 18	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	8 3 2 2	1 . . . 1 . . .	1 3 1 2	5 3 1 2	3 6 7 5	. 2 1 6	. . . . 1 1	. . . . . . .	. 1 2 2	3 1 1 1	
Population in 1915 (Est.) 41,685.	" 27 April, 3	26.3 25.0	1.3 5.0	21 20	. 1	. . . .	. . . .	. . . .	. 2	. . . .	. . . .	3 4 . . . 2	. . . . . . .	2 . . . 1	2 2 2 2	6 2 2 2	1 1 1 1	. . . . 1 1	. . . . . . .	. . . . 2 . . .	1 1 1 1	
North City, No. 2. (Office, Lisburn-street.)	Feb. 27 March, 6 " 13 " 20	52.4 63.6 44.9 37.4	1.9 . . . . . . 1.9	28 34 24 20	. . . .	. . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	3 4 4 3	. . . . 1 1	1 2 1 1	1 4 1 1	10 11 7 4	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. 1 1 1	
Population in 1915 (Est.) 27,883.	" 27 April, 3	20.6 18.7	. 1.9	11 10	. 1	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 2 1 2	. . . . 2 . . .	1 1 1 1	2 4 1 1	4 11 7 4	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	2 1 1 2	
North City, No. 3. (Office, Benburb-street.)	Feb. 27 March, 6 " 13 " 20	33.4 29.1 30.5 11.6	2.9 1.5 2.9 1.5	23 20 21 8	. . . .	. . . .	. . . .	. . . .	1 1 . . .	1 1 1	. . . .	1 3 4 . . .	. 1 1 2	1 1 1 . . .	1 2 2 1	7 2 2 1	. . . . . . .	. . . . . . .	. . . . 1	. 2 1 . . .	2 1 1 . . .	
Population in 1915 (Est.) 35,887.	" 27 April, 3	24.7 27.6	. 1.5	17 19	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 2 . . .	. . . . . . .	. . . . 1	. . . . 1	3 3 3 3	. . . . 1	. . . . 1	. . . . . . .	. . . . . . .	. 2 3 . . .	
Clontarf and Howth No. 1 (part of).	Feb. 27 March, 6 " 13 " 20	9.4 . . . 28.2 . . .	. . . . . . . . . .	1 . . . 3 . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . 2	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	
Population in 1915 (Est.) 5,539.	" 27 April, 3	28.2 18.8	. . . .	3 2	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	
Coolock and Drumcondra (part of).	Feb. 27 March, 6 " 13 " 20	30.2 41.5 15.1 26.4	. 3.8 . . . . . .	8 11 4 7	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 . . .	. . . . 1	1 . . . 1	1 1 2 . . .	3 4 1 1	. 1 . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	
Population in 1915 (Est.) 13,820.	" 27 April, 3	34.0 11.3	3.8	9 3	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	3 . . . . . .	. . . . . . .	. . . . . . .	. . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 1 . . .	
Finglas and Glasnevin (part of).	Feb. 27 March, 6 " 13 " 20	28.9 14.4 14.4 19.3	. . . . . . . . . .	6 3 3 4	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 . . .	. . . . 1	. . . . . . .	1 1 1 2	1 1 1 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . . .	
Population in 1915 (Est.) 10,829.	" 27 April, 3	14.4 28.9	4.8 4.8	3 6	. . . .	. . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	. . . . 1	. . . . 1	. 1 1	. . . . 1	1 1 1 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	
South City, No. 1. (Office, St. Earl-street.)	Feb. 27 March, 6 " 13 " 20	36.7 34.2 26.6 35.5	3.8 2.5 2.5 3.8	29 27 21 28	. . . .	. . . .	. . . .	. . . .	. 3 . . .	. . . .	. . . .	2 4 4 6	2 1 1 1	1 1 2 1	3 7 4 3	8 7 4 3	. 2 1 . . .	. . . . . . .	. . . . . . .	. 2 3 2		
Population in 1915 (Est.) 41,170.	" 27 April, 3	35.5 32.9	6.3 5.1	28 26	. . . .	. . . .	. . . .	. . . .	3 3	. . . .	. . . .	4 6 . . . 6	1 . . . 1 1	1 . . . 3 . . .	3 4 4 5	4 2 2 5	1 1 1 1	. . . . . . .	. . . . . . .	. . . . . . .	. 2 2 . . .	
South City, No. 2. (Office, Castle-street.)	Feb. 27 March, 6 " 13 " 20	42.6 22.7 45.5 48.3	8.5 . . . . . . 2.8	15 8 16 17	. . . .	. . . .	. . . .	. . . .	. . . .	3 . . .	. . . .	. 1 . . .	. . . . 1	. . . . 1	. 3 2 . . .	1 4 3 8	. . . . . . .	. . . . . . .	. . . . . . .	. 1 1 . . .	. . . . 1	
Population in 1915 (Est.) 18,341.	" 27 April, 3	45.5 17.1	5.7 2.8	16 6	. . . .	. . . .	. . . .	. . . .	2 1	. . . .	. . . .	5 . . . . . .	1 . . . . . .	. . . . . . .	. . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . 1	. 1 1	
South City, No. 3. (Office, Peter-street.)	Feb. 27 March, 6 " 13 " 20	40.3 29.6 42.7 27.3	4.7 3.6 4.7 4.7	34 25 36 23	. . . .	. . . .	. . . .	. . . .	. 2 3 4	. . . .	. . . .	5 3 . . . 4	4 1 . . . 1	1 1 1 1	4 6 3 4	10 6 9 5	1 . . . 1 . . .	. . . . . . .	. . . . . . .	. . . . . . .	. 2 3 1	
Population in 1915 (Est.) 43,970.	" 27 April, 3	24.9 28.5	2.4 5.9	21 24	. . . .	. . . .	. . . .	. . . .	2 4	. . . .	. . . .	5 4 . . . 4	2 1 . . . 1	2 . . . 3	3 6 2 6	2 1 1 1	. . . . 1 . . .	. . . . . . .	. . . . . . .	. . . . 1	. 1 1	
South City, No. 4. (Office, Grand Canal-st.)	Feb. 27 March, 6 " 13 " 20	44.0 50.3 22.0 11.0	3.1 1.6 3.1 . . .	28 32 14 7	. . . .	. . . .	. . . .	. . . .	. 1 1	. 1	. . . .	4 2 1 2	1 . . . 1 1	. 1 1 1	3 6 1 1	6 8 2 1	1 . . . 1 . . .	. . . . . . .	. . . . . . .	. 1 1 . . .	. 2 1 1	
Population in 1915 (Est.) 33,171.	" 27 April, 3	17.3 23.6	. . . .	11 15	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	3 3 3 3	1 1 1 1	1 1 1 3	1 1 1 3	1 1 1 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. 1 1	
New Kilmainham.	Feb. 27 March, 6 " 13 " 20	15.7 21.0 31.4 15.7	. 5.2 5.2 5.2	3 4 6 3	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . 3	2 . . . 1 2	. . . . 1 . . .	. . . . . . .	. . . . . . .	. . . . 1	
Population in 1915 (Est.) 9,948.	" 27 April, 3	21.0 10.5	. . . .	4 2	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . . . . .	. . . . 1	. . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Epilepsy, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Feb. 27 March, 6 " 13 " 20	18.5 31.6 25.1 18.5	. 2.6 2.6 1.3	14 24 19 14	. . . . .	. . . . .	. . . . .	. . . . .	. . . .	. . . .	. . . .	. . . .	1 3 2 1	. . . .	. 1 1 1	1 2 3 2	4 3 3 3	. 2 2 1	. . . .	. . .	. 2 1
Population in 1915 (Est.) 39,541.	" 27 April, 3	21.1 19.8	2.6 . .	16 15	. . .	. . .	. . .	. . .	. . .	. . .	. 1	. . .	. 1 . .	. . .	1 1	1 3	3 3	1 . .	. . .	1 . .	
Pembroke Urban District.	Feb. 27 March, 6 " 13 " 20	35.9 30.7 29.0 18.8	. 5.1 1.7 1.7	21 18 17 11	. . .	. . .	. . .	. 1	. 1	. . .	. . .	. . .	3 4 2 1	. . .	1 . .	3 4 1 1	3 . .	. 1 1 1	. . .	. 2	
Population in 1915 (Est.) 30,538	" 27 April, 3	27.3 15.4	3.4 1.7	16 9	. . .	. . .	. . .	1 . .	. . .	. . .	. . .	. . .	1 . .	. 2	2 1	. . .	. . .	. . .	. . .	. . .	
Blackrock Urban District.	Feb. 27 March, 6 " 13 " 20	11.3 5.6 22.6 56.5	. . . 5.6 . .	2 1 4 10	. . .	. . .	. . .	. . .	. . .	. . .	1	. . .	. 1 . .	. . .	. . .	. 1 1	1 . .	. . .	. . .	. . .	
Population in 1915 (Est.) 9,233.	" 27 April, 3	16.9 28.2	. . .	3 5	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 . .	. . .	. . .	. . .	. . .	. . .	. . .	
Kingstown Urban District.	Feb. 27 March, 6 " 13 " 20	27.7 18.5 18.5 15.4	. . . . . . .	9 6 6 5	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. 1 . .	3 . .	2 . .	. . .	. . .	. . .	
Population in 1911 16,941.	" 27 April, 3	21.5 21.5	. . .	7 7	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3 . .	. . .	1 1	1 1	1 1	. . .	. . .	. . .	
Belfast.	Feb. 27 March, 6 " 13 " 20	22.8 26.9 25.2 25.0	1.6 2.1 2.1 1.4	176 298 195 193	. 1 . .	. . .	4 5 6 7	. 3 . .	3 3 6 1	1 1 1 1	. . .	. . .	15 18 13 18	12 10 8 2	6 6 6 6	21 31 29 30	31 34 31 33	1 1 4 2	. 2 . .	3 3 5 3	
Population in 1915 (Est.) 403,000.	" 27 April, 3	21.3 23.3	1.8 1.7	165 180	. . .	. . .	4 4	. . .	3 3	1 . .	. . .	. . .	20 15	7 13	3 8	26 22	25 29	3 4	3 2	3 3	
Cork.	Feb. 27 March, 6 " 13 " 20	26.5 26.5 25.8 25.8	1.4 . . 2.0 0.7	39 39 38 38	. . .	. . .	. . .	. . .	. . .	1 . .	1 . .	. . .	3 6 2 3	2 . .	5 1 1 . .	3 4 3 5	3 7 5 6	. . .	. . .	. . .	
Population in 1911 76,673.	" 27 April, 3	26.5 28.6	2.7 2.0	39 42	. 2	. . .	. . .	1 . .	3 . .	. . .	. . .	. . .	5 7	. 2	. 2	4 3	5 2	. 1	. . .	. . .	
Londonderry.	Feb. 27 March, 6 " 13 " 20	21.5 20.2 15.2 21.5	1.3 . . 1.3 . .	17 16 12 17	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	4 2 1 2	. 1 . .	1 1 1 2	1 3 2 1	6 5 2 3	. . .	. . .	. . .	
Population in 1915 (Est.) 41,200.	" 27 April, 3	34.2 10.1	1.3 . .	27 8	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3 2	2 . .	2 . .	4 2	6 1	1 . .	. . .	. . .	
Limerick.	Feb. 27 March, 6 " 13 " 20	21.7 20.3 14.9 31.1	. . . . . . .	16 15 11 23	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 1 2 1	2 3 . .	. 1 . .	1 1 . .	3 1 7 3	. . .	. . .	. . .	
Population in 1911 38,518.	" 27 April, 3	20.3 13.5	. . .	15 10	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3 1	1 1	1 . .	1 4	3 4	. . .	. . .	. . .	
Waterford.	Feb. 27 March, 6 " 13 " 20	39.9 22.8 9.5 32.3	1.9 . . . . 11.4	21 12 5 17	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 1 . .	2 . .	2 . .	1 1 1	4 3 4 3	1 . .	. . .	. . .	
Population in 1911 27,464.	" 27 April, 3	11.4 26.6	1.9 . .	6 14	. . .	. . .	. . .	1 . .	. . .	. . .	. . .	. . .	1 2	. 1	. 1	1 2	2 2	. . .	. . .	2 1	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd April, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	Violence.	Diarrhoea 2 years of age and upwards.	Diarrhoea and Enteritis of children under 2 years of age.	DISEASES OF THE RESPIRATORY SYSTEM.		Number of Uncertified Deaths.															
				All Causes.	Certain Epi- demic Diseases,†	1 year and under 5 years.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.										65 years and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	
						Total Number of DEATHS.					Total Number of DEATHS.					Total Number of DEATHS.					Total Number of DEATHS.										TUBERCULOSIS.	Other.																
						(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)									(23)	(24)													(25)
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																	
City of Belfast.																																																
BELFAST URBAN No. 1 District,		15,879	11	26.3	3.2	8	1	2	1	2	3	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 2 do.		49,500	22	19.0	5.2	18	1	2	1	2	5	6	6	6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 3 do.		50,032	17	24.0		23	7	2	1	2	5	6	6	6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 4 do.		32,637	19	24.0		15	3	2	1	3	2	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 5 do.		16,112	11	25.9		8	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 6 do.		37,293	7	21.0		15	1	2	3	3	2	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 7 do.		6,811	1	8.7		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 8 do.		5,964	2	21.3		10	1	1	3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 9 do.		24,427	8	28.8	3.6	16	2	1	2	2	4	4	5	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 10 do.		28,958	14	25.2		19	1	1	2	3	4	7	7	7	7	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																	
Do. 11 do.		39,311	17	27.4	4.1	20	4	3	2	2	6	6	6	6	6	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3																	
Do. 12 do.		38,076	28	24.7		11	5	1	2	2	2	4	4	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 13 do.		23,233	13	36.8		16	3	3	1	2	6	6	6	6	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																	
Do. 14 do.		175	7				3	3	1	2	6	6	6	6	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																	
Do. 15 do.		22,669	7			16	3	3	1	2	6	6	6	6	6	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2																	
Total,		386,947	177	23.3	1.7	180	31	22	18	23	40	46				4		3			15	13	8	22	29	4	2	3	5	43	2																	
City of Cork.																																																
CORK URBAN No. 1 District		13,455	6	15.5	3.9	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 2 do.		10,399	9	30.1	5.0	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 3 do.		9,793	6	31.9	5.3	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 4 do.		9,139	8	57.1		10	3	1	1	1	3	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																
Do. 5 do.		6,250	2	16.7		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																	
Do. 6 do.		11,581	3	13.5		3	1	1	1	1	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																
Do. 7 do.		16,056	10	35.7		11	1	2	1	3	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1																
Total,		76,673	44	28.6	2.0	42	11	5	4	6	8	8	2								7	2	2	3	2	1				21	5																	



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																										
		Oct. 10.	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	
No. of weeks in Annual Series,		41	42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	
BIRTHS registered, ...		246	189	184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	
DEATHS registered, ...		111	132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	
Annual Death-rate per 1,000 of estimated population, ...		14.5	17.3	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,		38	29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	
		13	22	15	20	22	18	15	22	24	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22
		11	15	10	13	14	10	20	10	17	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	25	18
		12	20	24	13	21	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	18	23
		20	25	27	24	25	26	26	34	46	31	27	20	33	29	27	37	39	48	18	38	37	41	43	35	51	39	40
		16	21	30	18	39	28	31	32	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46
Deaths from:—																												
Enteric Fever, ...		2	.	1	1	1	.	1	1	.	1	1	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...		3	7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	
Scarlet Fever, ...		2	3	.	3	1	8	6	3	3	3	7	1	2	.	5	3	3	4	3	.	.	3	.	.	.	.	
Whooping-cough, ...		4	3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	
Diphtheria, ...		.	1	.	1	.	.	1	.	1	1	.	.	1	.	1	.	.	.	.	.	1	1	.	1	.	.	
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,		6	11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	
{ Other Forms,		.	6	4	4	5	2	8	.	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	
Cancer ...		2	4	10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	3	8	
Diseases of Respi- { Pneumonia,		9	10	8	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	
ratory System, { Others, ...		11	17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	
Diarrhoea and Enteritis, under 2 years, ...		10	12	6	6	9	4	2	3	5	5	5	1	1	2	2	.	3	3	2	4	1	1	4	2	3	4	
Diarrhoea, 2 years and upwards, ...		1	1	.	.	1	1	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	2	.	.	3	2	
Violent Deaths, ...		3	3	1	2	2	2	2	5	2	2	4	4	5	1	.	1	.	.	2	4	3	3	.	5	3	3	
Number of Uncertified Deaths, ...		.	1	2	1	2	1	.	2	2	2	1	3	3	.	2	1	2	3	3	3	4	3	4	2	2	2	

TABLE X—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Apr. 3,	1,932	1,849 <sup>c</sup>	21·8	1	.	150	5	54	16	18
EDINBURGH, ---	328,700	" 3,	123	147 <sup>c</sup>	23·3	.	.	2	1	5	3	.
GLASGOW, ---	1,078,400	" 3,	552	477 <sup>c</sup>	23·1	5	.	31	5	60	2	5
CALCUTTA, ---	896,067	Feb. 13,	.	615	35·6	79*	134	2	.	.	.	83½ <sup>a</sup>
BOMBAY, ---	979,445	" 20,	349	372	19·7	29*	5	6	.	.	.	38 <sup>a</sup>
MADRAS, ---	518,660	" 13,	402	371	37·2	59*	1	1	?	?	?	71½ <sup>a</sup>
CAIRO, {	Egyptians, ...	Jan. 21,	598	388	30·6	6	.	.	.	?	5†	33
	Foreigners, ...	" 21,	9	10	7·2	.	.	.	.	?	1†	.
ALEXAN- DRIA, {	Egyptians, ...	" 21,	396	185	28·2	1	2	.	.	?	.	14
	Foreigners, ...	" 21,	29	14	9·5	.	2	1	.	?	.	.
PARIS, ---	2,847,229	Feb. 20,	918	983	17·6	7	.	24	2	4	2†	13
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	608,260 {	Dec 5,	253	154	13·2	2	.	3	.	.	2†	3
		" 12,	264	127	10·9	.	.	3	.	.	.	1
COPENHAGEN, ---	492,000	Mar. 6,	239	152	16·1	1	.	.	.	.	1†	3
STOCKHOLM, ---	382,085	" 6,	161	99	13·5	.	.	.	1	2	1	1 <sup>a</sup>
CHRISTIANIA, ---	251,446	" 13,	128	56	11·6	.	.	.	.	.	.	2 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000 {	Jan. 9,	.	791	24·3	11	2	9	11	5	6†	47 <sup>a</sup>
		" 16,	.	881	27·1	30	2	8	21	5	12†	53½ <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Jan. 23,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	Mar. 13,	.	270 <sup>b</sup>	18·4	.	.	1	4	.	5	2 <sup>a</sup>

\* Deaths from "fever," including 7 deaths from enteric fever in Calcutta; 3 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 21 deaths from cholera in Calcutta, one in Madras, and one in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e., non-residents deducted, 261 deaths (including 4 from diphtheria); rate, 15·7 per thousand.

<sup>c</sup> Including 11 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 4 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd April, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	4	.	.	.	.	.	.	.	.	.	.	1	5
"    "    1, West,	...	.	.	.	1	.	.	.	.	.	1	.	4	6
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	5	5
"    "    3,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	...	3	.	.	.	.	.	.	.	.	.	.	1	4
South City No. 1,	...	.	.	.	1	.	.	1	.	.	.	.	3	5
"    "    2,	...	.	.	.	.	.	.	.	.	.	.	.	.	.
"    "    3,	...	.	.	.	.	.	.	1	.	.	1	.	3	5
"    "    4,	...	.	.	.	.	.	.	.	.	.	.	.	4	4
New Kilmainham,	...	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	...	7	.	.	2	.	.	2	1	.	2	.	22	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd April, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd April.			
	Mar. 13.	Mar. 20.	Mar. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	33	30	29	6	4	2	29
Typhus,	6	7	5	1	1	1	4
Small-pox,	.	.	.	.	.	.	.
Measles,	34	26	12	5	5	.	12
Scarlet Fever,	77	83	79	11	13	2	75*
Diphtheria,	25	24	27	12	10	1	28
Pneumonia,	29	31	30	7	14	1	22

\* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# Quarterly Summary of the Weekly Returns

## OF

# BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE  
BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

1915.

*Price 1½d.*

VOL. LII.]

QUARTER ENDING SATURDAY, 3RD APRIL, 1915.

[No. 13A.]

**DUBLIN REGISTRATION AREA. — BIRTHS.** — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1915, 409,000, there were registered during the thirteen weeks ended on Saturday, 3rd April, 1915, 2,953 births—1,499 boys and 1,454 girls—being equal to an annual ratio of 1 in 34·6, or 28·9 in every 1,000 of the population.

The number of births registered in the city was 2,540, equivalent to an annual rate of 32·5 in every 1,000 of the population; and in the urban districts named above, 413, equal to an annual rate of 17·2 in every 1,000 of the population.

There were registered in London during the same period 28,240 births—being equal to an annual birth-rate of 25·0 in every 1,000 of the estimated population; in Glasgow there were registered 7,615, being equal to 28·2 per 1,000; and in Edinburgh, 1,741—a number affording an annual birth-rate of 21·2 in every 1,000 of the estimated population.

**DEATHS.**—Omitting the deaths (180) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 3,017, are equivalent to an annual rate of 29·5 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 24·5. The total number of deaths registered in the Dublin Registration Area during the quarter was 3,197—1,529 males and 1,668 females—affording an annual ratio of 1 in 32·0 or 31·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the first quarter of the ten years, 1905–1914, in the Dublin Registration Area was 25·8 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants\* of the north city districts registered last quarter was 1,245, representing an annual mortality of 30·0 in every 1,000 of the

\* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

population; and the number in the south city districts was 1,213, equivalent to a rate of 33·1 per 1,000. In the urban districts the number of deaths registered was 559, being equal to an annual death-rate of 23·2 in every 1,000.

The number of deaths registered in London during the same period was 23,162, a number equal to an annual rate of mortality of 20·5 in every 1,000 of the inhabitants; in Glasgow the number was 5,994, equal to 22·2 in every 1,000; and in Edinburgh 1,716, affording an annual death-rate of 20·9 in every 1,000 of the estimated population.

**DISEASES.**—The number of deaths from the principal epidemic diseases\* registered in the Dublin Registration Area during last quarter was 217, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·12.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1905–1914:—

NAMES OF DISEASES.	No. of Deaths in March Quarter, 1915.	Average No. of Deaths in March Quarters, 1905–1914.
Enteric Fever, ... ..	8	15
Typhus, ... ..	3	1
Small-pox, ... ..	—	—
Measles, ... ..	5	36
Scarlet Fever, ... ..	11	9
Whooping-cough, ... ..	98	37
Diphtheria, ... ..	16	19

**ENTERIC FEVER.**—Deaths from enteric fever, numbering 8, as against 8, 21, and 26 in the three preceding quarterly periods, were 7 under the average for the first quarter of the 10 years, 1905–1914.

Of the 8 deaths 3 belonged to north city districts, 4 to south city districts, and one to Rathmines and Rathgar urban district.

Sixty-eight cases of the disease were admitted to Dublin hospitals during the quarter, 81 were discharged, 5 died in hospitals, leaving 29 cases of enteric fever in hospitals at the close of the quarter.

**TYPHUS.**—There were 3 deaths from this cause registered during the 13 weeks ended 3rd April, as compared with an average of one death for the corresponding period of the preceding 10 years.

The number of cases under treatment in hospitals amounted to 31, and of these 25 were discharged, 2 died in hospitals, and 4 remained under treatment at the end of the period.

The 3 deaths recorded appertained to north city districts.

**MEASLES.**—This disease caused 5 deaths; the numbers in the three preceding quarters being 280, 21, and 4, respectively. The 5 deaths were considerably under the average (36) for the first quarter of the ten years preceding.

Sixty-four cases of the disease were admitted to hospitals during the quarter, 50 were discharged, 2 died, and of the 64 cases admitted, 12 remained under treatment at the close of the period.

**SCARLET FEVER.**—The number of deaths from scarlet fever was 11, as against an average of 9 for the corresponding quarter of the preceding 10 years.

Of the 11 deaths, 5 appertained to north city districts, 2 to south city districts, 3 to Pembroke, and one was that of a person admitted to hospital from without the Dublin Registration Area.

The cases in hospital under treatment numbered 278, the number of such cases discharged was 193, the deaths in hospitals numbered 10, and 75† cases remained under treatment on 3rd April.

\* See note (\*) on page 208*h*.

† Exclusive of 17 patients in "Beneavin" the convalescent home of Cork-street Fever Hospital.



**WHOOPING-COUGH.**—The deaths from this malady, numbering 98, and equivalent to an annual rate of 0·96 per 1,000 of the estimated population, are 61 above the average (37) for the corresponding quarter of the 10 years, 1905–1914. In the second, third, and fourth quarters of the year 1914, the deaths from whooping-cough were 20, 7, and 26, respectively. Of the 98 deaths for the quarter, 77 (or 79 per cent. of the total deaths from whooping-cough) belonged to south city districts, 16 to north city districts, 2 to Rathmines and Rathgar urban district, and 3 to Pembroke.

**DIPHTHERIA.**—Sixteen deaths from diphtheria were registered, comprising 5 recorded for north city districts, 7 for south city districts, 2 for Rathmines and Rathgar urban district, one for Blackrock, and one was that of a person admitted to hospital from without the Area.

One hundred and fifty cases of the disease were treated in Dublin hospitals during the past quarter, 111 were discharged, 11 died therein, and 28 cases remained under treatment at the close of the quarter.

**DIARRHOEAL DISEASES.**—Deaths under this heading amounted to 76, and of these 74 were deaths from diarrhoea and enteritis of children under 2 years of age. In the corresponding quarter of the three years, 1912–14, the average number of deaths from diarrhoea and enteritis of children under 2 years of age was 50.

**INFLUENZA.**—There were 112 deaths registered as from this malady, in comparison with 10, 2, and 10 in the three preceding quarters, and an average of 43 for the first quarter of the 10 years, 1905–14. The 112 deaths represent an annual rate of 1·10 per 1,000 of the estimated population.

**CEREBRO-SPINAL FEVER.**—From this cause 7 deaths were registered in the Area during the quarter. There was no death registered in any of the three preceding quarters, the last record of death related to the first quarter of the year 1914, when 3 deaths from cerebro-spinal fever or cerebro-spinal meningitis occurred.

**TUBERCULOSIS.**—The total number of deaths from tuberculous disease (all forms) was 414, comprising 316 from pulmonary tuberculosis, 26 from tuberculous meningitis, 28 from abdominal tuberculosis, 17 from tuberculosis of other organs, and 27 from disseminated tuberculosis.

The 414 deaths, representing an annual rate of 4·05 per 1,000 of the estimated population, were distributed as follows:—161 deaths (equivalent to an annual rate of 3·88 per 1,000) belonged to north city districts; 173 (or 4·72 per 1,000) to south city districts; 53 (or 2·20 per 1,000) to the urban districts, while 27 were deaths of persons admitted to institutions from localities outside the Dublin Registration Area.

In the three preceding quarters, deaths from tuberculous disease registered in the Area numbered 366, 337, and 372, respectively, and in the first quarter of 1914 they numbered 392, or 3·86 per 1,000 of the population.

**PNEUMONIA.**—Of 330 deaths from pneumonia, equivalent to an annual rate of 3·23 per 1,000 of the population, 199 were caused by broncho-pneumonia, 21 by lobar pneumonia, and 110 by pneumonia (type not distinguished).

**CANCER.**—There were 133 deaths from cancer registered, being equal to an annual rate of 1·30 per 1,000 of the estimated population.

**DISEASES OF THE BRAIN AND NERVOUS SYSTEM.**—To this group 292 deaths (affording an annual rate of 2·86 per 1,000) were assigned.

Included in the 292 deaths are 7 deaths from cerebro-spinal fever (above referred to), 22 deaths from simple meningitis, and 75 deaths of children under 5 years of age from convulsions.

**DISEASES OF THE CIRCULATORY SYSTEM.**—Deaths from these diseases, amounting to 306, and equivalent to an annual rate of 2·99 per 1,000, include 276 from organic diseases of the heart.

**BRONCHITIS.**—There were 603 deaths from bronchitis, being equivalent to an annual rate of 5·90 per 1,000 of the population.

**CONGENITAL CONDITIONS.**—Fifteen deaths were ascribed to congenital malformation, 55 to premature birth, and 63 to congenital debility.

**VIOLENCE.**—There were 75 accidental deaths, including one death caused by overdose of morphia, 24 by burns and scalds (16 being deaths of children under 5 years of age), 14 by drowning, 2 (those of infants) by suffocation in bed, one by railway, and 8 by vehicles and horses.

The deaths of 7 soldiers were registered as having been caused by wounds received in battle.

Two cases of suicide were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) ended **Saturday, 3rd April, 1915.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ...	47	68	81	5	29
Typhus, ...	11	20	25	2	4
Small-pox, ...	—	—	—	—	—
Measles, ...	—	64	50	2	12
Scarlet Fever, ...	97	181	193	10	75*
Diphtheria, ...	53	97	111	11	28
Pneumonia, ...	31	116	106	19	22

\* Exclusive of 17 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 123 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 123 cases, 59 (or 48 per cent.) were deaths of children under 5 years of age; these 59 deaths form 6·8 per cent. of the total number of deaths of children of that age-period. Of the deaths of 157 infants under one month old registered, there were 26 (or 16·6 per cent.) regarding which the cause was uncertified.

From Table II., on page 208*f*, it will be seen that, excluding 180 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 3,017, equal to an annual rate of 29·5 per 1,000 of the estimated population, and that 210 of these deaths, representing an annual rate of 2·1 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 31·4 per 1,000, and for the urban districts 23·2 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·4, and in the urban districts 0·9, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1 (part of) and in Kingstown, to 4·7 in South City No. 1, the 361 deaths from all causes for that district, including one from enteric fever, 29 from whooping-cough, 3 from diphtheria, and 15 from diarrhoea and enteritis of children under 2 years of age.

OCCUPATIONS.—Table III., on page 208*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 31·1 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 21·1 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 24·7; and in the "General Service Class" it was 30·2.

AGES.—Of the 3,197 persons whose deaths were registered in the Dublin Registration Area during the quarter, 862 were under 5 years of age, including 534 infants under one year of age, the latter representing a rate of 180·8 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 84·3 in every 1,000 children at that age (according to the Census of 1911); 97 were between the ages of 5 and 15, representing an annual rate of 5·5 per 1,000 persons at that age-period; 137 were between the ages of 15 and 25, equivalent to an annual rate of 6·8 per 1,000; the total number under 25 years being equal to an annual mortality of 22·8 per 1,000 of the population at that age-period (according to the Census of 1911); 444, or 14·3 per 1,000 persons, were between 25 and 45; 749, or 50·9 per 1,000, between 45 and 65; 516, or 122·3 per 1,000, between 65 and 75; and 392, or 280·4 per 1,000, were aged 75 and upwards, including 28 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 3,197 deaths recorded during the quarter, 1,275, or 39·9 per cent., occurred in public institutions, viz., 661 in the various hospitals, prisons, and lunatic asylums; 246 in the North Dublin Union Workhouse; 360 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 39·8°†. At Greenwich, for the quarter, it was 41·0°; at Glasgow 39·6°; and at Edinburgh, 39·0°.

The rainfall at Dublin during the thirteen weeks measured 8·15‡ inches; at Greenwich, 7·4 inches; at Glasgow, 8·02; and at Edinburgh, 4·41 inches.

† See note (\*) p. 208*h*

‡ For 13 weeks ended 27th March.



TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phenix Park, Dublin,\* for the thirteen weeks ended March 27th, 1915.

Prepared at the Meteorological Office under the direction of W. N. SHAW, Esq., LL.D., Sc.D., F.R.S.

1915. WEEK ENDED.	BAROMETER.		THERMOMETER.					HYGROMETER.			OZONE.	BRIGHT SUNSHINE.		RAINFALL.		WIND.			
	Mean at 32° F. Sea Level and Stan- dard Gravity. Lat.	Difference from Average.	Mean of		Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.	Ozone.	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Milli- metres.	Number of Days.	Mean Force (Beaufort Scale 0-12).
			Maximum A.	Minimum B.															
January 2nd,	...	...	44.1	32.6	38.4	—	53	28	37.0	35.3	86	—	2.9	+1.2	40	55	—	5	1.2
" 9th,	...	—	44.6	33.9	39.3	—	48	26	38.5	37.3	90	—	2.4	+0.6	32	10	—	6	1.1
" 16th,	...	—	48.0	33.1	43.1	—	53	32	42.6	41.5	92	—	1.3	-0.5	17	27	—	6	1.4
" 23rd,	...	—	43.1	33.1	38.1	—	50	27	37.0	36.1	92	—	2.8	+0.9	35	12	—	4	0.4
" 30th,	...	—	39.4	27.4	33.4	—	43	15	33.5	32.1	86	—	1.0	-1.0	12	1	—	1	0.4
February 6th,	...	—	50.4	34.8	42.7	—	56	28	43.4	41.1	83	—	2.1	-0.1	24	18	—	6	1.6
" 13th,	...	—	43.9	32.0	38.0	—	51	27	36.5	35.4	91	—	1.4	-1.0	15	45	—	7	0.6
" 20th,	...	—	46.7	30.0	38.4	—	50	23	37.1	35.5	86	—	4.3	+1.8	45	5	—	3	0.7
" 27th,	...	—	43.4	27.4	35.4	—	47	23	34.5	33.0	84	—	4.9	+2.1	49	11	—	4	0.7
March 6th,	...	—	51.0	40.6	45.8	—	55	31	44.4	42.8	89	—	1.9	-1.2	18	7	—	6	1.1
" 13th,	...	—	48.9	32.0	41.0	—	53	27	40.8	39.4	88	—	2.8	-0.7	25	4	—	2	0.0
" 20th,	...	—	49.6	35.6	42.6	—	53	25	41.0	38.7	81	—	4.4	+0.6	38	1	—	1	0.3
" 27th,	...	—	49.1	34.4	41.8	—	55	26	41.6	39.2	81	—	4.6	+0.4	38	10	—	4	0.0
Mean,	...	-7.4	46.3	33.3	39.3	-1.1	56	15	39.1	37.5	87	—	2.8	+0.2	30	207	+51	55	0.7

\* Height above Mean Sea Level, Station H=155 feet; Barometer Hb = 159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months January to March. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 3rd April, 1915**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases\*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

Quarterly Summary of Births and Deaths in the Dublin Registration Area.																														
QUARTER (13 WEEKS) ENDED 3RD APRIL, 1915.																														
DEATHS.																														
REGISTRARS' DISTRICTS, &c.	POPULATION, ESTIMATED TO MIDDLE OF 1914.	ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.	(1)	(2)	(3)	CAUSED BY												Number of Uncertified												
						TOTAL DEATHS.												Diseases of Respiratory System.	Other.	Diarrhoea and Enteritis of Children under 5 years.	Violence.									
						(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)					(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)
						Under 1 year.	1 and under 5.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and upwards.	Bacterial Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.*	Dysentery.	Pulmonary.	Tuberculosis.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of Children under 5 years.	Violence.			
North City.	NORTH CITY, No. 1, E.,	2.8	30,504	35.5	271	66	13	12	8	42	57	63	1	1		1	3	4	1		22	10	7	38	50	10		6	3	
	" " 1, W.,	1.7	41,685	32.5	339	53	14	8	39	89	106			2		2		3			35	9	10	39	75	9		3	14	
	" " 2,	0.9	27,883	37.9	264	34	18	5	13	36	71	69	1					2			25	14	7	33	71	3		9	11	
	" " 3,	1.6	35,887	25.3	227	33	14	10	8	31	52	69	1				1	4	4		20	8	4	24	38	4		7	11	
	CLONTARF AND HOWTH, No. 1,	16.6	23	2						2	9	10									2			2	1	5				
part of.																														
South City.	COOLOCK AND DRUMCONDRA, part of,	0.6	13,820	19.7	68	10	3		3	10	15	27					1				6	1	6	6	13	2		1	2	
	FINGLAS AND GLASNEVIN, part of,	0.7	10,829	19.6	53	3		2	1	9	16	19					1				3	2	2	12	11			2		
Urban Districts.	SOUTH CITY, No. 1,	4.7	41,170	35.1	361	83	31	14	16	40	72	81	1					29	3		42	14	7	29	80	15		10	7	
	" " 2,	3.9	18,841	40.8	185	29	22	8	10	28	46	42						12	1		28	6	4	17	44	4		5	4	
	" " 3,	3.9	48,970	35.1	386	70	27	31	16	45	90	97	3				2	30	2		41	13	12	36	86	6		3	14	
	" " 4,	1.4	33,171	27.9	231	46	22	8	7	28	58	54				1		4	1		19	6	13	32	48	6		5	9	
	NEW KILMAINHAM,	2.0	9,948	20.1	50	15	2	2	8	3	6	7	12				1		2			3	1	2	5	15	2		1	3
Total	North,	1.5	166,147	30.0	1,245	201	62	37	53	169	309	363	3	3		3	5	16	5		117	44	38	148	264	23		23	47	
	South,	3.4	146,600	33.1	1,213	243	104	34	53	147	273	256	4			2	2	77	7		133	40	38	119	273	33		24	37	
	North and South,																													
	Total Urban Districts,	2.4	312,747	31.4	2,458	444	166	71	106	316	582	649	7	3		5	7	93	12		250	84	76	267	537	61		52	84	
	Total Registration Area,	2.1	409,000	29.5	3,017	518	179	82	120	394	699	883	8	3		5	10	98	15		299	88	109	323	628	70		62	123	
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).					16		1	15	17	50	50	25					1			1	17	10	24	7	18	4		1	15	



TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ending Saturday, 3rd April, 1915**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD APRIL, 1915.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
OCCUPATION OR SOCIAL POSITION.			AGES.										CAUSES OF DEATH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Class.	Popu-lation in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	(3) Total Number of Deaths	Under 5 Years.							15 and under 25.			25 and under 45.		45 and under 65.		65 and under 75.		75 and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary Tuberculosis.		Other Forms.		Cancer.		Convulsions.		Pneumonia.		Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 5 years of age.		Violence.		Other Causes.		Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												</

**TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.**—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 25·3 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest:—Bray, 12·5; Armagh, 14·7; Tralee, 16·7; Athlone, 17·1; Bangor, 18·0; Lurgan, 19·4; Newry, 19·7; Clonmel, 20·0; Lisburn, 20·3; Limerick, 20·8; Galway, 20·8; Portadown, 21·1; Sligo, 21·1; Londonderry, 22·2; Dundalk, 22·5; Belfast, 23·1; Drogheda, 23·4; Waterford, 24·3; Ballymena, 25·0; Kilkenny, 25·9; Coleraine, 26·2; Newtownards, 26·3; Cork, 28·8; Larne, 28·9; Dublin Registration Area, 29·5; Wexford, 29·8; and Queenstown, 30·2.

The average annual rate represented by the deaths from the principal epidemic diseases\* in the 27 districts is 1·7 per 1,000 of the population, the rates varying from 0·0 in five of the districts to 5·0 in Larne, the 58 deaths from all causes for that district, including one death each from measles and scarlet fever, 6 from whooping-cough, and 2 from diarrhoea and enteritis of children under 2 years of age.

The following is a synopsis of the mortality from the principal epidemic diseases\* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter:—

**ENTERIC FEVER.**—Of 8 deaths from enteric fever, 3 belonged to Cork, 2 to Limerick, and one death each to Belfast, Ballymena, and Clonmel.

**TYPHUS.**—Four deaths from typhus were recorded for Londonderry, one for Galway, and one for Kilkenny.

**SMALL-POX.**—No death from this cause was registered.

**MEASLES.**—Included in the 100 deaths from measles, 71 appertained to Belfast, 13 to Portadown, 7 to Coleraine, 4 to Cork, 3 to Queenstown, and one death each to Londonderry and Larne.

**SCARLET FEVER.**—Twenty-one deaths belonged to Belfast, 11 to Waterford, 6 to Cork, and one death each to Ballymena, Clonmel, Larne, and Bangor.

**WHOOPING-COUGH.**—To Belfast 43 deaths from whooping-cough were assigned, to Cork 12, to Larne 6, to Dundalk 3, to Lisburn 2, and to Queenstown and Coleraine one death each.

**DIPHTHERIA.**—Of 22 deaths from this cause, 5 deaths each appertained to Belfast, Cork, and Kilkenny, 3 to Londonderry, and one death each to Newry, Portadown, Wexford, and Sligo.

**DIARRHŒAL DISEASES.**—Of 69 deaths under this heading, 56 were those of children under 2 years of age. Among the latter 31 appertained to Belfast, 8 to Cork, and 3 each to Londonderry and Waterford.

---

**PHTHISIS.**—The annual death-rate from pulmonary tuberculosis for the 27 towns in the aggregate was 2·6 per 1,000 of the estimated population; for the Dublin Registration Area it was 2·9 per 1,000, for Belfast county borough 2·1 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 2·6 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

\* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.



TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 3rd April, 1915**, in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

[illegible]

\*The population given for the Dublin Registration Area, and the cities of Belfast and Londonderry, is that estimated to the middle of 1945; that for each of the other districts is the population according to the Census of 1911. See note (5) on page 208.

(a) Including 6 deaths from cerebro-spinal fever recorded for Dublin, and 3 for Belfast.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the **Quarter** (13 weeks) **ended 3rd April, 1915**, Deaths in Public Institutions of persons *admitted from without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the **ANNUAL RATE**\* of MORTALITY per 1,000 of the Population according to the Census of **1911**, represented by the Deaths from All Causes and from certain Epileptic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.										
		All Causes.	Certain Epidemic Diseases†	Total Number of DEATHS.						Enteric Fever.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	TUBERCULOSIS.	DISEASES OF THE RESPIRATORY SYSTEM.				Diarrhoea and Enteritis of children under 2 years of age.			Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.							
				(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)										(15)	(16)	(17)	(18)							(19)	(20)	(21)	(22)	(23)	(24)	Other.
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)								
Colts.																																							
City of Belfast.																																							
BELFAST URBAN No. 1 DISTRICT,	15,879	115		30.5	2.3	121	25	19	8	17	35	17	.	.	.	2	1	.	.	14	7	6	16	24	3	.	3	7	42	3									
Do.	49,500	338		25.6	2.1	317	63	44	27	40	63	80	.	.	.	3	5	.	.	25	10	12	29	61	1	3	1	2	81	5									
Do.	50,032	365		23.7	3.0	297	65	28	25	51	66	66	1	.	.	6	3	17	.	28	14	7	32	57	9	2	7	10	69	8									
Do.	32,637	845		23.3	1.1	190	40	21	15	32	38	44	1	.	.	4	2	2	2	14	10	4	25	20	.	1	4	7	68	3									
Do.	16,112	108		32.8	1.2	132	30	18	12	19	26	27	1	.	.	2	2	1	2	12	10	5	18	24	.	.	3	5	45	3									
Do.	37,293	198		18.4	0.6	172	22	13	22	23	40	52	1	.	.	4	1	1	1	15	10	8	27	18	.	.	2	4	36	1									
Do.	2,681	13		14.9	—	10	2	1	1	2	4	7	1	.	.	.	.	.	.	1	1	.	1	1	.	.	1	2	1	1									
Do.	5,964	19		14.8	—	22	1	1	3	2	8	7	1	.	.	.	.	.	.	3	7	.	2	2	.	.	1	1	5	2									
Do.	24,427	175		21.8	0.8	133	27	13	19	14	37	23	1	.	.	.	.	4	.	19	7	5	22	18	.	.	1	1	4	2									
Do.	28,958	248		22.9	3.9	166	45	18	11	23	32	37	1	.	.	4	1	8	1	14	4	11	17	33	13	.	1	3	24	1									
Do.	39,311	277		22.3	1.7	219	42	25	23	25	46	58	.	.	.	14	2	.	.	22	11	7	21	34	.	.	2	5	55	1									
Do.	38,076	361		27.4	2.7	261	59	28	29	23	32	30	.	.	.	19	4	1	.	23	11	12	34	58	.	.	.	14	39	1									
Do.	23,233	179		17.4	0.5	101	20	9	8	12	17	35	.	.	.	1	1	.	.	11	4	6	9	18	.	.	.	2	11	1									
Do.	175			22.7	—	1	.	.	1	.	.	.	.	.	.	1	1	.	.	1	4	.	.	.	.	.	.	.	.	1									
Do.	22,669	166		32.5	1.4	184	43	23	13	26	45	34	.	.	.	1	1	3	1	13	8	4	38	26	2	.	1	5	51	1									
Total,	386,947	2,907		23.1	1.8	2,326	484	290	217	308	513	514	1	.	.	71	21	43	5	215	106	87	286	394	31	8	25	71	553	31									
City of Cork.																																							
CORK URBAN No. 1 DISTRICT,	13,455	78		22.6	0.6	76	8	6	9	13	13	27	2	.	.	.	6	5	.	5	2	4	6	12	.	.	1	4	27	9									
Do.	10,399	81		35.4	7.3	92	21	19	10	17	16	9	.	.	.	8	4	.	.	8	4	2	10	15	2	.	.	3	33	8									
Do.	9,793	81		32.3	1.2	79	14	8	7	9	19	22	1	.	.	1	.	2	.	11	3	1	1	17	.	.	1	3	24	8									
Do.	9,139	63		31.1	3.9	71	14	9	2	9	14	23	.	.	.	.	.	.	.	12	.	3	3	4	5	5	1	2	34	2									
Do.	6,250	35		28.2	0.6	44	8	7	5	6	13	13	.	.	.	.	.	2	.	5	5	3	3	5	6	.	.	2	17	2									
Do.	11,581	59		25.2	0.7	73	7	8	9	8	20	22	.	.	.	.	.	2	.	6	3	4	4	4	6	1	.	1	38	5									
Do.	16,056	146		29.1	0.5	117	14	9	11	18	24	41	.	.	.	.	.	2	1	13	4	2	14	14	.	.	1	1	44	8									
Total,	76,673	543		28.8	2.0	552	86	65	52	81	111	157	3	.	.	4	6	12	5	60	21	18	41	73	8	.	4	15	212	42									

GENERAL REGISTER OFFICE,

*Charlemont House, Dublin,*

28th April, 1915.

\*The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

†See note (\*) on page 208h.

WILLIAM J. THOMPSON,  
*Registrar-General.*



## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 10TH APRIL, 1915.

[No. 14.]

*General Register Office, Charlemont House,  
Dublin, 12th April, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 23·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 20	Mar. 27	April 3	April 10	
<b>27 Town Districts, (a)</b>	<b>24·0</b>	<b>23·9</b>	<b>22·9</b>	<b>23·8</b>	<b>23·6</b>
Dublin Reg. Area ...	23·8	26·8	22·9	26·1	24·9
Dublin City ...	24·5	28·0	24·0	26·0	25·6
Belfast ...	25·0	21·3	23·3	21·1	22·7
Cork ...	25·8	26·5	28·6	19·7	25·1
Londonderry ...	21·5	34·2	10·1	15·2	20·3
Limerick ...	31·1	20·3	13·5	36·6	25·4
Waterford ...	32·3	11·4	26·6	41·8	28·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·7 per 1,000. Among the 163 deaths from all causes for Belfast are 6 from measles, 5 from whooping-cough, and one from diarrhoea and enteritis of a child under 2 years. One of the 29 deaths from all causes for Cork is from whooping-cough. Of the 22 deaths from all causes for Waterford, 2 are from scarlet fever. One of the 9 deaths from all causes for Lurgan was from cerebro-spinal meningitis. Included in the 8 deaths from all causes for Portadown are 4 from measles. One of the 8 deaths from all causes for Newtownards is from scarlet fever; and of the 9 deaths from all causes for Coleraine, 6 are from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 218—98 boys and 120 girls—and the deaths to 219—106 males and 113 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·1 per 1,000 of the population. During the fourteen weeks, ending with Saturday last, the death-rate averaged 29·3, and was 4·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.



The total deaths registered, numbering 219, represent an annual rate of 27·9 per 1,000; the annual rate for the past fourteen weeks was 31·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 3 from enteric fever, 9 from whooping-cough, one\* from diphtheria, one (that of a child under 2 years of age) from diarrhoea and enteritis, 2\* from cerebro-spinal fever, and one from varicella.

In the three preceding weeks, deaths from enteric fever were 0, 0, and one; deaths from whooping-cough were 13, 10, and 10; deaths from diphtheria were one, one, and 0; deaths from diarrhoea and enteritis of children under 2 years of age were 2, 6, and 4; deaths from influenza were 11, 11, and 8; and deaths from cerebro spinal fever were one, 3, and 0, respectively.

There were 36\* deaths from tuberculous disease (all forms), including 27 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, and 5 from disseminated tuberculosis. Deaths from tuberculous disease in the three preceding weeks numbered 30, 41, and 29, respectively.

Cancer caused 10\* deaths.

Of 21 deaths from pneumonia, 14 were from broncho-pneumonia, 2 from lobar pneumonia, and 5 from pneumonia (type not distinguished.)

Three deaths of infants under one year of age were attributed to convulsions, and 4 to congenital debility.

Organic diseases of the heart caused 12 deaths, and bronchitis 40.

Of 4 accidental deaths, 2 (those of children under 5 years of age) were caused by burns or scalds, and one by a motor car.

There was one case of suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Fifty-five of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 7 were under one month old), and 62 were aged 65 years and upwards, including 42 persons aged 70 and upwards; among the latter were 25 aged 75 and upwards.

Eighty-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 21 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the City was 26·0 (North City Districts, 24·8; South, 27·4), and in the Suburbs, 26·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·7 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 0·9, and in the South 2·8), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 35·9 per 1,000, and include one death from influenza, 7 from tuberculous disease, 3 from pneumonia, and 6 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (19) are equal to an annual rate of 23·8 per 1,000. One death was caused by influenza, 4 by pulmonary tuberculosis, one by pneumonia, and 4 by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Among them are one from enteric fever, one from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 26·2 per 1,000. Two of these deaths were from whooping-cough, one from pulmonary tuberculosis, 3 from broncho-pneumonia, 2 from bronchitis, and there was one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 4·8. One of the 3 deaths from all causes for Clontarf and Howth No. 1, part of, was from influenza; of the 5 deaths from all causes for Coolock and Drumcondra, part of, one was caused by lobar pneumonia, and one was a case of suicide; and the only death recorded for Finglas and Glasnevin, part of, was caused by broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·3 per 1,000. They include one death from enteric fever, one from whooping-cough, 2 from influenza, 4 from tuberculous disease, and 6 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 48·3 per 1,000. Two deaths were caused by whooping-cough, 2 by tuberculous disease, one by broncho-pneumonia, and 5 by bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·5 per 1,000. Among them are one from enteric fever, one from whooping-cough, 6 from tuberculous disease, 4 from pneumonia, 3 from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000, and include one from influenza, 2 from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000. They consist of one death from whooping-cough, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·7; Pembroke, 27·3; Blackrock, 5·6; and Kingstown, 43·1. The deaths from the principal epidemic diseases tabulated for these districts comprise one from whooping-cough for Rathmines and Rathgar, and one from the same disease for Pembroke. The 18 deaths from all causes for Rathmines and Rathgar include one from pulmonary tuberculosis, one from broncho-pneumonia, and 5 from bronchitis; among the 16 deaths recorded for Pembroke are 3 from tuberculous disease, 2 from broncho-pneumonia, and 2 from bronchitis; and included in the 14 deaths from all causes for Kingstown are 2 from influenza, 2 from pulmonary tuberculosis, and 4 from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 21·1), was equal to an average annual death-rate of 19·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20·8 per 1,000, the rate for Glasgow being 22·6, and for Edinburgh 19·4.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th April. From this Report it appears that of a total of 59 cases notified, 21 were scarlet fever, 14 pulmonary tuberculosis, 6 other forms of tuberculosis, 11 diphtheria, 3 cerebro-spinal fever, 2 erysipelas, one enteric fever, and one puerperal fever. Among the 545 cases of infectious diseases in hospital at the close of the week were 176 of pulmonary tuberculosis, 168 of scarlet fever, 79 of diphtheria, 60 of whooping-cough, 14 of measles, 10 of erysipelas, 9 of cerebro-spinal fever, 4 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th April, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 20,	.	—	—	4	4	.	2	.	.	2	2	.	—	—	2	—	.	37	53
	Mar. 27,	.	—	—	3	1	.	4	.	.	2	6	.	—	—	2	—	.	24	40
	April. 3,	.	—	—	7	.	.	2	.	.	2	1	.	—	—	2	—	.	22	36
	April. 10,	.	—	—	7	.	.	7	.	1	7	.	.	—	—	1	—	.	23	46
Rathmines and Rathgar Urban District.	Mar. 20,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Mar. 27,	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	April. 3,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Mar. 20,	.	3	.	3	.	.	1	.	.	1	.	.	—	7	—	—	—	2	17
	Mar. 27,	.	2	.	7	.	.	1	.	.	.	.	.	—	4	—	—	—	.	14 <sup>a</sup>
	April. 3,	.	3	.	3	.	.	.	.	.	.	.	.	—	10	—	—	—	.	16
	April. 10,	.	5	.	2	.	.	.	.	.	.	.	.	—	8	—	—	—	.	15
Blackrock Urban District.	Mar. 20,	.	.	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	.	2
	Mar. 27,	.	.	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	.	3
	April. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
Kingstown Urban District.	Mar. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	3	4
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Mar. 20,	.	—	—	29	.	.	5	.	.	.	1	.	—	—	1	—	.	5	41
	Mar. 27,	.	—	—	25	.	.	4	.	.	3	2	.	—	—	2	—	.	4	40
	April. 3,	.	—	—	18	.	.	4	.	1	.	4	.	—	—	3	—	.	6	36
	April. 10,	.	—	—	22	.	.	5	.	.	.	2	.	—	—	4	—	.	9	42
City of Cork.	Mar. 20,	.	1	—	3	.	.	5	1	.	2	2	.	—	—	—	—	—	—	14
	Mar. 27,	.	1	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	9 <sup>b</sup>
	April. 3,	.	3	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	10
	April. 10,	.	1	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	9
City of Londonderry.	Mar. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Mar. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 10,	.	—	—	1	.	.	.	.	.	.	1	1	—	—	—	—	—	—	3
City of Limerick.	Mar. 20,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Mar. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Mar. 20,	.	—	—	19	.	.	.	.	.	.	.	.	—	—	—	—	—	1	20
	Mar. 27,	.	—	—	17	.	.	4	.	.	1	.	.	—	—	—	—	—	2	24
	April. 3,	.	—	—	13	.	.	.	.	.	.	1	.	—	—	—	—	—	.	14
	April. 10,	.	—	—	12	.	.	.	.	.	2	1	.	—	—	—	—	—	.	15

(a) Not including one case of cerebro-spinal meningitis

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th April, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, there were 2 deaths, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 29, and 29.

Four cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 preceding weeks the cases numbered 7, 5, and 4 respectively.

Five cases of measles were admitted to hospital during the week, 3 were discharged, and 14 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 26, 12 and 12 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 14 were discharged, and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 83, 79, and 75, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 10 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 24, 27, and 28 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 9 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th April, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 10TH APRIL, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																								
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	27.2	23.8	1.7	633	553	87	163	3	...	...	16	3	15	...	...	66	19	20	54	104	3	...	7	14	151	17			
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	27.8	26.1	1.7	218	205(d)	30	61	3	...	...	...	...	9	...	...	25	8	9	21	44	1	...	3	5	70	4			
CITY OF DUBLIN,	312,747	39.5	31.5	26.0	1.8	189	156	23	41	3	...	...	...	...	7	...	...	21	6	7	18	32	1	...	3	5	57	4			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	10.5	23.7	1.3	8	18	3	10	...	...	...	...	...	1	...	...	1	...	...	1	5	...	...	...	...	5	...			
PEMBROKE, ...	30,538	19.4	20.5	27.3	1.7	12	16	3	4	...	...	...	...	...	1	...	...	1	2	2	2	2	...	...	...	...	5	...			
BLACKROCK, ...	9,233	8.5	11.3	5.6	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
KINGSTOWN, ...	16,941	11.6	21.5	43.1	.	7	14	1	6	...	...	...	...	...	...	...	...	2	...	...	...	5	...	...	...	...	2	...			
Urban Districts																															
BELFAST ...	403,000	27.0	30.4	21.1	1.6	235	163	27	48	...	...	...	6	...	5	...	...	17	7	6	21	23	1	...	1	4	34	3			
CORK, ...	76,673	28.6	14.3	19.7	0.7	21	29	4	7	...	...	...	...	...	1	...	...	4	2	1	1	8	...	...	1	3	7	2			
LONDON + DERRY ...	41,200	16.0	22.8	15.2	.	18	12	3	3	...	...	...	...	...	...	...	...	3	...	...	1	2	...	...	...	...	...	...			
LIMERICK, ...	38,518	16.1	21.7	36.6	.	16	27	2	10	...	...	...	...	...	...	...	...	6	...	...	...	8	...	...	...	...	13	1			
WATERFORD, ...	27,464	19.1	24.7	41.8	3.8	13	22	...	6	...	...	...	...	2	...	...	...	3	...	2	2	3	...	...	...	...	10	1			
GALWAY, ...	13,255	2.5				8	7	1	5	...	...	...	...	...	...	...	...	...	...	...	2	4	...	...	...	...	1	...			
DUNDALK, ...	13,128	9.5				8	6	1	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...			
LURGAN, ...	12,553	14.7				10	9(d)	4	1	...	...	...	...	...	...	...	...	1	...	...	...	2	1	...	...	...	1	...			
DROGHEDA, ...	12,501	8.4				11	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
LISBURN, ...	12,388	10.9				5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...			
NEWRY, ...	11,963	17.0				3	6	...	3	...	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	...	...			
PORTADOWN, ...	11,727	15.3				5	8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...			
WEXFORD, ...	11,531	22.8				6	3	1	1	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	1	...		
BALLYMENA ..	11,381	9.3				1	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	1	...		
SLIGO, ...	11,163	3.8				2	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...		
KILKENNY, ...	10,514	11.4				2	8	...	6	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	7	...	...		
TRALEE, ...	10,300	17.4				6	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...		
CLONMEL, ...	10,209	7.8				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
NEWTOWNARDS	9,587	20.1				11	8	3	3	...	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	...	3	1	...		
QUEENSTOWN,	8,209	14.7				8	4	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	1	...		
LARNE, ...	8,036	13.4				4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...		
COLERAINE. ...	7,785	7.7				2	9	2	2	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BANGOR, ..	7,776	8.5				1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...		
BRAY, ...	7,691	7.2				2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ..	7,472	6.2				11	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2		
ARMAGH, ...	7,356	21.8				5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including one at 65 years), admitted to hospital from localities outside the Area. Included in the 14 deaths are one from diphtheria, 3 from tuberculous disease, one from cancer and one from cerebro-spinal fever. (d) Including one death from cerebro-spinal fever in Dublin and one from cerebro-spinal meningitis in Lurgan.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 10th of April, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	3		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough,	.	.	.	2	.	.	.	1	2	1	.	1	1	1	.	.	9		
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	1	1	.	.	1	.	.	2	.	.	1	.	.	.	.	2	8		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	5	4	1	1	.	.	.	3	1	4	2	.	1	1	.	2	25		
{ Other Forms,	2	.	.	.	.	.	.	1	1	2	.	.	.	2	.	.	8		
Cancer,	.	.	1	2	1	1	.	.	1	1	.	.	.	2	.	.	9		
Diseases of Nervous System,	.	3	2	2	.	1	.	4	.	2	1	.	.	1	.	3	19		
Organs of Special Sense,	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
Circulatory System,	.	1	.	1	1	.	.	1	.	1	2	.	5	1	.	.	13		
Respiratory System, { Pneumonia,	3	1	1	3	.	1	1	.	1	4	3	.	1	2	.	.	21		
{ Others,	7	4	2	3	.	.	.	6	5	3	1	1	5	2	.	5	44		
Diarrhoea and Enteritis, under 2 years,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1		
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Others,	.	.	2	1	.	.	.	.	3	1	1	.	1	.	1	1	11		
Genito-urinary System,	1	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	4		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,	2	2	1	1	.	.	.	1	3	3	1	.	3	4	.	1	22		
Violent Deaths,	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	.	3		
Ill-defined, &c. Causes,	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	4		
Deaths from All Causes	21	19	12	18	3	5	1	20	17	24	13	3	18	16	1	14	205		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	35.9	23.8	22.4	26.2	28.2	18.9	4.8	25.3	48.3	28.5	20.4	15.7	23.7	27.3	5.6	43.1	26.1		
	24.8							27.4							26.5				
	26.0																		
Ages at Death. { Under 1 year,	1	1	1	5	.	.	.	3	8	2	1	1	3	3	.	1	30		
1 and under 2 years,	3	1	.	3	.	.	1	1	2	1	.	1	.	1	.	.	14		
2 " 5 "	1	1	1	.	.	.	.	.	.	5	.	.	.	1	.	.	9		
5 " 15 "	1	1	.	1	.	.	.	1	1	.	.	.	.	1	.	.	6		
15 " 25 "	3	2	.	.	.	.	.	1	.	2	1	.	2	1	.	1	18		
25 " 45 "	3	3	4	1	1	1	.	3	1	1	1	.	.	1	2	.	22		
45 " 65 "	6	6	3	5	.	2	.	4	3	4	4	1	3	4	1	4	50		
65 and upwards,	3	4	3	3	2	2	.	7	2	9	6	.	10	4	.	6	61		
Number of Uncertified Deaths,	.	2	1	.	.	.	.	.	.	.	1	.	.	.	.	.	4		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	5	2	2	4	.	2	.	3	4	4	3	.	3	3	1	1	38		
Workhouse Hospitals.	2	5	3	.	.	1	.	4	4	4	4	.	2	2	.	1	32		

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday												In the Week ending Saturday, 10th April, 1915.												
CAUSES OF DEATH.	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.	Apr. 5, 1913.	Apr. 4, 1914.	Averages in 14th Week of the 10 years, 1905-1914.	All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
ALL CAUSES.	190	159	219	207	205	186	191	205	232	212	200·6	219	7	23	14	11	7	15	26	54	37	2		
Enteric Fever, ...	1	.	.	1	2	1	3	2	.	.	1·0	3	.	.	.	1	.	1	1	.	.	.		
Typhus, ...	.	.	1	.	.	.	.	.	1	.	·2	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...	.	1	3	1	6	.	1	11	.	22	4·5	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever, ...	1	.	.	1	.	.	1	1	1	.	·5	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough, ...	1	2	8	1	7	.	3	2	2	3	2·9	9	.	4	4	1	.	.	.	.	.	.		
Diphtheria, ...	1	.	3	.	1	1	4	4	5	.	1·9	1	.	.	.	1	.	.	.	.	.	.		
Croup, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.		
Influenza, ...	2	2	5	7	3	3	2	4	5	3	3·6	8	.	.	.	.	1	.	3	2	2	.		
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Erysipelas, ...	.	.	.	.	.	.	1	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.		
Other Epidemic Diseases, ...	.	.	.	.	1	.	.	.	.	.	·1	1	.	1	.	.	.	.	.	.	.	.		
Pyæmia and Septicæmia (non- puerperal), ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.		
Tetanus, ...	1	.	.	.	.	.	.	1	.	.	·2	.	.	.	.	.	.	.	.	.	.	.		
TUBERCULOSIS.																								
Pulmonary Tuberculosis, ...	31	23	29	30	24	21	29	25	37	22	27·1	27	.	.	.	.	.	8	11	7	1	.		
Tuberculous Meningitis, ...	3	3	8	7	5	1	2	3	2	3	3·7	3	.	1	.	.	1	.	1	.	.	.		
Abdominal Tuberculosis, ...	4	2	1	6	6	.	4	.	.	1	2·4	1	.	.	.	.	1	.	.	.	.	.		
Tuberculosis of the Vertebral Column, ...	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis of Joints, ...	11	10	13	5	7	9	4	1	.	.	7·4	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis of other Organs, Scrofula, ...	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.		
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	3	4	.	.	5	.	.	.	1	2	1	1	.	.	.		
Venereal Diseases, ...	2	3	.	.	2	2	1	1	2	1	1·4	.	.	.	.	.	.	.	.	.	.	.		
Cancer, ...	10	4	5	13	10	7	11	11	9	6	8·6	10	.	.	.	.	.	.	.	6	3	1		
Tumour, situation undefined, Rheumatic Fever, ...	.	.	.	.	.	.	.	1	.	.	·1	.	.	.	.	.	.	.	.	.	.	.		
Diabetes, ...	3	3	.	.	1	.	1	.	1	3	1·2	.	.	.	.	.	.	.	.	.	.	.		
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other General Diseases, ...	.	.	.	.	.	.	2	3	2	1	.	2	.	1	.	.	.	.	.	1	.	.		
Alcoholism, ...	1	.	.	2	2	1	1	.	.	.	·7	.	.	.	.	.	.	.	.	.	.	.		
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Cerebro-spinal Fever, ...	1	.	.	3	.	.	.	.	.	.	·4	2	.	.	.	.	2	.	.	.	.	.		
Simple Meningitis, ...	.	.	.	.	.	.	.	.	2	4	.	2	.	.	.	.	.	.	.	.	.	.		
Cerebral Hæmorrhage, Apo- plexy, ...	.	.	.	.	.	.	.	4	10	5	.	9	.	1	.	1	.	1	.	2	3	3		
Softening of Brain, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		
Paralysis, without specified cause, ...	.	.	.	.	.	.	.	1	2	4	.	1	.	.	.	.	.	.	.	1	.	.		
Epilepsy, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		
Convulsions (non-puerperal), ...	.	.	.	.	.	.	.	2	3	3	.	3	1	2	.	.	.	.	.	1	.	.		
Other Diseases of Nervous System, ...	46	40	49	43	32	46	37	2	4	3	40·9	3	.	.	.	.	.	2	.	1	.	.		
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Acute Endocarditis, ...	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.		
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral), ...	.	.	.	.	.	.	.	13	21	21	.	12	.	.	.	.	.	.	1	4	5	2		
Other Diseases of Circulatory system, ...	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	.	.	.	.	1	.	.		
Diseases of the Larynx, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Bronchitis, ...	23	22	29	24	31	32	21	31	21	33	26·7	40	1	3	4	1	.	.	.	.	.	.		
Broncho-pneumonia, ...	8	4	10	3	10	8	9	24	14	12	10·2	14	.	3	5	3	.	.	.	.	.	.		
Lobar pneumonia, ...	.	1	2	1	.	1	2	2	2	3	1·4	2	.	.	.	.	.	.	.	1	1	1		
Pneumonia (type not distin- guished), ...	3	3	5	11	10	8	7	5	9	4	6·5	5	.	.	.	.	.	3	2	.	.	.		
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Pulmonary Congestion, Pul- monary Apoplexy, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.		
Other Diseases of Respiratory System, ...	2	1	4	1	2	6	2	.	.	1	2·0	2	.	.	.	.	.	.	.	1	1	.		



FOURTEENTH WEEK, ending Saturday, 10th April, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										In the Week ending Saturday, 10th April, 1915.																					
	Apr. 8, 1905.	Apr. 7, 1906.	Apr. 6, 1907.	Apr. 4, 1908.	Apr. 10, 1909.	Apr. 9, 1910.	Apr. 8, 1911.	Apr. 6, 1912.	Apr. 5, 1913.	Apr. 4, 1914.	Averages in 14th Week of the 10 years, 1905-1914.	All Ages.	Deaths of Persons of the Ages of																			
													0-5.																			
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.										
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	2	2	1	.	1	.	.	.	.	.	.	.	.										
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	5	1	—	4	.	3	.	.	.	.	.	1	.	.										
Diarrhoea and Enteritis of Children under 2 years.	4	2	3	6	3	7	6	2	7	1	4.6	1	.	1	.	.	.	.	.	.	.	.										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	1	1	—	2	.	.	.	.	2	.	.	.	.	.										
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	.	1	2	—	5	1	.	.	.	.	.	1	3	.	.										
Cirrhosis of Liver, ...	.	1	1	1	1	1	2	.	1	1	2	.	.	.	.	.	.	.	.	.	.	.										
Other Diseases of Liver, ...	2	3	.	1	1	1	.	.	.	.	7	.	.	.	.	.	.	.	.	.	.	.										
Peritonitis (cause unknown),	1	1	.	.	1	.	.	.	.	1	3	1	.	.	.	.	.	.	.	1	.	.										
Other Diseases of Digestive System.	9	6	6	7	3	2	1	1	1	1	3.7	1	.	.	.	.	.	.	.	1	.	.										
Acute Nephritis, ...	4	5	6	9	8	4	5	1	2	1	6.6	5	.	.	.	.	.	.	.	.	.	.										
Chronic Bright's Disease, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	1	2	.	4	.	.	.	.	.	.	.	.	.	.	.										
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	.	.	.	1	1	3	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	2	1	3	—	.	.	.	.	.	.	.	.	.	.	.										
Premature Birth, ...	1	.	3	4	3	3	3	1	6	1	2.5	.	.	.	.	.	.	.	.	.	.	.										
Congenital Debility, ...	—	—	—	—	—	—	2	4	6	1	—	4	2	2	.	.	.	.	.	.	.	.										
Old Age, ...	5	2	5	5	4	3	6	8	5	12	5.5	10	.	.	.	.	.	.	.	.	5	5										
Other Specified Diseases, ...	—	—	—	—	—	—	2	.	1	1	—	5	2	.	1	.	.	.	.	.	.	2										
ACCIDENT:	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.										
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.										
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Burns and Scalds, ...	.	.	.	.	2	1	3	1	1	1	9	2	.	.	.	2	.	.	.	.	.	.										
Drowning, ...	.	1	1	.	1	1	1	.	1	.	6	.	.	.	.	.	.	.	.	.	.	.										
Suffocation in Bed, ...	.	.	.	1	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.	.	.										
Other Deaths by Accident, ...	2	.	2	.	1	2	1	3	3	1	1.5	2	.	.	.	.	1	.	1	.	.	.										
Total Deaths from Accident,	2	1	3	1	4	5	6	4	5	2	3.3	4	.	.	.	2	1	.	1	.	.	.										
Included in above are Deaths in connection with—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	.	.	1	.	.	.										
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.										
VIOLENCE OTHER THAN ACCIDENTAL:	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Homicide, ...	.	1	1	1	.	.	.	.	.	1	5	1	.	.	.	.	.	.	.	1	.	.										
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	7	9	4	—	4	.	.	.	.	1	.	3	.	.	.										





REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH APRIL, 1915.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH APRIL, 1915.																																															
CLASS.		OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed proportionately among the several groups to which they most probably belonged.)		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	AGES.								CAUSES OF DEATH																																	
						Under 5 years.				5 and under 15.				15 and under 25.				25 and under 45.				45 and under 65.				65 and under 75.				75 and upwards.				Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System.	
(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																						
		COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																
ALL PERSONS.			397,957	—	219	55	7	15	26	54	37	25	3	.	.	.	.	.	1	.	27	9	10	3	21	44	1	.	5	86	4																
CLASSES.																																															
Deaths in Families of the—																																															
PROFESSIONAL AND INDEPENDENT CLASS.																																															
MIDDLE CLASS.			14,658	17.8	5	.	.	1	6	15	2	3	.	.	.	.	.	1	.	.	5	.	1	.	2	.	.	.	.	2	.																
ARTISAN CLASS AND PETTY SHOPKEEPERS.			101,798	22.5	44	4	1	4	6	15	7	7	.	.	.	.	.	.	.	.	5	5	3	8	10	8	.	.	2	21	1																
GENERAL SERVICE CLASS.			108,420	19.2	40	14	2	3	4	9	4	4	.	.	.	.	.	4	.	.	4	3	1	4	12	17	1	.	3	14	3																
INMATES OF WORKHOUSES.			167,479	30.2	97	36	4	7	12	16	18	4	8	.	.	.	.	4	1	.	13	4	3	3	12	33	.	.	3	33	3																
INMATES OF WORKHOUSES.			5,602	—	33	1	.	1	4	12	8	7	.	.	.	.	.	.	.	.	5	.	2	3	7	.	.	.	.	16	.																
PROFESSIONAL AND INDEPENDENT CLASS.																																															
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.			7,868	33.1	5	.	.	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	2	.																
2. Merchants and Manufacturers, Higher Class			1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																
3. Persons of Rank and Property, not otherwise described.			5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																
MIDDLE CLASS.																																															
4. General Body of Officials—Civil Service, Banking, &c.			9,523	38.3	7	2	.	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	8	.																
5. Traders (except Petty Shopkeepers), Business Managers, &c.			25,199	22.8	11	.	.	.	1	6	4	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	7	1	.																
6. Clerks and Commercial Assistants.			33,249	12.5	8	2	.	1	1	3	1	1	.	.	.	.	.	1	.	.	2	.	.	.	3	.	.	.	2	.	.																
7. Miscellaneous—including all Householders in Second Class Localities not included in above.			33,827	27.7	18	.	1	3	3	5	2	4	.	.	.	.	.	.	.	.	2	2	1	.	1	2	.	.	1	9	.																
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																															
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.			11,777	17.7	4	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	.	.	.	.	.	.																
9. Building and Furnishing Trades.			28,823	14.5	8	5	1	1	.	2	.	1	.	.	.	.	.	1	.	.	1	1	.	.	3	.	.	.	2	.	.																
10. Clothing Trades.			20,026	20.8	8	2	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5	.	.																
11. Food Supply Trades.			8,952	11.6	2	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.																
12. Other Trades and Callings ranking with Trades.			32,070	24.4	15	3	.	.	2	3	4	3	.	.	.	.	.	.	.	.	1	.	1	.	6	.	.	.	5	.	.																
13. Petty Shopkeepers			6,772	23.1	3	2	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.																
GENERAL SERVICE CLASS.																																															
14. Army, Police, Postal Delivery and Prison Services, &c.			12,977	56.3	14	6	1	1	2	1	2	1	2	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	8	.																
15. Domestic Servants.			36,041	13.0	9	1	.	2	1	3	1	1	.	.	.	.	.	.	.	.	1	.	1	.	3	.	.	.	2	1	.																
16. Coach and Car Drivers, Vanmen, &c.			15,380	40.7	12	7	.	1	1	1	3	.	.	.	.	.	.	.	1	.	.	1	1	1	1	3	.	.	3	1	.																
17. Hawkers, Porters, Labourers, &c.			103,081	31.4	62	22	3	4	8	11	12	2	1	.	.	.	.	4	.	.	11	3	1	2	6	11	.	.	2	20	1																
INMATES OF WORKHOUSES.																																															
18. Workhouse inmates.			5,602	—	33	1	.	1	4	12	8	7	.	.	.	.	.	.	.	.	5	.	2	3	7	.	.	.	.	16	.																

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY. PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Unce- rtified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	March, 6 " 13 " 20 " 27	37.6 34.2 20.5 41.0	5.1 . 5.1 3.4	22 20 12 24	. . . .	. . . .	. . . .	1 . . 1	. . . 1	1 . 2 .	. . . .	. 3 3 3	. . . 3	1 1 . 1	2 2 1 6	4 2 . 1	1 . . 1	. . . .	. . . .	. . 1 .
Population in 1915 (Est.) 30,504.	April, 3 " 10	18.8 35.9	. .	11 21	. .	. .	. .	. .	. .	. .	. .	5 12	12 12	1 .	2 3	1 7	. .	. .	. .	. .
North City, No. 1 (W.) (Office, Summer-hill.)	March, 6 " 13 " 20 " 27	33.8 27.5 22.5 26.3	2.5 1.3 1.3 1.3	27 22 18 21	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	3 2 2 3	. 1 . .	. . 2 2	3 1 1 2	6 7 5 6	2 1 . 1	. . . .	. . . .	1 . 2 .
Population in 1915 (Est.) 41,685.	April, 3 " 10	25.0 23.8	5.0 .	20 19	. .	1 .	. .	. .	2 .	. .	. .	4 4	. .	. .	1 2	2 4	1 .	. .	. .	. .
North City, No. 2. (Office, Lisburn-street.)	March, 6 " 13 " 20 " 27	63.6 44.9 37.4 20.6	. . 1.9 .	34 24 20 11	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	4 4 3 1	. 1 1 2	2 1 1 1	4 1 1 2	11 7 4 4	. . . .	. . . .	. . . .	. . . .
Population in 1915 (Est.) 27,883.	April, 3 " 10	18.7 22.4	1.9 1.9	10 12	1 1	. .	. .	. .	. 2	. .	. .	2 1	. .	1 1	1 1	2 2	. .	. .	. .	. .
North City, No. 3. (Office, Benburb-street.)	March, 6 " 13 " 20 " 27	29.1 30.5 11.6 24.7	1.5 2.9 1.5 .	20 21 8 17	. . . .	. . . .	. . . .	. 1 . .	. . 20 .	. . . .	. . . .	3 4 . .	1 1 2 .	1 1 . .	2 2 1 4	2 2 1 3	. . 1 .	. . 1 .	. . . .	1 1 . .
Population in 1915 (Est.) 35,887.	April, 3 " 10	27.6 26.2	1.5 2.9	19 18	. .	. .	. .	. .	2 .	. .	. .	2 1	. .	2 1	1 3	3 3	1 .	. .	. .	1 .
Clontarf and Howth No. 1 (part of).	March, 6 " 13 " 20 " 27	. 28.2 . 28.2	. . . .	. 3 . 3	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 . .	. . . .	. . . .	. . . 2	. . . .	. . . .	. . . .	. . . .	. . . .
Population in 1915 (Est.) 5,539.	April, 3 " 10	18.8 28.2	. .	2 3	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 .	. .	. .	. .	. .	. .	. .
Coolock and Drumcondra (part of).	March, 6 " 13 " 20 " 27	41.5 15.1 26.4 34.0	3.8 . . 3.8	11 4 7 9	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 . 1 3	. . 1 .	1 . 1 .	1 2 . .	4 1 . 1	1 . . 1	. . . .	. . . .	. . . .
Population in 1915 (Est.) 13,820.	April, 3 " 10	11.3 18.9	. .	3 5	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 .	. .	. .	. .	. .	1 .
Finglas and Glasnevin (part of).	March, 6 " 13 " 20 " 27	14.4 14.4 19.3 14.4	. . . 4.8	3 3 4 3	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	1 . . .	. 1 . .	. . . .	. 1 . .	1 1 2 1	1 1 1 1	. . . .	. . . .	1 . . .
Population in 1915 (Est.) 10,829.	April, 3 " 10	28.9 4.8	4.8 .	6 1	. .	. .	. .	. .	1 .	. .	. .	. .	1 .	1 .	1 .	. .	. .	. .	. .	. .
South City, No. 1. (Office, Sth. Earl-street.)	March, 6 " 13 " 20 " 27	34.2 26.6 35.5 35.5	2.5 2.5 3.8 6.3	27 21 28 28	. . . .	. . . .	. . . .	. . . .	. 1 . 3	. . . .	. . . .	4 4 6 4	. 1 . 1	1 . . 1	1 2 1 3	7 4 3 4	2 1 . 2	. . . .	. . . .	. 2 3 2
Population in 1915 (Est.) 41,170.	April, 3 " 10	32.9 25.3	5.1 2.5	26 20	1 .	. .	. .	. .	3 1	. .	. .	6 3	1 1	. .	. .	5 6	1 .	. .	. .	. .
South City, No. 2. (Office, Castle-street.)	March, 6 " 13 " 20 " 27	22.7 45.5 48.3 45.5	. . 2.8 5.7	8 16 17 16	. . . .	. . . .	. . . .	. . . .	. . 1 2	. . . .	. . . .	1 4 . 5	. . 1 .	. . . .	1 3 2 .	4 3 8 2	. . . .	. . . .	. . . .	1 1 1 .
Population in 1915 (Est.) 18,341.	April, 3 " 10	17.1 48.3	2.8 5.7	6 17	. .	. .	. .	. .	1 2	. .	. .	. 1	. 1	. 1	1 1	. 5	. .	. .	. .	1 .
South City, No. 3. (Office, Peter-street.)	March, 6 " 13 " 20 " 27	29.6 42.7 27.3 24.9	3.6 4.7 4.7 2.4	25 36 23 21	. . . .	. . . .	. . . .	. . . .	. . . .	3 3 4 2	. . . .	3 4 4 5	1 . . 2	1 1 . .	1 3 4 3	6 9 5 2	. 1 . .	. . . .	. . . .	. . 1 .
Population in 1915 (Est.) 43,970.	April, 3 " 10	28.5 28.5	5.9 2.4	24 24	1 .	. .	. .	. .	4 1	. .	. .	4 4	1 2	1 .	1 4	6 3	1 .	. .	. .	1 .
South City, No. 4. (Office, Grand Canal-st.)	March, 6 " 13 " 20 " 27	50.3 22.0 11.0 17.3	1.6 3.1 . .	32 14 7 11	. . . .	. . . .	. . . .	. . . .	. 1 . .	1 . . .	. . . .	4 2 1 2	. 1 1 .	1 1 1 .	6 1 1 1	8 2 . 1	. 1 . .	. . . .	. . . .	1 1 . .
Population in 1915 (Est.) 33,171.	April, 3 " 10	23.6 20.4	. .	15 13	. .	. .	. .	. .	. .	. .	. .	3 2	1 .	1 .	3 3	1 1	. .	. .	. .	. .
New Kilmainham.	March, 6 " 13 " 20 " 27	21.0 31.4 15.7 21.0	5.2 5.2 5.2 .	4 6 3 4	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 3 1 2	1 1 . .	. . . .	. . . .	. . . .
Population in 1915 (Est.) 9,948.	April, 3 " 10	10.5 15.7	. 10.5	2 3	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	1 1	. .	. .	. .	. .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate, per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.				
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	: Infants, 2 years and upwards.						
													Pulmonary.	Other Forms.		Pneumonia.	Other.								
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	March, 6 " 13 " 20 " 27 April, 3 " 10	31.6 25.1 18.5 21.1 19.8 23.7	2.6 2.6 1.3 2.6 1.7 1.3	24 19 14 16 15 18	.	.	.	.	.	.	.	.	3 2 1 1 1 1	.	1 1 1 1 1 1	2 3 2 1 1 5	3 3 1 3 3 5	2 2 1 1 1 1	.	.	2 2 1 1 1 1	.	2 2 1 1 1 1	3 1 2 1 1 1	
Pembroke Urban District. Population in 1915 (Est.) 30,538	March, 6 " 13 " 20 " 27 April, 3 " 10	30.7 29.0 18.8 27.3 15.4 27.3	5.1 1.7 1.7 3.4 1.7 1.7	18 17 11 16 9 16	.	.	.	.	1	1	.	.	4 2 1 1 1 1	.	1 1 1 2 2 2	1 1 1 1 2 2	4 1 1 1 1 2	1 1 1 1 1 2	1 1 1 1 1 1	.	.	1 1 1 1 1 1	2 2 1 1 1 1	1 1 1 1 1 1	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	March, 6 " 13 " 20 " 27 April, 3 " 10	5.6 22.6 56.5 16.9 28.2 5.6	.	1 4 10 3 5 1	.	.	.	.	.	.	.	.	.	.	.	.	.	1 1 1 1 1 1	1 1 1 1 1 1	.	.	.	.	1 1 1 1 1 1	
Kingstown Urban District. Population in 1911 16,941.	March, 6 " 13 " 20 " 27 April, 3 " 10	18.5 18.5 15.4 21.5 21.5 43.1	.	6 6 5 7 7 14	.	.	.	.	.	.	.	.	.	.	1 1 1 1 1 2	.	1 1 1 1 1 1	1 1 1 1 1 5	1 1 1 1 1 5	.	.	.	.	.	1 1 1 1 1 1
Belfast. Population in 1915 (Est.) 403,000.	March, 6 " 13 " 20 " 27 April, 3 " 10	26.9 25.2 25.0 21.3 23.3 21.1	2.1 2.1 1.4 1.8 1.7 1.6	298 195 193 165 180 163	1	.	.	5	3	3	1	.	18 13 18 20 15 17	10 8 2 7 13 7	6 6 6 3 8 6	31 29 30 26 22 21	34 31 33 25 29 23	1 4 2 3 4 1	2 2 2 3 2 1	3 5 3 3 2 1	3 4 2 2 3 1	3 4 2 2 3 3			
Cork. Population in 1911 76,673.	March, 6 " 13 " 20 " 27 April, 3 " 10	26.5 25.8 25.8 26.5 28.6 19.7	.	39 38 38 39 42 29	.	1	.	.	1	3	.	.	6 2 3 5 7 4	.	1 1 2 2 2 1	4 3 5 4 3 1	7 5 6 5 2 8	1 1 1 1 1 1	.	.	.	.	1 1 1 1 1 1	2 1 1 1 5 2	
Londonderry. Population in 1915 (Est.) 41,200.	March, 6 " 13 " 20 " 27 April, 3 " 10	20.2 15.2 21.5 34.2 10.1 15.2	1.3 1.3 1.3 1.3 1.3 1.3	16 12 17 27 8 12	.	.	.	.	.	.	.	.	2 1 2 3 2 3	1 1 1 2 2 1	1 1 1 2 2 1	3 2 1 4 2 1	5 2 3 6 1 2	1 1 1 1 1 1	.	.	.	.	2 1 2 1 1 1		
Limerick. Population in 1911 38,518.	March, 6 " 13 " 20 " 27 April, 3 " 10	20.3 14.9 31.1 20.3 13.5 36.6	.	15 11 23 15 10 27	.	.	.	.	.	.	.	.	1 2 1 3 1 6	3 1 1 1 1 1	1 1 1 1 1 1	1 1 1 3 4 8	1 1 1 1 1 1	.	.	.	.	1 1 1 1 1 1	1 1 2 3 3 1		
Waterford. Population in 1911 27,464.	March, 6 " 13 " 20 " 27 April, 3 " 10	22.8 9.5 32.3 11.4 26.6 41.8	.	12 5 17 6 14 22	.	.	.	.	6	1	.	.	1 1 1 2 1 3	.	1 1 1 1 1 2	1 1 1 1 1 2	3 4 3 2 2 3	1 1 1 1 1 1	.	.	.	.	1 1 1 1 1 1		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the TOWNS (or URBAN DISTRICTS) of BELFAST and CORK registered during the week ended 10th April, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGED PRISONS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.		Number of Uncertified Deaths.				
Census Population in 1911.	No. of BIRTHS.	Cols.	(3)	(4)	(5)	AGES AT DEATH.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	(28)	(29)	(30)
						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.									Pulmonary.	Other Forms.		Pneumonia.	Other.							
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT.	8		29.6	6.6	9	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
Do. 2 do.	26		19.0		18	5	1	2	3	2	3									2	2	1	2	2							
Do. 3 do.	36		16.7	3.1	16	5	1	4	2	1	6									3	2	2	1	2							
Do. 4 do.	33		28.8		18	6	2	2	2	4	2									1	1		3	3							
Do. 5 do.	12		32.4	6.5	10	6	2	2	2	3	1												3	3							
Do. 6 do.	18		22.4		16	3			1	3	9											1	1	6							
Do. 7 do.	2,681																														
Do. 8 do.	5,964		17.5		2			1	1	1	1									1	1	1	1								
Do. 9 do.	24,427		25.6	4.3	12	1	1	3	2	1	4									1	1	1	1								
Do. 10 do.	28,958		19.8		11	2		2	3	1	4									2			5	8							
Do. 11 do.	39,311		17.2		13	2	2	2	3	1	6									2			8	8							
Do. 12 do.	38,076		31.5	4.1	23	6	7	2	2	1	5									1	1		4	4							
Do. 13 do.	23,233		15.7		7	1		1	3	2										2			1	1							
Do. 14 do.	175					1	3		2	1	1																				
Do. 15 do.	22,669		18.4		8	1	3		2	1	1									2	2										
Total.	225		21.1	1.6	163	27	24	15	25	24	48				6		5			17	7	6	21	23	1		1	4	34		
City of Cork.																															
CORK URBAN No. 1 DISTRICT	3		3.9		1	6																									
Do. 2 do.	5		30.1		5	1	1	1	3	2	2									2			3	2							
Do. 3 do.	2		26.6		2	2		1		1	1									1			2	1							
Do. 4 do.	3		11.4		2	2		1		2	1												1	1							
Do. 5 do.	6,250		25.0		3	3																									
Do. 6 do.	11,581		18.0	4.5	4	4	1	1		2	2																				
Do. 7 do.	16,056		26.0		8	2	2			4										1	1	1	1	1							
Total.	21		19.7	0.7	29	4	5	1	3	9	7						1			4	2	1	1	8			1	3	7		

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.
No. of weeks in Annual Series,		42	43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14
BIRTHS registered, ...		189	184	208	202	147	197	226	177	201	205	156	224	207	212	281	217	264	222	205	212	241	243	194	232	177	235
DEATHS registered, ...		132	129	107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163
Annual Death-rate per 1,000 of estimated population, ...		17.8	16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1
Ages, { Under 1 year, ...		29	23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27
1-5 years, ...		22	15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24
5-25 " ...		15	10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15
25-45 " ...		20	24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	19	23	25
45-65 " ...		25	27	24	25	26	34	46	31	27	20	36	29	37	37	59	48	28	38	37	41	43	35	51	39	40	24
65 and upwards, ...		21	30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48
Deaths from:—																											
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		7	7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6
Scarlet Fever, ...		3	3	3	1	8	6	3	3	3	7	1	2	1	5	3	3	4	3	3	3	3	3	3	3	3	5
Whooping-cough, ...		3	8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis, { Pulmonary, ...		11	13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17
Other Forms, ...		6	4	4	5	2	8	1	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7
Cancer ...		4	10	7	6	4	5	10	7	6	5	5	5	8	6	12	9	6	6	5	6	6	6	6	2	8	6
Diseases of Respi- { Pneumonia, ...		10	6	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21
ratory System, { Others, ...		17	16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23
Diarrhoea and Enteritis, under 2 years, ...		12	6	6	9	4	2	3	5	5	5	1	1	2	2	1	3	3	2	4	1	1	4	2	3	4	1
Diarrhoea, 2 years and upwards, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	3	2	1
Violent Deaths, ...		3	1	2	2	2	2	5	1	2	4	4	5	1	1	1	1	1	2	4	3	3	1	5	3	3	1
Number of Uncertified Deaths, ...		1	2	1	2	1	1	2	2	2	1	3	3	1	2	1	2	3	3	3	4	3	4	2	2	2	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Apr. 10,	2,261	1,826 <sup>c</sup>	21·1	1	.	139	4	50	11	13
EDINBURGH, ---	328,700	„ 10,	153	122 <sup>c</sup>	19·4	.	.	.	.	9	3	2
GLASGOW, ---	1,078,400	„ 10,	623	468 <sup>c</sup>	22·6	2	.	30	4	37	5	7
CALCUTTA, ---	896,067	Feb. 20,	.	604	35·0	70*	139	.	.	.	1†	69‡ <sup>a</sup>
BOMBAY, ---	979,445	„ 27,	329	446	23·7	43*	7	1	.	1	.	35 <sup>a</sup>
MADRAS, ---	518,660	„ 20,	300	417	41·8	57*	1	.	?	?	?	98‡ <sup>a</sup>
CAIRO, {	Egyptians, ...	Jan. 28,	653	407	32·1	4	.	.	.	?	3†	32
	Foreigners,	„ 28,	3	20	14·5	.	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	„ 28,	325	166	25·3	2	2	.	.	?	1	17
	Foreigners,	„ 28,	25	22	14·9	.	.	.	.	?	.	2
PARIS, ---	2,847,229	Feb. 27,	912	964	17·3	5	.	28	.	2	2†	17
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	608,260 {	Dec 19,	263	147	12·6	2	.	.	.	.	2†	1
		„ 26,	244	155	13·3	2	.	1	.	1	.	1
COPENHAGEN, ---	492,000	Mar. 13,	197	162	17·2	.	.	1	3	.	3†	3
STOCKHOLM, ---	382,085	„ 13,	175	111	15·1	.	.	2	.	1	2	1
CHRISTIANIA, ---	251,446	„ 20,	127	63	13·0	1	.	.	.	.	.	1 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000 {	Jan. 23,	.	765	23·5	14	2	15	13	4	12†	56‡ <sup>a</sup>
		„ 30,	.	866	26·7	10	3	11	15	3	11†	40 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Jan. 23,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	Mar. 20,	.	269 <sup>b</sup>	18·3	2	.	.	2	1	3	3 <sup>a</sup>

\* Deaths from "fever," including one death from plague and one from enteric fever in Calcutta 5 from plague and 2 from enteric fever in Bombay, and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 19 deaths from cholera in Calcutta, 2 in Madras, and 2 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 259 deaths (including one each from enteric fever and scarlet fever and 2 from diarrhoeal diseases); rate, 18·3 per thousand.

<sup>c</sup> Including 11 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 3 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th April, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	3	.	.	.	.	.	.	.	.	.	.	1	4
„ „ 1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	4	5
„ „ 2, ...	.	.	.	.	.	.	1	1	.	.	.	.	4	6
„ „ 3, ...	.	1	.	.	1	.	.	.	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	1	.	.	2
South City No. 1, ...	.	.	.	.	4	.	.	.	.	.	.	.	6	10
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	.	2	.	.	.	.	.	4	.	.	.	.	2	8
„ „ 4, ...	.	.	.	.	1	.	.	2	.	.	.	.	2	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	7	.	1	7	.	.	1	.	23	46

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th April, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th April.			
	Mar. 20.	Mar. 27.	April 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	30	29	29	5	3	2	29
Typhus, ...	7	5	4	.	.	.	4
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	26	12	12	5	3	.	14
Scarlet Fever, ...	83	79	75	16	14	.	77*
Diphtheria, ...	24	27	28	7	10	1	24
Pneumonia, ...	31	30	22	4	9	1	16

\* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from

E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or

WYMAN &amp; SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;

or from the Agencies in the British Colonies and Dependencies,

the United States of America and other Foreign Countries of

T. FISHER UNWIN, LONDON, W.C.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 17TH APRIL, 1915.

[No. 15.]

*General Register Office, Charlemont House,  
Dublin, 19th April, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Mar. 27	April 3	April 10	April 17	
<b>27 Town Districts, (a)</b>	<b>23·9</b>	<b>22·9</b>	<b>23·8</b>	<b>22·1</b>	<b>23·2</b>
Dublin Reg. Area ...	26·8	22·9	26·1	24·1	25·0
Dublin City ...	28·0	24·0	26·0	23·8	25·4
Belfast ...	21·3	23·3	21·1	21·5	21·8
Cork ...	26·5	28·6	19·7	25·8	25·1
Londonderry ...	34·2	10·1	15·2	12·7	18·1
Limerick ...	20·3	13·5	36·6	13·5	21·0
Waterford ...	11·4	26·6	41·8	22·8	25·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·4 per 1,000. Among the 166 deaths from all causes for Belfast are one from enteric fever, 3 from measles, one from scarlet fever, 5 from whooping-cough, one from diphtheria, 2 from diarrhoea and enteritis of children under 2 years, and 5 from cerebro-spinal fever. One of the 38 deaths from all causes for Cork is from whooping-cough. Included in the 12 deaths from all causes for Waterford are one from scarlet fever and 2 from diarrhoea. The 8 deaths from all causes for Dundalk include one from diphtheria. Among the 3 deaths from all causes for Portadown is one from measles. One of the 6 deaths from all causes for Newtownards is from scarlet fever; and of the 4 deaths from all causes for Larne one is from scarlet fever and one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 236—110 boys and 126 girls—and the deaths to 205—95 males and 110 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·1 per 1,000 of the population. During the fifteen weeks, ending with Saturday last, the death-rate averaged 29·0, and was 4·4 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 205, represent an annual rate of 26.1 per 1,000; the annual rate for the past fifteen weeks was 30.8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25.8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from measles, scarlet fever, and diphtheria, 4 from whooping-cough, 3 from diarrhoea and enteritis of children under 2 years, 4 from influenza, and one from German measles.

Deaths from measles in the three preceding weeks were 0, 0, and 0; deaths from scarlet fever were one, 2, and 0; deaths from whooping-cough were 10, 10, and 9; deaths from diphtheria were one, 0, and one; deaths from diarrhoea and enteritis of children under 2 years were 6, 4, and one; and deaths from influenza were 11, 8, and 8, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 41, 29, and 36, respectively, were 40\* last week, the latter comprising 31 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from disseminated tuberculosis.

Five deaths from cancer were registered.

Pneumonia caused 23\* deaths, including 9 from broncho-pneumonia, 6 from lobar pneumonia, and 8 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 9 were ascribed to premature birth, one to congenital malformation, and 3 to congenital debility.

There were 21 deaths from organic diseases of the heart, and 23 from bronchitis.

Of 6 deaths assigned to accidental causes, one was caused by a motor car.

One death (that of a soldier) was caused by wounds received in battle.

There was one case of homicide.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 11 were under one month old), and 54 were aged 65 years and upwards, including 42 persons aged 70 and upwards; among the latter were 22 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 91, and 100 years, respectively.

Eighty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 21 took place in the North Dublin Union Workhouse, 12 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24.1 per 1,000; the rate in the City was 23.8 (North City Districts, 27.3; South, 19.9), and in the Suburbs, 24.9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1.27 per 1,000 inhabitants, the rate for the City being 1.33 (in the North City Districts 1.26, and in the South 1.42), and for the Suburbs 1.08 per 1,000.

*No. 1 North City District, East (Clarence-street, North).—*The deaths (15) are equal to an annual rate of 25.6 per 1,000, and include one from influenza, 3 from tuberculous disease, 2 from pneumonia, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

*No. 1 North City District, West (Summer-hill).—*The deaths (24) are equal to an annual rate of 30.0 per 1,000. Among them are one from influenza, 5 from pulmonary tuberculosis, 4 from pneumonia, 4 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

*No. 2 North City District (Lisburn-street).—*The deaths (21) are equivalent to an annual rate of 39.3 per 1,000. Five deaths were caused by tuberculous disease, one by broncho-pneumonia, 3 by bronchitis, one (a child under 2 years) by diarrhoea and enteritis, and there was one accidental death.

*No. 3 North City District (Benburb-street).—*The deaths (18) represent an annual rate of 26.2 per 1,000. One death from diphtheria, 2 from pulmonary tuberculosis, 3 from pneumonia, and 3 from bronchitis were recorded.

*Other North City Districts.—*The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9.4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15.1; and Finglas and Glasnevin, part of, 19.3. The only death recorded for Clontarf and Howth No. 1, part of, was caused by bronchitis; 2 of the 4 deaths from all causes for Coolock and Drumcondra, part of, were from tuberculous disease; and among the 4 deaths from all causes for Finglas and Glasnevin, part of, one was from disseminated tuberculosis and one from lobar pneumonia.

*No. 1 South City District (South Earl-street).—*The deaths (15) represent an annual rate of 19.0 per 1,000. This number includes 2 deaths from whooping-cough, 4 from tuberculous disease, and one from bronchitis.

*No. 2 South City District (Castle-street).—*The deaths (7) are equal to an annual rate of 19.9 per 1,000. Two deaths were caused by tuberculous disease and one by bronchitis.

*No. 3 South City District (Peter-street).—*The deaths (22) are equal to an annual rate of 26.1 per 1,000. Among them are 2 from whooping-cough, one from influenza, 4 from tuberculous disease, 5 from pneumonia, one from bronchitis, and one accidental death.

*No. 4 South City District (Grand Canal Street).—*The deaths (10) are equivalent to an annual rate of 15.7 per 1,000. One death from pulmonary tuberculosis, 3 from pneumonia, one from bronchitis, and one accidental death were recorded.

*New Kilmainham District.—*The deaths (2) are equal to an annual rate of 10.5 per 1,000, and include one accidental death.

*Urban Districts.—*The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 22.4; Pembroke, 34.1; Blackrock, 5.6; and Kingstown, 24.6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Kingstown and one from scarlet fever for Pembroke. Among the 17 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and one accidental death; the 20 deaths from all causes for Pembroke include one from influenza, one from pulmonary tuberculosis, and 4 from bronchitis; and included in the 8 deaths recorded for Kingstown are 2 from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 20.3), was equal to an average annual death-rate of 19.0 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 20.9 per 1,000, the rate for Glasgow being 22.1, and for Edinburgh 24.3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th April. From this Report it appears that of a total of 55 cases notified, 21 were pulmonary tuberculosis, 8 other forms of tuberculosis, 13 scarlet fever, 7 erysipelas, 3 diphtheria, 2 cerebro-spinal fever, and one enteric fever. Among the 516 cases of infectious diseases in hospital at the close of the week were 180 of pulmonary tuberculosis, 157 of scarlet fever, 62 of whooping-cough, 61 of diphtheria, 18 of measles, 10 of erysipelas, 8 of cerebro-spinal fever, 5 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th April, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Oroup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Mar. 27.	.	—	—	3	1	.	4	.	.	2	6	.	—	—	2	—	.	24	40
	April. 3.	.	—	—	7	.	.	2	.	.	2	1	.	—	—	1	—	.	22	36
	April. 10.	.	—	—	7	.	.	7	.	1	7	.	.	—	—	1	—	.	23	46
	April. 17.	.	—	—	8	.	.	5	.	.	4	7	.	—	—	1	—	.	26	51
Rathmines and Rathgar Urban District.	Mar. 27.	.	—	—	.	.	.	2	.	.	1	.	.	—	—	—	—	—	—	3
	April. 3.	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 10.	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 17.	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Mar. 27.	.	2	.	7	.	.	1	.	.	.	.	.	—	4	—	—	—	.	14 <sup>a</sup>
	April. 3.	.	3	.	3	.	.	.	.	.	.	.	.	—	10	—	—	—	.	16
	April. 10.	.	5	.	2	.	.	.	.	.	.	.	.	—	8	—	—	—	.	15
	April. 17.	.	3	.	.	.	.	.	.	.	.	.	.	—	—	—	—	1	.	4
Blackrock Urban District.	Mar. 27.	.	.	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	.	3
	April. 3.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	April. 17.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Mar. 27.	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	3	4
	April. 3.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Mar. 27.	.	—	—	25	.	.	4	.	.	3	2	.	—	—	2	—	.	4	40
	April. 3.	.	—	—	18	.	.	4	.	1	.	4	.	—	—	3	—	.	6	36
	April. 10.	.	—	—	22	.	.	5	.	.	.	2	.	—	—	4	—	.	9	42
	April. 17.	.	—	—	19	.	.	2	.	.	.	.	.	—	—	4	—	.	6	31
City of Cork.	Mar. 27.	.	1	—	5	.	.	2	.	.	.	1	.	—	—	—	—	—	—	9 <sup>b</sup>
	April. 3.	.	3	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	10
	April. 10.	.	1	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	9
	April. 17.	.	1	—	6	.	.	.	.	.	.	3	.	—	—	—	—	—	—	10
City of Londonderry.	Mar. 27.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 3.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 10.	.	—	—	1	.	.	.	.	.	.	1	1	—	—	—	—	—	—	3
	April. 17.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Mar. 27.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 3.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 10.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Mar. 27.	.	—	—	17	.	.	4	.	.	1	.	.	—	—	—	—	—	2	24
	April. 3.	.	—	—	13	.	.	.	.	.	.	1	.	—	—	—	—	—	.	14
	April. 10.	.	—	—	12	.	.	.	.	.	2	1	.	—	—	—	—	—	.	15
	April. 17.	.	—	—	14	.	.	1	.	.	.	.	.	—	—	—	—	—	.	15

(a) Not including one case of cerebro-spinal meningitis.

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th April, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 2 were discharged, and 34 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 29, and 29.

Four cases of typhus were discharged from hospital during the week and no case remained under treatment at its close. At the close of the 3 preceding weeks the cases numbered 5, 4, and 4 respectively.

Fourteen cases of measles were admitted to hospital during the week, 5 were discharged, and 23 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 12, 12 and 14 respectively.

Nine cases of scarlet fever were admitted to hospital, 21 were discharged, and 65\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 79, 75, and 77, respectively.

Five cases of diphtheria were admitted to hospital during the week, and 5 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 27, 28, and 24 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 11 cases of pneumonia were admitted to hospital, 8 were discharged, there were 3 deaths, and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th April, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 17TH APRIL, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.			BIRTHS.																							
	Total. (a)	Per- sons to an Acre.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	DEATHS.																				
									Caused by																				
								Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhea and Enteritis of children under 2 years of age.	Diarrhea. 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	30.1	22.1	1.4	701	515	83	129	1	...	...	5	5	11	3	...	65	26	18	57	62	5	2	10	14	159	15	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	30.1	24.1	1.3	236	189	29	51	...	...	...	1	1	4	1	...	25	7	5	22	24	3	...	6	5	72	3	
CITY OF DUBLIN,	312,747	39.5	31.7	23.8	1.3	190	143	19	34	...	...	...	...	...	4	1	...	22	7	5	19	18	3	...	5	5	60	1	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	15.8	22.4	...	12	17	...	8	...	...	...	...	...	...	...	...	2	...	...	1	2	...	...	1	...	6	...	
PEMBROKE, ...	36,538	19.4	46.1	34.1	1.7	27	20	9	4	...	...	...	...	1	...	...	...	1	...	...	...	4	...	...	...	...	3	2	
BLACKROCK, ...	9,233	8.5	5.6	5.6	...	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
KINGSTOWN, ...	16,941	11.6	18.5	21.6	3.1	6	8	1	4	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	2	...	
Urban Districts																													
BELFAST ...	403,000	27.0	33.1	21.5	1.7	256	166(d)	32	25	1	...	...	3	1	5	1	...	17	13	6	21	24	2	...	3	5	41	...	
CORK, ...	76,673	28.6	25.2	25.8	0.7	37	38	4	11	...	...	...	...	...	1	...	...	7	1	1	4	2	...	...	...	...	15	1	
LONDON- DERRY	41,200	16.0	27.8	12.7	...	22	10	1	3	...	...	...	...	...	...	...	...	3	...	...	1	2	...	...	...	...	3	...	
LIMERICK, ...	38,518	16.1	29.8	13.5	...	22	10	2	4	...	...	...	...	...	...	...	...	1	...	...	2	1	...	...	...	...	3	2	
WATERFORD, ...	27,464	19.1	34.2	22.8	5.7	18	12	2	3	...	...	...	...	1	...	...	...	2	...	...	...	2	...	2	...	...	2	1	
GALWAY, ...	13,255	2.5				2	6	...	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	1	3	...	
DUNDALK, ...	13,128	9.5				6	3	1	...	...	...	...	...	...	...	1	...	3	1	1	1	...	...	...	...	...	5	...	
LURGAN, ...	12,553	14.7				8	2	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				5	5	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	
LISBURN, ...	12,388	10.9				7	4	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	
NEWRY, ...	11,963	17.0				4	8	2	3	...	...	...	...	...	...	...	...	...	1	3	2	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3				6	3	1	1	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...
WEXFORD, ...	11,531	22.8				11	5	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	2	...
BALLYMENA ...	11,381	9.3				17	4	...	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8				1	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...
KILKENNY, ...	10,514	11.4				1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	
TRALEE, ...	10,300	17.4				3	6	...	4	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	1	
CLONMEL, ...	10,209	7.8				2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
NEWTOWNARDS	9,587	20.1				2	6	3	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	1	1	...	
QUEENSTOWN, .	8,209	14.7				6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
LARNE, ...	8,036	13.4				4	4	1	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7				7	5	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BANGOR, ...	7,776	8.5				8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2				3	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2				2	6	1	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	2	1	
ARMAGH, ...	7,356	21.8				5	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 16 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area: the 16 deaths include 8 from tuberculous disease, and one from pneumonia. (d) including 5 deaths from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 17th of April, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1		
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Whooping-cough,	.	.	.	.	.	.	.	2	.	2	.	.	1	.	.	.	4		
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	1	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	4		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	2	5	4	2	.	1	.	3	1	3	1	.	2	1	.	.	25		
Other Forms,	1	.	1	.	.	1	.	1	1	1	.	.	.	.	.	.	7		
Cancer,	1	.	.	.	.	2	.	1	1	.	.	.	.	.	.	.	5		
Diseases of Nervous System,	.	1	5	2	.	.	.	.	.	2	1	.	1	.	.	.	12		
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Circulatory System,	1	1	1	3	.	.	.	5	1	.	.	.	3	2	.	2	19		
Respiratory System, { Pneumonia,	2	4	1	3	.	.	.	1	.	5	3	.	1	.	.	2	22		
Others,	1	6	3	3	1	.	.	1	1	1	1	.	2	4	.	.	24		
Diarrhoea and Enteritis, under 2 years,	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3		
Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Others,	1	1	.	1	.	.	1	1	.	.	.	.	2	1	.	.	8		
Genito-urinary System,	1	.	1	1	.	.	.	.	1	2	.	.	4	1	1	.	12		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1		
Diseases of the Skin and Cellular Tissue,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,	3	2	2	1	.	.	1	1	1	4	3	.	1	8	.	3	31		
Violent Deaths,	.	.	2	.	.	.	.	.	.	1	1	1	1	.	.	.	6		
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
Deaths from All Causes	15	24	21	18	1	4	4	15	7	22	10	2	17	20	1	3	189		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25.6	30.0	39.3	26.2	9.4	15.1	19.3	19.0	19.9	26.1	15.7	10.5	22.4	34.1	5.6	24.6	24.1		
	27.3							19.9							24.9				
	23.8																		
Ages at Death. { Under 1 year,	5	3	4	1	.	.	1	1	1	1	2	.	.	9	.	1	29		
1 and under 2 years,	1	1	.	3	.	.	.	2	.	2	.	.	.	.	.	1	10		
2 " 5 "	1	.	2	.	.	.	.	1	1	1	2	.	.	1	.	1	10		
5 " 15 "	.	2	2	.	.	.	.	.	.	2	.	.	1	.	.	.	7		
15 " 25 "	.	3	2	.	.	.	1	2	.	2	.	.	1	1	.	.	12		
25 " 45 "	2	5	1	3	.	2	.	4	.	1	3	2	4	2	.	1	30		
45 " 65 "	4	6	3	6	.	2	1	4	2	5	1	.	3	3	.	.	40		
65 and upwards,	2	4	7	5	1	.	1	1	3	8	2	.	8	4	1	4	51		
Number of Uncertified Deaths,	.	.	1	.	.	.	.	.	.	.	.	.	.	2	.	.	3		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	1	8	1	4	.	2	2	3	.	4	2	2	6	2	1	1	39		
Workhouse Hospitals.	3	5	6	6	.	.	.	2	3	4	2	.	.	1	.	1	33		





FIFTEENTH WEEK, ending Saturday, 17th April, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										In the Week ending Saturday, 17th April, 1915.													
	Apr. 15, 1905.	Apr. 14, 1906.	Apr. 13, 1907.	Apr. 11, 1908.	Apr. 17, 1909.	Apr. 16, 1910.	Apr. 15, 1911.	Apr. 12, 1912.	Apr. 12, 1913.	Apr. 11, 1914.	Averages in 15th Week of the 10 years, 1905-1914.	Deaths of Persons of the Ages of												
												All Ages.	0-5.	Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	6	1	2	4	—	2	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	3	2	2	4	4	4	5	6	6	2	—	3	.	2	1	.	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards.		—	—	—	—	—	1	2	1	1	4.3	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards		—	—	—	—	—	1	1	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	1	1	.	—	3	.	.	.	.	1	.	.	1	.	.	1	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Cirrhosis of Liver. ...	.	2	1	1	2	.	.	1	.	.	.7	2	.	.	.	.	.	.	.	1	1	.	.	
Other Diseases of Liver, ...	.	1	1	3	.	1	1	1	2	.	1.0	1	.	1	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown),	1	.	.	.	1	2	2	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	8	3	5	6	2	6	.	2	1	.	3.3	1	.	1	.	.	.	.	.	.	.	.	.	
Acute Nephritis, ...	8	2	8	5	5	3	3	4	6	5	—	11	.	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...		—	—	—	—	—	—	.	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...		—	—	—	—	—	—	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).		—	—	—	—	—	—	.	.	.	1	5.8	.	.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)		—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.	—	—	—	—	—	—	1	.	.	.	—	2	.	.	.	.	.	1	.	.	.	1	.	
Puerperal Septicæmia, &c., ...	1	.	.	.	1	1	.	1	.	1	.3	1	.	.	.	.	.	1	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.5	1	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	1	.	—	2	.	.	.	.	.	.	.	1	1	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	5	3	5	3	4	4	2	2	6	2	3.6	9	9	.	.	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	5	5	7	.	—	3	.	3	.	.	.	.	.	.	.	.	.	
Old Age, ...	5	6	4	3	4	7	4	4	5	4	4.6	8	.	.	.	.	.	.	.	3	5	.	.	
Other Specified Diseases, ...	—	—	—	—	—	—	2	4	2	2	—	.	.	.	.	.	.	.	.	.	.	.	.	
ACCIDENT :																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	.	2	.	1	.	2	.	.	1	.	.6	.	.	.	.	.	.	.	.	.	.	.	.	
Drowning, ...	.	.	1	1	1	.	.	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	2	1	1	3	2	1	1	.	1	1	1.3	6	.	.	.	2	.	3	.	.	.	.	.	
Total Deaths from Accident,	2	3	2	5	3	3	1	.	4	1	2.4	6	.	.	.	2	.	1	3	.	.	.	.	
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	.	.	.	1	.	.	.	.	.	.	.1	1	.	.	.	.	.	1	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	2	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL :																								
Homicide, ...	.	.	1	.	.	.	.	.	.	.	.1	1	1	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	4	10	3	—	1	.	.	.	1	.	.	.	.	.	.	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.
No. of weeks in Annual Series,		43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
BIRTHS REGISTERED.		205	173	222	190	209	187	185	185	224	117	236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236
Average Births in corresponding week of previous 10 years, ...		196	217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212
DEATHS REGISTERED, ...		184	118	158	155	155	152	204	190	203	184	283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205
Annual Death-rate per 1,000, ...		17.2	15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	28.1
Average Deaths in corresponding week of previous 10 years, ...		149	168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193
Ages, { Under 5 years, 5-15    " 15-25   " 25-45   " 45-65   " 65-75   " 75 and upwards, ...	Under 5 years,	36	29	35	34	26	28	38	57	51	35	87	100	74	60	52	84	63	69	66	62	62	54	61	50	55	50
	5-15    "	2	7	8	7	6	6	8	7	9	7	12	7	8	11	8	4	9	11	9	7	11	6	10	8	7	7
	15-25   "	4	1	8	7	6	6	8	9	7	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14
	25-45   "	22	30	27	28	35	26	42	31	22	17	33	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35
	45-65   "	22	26	41	40	42	35	54	50	61	35	65	70	35	63	66	56	61	64	80	60	52	31	46	45	54	45
	65-75   "	29	14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56	42	29	34	37	32	32
	75 and upwards, ...	19	11	16	18	16	16	16	17	25	9	34	27	22	24	36	92	33	35	26	39	39	28	26	25	25	22
	Deaths from:—																										
	Enteric Fever, ...		2	3	2	2	1	5	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	3	1
	Typhus, ...																										
	Small-pox, ...																										
	Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Scarlet Fever, ...		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1
	Whooping-cough, ...			1	1	1	1	3	1	2	2	2	2	3	1	4	2	3	8	1	1	1	1	1	10	10	9
	Diphtheria, ...		1	1	1	1	1	1	1	4	2	1	4	2	1	4	8	10	8	13	18	11	11	11	8	8	4
	Influenza, ...			1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	Dysentery, ...																										
	Tuberculosis { Pulmonary ...	17	11	16	22	20	16	30	23	26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31
	{ Other Forms, ...	5	4	3	7	5	6	3	6	5	5	7	10	10	5	8	13	7	5	10	7	7	6	9	5	9	9
	Cancer, ...	9	8	8	15	9	17	12	10	7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5
	Diseases of Circulatory System, ...	17	15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21
	Diseases of Respi- (Pneumonia, ...	9	8	12	12	9	7	15	23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23
	Diarrhoea and Enteritis, under 2 years, ...	15	13	21	18	23	28	20	24	25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25
	Diarrhoea, 2 years and upwards, ...	11	7	10	6	7	3	4	10	6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3
	Violent Deaths, ...	1	3	5	3	7	7	1	5	9	3	2	2	4	4	8	4	4	11	5	5	8	11	7	4	5	7
	Number of Uncertified Deaths, ...	3	3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th April, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 5 years and upwards.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	March, 13	34.2	.	20	.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.
	" 20	20.5	5.1	12	.	.	.	.	1	2	.	.	3	.	1	1	.	.	1	1
	" 27	41.0	3.4	24	.	.	.	.	1	.	.	.	3	3	1	2	6	1	.	.
	April, 3	18.8	.	11	.	.	.	.	.	.	.	.	2	2	1	2	1	.	.	.
Population in 1915	" 10	35.9	.	21	.	.	.	.	.	.	.	.	5	2	1	3	7	.	.	.
(Est.) 30,504.	" 17	25.6	1.7	15	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	March, 13	27.5	1.3	22	.	.	.	.	.	.	.	.	2	1	.	1	7	1	.	1
	" 20	22.5	1.3	18	.	.	.	.	.	1	.	.	2	.	2	1	5	.	2	.
	" 27	26.3	1.3	21	.	.	.	.	.	.	.	.	3	.	2	2	6	1	.	1
	April, 3	25.0	5.0	20	.	1	.	.	.	2	.	.	4	.	.	2	2	1	.	1
Population in 1915	" 10	23.8	.	19	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	2
(Est.) 41,685.	" 17	30.0	1.3	24	.	.	.	.	.	.	.	.	5	.	.	4	6	1	.	.
North City, No. 2. (Office, Lisburn-street.)	March, 13	41.9	.	24	.	.	.	.	.	.	.	.	4	1	.	1	7	.	.	1
	" 20	37.4	1.9	20	.	.	.	.	.	.	.	.	3	.	1	1	4	.	.	1
	" 27	20.6	.	11	.	.	.	.	.	.	.	.	1	2	1	2	4	.	.	.
	April, 3	18.7	1.9	10	1	.	.	.	.	.	.	.	2	.	1	1	2	.	2	2
Population in 1915	" 10	22.4	1.9	12	1	.	.	.	.	.	.	.	1	.	1	1	2	.	1	1
(Est.) 27,883.	" 17	39.3	1.9	21	.	.	.	.	.	.	.	.	4	1	.	1	3	1	2	1
North City, No. 3. (Office, Benburb-street.)	March, 13	30.5	2.9	21	.	.	.	.	1	.	1	.	4	1	1	2	2	.	1	3
	" 20	11.6	1.5	8	.	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.
	" 27	24.7	.	17	.	.	.	.	.	.	.	.	.	.	.	4	3	.	.	.
	April, 3	27.6	1.5	19	.	.	.	.	.	.	.	.	2	.	.	1	3	1	.	2
Population in 1915	" 10	26.2	2.9	18	.	.	.	.	.	2	.	.	1	.	2	3	3	.	1	.
(Est.) 35,887.	" 17	26.2	1.5	18	.	.	.	.	.	.	1	.	2	.	.	3	3	.	.	.
Clontarf and Howth No. 1 (part of).	March, 13	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 20	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 27	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Population in 1915	April, 3	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
(Est.) 5,539.	" 10	28.2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 17	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Coolock and Drumcondra (part of).	March, 13	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	" 20	26.4	.	7	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	" 27	34.0	3.8	9	.	.	.	.	.	.	.	.	3	.	.	.	1	1	.	.
	April, 3	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
Population in 1915	" 10	18.9	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
(Est.) 13,820.	" 17	15.1	.	4	.	.	.	.	.	.	.	.	1	1	2	.	.	.	1	.
Finglas and Glasnevin (part of).	March, 13	14.4	.	3	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	" 20	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	" 27	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	April, 3	28.9	4.8	6	.	.	.	.	1	.	.	.	.	.	1	1	1	.	.	.
Population in 1915	" 10	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 17	19.3	.	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	March, 13	26.6	2.5	21	.	.	.	.	.	1	.	.	4	1	.	2	4	1	.	2
	" 20	35.5	3.8	28	.	.	.	.	.	3	.	.	6	.	.	1	3	.	3	.
	" 27	35.5	6.3	28	.	.	.	.	.	3	.	.	4	1	1	3	4	2	.	.
	April, 3	32.9	5.1	26	.	.	.	.	.	3	.	.	6	.	.	.	5	1	.	2
Population in 1915	" 10	25.3	2.5	20	1	.	.	.	.	1	.	.	3	1	.	.	6	.	.	.
(Est.) 41,170.	" 17	19.0	2.5	15	.	.	.	.	.	2	.	.	3	1	1	.	1	.	.	.
South City, No. 2. (Office, Castle-street.)	March, 13	45.5	.	16	.	.	.	.	.	.	.	.	4	.	.	3	3	.	1	.
	" 20	48.3	2.8	17	.	.	.	.	.	1	.	.	.	1	.	2	8	.	1	.
	" 27	45.5	5.7	16	.	.	.	.	.	2	.	.	5	1	.	.	2	.	.	1
	April, 3	17.1	2.8	6	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 10	48.3	5.7	17	.	.	.	.	.	2	.	.	1	1	1	1	5	.	.	.
(Est.) 18,341.	" 17	19.9	.	7	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.
South City, No. 3. (Office, Peter-street.)	March, 13	42.7	4.7	36	.	.	.	.	.	3	.	.	.	.	1	3	9	1	.	3
	" 20	27.3	4.7	23	.	.	.	.	.	4	.	.	4	.	2	4	5	.	.	1
	" 27	24.9	2.4	21	.	.	.	.	.	.	.	.	5	.	.	3	2	.	1	.
	April, 3	28.5	5.9	24	.	.	.	.	.	4	.	.	4	1	.	1	6	1	.	.
Population in 1915	" 10	28.5	2.4	24	1	.	.	.	.	1	.	.	4	2	1	4	3	.	1	.
(Est.) 43,970.	" 17	26.1	2.4	22	.	.	.	.	.	2	.	.	3	1	.	5	1	.	1	.
South City, No. 4. (Office, Grand Canal-st.)	March, 13	22.0	3.1	14	.	.	.	.	.	1	.	.	2	.	1	1	2	1	.	1
	" 20	11.0	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1
	" 27	17.3	.	11	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	.
	April, 3	23.6	.	15	.	.	.	.	.	.	.	.	3	1	1	3	1	.	.	.
Population in 1915	" 10	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	3	1	.	.	1
(Est.) 33,171.	" 17	15.7	.	10	.	.	.	.	.	.	.	.	1	.	.	3	1	.	1	.
New Kilmainham.	March, 13	31.4	5.2	6	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.
	" 20	15.7	5.2	3	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	1
	" 27	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
Population in 1915	April, 3	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 9,948.	" 10	15.7	10.5	3	.	.	.	.	.	1	.	.	.	.	1	.	1	1	.	.
	" 17	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths
		FROM ALL CAUSES.	FROM CERTAIN EVIDENT CAUSES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	March, 13 " 20 " 27 April, 3 " 10 " 17	25.1 18.5 21.1 19.8 23.7 22.4	2.6 1.3 2.6 . 1.3 .	19 14 16 15 18 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . 1 . .	. . . . 1 .	. . . . . .	2 1 1 . 1 2	. . . . . .	1 1 . 1 . .	. 2 . 1 1 1	3 1 3 3 5 2	2 . 1 . . .	. . . . . .	2 . 1 . . .	. . 1 . . .	
Pembroke Urban District. Population in 1915 (Est.) 30,538	March, 13 " 20 " 27 April, 3 " 10 " 17	29.0 18.8 27.3 15.4 27.3 34.1	. . 3.4 1.7 1.7 1.7	17 11 16 9 16 20	. . . . . .	. . . . . .	. . . . . .	. . . . 1 1	. . . . . .	. . 2 . . .	. . . . . .	. . . . . .	2 1 . 1 1	1 . . . 2 .	. . . 2 2 .	4 1 1 1 2 4	. . 1 . 2 .	. 1 1 . 2 4	. 1 . . . .	. 1 . . . . .	. . . . . .	2 . . . . .
Blackrock Urban District. Population in 1915 (Est.) 9,233.	March, 13 " 20 " 27 April, 3 " 10 " 17	22.6 56.5 16.9 28.2 5.6 5.6	. 5.6 . . . .	4 10 3 5 1 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . .	. 1 . . . .	. . . . . .	. . . 2 . .	. . . . . .	. . . . . .	1 . 1 . . .	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	
Kingstown Urban District. Population in 1911 16,941.	March, 13 " 20 " 27 April, 3 " 10 " 17	18.5 15.4 21.5 21.5 43.1 24.6	. . . . . 3.1	6 5 7 7 14 8	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 3 . . 2	. . . 1 . .	1 . 1 1 . .	. . . 1 1 2	. . 1 1 . .	. . . 1 1 5	. . . . . .	. . . . . .	. . . . . .	
Belfast. Population in 1915 (Est.) 403,000.	March, 13 " 20 " 27 April, 3 " 10 " 17	25.2 25.0 21.3 23.3 21.1 21.5	2.1 1.4 1.8 1.7 1.6 1.7	195 193 165 180 163 166	. . . . . 1	. . . . . .	. . . . . .	6 7 4 4 6 3	. . . . . .	6 1 3 3 5 5	. 1 1 . . 1	. . . . . .	13 18 20 15 17 17	8 2 7 13 7 13	6 6 3 8 6 6	29 30 26 22 21 21	31 33 25 29 23 24	4 2 3 4 1 2	. . 3 2 . .	. . 3 3 1 3	5 2 2 2 1 3	
Cork. Population in 1911 76,673.	March, 13 " 20 " 27 April, 3 " 10 " 17	25.8 25.8 26.5 28.6 19.7 25.8	2.0 0.7 2.7 2.0 0.7 0.7	38 38 39 42 29 38	1 . . 2 . .	. . . . . .	. . . . . .	. . . 1 . .	. 1 . 3 . .	1 . . . 1 .	. . . . . .	. . . . . .	2 3 5 7 4 7	1 2 . 2 2 1	1 . . 2 1 1 1	3 5 4 3 1 4	5 6 5 2 8 2	1 . . 1 . . .	. . . . . .	. . . . 1 .	1 1 1 5 2 1	
Londonderry. Population in 1915 (Est.) 41,200.	March, 13 " 20 " 27 April, 3 " 10 " 17	15.2 21.5 34.2 10.1 15.2 12.7	1.3 . 1.3 . . .	12 17 27 8 12 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 2 3 2 3 3	. . 2 . . .	1 . 2 . . .	2 1 4 2 1 1	2 3 6 1 2 2	1 . 1 . . .	. . . . . .	. . . . . .	1 2 1 . . .	
Limerick. Population in 1911 38,518.	March, 13 " 20 " 27 April, 3 " 10 " 17	14.9 31.1 20.3 13.5 36.6 13.5	. . . . . .	11 23 15 10 27 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 1 3 1 6 1	. . 1 1 . .	1 . 1 . . 2	. . 1 . . .	1 7 3 4 8 1	. . . . . .	. . . . . .	. . . . . .	1 6 2 3 1 2	
Waterford. Population in 1911 27,464.	March, 13 " 20 " 27 April, 3 " 10 " 17	9.5 32.3 11.4 26.6 41.8 22.8	. 11.4 1.9 . 3.8 5.7	5 17 6 14 22 12	. . . . . .	. . . . . .	. . . . . .	. . . . 2 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 2 3 2	. . . . . .	. . 1 2 . .	. 1 1 1 2 2	4 3 2 2 3 2	. . . . . .	. . . . . .	. . . . . .	. . 1 1 1 1	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the OTTIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th April, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911. represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.						
				All Causes.	Certain Epi- demic Diseases,†	Under 1 year.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPI- RATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.			Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.			
						Pulmonary.	Other Forms.	Pneumonia.	Other.																								
										(6)	(7)									(8)	(9)		(10)	(11)							(12)	(13)	(14)
City of Belfast.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
BELFAST URBAN No. 1 DISTRICT.		15,879	10	29.6	6.6	9	1	2	8	4	3	3	.	.	.	1	.	.	.	.	1	2	1	1	1	.	.	1	1	3	.		
Do. 2 do.		49,500	35	25.3	1.1	24	3	2	5	11	1	1	3	1	.	.	.	4	1	.	7	3	1	2	2	1	.	.	1	7	.		
Do. 3 do.		50,032	42	24.0	5.2	28	6	5	2	2	3	3	.	.	.	.	.	.	.	.	1	1	1	3	3	1	.	.	1	6	.		
Do. 4 do.		32,637	28	14.4	1.6	9	2	1	1	3	1	1	.	.	.	1	.	.	.	.	1	1	1	1	1	.	.	1	1	1	.		
Do. 5 do.		16,112	14	38.8	3.2	12	4	1	1	4	1	1	.	.	.	.	.	.	.	.	1	1	1	2	1	.	.	.	.	1	.		
Do. 6 do.		37,298	15	19.6	1.4	14	8	2	1	2	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
Do. 7 do.		2,681	.	52.5	.	6	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Do. 8 do.		5,964	3	14.9	2.1	7	1	4	1	1	1	1	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	1	.	.	
Do. 9 do.		24,427	15	27.0	.	15	3	1	1	2	6	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.
Do. 10 do.		28,958	12	27.0	1.3	8	3	4	1	1	6	3	.	.	.	1	.	.	.	.	1	1	.	2	2	1	.	.	.	3	7	.	
Do. 11 do.		39,811	28	10.6	.	19	2	2	5	1	6	3	.	.	.	.	.	.	.	.	1	1	.	4	8	.	.	.	.	1	3	.	
Do. 12 do.		38,076	30	26.0	.	5	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	
Do. 13 do.		23,233	15	11.2	.	1	1	1	2	2	3	4	.	.	.	.	.	.	.	.	2	2	.	2	2	.	.	.	.	.	3	.	
Do. 14 do.		175	.	32.2	.	14	3	.	.	2	8	4	.	.	.	.	.	.	.	.	2	2	.	2	2	.	.	.	.	.	5	.	
Do. 15 do.		22,669	9	21.5	1.7	166	32	26	21	22	40	25	1	.	.	3	1	5	1	.	17	13	6	21	24	2	.	3	5	44	.		
Total.		386,947	256	21.5	0.7	38	4	4	6	3	10	11	.	.	.	.	.	1	.	.	7	1	1	4	2	.	.	.	.	15	1	.	
City of Cork.																																	
CORK URBAN No. 1 DISTRICT		13,455	6	23.3	.	6	1	1	2	2	.	2	.	.	.	.	.	.	.	.	2	.	1	1	1	1	.	.	.	.	1	1	.
Do. 2 do.		10,399	7	50.1	.	10	1	2	2	1	1	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	2	.
Do. 3 do.		9,783	8	10.6	.	2	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		9,139	1	22.8	.	4	2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		6,250	1	31.5	.	7	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		11,581	5	29.2	3.2	9	.	2	1	2	3	1	.	.	.	.	.	1	.	.	2	.	.	3	.	.	.	.	.	.	.	.	
Do. 7 do.		16,056	9	25.8	0.7	38	4	4	6	3	10	11	.	.	.	.	.	1	.	.	7	1	1	4	2	.	.	.	.	.	15	1	.
Total.		76,673	37	25.8	0.7	38	4	4	6	3	10	11	.	.	.	.	.	1	.	.	7	1	1	4	2	.	.	.	.	.	15	1	.

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																											
		Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.		
No. of weeks in Annual Series,		43	44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		
Births registered, ...		184	208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256		
Deaths registered, ...		129	107	147	127	146	159	162	159	140	168	177	162	168	156	153	195	190	180	176	208	193	165	180	163	166			
Annual Death-rate per 1,000 of estimated population, ...		16.9	14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5		
AGES, {		23	19	26	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27	32		
Under 1 year,		15	20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26		
1-5 years,		10	13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21		
5-25 "		24	13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	18	23	25	22		
25-45 "		27	24	25	26	34	46	31	27	20	36	29	37	37	59	48	48	38	37	41	43	35	51	39	40	24	40		
45-65 "		30	18	39	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25		
65 and upwards,																													
Deaths from:—		1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
Enteric Fever, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Typhus, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Small-pox, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Measles, ...		7	6	10	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3		
Scarlet Fever, ...		...	3	1	8	6	3	3	3	7	1	2	2	5	3	3	4	3	...	...	3	...	...	...	...	...	1		
Whooping-cough, ...		8	1	3	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5		
Diphtheria, ...		...	1	...	...	1	...	1	1	...	...	1	...	1	...	...	...	...	...	1	1	...	1	1	...	...	1		
Dysentery, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Tuberculosis. {		13	10	13	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17		
Pulmonary, {		4	4	5	2	8	...	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	13		
Other Forms, {		10	7	6	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	8	6	6	6		
Cancer ...		6	16	15	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21		
Diseases of Respiratory System, {		16	13	21	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24		
Pneumonia, {		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Others, ...		6	6	9	4	2	3	5	5	1	1	1	2	2	...	3	3	2	4	1	1	4	2	3	4	1	2		
Diarrhoea and Enteritis, under 2 years, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Diarrhoea, 2 years and upwards, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
Violent Deaths, ...		1	2	2	2	2	5	...	2	2	4	5	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...		
Number of Uncertified Deaths, ...		2	1	2	1	...	2	2	2	1	3	3	...	2	1	2	3	3	3	4	3	4	2	2	2	3	...		

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Apr. 17,	2,311	1,761 <sup>c</sup>	20·3	.	.	134	9	43	12	18	
EDINBURGH, ---	328,700	" 17,	188	153	24·8	.	.	.	.	16	1	.	
GLASGOW, ---	1,078,400	" 17,	647	418	22·1	.	.	16	3	47	5	7	
CALCUTTA, ---	896,067	Feb. 27,	.	586	34·0	1	120	2	.	.	.	16 <sup>†a</sup>	
BOMBAY, ---	979,445	Mar. 6,	305	430	22·8	53*	9	2	.	.	.	45 <sup>a</sup>	
MADRAS, ---	518,660	Feb. 27,	374	383	38·4	58*	.	.	?	?	?	76 <sup>a</sup>	
CAIRO, {	Egyptians, ...	" 4,	696	412	32·5	11	1	1	.	?	4 <sup>†</sup>	36	
	Foreigners,	" 4,	13	15	10·8	.	.	.	.	?	.	1	
ALEXAN- DRIA, {	Egyptians,	" 4,	343	165	25·2	2	.	.	.	?	.	17	
	Foreigners,	" 4,	37	29	19·7	.	3	.	.	?	.	2	
PARIS, ---	2,847,229	Mar. 6,	857	996	17·9	6	.	44	.	5	2 <sup>†</sup>	22	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	609,082 {	Jan. 2,	278	152	13·1	.	.	4	.	.	3 <sup>†</sup>	1	
		" 9,	237	130	11·1	.	.	1	.	1	2 <sup>†</sup>	1	
COPENHAGEN, ---	492,000	Mar. 20,	234	156	16·5	.	.	1	.	1	1 <sup>†</sup>	3 <sup>a</sup>	
STOCKHOLM, ---	382,085	" 20,	150	106	14·6	.	.	1	.	.	.	.	
CHRISTIANIA, ---	251,446	" 27,	120	75	15·5	.	.	.	4	3	.	3 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000 {	Feb. 6,	.	730	22·5	16	1	12	18	4	5 <sup>†</sup>	55 <sup>a</sup>	
		" 13,	.	843	25·9	6	3	17	25	6	4 <sup>†</sup>	56 <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Feb. 13,	2,401	1,546	13·9	4	.	2	4	6	33 <sup>†</sup>	39	
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	Mar. 27,	.	273 <sup>b</sup>	18·6	.	.	3	3	1	7	.	

\* Deaths from "fever," including 15 from plague in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 22 deaths from cholera in Calcutta.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e., non-residents deducted, 242 deaths (including 5 from diphtheria); rate, 16·5 per thousand.<sup>c</sup> Including 13 deaths from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th April, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionmyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	3	.	.	.	.	.	.	2	.	.	.	3	8
„ „ 1, West,	...	.	.	.	1	.	.	.	1	.	1	.	1	4
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 3,	...	.	.	.	.	.	.	1	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	...	.	.	.	2	.	.	.	.	.	.	.	3	5
„ „ 2,	...	.	.	.	1	.	.	.	.	.	.	.	2	3
„ „ 3,	...	4	.	.	1	.	.	2	4	.	.	.	6	17
„ „ 4,	...	.	.	.	.	.	.	1	.	.	.	.	4	5
New Kilmainham,	...	1	.	.	.	.	.	.	.	.	.	.	.	1
Total,	...	8	.	.	5	.	.	4	7	.	1	.	26	51

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th April, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th April.			
	Mar. 27.	April 3.	April 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	29	29	29	7	2	.	34
Typhus,	5	4	4	.	4	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	12	14	14	5	.	23
Scarlet Fever,	79	75	77	9	21	.	65*
Diphtheria,	27	28	24	5	5	.	24
Pneumonia,	30	22	16	11	8	3	16

\* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 24TH APRIL, 1915.

[No. 16.]

*General Register Office, Charlemont House,  
Dublin, 26th April, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 3	April 10	April 17	April 24	
<b>27 Town Districts, (a)</b>	<b>22·9</b>	<b>23·8</b>	<b>22·1</b>	<b>22·4</b>	<b>22·8</b>
Dublin Reg. Area ...	22·9	26·1	24·1	26·1	24·8
Dublin City ...	24·0	26·0	23·8	26·7	25·1
Belfast ...	23·3	21·1	21·5	20·3	21·6
Cork ...	23·6	19·7	25·8	23·1	24·3
Londonderry ...	10·1	15·2	12·7	22·8	15·2
Limerick ...	13·5	36·6	13·5	16·2	20·0
Waterford ...	26·6	41·8	22·8	15·2	26·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·8 per 1,000. Among the 157 deaths from all causes for Belfast are 2 from measles, 7 from whooping-cough, 3 from diarrhoeal diseases, and one from cerebro-spinal fever. Included in the 18 deaths from all causes for Londonderry are 2 from whooping-cough. One of the 8 deaths from all causes for Waterford is from scarlet fever; and of the 14 deaths from all causes for Portadown 5 are from measles.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 252—129 boys and 123 girls—and the deaths to 209—93 males and 116 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 26·1 per 1,000 of the population. During the sixteen weeks, ending with Saturday last, the death-rate averaged 28·8, and was 4·2 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 209, represent an annual rate of 26·6 per 1,000; the annual rate for the past sixteen weeks was 30·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 6 from measles, one from scarlet fever, 11 from whooping-cough, one from diphtheria, 3 from diarrhoeal diseases, 2 from influenza, and 2 from cerebro-spinal fever.

In the three weeks preceding, deaths from measles were 0, 0, and one; deaths from scarlet fever were 2, 0, and one; deaths from whooping-cough were 10, 9, and 4; deaths from diphtheria were 0, one, and one; deaths from diarrhoeal diseases were 4, one, and 3; deaths from influenza were 8, 8, and 4; and deaths from cerebro-spinal fever were 0, 2, and 0.

Tuberculous disease caused 38 deaths, comprising 23 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 6 from abdominal tuberculosis, and 3 from disseminated tuberculosis. Deaths from the several forms of tuberculous disease in the three preceding weeks numbered 29, 36, and 40, respectively.

Seven\* deaths were ascribed to cancer.

There were 16 deaths from pneumonia, consisting of 7 deaths from broncho-pneumonia, 4 from lobar pneumonia, and 5 from pneumonia (type not distinguished.)

Five deaths of infants under one year of age were attributed to convulsions, one to prematurity, and 11 to congenital debility.

Fourteen deaths from organic diseases of the heart, and 20 from bronchitis were registered.

To accidental causes, 7 deaths were assigned; of these 2 were caused by burns and 3 by motor cars.

Two deaths of soldiers resulted from wounds received in battle.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old.

Sixty-seven of the persons whose deaths were registered during the week were under 5 years of age (36 being infants under one year, of whom 15 were under one month old), and 42 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 25 aged 75 and upwards, of whom 2 (females) were stated to have been aged 91 and 92 years, respectively.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 18 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 26·1 per 1,000; the rate in the City was 26·7 (North City Districts, 22·9; South, 30·9), and in the Suburbs, 24·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 2·8 (in the North City Districts 1·6, and in the South 4·3), and for the Suburbs 2·7 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·5 per 1,000, and include one from influenza, 3 from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·3 per 1,000. One death was caused by influenza, 5 by tuberculous disease, one by broncho-pneumonia, and 2 by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Among them are 2 from whooping-cough, 5 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (17) represent an annual rate of 24·7 per 1,000. Two deaths from whooping-cough, 2 from tuberculous disease, one from broncho-pneumonia, and 2 from bronchitis were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 9·6. One of the 2 deaths recorded for Clontarf and Howth No. 1, part of, was from pneumonia, and of the 4 deaths from all causes for Coolock and Drumcondra, part of, one was caused by tuberculous meningitis.

No. 1 South City District (South Earl-street).—The deaths (20) represent an annual rate of 25·3 per 1,000. They include one death from whooping-cough, one from diphtheria, 2 from pulmonary tuberculosis, 6 from bronchitis, and one from diarrhoea.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 48·3 per 1,000. Among them are 3 from whooping-cough, 3 from pulmonary tuberculosis, 2 from pneumonia, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (30) are equal to an annual rate of 35·6 per 1,000. Three deaths from whooping-cough, 8 from tuberculous disease, 3 from pneumonia, 2 from bronchitis, and one accidental death were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Included in this number are one death from pulmonary tuberculosis, 3 from pneumonia, 3 from bronchitis, and one accidental death.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000. They comprise one death from measles, one from scarlet fever, and one from tuberculous meningitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 23·7; Pembroke, 20·5; Blackrock, 5·6; and Kingstown, 43·1. The deaths from the principal epidemic diseases tabulated for these districts comprise 5 from measles for Kingstown. Among the 18 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease, 3 from pneumonia, one from bronchitis, and one accidental death; the 12 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis, one from bronchitis, and one accidental death; the only death recorded for Blackrock was one caused by pulmonary tuberculosis; and one of the 14 deaths from all causes for Kingstown was caused by disseminated tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·7), was equal to an average annual death-rate of 17·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·5 per 1,000, the rate for Glasgow being 20·1, and for Edinburgh 16·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th April. From this Report it appears that of a total of 56 cases notified, 17 were scarlet fever, 10 pulmonary tuberculosis, 13 other forms of tuberculosis, 8 erysipelas, 7 diphtheria, and one cerebro-spinal fever. Among the 504 cases of infectious diseases in hospital at the close of the week were 179 of pulmonary tuberculosis, 148 of scarlet fever, 62 of whooping-cough, 54 of diphtheria, 17 of measles, 15 of erysipelas, 5 of cerebro-spinal fever, 5 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th April, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	April. 3,	.	—	—	7	.	.	2	.	.	2	1	.	—	—	2	—	.	22	36
	April. 10,	.	—	—	7	.	.	7	.	1	7	.	.	—	—	1	—	.	23	46
	April. 17,	.	—	—	8	.	.	5	.	.	4	.	.	—	—	1	—	.	26	51
	April. 24,	.	—	—	3	.	.	6	.	.	5	8	1	—	—	.	—	.	31	54
Rathmines and Rathgar Urban District.	April. 3,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 10,	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 17,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24,	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
Pembroke Urban District.	April. 3,	.	3	.	3	.	.	.	.	.	.	.	.	—	10	—	—	—	.	16
	April. 10,	.	5	.	2	.	.	.	.	.	.	.	.	—	8	—	—	—	.	15
	April. 17,	.	3	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	1	4
	April. 24,	.	5	.	3	.	.	.	.	.	1	1	.	—	16	—	—	—	1	27
Blackrock Urban District.	April. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	April. 17,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
Kingstown Urban District.	April. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
City of Belfast.	April. 3,	.	—	—	18	.	.	4	.	1	.	4	.	—	—	3	—	.	6	36
	April. 10,	.	—	—	22	.	.	5	.	.	.	2	.	—	—	4	—	.	9	42
	April. 17,	.	—	—	19	.	.	2	.	.	.	.	.	—	—	4	—	.	6	31
	April. 24,	.	—	—	20	.	.	1	.	.	1	2	1	—	—	2	—	.	5	32
City of Cork.	April. 3,	.	3	—	4	.	.	2	.	.	.	1	.	—	—	—	—	—	—	10
	April. 10,	.	1	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	9
	April. 17,	.	1	—	6	.	.	.	.	.	.	3	.	—	—	—	—	—	—	10
	April. 24,	.	2	—	6	.	.	1	.	.	1	.	.	—	—	—	—	—	—	10
City of Londonderry.	April. 3,	.	—	—	.	.	.	.	.	.	.	1	1	—	—	—	—	—	—	3
	April. 10,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 17,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
City of Limerick.	April. 3,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	April. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	April. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	April. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	April. 3,	.	—	—	13	.	.	.	.	.	.	1	.	—	—	—	—	.	.	14
	April. 10,	.	—	—	12	.	.	.	.	.	2	1	.	—	—	—	—	.	.	15
	April. 17,	.	—	—	14	.	.	1	.	.	.	.	.	—	—	—	—	.	.	15
	April. 24,	.	—	—	8	.	.	1	.	.	.	.	.	—	—	—	—	2	.	11

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th April, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 29, and 34.

Eleven cases of measles were admitted to hospital during the week, 8 were discharged, and 26 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 12, 14 and 23 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 16 were discharged, there was one death, and 64\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 75, 77, and 65, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 24, and 24 respectively, were 26 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th April, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 24TH APRIL, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																						
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																			
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	29.8	22.4	1.8	692	521	100	107	...	...	...	13	2	20	1	...	72	27	21	48	56	5	2	8	17	148	14	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	32.1	26.1	2.8	252	205(d)	36	42	...	...	...	6	1	11	1	...	26	12	6	16	22	2	1	5	8	79	7	
CITY OF DUBLIN,	312,747	39.5	35.7	26.7	2.8	214	160	31	26	...	...	...	1	1	11	1	...	22	9	5	13	20	2	1	3	5	69	7	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	17.1	23.7	...	13	18	2	7	...	...	...	...	...	...	...	...	1	2	...	3	1	...	...	1	1	4	...	
PEMBROKE, ...	30,538	19.4	23.9	20.5	...	14	12	3	4	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	1	2	2	...	
BLACKROCK, ...	9,233	8.5	22.6	5.6	...	4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	21.5	43.1	15.4	7	14	...	5	...	...	...	5	...	...	...	...	1	...	...	...	...	...	...	...	...	4	...	
Urban Districts																													
BELFAST ...	403,000	27.0	29.4	20.3	1.6	227	157(d)	40	27	...	...	...	2	...	7	...	...	20	9	9	17	14	2	1	...	4	33	2	
CORK, ...	76,673	28.6	24.5	23.1	...	36	34	3	8	...	...	...	...	...	...	...	...	7	1	2	4	5	...	...	...	...	16	...	
LONDON- DERRY	41,200	16.0	36.7	22.8	2.5	29	18	3	5	...	...	...	...	...	2	...	...	5	...	...	2	...	...	...	1	1	...	...	
LIMERICK, ...	38,518	16.1	20.3	16.2	...	15	12	2	3	...	...	...	...	...	...	...	...	1	1	2	3	...	...	...	...	6	1	...	
WATERFORD, ...	27,464	19.1	24.7	15.2	1.9	13	8	...	1	...	...	...	1	...	...	...	...	2	...	...	1	2	...	...	...	...	2	1	
GALWAY, ...	13,255	2.5	...	...	...	5	5	1	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	
DUNDALK, ...	13,128	9.5	...	...	...	16	11	2	3	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	4	...	
LURGAN, ...	12,553	14.7	...	...	...	8	4	1	1	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	1	...	
DROGHEDA, ...	12,501	8.4	...	...	...	2	8	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	3	...	...	
LISBURN, ...	12,388	10.9	...	...	...	11	4	1	2	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	1	...	
NEWRY, ...	11,963	17.0	...	...	...	4	4	...	2	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3	...	...	...	12	14	5	...	...	...	...	5	...	...	...	...	1	...	...	...	3	...	...	...	1	...	...	
WEXFORD, ...	11,531	22.8	...	...	...	8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
BALLYMENA ...	11,381	9.3	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...	
SLIGO, ...	11,163	3.8	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4	...	...	...	4	4	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	
TRALEE, ...	10,300	17.4	...	...	...	6	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8	...	...	...	5	5	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	
NEWTOWNARDS	9,587	20.1	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
QUEENSTOWN, .	8,209	14.7	...	...	...	7	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	...	...	
LARNE, ...	8,036	13.4	...	...	...	4	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	...	...	...	9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2	...	...	...	3	4	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	1	
ATHLONE, ..	7,472	6.2	...	...	...	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8	...	...	...	5	5	...	2	...	...	...	...	...	...	...	...	1	...	...	1	3	...	...	...	...	...	1	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 4 deaths of persons admitted to hospital from localities outside the Area: the 4 deaths include one from cancer. (d) Including 2 deaths from cerebro-spinal fever in Dublin and one in Belfast.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 24th of April, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without this Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	5		
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
Whooping-cough,	.	.	2	2	.	.	.	1	3	3	.	.	.	.	.	.		
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary,	3	3	3	1	.	.	.	2	3	6	1	.	1	2	1	.		
Other Forms,	.	2	2	1	.	1	.	.	.	2	.	1	2	.	1	.		
Cancer,	.	.	.	.	.	1	.	1	.	2	1	.	.	1	.	.		
Diseases of Nervous System,	.	5	.	2	1	1	1	.	3	3	2	.	.	1	.	2		
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Circulatory System,	3	2	.	2	.	.	.	1	1	2	2	.	3	.	.	2		
Respiratory System. { Pneumonia,	1	1	1	1	1	.	.	.	2	3	3	.	3	.	.	.		
Others,	2	2	2	2	.	.	.	6	1	2	3	.	1	1	.	.		
Diarrhoea and Enteritis, under 2 years,	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.		
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Others,	.	1	2	.	.	.	.	.	.	2	1	.	1	.	.	2		
Genito-urinary System,	.	.	1	.	.	.	.	.	2	2	2	.	1	2	.	1		
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,	1	4	1	5	.	.	1	6	1	2	1	.	4	3	.	1		
Violent Deaths,	.	.	1	.	.	.	.	.	.	1	1	.	1	1	.	.		
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.		
Deaths from All Causes	12	21	15	17	2	4	2	20	17	30	17	3	18	12	1	14		
Annual Rate of Mortality from All Causes in every 1,000. of the population.	20.5	26.2	28.1	24.7	18.8	15.1	9.6	25.3	48.3	35.6	26.7	15.7	23.7	20.5	5.6	43.1		
	22.9							30.9							24.4			
	26.7																	
Ages at Death.	Under 1 year,	2	6	1	6	.	1	2	2	7	3	1	2	3	.	.		
1 and under 2 years,	.	1	4	.	.	1	1	2	3	2	1	1	.	.	1	3		
2 " 5 "	1	1	1	.	.	.	1	1	2	2	.	1	1	.	.	2		
5 " 15 "	.	1	.	.	.	1	.	.	.	1	.	.	1	.	.	1		
15 " 25 "	2	1	.	2	.	.	.	.	1	3	.	.	1	1	.	11		
25 " 45 "	2	5	3	1	.	2	.	5	3	6	1	.	2	2	.	32		
45 " 65 "	4	2	5	6	1	.	.	6	2	8	5	.	5	1	.	48		
65 and upwards,	1	5	1	2	1	.	.	4	4	1	7	.	7	4	.	42		
Number of Uncertified Deaths,	1	1	.	1	.	.	.	1	.	2	1	.	.	.	.	7		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	6	2	4	.	1	.	3	4	11	5	.	4	1	.	1		
Workhouse Hospitals,	.	3	2	6	.	.	.	6	5	3	2	1	.	1	.	3		
																47		
																32		





SIXTEENTH WEEK, ending Saturday, 24th April, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 16th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 24th April, 1915.										
	Apr. 22, 1905.	Apr. 21, 1906.	Apr. 20, 1907.	Apr. 18, 1908.	Apr. 24, 1909.	Apr. 23, 1910.	Apr. 22, 1911.	Apr. 20, 1912.	Apr. 19, 1913.	Apr. 18, 1914.		All Ages.	Deaths of Persons of the Ages of									
													Under 1 month, 1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
																						0-5.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	5	2	—	4	.	2	1	.	.	.	.	1	.	.
Diarrhoea and Enteritis of Children under 2 years.	4	4	3	2	4	5	3	1	8	7	4.2	2	.	1	1	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	.	1	—	1	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	.	1	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	3	2	.	1	1	.	1	1	2	1	1.2	3	.	.	.	.	.	.	.	3	.	.
Other Diseases of Liver, ...	2	2	1	1	2	1	.	1	.	.	1.0	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown), ...	.	1	.	.	.	.	1	1	.	.	.3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	8	5	6	2	5	3	.	.	1	1	3.1	1	.	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	8	3	3	7	9	3	8	3	6	6	6.2	1	.	.	.	.	1	.	.	2	3	1
Chronic Bright's Disease, ...													.	.	.	.	.	.	.	.	.	.
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	1										2	2	.	.	.	.	.	1	.	1		
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	4	1	.	.	.	.	.	.	1	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	1	1	3	—	1	.	.	.	.	.	.	.	1	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	2	3	5	6	5	2	2	5	2	3.5	1	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	3	3	5	1	—	11	8	3	.	.	.	.	.	.	.	.
Old Age, ...	5	6	5	7	4	4	7	6	4	4	5.2	10	.	.	.	.	.	.	.	2	8	.
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	4	.	—	3	2	.	.	.	.	1	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	1	1	.	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	.	1	.	.	.	3	.	.	.	.5	2	.	.	.	.	.	.	.	2	.	.
Drowning, ...	1	.	.	.	.	.	.	.	.	2	.3	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	2	4	1	3	.	1	3	2	4	2	2.2	5	.	.	.	1	1	1	1	1	.	.
Total Deaths from Accident,	4	4	3	4	.	2	6	2	4	4	3.3	7	.	.	.	1	1	1	3	1	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	1	.	.	1	1	.
Vehicles and Horses, ...	1	.	.	.	.	1	1	.	1	.	4	3	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	9	9	1	—	3	.	.	.	.	.	.	.	1	1	1

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5.—WEEK ENDING																									
		Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.
No. of weeks in Annual Series.		44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Births registered.		173	222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	255	231	206	220	238	213	196	218	236	252
Average Births in corresponding week of previous 10 years, ...		217	208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223
Deaths registered.		118	158	155	155	152	204	190	203	134	233	297	241	232	249	254	236	256	287	272	249	201	228	191	219	205	209
Annual Death-rate per 1,000, ...		15.2	20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	26.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6
Average Deaths in corresponding week of previous 10 years, ...		168	167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201
Ages.		29	35	34	26	28	38	57	51	35	87	100	74	60	52	84	63	69	66	62	54	61	50	55	50	50	67
{ Under 5 years,		7	8	8	11	3	6	7	9	8	12	7	3	6	11	4	9	11	9	7	11	6	10	8	7	7	5
{ 5-15 "		1	8	7	6	6	8	9	7	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12
{ 15-25 "		30	27	28	35	26	42	31	22	17	23	38	31	31	35	31	31	28	39	40	31	43	25	26	35	34	34
{ 25-45 "		26	41	40	42	35	54	50	61	35	65	70	35	63	66	56	61	64	80	60	52	31	46	45	54	46	45
{ 45-65 "		14	23	20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17
{ 65-75 "		11	16	18	16	16	16	17	25	9	34	27	22	24	36	32	33	35	26	39	28	26	25	25	22	22	25
{ 75 and upwards,																											
Deaths from:—		2	3	2	2	1	5	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...				1																							
Typhus, ...				1																							
Small-pox, ...		1																									
Measles, ...		2	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1
Scarlet Fever, ...																											
Whooping-cough, ...																											
Diphtheria, ...																											
Influenza, ...		2	1		1	1	3	1	1	1	1	4	2	4	4	8	10	8	13	18	11	11	11	8	8	4	2
Dysentery, ...																											
Tuberculosis { Pulmonary ...		11	16	22	20	16	30	23	26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	28
Tuberculosis { Other Forms, ...		4	3	7	5	6	3	6	5	5	7	10	10	5	8	13	7	5	10	3	7	6	9	5	9	12	9
Cancer, ...		8	8	15	9	17	12	10	7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7
Diseases of Circulatory System, ...		15	17	19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	13	21	18	18
Diseases of Respi- ( Pneumonia, ...		8	12	12	9	7	15	23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16
ratory System. { Others, ...		13	21	18	23	28	20	24	25	27	49	52	58	49	56	61	55	43	69	59	43	34	39	26	44	25	22
Diarrhoea and Enteritis, under 2 years, ...		7	10	6	7	3	4	10	6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2
Diarrhoea, 2 years and upwards, ...																											
Violent Deaths, ...		3	5	3	7	7	1	5	9	3	2	2	4	4	8	4	4	11	5	8	11	7	7	4	5	7	7
Number of Uncertified Deaths, ...		3	1	4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	March, 20 " 27 April, 3 " 10 " 17 " 24	20.5 41.0 18.8 35.9 25.6 20.5	5.1 3.4 . . 1.7 1.7	12 24 11 21 15 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . 1 . . .	2 . . . . . .	. . . . . .	. . . . . .	3 3 . 5 2 3	. 3 . 2 1 .	. . 1 . 1 .	1 . 2 3 2 1 2	. 6 1 7 1 2	. 1 . 1 1 1	. . . . . .	1 . . . . .	1 . . . . . 1
North City, No. 1 (W.) (Office, Summer-hill.)	March, 20 " 27 April, 3 " 10 " 17 " 24	22.5 26.3 25.0 23.8 30.0 26.3	1.3 1.3 5.0 . 1.3 .	18 21 20 19 24 21	. . . 1 . . .	. . . . . .	. . . . . .	. . . . . .	1 . 2 . . .	. . . . . .	. . . . . .	. . . . . .	2 3 . 4 5 3	. . 2 . . 2	2 2 . . . 1	1 2 2 1 4 2	5 6 2 2 4 6	1 1 1 1 1 .	. . . . . .	2 . . . . .	1 1 2 1 1 1
North City, No. 2. (Office, Lisburn-street.)	March, 20 " 27 April, 3 " 10 " 17 " 24	37.4 20.6 18.7 22.4 39.3 28.1	1.9 . 1.9 1.9 1.9 3.7	20 11 10 12 21 15	. . 1 1 . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . 2	. . . . . .	. . . . . .	. . . . . .	3 1 2 2 4 3	1 2 . 1 1 2	1 . 1 1 1 .	1 2 2 1 3 2	4 4 2 2 3 2	. . . . 1 .	. . . . . .	2 . . 2 1 . .	1 2 1 1 2 1
North City, No. 3. (Office, Benburb-street.)	March, 20 " 27 April, 3 " 10 " 17 " 24	11.6 24.7 27.6 26.2 26.2 24.7	1.5 . 1.5 2.9 1.5 2.9	8 17 19 18 18 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 2 . 2	. . . . . .	. . . . 1 .	. . . . . .	. . 2 1 2 1	2 . . . . 1	. . 2 . . .	1 4 1 3 3 1	1 3 3 3 3 2	1 . 1 . . . .	. . . . . .	. . 1 . . . .	. . . 1 . . .
Clontarf and Howth No. 1 (part of).	March, 20 " 27 April, 3 " 10 " 17 " 24	. 28.2 18.8 28.2 9.4 18.8	. . . . . .	. 3 2 3 1 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . .	. . . 1 . .	. . . . . 1	. . . . 1 .	. . 2 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .
Coolock and Drumcondra (part of).	March, 20 " 27 April, 3 " 10 " 17 " 24	26.4 34.0 11.3 18.9 15.1 15.1	. 3.8 . . . .	7 9 3 5 4 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 3 . . 1 .	. . . . 1 1	1 . 1 1 . .	. . 1 . . .	1 1 . . . .	1 1 . . . .	. . . . . .	. . . . . .	. 1 . . . .
Finglas and Glasnevin (part of).	March, 20 " 27 April, 3 " 10 " 17 " 24	19.3 14.4 28.9 4.8 19.3 9.6	. 4.8 4.8 . . .	4 3 6 1 4 2	. . . . . .	. . . . . .	. . . . . .	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . 1 .	. . 1 . . .	2 . 1 . . .	1 1 1 1 1 .	. 1 1 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .
South City, No. 1. (Office, St. Earl-street.)	March, 20 " 27 April, 3 " 10 " 17 " 24	35.5 35.5 32.9 25.3 19.0 25.3	3.8 6.3 5.1 2.5 2.5 3.8	28 28 26 20 15 20	. . . 1 . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . 1 . . 1	. . . . . 1	. . . . . 1	. . . 1 . . 2	6 4 3 3 3 2	. 1 . 1 1 1	. . . . 1 .	1 3 . . . .	3 4 5 6 1 6	. . 1 . . .	. . . . . 1	. 2 . . . .	3 2 . . . 1
South City, No. 2. (Office, Castle-street.)	March, 20 " 27 April, 3 " 10 " 17 " 24	48.3 45.5 17.1 48.3 19.9 48.3	2.8 5.7 2.8 5.7 . 11.4	17 16 6 17 7 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . 2 . 3	. . . . . .	. . . . . .	. . . . . .	. 5 . 1 1 1 3	1 1 . 1 1 .	. . . 1 1 1 2	2 . 1 1 . 2	8 2 . 5 1 1	. . . . . 1	. . . . . .	1 . 1 . . .	. 1 . . . .
South City, No. 3. (Office, Peter-street.)	March, 20 " 27 April, 3 " 10 " 17 " 24	27.3 24.9 28.5 28.5 26.1 35.6	4.7 2.4 5.9 2.4 2.4 3.6	23 21 24 24 22 30	. . . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . 2 3	. . . . . .	. . . . . .	. . . 1 . 2 3	4 5 4 4 3 6	. . 1 2 1 2	. 2 . 1 . 2 .	4 3 1 4 5 3	5 2 6 3 1 2	. . 1 . . .	. . . 1 . . .	. 1 . 1 . 1 1	1 . . 1 1 1 1
South City, No. 4. (Office, Grand Canal-st.)	March, 20 " 27 April, 3 " 10 " 17 " 24	11.0 17.3 23.6 20.4 15.7 26.7	. . . . . .	7 11 15 13 10 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 2 3 2 1 1	1 1 1 . . 1	. . 1 . . .	1 1 3 3 3 3	1 1 1 1 1 3	. . . . . .	. . . . . .	. . . . . 1 1	. . . . . 1 1
New Kilmainham.	March, 20 " 27 April, 3 " 10 " 17 " 24	15.7 21.0 10.5 15.7 10.5 15.7	5.2 . . 10.5 . 10.5	3 4 2 3 2 3	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . 1 .	. . . . . .	. . . 1 . . .	. . . . . .	. . . . . 1	. . 1 . . .	. . . . . .	. 1 . . 1 . .	1 2 . 1 . .	. . . 1 . . .	. . . . 1 . .	. . . . . .	. . . . 1 . .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Paralysis, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	March, 20	18.5	1.3	14	.	.	.	.	.	1	.	.	1	.	1	2	1	.	.	.	.	
	" 27	21.1	2.6	16	.	.	.	.	.	.	1	.	1	.	.	1	3	1	.	1	2	
	April, 3	19.8	.	15	.	.	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	
	" 10	23.7	1.3	18	.	.	.	.	.	1	.	.	1	.	.	1	5	.	.	.	.	
	" 17	22.4	.	17	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	1	.	
" 24	23.7	.	18	.	.	.	.	.	.	.	.	1	2	.	.	3	1	.	.	1	.	
Pembroke Urban District. Population in 1915 (Est.) 30,538	March, 20	18.8	1.7	11	.	.	.	.	.	.	.	.	1	.	.	1	1	1	1	.	.	
	" 27	27.3	3.4	16	.	.	.	.	.	2	.	.	.	.	.	1	1	1	.	.	1	
	April, 3	15.4	1.7	9	.	.	.	.	1	.	.	.	1	.	2	1	1	.	.	.	.	
	" 10	27.3	1.7	16	.	.	.	.	.	1	.	.	1	2	2	2	2	.	.	.	.	
	" 17	34.1	1.7	20	.	.	.	.	1	.	.	.	1	.	.	.	4	.	.	.	2	
" 24	20.5	.	12	.	.	.	.	.	.	.	.	2	.	1	.	1	.	.	.	1	.	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	March, 20	56.5	5.6	10	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	
	" 27	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	April, 3	28.2	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	
	" 10	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 17	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" 24	5.6	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
Kingstown Urban District. Population in 1911 16,941.	March, 20	15.4	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
	" 27	21.5	.	7	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	.	.	
	April, 3	21.5	.	7	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	1	
	" 10	43.1	.	14	.	.	.	.	.	.	.	.	2	.	.	.	5	.	.	.	.	
	" 17	24.6	3.1	8	.	.	.	1	.	.	.	.	.	.	.	.	2	.	.	.	.	
" 24	43.1	15.4	14	.	.	.	5	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Belfast. Population in 1915 (Est.) 403,000.	March, 20	25.0	1.4	193	.	.	.	7	.	1	1	.	18	2	6	30	33	2	.	5	2	
	" 27	21.3	1.8	165	.	.	.	4	.	3	1	.	20	7	3	26	25	3	3	3	2	
	April, 3	23.3	1.7	180	.	.	.	4	.	3	.	.	15	13	8	22	29	4	2	3	2	
	" 10	21.1	1.6	163	.	.	.	6	.	5	.	.	17	7	6	21	23	1	.	1	3	
	" 17	21.5	1.7	166	1	.	.	3	1	5	1	.	17	13	6	21	24	2	2	3	.	
" 24	20.3	1.6	157	.	.	.	2	.	7	.	.	20	9	9	17	14	2	1	.	2	.	
Cork. Population in 1911 76,673.	March, 20	25.8	0.7	38	.	.	.	.	1	.	.	.	3	2	.	5	6	.	.	.	1	
	" 27	26.5	2.7	39	.	.	.	1	3	.	.	.	5	.	.	4	5	.	.	.	1	
	April, 3	28.6	2.0	42	2	.	.	.	.	.	.	.	7	2	2	3	2	1	.	.	5	
	" 10	19.7	0.7	29	.	.	.	.	.	1	.	.	4	2	1	1	8	.	.	1	2	
	" 17	25.8	0.7	38	.	.	.	.	.	1	.	.	7	1	1	4	2	.	.	.	1	
" 24	23.1	.	34	.	.	.	.	.	.	.	.	7	1	2	4	5	.	.	.	.	.	
Londonderry. Population in 1915 (Est.) 41,200.	March, 20	21.5	.	17	.	.	.	.	.	.	.	.	2	.	.	1	3	.	.	.	2	
	" 27	34.2	1.3	27	.	.	.	.	.	.	.	.	3	2	2	4	6	1	.	.	1	
	April, 3	10.1	.	8	.	.	.	.	.	.	.	.	2	.	.	2	1	.	.	.	.	
	" 10	15.2	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.	
	" 17	12.7	.	10	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.	
" 24	22.8	2.5	18	.	.	.	.	.	2	.	.	5	.	.	2	.	.	.	1	.	.	
Limerick. Population in 1911 38,518.	March, 20	31.1	.	23	.	.	.	.	.	.	.	.	1	.	.	.	7	.	.	.	6	
	" 27	20.3	.	15	.	.	.	.	.	.	.	.	3	.	1	1	3	.	.	.	2	
	April, 3	13.5	.	10	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	.	3	
	" 10	36.6	.	27	.	.	.	.	.	.	.	.	6	.	.	.	8	.	.	.	1	
	" 17	13.5	.	10	.	.	.	.	.	.	.	.	1	.	.	2	1	.	.	.	2	
" 24	16.2	.	12	.	.	.	.	.	.	.	.	.	1	1	1	3	.	.	.	1	.	
Waterford. Population in 1911 27,464.	March, 20	32.3	11.4	17	.	.	.	.	6	.	.	.	1	.	.	1	3	.	.	.	.	
	" 27	11.4	1.9	6	.	.	.	.	1	.	.	.	1	.	.	1	2	.	.	.	1	
	April, 3	26.6	.	14	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.	
	" 10	41.8	3.8	22	.	.	.	.	2	.	.	.	3	.	2	2	3	.	.	.	1	
	" 17	22.8	5.7	12	.	.	.	.	1	.	.	.	2	.	.	2	2	.	2	.	1	
" 24	15.2	1.9	8	.	.	.	.	1	.	.	.	2	.	.	1	2	.	.	.	1	1	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th April, 1915. Deaths in Public Institutions of Persons admitted from *without each City being omitted*, and all other Deaths in Institutions distributed according to the *localities from which the deceased persons were admitted*; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Cous.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.															
Census Population in 1911.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from	All Causes.			Certain Epi- demic Diseases.	Under 1 year.						5 and under 25 years.				25 and under 45 years.		45 and under 65 years.		65 years and upwards.		Enteric Fever.	Typhus.	Small-pox.			Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPI- RATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	
							(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)											(21)	(22)		(23)	(24)					(25)
City of Belfast.					(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)								
BELFAST URBAN No. 1 District,	15,879	8	6.6	2	5	1	1	7	2	5	1	2	3	9	1	1	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 2 do.	49,500	36	22.1	21	5	1	1	2	2	9	1	2	3	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 3 do.	50,032	26	27.1	26	9	1	1	2	2	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 4 do.	32,637	21	19.2	12	6	1	1	2	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 5 do.	16,112	6	38.8	12	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
Do. 6 do.	37,293	10	14.0	10	1	1	1	2	4	3	1	2	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 7 do.	2,681	1	17.5	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 8 do.	5,964	5	17.5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 9 do.	24,427	16	29.9	14	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 10 do.	28,958	13	14.4	8	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 11 do.	39,311	32	18.6	14	3	2	2	2	2	5	1	2	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
Do. 12 do.	38,076	30	26.0	19	5	3	2	1	7	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
Do. 13 do.	23,238	8	11.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
Do. 14 do.	175	1	27.6	12	2	2	2	3	2	1	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
Do. 15 do.	22,669	10	27.6	12	2	2	2	3	2	1	2	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
Total,	386,947	227	20.3	157	40	16	13	34	27	27	40	16	13	34	27	27	40	16	13	34	27	20	9	9	17	14	2	1	1	1	1	1	1	1	1	1					
City of Cork.					(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)								
CORK URBAN No. 1 District	13,455	2	19.4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 2 do.	10,399	6	25.1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 3 do.	9,793	9	10.6	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 4 do.	9,139	4	51.3	4	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 5 do.	6,250	3	33.4	4	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 6 do.	11,581	6	18.0	4	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Do. 7 do.	16,056	6	16.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
Total,	76,673	35	23.1	34	3	2	3	13	5	8	3	2	3	13	5	8	3	2	3	13	5	7	1	2	4	5	1	1	1	1	1	1	1	1	1	1					

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914-5—WEEK ENDING																											
BELFAST.		Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.
No. of weeks in Annual Series,		44	45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Births registered, ...		208	202	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227
Deaths registered, ...		107	147	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157
Annual Death-rate per 1,000 of estimated population, ...		14.0	19.2	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3
AGES, Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 55 and upwards,		19	26	24	22	31	28	32	31	29	30	39	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40
		20	22	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16
		13	14	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13
		13	21	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	18	23	25	22	34
		24	25	26	34	46	31	27	20	36	29	37	37	39	48	18	38	37	41	43	35	51	39	40	24	40	27
Deaths from:— Enteric Fever, Typhus, Small-pox, Measles, Scarlet Fever, Whooping-cough, Diphtheria, Dysentery, Tuberculosis, { Cancer ... Diseases of Respi- ratory System, { Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards, Violent Deaths, Number of Uncertified Deaths, ...		1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Apr. 24,	2,195	1,619 <sup>c</sup>	18·7	2	.	109	13	52	15	13
EDINBURGH, ---	328,700	„ 24,	112	102 <sup>c</sup>	16·2	.	.	.	.	7	1	1
GLASGOW, ---	1,078,400	„ 24,	693	415 <sup>c</sup>	20·1	2	.	20	5	44	1	6
CALCUTTA, ---	896,067	Mar. 6,	.	636	36·9	2	180	1	.	.	.	54† <sup>a</sup>
BOMBAY, ---	979,445	„ 13,	280	453	24·0	47*	17	3	.	.	.	35† <sup>a</sup>
MADRAS, ---	518,660	„ 6,	276	382	38·3	43*	1	1	?	?	?	92† <sup>a</sup>
CAIRO, {	Egyptians, ...	Feb. 11,	578	372	29·3	7	.	1	.	?	3†	42
	Foreigners,	„ 11,	8	16	13·0	1	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	„ 11,	363	178	27·2	.	1	.	.	?	.	13
	Foreigners,	„ 11,	21	17	11·5	.	1	.	.	?	.	1
PARIS, ---	2,847,229	Mar. 13,	898	982	17·6	5	.	53	6	3	3†	32
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	609,082	Jan. 16,	292	152	13·0	.	.	.	.	.	3†	2
		„ 23,	275	156	13·4	.	.	3	.	3	1†	.
COPENHAGEN, ---	492,000	Mar. 27,	248	129	13·7	.	.	.	1	.	.	.
STOCKHOLM, ---	382,085	„ 27,	150	126	17·1	.	.	.	.	2	1	1 <sup>a</sup>
CHRISTIANIA, ---	251,446	Apr. 3,	105	71	14·7	.	.	.	2	1	.	1 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Feb. 20,	.	791	24·3	17	6	12	14	1	7†	45 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Mar. 27,	3,042	1,750	15·7	5	.	13	7	6	38†	23
PHILADELPHIA, ---	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	Apr. 3,	.	262 <sup>b</sup>	17·8	1	.	2	4	1	7	5 <sup>a</sup>

\* Deaths from "fever," including 14 from plague, and 2 from enteric fever in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 42 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e., non-residents deducted, 237 deaths (including 3 from scarlet fever, and 4 from diarrhoeal diseases); rate, 16·1 per thousand.<sup>c</sup> Including 13 deaths from cerebro-spinal fever in London, one in Edinburgh, and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th April, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	.	.	.	1	.	.	.	.	1	2
„ „ 1, West,	...	.	.	.	3	.	.	.	2	.	.	.	7	12
„ „ 2,	...	.	.	.	.	.	.	.	1	.	.	.	8	9
„ „ 3,	...	1	.	.	1	.	.	1	2	.	.	.	3	8
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	1	.	.	.	2	5
Finglas and Glasnevin (part of),	...	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	...	.	.	.	2	.	.	.	.	.	.	.	2	4
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 3,	...	.	.	.	.	.	.	.	2	.	.	.	3	5
„ „ 4,	...	.	.	.	.	.	.	3	.	.	.	.	1	4
New Kilmainham,	...	.	.	.	.	.	.	.	.	1	.	.	.	1
Total,	...	3	.	.	6	.	.	5	8	1	.	.	31	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th April, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th April.			
	April 3.	April 10.	April 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	29	34	2	6	.	30
Typhus, ...	4	4	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	12	14	23	11	8	.	26
Scarlet Fever, ...	75	77	65	16	16	1	64*
Diphtheria, ...	28	24	24	11	8	1	26
Pneumonia, ...	22	16	16	7	5	1	17

\* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 1ST MAY, 1915.

[No. 17.]

*General Register Office, Charlemont House,  
Dublin, 3rd May, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 10	April 17	April 24	May 1	
<b>27 Town Districts, (a)</b>	<b>23·8</b>	<b>22·1</b>	<b>22·4</b>	<b>19·1</b>	<b>21·9</b>
Dublin Reg. Area ...	26·1	24·1	26·1	19·0	23·8
Dublin City ...	26·0	23·8	26·7	19·3	23·9
Belfast ...	21·1	21·5	20·3	19·8	20·7
Cork ...	19·7	25·8	23·1	17·7	21·6
Londonderry ...	15·2	12·7	22·8	24·0	18·7
Limerick ...	36·6	18·5	16·2	19·0	21·3
Waterford ...	41·8	22·8	15·2	17·1	24·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·5 per 1,000. Among the 153 deaths from all causes for Belfast are 7 from measles, one from scarlet fever, 5 from whooping-cough, 3 from diarrhoeal diseases, and 2 from cerebro-spinal fever. Of the 26 deaths from all causes for Cork, one is from whooping-cough. Included in the 9 deaths from all causes for Waterford is one from scarlet fever. Two of the 7 deaths from all causes for Lisburn are from diarrhoea and enteritis of children under 2 years. Of the 7 deaths from all causes for Portadown, one is from measles. Among the 5 deaths from all causes for Newtownards are one from measles and one from diphtheria, and one of the 3 deaths from all causes for Coleraine is from whooping-cough.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 231—126 boys and 105 girls—and the deaths to 160—76 males and 84 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·0 per 1,000 of the population. During the seventeen weeks, ending with Saturday last, the death-rate averaged 28·2, and was 3·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 160, represent an annual rate of 20·4 per 1,000; the annual rate for the past seventeen weeks was 29·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 2 deaths each from measles, whooping-cough, and diphtheria, 5\* deaths from diarrhoea and enteritis of children under 2 years of age, 6 from influenza, and one from cerebro-spinal meningitis. In the three preceding weeks, deaths from measles numbered 0, one, and 6; deaths from whooping-cough were 9, 4, and 11; deaths from diphtheria were one, one, and one; deaths of children under 2 years of age from diarrhoea and enteritis were one, 3, and 2; deaths from influenza were 8, 4, and 2; and deaths from cerebro-spinal fever were 2, 0, and 2, respectively.

Deaths from tuberculous disease, amounting to 36, 40, and 38 in the three preceding weeks, fell to 29\* last week, the 29 deaths comprising 26 from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from tuberculosis of hip joint.

Eleven\* deaths were caused by cancer.

There were 8 deaths from pneumonia, consisting of 4 deaths from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 7 were ascribed to convulsions, one to congenital malformation, 6 to premature birth, and 5 to congenital debility.

Organic diseases of the heart caused 13 deaths, and bronchitis 20.

There were 3 accidental deaths, including one caused by a motor car.

In one instance only was the cause of death "uncertified," there having been no medical attendant during the last illness; this case was that of an infant under one year old.

Forty-two of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 12 were under one month old), and 33 were aged 65 years and upwards, including 23 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Seventy-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 19·3 (North City Districts, 17·9; South, 21·0), and in the Suburbs, 17·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·6, and in the South 1·4), and for the Suburbs 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·1 per 1,000, and include one from influenza, 3 from pulmonary tuberculosis, one from lobar pneumonia, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 18·8 per 1,000. Two deaths were caused by pulmonary tuberculosis, 2 by pneumonia, 3 by bronchitis, and one (a child under 2 years) by diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (4) are equivalent to an annual rate of 7·5 per 1,000. Two of these deaths were from pulmonary tuberculosis.

No. 3 *North City District* (Benburb-street).—The deaths (21) represent an annual rate of 30·5 per 1,000. Among them are 6 deaths from tuberculous disease, one from broncho-pneumonia, and 5 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·6; and Finglas and Glasnevin, part of, 0·0. One of the 6 deaths from all causes for Coolock and Drumcondra, part of, was from pulmonary tuberculosis, and 2 were from pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·5 per 1,000. This number includes one death from whooping-cough, 2 from diphtheria, one from influenza, 2 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 2 *South City District* (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000. Two deaths were caused by pulmonary tuberculosis, 3 by bronchitis, and one of a child under 2 years of age by diarrhoea and enteritis.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·5 per 1,000. Among them are one death from pulmonary tuberculosis, one from pneumonia, 5 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Included in this number are one death from influenza, one from tuberculous meningitis, and one from bronchitis.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000. One death was caused by influenza.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·8; Pembroke, 22·2; Blackrock, 11·3; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar; one from whooping-cough for Pembroke, and 2 from measles for Kingstown. Four of the 12 deaths from all causes for Rathmines and Rathgar were caused by pulmonary tuberculosis and one by bronchitis; among the 13 deaths recorded for Pembroke are 2 from influenza, 2 from pulmonary tuberculosis, and one from cerebro-spinal meningitis; one of the 2 deaths recorded for Blackrock was caused by bronchitis; and included in the 6 deaths from all causes for Kingstown were one from pulmonary tuberculosis and one accidental death.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 18·2), was equal to an average annual death-rate of 17·3 per 1,000 persons living.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st May. From this Report it appears that of a total of 60 cases notified, 26 were scarlet fever, 11 pulmonary tuberculosis, 5 other forms of tuberculosis, 9 diphtheria, 5 erysipelas, and 4 cerebro-spinal fever. Among the 518 cases of infectious diseases in hospital at the close of the week were 185 of pulmonary tuberculosis, 153 of scarlet fever, 63 of whooping-cough, 52 of diphtheria, 24 of measles, 12 of erysipelas, 6 of cerebro-spinal fever, 5 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st May, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	April. 10.	.	—	—	7	.	.	7	.	1	7	.	.	—	—	1	—	.	23	46
	April. 17.	.	—	—	8	.	.	5	.	.	4	.	.	—	—	1	—	.	26	51
	April. 24.	.	—	—	3	.	.	6	.	.	5	8	1	—	—	—	—	31	54	
	May. 1.	.	—	—	10	.	.	8	.	.	1	2	.	—	—	.	—	.	24	45
Rathmines and Rathgar Urban District	April. 10.	.	—	—	.	.	.	2	.	.	.	.	.	—	—	—	—	—	—	2
	April. 17.	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24.	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May. 1.	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke* Urban District.	April. 10.	.	5	.	2	.	.	.	.	.	.	.	.	—	8	—	—	—	.	15
	April. 17.	.	3	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	4
	April. 24.	.	5	.	3	.	.	.	.	.	1	1	.	—	16	—	—	—	1	27
	May. 1.	.	.	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	1	.
Blackrock Urban District.	April. 10.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	April. 17.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	May. 1.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	April. 10.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24.	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
	May. 1.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3
City of Belfast.	April. 10.	.	—	—	22	.	.	5	.	.	.	2	.	—	—	4	—	.	9	42
	April. 17.	.	—	—	19	.	.	2	.	.	.	.	.	—	—	4	—	.	6	31
	April. 24.	.	—	—	20	.	.	1	.	.	1	2	1	—	—	2	—	.	5	32
	May. 1.	.	—	—	22	.	.	2	.	.	.	1	1	—	—	5	—	.	7	38
City of Cork.	April. 10.	.	1	—	4	.	.	3	.	.	1	.	.	—	—	—	—	—	—	9
	April. 17.	.	1	—	6	.	.	.	.	.	.	3	.	—	—	—	—	—	—	10
	April. 24.	.	2	—	6	.	.	1	.	.	1	.	.	—	—	—	—	—	—	10
	May. 1.	.	.	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3a
City of Londonderry.	April. 10.	.	—	—	1	.	.	.	.	.	.	1	1	—	—	—	—	—	—	3
	April. 17.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24.	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	May. 1.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick	April. 10.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 24.	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	May. 1.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford	April. 10.	.	—	—	12	.	.	.	.	.	2	1	.	—	—	—	—	—	.	15
	April. 17.	.	—	—	14	.	.	1	.	.	.	.	.	—	—	—	—	—	—	15
	April. 24.	.	—	—	8	.	.	1	.	.	.	.	.	—	—	—	—	—	2	11
	May. 1.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4

\* One case of cerebro-spinal fever was reported during week ended 1st May.

(a) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st May, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 3 were discharged, and 28 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 34, and 30.

Eleven cases of measles were admitted to hospital during the week, 2 were discharged, and 35 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 14, 23, and 26 respectively.

Five cases of scarlet fever were admitted to hospital, 2 were discharged, and 67\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 65, and 64, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 6 were discharged, and there were 3 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 24, 24, and 26 respectively, were 25 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, there were 2 deaths, and 18 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st May, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 1ST MAY, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																									
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																							
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																					
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.				
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.			
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.3	19.1	1.5	658	444	84	100	...	...	...	11	2	9	3	...	66	21	25	36	48	10	1	8	22	131	10			
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	29.4	19.0	1.3	231	149(d)	33	33	...	...	...	2	...	2	2	...	24	3	10	8	21	4	...	3	8	65	1			
CITY OF DUBLIN,	312,747	39.5	34.0	19.3	1.0	204	116	29	22	...	...	...	...	...	1	2	...	17	3	6	8	19	3	...	2	7	54	...			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	13.2	15.8	1.3	10	12	1	3	...	...	...	...	...	...	...	...	4	...	3	...	1	1	...	...	...	...	7	...		
PEMBROKE, ...	30,538	19.4	17.1	22.2	1.7	10	13	2	6	...	...	...	...	...	1	...	...	2	...	1	...	...	...	...	...	...	...	2	...		
BLACKROCK, ...	9,233	8.5	5.6	11.3	.	1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	
KINGSTOWN, ...	16,941	11.6	13.5	18.5	6.2	6	6	...	1	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	1	1	2	...	...		
Urban Districts																															
BELFAST ...	403,000	27.0	28.3	19.8	2.1	219	153(d)	31	26	...	...	...	7	1	5	...	...	23	8	9	17	14	2	1	3	7	39	2	...		
CORK, ...	76,673	28.6	19.7	17.7	0.7	29	26	3	7	...	...	...	...	...	1	...	...	5	...	2	3	2	...	...	1	3	6	...	...		
LONDON- DERRY	41,200	16.0	31.6	24.0	1.3	25	19	3	4	...	...	...	...	...	...	...	...	2	2	1	2	2	1	...	...	1	6	...	...		
LIMERICK, ...	38,518	16.1	42.0	19.0	.	31	14	2	3	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	4	1	...		
WATERFORD, ...	27,464	19.1	22.8	17.1	1.9	12	9	1	3	...	...	...	...	1	...	...	...	2	...	...	...	3	...	...	...	...	3	...	...		
GALWAY, ...	13,255	2.5				7	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	
DUNDALK, ...	13,128	9.5				5	5	2	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LISBURN, ...	12,388	10.9				10	7	4	3	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3				8	7	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	
WEXFORD, ...	11,531	22.8				5	7	...	1	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	1	...	
BALLYMENA ...	11,381	9.3				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8				6	4	...	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...	...	
KILKENNY, ...	10,514	11.4				17	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	2	1	...	
TRALEE, ...	10,300	17.4				2	5	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				8	6	1	1	...	...	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	...	1	...	
NEWTOWNARDS	9,587	20.1				4	5	1	2	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	...	...	1	...	...	
QUEENSTOWN,	8,209	14.7				5	7	1	1	...	...	...	...	...	...	...	...	2	2	...	1	...	...	...	...	...	...	1	...	...	
LARNE, ...	8,036	13.4				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	
COLERAINE, ...	7,785	7.7				3	3	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5				6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				2	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
ARMAGH, ...	7,356	21.8				3	3	1	2	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	...

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 11 deaths of persons (including one under one year old admitted to hospital from localities outside the Area; the 11 deaths include one (a child under 2 years) from diarrhoea and enteritis, 2 from pulmonary tuberculosis, and one from cancer. (d) Including one death from cerebro-spinal meningitis for Dublin and 2 from cerebro-spinal fever for Belfast.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 1st of May, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF							
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.												
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2		
Scarlet Fever,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough,		.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2		
Diphtheria,		.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2		
Croup,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza,		1	.	.	.	.	.	.	1	.	.	1	1	.	2	.	6		
Dysentery,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis,	{ Pulmonary,	3	2	2	5	.	1	.	1	2	1	.	.	4	2	.	1		
	{ Other Forms,	.	.	.	1	.	.	.	1	.	.	1	.	.	.	.	3		
Cancer,		1	1	.	.	.	1	.	.	1	.	1	1	3	1	.	10		
Diseases of Nervous System,		1	2	.	3	.	.	.	2	1	2	1	.	1	3	.	16		
" Organs of Special Sense,		.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
" Circulatory System,		.	2	.	4	.	1	.	.	.	3	1	.	1	2	.	15		
" Respiratory System.	{ Pneumonia,	1	2	.	1	.	2	.	1	.	1	.	.	.	.	.	8		
	{ Others,	.	3	.	5	.	.	.	1	3	6	1	.	1	.	1	21		
	{ Diarrhoea and Enteritis, under 2 years,	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	4		
" Digestive System.	{ Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	{ Enteritis, 2 years and upwards,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1		
	{ Others,	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3		
" Genito-urinary System,		.	1	1	.	.	1	.	1	1	.	.	.	.	.	1	6		
Puerperal Septicæmia, etc.,		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1		
Other Causes incident to Pregnancy and Childbirth,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue,		.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	2		
" Locomotor System,		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes,		1	.	.	1	1	.	.	4	.	4	3	.	.	1	1	16		
Violent Deaths,		.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3		
Ill-defined, &c. Causes,		.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	3		
Deaths from All Causes		10	15	4	21	1	6	.	17	12	19	9	2	12	13	2	6		
Annual Rate of Mortality from All Causes in every 1,000 of the population.		17·1	18·8	7·5	30·5	9·4	22·3	.	21·5	34·1	22·5	14·1	10·5	15·8	22·2	11·3	18·5		
		17·9					21·0					17·9							
		19·3																	
Ages at Death.	Under 1 year,	4	3	.	2	1	.	.	8	2	6	3	.	1	2	1	33		
	1 and under 2 years,	.	.	.	.	.	.	.	1	.	1	.	.	1	.	1	4		
	2 " 5 "	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	4		
	5 " 15 "	.	.	.	1	.	.	.	1	.	2	.	.	.	1	.	5		
	15 " 25 "	1	1	.	2	.	1	.	1	1	2	.	.	1	.	1	10		
	25 " 45 "	1	4	2	6	.	.	.	1	3	1	.	.	1	2	.	23		
	45 " 65 "	2	5	1	6	.	5	.	.	4	3	3	1	6	1	.	37		
	65 and upwards,	2	2	1	4	.	.	.	4	2	4	2	1	3	6	1	33		
Number of Uncertified Deaths,		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,		4	3	3	3	.	2	.	3	4	5	1	.	4	2	.	36		
Workhouse Hospitals.		.	3	.	10	.	1	.	4	1	4	3	.	3	.	.	29		





SEVENTEENTH WEEK, ending Saturday, 1st May, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 17th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 1st May, 1915.												
	Apr. 29, 1905.	Apr. 23, 1906.	Apr. 27, 1907.	Apr. 25, 1908.	May 1, 1909.	Apr. 30, 1910.	Apr. 29, 1911.	Apr. 27, 1912.	Apr. 26, 1913.	Apr. 25, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	5	1	4	3	—	2	.	.	.	.	.	.	2	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	6	8	5	2	.	4	4	7	5	3	4.8	5	.	5	.	.	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards.		1	1	.	.	1	1	.	.	1		1	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards		1	1	.	.	2	2	.	.	2		—	1	.	.	.	.	.	.	.	.	1	.	.
Appendicitis and Typhlitis,...	—	—	—	—	—	—	1	1	3	.	—	1	.	.	.	.	.	1	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	.	1	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	.	1	1	2	4	.	2	3	2	1.5	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	.	1	2	2	.	1	.	.	1	.8	1	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	.	1	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	3	6	9	7	5	6	1	1	1	1	4.0	1	.	.	.	.	.	.	1	.	.	.	.	.
Acute Nephritis, ...	4	8	4	3	7	5	6	4	1	.	5.9	1	.	.	.	.	.	.	1	1	.	.	.	.
Chronic Bright's Disease, ...									5	.		3	.	.	.	.	.	1	1	.	.	.		
Urinary Calculi, ...									.	.		.	.	.	.	.	.	.	.	.	.	.		
Uterine Tumour (non-can- cerous).									.	.		.	.	.	.	.	.	.	.	.	.	.		
Ovarian Tumour (non-can- cerous)									.	.		.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Genito- urinary System.									1	.		4	.	.	.	.	1	.	2	1	.	.		
Puerperal Septicæmia, &c.,...	.	.	1	.	.	.	.	.	.	1	.2	1	.	.	.	.	.	1	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	.	.	.	1	.	.2	1	.	.	.	.	.	1	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	3	1	—	2	.	.	.	.	.	.	1	.	1	.	.	
Diseases of Locomotor System,	—	—	—	—	—	—	1	.	3	.	—	.	.	.	.	.	.	.	.	.	.	.	.	
Congenital Malformations,...	—	—	—	—	—	—	2	1	.	1	—	1	.	1	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	1	1	9	1	7	5	5	5	4	7	4.5	6	6	1	.	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	3	3	3	4	—	5	2	3	.	.	.	.	.	.	.	.	.	
Old Age, ...	4	5	9	2	3	4	7	1	6	10	5.1	.	.	.	.	.	.	.	.	.	.	.	.	
Other Specified Diseases, ...	—	—	—	—	—	—	1	3	3	3	—	3	2	.	1	.	.	.	.	.	.	.	.	
ACCIDENT :																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	.	.	3	1	1	1	1	2	1	4	1.4	.	.	.	.	.	.	.	.	.	.	.	.	
Drowning, ...	.	.	1	.	1	2	1	2	.	.	.7	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	.	.	.	.	.	.	2	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	4	1	3	1	2	1	4	2	1	1	2.0	3	.	.	.	.	1	2	.	.	.	.	.	
Total Deaths from Accident,	4	1	7	2	4	4	8	6	2	5	4.3	3	.	.	.	.	1	2	.	.	.	.	.	
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Vehicles and Horses, ...	1	.	2	.	1	.	.	.	.	1	.5	1	.	.	.	.	1	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL:																								
Homicide, ...	.	.	.	.	1	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	1	.	1	.	.	.	1	1	1	.5	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	7	4	5	—	3	.	1	.	.	.	.	1	.	1	.	1	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																										
		Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	
No. of weeks in Annual Series.		45	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	
Births registered.		222	190	209	187	185	195	224	117	236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	
Average Births in corresponding week of previous 10 years, ...		208	200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	
Deaths registered, ...		158	155	152	152	204	190	203	134	283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205	209	160	
Annual Death-rate per 1,000, ...		20.3	19.9	19.9	19.5	26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	28.1	28.6	20.4	
Average Deaths in corresponding week of previous 10 years, ...		167	171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		35	34	26	28	38	57	51	35	87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	
		8	8	11	3	6	7	9	8	12	12	7	3	6	11	4	9	11	9	7	11	6	10	3	7	7	5	
		8	7	6	6	8	9	7	7	10	15	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	
		27	28	35	26	42	31	22	17	33	38	31	31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	
		41	40	42	35	54	50	61	35	65	70	35	35	63	66	56	61	64	80	60	52	31	46	45	54	49	39	
		23	20	19	28	40	19	28	23	42	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	
Deaths from :— Enteric Fever, ... Typhus ... Small-pox, ... Measles, ... Scarlet Fever, ... Whooping-cough, ... Diphtheria, ... Influenza, ... Dysentery, ... Tuberculosis { Pulmonary ... " { Other Forms, ... Cancer, ... Diseases of Circulatory System, ... Diseases of Respi- ( Pneumonia, ... ratory System, { Others, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards ... Violent Deaths, ... Number of Uncertified Deaths, ...		16	18	16	16	16	17	25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	
		3	2	2	1	5	1	1	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 1st May, 1916: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 1ST MAY, 1915.																																									
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).			Population in each Class and Group in 1911.	AGES.								CAUSES OF DEATH												Violence.	Other Causes.	Number of Unspecified Deaths.															
				Under 15 years.						15 and under 25.		25 and under 35.		35 and under 45.		45 and under 55.		55 and under 75.		75 and upwards.		Typhus.	Small-pox.				Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.			Cancer.	Convulsions.	Diseases of the Respiratory System.			Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.
				(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)											(22)	(23)	(24)			(25)	(26)	(27)		
CLASS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)											
	ALL PERSONS.	397,957	—	160	42	5	11	30	39	19	14	.	.	.	2	2	2	.	.	26	3	11	7	8	21	5	.	3	70	1											
I.	DEATHS IN FAMILIES OF THE—			9	.	1	.	.	3	2	3	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.	5	.											
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	32.0		.	1	3	4	7	2	7	.	.	.	.	.	.	.	.	5	.	1	.	2	4	.	.	2	12	.											
III.	MIDDLE CLASS, ...	101,798	13.3	26	1	2	4	7	2	7	1	.	.	.	.	.	1	1	.	5	.	1	1	2	2	.	.	13	1	.											
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	11.5	24	6	1	4	5	6	1	.	.	.	.	.	.	1	.	.	11	2	5	5	6	.	.	.	1	28	.											
V.	GENERAL SERVICE CLASS, ...	167,479	21.5	69	28	1	6	19	11	4	.	.	.	.	2	.	1	.	.	3	1	3	1	1	8	2	.	.	.	.											
	INMATES OF WORKHOUSES, ...	5,602	—	32	7	.	1	3	13	5	3	.	.	.	.	.	.	1	.	3	1	3	1	1	.	.	.	.	12	.											
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																								
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39.8	6	.	1	.	.	3	.	2	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	3	.											
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
	3. Persons of Rank and Property, not otherwise described, ...	5,443	28.7	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.											
II.	MIDDLE CLASS.																																								
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11.0	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.											
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	16.6	8	1	.	2	2	1	2	.	.	.	.	.	.	.	.	.	2	.	1	.	2	.	1	.	4	.												
	6. Clerks and Commercial Assistants, ...	33,249	14.1	9	1	3	1	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	5	.											
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	10.8	7	1	.	.	.	1	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	.	1	2	.											
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																								
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	.	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.											
	9. Building and Furnishing Trades, ...	28,823	3.6	2	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
	10. Clothing Trades, ...	20,026	7.8	3	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.											
	11. Food Supply Trades, ...	8,952	5.8	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
	12. Other Trades and Callings ranking with Trades, ...	32,070	24.4	15	4	.	1	1	4	4	1	.	.	.	.	.	1	.	.	3	.	.	1	.	.	.	.	.	9	1											
IV.	Petty Shopkeepers — GENERAL SERVICE CLASS.	6,772	7.7	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.											
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	52.2	13	4	.	7	2	1	1	.	.	.	.	.	.	.	.	2	.	1	.	1	1	2	1	.	.	6	.											
	15. Domestic Servants, ...	36,041	7.2	5	1	1	1	1	1	1	.	.	.	.	.	.	.	.	1	1	.	1	.	1	1	.	.	.	1	1											
	16. Coach and Car Drivers, Valet, &c., ...	15,380	17.0	5	1	.	1	2	1	.	.	.	.	.	.	.	1	.	.	1	1	2	5	3	.	.	.	.	3	.											
	17. Hawkers, Porters, Labourers, &c., ...	103,081	23.3	46	23	.	4	9	7	8	.	.	.	.	2	.	.	.	7	.	2	2	5	3	.	.	.	1	19	.											
V.	INMATES OF WORKHOUSES, ...																																								
	18. Workhouse inmates, ...	5,602	—	32	7	.	1	3	13	5	3	.	.	.	.	.	.	1	.	3	1	3	1	1	.	.	.	.	12	.											

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 30,504 May, 1	41.0 18.8 35.9 25.6 20.5 17.1	3.4 . . 1.7 1.7 1.7	24 11 21 15 12 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .	. . . . . .	. . . . . .	3 . 5 2 3 3	3 2 2 1 . .	. 1 1 1 . 1	. 2 3 2 1 1	6 1 7 1 1 .	1 . 1 1 1 1	. . . . . .	. . . . . .	
North City, No. 1 (W.) (Office, Summer-hill.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 41,685. May, 1	26.3 25.0 23.8 30.0 26.3 18.8	1.3 5.0 . 1.3 . 1.3	21 20 19 24 21 15	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . 2 . . .	. . . . . .	. . . . . .	. . . . . .	3 4 4 5 3 2	. . . . . .	2 . . . . 1	2 2 1 4 2 2	6 2 1 4 6 2	1 1 1 1 2 1	. . . . . .	. . . . . .	
North City, No. 2. (Office, Lisburn-street.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 27,883. May, 1	20.6 18.7 22.4 39.3 28.1 7.5	. 1.9 1.9 1.9 3.7 .	11 10 12 21 15 4	. 1 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 .	. . . . . .	. . . . . .	. . . . . .	1 2 1 4 3 2	2 . . 1 2 . .	. 1 1 1 . .	2 1 1 1 1 .	4 2 2 3 2 .	. . 1 1 1 .	. . . 1 . .	. . . . 2 .	
North City, No. 3. (Office, Benburb-street.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 35,887. May, 1	24.7 27.6 26.2 26.2 24.7 30.5	. 1.5 2.9 1.5 2.9 .	17 19 18 18 17 21	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 .	. . . . . .	. . . 1 . .	. . . . . .	. 2 1 2 1 1 5	. . 2 . . .	. 1 1 3 3 1 1	4 3 3 3 2 5	3 3 3 3 2 .	. 1 . . . .	. . . . . .	. 1 . . 1 .	
Clontarf and Howth No. 1 (part of).	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 5,539. May, 1	18.2 18.8 28.2 9.4 18.8 9.4	. . . . . .	3 2 3 1 2 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . 1 . . .	. . . . . .	. . . . 1 .	2 . . 1 . .	. . . 1 . .	. . . . . .	. . . . . .	
Coolock and Drumcondra (part of).	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 13,820. May, 1	34.0 11.3 18.9 15.1 15.1 22.6	3.8 . . . . .	9 3 5 4 4 6	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 . . 1 1 1	. . . 1 1 1	. . 1 2 1 1	. . 1 . . 2	1 1 1 . . .	1 . . . . .	. . . . . .	. . . . . .	
Finglas and Glasnevin (part of).	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 10,829. May, 1	14.4 18.9 4.8 19.3 9.6 .	4.8 4.8 . . . .	3 6 1 4 2 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 1 .	. 1 . . . .	. 1 . 1 . .	. . 1 . . .	1 1 . 1 . .	. . . . . .	. . . . . .	. . . . . .	
South City, No. 1. (Office, St. Earl-street.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 41,170. May, 1	35.5 32.9 25.3 19.0 25.3 21.5	6.3 5.1 2.5 2.5 3.8 3.8	28 26 20 15 20 17	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 .	. . . . . .	. . . 1 1 .	. . . . 2 .	4 6 3 3 2 1	1 . 1 1 1 1	1 . . 1 1 1	3 . . . . 6 1	4 5 6 1 6 1	2 1 . . . .	. . . . 1 .	. . . . 1 .	
South City, No. 2. (Office, Castle-street.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 18,341. May, 1	45.5 17.1 48.3 19.9 48.3 34.1	5.7 2.8 5.7 . 11.4 2.8	16 6 17 7 17 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 3 .	. . . . . .	. . . . . .	. . . . . .	5 . 1 1 1 3 2	1 . 1 1 1 . .	. . 1 1 1 .	. . 1 1 2 3	2 1 5 1 1 3	. . . . 1 .	. . . . 1 .	. 1 . . . .	
South City, No. 3. (Office, Peter-street.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 43,970. May, 1	24.9 28.5 28.5 26.1 35.6 22.5	2.4 5.9 2.4 2.4 3.6 .	21 24 24 22 30 19	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 2 3 .	. . . . . .	. . . . . .	. . . . . .	5 4 4 3 6 1	. 1 2 1 2 .	2 1 1 . 2 .	3 1 4 5 3 6	2 6 3 1 2 6	. 1 . . . .	. 1 . . . . .	. . . . 1 .	
South City, No. 4. (Office, Grand Canal-st.)	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 33,171. May, 1	17.3 23.6 20.4 15.7 26.7 14.1	. . . . . .	11 15 13 10 17 9	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 3 2 1 1 .	1 1 . . 1 1	1 3 . 3 3 1	1 1 1 1 3 1	. . 1 1 3 1	. . . . . .	. . 1 1 3 1	. . 1 1 1 .	
New Kilmainham.	March, 27 April, 3 " 10 " 17 Population in 1915 (Est.) 9,948. May, 1	21.0 10.5 15.7 10.5 15.7 10.5	. . 10.5 10.5 . .	4 2 3 2 3 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . 1	. . . . . .	1 . . . . .	2 . 1 . . .	. . 1 . . .	. . . . . .	. . . 1 . .	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea. 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	March, 27 April, 3 " 10 " 17 " 24 May, 1	21.1 19.8 23.7 22.4 23.7 15.8	2.6 . 1.3 . . 1.3	16 15 18 17 18 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	. . . . . .	. . . . . .	1 . 1 2 1 4	. . . . 2 .	. 1 . . . 3	. 1 1 1 3 .	3 5 2 1 1 .	1 . . . . 1 .	. . . . . .	1 . . 1 . . .	2 1 . . 1 .	
Pembroke Urban District. Population in 1915 (Est.) 20,538	March, 27 April, 3 " 10 " 17 " 24 May, 1	27.3 15.4 27.3 34.1 20.5 22.2	3.4 1.7 1.7 1.7 . 1.7	16 9 16 20 12 13	. . . . . .	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . 1	2 . 1 . . 1	. . . . . .	. . . . . .	. 1 1 1 . 2 2	. . 2 . . 1	. 2 2 . 1 .	1 1 2 . . .	1 2 4 1 . .	. . . . . .	. . . . . .	. . . . . 1	1 . . . . . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	March, 27 April, 3 " 10 " 17 " 24 May, 1	16.9 28.2 5.6 5.6 5.6 11.3	. . . . . .	3 5 1 1 1 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. 2 . . . .	. . . . . .	1 . . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	
Kingstown Urban District. Population in 1911 16,941.	March, 27 April, 3 " 10 " 17 " 24 May, 1	21.5 21.5 43.1 24.6 43.1 18.5	. . . 3.1 15.4 6.2	7 7 14 8 14 6	. . . . . .	. . . . . .	. . . . . .	. . . . 1 5 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 . 2 . . 1	. . . . 1 .	1 1 . . . .	. 1 . 2 . . .	. 1 5 . . . .	. . . . . .	. . . . . .	. . . . . 1	. 1 . . . .	
Belfast. Population in 1915 (Est.) 403,000.	March, 27 April, 3 " 10 " 17 " 24 May, 1	21.3 23.3 21.1 21.5 20.3 19.8	1.8 1.7 1.6 1.7 1.6 2.1	165 180 163 166 157 153	. . . 1 . .	. . . . . .	. . . . . .	4 4 6 3 2 7	. . . 1 . 1	3 3 5 5 7 5	1 . . 1 . .	. . . . . .	20 15 17 17 20 23	7 13 7 13 9 8	3 8 6 6 9 9	26 22 21 21 17 17	25 29 23 24 14 14	3 4 1 2 2 2	3 2 1 . 1 1	3 3 3 3 . 3	2 2 3 2 2 2	
Cork. Population in 1911 76,673.	March, 27 April, 3 " 10 " 17 " 24 May, 1	26.5 28.6 19.7 25.8 23.1 17.7	2.7 2.0 0.7 0.7 . 0.7	39 42 29 38 31 26	. 2 . . . .	. . . . . .	. . . . . .	1 . . . . .	3 . . 1 . 1	. . 1 . . .	. . . . . .	5 7 4 7 7 5	. 2 2 1 1 .	. 2 1 1 2 2	4 3 1 4 4 3	5 2 8 2 5 2	. 1 . . . .	. . . . . .	. 1 . . . .	. . 1 . . .	1 5 2 1 . .	
Londonderry. Population in 1915 (Est.) 41,200.	March, 27 April, 3 " 10 " 17 " 24 May, 1	34.2 10.1 15.2 12.7 22.8 24.0	1.3 . . . 2.5 1.3	27 8 12 10 18 19	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 .	. . . . . .	. . . . . .	3 2 3 3 5 2	2 . . . . 2	2 . . . . 1 .	4 2 1 1 2 2	6 1 2 2 2 2	1 . . . . 1 .	. . . . . .	. . . . 1 .	. . . 1 . . .	1 . . . . . .	
Limerick. Population in 1911 38,518.	March, 27 April, 3 " 10 " 17 " 24 May, 1	20.3 13.5 36.6 13.5 16.2 19.0	. . . . . .	15 10 27 10 12 14	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 1 6 1 . .	1 1 . . 1 1	1 . . 2 1 . .	1 . 8 1 3 1	3 4 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 3 1 2 1 1	
Waterford. Population in 1911 27,464.	March, 27 April, 3 " 10 " 17 " 24 May, 1	11.4 26.6 41.8 22.8 15.2 17.1	1.9 . 3.8 5.7 1.9 1.9	6 14 22 12 8 9	. . . . . .	. . . . . .	. . . . . .	. . . 1 1 1 1	. . 2 . . 1	. . . . . .	. . . . . .	1 2 3 2 2 2	. . . . . .	. 1 2 . . .	1 1 2 1 . .	2 2 3 2 2 3	. . . . . .	. . . . . 2	. . . . . .	. . . . . .	. 1 1 1 1 . .	

\* See note (†) at foot of first page.







TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	May 1,	2,268	1,575 <sup>c</sup>	18·2	2	.	121	9	37	12	17	
EDINBURGH, ---	328,700	" 1,	.	.	.	.	.	.	.	.	.	.	
GLASGOW, ---	1,078,400	" 1,	.	.	.	.	.	.	.	.	.	.	
CALCUTTA, ---	896,067	Mar. 13,	.	786	42·7	82*	187	3	.	.	.	133† <sup>a</sup>	
BOMBAY, ---	979,445	" 20,	305	451	23·9	54*	14	2	.	.	.	52† <sup>a</sup>	
MADRAS ---	518,660	" 13,	350	455	45·6	36*	2	.	?	?	?	108 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Feb. 18,	618	412	32·5	9	1	1	.	?	6†	45	
	Foreigners, ...	" 18,	9	16	11·6	.	2	.	.	?	2†	2	
ALEXAN- DRIA, {	Egyptians, ...	" 18,	347	174	26·6	2	.	.	.	?	.	22	
	Foreigners, ...	" 18,	41	16	10·8	1	.	.	.	?	1	1	
PARIS, ---	2,847,229	Mar. 20,	906	1,024	18·4	3	.	52	2	6	2†	20	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	609,082 {	Jan 30,	254	154	13·2	.	.	.	.	2	2†	.	
		Feb. 6,	280	143	12·3	1	.	4	.	2	.	.	
COPENHAGEN, ---	492,000	Apr. 3,	195	116	12·3	.	.	1	1	.	.	3 <sup>a</sup>	
STOCKHOLM, ---	382,085	" 3,	151	115	15·7	.	.	.	1	1	2	4 <sup>a</sup>	
CHRISTIANIA, ---	251,446	" 10,	103	63	13·0	.	.	.	.	.	.	.	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Feb. 27,	.	816	25·1	16	2	14	11	7	18†	48† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,806,532	Apr. 3,	2,537	1,831	16·5	3	.	27	18	11	39†	39	
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	Apr. 10,	.	287 <sup>b</sup>	19·5	.	.	.	1	4	7	2 <sup>a</sup>	

\* Deaths from "fever," including 2 deaths from plague, and 3 from enteric fever in Calcutta; 17 from plague, and 2 from enteric fever in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 80 deaths from cholera in Calcutta, one in Bombay, and one in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 253 deaths (including 6 from diphtheria); rate, 17·2 per thousand.

<sup>c</sup> Including 5 deaths from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st May, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	1	.	.	1	.	.	1	.	.	.	.	2	5
„ „ 1, West,	...	2	.	.	2	.	.	.	1	.	.	.	5	10
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3,	...	.	.	.	.	.	.	.	.	.	.	.	3	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	2	.	.	.	.	.	.	.	1	3
South City No. 1,	...	1	.	.	3	.	.	.	.	.	.	.	3	7
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	5	5
„ „ 3,	...	4	.	.	.	.	.	.	.	.	.	.	1	5
„ „ 4,	...	.	.	.	.	.	.	.	1	.	.	.	.	1
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	...	10	.	.	8	.	.	1	2	.	.	.	24	45

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st May, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st May			
	April 10.	April 17.	April 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	29	34	30	1	3	.	28
Typhus,	4	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	14	23	26	11	2	.	35
Scarlet Fever,	77	65	64	5	2	.	67*
Diphtheria,	24	24	26	8	6	3	25
Pneumonia,	16	16	17	7	4	2	18

\* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
DUBLIN REGISTRATION AREA,  
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN  
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:  
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.  
By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

*Price 1½d.*

Vol. LII.]

WEEK ENDING SATURDAY, 8TH MAY, 1915.

[No. 18.]

*General Register Office, Charlemont House,  
Dublin, 10th May, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 19·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 17	April 24	May 1	May 8	
<b>27 Town Districts, (a)</b>	<b>22·1</b>	<b>22·4</b>	<b>19·1</b>	<b>19·9</b>	<b>20·9</b>
Dublin Reg. Area ...	24·1	26·1	19·0	23·7	23·2
Dublin City ...	23·8	26·7	19·3	25·0	23·7
Belfast ...	21·5	20·3	19·8	16·7	19·6
Cork ...	25·8	23·1	17·7	20·4	21·7
Londonderry ...	12·7	22·8	24·0	15·2	18·7
Limerick ...	13·5	16·2	19·0	23·0	17·9
Waterford ...	22·8	15·2	17·1	13·3	17·1

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·5 per 1,000. Among the 129 deaths from all causes for Belfast are 8 from measles, 2 from whooping-cough, 2 from diarrhoea and enteritis of children under 2 years, and 4 from cerebro-spinal fever. Included in the 12 deaths from all causes for Londonderry are one from whooping-cough and 2 from diarrhoeal diseases. One of the 7 deaths from all causes for Waterford is from scarlet fever. Of the 9 deaths from all causes for Dundalk one is from whooping-cough, and one death from measles is included in the 7 deaths from all causes for Newtownards.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 206—109 boys and 97 girls—and the deaths to 205—107 males and 98 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 19) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 23·7 per 1,000 of the population. During the eighteen weeks, ending with Saturday last, the death-rate averaged 28·0, and was 3·6 above the mean rate for the corresponding portions of the ten years, 1905—1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 205, represent an annual rate of 26·1 per 1,000; the annual rate for the past eighteen weeks was 29·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·7 per 1,000 of the mean population for all deaths registered.

Of the total deaths registered 2\* were from enteric fever, one from measles, 5 from whooping-cough, 3 from diphtheria, and 6 deaths of children under 2 years of age from diarrhoea and enteritis.

Deaths from enteric fever in the three preceding weeks were 0, 0, and 0; deaths from measles were one, 6, and 2; deaths from whooping-cough were 4, 11, and 2; deaths from diphtheria were one, one, and 2; and deaths from diarrhoea and enteritis of children under 2 years of age were 3, 2, and 5, respectively.

There were 46\* deaths from tuberculous disease, as against 40, 38, and 29, respectively, in the three weeks preceding. Of the 46 deaths, 36 were from pulmonary tuberculosis, 8 from tuberculous meningitis, and 2 from abdominal tuberculosis.

Seventeen\* deaths from cancer were registered.

The 12 deaths from pneumonia, include 2 from broncho-pneumonia, one from lobar pneumonia, and 9 from pneumonia (type not distinguished.)

Three deaths of infants under one year of age were assigned to convulsions, 5 to prematurity, and 2 to congenital debility.

There were 16 deaths from organic diseases of the heart, and 19 from bronchitis.

Of 5 deaths ascribed to accidental causes, 2 resulted from drowning, and one was caused by a motor car.

One death (that of a soldier) was caused by wounds received in battle.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 75 years.

Fifty of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 14 were under one month old), and 46 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

One hundred and two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, 24 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 28·7 per 1,000; the rate in the City was 25·0 (North City Districts, 25·4; South, 24·5), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·0 per 1,000 inhabitants, the rate for the City being 2·2 (in the North City Districts 1·9, and in the South 2·5), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·4 per 1,000, and include one death from whooping-cough, 3 from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, 2 (children under 2 years of age) from diarrhoea and enteritis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 25·0 per 1,000. Among them are 4 from tuberculous disease, one from bronchitis, one of a child under 2 years from diarrhoea and enteritis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (20) are equivalent to an annual rate of 37·4 per 1,000. Eight deaths were caused by tuberculous disease, one by pneumonia, and 2 by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 18·9 per 1,000. Included in this number are 4 deaths from tuberculous disease, 2 from pneumonia, 2 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·6; and Finglas and Glasnevin, part of, 24·1. The only death recorded for Clontarf and Howth, No. 1, part of, was caused by bronchitis; and one death from diphtheria is included among the 5 deaths from all causes for Finglas and Glasnevin, part of.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·3 per 1,000. Five of these deaths were caused by tuberculous disease, 2 by pneumonia, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Among them are 3 deaths from whooping-cough, one from diphtheria, 2 from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 26·1 per 1,000. One death from diphtheria, 5 from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, and one accidental death were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Five deaths were caused by pulmonary tuberculosis, one by pneumonia, and one by bronchitis.

*New Kilmainham District.*—The deaths (7) are equal to an annual rate of 36·7 per 1,000, and include one death from enteric fever, one from tuberculous meningitis, and one from pneumonia.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·1; Pembroke, 15·4; Blackrock, 11·3; and Kingstown, 27·7. The deaths from the principal epidemic diseases tabulated for these districts comprise one death of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar; one from whooping-cough for Pembroke, and one from measles for Kingstown. The 16 deaths from all causes for Rathmines and Rathgar include 3 from pulmonary tuberculosis, one from pneumonia, and one from bronchitis; the 2 deaths recorded for Blackrock were caused by bronchitis; and 2 deaths from the same disease are included in the 9 deaths from all causes for Kingstown.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·0), was equal to an average annual death-rate of 15·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·1 per 1,000, the rate for Glasgow being 18·4, and for Edinburgh 20·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 8th May. From this Report it appears that of a total of 41 cases notified, 13 were scarlet fever, 12 pulmonary tuberculosis, 7 other forms of tuberculosis, 5 diphtheria, 3 erysipelas, and one cerebro-spinal fever. Among the 474 cases of infectious diseases in hospital at the close of the week were 181 of pulmonary tuberculosis, 139 of scarlet fever, 52 of whooping-cough, 43 of diphtheria, 23 of measles, 8 of erysipelas, 7 of cerebro-spinal fever, 3 of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 8th May, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	April. 17.	.	—	—	8	.	.	5	.	.	4	7	.	—	—	1	—	.	26	51
	April. 24.	.	—	—	3	.	.	6	.	.	5	8	1	—	—	—	—	.	31	54
	May. 1.	.	—	—	10	.	.	8	.	.	1	12	.	—	—	.	—	.	24	45
	May. 8.	.	—	—	4	.	.	9	.	2	.	1	.	—	—	.	—	.	26	42
Rathmines and Rathgar Urban District.	April. 17.	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24.	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May. 1.	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	May. 8.	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
Pembroke* Urban District.	April. 17.	.	3	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	4
	April. 24.	.	5	.	3	.	.	.	.	.	1	1	.	—	16	—	—	—	1	27
	May. 1.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	May. 8.	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	—	.	9
Blackrock Urban District.	April. 17.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	May. 1.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	May. 8.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	April. 24.	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
	May. 1.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	.	3
	May. 8.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast.	April. 17.	.	—	—	19	.	.	2	.	.	.	.	.	—	—	4	—	.	6	31
	April. 24.	.	—	—	20	.	.	1	.	.	1	2	1	—	—	2	—	.	5	32
	May. 1.	.	—	—	22	.	.	2	.	.	.	1	1	—	—	5	—	.	7	38
	May. 8.	.	—	—	20	.	.	1	.	.	.	.	.	—	—	5	—	.	8	34
City of Cork.	April. 17.	.	1	—	6	.	.	.	.	.	.	3	.	—	—	—	—	—	—	10
	April. 24.	.	2	—	6	.	.	1	.	.	1	.	.	—	—	—	—	—	—	10
	May. 1.	.	.	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3a
	May. 8.	.	1	—	1	.	.	.	.	.	1	2	.	—	—	—	—	—	—	5a
City of Londonderry.	April. 17.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	April. 24.	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	May. 1.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	May. 8.	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	April. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	April. 24.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	May. 1.	.	—	—	.	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	May. 8.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	April. 17.	.	—	—	14	.	.	1	.	.	.	.	.	—	—	—	—	—	2	15
	April. 24.	.	—	—	8	.	.	1	.	.	.	.	.	—	—	—	—	—	2	11
	May. 1.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4
	May. 8.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3

\* One case of cerebro-spinal fever was reported during week ended 1st May.

(a) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 8th May, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 30, and 28.

Six cases of measles were admitted to hospital during the week, 14 were discharged, and 27 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 23, 26, and 35 respectively.

Four cases of scarlet fever were admitted to hospital, 10 were discharged, and 61\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 65, 64, and 67, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 8 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 24, 26, and 25 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 3 were discharged, there was one death and 19 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 8th May, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 8TH MAY, 1915.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.				DEATHS.		BIRTHS.										DEATHS.											
		Total.(a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by		Tuber-culosis.	Diseases of the Respiratory System.		Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
																			Pulmonary.	Other Forms.		Cancer.	Pneumonia.						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	25.5	19.9	1.5	592	463	76	109	1	...	...	10	1	9	3	...	75	18	30	29	47	9	1	6	15	137	15	
DUBLIN REGISTRATION AREA:—TOTAL, (c.) ...	409,000	29.8	26.3	23.7	2.0	206	186	30	45	1	...	...	1	...	5	3	...	31	9	15	11	20	6	...	3	5	83	4	
CITY OF DUBLIN, ...	312,747	39.5	30.2	25.0	2.2	181	150	22	31	1	...	...	...	...	4	3	...	28	9	13	10	14	5	...	3	5	69	4	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	15.8	21.1	1.3	12	16	5	6	...	...	...	...	...	...	...	...	3	...	...	1	1	1	...	...	...	4	...	
PEMBROKE, ...	30,538	19.4	13.7	15.4	1.7	8	9	2	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	5	...	
BLACKROCK, ...	9,233	8.5	5.6	11.3	.	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	
KINGSTOWN, ...	16,941	11.6	12.3	27.7	3.1	4	9	...	6	...	...	...	1	...	...	...	...	...	...	1	...	3	...	...	...	...	4	...	
Urban Districts																													
BELFAST, ...	403,000	27.0	21.6	16.7	1.6	167	129(d)	18	21	...	...	...	8	...	2	...	...	22	5	10	12	10	2	.	2	4	25	1	
CORK, ...	76,673	28.6	26.5	20.4	.	39	30	6	5	...	...	...	...	...	...	...	...	10	...	1	4	2	...	...	...	3	11	...	
LONDON-DERRY, ...	41,200	16.0	27.8	15.2	3.8	22	12	4	4	...	...	...	...	...	1	...	...	...	...	1	...	2	1	1	...	...	...	...	
LIMERICK, ...	38,518	16.1	14.9	23.0	.	11	17	5	3	...	...	...	...	...	...	...	...	...	1	...	...	4	...	...	...	...	1	3	
WATERFORD, ...	27,464	19.1	22.8	13.3	1.9	12	7	...	4	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	2	1	
GALWAY, ...	13,255	2.5	...	...	...	16	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	
DUNDALK, ...	13,128	9.5	...	...	...	5	9	...	4	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7	...	...	...	10	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4	...	...	...	9	6	1	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	
LISBURN, ...	12,388	10.9	...	...	...	12	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0	...	...	...	6	6	...	3	...	...	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	1	...	
PORTADOWN, ...	11,727	15.3	...	...	...	8	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8	...	...	...	3	10	2	6	...	...	...	...	...	...	...	...	2	...	1	...	3	...	...	...	...	3	4	
BALLYMENA, ...	11,381	9.3	...	...	...	11	4	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...	
SLIGO, ...	11,163	3.8	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4	...	...	...	4	3	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	2	...	
TRALEE, ...	10,300	17.4	...	...	...	11	5	...	2	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8	...	...	...	3	4	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	
NEWTOWNARDS, ...	9,587	20.1	...	...	...	10	7	4	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	3	1	
QUEENSTOWN, ...	8,209	14.7	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4	...	...	...	3	4	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	...	...	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
BANGOR, ...	7,776	8.5	...	...	...	5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2	...	...	...	3	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 19 deaths of persons (including one at 65 years of age) admitted to hospital from localities outside the Area: the 19 deaths include one from enteric fever, 6 from tuberculous disease, 2 from cancer, and one from pneumonia. (d) Including 4 deaths from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 8th of May, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																
CITY OF DUBLIN.																
REGISTRATION DISTRICTS IN																
NAMES OF DISEASES &c.	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.				URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLOUTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Whooping-cough,	1	.	.	.	.	.	.	3	.	.	.	.	.	1	.	5
Diphtheria,	.	.	.	.	.	.	1	1	1	.	.	.	.	.	.	3
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	3	2	5	3	.	.	.	3	2	5	5	1	3	.	.	31
Other Forms,	.	2	3	1	.	.	.	2	.	.	.	1	.	.	.	9
Cancer,	.	.	.	3	.	.	.	2	.	3	3	2	.	1	.	15
Diseases of Nervous System,	1	5	4	.	.	1	.	1	.	1	1	2	3	1	.	22
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	2	3	2	.	.	2	.	.	.	1	.	.	3	2	.	16
Respiratory System, { Pneumonia,	1	.	1	2	.	.	.	2	1	1	1	1	1	.	.	11
Others,	1	1	2	2	1	.	.	1	1	4	1	.	1	.	2	20
Diarrhoea and Enteritis, under 2 years,	2	1	.	1	.	.	.	1	.	.	.	.	1	.	.	6
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Others,	.	1	1	.	.	1	.	1	2	.	.	.	.	1	.	7
Genito-urinary System,	.	1	1	.	.	.	.	.	.	1	.	.	.	2	.	5
Puerperal Septicæmia, etc.,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	3	2	.	1	.	.	3	3	1	3	2	.	2	1	.	21
Violent Deaths,	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3
Ill-defined, &c. Causes,	1	1	1	.	.	1	.	.	.	1	.	.	2	.	.	8
Deaths from All Causes	16	20	20	13	1	6	5	16	11	22	13	7	16	9	2	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	27.4	25.0	37.4	18.9	9.4	22.6	24.1	20.3	31.3	26.1	20.4	36.7	21.1	15.4	11.3	27.7
	25.4					24.5					19.5					23.7
	25.0															
Ages at Death, { Under 1 year,	5	1	1	2	.	.	2	4	2	1	2	2	5	2	1	30
1 and under 2 years,	1	1	2	1	.	.	1	2	1	1	.	.	.	.	1	9
2 " 5 "	.	.	2	1	.	.	.	.	2	3	1	.	.	1	.	11
5 " 15 "	1	2	1	1	.	.	.	.	.	1	1	1	.	.	.	8
15 " 25 "	.	.	3	.	.	.	.	1	.	1	1	1	1	.	.	8
25 " 45 "	3	7	4	2	1	1	1	5	1	3	3	2	.	.	1	33
45 " 65 "	4	4	5	4	1	3	.	1	2	4	4	.	4	4	1	42
65 and upwards,	2	5	2	3	.	2	1	3	3	8	1	1	6	2	.	45
Number of Uncertified Deaths,	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	4
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																
Public Hospitals, Prisons, and Lunatic Asylums,	2	5	4	4	.	.	1	3	2	5	2	4	2	5	1	41
Workhouse Hospitals.	1	5	7	1	.	1	.	6	2	8	4	2	2	.	3	42
																18





EIGHTEENTH WEEK, ending Saturday, 8th May, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 18th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 8th May, 1915.														
	May 6, 1905.	May 5, 1906.	May 4, 1907.	May 2, 1908.	May 8, 1909.	May 7, 1910.	May 6, 1911.	May 4, 1912.	May 3, 1913.	May 2, 1914.		All Ages.	Deaths of Persons of the Ages of													
													Under 1 month.	1 month and under a year.	0-5.									65-75.	75 and upwards.	
															1-2.	2-5.	5-15.	15-25.	25-45.	45-65.						
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.			
Diseases of Stomach, ...	—	—	—	—	—	—	3	2	4	3	3	—	4	.	1	1	.	.	.	.	.	1	1			
Diarrhoea and Enteritis of Children under 2 years.	} 2	.	7	5	2	7	} 2	4	4	3	} 4.6	} 6	.	4	2	.	.	.	.	.	.	.	.			
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		—	—	—	—	—		—	2	.			1	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.			
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	3	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.			
Cirrhosis of Liver, ...	2	4	2	1	1	2	.	.	1	2	1.5	1	.	.	.	.	.	1	.	.	.	.	.			
Other Diseases of Liver, ...	1	2	1	1	2	4	.	1	.	1	1.3	1	.	.	.	.	.	.	.	1	.	.	.			
Peritonitis (cause unknown),	.	1	.	.	.	2	.	.	.	.	3.3	1	.	.	.	.	.	.	1	.	.	.	.			
Other Diseases of Digestive System.	4	5	4	6	8	1	1	2	1	.	3.2	1	.	.	.	.	.	1	.	.	.	.	.			
Acute Nephritis, ...	} 3	.	.	.	.	.	.	.	.	.	.	} 6.6	} 3	.	.	.	2	.	1	.	.	.	.			
Chronic Bright's Disease, ...		.	.	.	.	.	.	1	.	1	.			3	.	.	.	.	.	.	.	2	1	.	.	
Urinary Calculi, ...		.	.	.	.	.	.	.	.	.	.			.	1	.	.	.	.	.	.	.	.	1	.	.
Uterine Tumour (non-can- cerous).		8	8	6	7	5	3	.	.	.	.			.	.	.	.	.	.	.	.	.	.	1	.	.
Ovarian Tumour (non-can- cerous)		.	.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.			
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	1	2	1	.	.	.	.	.	1	.	.	.	.	.			
Other Causes incident to Pregnancy and Childbirth.	2	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.			
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	4	1	.	—	1	.	.	.	.	.	.	.	.	1	.	.			
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	1	—	.	.	.	.	.	.	.	.	.	.	.	.			
Premature Birth, ...	2	2	3	3	6	2	2	6	6	5	3.7	5	5	.	.	.	.	.	.	.	.	.	.			
Congenital Debility, ...	—	—	—	—	—	—	6	2	2	3	—	2	1	1	.	.	.	.	.	.	.	.	.			
Old Age, ...	3	5	5	3	2	3	4	4	7	12	4.8	5	.	.	.	.	.	.	.	.	2	3	.			
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	2	1	—	5	5	.	.	.	.	.	.	.	.	.	.			
ACCIDENT:																										
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Burns and Scalds, ...	.	1	1	2	2	2	2	1	.	.	1.1	.	.	.	.	.	.	.	.	.	.	.	.			
Drowning, ...	.	.	.	.	.	1	.	.	1	.	2	2	.	.	.	.	.	1	1	.	.	.	.			
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Other Deaths by Accident, ...	2	2	6	1	2	3	1	2	1	3	2.3	3	.	.	.	.	1	1	1	.	.	.	.			
Total Deaths from Accident,	2	3	7	3	4	6	3	4	2	3	3.7	5	.	.	.	.	1	2	2	.	.	.	.			
Included in above are Deaths in connection with—																										
Railways, ...	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Vehicles and Horses, ...	1	.	2	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	1	.	.	.	.			
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.			
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
VIOLENCE OTHER THAN ACCIDENTAL:																										
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	10	4	2	—	8	.	.	.	.	.	.	2	4	2	.	.			

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.
No. of weeks in Annual Series.		46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
Births registered.		190	209	187	185	195	224	117	236	232	259	185	238	236	209	225	231	206	220	238	218	196	218	236	232	231	206
Average Births in corresponding week of previous 10 years, ...		200	182	214	186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268
Deaths registered, ...		155	155	152	204	190	203	134	283	297	241	233	249	284	236	256	287	272	249	201	228	194	219	205	209	160	205
Annual Death-rate per 1,000, ...		19.9	19.9	19.5	26.2	24.4	26.1	17.2	38.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1
Average Deaths in corresponding week of previous 10 years, ...		171	167	174	177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175
Ages, { Under 5 years, ...		34	26	38	38	57	51	35	87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50
5-15 " ...		8	11	3	6	7	9	8	12	7	3	6	11	4	9	11	9	7	11	6	10	3	7	7	5	5	9
15-25 " ...		7	6	6	8	8	7	10	15	15	11	11	8	8	9	17	17	8	9	9	13	12	15	14	11	12	11
25-45 " ...		28	35	26	42	31	22	17	33	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35	84	30	40
45-65 " ...		40	42	35	54	50	61	35	65	70	35	63	66	56	61	61	80	60	52	31	46	45	54	45	49	39	48
65-75 " ...		20	19	28	40	19	28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31
75 and upwards, ...		18	16	16	16	17	25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15
Deaths from :—		2	2	1	5	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		22	20	16	30	23	26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	28	26	36
Cancer, ...		7	5	6	8	6	5	5	7	10	10	5	8	13	7	5	10	9	7	6	9	5	9	9	12	3	10
Diseases of Circulatory System, ...		15	9	17	12	10	7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17
Diseases of Respi- { Pneumonia, ...		19	21	13	23	17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18
ratory System, { Others, ...		12	9	7	15	23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12
Diarrhoea and Enteritis, under 2 years, ...		18	23	23	20	24	25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21
Diarrhoea, 2 years and upwards		6	7	3	4	10	6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6
Violent Deaths, ...		3	7	7	1	5	9	3	2	2	4	4	8	4	4	11	5	5	8	11	7	4	5	7	1	3	5
Number of Uncertified Deaths, ...		4	3	4	4	8	4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITIONS of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 8th May, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		Population in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.		AGES.														CAUSES OF DEATH											
										AGES.								DISEASES OF THE RESPIRATORY SYSTEM						OTHER CAUSES.											
										Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
		COOLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)				
<b>ALL PERSONS.</b>			397,957	—	205	50	9	12	40	48	31	15	2									17	4	12	21	6		5	83	4					
<b>CLASSES.</b>																																			
I.	Deaths in Families of the—																																		
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...		14,658	28.5	8	8	2	2	7	13	7	6	1	2								3								5					
III.	MIDDLE CLASS, ...		101,798	23.0	45	8	2	2	7	13	7	6	1	2								5								1	21	2			
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...		108,420	19.2	40	6	2	4	6	13	6	3	1	3								1								1	20	2			
V.	GENERAL SERVICE CLASS, ...		167,479	21.5	69	32	3	5	13	9	6	1	1									4	4	5	6					3	23				
	INMATES OF WORKHOUSES, ...		5,602	—	43	4	2	1	13	9	11	3										12	1	4		1	8	2		14					
I.	PROFESSIONAL AND INDEPENDENT CLASS.																																		
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...		7,868	33.1	5				1	1	1	2																			5				
	2. Merchants and Manufacturers, Higher Class		1,347	38.7	1					1																									
	3. Persons of Rank and Property, not otherwise described, ...		5,443	19.2	2					2																									
II.	MIDDLE CLASS.																																		
	4. General Body of Officials—Civil Service, Banking, &c., ...		9,523	32.9	6	1			2	1		2										2									4	1			
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...		25,199	18.6	9	3			1	2	1	2																							
	6. Clerks and Commercial Assistants, ...		33,249	18.8	12	3	1	1	2	4	1	1																				5	1		
III.	Miscellaneous—including all Householders in Second Class Localities not included in above, ...		33,827	27.7	18	1	1	1	2	6	6	1	1																						
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																		
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...		11,777	13.3	3	2				1																									
	9. Building and Furnishing Trades, ...		28,823	23.5	13	2	1	2	3	3	1	1																				3			
	10. Clothing Trades, ...		20,026	13.0	5	1		1	1	1	3																								
	11. Food Supply Trades		8,952	23.3	4	1																													
	12. Other Trades and Callings ranking with Trades, ...		32,070	21.1	13		1	1	2	6	2	1																							
IV.	Petty Shopkeepers		6,772	15.4	2					2																									
	GENERAL SERVICE CLASS.																																		
	14. Army, Police, Postal Delivery and Prison Services, &c., ...		12,977	52.2	13	8	1	1	2				1									1									1	5	1		
	15. Domestic Servants, ...		36,041	5.8	4	1		1	1		1																					1			
	16. Coach and Car Drivers, Vanmen, &c., ...		15,380	17.0	5	2				3																									
	17. Hawkers, Porters, Labourers, &c., ...		103,081	23.8	47	21	2	3	10	6	4	1										7	4	2	2	3	5	2			2	16	1		
V.	INMATES OF WORKHOUSES.																																		
	18. Workhouse Inmates, ...		5,602	—	43	4	2	1	13	9	11	3										12	1	4		1	8	2				14			

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	April, 3 " 10 " 17 " 24	18.8 35.9 25.6 20.5	. . . 1.7 1.7	11 21 15 12	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	5 2 3 3	2 1 . . . .	1 1 1 1	2 2 1 1	1 1 1 1	. 1 1 1	. . . . . . .	. . . . . 1		
Population in 1915 (Est.) 30,504.	May, 1 " 8	17.1 27.4	1.7 5.1	10 16	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1	3 . . . . 3	. . . . . . .	. . . 1 . .	1 1 2 1	1 1 2 1	2 1 1 1	. . . . . . .	. . . . . 1		
North City, No. 1 (W.) (Office, Summer-hill.)	April, 3 " 10 " 17 " 24	25.0 23.8 30.0 26.3	5.0 . . 1.3 . .	20 19 24 21	. . . . . . .	1 . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	2 . . . . . .	. . . . . . .	. . . . . . .	4 4 5 3	. . . . . . .	. . . . . . .	2 1 4 2	2 4 6 2	1 1 1 3	. . . . . . .	. . . . . . .		
Population in 1915 (Est.) 41,685.	May, 1 " 8	18.8 25.0	1.3 1.3	15 20	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 2 2 2	. . . 1 2	. . . 2 . .	2 2 3 1	3 1 2 1	1 1 1 1	. . . . . . .	. . . 1 1		
North City, No. 2. (Office, Lisburn-street.)	April, 3 " 10 " 17 " 24	18.7 22.4 39.3 28.1	1.9 1.9 1.9 3.7	10 12 21 15	1 . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 2	. . . . . . .	. . . . . . .	2 1 4 3	. 1 1 2	1 1 1 . .	1 1 1 1	2 2 3 2	1 1 1 . .	. . . 1 . .	. 2 1 1		
Population in 1915 (Est.) 27,883.	May, 1 " 8	7.5 37.4	. . .	4 20	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 5 3 5	. . . . . 3	. . . . . 1	1 1 1 2	2 2 2 2	. . . . . . .	. . . . . . .	. 2 1 . .		
North City, No. 3. (Office, Benburb-street.)	April, 3 " 10 " 17 " 24	27.6 26.2 26.2 24.7	1.5 2.9 1.5 2.9	19 18 18 17	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 2	. . . . . 2	. . . 1 . .	2 1 1 5	. . . 1 1	. . . . . . .	1 3 3 1	3 3 2 5	1 . . . . 5	. . . . . . .	. 1 . . . .		
Population in 1915 (Est.) 35,887.	May, 1 " 8	50.5 18.9	. 1.5	21 13	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3 1 3 3	. 1 3 1	. . . 3 2	2 2 2 2	2 2 2 2	1 . . . . 1	. . . . . . .	. . . . . 1		
Clontarf and Howth No. 1 (part of).	April, 3 " 10 " 17 " 24	18.8 28.2 9.4 18.8	. . . . . . .	2 3 1 2	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . . .	. . . 1 . .	. . . . . . .	. . . 1 . .	. . . 1 . .	. . . 1 . .	. . . . . . .	. . . . . . .		
Population in 1915 (Est.) 5,539.	May, 1 " 8	9.4 9.4	. . .	1 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .	. . .		
Coolock and Drumcondra (part of).	April, 3 " 10 " 17 " 24	11.3 18.9 15.1 15.1	. . . . . . .	3 5 4 4	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. 1 1 1	. 1 1 1	1 2 1 2	1 . . . . 2	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . . .		
Population in 1915 (Est.) 13,820.	May, 1 " 8	22.6 22.6	. . .	6 6	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 . . . . . .	. . . 1 . .	. . . 1 . .	. . . 2 . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .		
Finglas and Glasnevin (part of).	April, 3 " 10 " 17 " 24	28.9 4.8 19.3 9.6	4.8 . . . . . .	6 1 4 2	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . . .	. . . . . . .	. . . . . . .	. . . 1 . .	1 . . 1 . .	. . . 1 . .	. . . 1 . .	1 . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .		
Population in 1915 (Est.) 10,829.	May, 1 " 8	24.1	4.8	5	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .		
South City, No. 1. (Office, Sth. Earl-street.)	April, 3 " 10 " 17 " 24	32.9 25.3 19.0 25.3	5.1 2.5 2.5 3.8	26 20 15 20	. 1 . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	3 1 2 1	. . . . . 1	6 3 3 2	. 1 1 1	. 1 1 1	. . . . . 6	5 6 1 1	1 . . . . . .	. . . . . 1			
Population in 1915 (Est.) 41,170.	May, 1 " 8	21.5 20.3	3.8 1.3	17 16	. . .	. . .	. . .	. . .	. . .	. . .	. 1	2 . .	1 3	1 2	1 2	1 2	1 2	1 1	1 1	. . .		
South City, No. 2. (Office, Castle-street.)	April, 3 " 10 " 17 " 24	17.1 48.3 19.9 48.3	2.8 5.7 . . 11.4	6 17 7 17	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 2 . . 3	. . . . . . .	. 1 1 3	. 1 1 . .	. 1 1 1	1 1 2 1	. 5 1 1	. . . . . 1	. . . . . . .			
Population in 1915 (Est.) 18,341.	May, 1 " 8	34.1 31.3	2.8 11.4	12 11	. . .	. . .	. . .	. . .	. . .	. . .	. 2 3	. 1 1	2 2	. . . . .	1 . . . .	. . . 1	3 1 1	1 1 1	. . . . .	. . . . .		
South City, No. 3. (Office, Peter-street.)	April, 3 " 10 " 17 " 24	28.5 28.5 26.1 35.6	5.9 2.4 2.4 3.6	24 24 22 30	. 1 . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	4 1 2 3	. 1 2 6	1 2 2 2	. 1 1 2	1 4 5 3	6 3 1 2	1 . . . . 6	. . . . . . .			
Population in 1915 (Est.) 43,970.	May, 1 " 8	22.5 26.1	. 1.2	19 22	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1	1 5	. . . 3	. . . 3	2 1 1	2 4 4	. . . 4	. . . . .	. . . . .		
South City, No. 4. (Office, Grand Canal-st.)	April, 3 " 10 " 17 " 24	23.6 20.4 15.7 26.7	. . . . . . .	15 13 10 17	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	3 2 1 1	1 . . . . 1	1 . . 1 1	3 3 3 3	1 1 1 1	. . . . . . .	. . . 1 1			
Population in 1915 (Est.) 33,171.	May, 1 " 8	14.1 20.4	. . .	9 13	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 5	. . . 3	1 1 3	1 1 1	1 1 1	. . . . .	. . . . .	. . . . .		
New Kilmainham.	April, 3 " 10 " 17 " 24	10.5 15.7 10.5 15.7	. . . . . 10.5	2 3 2 3	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . 1 1	. . . 1 1	. . . . . . .	. . . 1 . .		
Population in 1915 (Est.) 9,948.	May, 1 " 8	10.5 36.7	. 5.2	2 7	. 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1 2	. 1 1	. 1 1	. . . . .	. . . . .	. . . . .	. . . . .		

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN INFECTIOUS DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	April, 3 " 10 " 17 " 24	19.8 23.7 22.4 23.7	. 1.3 . .	15 18 17 18	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	. 1 1 2 3	. . . 2	1 . . 3	1 1 1 3	3 5 2 1	. . . .	. . . .	. . 1 .	
Population in 1915 (Est.) 39,541.	May, 1 " 8	15.8 21.1	1.3 1.3	12 16	. .	. .	. .	. .	. .	. .	. .	. .	4 3	. .	3 .	1 1	1 1	1 .	. .	. .	
Pembroke Urban District.	April, 3 " 10 " 17 " 24	15.4 27.3 34.1 20.5	1.7 1.7 1.7 .	9 16 20 12	. . . .	. . . .	. . . .	. . . .	1 . 1 .	. 1 . .	. . . .	. . . .	1 1 1 2	. 2 . .	2 2 1 1	1 2 . .	. 2 4 1	. . . .	. . . .	. . 1 .	
Population in 1915 (Est.) 30,538	May, 1 " 8	22.2 15.4	1.7 1.7	13 9	. .	. .	. .	. .	. .	1 1	. .	. .	2 .	. .	1 .	. .	. .	. .	. .	. .	
Blackrock Urban District.	April, 3 " 10 " 17 " 24	28.2 5.6 5.6 5.6	. . . .	5 1 1 1	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . 1	. . . .	2 . . .	. . . .	. . . .	. . . .	. . . .	. . . .	
Population in 1915 (Est.) 9,233.	May, 1 " 8	11.3 11.3	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 2	. .	. .	1 .	
Kingstown Urban District.	April, 3 " 10 " 17 " 24	21.5 43.1 24.6 43.1	. . . .	7 14 8 14	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 2 . . .	. . . 1	1 . . .	1 . 2 .	1 5 . .	. . . .	. . . .	. . . .	
Population in 1911 16,941.	May, 1 " 8	18.5 27.7	6.2 3.1	6 9	. .	. .	. .	2 1	. .	. .	. .	. .	1 .	. .	1 .	. .	3 .	. .	. .	1 .	
Belfast.	April, 3 " 10 " 17 " 24	23.3 21.1 21.5 20.3	1.7 1.6 1.7 1.6	180 163 166 157	. . 1 .	. . . .	. . . .	4 6 3 2	. . 1 .	3 5 5 7	. . 1 .	. . . .	15 17 17 20	13 7 13 9	8 6 6 9	22 21 21 17	29 23 24 14	4 1 2 2	2 . . 1	3 1 3 .	
Population in 1915 (Est.) 403,000.	May, 1 " 8	19.8 16.7	2.1 1.6	153 129	. .	. .	. .	7 8	1 .	5 2	5 2	. .	23 22	8 5	9 10	9 12	17 10	14 10	2 2	1 2	
Cork.	April, 3 " 10 " 17 " 24	28.6 19.7 25.8 23.1	2.0 0.7 0.7 .	42 29 38 31	2 . . .	. . . .	. . . .	. . . .	. . . .	. 1 . .	. . . .	. . . .	7 4 7 7	2 2 1 1	2 1 1 2	3 1 4 4	2 8 5 2	1 . . .	. . . .	. 1 . .	
Population in 1911 76,673.	May, 1 " 8	17.7 20.4	0.7 .	26 30	. .	. .	. .	. .	. .	1 .	. .	. .	5 10	. .	2 1	3 4	2 2	. .	. .	1 .	
Londonderry.	April, 3 " 10 " 17 " 24	10.1 15.2 12.7 22.8	. . . .	8 12 10 18	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 3 3 5	. . . .	. . . .	2 1 1 2	1 2 2 .	. . . .	. . . .	. . . .	
Population in 1915 (Est.) 41,200.	May, 1 " 8	24.0 15.2	1.3 3.8	19 12	. .	. .	. .	. .	. .	. 1	. .	. .	2 .	2 1	1 .	2 .	2 2	1 1	1 1	. .	
Limerick.	April, 3 " 10 " 17 " 24	13.5 36.6 13.5 16.2	. . . .	10 27 10 12	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 6 1 .	1 . . 1	. . . 1	. . 2 1	4 8 1 3	. . . .	. . . .	. . . .	
Population in 1911 38,518.	May, 1 " 8	19.0 23.0	. .	14 17	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 .	1 4	. .	. .	. .	
Waterford.	April, 3 " 10 " 17 " 24	26.6 41.8 22.8 15.2	. 3.8 5.7 1.9	14 22 12 8	. . . .	. . . .	. . . .	. . . .	. 2 1 1 .	. . . .	. . . .	. . . .	2 3 2 2	. . . .	1 2 . .	1 2 1 3	2 3 2 3	. . . .	. . 2 .	. . . .	
Population in 1911 27,464.	May, 1 " 8	17.1 13.3	1.9 1.9	9 7	. .	. .	. .	. .	. 1	. .	. .	. .	2 .	. .	. 1	. .	. .	. .	. .	. 1	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 8th May, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911. represented by Deaths from		AGES AT DEATH.											DEATHS FROM											No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				All Causes.	Certain Epidemic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric fever.	Typhus.	Small-pox.	Measles.	Scarlet fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other forms.	Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																							Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																														(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.
No. of weeks in Annual Series,	46	47	48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
BIRTHS registered, ...	161	197	226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167
DEATHS registered, ...	127	146	159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129
Annual Death-rate per 1,000 of estimated population, ...	16.6	19.1	20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7
AGES,																										
Under 1 year,	24	22	31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18
1-5 years,	18	15	22	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19
5-25 "	10	20	10	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16
25-45 "	21	24	18	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	13	23	25	22	34	19	27
45-65 "	26	34	46	31	27	20	36	29	37	37	59	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28
55 and upwards,	28	31	32	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21
Deaths from :—																										
Enteric Fever,	...	1	1	...	1	1	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...
Typhus, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...	7	9	14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8
Scarlet Fever,	8	6	3	3	3	7	1	2	...	5	3	3	4	3	...	...	3	...	...	...	...	...	1	...	1	...
Whooping-cough, ...	2	2	1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2
Diphtheria, ...	...	1	...	1	1	...	...	1	...	1	...	...	...	...	...	1	1	...	1	...	...	...	1	...	...	...
Dysentery, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis, { Pulmonary,	18	19	12	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22
{ Other Forms,	2	8	...	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	13	9	8	5
Cancer ...	4	5	10	7	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	3	8	6	6	9	9	10
Diseases of Respiratory System, { Pneumonia,	11	18	21	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12
{ Others, ...	11	16	25	21	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10
Diarrhoea and Enteritis, under 2 years,	4	2	3	5	5	5	1	1	2	2	...	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2
Diarrhoea, 2 years and upwards,	1	...	1	...	...	...	...	1	...	...	...	...	1	...	...	...	2	...	...	3	2	...	...	1	1	...
Violent Deaths, ...	2	2	5	...	2	2	4	5	1	...	1	...	...	2	4	3	3	...	5	3	3	1	3	...	3	2
Number of Uncertified Deaths, ...	1	...	2	2	2	1	3	3	...	2	1	2	3	3	3	4	3	4	2	2	2	...	...	2	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, — —	4,516,612	May 8,	2,140	1,384 <sup>c</sup>	16·0	6	.	68	5	37	9	17
EDINBURGH, — —	328,700	" 8,	154	128 <sup>c</sup>	20·3	1	.	.	.	10	1	1
GLASGOW, — —	1,078,400	" 8,	586	380 <sup>c</sup>	18·4	.	.	35	3	34	2	6
CALCUTTA, — —	896,067	Mar. 20,	.	819	47·5	96*	201	8	.	.	2†	199† <sup>a</sup>
BOMBAY, — —	979,445	" 27,	382	462	24·5	47*	8	3	.	2	.	59 <sup>a</sup>
MADRAS, — —	518,660	" 20,	312	402	40·3	74*	2	3	?	?	?	92 <sup>a</sup>
CAIRO, {	Egyptians, ...	Feb. 25,	605	446	35·2	16	.	.	.	?	5†	34
	Foreigners,	" 25,	12	18	18·0	1	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	" 25,	337	201	30·7	3	.	.	.	?	.	10
	Foreigners,	" 25,	35	30	20·3	.	3	.	.	?	.	1
PARIS, — —	2,847,229	Mar. 27,	890	1,073	19·3	8	.	63	5	8	5†	12
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, — —	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, —	610,099 {	Feb. 13,	266	155	13·3	.	.	.	.	3	1†	2
		" 20,	283	161	13·8	.	.	1	.	4	2†	2
COPENHAGEN, —	492,000	Apr. 10,	217	199	21·1	.	.	2	1	1	.	5
STOCKHOLM, — —	382,085	" 10,	146	106	14·3	.	.	.	1	1	.	1 <sup>a</sup>
CHRISTIANIA, — —	251,446	" 17,	113	63	13·0	.	.	.	.	.	.	2 <sup>a</sup>
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, — —	1,694,000	Mar. 6,	.	837	25·8	12	4	22	21	3	14†	57 <sup>a</sup>
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, — —	5,806,532	Apr. 10,	2,960	1,934	17·4	2	.	20	12	15	26†	44
PHILADELPHIA, — —	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, — —	766,136	Apr. 17,	.	289 <sup>b</sup>	19·7	.	.	1	6	.	6	8 <sup>a</sup>

\* Deaths from "fever," including 5 deaths from plague, and 6 from enteric fever in Calcutta; 17 from plague, and one from enteric fever in Bombay; and 4 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 134 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 247 deaths (including 3 from scarlet fever, 4 from diphtheria, and 6 from diarrhoeal diseases); rate, 16·8 per thousand.

<sup>c</sup> Including 6 deaths from cerebro-spinal fever in London, 3 in Edinburgh, and 3 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 8th May, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	..	2	.	.	.	.	.	.	.	.	.	.	2	4
„ „ 1, West,	..	2	.	.	2	.	.	.	.	.	.	.	4	8
„ „ 2,	..	.	.	.	.	.	1	.	.	.	.	.	6	7
„ „ 3,	..	.	.	.	.	.	1	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	1	.	.	.	.	2
South City No. 1,	..	.	.	.	1	.	.	.	.	.	.	.	3	4
„ „ 2,	..	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ 3,	..	.	.	.	3	.	.	.	.	.	.	.	3	6
„ „ 4,	..	.	.	.	.	.	.	.	.	.	.	.	3	3
New Kilmainham,	..	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	..	4	.	.	9	.	2	.	1	.	.	.	26	42

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 8th May, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 8th May.			
	April 17.	April 24.	May 1.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ..	34	30	28	4	6	.	26
Typhus, ..	.	.	.	.	.	.	.
Small-pox, ..	.	.	.	.	.	.	.
Measles, ..	23	26	35	6	14	.	27
Scarlet Fever, ..	65	64	67	4	10	.	61*
Diphtheria, ..	24	26	25	9	8	2	24
Pneumonia, ..	16	17	18	5	3	1	19

\* Exclusive of 11 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
DUBLIN REGISTRATION AREA,CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from

E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or

WYMAN &amp; SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;

or from the Agencies in the British Colonies and Dependencies,

the United States of America and other Foreign Countries of

T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 15TH MAY, 1915.

[No. 19.]

*General Register Office, Charlemont House,  
Dublin, 17th May, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	April 24	May 1	May 8	May 15	
27 Town Districts, (a)	22·4	19·1	19·9	18·8	20·1
Dublin Reg. Area ...	26·1	19·0	23·7	21·9	22·7
Dublin City ...	26·7	19·3	25·0	22·8	23·4
Belfast ...	20·3	19·8	16·7	15·1	18·0
Cork ...	23·1	17·7	20·4	16·3	19·4
Londonderry ...	22·8	24·0	15·2	20·2	20·5
Limerick ...	16·2	19·0	23·0	31·1	22·3
Waterford ...	15·2	17·1	13·3	19·0	16·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 117 deaths from all causes for Belfast are 2 from measles, 5 from whooping-cough, one from diphtheria, and 3 from cerebro-spinal fever or cerebro-spinal meningitis. Included in the 10 deaths from all causes for Waterford is one from scarlet fever. Two of the 4 deaths from all causes for Portadown are from measles, and of the 7 deaths from all causes for Sligo one is from enteric fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 216—115 boys and 101 girls—and the deaths to 186—98 males and 88 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 21·9 per 1,000 of the population. During the nineteen weeks, ending with Saturday last, the death-rate averaged 27·7, and was 3·4 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 186, represent an annual rate of 23·7 per 1,000; the annual rate for the past nineteen weeks was 29·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·6 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 5 from whooping-cough, 2 from diphtheria, 7 from diarrhoeal diseases, 4 from influenza and one from dysentery.

In the three preceding weeks, deaths from whooping-cough were 11, 2, and 5; deaths from diphtheria were one, 2, and 3; deaths from diarrhoeal diseases were 3, 5, and 6; and deaths from influenza were 2, 6, and 0.

Tuberculous disease caused 40\* deaths, comprising 31 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 4 from disseminated tuberculosis, and 4 from other forms of the disease. In the three preceding weeks, deaths from all forms of the disease numbered 38, 29, and 46, respectively.

Nine\* deaths from cancer were registered.

Of 9 deaths from pneumonia, 6 were from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age 5 were ascribed to convulsions, one to congenital malformation, 7 to premature birth; and 4 to congenital debility.

Organic diseases of the heart caused 15 deaths, and bronchitis 18.

One of the 2 accidental deaths was caused by scalds, and the other occurred on a railway.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the deaths of 3 persons aged 65 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (34 being infants under one year, of whom 13 were under one month old), and 39 were aged 65 years and upwards, including 33 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 22 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 21·9 per 1,000; the rate in the City was 22·8 (North City Districts, 22·6; South, 23·1), and in the Suburbs, 19·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·9 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 0·9, and in the South 3·2), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·2 per 1,000, and include one death from dysentery, 3 from tuberculous disease, and one (a child under 2 years of age) from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. Six deaths were caused by tuberculous disease, 2 by pneumonia, and one by bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Included in this number are 3 deaths from pulmonary tuberculosis, and one from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (21) represent an annual rate of 30·5 per 1,000. One death from influenza, 4 from pulmonary tuberculosis, 3 from bronchitis, and one accidental death, were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 37·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 9·6. One of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, was caused by pulmonary tuberculosis; and among the 4 deaths recorded for Coolock and Drumcondra, part of, were one from diphtheria, one from pulmonary tuberculosis, and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·4 per 1,000. Among them are one death from whooping-cough, 4 from tuberculous disease, 5 from bronchitis, and 2 of children under 2 years of age from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one death from whooping-cough, 2 from tuberculous disease, and one from diarrhoea.

No. 3 South City District (Peter-street).—The deaths (21) are equal to an annual rate of 24·9 per 1,000. One of the deaths was from whooping-cough, one from diphtheria, 4 were from pulmonary tuberculosis, 3 from broncho-pneumonia, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. One death from influenza, one from pulmonary tuberculosis, one from bronchitis, and 2 of children under 2 years of age from diarrhoea and enteritis, were recorded.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·2 per 1,000. Two of these deaths were from pulmonary tuberculosis, and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·1; Pembroke, 23·9; Blackrock, 22·6; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from whooping-cough for Rathmines and Rathgar; one death from the same disease for Pembroke; and one death of a child under 2 years of age from diarrhoea and enteritis for Kingstown. Of the 13 deaths from all causes for Rathmines and Rathgar, 2 were from tuberculous disease and one from bronchitis; the 14 deaths from all causes for Pembroke include one from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis; one of the 4 deaths from all causes for Blackrock was caused by influenza, and one by broncho-pneumonia; and included in the 4 deaths recorded for Kingstown is one from influenza.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·5), was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 19·6, and for Edinburgh 12·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 15th May. From this Report it appears that of a total of 50 cases notified, 17 were pulmonary tuberculosis, 4 other forms of tuberculosis, 15 scarlet fever, 6 diphtheria, 5 cerebro-spinal fever, and 3 erysipelas. Among the 474 cases of infectious diseases in hospital at the close of the week were 185 of pulmonary tuberculosis, 145 of scarlet fever, 49 of whooping-cough, 35 of diphtheria, 22 of measles, 8 of erysipelas, 8 of cerebro-spinal fever, and 3 of enteric fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 15th May, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total
City of Dublin.	April. 24.	.	—	—	3	.	.	6	.	.	5	8	1	—	—	.	—	.	31	54
	May. 1.	.	—	—	10	.	.	8	.	.	1	2	.	—	—	.	—	.	24	45
	May. 8.	.	—	—	4	.	.	9	.	2	.	1	.	—	—	.	—	.	26	42
	May. 15.	.	—	—	4	.	.	6	.	.	2	3	.	—	—	1	—	.	30	46
Rathmines and Rathgar Urban District.	April. 24.	.	—	—	2	.	.	3	.	.	.	.	.	—	—	—	—	—	—	5
	May. 1.	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	May. 8.	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	May. 15.	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke* Urban District.	April. 24.	.	5	.	3	.	.	.	.	.	1	1	.	—	16	—	—	—	1	27
	May. 1.	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	9
	May. 8.	.	1	.	.	.	.	.	.	.	.	.	.	—	8	—	—	—	.	9
	May. 15.	.	.	.	2	.	.	.	1	.	.	.	.	—	16	—	—	—	1	20
Blackrock Urban District.	April. 24.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	May. 1.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	May. 8.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	May. 15.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	April. 24.	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
	May. 1.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3
	May. 8.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	May. 15.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	April. 24.	.	—	—	20	.	.	1	.	.	1	2	1	—	—	2	—	.	5	32
	May. 1.	.	—	—	22	.	.	2	.	.	.	1	1	—	—	5	—	.	7	38
	May. 8.	.	—	—	20	.	.	1	.	.	.	.	.	—	—	5	—	.	8	34
	May. 15.	.	—	—	23	.	.	2	.	.	.	1	.	—	—	2	—	.	3	31
City of Cork.	April. 24.	.	2	—	6	.	.	1	.	.	1	.	.	—	—	—	—	—	—	10
	May. 1.	.	.	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3a
	May. 8.	.	1	—	1	.	.	.	.	.	1	2	.	—	—	—	—	—	—	5a
	May. 15.	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6b
City of Londonderry.	April. 24.	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	—	3
	May. 1.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	May. 8.	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	May. 15.	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
City of Limerick.	April. 24.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	May. 1.	.	—	—	.	.	.	.	.	1	.	.	.	—	—	.	—	—	—	1
	May. 8.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	May. 15.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	April. 24.	.	—	—	8	.	.	1	.	.	.	.	.	—	—	—	—	—	2	11
	May. 1.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4
	May. 8.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	May. 15.	.	—	—	9	.	.	.	.	.	.	.	.	—	—	—	—	—	1	10

\* One case of cerebro-spinal fever was reported during week ended 1st May.

(a) Not including one case of cerebro-spinal fever.

(b) Not including 2 cases of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 15th May, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, one was discharged, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 28, and 26.

Eleven cases of measles were admitted to hospital during the week, 12 were discharged, and 26 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 26, 35, and 27 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 69\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 64, 67, and 61, respectively.

Ten cases of diphtheria were admitted to hospital during the week, one was discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 26, 25, and 24 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 20 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 15th May, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 15TH MAY, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts..		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																						
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																				
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																				
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Un- certified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	25.0	13.8	1.2	582	438	62	106	1	...	...	4	1	10	3	1	69	19	22	31	51	8	1	4	14	138	16
DUBLIN REG- ISTRATION AREA— TOTAL, (c.) ...	409,000	29.8	27.5	21.9	1.9	216	172	33	37	...	...	...	...	...	5	2	1	27	7	8	9	20	6	1	1	5	61	6
CITY OF DUBLIN,	312,747	39.5	31.7	22.8	2.0	190	137	28	26	...	...	...	...	...	3	2	1	25	6	4	5	16	5	1	1	5	58	3
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	17.1	17.1	1.3	13	13	3	2	...	...	...	...	...	1	...	...	1	1	1	...	2	...	...	...	...	...	...
PEMBROKE, ...	30,538	19.4	13.7	23.9	1.7	8	14	1	5	...	...	...	...	...	1	...	...	1	...	3	3	2	...	...	...	...	2	1
BLACKROCK, ...	9,233	8.5	11.3	22.6	.	2	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	2
KINGSTOWN, ...	16,941	11.6	9.2	12.3	3.1	3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
Urban Districts																												
BELFAST ...	403,000	27.0	23.9	15.1	1.0	185	117(d)	15	20	...	...	...	2	...	5	1	...	18	7	5	15	14	...	...	1	4	35	...
CORK, ...	76,673	28.6	28.6	16.3	.	42	24	3	7	...	...	...	...	...	...	...	...	7	1	1	1	2	...	...	...	1	9	2
LONDON- DERRY	41,200	16.0	30.4	20.2	.	24	16	1	3	...	...	...	...	...	...	...	...	1	...	...	3	3	...	...	...	...	5	...
LIMERICK, ...	38,518	16.1	13.5	31.1	.	10	23	1	7	...	...	...	...	...	...	...	...	4	1	3	1	3	...	...	...	...	13	2
WATERFORD, ...	27,464	19.1	28.5	19.0	1.9	15	10	2	3	...	...	...	...	1	...	...	...	2	...	1	...	...	...	...	...	...	4	1
GALWAY, ...	13,255	2.5				10	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	2	...
DUNDALK, ...	13,128	9.5				4	6	...	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	1
LURGAN, ...	12,553	14.7				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8.4				14	5	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
LISBURN, ...	12,388	10.9				6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17.0				5	5	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...
PORTADOWN, ...	11,727	15.3				4	4	...	2	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				4	8	1	4	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	1	...	1
BALLYMENA ...	11,381	9.3				...	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...
SLIGO, ...	11,163	3.8				4	7	1	3	1	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	3	2
KILKENNY, ...	10,514	11.4				3	5	2	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...
TRALEE, ...	10,300	17.4				4	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				4	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1				2	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
QUEENSTOWN,	8,209	14.7				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
LARNE, ...	8,036	13.4				1	5	1	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	2	2	...	...
COLERAINE, ...	7,785	7.7				8	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
BANGOR, ..	7,776	8.5				4	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1
ARMAGH, ...	7,356	21.8				1	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area; the 14 deaths include 6 from tuberculous disease, and one from cancer. (d) Including 3 deaths from cerebro-spinal fever or cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 15th of May, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
		CITY OF DUBLIN.												URBAN DISTRICTS OF					
		REGISTRATION DISTRICTS IN												RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
		Dublin North Superintendent Registrar's District.						Dublin South Superintendent Registrar's District.											
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.						
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	1	1	1	.	.	1	1	.	.	5	.	.
Diphtheria,	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	1	4	.	.
Dysentery,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Tuberculosis,	2	4	3	4	1	1	.	2	1	4	1	2	1	1	.	.	27	4	.
{ Pulmonary,	1	2	.	.	.	.	.	2	1	.	.	.	1	.	.	.	7	2	.
{ Other Forms,	2	.	.	2	.	.	.	.	.	.	.	.	1	3	.	.	8	1	.
Cancer,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Nervous System,	2	3	2	3	.	.	2	5	1	3	1	2	.	.	1	1	26	1	.
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	2	.	1	1	.	.	3	.	3	1	.	2	2	1	1	17	1	.
Respiratory System.	.	2	.	.	.	.	.	.	.	3	.	.	.	3	1	.	9	.	.
{ Pneumonia,	.	1	1	3	.	1	.	5	1	2	1	1	2	2	.	.	20	1	.
{ Others,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis, under 2 years,	1	.	.	.	.	.	.	2	.	.	2	.	.	.	1	6	.	.	.
Digestive System.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Others,	.	1	.	1	.	.	.	.	.	.	2	.	.	.	.	.	4	1	.
Genito-urinary System,	.	.	.	2	.	1	.	.	.	.	.	.	1	1	.	.	5	.	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	4	3	4	2	2	.	.	4	.	3	.	.	3	.	.	.	25	2	.
Violent Deaths,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
Deaths from All Causes	13	18	10	21	4	4	2	24	6	21	9	5	13	14	4	4	172	14	.
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22.2	22.5	18.7	30.5	37.7	15.1	9.6	30.4	17.1	24.9	14.1	26.2	17.1	23.9	22.6	12.3	21.9	.	.
	22.6						23.1						19.0						
	22.8																		
Ages at Death.	Under 1 year,	4	2	3	4	.	.	5	1	5	3	1	3	1	.	1	33	1	.
	1 and under 2 years,	.	.	.	.	.	.	2	.	1	.	.	1	.	.	1	5	.	.
	2 " 5 "	.	1	.	1	.	.	1	1	1	.	.	1	1	.	.	7	.	.
	5 " 15 "	.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	6	2	.
	15 " 25 "	2	2	3	.	.	.	2	.	1	1	1	2	1	.	.	14	2	.
	25 " 45 "	2	6	1	8	1	.	2	2	5	.	.	2	1	.	.	30	5	.
	45 " 65 "	2	2	1	6	.	1	5	2	5	4	2	3	4	1	.	40	2	.
	65 and upwards,	3	5	2	2	2	2	6	.	3	1	.	2	5	2	2	37	2	.
Number of Uncertified Deaths,		2	.	.	.	.	.	.	.	1	.	.	.	1	2	.	6	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	4	5	1	6	.	1	.	3	.	6	2	.	.	1	1	.	30	12	.
Workhouse Hospitals,	1	4	3	1	.	.	.	12	4	4	1	.	.	1	.	.	31	2	.





NINETEENTH WEEK, ending Saturday, 15th May, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 19th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 15th May, 1915.										
	May 13, 1905.	May 12, 1906.	May 11, 1907.	May 9, 1908.	May 15, 1909.	May 14, 1910.	May 13, 1911.	May 11, 1912.	May 10, 1913.	May 9, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	6	2	2	4	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	3	3	5	3	2	2	1	4	3	1	2.9	6	1	4	1	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																						
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	1	.	1	2	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	.	2	—	1	.	.	.	.	.	.	1	.	.	.
Cirrhosis of Liver, ...	4	.	.	1	.	2	3	.	2	1	1.3	1	.	.	.	.	.	.	1	.	.	.
Other Diseases of Liver, ...	2	1	2	2	.	1	.	2	1	2	1.4	1	.	.	.	.	.	1	.	.	.	.
Peritonitis (cause unknown),	.	1	.	.	1	2	2	1	.	1	.8	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	6	5	4	5	4	6	1	1	.	1	3.3	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	9	10	7	11	4	8	2	3	7	7.6	5	.	.	.	.	.	.	2	2	1	
Chronic Bright's Disease, ...																						
Urinary Calculi, ...																						
Uterine Tumour (non-can- cerous).																						
Ovarian Tumour (non-can- cerous)																						
Other Diseases of Genito- urinary System.																						
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	1	1	.	.3	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	1	1	.	1	.	.	.4	1	.	.	.	.	.	1	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	1	2	2	—	1	.	.	.	.	.	.	1	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	2	2	4	4	5	3	7	5	8	2	4.0	1	1	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	1	2	2	2	.	4	3	1	.	.	.	.	.	.	.	
Old Age, ...	5	3	3	5	3	4	4	3	2	4	3.6	11	.	.	.	.	.	.	3	8	.	
Other Specified Diseases, ...	—	—	—	—	—	—	3	.	3	.	—	.	.	.	.	.	.	.	.	.	.	
ACCIDENT :																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	2	.	.	.	.	4	.	1	1	1	.9	1	.	.	.	.	.	1	.	.	.	
Burns and Scalds, ...	1	.	1	1	1	1	.	1	.	.	.6	.	.	.	.	.	.	.	.	.	.	
Drowning, ...	.	.	2	1	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	1	1	2	5	1	4	.	5	2	.	2.1	1	.	.	.	.	.	1	.	.	.	
Other Deaths by Accident, ...	4	1	5	7	2	9	.	7	3	1	3.9	2	.	.	.	.	.	2	.	.	.	
Total Deaths from Accident,																						
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	1	.	.	.	.1	1	.	.	.	.	.	1	.	.	.	
Vehicles and Horses, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	
VIOLENCE OTHER THAN ACCIDENTAL :																						
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	.	.	2	1	2	.	1	.	1	.7	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	.	7	3	5	—	1	.	.	.	.	.	.	.	.	1	





TABLE VI.—Showing in FIVE GENERAL CLASSES the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 15th May, 1915 : the Annual Death-rate represented by the Deaths registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 15TH MAY, 1915.																															
CLASS	OCCUPATION OR SOCIAL POSITION (The 3139 persons returned under the head "Unspecified" in Table 13 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.								CAUSES OF DEATH												Violence.	Other Causes.	Number of Unethi- cal Deaths				
					AGES.								CAUSES OF DEATH																		
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.				Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
	ALL PERSONS.	397,957	—	186	46	8	16	35	42	21	18	.	.	.	.	5	2	1	31	9	9	6	9	21	6	1	2	84	6		
I.	DEATHS IN FAMILIES OF THE—			10	7	2	4	4	2	1	3	.	.	.	.	1	1	.	2	3	3	1	2	2	2	1	1	7	1		
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	35.6	36	7	2	4	4	8	6	5	.	.	.	.	.	.	.	3	3	3	2	2	2	4	1	1	19	2		
III.	MIDDLE CLASS, ...	101,798	18.4	42	9	1	3	9	10	3	7	.	.	.	.	1	1	.	6	1	5	1	2	4	1	1	22	2			
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	20.2	65	28	4	7	12	10	4	.	.	.	.	.	3	1	1	15	2	1	4	5	6	6	4	1	22	3		
V.	GENERAL SERVICE CLASS, ...	167,479	20.2	33	2	1	2	6	12	7	3	.	.	.	.	.	.	.	5	3	1	1	.	9	.	.	.	14	.		
I.	INMATES OF WORKHOUSES, ...	5,602	—	8	.	.	.	3	2	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	6	.		
	PROFESSIONAL AND INDEPENDENT CLASS.			8	.	.	.	3	2	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
	1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	53.0	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.		
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	3. Persons of Rank and Property, not other- wise described, ...	5,443	19.2	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.		
II.	MIDDLE CLASS.			1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5.5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	20.7	10	2	2	2	2	2	2	2	.	.	.	.	1	1	.	1	1	2	.	.	1	.	.	6	.	.		
	6. Clerks and Commercial Assistants, ...	33,249	7.8	5	1	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1	.	.	
	7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	33,827	30.8	20	3	.	2	2	6	4	3	.	.	.	.	.	.	.	1	1	2	1	2	1	.	.	12	1	.		
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.			2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
	9. Building and Furnishing Trades, ...	28,323	14.5	8	2	.	1	4	1	.	1	.	.	.	.	1	.	.	1	.	.	.	.	1	1	.	.	5	.	.	
	10. Clothing Trades, ...	20,026	20.8	8	2	.	1	1	2	.	2	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	5	.	.	
	11. Food Supply Trades ...	8,952	5.8	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
	12. Other Trades and Callings ranking with Trades, ...	32,070	32.5	20	5	.	2	3	7	1	3	.	.	.	.	.	.	.	3	1	3	.	1	2	.	.	10	1	.	.	
IV.	Petty Shopkeepers ...	6,772	23.1	3	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	
	GENERAL SERVICE CLASS.			11	7	.	1	1	2	.	.	.	.	.	.	1	.	.	2	.	.	.	1	1	1	1	1	3	1	.	
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	44.2	11	7	.	1	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	15. Domestic Servants, ...	36,041	1.4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	23.7	7	4	1	1	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	2	1	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	23.3	46	17	3	6	11	7	.	.	.	.	.	.	2	.	.	13	1	1	1	3	3	4	2	.	16	1	.	
V.	INMATES OF WORKHOUSES, Workhouse Inmates, ...	5,602	—	33	2	1	2	6	12	7	3	.	.	.	.	.	.	.	5	3	1	1	.	.	.	.	.	14	.	.	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915, Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	April, 10	35.9	.	21	.	.	.	.	.	.	.	.	5	2	.	3	7	.	.	.	.	
	" 17	25.6	1.7	15	.	.	.	.	.	.	.	.	2	1	1	2	1	1	.	.	.	
	" 24	20.5	1.7	12	.	.	.	.	.	.	.	.	3	.	.	1	2	1	1	.	1	
	May, 1	17.1	1.7	10	.	.	.	.	.	.	.	.	3	.	1	1	1	1	1	.	.	
Population in 1915	" 8	27.4	5.1	16	.	.	.	.	.	1	.	.	3	.	.	1	1	2	.	1	.	
(Est.) 30,504.	" 15	22.2	3.4	13	.	.	.	.	.	.	1	.	2	1	2	.	1	.	.	.	2	
North City, No. 1 (W.) (Office, Summer-hill.)	April, 10	23.8	.	19	.	.	.	.	.	.	.	.	4	.	.	1	4	.	.	.	2	
	" 17	30.0	1.3	24	.	.	.	.	.	.	.	.	5	.	.	4	6	1	.	.	.	
	" 24	26.3	.	21	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	1	
	May, 1	18.8	1.3	15	.	.	.	.	.	.	.	.	2	.	1	2	3	1	.	.	.	
Population in 1915	" 8	25.0	1.3	20	.	.	.	.	.	.	.	.	2	2	.	1	1	.	.	1	1	
(Est.) 41,685.	" 15	22.5	.	18	.	.	.	.	.	.	.	.	4	2	.	2	1	.	.	.	.	
North City, No. 2. (Office, Lisburn-street.)	April, 10	22.4	1.9	12	1	.	.	.	.	.	.	.	1	.	1	1	2	.	.	.	1	
	" 17	39.3	1.9	21	.	.	.	.	.	.	.	.	4	1	.	1	3	1	.	2	1	
	" 24	28.1	3.7	15	.	.	.	.	.	2	.	.	3	2	.	1	2	.	.	1	.	
	May, 1	7.5	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	
Population in 1915	" 8	37.4	.	20	.	.	.	.	.	.	.	.	5	3	.	1	2	.	.	.	1	
(Est.) 27,883.	" 15	18.7	.	10	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	
North City, No. 3. (Office, Benburb-street.)	April, 10	26.2	2.9	18	.	.	.	.	.	2	.	.	1	.	2	3	3	.	.	1	.	
	" 17	26.2	1.5	18	.	.	.	.	.	.	1	.	2	.	.	3	3	.	.	.	.	
	" 24	24.7	2.9	17	.	.	.	.	.	2	.	.	1	1	.	1	2	.	.	.	1	
	May, 1	30.5	.	21	.	.	.	.	.	.	.	.	5	1	.	1	5	.	.	.	.	
Population in 1915	" 8	18.9	1.5	13	.	.	.	.	.	.	.	.	3	1	3	2	2	1	.	.	1	
(Est.) 35,887.	" 15	30.5	.	21	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	1	.	
Clontarf and Howth No. 1 (part of).	April, 10	28.2	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	" 17	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	" 24	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	May, 1	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 8	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
(Est.) 5,539.	" 15	37.7	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	April, 10	18.9	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	
	" 17	15.1	.	4	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	
	" 24	15.1	.	4	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
	May, 1	22.6	.	6	.	.	.	.	.	.	.	.	1	1	1	2	.	.	.	.	.	
Population in 1915	" 8	22.6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 13,820.	" 15	15.1	3.8	4	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	
Finglas and Glasnevin (part of).	April, 10	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	" 17	19.3	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	" 24	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	May, 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 8	24.1	4.8	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
(Est.) 10,829.	" 15	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City, No. 1. (Office, St. Earl-street.)	April, 10	25.3	2.5	20	1	.	.	.	.	1	.	.	3	1	.	.	6	.	.	.	.	
	" 17	19.0	2.5	15	.	.	.	.	.	2	.	.	3	1	1	.	1	.	.	.	.	
	" 24	25.3	3.8	20	.	.	.	.	.	1	1	.	2	.	1	.	6	.	1	.	1	
	May, 1	21.5	3.8	17	.	.	.	.	.	1	2	.	1	1	.	1	1	.	.	1	.	
Population in 1915	" 8	20.3	1.3	16	.	.	.	.	.	.	.	.	3	2	2	2	1	1	.	.	.	
(Est.) 41,170.	" 15	30.4	3.8	24	.	.	.	.	.	1	.	.	2	2	.	.	5	2	.	.	.	
South City, No. 2. (Office, Castle-street.)	April, 10	48.3	5.7	17	.	.	.	.	.	2	.	.	1	1	1	1	5	.	.	.	.	
	" 17	19.9	.	7	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	
	" 24	48.3	11.4	17	.	.	.	.	.	3	.	.	3	.	.	2	1	1	.	.	.	
	May, 1	34.1	2.8	12	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	.	
Population in 1915	" 8	31.3	11.4	11	.	.	.	.	.	3	1	.	2	.	.	1	1	.	.	.	.	
(Est.) 18,341.	" 15	17.1	5.7	6	.	.	.	.	.	1	.	.	1	1	.	.	1	.	1	.	.	
South City, No. 3. (Office, Peter-street.)	April, 10	28.5	2.4	24	1	.	.	.	.	1	.	.	4	2	1	4	3	.	.	1	.	
	" 17	26.1	2.4	22	.	.	.	.	.	2	.	.	3	1	.	5	1	.	.	1	1	
	" 24	35.6	3.6	30	.	.	.	.	.	.	.	.	6	2	2	3	2	.	.	1	2	
	May, 1	22.5	.	19	.	.	.	.	.	3	.	.	1	.	.	1	6	.	.	1	.	
Population in 1915	" 8	26.1	1.2	22	.	.	.	.	.	.	.	.	5	.	3	1	4	.	.	1	1	
(Est.) 43,970.	" 15	24.9	2.4	21	.	.	.	.	.	1	1	.	4	.	.	3	2	.	.	.	1	
South City, No. 4. (Office, Grand Canal-st.)	April, 10	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	3	1	.	.	.	1	
	" 17	15.7	.	10	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	1	1	
	" 24	26.7	.	17	.	.	.	.	.	.	.	.	1	.	1	3	1	.	.	.	.	
	May, 1	14.1	.	9	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	
Population in 1915	" 8	20.4	.	13	.	.	.	.	.	.	.	.	5	.	3	1	1	.	.	.	.	
(Est.) 33,171.	" 15	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.	
New Kilmainham.	April, 10	15.7	10.5	3	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	
	" 17	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
	" 24	15.7	10.5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	
	May, 1	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 8	36.7	5.2	7	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	
(Est.) 9,948.	" 15	26.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN DEFINITE CAUSES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	April, 10 " 17 " 24	23.7 22.4 23.7	1.3 . .	18 17 18	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .	1 2 1	. . 2	. . .	1 1 3	5 2 1	. . .	. . .	. 1 1		
Population in 1915 (Est.) 39,541.	May, 1 " 8 " 15	15.8 21.1 17.1	1.3 1.3 1.3	12 16 13	. . .	. . .	. . .	. . .	. . .	. 1 .	. . .	. . .	3 1 1	. 1 1	. . .	1 . .	1 1 2	1 . .	. . .	. . .		
Pembroke Urban District.	April, 10 " 17 " 24	27.3 34.1 20.5	1.7 1.7 .	16 20 12	. . .	. . .	. . .	. 1 .	. . .	1 . .	. . .	. . .	1 1 2	2 . .	2 . 1	2 . .	2 4 1	. . .	. . .	. 1 .		
Population in 1915 (Est.) 30,538	May, 1 " 8 " 15	22.2 15.4 23.9	1.7 1.7 1.7	13 9 14	. . .	. . .	. . .	. . .	. 1 .	1 . 1	. . .	. . .	. . 1	. . 3	1 . 3	. . 3	2 . 2	. . .	. . .	. . .		
Blackrock Urban District.	April, 10 " 17 " 24	5.6 5.6 5.6	. . .	1 1 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .		
Population in 1915 (Est.) 9,233.	May, 1 " 8 " 15	11.3 11.3 22.6	. . .	2 2 4	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . 1	1 2 .	. . .	. . .	. . 2		
Kingstown Urban District.	April, 10 " 17 " 24	43.1 24.6 43.1	. 3.1 15.4	14 8 14	. . .	. . .	. . 1	. . 5	. . .	. . .	. . .	. . .	2 . .	. . 1	. . .	. . .	5 2 .	. . .	. . .	. . 1		
Population in 1911 16,941.	May, 1 " 8 " 15	18.5 27.7 12.3	6.2 3.1 3.1	6 9 4	. . .	. . .	. 2 1	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. 1 .	. . .	. 3 .	. 1 .	. . .	. . .		
Belfast.	April, 10 " 17 " 24	21.1 21.5 20.3	1.6 1.7 1.6	163 166 157	. 1 .	. . .	. . .	6 3 2	. 1 .	5 5 7	. 1 .	. . .	17 17 20	7 13 9	6 6 9	21 21 17	23 24 14	1 2 2	. . 1	3 3 2		
Population in 1915 (Est.) 403,000.	May, 1 " 8 " 15	19.8 16.7 15.1	2.1 1.6 1.0	153 129 117	. . .	. . .	. 7 8 2	. 1 .	5 5 2	. . 5	. . 1	. . .	23 22 18	8 5 7	9 10 5	17 12 15	14 10 14	2 2 .	1 . .	3 2 1		
Cork.	April, 10 " 17 " 24	19.7 25.8 23.1	0.7 0.7 .	29 38 31	. . .	. . .	. . .	. . .	. . .	1 1 .	. . .	. . .	4 7 7	2 1 1	1 1 2	1 4 4	8 2 5	. . .	. . .	1 . .		
Population in 1911 76,673.	May, 1 " 8 " 15	17.7 20.4 16.3	0.7 . .	26 30 24	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .	5 10 7	. . 1	2 1 1	3 4 1	2 2 2	. . .	. . .	1 . 2		
Londonderry.	April, 10 " 17 " 24	15.2 12.7 22.8	. . 2.5	12 10 18	. . .	. . .	. . .	. . .	. . .	. . 2	. . .	. . .	3 3 5	. . 2	. . 1	1 1 2	2 2 2	. . 1	. . 1	. 1 .		
Population in 1915 (Est.) 41,200.	May, 1 " 8 " 15	24.0 15.2 20.2	1.3 3.8 .	19 12 16	. . .	. . .	. . .	. . .	. . .	. 1 .	. . .	. . .	2 1 1	. 1 .	. . .	2 2 3	2 2 3	1 1 .	. 1 .	. . .		
Limerick.	April, 10 " 17 " 24	36.6 13.5 16.2	. . .	27 10 12	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	6 1 .	. 1 .	. 1 .	. 2 1	8 1 3	. . .	. . .	. . .		
Population in 1911 38,518.	May, 1 " 8 " 15	19.0 23.0 31.1	. . .	14 17 23	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . 4	. 1 1	. . 3	1 1 1	1 4 3	. . .	. . .	. . 2		
Waterford.	April, 10 " 17 " 24	41.8 22.8 15.2	3.8 5.7 1.9	22 12 8	. . .	. . .	. . .	. 2 1	. . .	. . .	. . .	. . .	3 2 2	. . .	2 . .	2 . 1	3 2 2	. . .	. . 2	1 1 1		
Population in 1911 27,464.	May, 1 " 8 " 15	17.1 13.3 19.0	1.9 1.9 1.9	9 7 10	. . .	. . .	. . .	. 1 1	. . .	. . .	. . .	. . .	2 2 2	. . .	. 1 1	. . .	3 . .	. . .	. . .	1 1 1		

\* See note (†) at foot of first page.







TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1914 AND 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ...	4,516,612	May 15,	2,001	1,255 <sup>c</sup>	14·5	.	.	63	6	41	11	15
EDINBURGH, ...	328,700	" 15,	130	81 <sup>c</sup>	12·9	.	.	.	.	3	.	3
GLASGOW, ...	1,078,400	" 15,	559	406 <sup>c</sup>	19·6	.	.	42	2	33	3	3
CALCUTTA, ...	896,067	Mar. 27,	.	795	46·1	102*	163	4	.	.	2†	216† <sup>a</sup>
BOMBAY, ...	979,445	Apr. 3,	371	440	23·4	52*	8	4	.	.	.	44† <sup>a</sup>
MADRAS, ...	518,660	Mar. 27,	312	380	38·1	58*	.	4	?	?	?	87 <sup>a</sup>
CAIRO, {	Egyptians, ...	" 4,	610	410	32·3	25	.	.	.	?	3†	38
	Foreigners, ...	" 4,	6	21	15·2	1	1	.	.	?	1†	2
ALEXAN- DRIA, {	Egyptians, ...	" 4,	360	183	27·9	.	2	.	.	?	1	18
	Foreigners, ...	" 4,	41	24	16·3	1	.	.	.	?	.	1
PARIS, ...	2,847,229	Apr. 3,	898	1,032	18·5	2	.	42	3	7	8†	23
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ...	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ...	610,976 {	Feb. 27,	284	131	11·2	.	.	2	.	2	.	1
		Mar. 6,	252	154	13·1	.	.	.	.	2	1†	3
COPENHAGEN, ...	492,000	Apr. 17,	230	144	15·3	.	.	4	2	.	.	1 <sup>a</sup>
STOCKHOLM, ...	382,085	" 17,	117	109	14·7	.	.	.	1	2	.	.
CHRISTIANIA, ...	251,446	" 24,	94	58	12 0	.	.	.	.	.	3	1 <sup>a</sup>
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ...	1,694,000	Mar. 13,	.	826	25·4	20	7	17	13	10	12†	50 <sup>a</sup>
ROME, ...	591,913	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,806,532	Apr. 17,	2,940	1,778	16·0	3	.	20	17	10	23†	47
PHILADELPHIA, ...	1,657,810	Nov. 6,	.	.	.	.	.	.	.	.	.	.
BOSTON, ...	766,136	Apr. 24,	.	270 <sup>b</sup>	18·4	.	.	.	3	2	1	5 <sup>a</sup>

\* Deaths from "fever," including 10 deaths from plague, and 3 from enteric fever in Calcutta; 20 from plague, and 2 from enteric fever in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 141 deaths from cholera in Calcutta, and one in Bombay.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 240 deaths (including 2 from scarlet fever); rate, 16·3 per thousand.

<sup>c</sup> Including 6 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 3 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 15th May, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West,	.	.	.	.	.	.	.	1	.	.	.	.	5	6
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	5	6
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	2	.	.	1	.	.	.	.	1	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	1	.	.	.	.	.	1	.	6	8
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	.	2	.	.	2	.	.	.	1	.	.	.	4	9
„ „ 4,	.	1	.	.	1	.	.	.	1	.	.	.	1	4
New Kilmainham,	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total,	.	4	.	.	6	.	.	2	3	.	1	.	30	46

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 15th May, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 15th May.			
	April 24.	May 1.	May 8.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	30	28	26	4	1	.	29
Typhus,	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	26	35	27	11	12	.	26
Scarlet Fever,	64	67	61	16	8	.	69*
Diphtheria,	26	25	24	10	1	2	31
Pneumonia,	17	18	19	4	3	.	20

\* Exclusive of 3 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGS TOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 22ND MAY, 1915.

[No. 20.]

General Register Office, Charlemont House,  
Dublin, 25th May, 1915.

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 1	May 8	May 15	May 22	
27 Town Districts, (a)	19·1	19·9	18·8	18·3	19·0
Dublin Reg. Area ...	19·0	23·7	21·9	20·8	21·3
Dublin City ...	19·3	25·0	22·8	21·2	22·1
Belfast ...	19·8	16·7	15·1	16·7	17·1
Cork ...	17·7	20·4	16·3	21·8	19·1
Londonderry ...	24·0	15·2	20·2	12·7	18·0
Limerick ...	19·0	23·0	31·1	10·8	21·0
Waterford ...	17·1	13·3	19·0	30·4	19·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·1 per 1,000. Among the 129 deaths from all causes for Belfast are 4 from measles and one from whooping-cough. Among the 32 deaths from all causes for Cork are one from measles and one from whooping-cough. Of the 16 deaths from all causes for Waterford 3 are from scarlet fever, which also accounts for one of the 4 deaths from all causes for Lisburn; and of the 3 deaths from all causes for Kilkenny one is from diphtheria.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 208—103 boys and 105 girls—and the deaths to 174—81 males and 93 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·8 per 1,000 of the population. During the twenty weeks, ending with Saturday last, the death-rate averaged 27·3, and was 3·2 above the mean rate for the corresponding portions of the ten years, 1905—1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 174, represent an annual rate of 22·2 per 1,000; the annual rate for the past twenty weeks was 29·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·3 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 4 from measles, 3 from whooping-cough, one from diphtheria, one from dysentery, and 6\* from diarrhoeal diseases.

Deaths from measles in the three preceding weeks numbered 2, one, and 0; deaths from whooping-cough were 2, 5, and 5; deaths from diphtheria were 2, 3, and 2; deaths from dysentery were 0, 0, and one; and deaths from diarrhoeal diseases were 5, 6, and 7, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 29, 46, and 40, respectively, amounted to 38\* last week, 35 of the latter having been caused by pulmonary tuberculosis, two by tuberculous meningitis, and one by disseminated tuberculosis.

There were 10\* deaths from cancer.

The 13 deaths from pneumonia include 6 from broncho-pneumonia, 2 from lobar pneumonia, and 5 from pneumonia (type not distinguished.)

Five deaths of infants under one year of age were ascribed to convulsions, 2 to congenital malformations, 8 to premature birth, and 5 to congenital debility.

There were 13 deaths from organic diseases of the heart and 19 from bronchitis.

Of the 5 accidental deaths 2 were caused by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 16 were under one month old), and 32 were aged 65 years and upwards, including 22 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a female) was stated to have been aged 95 years.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·8 per 1,000; the rate in the City was 21·2 (North City Districts, 19·5; South, 23·1), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·9, and in the South 1·4), and for the Suburbs 3·8 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·1 per 1,000, and include 3 deaths from tuberculous disease, 2 from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (16) are equal to an annual rate of 20·0 per 1,000. Among them are one death from dysentery, 4 from tuberculous disease, one from bronchitis, one (a child under 2 years of age) from diarrhoea and enteritis, and one accidental death.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. One death was caused by whooping-cough, 5 by tuberculous disease, one by broncho-pneumonia, and 3 by bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·1 per 1,000. Included in this number are 3 deaths from pulmonary tuberculosis, and one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·4; and Finglas and Glasnevin, part of, 19·3. The 7 deaths from all causes for Coolock and Drumcondra, part of, include one from pulmonary tuberculosis, one from pneumonia, and one accidental death; and of the 4 deaths from all causes for Finglas and Glasnevin, part of, one is from broncho-pneumonia.

No. 1 *South City District* (South Earl-street).—The deaths (8) represent an annual rate of 10·1 per 1,000. Included in this number are 2 deaths from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (13) are equal to an annual rate of 37·0 per 1,000. Two deaths from pulmonary tuberculosis, 2 from pneumonia, and one from bronchitis, were recorded.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·0 per 1,000. Among them are one death from whooping-cough, 2 from pulmonary tuberculosis, one from lobar pneumonia, 4 from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (23) are equivalent to an annual rate of 36·2 per 1,000. Six deaths were caused by pulmonary tuberculosis, 2 by pneumonia, 3 by bronchitis, one of a child under 2 years of age by diarrhoea and enteritis, and there was one accidental death.

*New Kilmainham District.*—The deaths (5) are equal to an annual rate of 26·2 per 1,000. Three of these deaths were from pulmonary tuberculosis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·1; Pembroke, 15·4; Blackrock, 16·9; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhoea for Rathmines and Rathgar; one from whooping-cough and one from diphtheria for Pembroke, and 4 from measles for Kingstown. Of the 16 deaths from all causes for Rathmines and Rathgar, 3 were from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis; among the 9 deaths recorded for Pembroke 2 were from pulmonary tuberculosis, and one from broncho-pneumonia; one of the 3 deaths recorded for Blackrock was from lobar pneumonia; and one of the 8 deaths from all causes for Kingstown was from broncho-pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·9), was equal to an average annual death-rate of 15·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 18·0, and for Edinburgh 14·6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 22nd May. From this Report it appears that of a total of 36 cases notified, 17 were scarlet fever, 5 pulmonary tuberculosis, 4 other forms of tuberculosis, 5 diphtheria, 4 erysipelas, and one puerperal fever. Among the 446 cases of infectious diseases in hospital at the close of the week were 188 of pulmonary tuberculosis, 133 of scarlet fever, 45 of whooping-cough, 39 of diphtheria, 15 of measles, 8 of erysipelas, 3 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 22nd May, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pereria (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	May. 1,	.	—	—	10	.	.	8	.	.	1	2	.	—	—	.	—	.	24	45
	May. 8,	.	—	—	4	.	.	9	.	2	.	1	.	—	—	.	—	.	26	42
	May. 15,	.	—	—	4	.	.	6	.	.	2	3	.	—	—	1	—	.	30	46
	May. 22,	.	—	—	4	.	.	5	.	.	2	3	.	—	—	.	—	.	30	44
Rathmines and Rathgar Urban District.	May. 1,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	May. 8,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	May. 15,	.	—	—	1	.	.	2	.	.	.	.	.	—	—	—	—	—	—	3
	May. 22,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke* Urban District.	May. 1,	.	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	9
	May. 8,	.	1	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	20
	May. 15,	.	.	.	2	.	.	.	1	.	.	.	.	—	8	—	—	.	1	19
	May. 22,	.	.	.	9	.	.	.	.	.	.	.	.	—	10	—	—	.	.	19
Blackrock Urban District.	May. 1,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	May. 8,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	May. 15,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	May. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
Kingstown Urban District.	May. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	2	3
	May. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	May. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	.	1
	May. 22,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	.	.	2
City of Belfast.	May. 1,	.	—	—	22	.	.	2	.	.	.	1	1	—	—	5	—	.	7	38
	May. 8,	.	—	—	20	.	.	1	.	.	.	.	.	—	—	5	—	.	8	34
	May. 15,	.	—	—	23	.	.	2	.	.	.	1	.	—	—	2	—	.	3	31
	May. 22,	.	—	—	32	.	.	2	.	.	1	4	.	—	—	2	—	.	7	48
City of Cork.	May. 1,	.	.	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3a
	May. 8,	.	1	—	1	.	.	.	.	.	1	2	.	—	—	—	—	—	—	5a
	May. 15,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6b
	May. 22,	.	3	—	1	.	.	.	1	.	.	1	.	—	—	—	—	—	—	6
City of Londonderry.	May. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	May. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	May. 15,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	6
	May. 22,	.	—	—	3	.	.	1	.	.	.	2	.	—	—	—	—	—	—	6
City of Limerick.	May. 1,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	May. 8,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	May. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	May. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	May. 1,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4
	May. 8,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	May. 15,	.	—	—	9	.	.	.	.	.	.	.	.	—	—	—	—	—	1	10
	May. 22,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	1	6

\* One case of cerebro-spinal fever was reported during week ended 1st May.

(a) Not including one case of cerebro-spinal fever.

(b) Not including 2 cases of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 22nd May, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 2 were discharged, there was one death, and 29 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 28, 26, and 29.

Four cases of measles were admitted to hospital during the week, 7 were discharged, and 23 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 35, 27, and 26 respectively.

Thirteen cases of scarlet fever were admitted to hospital, 10 were discharged, and 72\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 67, 61, and 69, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 25, 24, and 31 respectively, were 33 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 6 were discharged, there were 2 deaths, and 19 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 22nd May, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 22ND MAY, 1915.																															
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
		POPULATION.		DEATHS.		BIRTHS.											DEATHS.														
		Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes. (b)	From certain Epidemic Diseases. (c)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by												Tuber- culosis.	Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.		Other.							
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	29.2	13.3	1.1	680	425	72	94	...	...	...	9	4	5	2	1	62	15	22	40	53	4	1	8	15	137	12			
DUBLIN REGISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29.8	26.5	20.8	1.8	208	163	35	31	...	...	...	4	...	3	1	1	33	3	8	13	24	4	1	5	5	55	4			
CITY OF DUBLIN, ...	312,747	39.5	30.5	21.2	1.2	183	127	28	19	...	...	...	...	...	2	...	1	28	3	6	9	21	4	...	5	5	49	3			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	21.1	1.3	9	16	2	7	...	...	...	...	...	...	...	...	3	...	2	1	2	...	1	...	...	2	...			
PEMBROKE, ...	30,538	19.4	17.1	15.4	3.4	10	9	1	1	...	...	...	...	...	1	1	...	2	...	...	1	...	...	...	...	2	1				
BLACKROCK, ...	9,233	8.5	5.6	16.9	...	1	3	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
KINGSTOWN, ...	16,941	11.6	15.4	24.6	12.3	5	8	4	2	...	...	...	4	...	...	...	...	...	...	...	1	1	...	...	...	...	2	...			
Urban Districts																															
BELFAST ...	403,000	27.0	32.1	16.7	0.6	248	129	19	23	...	...	...	4	...	1	...	...	14	7	6	22	12	...	...	1	5	41	...			
CORK, ...	76,673	28.6	26.5	21.8	1.4	39	32	5	8	...	...	...	1	...	1	...	...	4	2	3	3	1	...	...	1	3	13	1			
LONDON-DERRY	41,200	16.0	40.5	12.7	...	32	10	4	3	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	...	1			
LIMERICK, ...	38,518	16.1	17.6	10.8	...	13	8	1	1	...	...	...	...	...	...	...	...	1	...	1	...	2	...	...	...	3	1				
WATERFORD, ...	27,464	19.1	38.0	30.4	5.7	20	16	3	5	...	...	...	3	...	...	...	...	4	1	...	...	2	...	...	...	8	2				
GALWAY, ...	13,255	2.5	...	...	...	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
DUNDALK, ...	13,128	9.5	...	...	...	8	7	1	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	1	...				
LURGAN, ...	12,553	14.7	...	...	...	6	5	...	3	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	1	...				
DROGHEDA, ...	12,501	8.4	...	...	...	7	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...				
LISBURN, ...	12,388	10.9	...	...	...	8	4	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...				
NEWRY, ...	11,963	17.0	...	...	...	8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...				
PORTADOWN, ...	11,727	15.3	...	...	...	8	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...				
WEXFORD, ...	11,531	22.8	...	...	...	9	8	1	7	...	...	...	...	...	...	...	...	...	...	1	...	4	...	...	...	1	2				
BALLYMENA ...	11,381	9.3	...	...	...	4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...				
SLIGO, ...	11,163	3.8	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...				
KILKENNY, ...	10,514	11.4	...	...	...	6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...				
TRALEE, ...	10,300	17.4	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...				
CLONMEL, ...	10,209	7.8	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...				
NEWTOWNARDS	9,587	20.1	...	...	...	7	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...				
QUEENSTOWN, ...	8,209	14.7	...	...	...	2	6	...	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...				
LARNE, ...	8,036	13.4	...	...	...	8	5	...	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	3	...				
COLERAINE, ...	7,785	7.7	...	...	...	4	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
BANGOR, ...	7,776	8.5	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
BRAY, ...	7,691	7.2	...	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
ATHLONE, ..	7,472	6.2	...	...	...	15	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1				
ARMAGH, ...	7,356	21.8	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...				

(a) According to the Census of 1911, but in the case of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 11 deaths of persons (including one at 65 years) admitted to hospital from localities outside the Area; the 11 deaths include 2 from pulmonary tuberculosis, 2 from cancer, and one of a child under 2 years of age from diarrhoea and enteritis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 22nd of May, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		Deaths in Institutions of persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.															TOTAL FOR DUBLIN REGISTRATION AREA.		
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.		KINGSTOWN.	
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	4	
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough,	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	.	3	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Dysentery,	.	3	.	.	.	.	.	2	2	2	6	3	3	2	.	.	33	
Tuberculosis, { Pulmonary,	2	3	4	3	.	1	.	2	2	2	6	3	3	2	.	.	3	
Other Forms,	1	1	1	.	.	.	.	.	1	1	1	.	2	.	.	.	3	
Cancer,	.	2	1	.	.	.	.	.	1	1	1	.	2	.	.	.	8	
Diseases of Nervous System,	2	.	1	2	.	.	1	1	1	1	2	1	1	.	.	1	14	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	2	.	1	.	.	1	.	.	2	1	2	1	3	1	2	.	16	
Respiratory System, { Pneumonia,	.	.	1	.	.	1	1	1	2	1	2	.	1	1	1	1	13	
Others,	2	3	3	.	.	1	2	1	4	5	.	2	.	.	.	1	24	
Diarrhoea and Enteritis, under 2 years,	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.	.	4	
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Others,	.	.	.	.	.	1	.	.	2	1	1	.	.	2	.	.	7	
Genito-urinary System,	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	.	3	2	2	1	2	1	1	2	3	1	.	3	.	.	1	22	
Violent Deaths,	1	1	.	1	.	1	.	.	.	.	1	.	.	.	.	.	5	
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Deaths from All Causes	10	16	15	9	1	7	4	8	13	16	23	5	16	9	3	8	163	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17.1	20.0	28.1	13.1	9.4	26.4	19.3	10.1	27.0	19.0	36.2	26.2	21.1	15.4	16.9	24.6	20.8	
	19.5							23.1							19.5			
	21.2																	
Ages at Death. { Under 1 year,	2	3	2	1	.	2	2	2	3	5	6	.	2	1	.	4	35	
1 and under 2 years,	.	.	1	1	.	.	.	.	1	1	1	.	.	.	.	2	5	
2 " 5 "	1	2	.	.	.	.	1	.	1	.	.	.	1	2	.	.	10	
5 " 15 "	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	4	
15 " 25 "	.	.	2	2	.	.	.	1	1	.	3	.	2	.	.	.	11	
25 " 45 "	2	4	2	3	.	2	.	1	2	2	5	3	1	4	.	.	31	
45 " 65 "	4	4	4	1	.	1	1	4	3	4	3	2	3	1	1	.	36	
65 and upwards,	1	.	3	2	1	2	.	.	2	4	4	.	7	1	2	2	31	
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	4	
NUMBER OF THE ABOVE DEATHS WHICH OCCURRED IN HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	3	4	4	.	3	.	.	4	3	6	1	1	2	.	1	35	
Workhouse Hospitals,	3	1	.	1	.	.	.	5	1	4	2	1	1	.	.	1	20	





TWENTIETH WEEK, ending Saturday, 22nd May, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 20th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 22nd May, 1915.																
	May 20, 1905.	May 19, 1906.	May 18, 1907.	May 16, 1908.	May 22, 1909.	May 21, 1910.	May 20, 1911.	May 18, 1912.	May 17, 1913.	May 16, 1914.		All Ages.	Deaths of Persons of the Ages of															
													0-5.															
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.						
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.						
Diseases of Stomach, ...	—	—	—	—	—	—	3	4	2	.	—	4	1	2	1	.	.	.	1	1	.	.						
Diarrhoea and Enteritis of Children under 2 years.	4	2	4	1	2	6	3	1	5	5	3.6	5	1	2	2	.	.	.	.	.	.	.						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							1	1	1	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	1	.	.	.	.	.	.						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.						
Cirrhosis of Liver, ...	2	2	2	1	2	1	.	.	1	2	1.3	2	.	.	.	.	.	.	2	.	.	.						
Other Diseases of Liver, ...	4	1	2	1	.	.	1	.	.	1	1.0	1	.	.	.	.	.	.	.	.	1	.						
Peritonitis (cause unknown),	.	.	1	.	.	1	.	.	.	1	.3	2	.	.	.	.	1	.	1	.	.	.						
Other Diseases of Digestive System.	5	4	8	1	7	3	.	1	2	.	3.1	.	.	.	.	.	.	.	.	.	.	.						
Acute Nephritis, ...	5	5	7	7	4	7	.	.	.	1	5.6	.	.	.	.	.	.	.	.	.	.	.						
Chronic Bright's Disease, ...							4	.	7	4		.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Urinary Calculi, ...							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Genito- urinary System.	5	5	7	7	4	7	3	.	2	.	5.6	2	.	.	.	.	.	1	.	1	.	.						
Puerperal Septicæmia, &c., ...							.	2	.	.		1	1	1	1	.	7	1	.	.	.	.	.	1	.	.	.	
Other Causes incident to Pregnancy and Childbirth.							.	.	.	.		1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.							—	—	—	—		—	—	.	.	1	2	—	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.							—	—	—	—		—	—	1	2	1	2	—	2	1	1	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	1	2	1	2	—	2	1	1	.	.	.	.	.	.	.							
Premature Birth, ...	2	7	2	4	4	4	4	3	3	6	3.9	8	7	1	.	.	.	.	.	.	.							
Congenital Debility, ...	—	—	—	—	—	—	1	2	5	2	—	5	1	4	.	.	.	.	.	.	.							
Old Age, ...	7	6	3	1	2	3	3	5	3	2	3.5	3	.	.	.	.	.	.	.	.	3							
Other Specified Diseases, ...	—	—	—	—	—	—	1	.	1	1	—	1	.	1	.	.	.	.	.	.	.							
ACCIDENT :																												
Poisons or Poisonous Vapours.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.							
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.							
Burns and Scalds, ...	1	1	.	.	.	.	1	1	.	2	.6	.	.	.	.	.	.	.	.	.	.							
Drowning, ...	.	1	.	.	.	.	.	.	.	1	.2	2	.	.	.	.	1	1	.	.	.							
Suffocation in Bed, ...	.	.	.	1	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.							
Other Deaths by Accident, ...	2	2	2	2	4	.	.	1	3	4	2.0	3	.	.	.	1	.	1	.	.	1							
Total Deaths from Accident,	5	4	2	3	4	.	1	3	3	7	3.2	5	.	.	.	1	.	1	2	.	1							
Included in above are Deaths in connection with—																												
Railways, ...	.	.	.	.	.	.	.	.	.	.	.5	.	.	.	.	.	.	.	.	.	.							
Vehicles and Horses, ...	.	.	.	.	1	.	.	1	2	1	.	.	.	.	.	.	.	.	.	.	.							
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.							
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.							
VIOLENCE OTHER THAN ACCIDENTAL:																												
Homicide, ...	.	.	.	.	.	1	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.							
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.							
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	2	1	1	—	.	.	.	.	.	.	.	.	.	.							





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 22nd May, 1915: the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 22ND MAY, 1911.																																																										
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths	AGES.										CAUSES OF DEATH										Violence.	Other Causes.	Number of Unethical Deaths																														
						Under 5 years.					5 and under 15.					15 and under 25.					25 and under 35.								35 and under 45.					45 and under 75.					75 and upwards.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.
						(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)				(24)	(25)	(26)	(27)	(28)	(29)																								
CLASS.	COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																											
ALL PERSONS.																																																										
CLASSES.																																																										
Deaths in Families of the—																																																										
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...																																																									
II.	MIDDLE CLASS, ...																																																									
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																																																									
IV.	GENERAL SERVICE CLASS, ...																																																									
V.	INMATES OF WORKHOUSES, ...																																																									
I. PROFESSIONAL AND INDEPENDENT CLASS.																																																										
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																																																										
2. Merchants and Manufacturers Higher Class																																																										
3. Persons of Rank and Property, not otherwise described, ...																																																										
MIDDLE CLASS.																																																										
4. General Body of Officials—Civil Service, Banking, &c., ...																																																										
5. Traders (except Petty Shopkeepers), Business Managers &c., ...																																																										
6. Clerks and Commercial Assistants, ...																																																										
7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...																																																										
III. ARTISAN CLASS AND PETTY SHOPKEEPERS.																																																										
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																																																										
9. Building and Furnishing Trades, ...																																																										
10. Clothing Trades, ...																																																										
11. Food Supply Trades, ...																																																										
12. Other Trades and Callings ranking with Trades, ...																																																										
18. Petty Shopkeepers — ...																																																										
GENERAL SERVICE CLASS.																																																										
14. Army, Police, Postal Delivery and Prison Services, &c., ...																																																										
15. Domestic Servants, ...																																																										
16. Coach and Car Drivers, Vainmen, &c., ...																																																										
17. Hawkers, Porters, Labourers, &c., ...																																																										
INMATES OF WORKHOUSES.																																																										
18. Workhouse inmates, ...																																																										

TABLE VII.—Showing for each of the last Six Weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncer- tified Deaths.			
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric * Cases under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.		
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
North City, No. 1 (E.) (Office Clarence St. Nth.)	April, 17 " 24 May, 1	25.6 20.5 17.1	1.7 1.7 1.7	15 12 10	.	.	.	.	.	.	.	.	2 3 3	1 .br/>.br/>	1 1 1	2 1 .	1 2 .	1 1 1	.	.	.	1 1 2
Population in 1915 (Est.) 30,504.	" 15 " 22	22.2 17.1	3.4	13 10	.	.	.	.	1	.	1	.	2 2	1 1	2 .	.	2 2	1 .	.	1	2	
North City, No. 1 (W.) (Office, Summer-hill.)	April, 17 " 24 May, 1	30.0 26.3 18.8	1.3 .br/>1.3	24 21 15	.	.	.	.	.	.	.	.	5 3 2	.	.	4 1 2	6 2 3	1 .br/>1	.	.	.	1 1 1
Population in 1915 (Est.) 41,685.	" 8 " 15 " 22	25.0 22.5 20.0	1.3 .br/>2.5	20 18 16	.	.	.	.	.	.	1	.	2 4 3	2 2 1	2 .	2 2 .	1 1 3	1 .br/>1	.	1	.	
North City, No. 2. (Office, Lisburn-street.)	April, 17 " 24 May, 1	39.3 28.1 7.5	1.9 3.7 .br/>	21 15 4	.	.	.	.	.	2	.	.	4 3 2	1 2 .	.	1 1 .	3 2 .	1 .br/>.br/>	.	.	2	1 .
Population in 1915 (Est.) 27,883.	" 8 " 15 " 22	37.4 18.7 28.1	.br/>1.9	20 10 15	.	.	.	.	.	.	.	.	5 3 4	3 .	3 1	1 1	1 3	2 1 3	.	.	.	
North City, No. 3. (Office, Benburb-street.)	April, 17 " 24 May, 1	26.2 24.7 30.5	1.5 2.9 .br/>	18 17 21	.	.	.	.	.	2	1	.	2 1 5	.	1	3 1 2	3 2 3	.	.	.	1 1 1	
Population in 1915 (Est.) 35,887.	" 8 " 15 " 22	18.9 30.5 13.1	1.5 .br/>	13 21 9	.	.	.	.	.	.	.	.	3 4 3	1 .	3 2 .	2 3 .	2 3 .	1 .br/>.br/>	.	1	1	
Clontarf and Howth No. 1 (part of).	April, 17 " 24 May, 1	9.4 18.8 9.4	.	1 2 1	.	.	.	.	.	.	.	.	.	.	.	.	1 .br/>.br/>	.	.	.	.	
Population in 1915 (Est.) 5,539.	" 8 " 15 " 22	9.4 37.7 9.4	.	1 4 1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	April, 17 " 24 May, 1	15.1 15.1 22.6	.	4 4 6	.	.	.	.	.	.	.	.	1 1 1	1 1 .	2 1 1	.	2 .br/>.br/>	.	.	.	.	
Population in 1915 (Est.) 13,820.	" 8 " 15 " 22	22.6 15.1 26.4	3.8	6 4 7	.	.	.	.	.	.	1	.	1 1 1	.	.	.	1 .br/>.br/>	.	.	.	1	
Finglas and Glasnevin (part of).	April, 17 " 24 May, 1	19.3 9.6 .br/>	.	4 2 .	.	.	.	.	.	.	.	.	.	.	.	1 .br/>.br/>	.	.	.	.	.	
Population in 1915 (Est.) 10,829.	" 8 " 15 " 22	24.1 9.6 19.3	4.8	5 2 4	.	.	.	.	.	.	1	.	.	.	.	1 1 .	.	.	.	.	.	
South City, No. 1. (Office, St. Earl-street.)	April, 17 " 24 May, 1	19.0 25.3 21.5	2.5 3.8 3.8	15 20 17	.	.	.	.	.	2	.	.	3 2 1	1 1 .	1 1 .	.	1 6 1	.	1	.	1	
Population in 1915 (Est.) 41,170.	" 8 " 15 " 22	20.3 30.4 10.1	1.3 3.8 1.3	16 24 8	.	.	.	.	.	1	.	.	3 2 2	2 2 .	2 .	2 1	2 5 2	1 2 1	.	.	.	
South City, No. 2. (Office, Castle-street.)	April, 17 " 24 May, 1	19.9 48.3 34.1	.br/>11.4 2.8	7 17 12	.	.	.	.	.	.	3	.	3 2 2	1 .	1 1	.	1 3 1	.	1	.	.	
Population in 1915 (Est.) 18,341.	" 8 " 15 " 22	31.3 17.1 37.0	11.4 5.7 .br/>	11 6 13	.	.	.	.	.	3	1	.	2 1 2	.	.	1 1	1 1 1	.	1	.	2	
South City, No. 3. (Office, Peter-street.)	April, 17 " 24 May, 1	26.1 35.6 22.5	2.4 3.6 .br/>	22 30 19	.	.	.	.	.	2	.	.	3 6 1	1 2 .	.	5 3 3	1 2 6	.	1	.	2	
Population in 1915 (Est.) 43,970.	" 8 " 15 " 22	26.1 24.9 19.0	1.2 2.4 2.4	22 21 16	.	.	.	.	.	1	1	.	5 4 2	1 .	3 1	3 2 4	4 2 1	.	.	.	1	
South City, No. 4. (Office, Grand Canal-st.)	April, 17 " 24 May, 1	15.7 26.7 14.1	.	10 17 9	.	.	.	.	.	.	.	.	1 1 .	.	1 1	3 3 1	1 3 1	.	1	.	1	
Population in 1915 (Est.) 33,171.	" 8 " 15 " 22	20.4 14.1 36.2	.br/>3.1 1.6	13 9 23	.	.	.	.	.	.	.	.	5 1 6	1 .	3 .	1 .	1 1 5	.	2	.	1	
New Kilmainham.	April, 17 " 24 May, 1	10.5 15.7 10.5	.	2 3 2	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	.	
Population in 1915 (Est.) 9,948.	" 8 " 15 " 22	36.7 26.2 26.2	5.2	7 5 5	1	.	.	.	.	.	.	.	.	1 2 3	2 .	1 .	1 .	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	1 diphtheria, 2 years and upwards.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	April, 17 " 24 May, 1 " 8 " 15 " 22	22.4 23.7 15.8 21.1 17.1 21.1	. . . 1.3 1.3 1.3 1.3	17 18 12 16 13 16	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . .	. . . . . . . . . . .	. . . . . . . . . . .	2 1 4 3 1 3	. 2 . . . . 1 . .	. . . 3 . . 1 2	. . . 1 . . 1 1	1 3 1 1 . . 2	2 1 1 1 2 2	. . . 1 . . . . . .	. . . . . . . 1 . .	. . . . . . . . . 1	1 1 . . . . . . . .	. . . . . . . . . . .
Pembroke Urban District. Population in 1915 (Est.) 20,538	April, 17 " 24 May, 1 " 8 " 15 " 22	34.1 20.5 22.2 15.4 23.9 15.4	1.7 . . 1.7 1.7 1.7 3.4	20 12 13 9 14 9	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	1 . . . . . . 1 1	. . . . . . . 1 1	. . . . . . . . . . .	. . . . . . . . . . .	1 2 2 1 1 2	. . . . . . . 1 . .	1 1 1 3 . . . .	. . . . . . . 3 1	4 1 . . 2 . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . .	. . . . . . . . . . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	April, 17 " 24 May, 1 " 8 " 15 " 22	5.6 5.6 11.3 11.3 22.6 16.9	. . . . . . . . . . .	1 1 2 2 4 3	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . 1	. . . . . . . 1 1	. . . . . 1 2 . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . .	
Kingstown Urban District. Population in 1911 16,941.	April, 17 " 24 May, 1 " 8 " 15 " 22	24.6 43.1 18.5 27.7 12.3 24.6	3.1 15.4 6.2 3.1 3.1 12.3	8 14 6 9 4 8	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	1 . . 5 2 1 4	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 1 . . . . . .	. . . . . 1 . . . .	. . . . . 1 . . . .	2 . . . . . . . . 1	. . . . . 3 1 1	. . . . . . . 1 . .	. . . . . . . . . . .	. . . . . . . . . . .	1 . . . . . . . . . .	. . . . . . . . . . .	
Belfast. Population in 1915 (Est.) 403,000.	April, 17 " 24 May, 1 " 8 " 15 " 22	21.5 20.3 19.8 16.7 15.1 16.7	1.7 1.6 2.1 1.6 1.0 0.6	166 157 153 129 117 129	1 . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	3 2 7 8 2 4	1 . . 1 . . . . . .	5 7 5 2 5 1	1 . . . . 1 . . . .	17 20 23 22 18 14	13 9 8 5 7 7	6 9 9 10 5 6	21 17 17 12 15 22	24 14 14 10 14 12	2 2 2 2 14 .	. 1 1 . . . . . .	3 3 3 2 1 1	. 2 2 2 1 1	. 2 1 . . . . . .	
Cork. Population in 1911 76,673.	April, 17 " 24 May, 1 " 8 " 15 " 22	25.8 23.1 17.7 20.4 16.3 21.8	0.7 . . 0.7 . . . . 1.4	38 34 26 30 24 32	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . 1	. . . . . . . . . . .	. . . 1 . . . . . .	. . . . . . . . . . .	7 7 5 10 7 4	1 1 . . . . 1 2	1 2 2 1 1 3	4 4 3 4 1 3	2 5 2 2 2 1	. . . . . . . . . . .	. . . . . . . . . . .	. . . 1 . . . . 1	. . . . . . . . . . .		
Londonderry. Population in 1915 (Est.) 41,200.	April, 17 " 24 May, 1 " 8 " 15 " 22	12.7 22.8 24.0 15.2 20.2 12.7	. 2.5 1.3 3.8 . . . .	10 18 19 12 16 10	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . 1 . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	3 5 2 . . 1 1	. . . 2 1 . . 1	. . . 1 . . . . . .	1 2 2 2 3 2	2 . . 2 2 3 2	. . . 1 1 . . . .	. . . . . 1 . . . .	. . . . . 1 . . . .	. . . . . . . . . . .		
Limerick. Population in 1911 38,518.	April, 17 " 24 May, 1 " 8 " 15 " 22	13.5 16.2 19.0 23.0 31.1 10.8	. . . . . . . . . . .	10 12 14 17 23 8	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	1 . . 1 . . 1 1	. 1 1 . . 1 1	. 1 1 . . 3 1	2 3 1 4 3 2	1 1 1 1 3 2	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . .		
Waterford. Population in 1911 27,464.	April, 17 " 24 May, 1 " 8 " 15 " 22	22.8 15.2 17.1 13.3 19.0 30.4	5.7 1.9 1.9 1.9 1.9 5.7	12 8 9 7 10 16	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	1 1 1 1 1 3	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	2 2 2 . . 2 4	. . . . . . . . . 1	. . . . . 1 . . 1	. . . . . . . . . . .	2 2 3 . . . . 2	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .		

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																										
		Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	
No. of weeks in Annual Series,		48	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
BIRTHS registered, ...		226	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	191	232	177	235	256	227	219	187	185	243	
DEATHS registered, ...		159	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	
Annual Death-rate per 1,000 of estimated population, ...		20.8	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...		31	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	
		22	24	20	24	22	35	24	25	27	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13
		10	17	11	20	13	15	12	15	14	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15
		18	24	19	21	21	29	22	23	18	18	20	34	29	23	20	27	27	24	19	23	25	22	34	19	27	16	26
		46	31	27	20	35	29	37	37	39	39	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33
		32	38	50	24	47	39	38	36	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23
Deaths from:—																												
Enteric Fever, ...		1	1	1	1	1	2	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Measles, ...		14	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	
Scarlet Fever, ...		3	3	3	7	1	2	2	5	3	3	4	3	3	3	3	3	3	3	3	5	5	7	1	1	1	1	
Whooping-cough, ...		1	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Tuberculosis. { Pulmonary, ... Other Forms, ...		12 6 10 21 25	15 6 7 22 21	12 1 6 15 31	12 7 6 11 15	20 4 5 16 27	20 6 5 24 23	9 5 8 15 30	15 14 6 9 30	19 6 9 23 43	13 19 8 23 30	17 7 9 15 30	24 8 6 23 43	13 5 5 38 28	15 12 6 21 31	18 10 6 29 34	13 8 6 30 31	20 7 2 30 33	15 13 8 26 25	17 7 6 21 23	17 13 6 21 23	20 9 9 17 14	23 8 9 17 10	22 5 10 12 14	18 7 5 15 14	14 7 6 22 12		
Cancer, ...		10	7	6	6	5	5	5	6	12	9	6	6	5	6	6	6	6	6	8	6	6	9	9	10	5	6	
Diseases of Respi- { ratory System, { Pneumonia, ... Other, ...		21 25	22 21	15 31	11 15	16 27	24 23	15 30	9 30	12 20	15 30	23 43	38 28	21 31	21 34	21 34	29 31	30 33	26 25	22 29	21 23	21 24	17 14	17 10	12 14	15 14	22 12	
Diarrhoea and Enteritis, under 2 years, ...		3	5	5	5	1	1	2	2	2	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	2	2	
Diarrhoea, 2 years and upwards, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	3	2	1	1	1	1	1	1	1	
Violent Deaths, ...		5	5	2	2	4	5	1	1	1	1	2	4	3	3	3	3	5	3	3	1	3	3	3	2	1	1	
Number of Uncertified Deaths, ...		2	2	2	1	3	3	3	2	1	2	3	3	3	4	3	4	2	2	2	3	3	2	2	1	1	1	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	May 22,	1,962	1,288 <sup>c</sup>	14·9	4	.	84	5	41	15	15	
EDINBURGH, —	328,700	„ 22,	111	92 <sup>c</sup>	14·6	.	.	.	.	11	1	1	
GLASGOW, — —	1,078,400	„ 22,	571	373 <sup>c</sup>	18·0	1	.	26	5	22	1	2	
CALCUTTA, — —	896,067	Apr. 3,	.	785	45·5	106*	156	.	.	.	.	192 <sup>†a</sup>	
BOMBAY, — —	979,445	„ 10,	291	457	24·3	70*	19	4	.	.	.	36 <sup>†a</sup>	
MADRAS, — —	518,660	„ 3,	314	338	38·9	59*	1	.	?	?	?	85 <sup>†a</sup>	
CAIRO, {	Egyptians, ...	Mar. 11,	611	484	38·2	23	.	1	.	?	1 <sup>†</sup>	49	
	Foreigners,	„ 11,	12	23	16·6	.	2	.	.	?	.	.	
ALEXAN- DRIA, {	Egyptians,	„ 11,	338	192	29·3	2	.	.	.	?	.	19	
	Foreigners,	„ 11,	38	25	16·9	.	.	.	.	?	1 <sup>†</sup>	1	
PARIS, — —	2,847,229	Apr. 10,	892	997	17·9	2	.	42	2	4	1 <sup>†</sup>	28	
BRUSSELS, — —	780,848	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	323,421	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, —	610,976 {	Mar. 13,	290	147	12·5	.	.	5	.	1	.	1	
		„ 20,	293	155	13·2	.	.	2	.	4	1 <sup>†</sup>	3	
COPENHAGEN, —	492,000	Apr. 24,	220	158	16·7	.	.	.	.	.	.	2 <sup>a</sup>	
STOCKHOLM, —	382,085	„ 24,	138	120	16·2	.	.	1	.	3	1	2 <sup>a</sup>	
CHRISTIANIA, —	251,446	May 1,	99	42	8·7	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	Mar. 20,	.	881	27·1	14	1	13	17	5	9 <sup>†</sup>	55 <sup>a</sup>	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	—	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	766,136	May. 1,	.	254 <sup>b</sup>	17·3	.	.	1	.	2	5	8 <sup>a</sup>	

\* Deaths from "fever," including 14 deaths from plague, and 4 from enteric fever in Calcutta; 22 from plague, and one from enteric fever in Bombay; and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 120 deaths from cholera in Calcutta, one in Bombay, and 5 in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 228 deaths; rate, 15·2 per thousand.

<sup>c</sup> Including 12 deaths from cerebro-spinal fever in London, one in Edinburgh, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 22nd May, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	.	1	.	.	.	9	12
" " 1, West, ...	.	1	.	.	2	.	.	.	1	.	.	.	7	11
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
" " 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	.	.	1	.	.	.	.	.	.	.	2	4
" " 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
" " 3, ...	.	.	.	.	.	.	.	1	.	.	.	.	3	4
" " 4, ...	.	.	.	.	1	.	.	1	.	.	.	.	3	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	4	.	.	5	.	.	2	3	.	.	.	30	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 22nd May, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 22nd May.			
	May 1.	May 8.	May 15.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	28	26	29	3	2	1	29
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	35	27	26	4	7	.	23
Scarlet Fever, ...	67	61	69	13	10	.	72*
Diphtheria, ...	25	24	31	7	4	1	33
Pneumonia, ...	18	19	20	7	6	2	19

\* Exclusive of 9 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 29TH MAY, 1915.

[No. 21.]

*General Register Office, Charlemont House,  
Dublin, 31st May, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 8	May 15	May 22	May 29	
<b>27 Town Districts, (a)</b>	<b>19·9</b>	<b>18·8</b>	<b>18·3</b>	<b>16·4</b>	<b>18·3</b>
Dublin Reg. Area ...	23·7	21·9	20·8	17·0	20·8
Dublin City ...	25·0	22·8	21·2	17·3	21·6
Belfast ...	16·7	15·1	16·7	16·9	16·4
Cork ...	20·4	16·3	21·8	19·0	19·4
Londonderry ...	15·2	20·2	12·7	16·5	16·2
Limerick ...	23·0	31·1	10·8	17·6	20·6
Waterford ...	13·3	19·0	30·4	7·6	17·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 0·9 per 1,000. Among the 131 deaths from all causes for Belfast are 5 from measles, one from scarlet fever, 2 from whooping-cough, 3 from diarrhoea and enteritis of children under 2 years, and 3 from cerebro-spinal fever. Of the 5 deaths from all causes for Dundalk, one is from whooping-cough. One of the 2 deaths recorded for Portadown is from measles; from which disease one of the 5 deaths from all causes for Newtownards is also recorded.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 240—106 boys and 134 girls—and the deaths to 140—65 males and 75 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 133) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·0 per 1,000 of the population. During the twenty-one weeks, ending with Saturday last, the death-rate averaged 26·8, and was 2·9 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 140, represent an annual rate of 17·8 per 1,000; the annual rate for the past twenty-one weeks was 28·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·2 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from enteric fever, 3 from measles, and one from diphtheria. In the three preceding weeks, deaths from enteric fever were 2, 0, and 0; deaths from measles were one, 0, and 4; and deaths from diphtheria were 3, 2, and one, respectively.

Tuberculous disease, causing 46, 40, and 38 deaths, respectively, in the three preceding weeks, fell to 27\* last week, the latter comprising 20 from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from disseminated tuberculosis.

Cancer caused 5 deaths.

Of 12 deaths from pneumonia, 6 were from broncho-pneumonia, 2 from lobar pneumonia, and 4 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 3 were assigned to convulsions, and 7 to congenital debility.

Eleven deaths were caused by organic diseases of the heart and 15 by bronchitis.

There were 4 accidental deaths, including one caused by poison (hydrocyanic acid), and one by drowning.

One death of a soldier was caused by wounds received in battle.

To homicide one death was assigned.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old.

Thirty-two of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 6 were under one month old), and 37 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom 3 (females) were stated to have been aged 90, 90, and 100 years, respectively.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·0 per 1,000; the rate in the City was 17·3 (North City Districts, 15·4; South, 19·6), and in the Suburbs, 15·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·3 (in the North City Districts 0·3, and in the South 0·4), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 22·9 per 1,000, and include 4 deaths from tuberculosis and 3 from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (10) are equal to an annual rate of 12·5 per 1,000. Three deaths were caused by tuberculous disease and one by broncho-pneumonia.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. One of the 8 deaths was from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·1 per 1,000. Among them are 2 deaths from tuberculous disease, 3 from pneumonia, and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 19·3. The only death recorded for Clontarf and Howth, No. 1, part of, was one caused by pulmonary tuberculosis. One of the 3 deaths for Coolock and Drumcondra, part of, was from enteric fever; and among the 4 deaths recorded for Finglas and Glasnevin, part of, are one from pulmonary tuberculosis, and one from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·7 per 1,000. One death was caused by pulmonary tuberculosis and 3 by bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000, and include one death from pulmonary tuberculosis and one from pneumonia.

No. 3 *South City District* (Peter-street).—The deaths (14) are equal to an annual rate of 16·6 per 1,000. Among them are one death from measles, 3 from pulmonary tuberculosis, 2 from broncho-pneumonia, 2 from bronchitis, and one accidental death.

No. 4 *South City District* (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Six deaths from tuberculous disease, one from pneumonia, and one from bronchitis, were recorded.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·5; Pembroke, 20·5; Blackrock, 16·9; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts include one death from diphtheria for Pembroke and 2 from measles for Kingstown. The 8 deaths from all causes for Rathmines and Rathgar include 2 from tuberculous disease, one from bronchitis, and one accidental death. Of the 12 deaths recorded for Pembroke, 2 were caused by pulmonary tuberculosis and 3 by pneumonia; and among the 16 deaths from all causes for Kingstown are one death from lobar pneumonia and one accidental death.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·1), was equal to an average annual death-rate of 13·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·2 per 1,000, the rate for Glasgow being 19·7, and for Edinburgh 14·3.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 29th May. From this Report it appears that of a total of 64 cases notified, 23 were pulmonary tuberculosis, 6 other forms of tuberculosis, 18 scarlet fever, 9 erysipelas, 5 diphtheria, and 3 cerebro-spinal fever. Among the 453 cases of infectious diseases in hospital at the close of the week were 197 of pulmonary tuberculosis, 130 of scarlet fever, 47 of whooping-cough, 34 of diphtheria, 16 of measles, 12 of erysipelas, 5 of cerebro-spinal fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 29th May, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	May. 8,	—	—	—	4	—	—	9	—	2	—	1	—	—	—	—	—	—	26	42
	May. 15,	—	—	—	4	—	—	6	—	—	2	3	—	—	—	1	—	—	30	46
	May. 22,	—	—	—	4	—	—	5	—	—	2	3	—	—	—	—	—	—	30	44
	May. 29,	—	—	—	8	3	—	5	—	—	2	3	—	—	—	—	—	—	22	43
Rathmines and Rathgar Urban District.	May. 8,	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2
	May. 15,	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	—	—	—	3
	May. 22,	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	3
	May. 29,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pembroke Urban District.	May. 8,	—	1	—	—	—	—	—	—	—	—	—	—	—	8	—	—	—	—	9
	May. 15,	—	—	—	2	—	—	—	1	—	—	—	—	—	16	—	—	—	1	20
	May. 22,	—	—	—	9	—	—	—	—	—	—	—	—	—	10	—	—	—	—	19
	May. 29,	—	—	—	—	—	—	—	—	—	—	1	—	—	5	—	—	—	1	7
Blackrock Urban District.	May. 8,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 15,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 22,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 29,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingstown Urban District.	May. 8,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	May. 15,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	May. 22,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 29,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Belfast.	May. 8,	—	—	—	20	—	—	1	—	—	—	—	—	—	—	5	—	—	8	34
	May. 15,	—	—	—	23	—	—	2	—	—	—	1	—	—	—	2	—	—	3	31
	May. 22,	—	—	—	32	—	—	2	—	—	1	4	—	—	—	2	—	—	7	48
	May. 29,	—	—	—	53	—	—	3	1	—	—	3	—	—	—	2	—	—	1	63
City of Cork.	May. 8,	—	1	—	1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	5a
	May. 15,	—	3	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	6b
	May. 22,	—	3	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	6
	May. 29,	—	8	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	12
City of Londonderry.	May. 8,	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	May. 15,	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2
	May. 22,	—	—	—	3	—	—	1	—	—	—	2	—	—	—	—	—	—	—	6
	May. 29,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
City of Limerick.	May. 8,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 15,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	May. 22,	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	May. 29,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Waterford.	May. 8,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
	May. 15,	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	1	10
	May. 22,	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—	1	6
	May. 29,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3

(a) Not including one case of cerebro-spinal fever.

(b) Not including 2 cases of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 29th May, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 27 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 29, and 29.

Three cases of typhus were admitted to hospital during the week, and remained under treatment at its close. There were no cases under treatment in hospital since April 10.

Three cases of measles were admitted to hospital during the week, 10 were discharged, and 16 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 27, 26, and 23 respectively.

Eleven cases of scarlet fever were admitted to hospital, 9 were discharged, and 74\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 61, 69, and 72, respectively.

Four cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 24, 31, and 33 respectively were 28 at the close of last week.

In addition to the above-named diseases, 12 cases of pneumonia were admitted to hospital, 7 were discharged, there was one death, and 23 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 29th May, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 29TH MAY, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.1	16.4	0.9	653	382	59	85	1	...	...	10	1	3	1	...	60	22	11	25	38	4	1	9	17	120	11
DUBLIN REG- ISTRATION AREA:—																												
TOTAL, (c.) ...	409,000	29.8	30.6	17.0	0.6	240	133	16	35	1	...	...	3	...	...	1	...	19	7	5	12	16	...	...	4	3	58	2
CITY OF DUBLIN.	312,747	39.5	34.5	17.3	0.3	207	104	13	25	1	...	...	1	...	...	...	...	16	6	5	8	13	...	...	2	2	47	1
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	18.5	10.5	.	14	8	..	2	...	...	...	...	...	...	...	...	1	1	..	...	2	...	...	1	...	2	1
PEMBROKE, ...	30,538	19.4	17.1	20.5	1.7	10	12	2	5	...	...	...	...	...	...	1	...	2	...	...	3	...	...	...	...	...	8	...
BLACKROCK, ...	9,233	8.5	16.9	16.9	.	3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	18.5	18.5	6.2	6	6	1	1	...	...	...	2	...	...	...	...	...	...	...	1	1	...	...	1	1	1	...
Urban Districts																												
BELFAST ..	403,000	27.0	29.5	16.9	1.4	228	131	20	21	...	...	...	5	1	2	...	...	23	8	5	5	15	3	...	3	10	37	...
CORK, ..	76,673	28.6	21.8	19.0	.	32	28	5	7	...	...	...	...	...	...	...	...	6	2	...	4	1	...	...	...	1	9	1
LONDON- DERRY	41,200	16.0	27.3	16.5	.	22	13	2	3	...	...	...	...	...	...	...	...	...	3	...	...	2	...	...	...	...	4	...
LIMERICK, ...	38,518	16.1	32.5	17.6	.	24	13	2	4	...	...	...	...	...	...	...	...	2	...	...	...	3	...	...	...	1	5	1
WATERFORD, ...	27,464	19.1	15.2	7.6	...	8	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
GALWAY, ...	13,255	2.5	...	...	...	5	5	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	2	...
DUNDALE, ...	13,128	9.5	...	...	...	10	5	3	...	...	...	...	...	...	1	...	...	2	...	...	1	...	...	...	...	...	...	...
LURGAN, ...	12,553	14.7	...	...	...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8.4	...	...	...	9	8	3	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
LISBURN, ...	12,388	10.9	...	...	...	9	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
NEWRY, ...	11,963	17.0	...	...	...	4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...
PORTADOWN, ...	11,727	15.3	...	...	...	3	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8	...	...	...	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
BALLYMENA ..	11,381	9.3	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
KILKENNY, ...	10,514	11.4	...	...	...	2	6	2	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	...	1
TRALEE, ...	10,300	17.4	...	...	...	6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
CLONMEL, ...	10,209	7.8	...	...	...	4	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...
NEWTOWNARDS	9,587	20.1	...	...	...	6	5	1	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...
QUEENSTOWN,	8,209	14.7	...	...	...	7	5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2
LARNE, ...	8,036	13.4	...	...	...	10	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
COLERAINE. ...	7,785	7.7	...	...	...	3	6	2	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	1
BANGOR, ..	7,776	8.5	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2	...	...	...	3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2	...	...	...	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 7 deaths of persons (including 2 under one year old and 2 at 65 years or upwards) admitted to hospital from localities outside the Area; one of the 7 deaths is from pulmonary tuberculosis. (d) Including 3 deaths from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 29th of May, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.														TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.									URBAN DISTRICTS OF	
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLIDGE and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	P. EMBROCK.			B. BLACKROCK.	KINGTOWN.
Enteric Fever, . . . . .	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	2	2	.	1	1	.	1	1	3	4	.	1	2	.	.	.	19	1
Other Forms, . . . . .	2	1	1	1	.	.	.	.	.	2	.	1	.	.	.	.	7	.
Cancer, . . . . .	.	1	1	.	.	1	.	1	.	1	.	.	.	.	.	.	5	.
Diseases of Nervous System, . . . . .	3	2	.	1	.	1	.	3	.	2	3	1	.	2	1	1	20	.
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
" Circulatory System, . . . . .	1	1	2	.	.	.	.	1	1	1	2	1	1	2	1	.	14	.
" Respiratory { Pneumonia, . . . . .	.	1	.	3	.	.	.	1	1	2	1	.	3	.	1	.	12	.
System. { Others, . . . . .	3	.	1	2	.	1	3	.	2	1	.	2	.	.	1	.	16	1
" Digestive { Diarrhoea and Enteritis, under 2 years, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
System. { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Genito-urinary System, . . . . .	.	.	2	1	.	.	1	1	.	.	.	.	.	.	1	.	6	1
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	4	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	1	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	2	1	2	.	.	.	2	4	.	1	1	.	2	1	.	.	16	2
Violent Deaths, . . . . .	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	4	1
Ill-defined, &c. Causes, . . . . .	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
Deaths from All Causes . . . . .	14	10	8	9	1	3	4	14	8	14	17	2	8	12	3	6	133	7
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	23·9 12·5 15·0 13·1 9·4 11·3 19·3							17·7 22·7 16·6 26·7 10·5					10·5 20·5 16·9 18·5				17·0	.
	15·4							19·6					15·7					
	17·3																	
Ages at Death. { Under 1 year, . . . . .	1	1	1	.	.	.	2	2	1	4	1	.	.	2	.	1	16	2
1 and under 2 years, . . . . .	.	.	1	.	.	.	.	1	.	.	2	.	.	.	.	2	6	.
2 " 5 " . . . . .	1	1	.	3	.	.	.	.	.	.	2	1	.	.	.	.	8	.
5 " 15 " . . . . .	.	1	1	.	.	.	.	.	.	1	3	.	1	.	.	.	7	1
15 " 25 " . . . . .	.	.	.	1	.	1	.	.	.	2	.	.	.	2	.	.	6	.
25 " 45 " . . . . .	3	1	.	2	1	.	1	2	2	3	1	.	2	2	.	2	22	2
45 " 65 " . . . . .	5	3	4	2	.	1	.	4	2	1	5	1	3	1	1	.	33	.
65 and upwards, . . . . .	4	3	1	1	.	1	1	5	3	3	3	.	2	5	2	1	35	2
Number of Uncertified Deaths, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	2	2	5	1	1	.	.	1	3	5	1	1	5	.	1	30	6
Workhouse Hospitals, . . . . .	6	2	1	2	.	.	.	3	3	2	5	.	1	3	.	.	28	1





TWENTY-FIRST WEEK, ending Saturday, 29th May, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 21st Week of the 10 years, 1905-1914.	In the Week ending Saturday, 29th May, 1915.										
	May 27, 1905.	May 26, 1906.	May 25, 1907.	May 23, 1908.	May 29, 1909.	May 28, 1910.	May 27, 1911.	May 25, 1912.	May 24, 1913.	May 23, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	3	3	2	1	—	.	4	.	1	.	.	.	.	1	2	.
Diarrhoea and Enteritis of Children under 2 years.	2	4	1	5	2	4	3	4	6	7	4.0	{	.	.	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	3	1	1	—	.	1	.	.	.	.	.	.	1	.	.
Cirrhosis of Liver, ...	.	.	1	3	.	3	2	1	1	2	1.3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	.	1	.	.	3	1	1	.	.	.6	.	1	.	.	.	.	.	1	.	.	.
Peritonitis (cause unknown),	1	2	.	.	.	1	1	.	1	.	.6	.	1	.	.	.	.	1	.	.	.	.
Other Diseases of Digestive System.	3	9	2	10	5	7	2	1	.	.	3.9	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	1	6	8	6	7	6	.	1	3	1	6.9	{	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...							4	2	10	8			.	.	.	.	.	.	3	1	.	
Urinary Calculi, ...							.	.	.	.			.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).							.	.	.	.			1	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)							.	.	1	.			.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.							3	.	.	.			.	.	.	.	.	.	.	.	.	
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	1	.	1	1	.	.	.	2	.7	.	1	.	.	.	1	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	.	1	—	.	1	.	.	.	.	.	.	.	1	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	2	6	2	6	8	4	3	2	9	4.9	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	1	.	9	3	—	.	7	3	4	.	.	.	.	.	.	.
Old Age, ...	2	1	4	3	3	2	4	2	4	.	2.5	.	5	.	.	.	.	.	.	.	5	.
Other Specified Diseases, ...	—	—	—	—	—	—	2	2	2	1	—	.	3	2	1	.	.	.	.	.	.	.
ACCIDENT :																						
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	.1	.	1	.	.	.	.	.	.	1	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	2	1	2	1	.	1	.	.	1	.9	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	1	2	1	.	.	.	2	1	.	1	.8	.	1	.	.	.	1	.	.	.	.	.
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	1	2	2	4	2	2	1	.	1	1.8	.	2	.	.	.	.	1	1	1	.	.
Total Deaths from Accident,	5	5	4	6	5	2	5	2	.	4	3.8	.	4	.	.	.	1	1	.	2	.	.
Included in above are Deaths in connection with—																						
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	3	1	1	.	1	1	.	.	.	.	.7	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL :																						
Homicide, ...	.	.	.	.	1	.	.	.	.	.	.1	.	1	.	.	.	.	1	.	.	.	.
Suicide, ...	.	.	1	.	.	1	.	.	.	1	.4	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	3	5	3	—	.	3	.	.	.	.	1	1	.	1	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.
No. of weeks in Annual Series,		49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Births registered.		185	195	224	117	236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240
Average Births in corresponding week of previous 10 years, ...		186	207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215
Deaths registered, ...		204	190	203	134	283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205	203	160	205	186	174	140
Annual Death-rate per 1,000, ...		26.2	24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	31.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8
Average Deaths in corresponding week of previous 10 years, ...		177	167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168
Ages, { Under 5 years, ...		38	57	51	35	87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32
5-15 " " " " " "		6	7	9	8	12	7	8	6	11	4	9	11	9	7	11	6	10	8	7	7	5	5	9	8	4	8
15-25 " " " " " "		8	9	7	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	6
25-45 " " " " " "		42	31	22	17	33	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24
45-65 " " " " " "		54	50	61	35	65	70	35	63	66	56	61	64	80	60	52	31	46	45	54	45	49	39	48	42	39	33
65-75 " " " " " "		40	19	28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31	21	17	22
75 and upwards, ...		16	17	25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15
Deaths from:—		5	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	2	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		30	23	26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20
" " " " { Other Forms, ...		6	6	5	5	7	10	10	5	8	13	7	5	10	8	7	6	9	5	9	9	12	8	10	9	8	7
Cancer, ...		12	10	7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5
Diseases of Circulatory System, ...		23	17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	14	14
Diseases of Respi. { Pneumonia, ...		15	23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12
ratory System, { Others, ...		20	24	25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17
Diarrhoea and Enteritis, under 2 years, ...		4	10	6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	1
Diarrhoea, 2 years and upwards		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Number of Uncertified Deaths, ...		4	8	4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 29th May, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION			Population in each Class and Group in 1911.	CAUSES OF DEATH													Violence.		Number of Uncer- tified Deaths														
(The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)				AGES.													Diarrhoea, 2 years of age and upwards.																
CLASS.	COLS.	ALL PERSONS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
					Total Number of Deaths.	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Tuberculous.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Other Causes.				
I.			397,957	—	140	32	8	6	24	33	22	15	1																				
II.			14,658	14.2	4	7	1	3	7	1	2	6	1			1						4	2	3	1	5	2			1			
III.			101,798	19.0	37	7	2	3	7	6	6	6							1			4	2	3	1	5	2			1			
IV.			108,420	12.5	26	3	2	3	8	6	2	5										3	2	2	2	1	2			1			
V.			167,479	13.7	44	18	3	3	6	9	5					2						8	2		2	5	5			1			
			5,602	—	29	4			3	11	7	4										5	1			1	8			14			
I.			7,868	19.9	3		1			1	1					1														1			
II.			1,947																														
			5,443	9.6	1						1																						
			9,523	11.0	2					1	1																				2		
III.			25,199	12.4	6		1		2	1	2											1	1								3		
			33,249	17.3	11	4		2	3	1		1										1	1	2							4		
			33,827	27.7	18	3	1	1	2	3	3	5	1							1		2		1	1	2	2				8	1	
IV.			11,777	8.9	2				1	1																					2		
			28,823	7.2	4	2			1			1										1									3	1	
			20,026	13.0	5		1		1	1	1	2														1					3		
			8,962	5.8	1				1																						1		
			32,070	19.5	12	1			5	3	1	2										2	1	2							5		
			6,772	15.4	2		1			1																1	1				1		
V.			12,977	20.1	5	4					1					1									1						2		
			36,041	4.3	3	3																			1						2		
			15,380	6.8	2			2																							1		
			103,081	17.2	34	11	3	1	6	9	4											7	2			4	5				14		
			5,602	—	29	4			3	11	7	4										5	1			1	8				14		

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncer- tified Deaths.				
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.							
North City, No. 1 (E.) (Office Clarence St. Nth.)	April, 24 May, 1 " 8 " 15 " 22 " 29	20.5 17.1 27.4 22.2 17.1 23.9	1.7 1.7 5.1 3.4 . .	12 10 16 13 10 14	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . .	. . . . 1 .	. . . . 2 .	3 3 3 2 2 2	. . . 1 1 2	. 1 . . 2 .	1 1 1 . . .	2 1 1 2 3 3	1 1 2 1 . .	. . . . . .	. . 1 1 1 1	. . 1 . . .	. . 1 . . .	1 . . . . .
North City, No. 1 (W.) (Office, Summer-hill.)	April, 24 May, 1 " 8 " 15 " 22 " 29	26.3 18.8 25.0 22.5 20.0 12.5	. 1.3 1.3 . 2.5 .	21 15 20 18 16 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . 1 .	. . . . . .	3 2 2 4 3 2	. . 2 2 1 1	. 1 . . 2 1	1 2 . 2 1 1	2 3 1 1 3 .	. 1 1 1 . .	. . 1 . . .	. 1 . . 1 1	. . . . . .	. 1 . . 1 1	1 1 . . . .
North City, No. 2. (Office, Lisburn-street.)	April, 24 May, 1 " 8 " 15 " 22 " 29	28.1 7.5 37.4 18.7 28.1 15.0	3.7 . . . 1.9 .	15 4 20 10 15 8	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	3 2 5 3 4 .	2 . 3 . 1 .	. . . . 1 1	1 . 1 1 1 1	2 . 2 1 3 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . 1 . . .
North City, No. 3. (Office, Benburb-street.)	April, 24 May, 1 " 8 " 15 " 22 " 29	24.7 30.5 18.9 30.5 13.1 13.1	2.9 . 1.5 . . .	17 21 13 21 9 9	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 5 3 4 3 1	1 1 1 . . 1	. . 3 . 2 .	1 1 2 . . 3	2 5 2 2 . 2	. . 1 . . .	. . . . . .	. . 1 . . .	. . 1 . 1 .	. . 1 . 1 .	1 1 . . . .
Clontarf and Howth No. 1 (part of).	April, 24 May, 1 " 8 " 15 " 22 " 29	18.8 9.4 9.4 37.7 9.4 9.4	. . . . . .	2 1 1 4 1 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . 1	. . . . . .	. . . . . .	. . . . . .	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
Coolock and Drumcondra (part of).	April, 24 May, 1 " 8 " 15 " 22 " 29	15.1 22.6 22.6 15.1 26.4 11.3	. . . 3.8 . 3.8	4 6 6 4 7 3	. . . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . 1 . . .	1 . . 1 . .	1 . . . . 1	. 1 . . . .	. . . 1 . .	. . . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	
Finglas and Glasnevin (part of).	April, 24 May, 1 " 8 " 15 " 22 " 29	9.6 24.1 9.6 19.3 19.3	. 4.8 . . .	2 5 2 4 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. . . . 1 1	. . . . 1 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
South City, No. 1. (Office, St. Earl-street.)	April, 24 May, 1 " 8 " 15 " 22 " 29	25.3 21.5 20.3 30.4 10.1 17.7	3.8 3.8 1.3 3.8 1.3 .	20 17 16 24 8 14	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . .	1 2 . 1 . .	. . . . . .	. . . . . .	2 1 3 2 2 1	1 . 2 2 . .	1 1 2 . 1 .	6 1 1 5 2 3	. . 1 2 1 .	. . 1 2 1 .	. . . . . .	. . . . 1 .	. 1 . . . .	1 . . . . .	
South City, No. 2. (Office, Castle-street.)	April, 24 May, 1 " 8 " 15 " 22 " 29	48.3 34.1 31.3 17.1 37.0 22.7	11.4 2.8 11.4 5.7 . .	17 12 11 6 13 8	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	3 . . . . .	. . 1 . . .	. . . . . .	3 2 2 1 2 1	. . . 1 . 1	. 1 . . 2 1	2 . 1 1 . .	1 3 1 1 1 .	1 1 . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	
South City, No. 3. (Office, Peter-street.)	April, 24 May, 1 " 8 " 15 " 22 " 29	35.6 22.5 26.1 24.9 19.0 16.6	3.6 . 1.2 2.4 2.4 1.2	30 19 22 21 16 14	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . 1 . .	3 . . 1 1 . .	. . . . . .	. . . . . .	6 1 5 4 2 3	2 . . . . 1 .	2 . 3 . 1 2	3 1 1 3 2 2	2 6 4 2 4 2	. . . . 1 .	. . . . . .	. . . . . .	1 1 . . 1 .	2 1 1 1 . .	
South City, No. 4. (Office, Grand Canal-st.)	April, 24 May, 1 " 8 " 15 " 22 " 29	26.7 14.1 20.4 14.1 36.2 26.7	. . . 3.1 1.6 .	17 9 13 9 23 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . 5 1 6 4	. 1 . . . 2	1 1 3 . 1 1	3 1 1 1 2 1	3 1 1 1 5 1	. . . 2 1 . .	. . . . . .	. . . . 1 . .	1 . . . 1 . .	1 . . . . 1 .	
New Kilmainham.	April, 24 May, 1 " 8 " 15 " 22 " 29	15.7 10.5 36.7 26.2 26.2 10.5	10.5 . 5.2 . . .	3 2 7 5 5 2	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 2 3 . .	. 1 2 . .	. 1 . . . .	. . 1 . 1 .	. . . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Scarlet, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.  Population in 1915 (Est.) 39,541.	April, 24 May, 1 " 8 " 15 " 22 " 29	23.7 15.8 21.1 17.1 21.1 10.5	. 1.3 1.3 1.3 1.3 .	18 12 16 13 16 8	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . .	. . . . . .	1 4 3 1 3 1	2 . . 1 . 1	. 3 . 1 2 .	3 . 1 . 1 .	1 1 1 2 2 2	. 1 . 1 . .	. . . . . .	. . . . 1 .	1 . . . . 1	. . . . . 1
Pembroke Urban District.  Population in 1915 (Est.) 20,538	April, 24 May, 1 " 8 " 15 " 22 " 29	20.5 22.2 15.4 23.9 15.4 20.5	. 1.7 1.7 1.7 3.4 1.7	12 13 9 14 9 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . 1 1 .	. . . . . .	. . . . . .	2 2 . 1 2 2	. . . . . .	1 1 . 3 . .	. . . 3 1 3	1 . . 2 . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .
Blackrock Urban District.  Population in 1915 (Est.) 9,233.	April, 24 May, 1 " 8 " 15 " 22 " 29	5.6 11.3 11.3 22.6 16.9 16.9	. . . . . .	1 2 2 4 3 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .	. . . . 1 .	. . . 1 . .	. 1 2 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .
Kingstown Urban District.  Population in 1911 16,941.	April, 24 May, 1 " 8 " 15 " 22 " 29	43.1 18.5 27.7 12.3 24.6 18.5	15.4 6.2 3.1 3.1 12.3 6.2	14 6 9 4 8 6	. . . . . .	. . . . . .	. . . . . .	5 2 1 . 4 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . .	1 . . . . .	. . 1 . . .	. . . 3 1 1	. . . . 1 1	. . . 1 . .	. . . 1 . .	. . . . . .	. 1 . . . 1	. . . . 1 .
Belfast.  Population in 1915 (Est.) 403,000.	April, 24 May, 1 " 8 " 15 " 22 " 29	20.3 19.8 16.7 15.1 16.7 16.9	1.6 2.1 1.6 1.0 0.6 1.4	157 153 129 117 129 131	. . . . . .	. . . . . .	. . . . . .	2 7 8 2 4 5	. . . . . .	7 1 5 . 5 1	. . 2 . 1 .	. . . 1 . .	20 23 22 18 14 23	9 8 5 7 7 8	9 9 10 5 6 5	17 17 12 15 22 5	14 14 10 14 12 15	2 2 2 . . 3	1 1 . . . .	. . . . . .	. 3 2 1 1 3	2 2 1 . 1 .
Cork.  Population in 1911 76,673.	April, 24 May, 1 " 8 " 15 " 22 " 29	23.1 17.7 20.4 16.3 21.8 19.0	. 0.7 . . 1.4 .	34 26 30 24 32 28	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	7 5 10 7 4 6	1 . . 1 2 2	2 2 1 1 3 .	4 3 4 1 3 4	5 2 2 2 1 1	. . . . . .	. . . . . .	. . . . . .	. 1 . . . 1 .	. . . . 1 .
Londonderry.  Population in 1915 (Est.) 41,200.	April, 24 May, 1 " 8 " 15 " 22 " 29	22.8 24.0 15.2 20.2 12.7 16.5	2.5 1.3 3.8 . . .	18 19 12 16 10 13	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 . 1 . . .	. . . . . .	. . . . . .	5 2 . 1 1 .	. 2 . 1 1 3	. 1 . . . .	2 2 . 3 . 2	. 2 2 3 2 2	. 1 1 1 . .	. . 1 . . .	. . 1 . . .	1 . . . . .	. . . . 1 .
Limerick.  Population in 1911 38,518.	April, 24 May, 1 " 8 " 15 " 22 " 29	16.2 19.0 23.0 31.1 10.8 17.6	. . . . . .	12 14 17 23 8 13	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 4 1 2	1 1 1 1 . .	1 . 3 1 .	2 1 1 3 2 3	3 4 3 3 2 3	. . . . 2 .	. . . . . .	. . . . . .	. . . . . .	1 1 3 2 1 1
Waterford.  Population in 1911 27,464.	April, 24 May, 1 " 8 " 15 " 22 " 29	15.2 17.1 13.3 19.0 30.4 7.6	1.9 1.9 1.9 1.9 5.7 .	8 9 7 10 16 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 1 1 3 .	. . . . . .	. . . . . .	. . . . . .	2 2 . 2 4 1	. . . . 1 .	. . 1 . 1 .	1 . . . 2 .	2 3 . 2 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 1 1 2 .

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1914-5—WEEK ENDING																									
	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.
No. of weeks in Annual Series,	49	50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BIRTHS registered, ...	177	201	205	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	248	228
DEATHS registered, ...	162	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131
Annual Death-rate per 1,000 of estimated population, ...	21.2	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9
AGES, { Under 1 year, ...	28	32	31	29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20
1-5 years, ...	24	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18
5-25 " ...	17	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19
25-45 " ...	24	19	21	21	29	22	23	18	20	34	29	23	20	27	27	24	18	23	25	22	34	19	27	16	26	28
45-65 " ...	31	27	20	36	29	37	37	59	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25
65 and upwards, ...	38	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21
Deaths from :—																										
Enteric Fever, ...	1	1	1		2									1						1						
Typhus, ...																										
Small-pox, ...																										
Measles, ...	8	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5
Scarlet Fever, ...	3	3	7	1	2		5	3	3	4	3			3						1		1				1
Whooping-cough, ...	2	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2
Diphtheria, ...	1	1			1		1						1	1			1			1						
Dysentery, ...																										
Tuberculosis, { Pulmonary, ...	15	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23
Other Forms, ...	6	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8
Cancer, ...	7	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5
Diseases of Respiratory System, { Pneumonia, ...	22	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5
Others, ...	21	31	15	27	23	30	30	20	30	30	42	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15
Diarrhoea and Enteritis, under 2 years, ...	5	5	5	1	1	2	2		3	3	3	2	4	1	1	2	3	4	1	2	2	2	2			3
Diarrhoea, 2 years and upwards, ...					1					1				2			3	2			1	1				
Violent Deaths, ...		2	2	4	5	1		1			2	4	3	3		5	3	3	1	3		3	2	1	1	3
Number of Un-certified Deaths, ...	2	2	1	3	3		2	1	2	3	3	3	4	3	4	2	2	2	3		2	2	1			

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, — —	4,516,612	May 29,	1,933	1,139 <sup>c</sup>	13·1	.	.	51	4	18	6	13
EDINBURGH, — —	328,700	„ 29,	104	90 <sup>c</sup>	14·3	.	.	.	.	5	1	2
GLASGOW, — —	1,078,400	„ 29,	532	403	19·7	.	.	53	3	25	5	3
CALCUTTA, — —	896,067	Apr. 10,	.	780	45·2	141*	152	1	.	.	.	171 <sup>†a</sup>
BOMBAY, — —	979,445	„ 17,	324	522	27·7	88*	15	4	.	.	.	32 <sup>a</sup>
MADRAS, — —	518,660	„ 10,	346	381	38·2	65*	3	1	?	?	?	90 <sup>a</sup>
CAIRO, {	Egyptians, ...	Mar. 18,	600	481	37·9	39	.	2	.	?	8 <sup>†</sup>	40
	Foreigners,	„ 18,	7	20	14·5	.	2	.	.	?	.	3
ALEXAN- DRIA, {	Egyptians,	„ 18,	328	164	25·0	2	1	.	.	?	.	16
	Foreigners,	„ 18,	39	34	23·1	1	3	.	.	?	.	.
PARIS, — —	2,847,229	Apr. 17,	831	998	17·9	4	.	41	2	4	2 <sup>†</sup>	25
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, — —	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, — —	610,976 {	Mar. 20,	291	158	13·5	1	.	2	.	2	1 <sup>†</sup>	4
		„ 27,	282	161	13·7	.	.	3	.	1	2 <sup>†</sup>	.
COPENHAGEN, — —	492,000	May 1,	201	134	14·2	.	.	1	1	.	.	3
STOCKHOLM, — —	386,270	„ 1,	129	109	14·7	.	.	1	.	1	2	.
CHRISTIANIA, — —	251,446	„ 8,	99	77	15·9	.	.	.	.	.	.	5 <sup>a</sup>
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, — —	1,694,000	Mar. 27,	.	936	28·8	21	6	25	16	2	5 <sup>†</sup>	57 <sup>†a</sup>
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, — —	5,806,532 {	Apr. 24,	2,780	1,748	15·7	.	.	31	13	10	45	32
		May 1,	2,728	1,638	14·7	2	.	31	7	8	27	33
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, — —	766,136	May. 8,	.	2716	18·4	.	.	.	3	1	6	4 <sup>a</sup>

\* Deaths from "fever," including 30 deaths from plague, and 7 from enteric fever in Calcutta; 34 from plague, and 2 from enteric fever in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 126 deaths from cholera in Calcutta and one in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 227 deaths (including one from scarlet fever, 4 from diphtheria, and 3 from diarrhoeal diseases); rate, 15·5 per thousand.

<sup>c</sup> Including 5 deaths from cerebro-spinal fever in London, and one in Edinburgh.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 29th May, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	2	.	.	.	7	10
" " 1, West,	.	1	.	.	.	.	.	.	.	.	.	.	4	5
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
" " 3,	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	1	3
Finglas and Glasnevin (part of),	.	.	.	.	2	.	.	.	.	.	.	.	2	4
South City No. 1,	.	3	.	.	1	.	.	.	.	.	.	.	1	5
" " 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" " 3,	.	.	3	.	.	.	.	1	1	.	.	.	3	8
" " 4,	.	.	.	.	1	.	.	1	.	.	.	.	.	2
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	8	3	.	5	.	.	2	3	.	.	.	22	43

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 29th May, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 29th May.			
	May 8.	May 15.	May 22.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	26	29	29	2	4	.	27
Typhus,	.	.	.	3	.	.	3
Small-pox,	.	.	.	.	.	.	.
Measles,	27	26	23	3	10	.	16
Scarlet Fever,	61	69	72	11	9	.	74*
Diphtheria,	24	31	33	4	9	.	28
Pneumonia,	19	20	19	12	7	1	23

\* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 5TH JUNE, 1915.

[No. 22.]

*General Register Office, Charlemont House,  
Dublin, 7th June, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 15	May 22	May 29	June 5	
<b>27 Town Districts, (a)</b>	<b>18·8</b>	<b>18·3</b>	<b>16·4</b>	<b>17·0</b>	<b>17·6</b>
Dublin Reg. Area ...	21·9	20·8	17·0	19·0	19·7
Dublin City ...	22·8	21·2	17·3	20·7	20·5
Belfast ...	15·1	16·7	16·9	16·7	16·4
Cork ...	16·3	21·8	19·0	15·6	18·2
Londonderry ...	20·2	12·7	16·5	20·2	17·4
Limerick ...	31·1	10·8	17·6	23·0	20·6
Waterford ...	19·0	30·4	7·6	15·2	18·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 129 deaths from all causes for Belfast are one from each of measles, scarlet fever, whooping-cough, and diphtheria, 3 from diarrhoea and enteritis of children under 2 years, and 3 from cerebro-spinal fever. Included in the 16 deaths from all causes for Londonderry is one from whooping-cough. One of the 17 deaths from all causes for Limerick is from scarlet fever. Of the 8 deaths from all causes for Waterford, one is from scarlet fever and one from diarrhoea. Among the 3 deaths from all causes for Lisburn is one from scarlet fever; and one of the 5 deaths from all causes for Newtownards is from the same disease.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—138 boys and 107 girls—and the deaths to 165—85 males and 80 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·0 per 1,000 of the population. During the twenty-two weeks, ending with Saturday last, the death-rate averaged 26·5, and was 2·8 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 165, represent an annual rate of 21·0 per 1,000; the annual rate for the past twenty-two weeks was 28·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 25·0 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 2 from measles, 3 from whooping-cough, one from diphtheria, 9\* from diarrhoea and enteritis of children under 2 years of age, and one from influenza. In the three preceding weeks, deaths from measles were 0, 4, and 3; deaths from whooping-cough were 5, 3, and 0; deaths from diphtheria were 2, one, and one; deaths of children under 2 years of age from diarrhoea and enteritis were 6, 5, and 0; and deaths from influenza were 4, 0, and 0.

There were 27\* deaths from tuberculous disease, including 24 deaths from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from disseminated tuberculosis. In the three preceding weeks, deaths from all forms of the disease numbered 40, 38, and 27, respectively.

The deaths of 8\* persons from cancer were registered.

Ten deaths were caused by pneumonia, comprising 4 from broncho-pneumonia, 2 from lobar pneumonia, and 4 from pneumonia (type not distinguished.)

Included in the deaths of infants under one year old are 5 deaths attributed to convulsions, 2 to congenital malformations, 6 to prematurity, and 5 to congenital debility.

Organic diseases of the heart and bronchitis each caused 15 deaths.

Six deaths were assigned to accidental causes, including one from poison, one caused by a fall from railway carriage, and one caused by a motor car.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Fifty-four of the persons whose deaths were registered during the week were under 5 years of age (38 being infants under one year, of whom 12 were under one month old), and 32 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards.

Sixty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, and 10 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·0 per 1,000; the rate in the City was 20·7 (North City Districts, 23·2; South, 17·8), and in the Suburbs, 13·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·8 per 1,000 inhabitants, the rate for the City being 2·0 (in the North City Districts 2·5, and in the South 1·4), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·7 per 1,000. Among them are one from whooping-cough, 3 from tuberculous disease, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

No. 1 *North City District, West* (Summer-hill).—The deaths (29) are equal to an annual rate of 36·3 per 1,000. There were 4 deaths from pulmonary tuberculosis, 3 from pneumonia, one from bronchitis, 3 from diarrhoea and enteritis of children under 2 years of age, and 2 accidental deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000, and include one death from broncho-pneumonia, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

No. 3 *North City District* (Benburb-street).—The deaths (13) represent an annual rate of 18·9 per 1,000. One of the deaths was from pneumonia, one from bronchitis, and one death was that of a child under 2 years of age from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 24·1. Of the 3 deaths from all causes for the first-named district one was from pulmonary tuberculosis and one from bronchitis. The 3 deaths recorded for Coolock and Drumcondra, part of, include 2 from tuberculous disease; and the 5 deaths from all causes for Finglas and Glasnevin, part of, include one from influenza and 2 from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (17) represent an annual rate of 21·5 per 1,000. Three deaths from pulmonary tuberculosis, 5 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis were recorded.

No. 2 *South City District* (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Whooping-cough, tuberculous meningitis, and bronchitis each caused one death.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·2 per 1,000, and include one death from diphtheria, 2 from broncho-pneumonia, and 2 from bronchitis.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. To each of the following causes one death was attributed:—Pulmonary tuberculosis, pneumonia, and bronchitis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21·0 per 1,000. One of the deaths was from whooping-cough and one from bronchitis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 13·7; Blackrock, 0·0; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 from measles for Kingstown. Of the 9 deaths from all causes for Rathmines and Rathgar one was from lobar pneumonia and one from bronchitis. The 8 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis and one accidental death; and among the 8 deaths from all causes for Kingstown 2 were from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·3), was equal to an average annual death-rate of 13·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 18·9 per 1,000, the rate for Glasgow being 21·0, and for Edinburgh 16·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 5th June. From this Report it appears that of a total of 71 cases notified, 27 were pulmonary tuberculosis, 11 other forms of tuberculosis, 18 scarlet fever, 9 diphtheria, and 6 erysipelas. Among the 452 cases of infectious diseases in hospital at the close of the week were 194 of pulmonary tuberculosis, 133 of scarlet fever, 39 of whooping-cough, 35 of diphtheria, 20 of measles, 14 of erysipelas, and 5 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 5th June, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	May. 15,	.	—	—	4	.	.	6	.	.	2	3	.	—	—	1	—	.	30	46
	May. 22,	.	—	—	4	.	.	5	.	.	2	3	.	—	—	.	—	.	30	44
	May. 29,	.	—	—	8	3	.	5	.	.	2	3	.	—	—	.	—	.	22	43
	June. 5,	.	—	—	1	1	.	5	.	.	5	3	.	—	—	1	—	.	32	48
Rathmines and Rathgar Urban District.	May. 15,	.	—	—	1	.	.	2	.	.	.	1	.	—	—	—	—	—	—	3
	May. 22,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	May. 15,	.	.	.	2	.	.	.	1	.	.	.	.	—	16	—	—	—	1	20
	May. 22,	.	.	.	9	.	.	.	.	.	.	.	.	—	10	—	—	—	1	19
	May. 29,	.	.	.	.	.	.	.	.	.	.	1	.	—	5	—	—	—	1	7
	June. 5,	.	1	.	2	.	.	.	.	.	1	.	.	—	18	—	—	—	.	22
Blackrock Urban District.	May. 15,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	May. 22,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	May. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	June. 5,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	May. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	May. 22,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	June. 5,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	2	.	5
City of Belfast.	May. 15,	.	—	—	23	.	.	2	.	.	.	1	.	—	—	2	—	.	3	31
	May. 22,	.	—	—	32	.	.	2	.	.	1	4	.	—	—	2	—	.	7	48
	May. 29,	.	—	—	53	.	.	3	1	.	.	3	.	—	—	2	—	.	1	63
	June. 5,	.	—	—	38	.	.	.	.	.	1	4	.	—	—	1	—	.	3	47
City of Cork.	May. 15,	.	3	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	6a
	May. 22,	.	3	—	1	.	.	.	1	.	.	1	.	—	—	—	—	—	—	6
	May. 29,	.	8	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	12
	June. 5,	.	9	—	10	.	.	2	.	.	.	.	.	—	—	—	—	—	—	21
City of Londonderry.	May. 15,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	2
	May. 22,	.	—	—	3	.	.	1	.	.	.	2	.	—	—	—	—	—	—	6
	May. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	May. 15,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	May. 22,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	May. 15,	.	—	—	9	.	.	.	.	.	.	.	.	—	—	—	—	—	1	10
	May. 22,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	1	6
	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	June. 5,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4

(a) Not including 2 cases of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 5th June, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 28 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 29, and 27.

Two cases of typhus were admitted to hospital during the week, and 5 cases remained under treatment at its close.

Six cases of measles were admitted to hospital during the week, 9 were discharged, and 13 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 26, 23, and 16 respectively.

Eleven cases of scarlet fever were admitted to hospital, 25 were discharged, and 60\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 69, 72, and 74, respectively.

Six cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 31, 33, and 28 respectively, were 29 at the close of last week.

In addition to the above-named diseases, one case of pneumonia was admitted to hospital, 6 were discharged, there was one death, and 17 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 5th June, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 5TH JUNE, 1915.																												
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																						
		BIRTHS.				DEATHS.																						
		POPULATION.		DEATHS.		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes. From certain Epidemic Diseases. (b)	Pulmonary.	Other Forms.													Cancer.	Pneumonia.	Other.								
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	27.7	17.0	1.2	645	306	73	84	...	...	...	3	5	5	2	...	64	12	22	20	36	12	1	12	12	128	12
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	31.2	19.0	1.8	245	149	37	31	...	...	...	2	...	3	1	...	18	3	7	9	17	8	...	5	6	51	5
CITY OF DUBLIN,	312,747	39.5	37.0	20.7	2.0	222	124	54	22	...	...	...	...	...	3	1	...	14	3	5	8	15	8	...	4	4	45	5
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	9.2	11.9	.	7	9	2	5	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	2	...
PEMBROKE, ...	30,538	19.4	18.8	13.7	.	11	8	..	3	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	1	3	...
BLACKROCK, ...	9,233	8.5	.	.	.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	15.4	24.6	6.2	5	8	1	1	...	...	...	2	...	...	...	2	...	2	...	1	...	...	...	...	...	1	...
Urban Districts																												
BELFAST ..	403,000	27.0	23.3	16.7	0.9	180	129d	21	24	...	..	...	1	1	1	1	...	26	4	8	6	10	3	...	3	3	39	2
CORK, ..	76,673	28.6	23.1	15.6	0.7	34	23	3	6	...	...	...	...	...	...	...	...	5	...	1	3	2	1	...	...	...	12	1
LONDON- DERRY	41,200	16.0	26.6	20.2	1.3	21	16	2	3	...	...	...	...	...	1	...	...	1	2	2	...	2	...	...	1	...	2	1
LIMERICK, ...	38,518	16.1	54.1	23.0	1.4	40	17	3	3	...	...	...	1	...	...	...	3	...	1	...	3	...	...	...	1	1	7	2
WATERFORD, ...	27,464	19.1	20.9	15.2	3.8	11	8	1	1	...	...	...	1	...	...	...	1	...	...	2	...	...	1	...	...	...	4	...
GALWAY, ...	13,255	2.5				6	4	...	2	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	1	...
DUNDALK, ...	13,128	9.5				8	2	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14.7				10	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
DROGHEDA, ...	12,501	8.4				2	6	...	2	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
LISBURN, ...	12,388	10.9				7	3	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
NEWRY, ...	11,963	17.0				5	4	...	1	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	2	...
PORTADOWN, ...	11,727	15.3				12	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				6	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9.3				10	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8				3	6	1	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	3	...
KILKENNY, ...	10,514	11.4				7	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	10,300	17.4				8	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...
CLONMEL, ...	10,209	7.8				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1				3	5	1	1	...	...	...	1	...	...	...	1	1	...	...	...	...	...	...	1	1	2	1
QUEENSTOWN,	8,209	14.7				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
LARNE, ...	8,036	13.4				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...
COLERAINE, ...	7,785	7.7				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5				3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8				1	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 16 deaths of persons (including one under one year old and one at 73 years) admitted to hospital from localities outside the Area; The 16 deaths include 6 from pulmonary tuberculosis, one from cancer, and one of a child under two years from diarrhoea and enteritis. (d) Including 3 deaths from cere-bro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 5th of June, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Whooping-cough, . . . . .	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	3	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Croup, . . . . .	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	2	4	.	.	1	1	2	3	.	.	1	.	.	2	.	2	18	6
Tuberculosis, { Pulmonary, . . . . .	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	3	.
{ Other Forms, . . . . .	1	1	.	1	.	.	.	1	2	.	1	.	.	.	.	2	7	1
Cancer, . . . . .	.	1	.	1	.	.	.	1	2	.	.	.	.	.	2	.	.	.
Diseases of Nervous System, . . . . .	.	3	2	3	.	.	.	2	1	1	3	.	1	.	.	1	17	1
" Organs of Special Sense, . . . . .	.	.	1	2	.	1	2	.	1	1	1	.	1	3	.	.	15	1
" Circulatory System, . . . . .	.	2	1	2	.	1	2	.	1	1	1	.	1	.	.	.	9	1
" Respiratory System, { Pneumonia, . . . . .	1	1	1	1	1	.	.	5	1	2	1	1	1	.	.	1	17	.
{ Others, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	3	2	1	.	.	.	1	.	.	.	.	.	.	.	.	8	1
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Enteritis, 2 years and upwards, . . . . .	.	3	2	1	1	.	.	1	1	.	.	.	1	2	.	.	12	2
" Genito-urinary System, . . . . .	1	2	.	1	.	.	.	.	.	1	.	.	1	.	.	.	6	2
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	1	4	2	2	.	.	.	5	1	1	2	2	3	.	.	.	23	.
Violent Deaths, . . . . .	.	2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	5	1
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths from All Causes . . . . .	8	29	13	13	3	3	5	17	8	12	9	4	9	8	.	8	149	16
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	13·7	36·3	24·3	18·9	28·2	11·3	24·1	21·5	22·7	14·2	14·1	21·0	11·9	13·7	.	24·6	19·0	.
	23·2							17·8					13·5					
	20·7																	
Ages at Death. { Under 1 year, . . . . .	2	8	7	4	.	.	.	6	.	1	2	4	2	.	.	1	37	1
{ 1 and under 2 years, . . . . .	1	1	.	.	1	.	.	1	2	1	.	.	1	1	.	1	10	.
{ 2 " 5 " . . . . .	.	2	.	1	.	.	.	.	1	.	.	.	.	.	.	.	6	.
{ 5 " 15 " . . . . .	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
{ 15 " 25 " . . . . .	1	.	1	1	.	.	1	.	.	.	.	.	.	.	.	1	5	4
{ 25 " 45 " . . . . .	.	4	2	1	.	.	2	2	1	3	3	.	2	.	.	1	21	5
{ 45 " 65 " . . . . .	4	6	3	1	2	2	2	4	3	3	1	.	1	2	.	3	37	4
{ 65 and upwards, . . . . .	.	6	.	5	.	1	.	4	1	2	3	.	5	3	.	1	31	1
Number of Uncertified Deaths, . . . . .	.	1	1	1	.	.	.	.	.	.	1	1	.	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	.	6	4	2	.	.	.	1	.	6	.	.	1	3	.	1	24	15
Workhouse Hospitals, . . . . .	4	1	1	6	1	.	1	3	1	1	4	.	1	.	.	.	27	1





TWENTY-SECOND WEEK, ending Saturday, 5th June, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 22nd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 5th June, 1915.												
	June 3, 1905.	June 2, 1906.	June 1, 1907.	May 29, 1908.	June 5, 1909.	June 4, 1910.	June 3, 1911.	June 1, 1912.	May 31, 1913.	May 30, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	1	1	2	4	—	7	1	2	2	.	.	.	.	1	1	.	.	
Diarrhoea and Enteritis of Children under 2 years.	3	4	.	5	2	5	10	3	2	4	4.1	9	.	9	.	.	.	.	.	.	.	.	.	
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	.	2	1	—	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	4	3	—	3	.	.	.	.	.	.	.	2	1	.	.	
Cirrhosis of Liver, ...	.	1	.	.	.	.	.	1	.	.	.2	2	.	.	.	.	.	.	.	2	.	.	.	
Other Diseases of Liver, ...	1	2	2	1	1	1	2	1	2	1	1.4	.	.	.	.	.	.	.	.	.	.	.	.	
Peritonitis (cause unknown), Other Diseases of Digestive System.	1	1	1	.	1	.	.	1	.	.	.5	1	.	.	.	.	1	.	.	.	.	.	.	
	3	9	5	2	3	3	.	.	.	.	2.5	1	.	.	.	.	.	.	.	1	.	.	.	
Acute Nephritis, ...	6	7	9	6	7	7	.	1	1	.	6.4	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...							1	6	5	2		.	.	.	.	.	.	.	2	1	1	.	.	
Urinary Calculi, ...							1	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							1	1	1	2		4	.	.	.	.	.	.	1	2	1	.		
Puerperal Septicæmia, &c., ... Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	.	.	2	.	1	.	.2 .5	1	.	.	.	.	.	.	1	.	.	.	.	
	1	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	3	1	—	1	.	.	.	.	.	.	.	1	.	.	.	
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	.	—	.	1	1	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	2	3	3	2	.	6	.	.	6	3	2.5	6	6	.	1	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	4	2	6	6	—	5	2	3	.	.	.	.	.	.	.	.	.	
Old Age, ...	1	1	4	1	4	2	3	2	5	7	3.0	6	.	.	.	.	.	.	.	2	4	.	.	
Other Specified Diseases, ...	—	—	—	—	—	—	2	1	.	2	—	1	1	.	.	.	.	.	.	.	.	.	.	
ACCIDENT :																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	.	.	2	.	.	2	2	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.	.	
Drowning, ...	3	.	3	.	.	.	.	.	.	1	.7	.	.	.	.	.	.	.	.	.	.	.	.	
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Other Deaths by Accident, ...	3	2	1	4	2	3	.	1	2	2	2.0	5	.	.	.	1	1	3	.	.	.	.		
Total Deaths from Accident,	6	2	6	5	2	5	2	1	2	3	3.4	6	.	.	.	1	1	3	.	1	.	.		
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	
Vehicles and Horses, ...	.	.	.	1	.	.	.	1	.	.	.2	1	.	.	.	.	.	1	.	.	.	.		
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
Building Operations, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
VIOLENCE OTHER THAN ACCIDENTAL:																								
Homicide, ...	1	.	.	.	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Suicide, ...	.	.	.	.	.	1	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	7	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
No. of weeks in Annual Series,		50	51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Births registered.		195	224	117	236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	240	240	245
Average Births in corresponding week of previous 10 years, ...		207	180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245
Deaths registered, ...		190	203	134	283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205	209	160	205	186	174	140	165
Annual Death-rate per 1,000, ...		24.4	26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0
Average Deaths in corresponding week of previous 10 years, ...		167	174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	138	168	152
Ages, { Under 5 years, ...		57	51	35	87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54
15-25 " ...		7	9	8	12	7	8	6	11	4	9	11	7	7	11	6	10	3	7	7	5	5	9	8	4	8	3
25-45 " ...		9	7	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	9	9
45-65 " ...		31	22	17	28	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24	28
65-75 " ...		50	61	35	65	70	35	63	66	56	61	64	80	60	52	31	46	45	54	45	34	39	48	42	39	33	41
75 and upwards, ...		19	28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	21	17	22	19	31
Deaths from:—		17	25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13
Enteric Fever, ...		1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		23	26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24
" { Other Forms, ...		6	5	5	7	10	10	5	8	13	7	5	10	3	7	6	9	5	9	9	12	8	10	9	8	7	3
Cancer, ...		10	7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8
Diseases of Circulatory System, ...		17	32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16
Diseases of Respi. { Pneumonia, ...		23	19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10
ratory System, { Others, ...		24	25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17
Diarrhoea and Enteritis, under 2 years, ...		10	6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	1	9
Diarrhoea, 2 years and upwards		5	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		5	9	3	2	2	4	4	8	4	4	11	5	5	8	11	7	4	5	7	1	3	5	2	5	5	6
Number of Uncertified Deaths, ...		8	4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5



REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 5TH JUNE, 1915.

OCCUPATION OR SOCIAL POSITION		Population in each Class and Group in 1911.	AGES.										CAUSES OF DEATH										Total Number of Deaths in 1911.	Annual Death Rate per 1,000 of the Population in 1911.						
			AGES.																											
			Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System.			Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.
CLASS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
ALL PERSONS.		397,957	—	165	54	8	9	26	41	19	13	.	.	.	2	.	3	1	.	24	3	8	6	10	17	9	.	6	76	5
CLASSES.																														
Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17.8	5	7	1	4	6	11	9	3	.	.	.	.	.	2	.	.	1	.	2	.	1	.	.	.	.	1	.
II.	MIDDLE CLASS, ...	101,798	21.0	41	7	1	4	6	11	9	3	.	.	.	.	.	2	.	.	6	.	2	.	2	.	.	.	3	23	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	11.1	23	10	2	3	3	5	1	4	.	.	.	.	.	1	1	.	2	.	4	4	5	6	.	.	.	11	2
IV.	GENERAL SERVICE CLASS, ...	167,479	21.2	68	31	2	4	11	14	3	3	.	.	.	2	.	.	.	.	9	2	4	4	5	1	6	.	3	31	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	28	6	.	1	4	10	4	3	.	.	.	.	.	.	.	.	6	1	.	1	.	8	2	.	.	10	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																													
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26.5	4	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS.																													
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27.4	5	1	.	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	4	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	16.6	8	2	.	1	5	3	2	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	4	.	
	6. Clerks and Commercial Assistants, ...	33,249	18.8	12	2	.	1	5	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	7	.	
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	24.7	16	2	1	2	1	5	2	3	.	.	.	.	.	1	.	.	2	.	2	.	1	1	.	.	1	8	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																													
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	18.1	10	4	.	.	1	4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	.	.	5	.
	10. Clothing Trades, ...	20,026	15.6	6	2	.	.	1	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	2	2	.	.	3	.	.
	11. Food Supply Trades, ...	8,952	11.6	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	4.9	3	3	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	1	.
	13. Petty Shopkeepers ...	6,772	15.4	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.
IV.	GENERAL SERVICE CLASS.																													
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	52.2	13	6	.	1	3	2	.	1	.	.	.	.	.	.	.	.	3	1	1	2	1	.	.	.	1	2	1
	15. Domestic Servants, ...	36,041	10.1	7	.	.	1	2	3	.	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	3	.	.
	16. Coach and Car Drivers, Vamens, &c., ...	15,380	27.1	8	4	.	.	1	1	1	1	.	.	.	1	.	.	1	.	5	.	.	.	2	1	.	.	4	.	.
	17. Hawkers, Porters, Labourers, &c., ...	103,081	20.2	40	21	2	2	5	8	2	2	.	.	.	.	.	.	.	.	5	1	.	.	.	.	.	.	22	2	.
V.	INMATES OF WORKHOUSES.																													
	18. Workhouse Inmates, ...	5,602	—	28	6	.	1	4	10	4	3	.	.	.	.	.	.	.	.	6	1	.	1	.	8	2	.	.	10	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certi- fied Deaths.	
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	May, 1	17.1	1.7	10	.	.	.	.	.	.	.	.	3	.	1	1	.	1	.	.	
	" 8	27.4	5.1	16	.	.	.	.	.	1	.	.	3	.	.	1	1	2	.	1	
	" 15	22.2	3.4	13	.	.	.	.	.	.	1	.	2	1	2	.	.	1	.	2	
	" 22	17.1	.	10	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	.	
Population in 1915	" 29	23.9	.	14	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	1	
(Est.) 30,504.	June, 5	13.7	3.4	8	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	May, 1	18.8	1.3	15	.	.	.	.	.	.	.	.	2	.	1	2	3	1	.	.	
	" 8	25.0	1.3	20	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	
	" 15	22.5	.	18	.	.	.	.	.	.	.	.	4	2	.	2	1	.	.	.	
	" 22	20.0	2.5	16	.	.	.	.	.	.	.	1	3	1	2	.	3	1	.	1	
Population in 1915	" 29	12.5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	1	
(Est.) 41,685.	June, 5	36.3	3.8	29	.	.	.	.	.	.	.	.	4	.	1	3	1	3	.	2	
North City, No. 2. (Office, Lisburn-street.)	May, 1	7.5	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	
	" 8	37.4	.	20	.	.	.	.	.	.	.	.	5	3	.	1	2	.	.	1	
	" 15	18.7	.	10	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	
	" 22	28.1	1.9	15	.	.	.	.	.	1	.	.	4	1	1	1	3	.	.	.	
Population in 1915	" 29	15.0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
(Est.) 27,883.	June, 5	24.3	3.7	13	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	
North City, No. 3. (Office, Benburb-street.)	May, 1	30.5	.	21	.	.	.	.	.	.	.	.	5	1	.	1	5	.	.	.	
	" 8	18.9	1.5	13	.	.	.	.	.	.	.	.	3	1	3	2	2	1	.	1	
	" 15	30.5	.	21	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	1	
	" 22	13.1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	
Population in 1915	" 29	13.1	.	9	.	.	.	.	.	.	.	.	1	1	.	3	2	.	.	.	
(Est.) 35,887.	June, 5	18.9	1.5	13	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	1	
Clontarf and Howth No. 1 (part of).	May, 1	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 8	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	
	" 15	37.7	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Population in 1915	" 22	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 5,539.	" 29	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	June, 5	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
Coolock and Drumcondra (part of).	May, 1	22.6	.	6	.	.	.	.	.	.	.	.	1	.	1	2	.	.	.	.	
	" 8	22.6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 15	15.1	3.8	4	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	
	" 22	26.4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	
Population in 1915	" 29	11.3	3.8	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
(Est.) 13,820.	June, 5	11.3	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	
Finglas and Glasnevin (part of).	May, 1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 8	24.1	4.8	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
	" 15	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 22	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
Population in 1915	" 29	19.3	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	
(Est.) 10,829.	June, 5	24.1	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	
South City, No. 1. (Office, Sth. Earl-street.)	May, 1	21.5	3.8	17	.	.	.	.	.	1	2	.	1	1	.	1	1	.	.	1	
	" 8	20.3	1.3	16	.	.	.	.	.	.	.	.	3	2	2	2	1	1	.	.	
	" 15	30.4	3.8	24	.	.	.	.	.	1	.	.	2	2	.	.	5	2	.	.	
	" 22	10.1	1.3	8	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	
Population in 1915	" 29	17.7	.	14	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	
(Est.) 41,170.	June, 5	21.5	1.3	17	.	.	.	.	.	.	.	.	3	.	.	.	5	1	.	.	
South City, No. 2. (Office, Castle-street.)	May, 1	34.1	2.8	12	.	.	.	.	.	.	.	.	2	.	1	.	3	1	.	.	
	" 8	31.3	11.4	11	.	.	.	.	.	3	1	.	2	.	.	1	1	.	.	.	
	" 15	17.1	5.7	6	.	.	.	.	.	1	.	.	1	1	.	.	1	.	1	.	
	" 22	37.0	.	13	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	2	
Population in 1915	" 29	22.7	.	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	
(Est.) 18,341.	June, 5	22.7	2.8	8	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	
South City, No. 3. (Office, Peter-street.)	May, 1	22.5	.	19	.	.	.	.	.	.	.	.	1	.	.	1	6	.	.	1	
	" 8	26.1	1.2	22	.	.	.	.	.	.	1	.	5	.	3	1	4	.	.	1	
	" 15	24.9	2.4	21	.	.	.	.	.	1	1	.	4	.	.	3	2	.	.	1	
	" 22	19.0	2.4	16	.	.	.	.	.	1	.	.	2	.	1	1	4	1	.	1	
Population in 1915	" 29	16.6	1.2	14	.	.	.	1	.	.	.	.	3	.	.	2	2	.	.	1	
(Est.) 43,970.	June, 5	14.2	1.2	12	.	.	.	.	.	.	1	.	.	.	2	2	2	.	.	.	
South City, No. 4. (Office, Grand Canal-st.)	May, 1	14.1	.	9	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
	" 8	20.4	.	13	.	.	.	.	.	.	.	.	5	.	3	1	1	.	.	.	
	" 15	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.	
	" 22	36.2	1.6	23	.	.	.	.	.	.	.	.	6	.	1	2	5	1	.	1	
Population in 1915	" 29	26.7	.	17	.	.	.	.	.	.	.	.	4	2	1	1	1	.	.	1	
(Est.) 33,171.	June, 5	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	1	
New Kilmainham.	May, 1	10.5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	" 8	36.7	5.2	7	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	
	" 15	26.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	
Population in 1915	" 22	26.2	.	5	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	
(Est.) 9,948.	" 29	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	June, 5	21.0	5.2	4	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN FATAL DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Marasmus, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	May, 1	15.8	1.3	12	.	.	.	.	.	.	.	.	4	.	3	.	1	1	.	.	.	
	" 8	21.1	1.3	16	.	.	.	.	.	.	.	3	.	1	.	1	1	.	.	.		
	" 15	17.1	1.3	13	.	.	.	.	.	1	.	.	1	1	2	.	2	.	.	.		
	" 22	21.1	1.3	16	.	.	.	.	.	.	.	3	.	2	.	1	2	.	1	.		
Population in 1915 (Est.) 39,541.	" 29	10.5	.	8	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	1		
	June, 5	11.9	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.		
Pembroke Urban District.	May, 1	22.2	1.7	13	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	.		
	" 8	15.4	1.7	9	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.		
	" 15	23.9	1.7	14	.	.	.	.	.	.	.	1	.	.	3	.	2	.	.	1		
	" 22	15.4	3.4	9	.	.	.	.	.	1	1	.	2	.	.	1	.	.	.	1		
Population in 1915 (Est.) 30,538	" 29	20.5	1.7	12	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	.		
	June, 5	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	1	.		
Blackrock Urban District.	May, 1	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
	" 8	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.		
	" 15	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2		
	" 22	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.		
Population in 1915 (Est.) 9,233.	" 29	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
	June, 5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Kingstown Urban District.	May, 1	18.5	6.2	6	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	1		
	" 8	27.7	3.1	9	.	.	.	1	.	.	.	.	.	.	1	.	3	.	.	.		
	" 15	12.3	3.1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.		
	" 22	24.6	12.3	8	.	.	.	4	.	.	.	.	.	.	.	1	1	.	.	.		
Population in 1911 16,941.	" 29	18.5	6.2	6	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	1		
	June, 5	24.6	6.2	8	.	.	.	2	.	.	.	.	2	.	2	.	1	.	.	.		
Belfast.	May, 1	19.8	2.1	153	.	.	.	7	1	5	.	.	23	8	9	17	14	2	1	3		
	" 8	16.7	1.6	129	.	.	.	8	.	2	.	.	22	5	10	12	10	2	.	2		
	" 15	15.1	1.0	117	.	.	.	2	.	5	1	.	18	7	5	15	14	.	.	1		
	" 22	16.7	0.6	129	.	.	.	4	.	1	.	.	14	7	6	22	12	.	.	1		
Population in 1915 (Est.) 403,000.	" 29	16.9	1.4	131	.	.	.	5	1	2	.	.	23	8	5	5	15	3	.	3		
	June, 5	16.7	0.9	129	.	.	.	1	1	1	1	.	26	4	8	6	10	3	.	2		
Cork.	May, 1	17.7	0.7	26	.	.	.	.	.	1	.	.	5	.	2	3	2	.	.	1		
	" 8	20.4	.	30	.	.	.	.	.	.	.	.	10	.	1	4	2	.	.	.		
	" 15	16.3	.	24	.	.	.	.	.	.	.	.	7	1	1	1	2	.	.	2		
	" 22	21.8	1.4	32	.	.	.	1	.	1	.	.	4	2	3	3	1	.	.	1		
Population in 1911 76,673.	" 29	19.0	.	28	.	.	.	.	.	.	.	.	6	2	.	4	1	.	.	1		
	June, 5	15.6	0.7	23	.	.	.	.	.	.	.	.	5	.	1	3	2	1	.	1		
Londonderry.	May, 1	24.0	1.3	19	.	.	.	.	.	.	.	.	2	2	1	2	2	1	.	.		
	" 8	15.2	3.8	12	.	.	.	.	.	1	.	.	.	1	.	.	2	1	.	.		
	" 15	20.2	.	16	.	.	.	.	.	.	.	.	1	.	.	3	3	.	.	.		
	" 22	12.7	.	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1		
Population in 1915 (Est.) 41,200.	" 29	16.5	.	13	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.		
	June, 5	20.2	1.3	16	.	.	.	.	.	1	.	.	1	2	2	.	1	.	.	1		
Limerick.	May, 1	19.0	.	14	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	1		
	" 8	23.0	.	17	.	.	.	.	.	.	.	.	1	1	.	.	4	.	.	3		
	" 15	31.1	.	23	.	.	.	.	.	.	.	.	4	1	3	1	3	.	.	2		
	" 22	10.8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	1		
Population in 1911 38,518.	" 29	17.6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	1		
	June, 5	23.0	1.4	17	.	.	.	.	1	.	.	.	3	.	1	.	3	.	1	2		
Waterford.	May, 1	17.1	1.9	9	.	.	.	.	1	.	.	.	2	.	.	.	3	.	.	.		
	" 8	13.3	1.9	7	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	1		
	" 15	19.0	1.9	10	.	.	.	.	1	.	.	.	2	.	.	.	.	.	.	1		
	" 22	30.4	5.7	16	.	.	.	.	3	.	.	.	4	1	.	.	2	.	.	2		
Population in 1911 27,464.	" 29	7.6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		
	June, 5	15.2	3.8	8	.	.	.	.	1	.	.	.	1	.	.	2	.	1	.	.		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 5th June, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATES\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.	
						Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.						DISEASES OF THE RESPIRATORY SYSTEM.						DISEASES OF THE RESPIRATORY SYSTEM.								
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.		Cols.																														
BELFAST URBAN No. 1 DISTRICT.			6	32.8	8.2	10	2	3	3	1	3	1																				
Do. 2 do.			15,879			14	3	3	1	1	3	1									1	2	1									
Do. 3 do.			49,500			13	3	2	1	5	2	1									2		2									
Do. 4 do.			50,082			8	3	3	2	1	2	1									5											
Do. 5 do.			32,637			11	3	3	2	1	1	1									1											
Do. 6 do.			16,112			12	1	2	1	4	3	3									2	1	1									
Do. 7 do.			37,293			12	1	2	1	4	3	3									2											
Do. 8 do.			2,681			2	1	2	1	1	1	1																				
Do. 9 do.			5,964			12	5	1	3	2	1	1									3	1										
Do. 10 do.			24,427			14	2	1	4	3	3	1									4											
Do. 11 do.			28,958			12	2	1	1	2	6	1									2											
Do. 12 do.			39,311			12	2	1	1	1	5	1									2											
Do. 13 do.			38,076			12	2	2	4	2	5	1									4											
Do. 14 do.			23,233			5	2	1	1	1	1	3									1											
Do. 15 do.			175			6	1	1	1	1	3	2									1											
Do. 16 do.			22,669			2.3	1	1	1	1	3	2									1											
Total,			386,947	16.7	0.9	129	21	9	22	24	29	24				1	1	1	1		26	4	8	6	10	3			3	39	2	
City of Cork.																																
CORK URBAN No. 1 DISTRICT																																
Do. 2 do.			13,455	11.6		3	1	1	1	1	2										1											
Do. 3 do.			10,399	10.0		2	2	1	1	1	2										2											
Do. 4 do.			9,793	21.3	5.3	4	2	1	1	1	2																					
Do. 5 do.			9,139	17.1		3	1	1	1	1	1																					
Do. 6 do.			6,250	33.4		4	1	1	1	1	1										1											
Do. 7 do.			11,581	22.5		5	1	1	1	1	1										1											
Do. 8 do.			16,056	6.5		2	1	1	1	1	1																					
Total,			76,673	15.6	0.7	23	3	2	4	1	7	6									5		1	3	2	1					12	1

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1914-5—WEEK ENDING																									
	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.
No. of weeks in Annual Series,	20	52	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BIRTHS registered, ...	201	205	156	224	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180
DEATHS registered, ...	159	140	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129
Annual Death-rate per 1,000 of estimated population, ...	20.8	18.3	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7
AGES, { Under 1 year, ...	32	31	29	30	29	32	27	36	35	39	50	23	54	44	40	34	31	27	32	40	31	18	15	19	20	21
1-5 years, ...	20	24	22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9
5-25 " ...	11	20	13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22
25-45 " ...	19	21	21	29	22	23	18	20	24	29	23	20	27	27	24	19	23	25	22	34	19	27	16	26	23	24
45-65 " ...	27	20	36	29	37	37	39	43	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29
65 and upwards, ...	50	24	47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24
Deaths from:—																										
Enteric Fever, ...	1	1		2									1						1							
Typhus, ...																										
Small-pox, ...																										
Measles, ...	11	7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1
Scarlet Fever, ...	3	7	1	2		5	3	3	4	3			3						1		1				1	1
Whooping-cough, ...	1	5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1
Diphtheria, ...	1			1		1						1	1		1	1			1							1
Dysentery, ...																										
Tuberculosis. { Pulmonary, ...	12	12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26
Other Forms, ...	1	7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4
Cancer ...	6	6	5	5	8	6	12	9	6	6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5	8
Diseases of Respiratory System, { Pneumonia, ...	15	11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6
Others, ...	31	15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10
Diarrhoea and Enteritis, under 2 years, ...	5	5	1	1	2	2		3	3	2	4	1	1	4	2	3	4	1	2	2	2	2			3	3
Diarrhoea, 2 years and upwards, ...				1					1				2			3	2			1						
Violent Deaths, ...	2	2	4	5	1		1			2	4	3	3		5	3	3	1	3		3	2	1	1	3	3
Number of Uncertified Deaths, ...	2	1	3	3		2	1	2	3	3	3	4	3	4	2	2	2	3		2	2	1				2

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	June 5,	2,273	1,151 <sup>c</sup>	13·3	.	.	46	7	23	13	15
EDINBURGH, ---	328,700	" 5,	125	102 <sup>c</sup>	16·2	.	.	.	.	5	1	.
GLASGOW, ---	1,078,400	" 5,	576	485 <sup>c</sup>	21·0	.	.	70	3	20	1	4
CALCUTTA, ---	896,067	Apr. 17,	.	670	68·8	108*	102	3	.	.	.	147 <sup>†a</sup>
BOMBAY, ---	979,445	" 24,	316	553	29·3	106*	8	1	.	.	.	49 <sup>†a</sup>
MADRAS, ---	518,660	" 17,	333	391	39·2	52*	.	.	?	?	?	81 <sup>a</sup>
CAIRO, {	Egyptians, ...	Mar. 25,	614	543	43·2	47	.	3	.	?	2 <sup>†</sup>	55
	Foreigners,	" 25,	20	18	13·0	1	.	1	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	" 25,	353	166	25·3	1	1	.	.	?	.	22
	Foreigners,	" 25,	34	19	12·9	1	1	.	.	?	.	1
PARIS, ---	2,847,229	Apr. 24,	878	999	17·9	7	.	58	5	5	4 <sup>†</sup>	24
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	611,426 {	Apr. 10,	299	171	14·6	.	.	.	.	6	1 <sup>†</sup>	.
		" 17,	258	163	13·9	.	.	3	.	7	.	.
COPENHAGEN, ---	492,000	May 8,	213	106	11·2	.	.	.	1	.	.	.
STOCKHOLM, ---	386,270	" 8,	119	101	13·6	.	.	.	1	3	1	.
CHRISTIANIA, ---	251,446	" 15,	108	69	14·3	1	.	.	.	.	1	4 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Apr. 3,	.	867	26·7	19	7	14	16	2	12 <sup>†</sup>	55 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	—	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	May. 15,	.	266 <sup>b</sup>	18·1	.	.	1	8	.	5	9 <sup>a</sup>

\* Deaths from "fever," including 40 deaths from plague and 11 from enteric fever in Calcutta; 62 from plague in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 102 deaths from cholera in Calcutta and 2 in Bombay.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 223 deaths (including 4 from scarlet fever, 3 from diphtheria, and 7 from diarrhoeal diseases); rate, 15·2 per thousand.

<sup>c</sup> Including 9 deaths from cerebro-spinal fever in London, one in Edinburgh and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 5th June, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	.	.	.	.	.	3	4
"    "    1, West, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
"    "    2, ...	.	.	.	.	.	.	.	.	1	.	.	.	6	7
"    "    3, ...	.	.	.	.	.	.	.	1	.	.	.	.	3	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	.	.	.	.	.	.	.	1	.	.	.	7	8
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
"    "    3, ...	.	1	1	.	4	.	.	4	1	.	1	.	4	16
"    "    4, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	1	1	.	5	.	.	5	3	.	1	.	32	48

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 5th June, 1915, with the number under-treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 5th June.			
	May 15.	May 22.	May 29.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	29	29	27	5	4	.	28
Typhus, ...	.	.	3	2	.	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	26	23	16	6	9	.	13
Scarlet Fever, ...	69	72	74	11	25	.	60*
Diphtheria, ...	31	33	28	6	4	1	29
Pneumonia, ...	20	19	23	1	6	1	17

\* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 12TH JUNE, 1915.

[No. 23.]

*General Register Office, Charlemont House,  
Dublin, 14th June, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 22	May 29	June 5	June 12	
<b>27 Town Districts, (a)</b>	<b>18·3</b>	<b>16·4</b>	<b>17·0</b>	<b>15·4</b>	<b>16·8</b>
Dublin Reg. Area ...	20·8	17·0	19·0	17·0	18·4
Dublin City ...	21·2	17·3	20·7	17·0	19·0
Belfast ...	16·7	16·9	16·7	13·7	16·0
Cork ...	21·8	19·0	15·6	15·6	18·0
Londonderry ...	12·7	16·5	20·2	21·5	17·7
Limerick ...	10·8	17·6	23·0	19·0	17·6
Waterford ...	30·4	7·6	15·2	11·4	16·2

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 0·9 per 1,000. Among the 106 deaths from all causes for Belfast are 5 from measles, one from scarlet fever, one from whooping-cough, and one of a child under 2 years from diarrhoea and enteritis. Included in the 23 deaths from all causes for Cork are 2 from whooping-cough; 3 of the 17 deaths from all causes for Londonderry, and one of the 3 deaths from all causes for Lisburn are also from whooping-cough; and of the 4 deaths from all causes for Ballymena one is from measles.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 175—97 boys and 78 girls—and the deaths to 147—67 males and 80 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·0 per 1,000 of the population. During the twenty-three weeks, ending with Saturday last, the death-rate averaged 26·1, and was 2·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

2 A

The total deaths registered, numbering 147, represent an annual rate of 18·7 per 1,000; the annual rate for the past twenty-three weeks was 27·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from measles, 2 from whooping-cough, 2 from diphtheria, one\* from dysentery, one from influenza, and one from cerebro-spinal fever.

Deaths from measles in the three preceding weeks numbered 4, 3, and 2; deaths from whooping-cough were 3, 0, and 3; deaths from diphtheria were one, one, and one; deaths from dysentery were one, 0, and 0; deaths from influenza were 0, 0, and one, and deaths from cerebro-spinal fever were 0, 0, and 0, respectively.

Deaths from tuberculous disease, which in the 3 preceding weeks numbered 38, 27, and 27, rose to 40\* last week, the latter comprising 28 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 3 from abdominal tuberculosis, and 8 from other forms of the disease.

Cancer caused 6\* deaths.

There were 7\* deaths from pneumonia, including 2 from lobar pneumonia, and 5 from pneumonia (type not distinguished.)

Deaths of infants under one year old include 3 from premature birth and 7 from congenital debility.

Twelve deaths were caused by organic diseases of the heart and 15 by bronchitis.

In one instance the cause of death was "uncertified," there having been no medical attendant during the last illness; this case was that of a person aged 87 years.

Twenty-five of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 11 were under one month old), and 27 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 92 years respectively.

Seventy-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 14 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·0 per 1,000; the rate in the City was 17·0 (North City Districts, 15·1; South, 19·2), and in the Suburbs, 16·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·6 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 0·9, and in the South 0·4), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·5 per 1,000, and include 3 deaths from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (13) are equal to an annual rate of 16·3 per 1,000. Five deaths were caused by tuberculous disease and 2 by bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (10) are equivalent to an annual rate of 18·7 per 1,000. Among them are 3 deaths from tuberculous disease and 2 from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (6) represent an annual rate of 8·7 per 1,000. Two were due to whooping-cough and one to bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth. No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 14·4. The only death recorded for Clontarf and Howth, No. 1, part of, was one caused by tuberculous meningitis. One of the 3 deaths from all causes for Coolock and Drumcondra, part of, was from pulmonary tuberculosis; and included in the 3 deaths appertaining to Finglas and Glasnevin, part of, are one from diphtheria and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·5 per 1,000. Five of them were due to tuberculous disease, one to pneumonia, and 2 to bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (19) are equal to an annual rate of 22·5 per 1,000. One death from diphtheria, 7 from pulmonary tuberculosis, one from cerebro-spinal fever, and 3 from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Among them are 2 deaths from pulmonary tuberculosis, one from lobar pneumonia, and one from bronchitis.

*New Kilmainham District.*—The deaths (3) are equal to an annual rate of 15·7 per 1,000. Pulmonary tuberculosis was the cause of death in one case and bronchitis in another.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·1; Pembroke, 12·0; Blackrock, 16·9; and Kingstown, 24·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Kingstown. Among the 13 deaths from all causes for Rathmines and Rathgar were one from influenza, one from disseminated tuberculosis, one from lobar pneumonia, and one from bronchitis. The 7 deaths from all causes for Pembroke include 3 from tuberculous disease; and included in the 8 deaths recorded for Kingstown are 2 from tuberculous disease.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·7), was equal to an average annual death-rate of 13·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·9 per 1,000, the rate for Glasgow being 19·1, and for Edinburgh 15·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 12th June. From this Report it appears that of a total of 77 cases notified, 28 were scarlet fever, 17 pulmonary tuberculosis, 7 other forms of tuberculosis, 13 diphtheria, 7 erysipelas, and 5 cerebro-spinal fever. Among the 452 cases of infectious diseases in hospital at the close of the week were 191 of pulmonary tuberculosis, 136 of scarlet fever, 38 of diphtheria, 34 of whooping-cough, 22 of measles, 15 of erysipelas, and 6 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 12th June, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	May. 22.	—	—	—	4	—	—	5	—	—	2	3	—	—	—	—	—	—	30	44
	May. 29.	—	—	—	8	3	—	5	—	—	2	3	—	—	—	—	—	—	22	43
	June. 5.	—	—	—	1	1	—	5	—	—	5	3	—	—	—	1	—	—	32	48
	June. 12.	—	—	—	12	2	—	4	—	2	3	6	—	—	—	—	—	—	33	62
Rathmines and Rathgar Urban District.	May. 22.	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	3
	May. 29.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 5.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 12.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Pembroke Urban District.	May. 22.	—	—	—	6	—	—	—	—	—	—	1	—	—	10	—	—	—	—	19
	May. 29.	—	—	—	—	—	—	—	—	—	—	1	—	—	5	—	—	—	1	7
	June. 5.	—	1	—	2	—	—	—	—	—	1	—	—	—	18	—	—	—	—	22
	June. 12.	—	—	—	2	—	—	—	—	—	—	—	—	—	7	—	—	—	—	9
Blackrock Urban District.	May. 22.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	May. 29.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 5.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 12.	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Kingstown Urban District.	May. 22.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	May. 29.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 5.	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	5
	June. 12.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Belfast.	May. 22.	—	—	—	32	—	—	2	—	—	1	4	—	—	—	2	—	—	7	48
	May. 29.	—	—	—	53	—	—	3	1	—	—	3	—	—	—	2	—	—	1	63
	June. 5.	—	—	—	38	—	—	—	—	—	1	4	—	—	—	1	—	—	3	47
	June. 12.	—	—	—	28	—	—	1	—	—	2	4	—	—	—	1	—	—	6	42
City of Cork.	May. 22.	—	3	—	1	—	—	—	1	—	—	1	—	—	—	—	—	—	—	6
	May. 29.	—	8	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	12
	June. 5.	—	9	—	10	—	—	2	—	—	—	—	—	—	—	—	—	—	—	21
	June. 12.	—	5	—	3	—	—	—	—	—	—	4	—	—	—	—	—	—	—	12
City of Londonderry.	May. 22.	—	—	—	3	—	—	1	—	—	—	2	—	—	—	—	—	—	—	6
	May. 29.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	June. 5.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 12.	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2
City of Limerick.	May. 22.	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	May. 29.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 5.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	June. 12.	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2
City of Waterford.	May. 22.	—	—	—	4	—	—	—	—	—	1	—	—	—	—	—	—	—	1	6
	May. 29.	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
	June. 5.	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	1	4
	June. 12.	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	1	8

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 12th June, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 32 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 29, 27, and 28.

One case of typhus was admitted to hospital during the week, and 6 cases remained under treatment at its close. The cases in hospital at the close of the three preceding weeks were 0, 3, and 5 respectively.

Two cases of measles were admitted to hospital during the week, 4 were discharged, and 11 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 23, 16, and 13 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 5 were discharged, and 70\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 74, and 60, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there were 2 deaths. The cases in hospital, which at the close of the 3 preceding weeks numbered 33, 28, and 29 respectively, were 28 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 2 were discharged, and 21 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 12th June, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.		REGISTRATION—WEEK ENDING SATURDAY, 12TH JUNE, 1915.																															
		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																											
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																									
		Total.(a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																			Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards								
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)					
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	23.1	15.4	0.9	536	357	42	74	...	...	...	7	1	9	2	...	67	27	11	28	36	2	1	3	6	107	8					
DUBLIN REGISTRATION AREA:—																																	
TOTAL, (c.) ...	409,000	29.8	22.3	17.0	0.6	175	133d	15	26	...	...	...	1	...	2	2	...	26	10	5	5	18	...	...	...	1	57	1					
CITY OF DUBLIN, ...	312,747	39.5	24.7	17.0	0.7	148	102	12	17	...	...	...	...	...	2	2	...	23	7	2	4	17	...	...	...	1	49	...					
Urban Districts.																																	
RATHMINES and RATHGAR, ...	39,541	23.1	4.0	17.1	.	3	13	2	5	...	...	...	...	...	...	...	...	1	2	1	1	...	...	...	...	...	5	1					
PEMBROKE, ...	30,538	19.4	22.2	12.0	.	13	7	..	2	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	1	...					
BLACKROCK, ...	9,233	8.5	28.2	16.9	.	5	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...					
KINGSTOWN, ...	16,941	11.6	18.5	24.6	3.1	6	8	...	1	...	...	...	1	...	...	...	...	1	1	1	...	...	...	...	...	...	...	...					
Urban Districts																																	
BELFAST ...	403,000	27.0	22.4	13.7	1.0	173	106	13	17	...	...	...	5	1	1	...	...	20	8	3	11	7	1	...	3	4	28	1					
CORK, ...	76,673	28.6	24.5	15.6	1.4	36	23	1	3	...	...	...	...	...	2	...	...	4	4	1	1	2	...	...	...	...	5	...					
LONDON-DERRY, ...	41,200	16.0	29.1	21.5	3.8	23	17	1	4	...	...	...	...	...	3	...	...	3	2	1	1	2	...	...	...	...	2	1					
LIMERICK, ...	38,518	16.1	19.0	19.0	.	14	14	...	2	...	...	...	...	...	...	...	...	5	...	...	3	1	...	...	...	...	4	..					
WATERFORD, ...	27,464	19.1	24.7	11.4	.	13	6	1	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	1	...					
GALWAY, ...	13,255	2.5				4	5	1	3	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	4	...				
DUNDALK, ...	13,128	9.5				10	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
LURGAN, ...	12,553	14.7				8	5	2	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	1	...				
DROGHEDA, ...	12,501	8.4				6	4	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...				
LISBURN, ...	12,388	10.9				5	3	...	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...				
NEWRY, ...	11,963	17.0				7	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...				
PORTADOWN, ...	11,727	15.3				9	3	1	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...				
WEXFORD, ...	11,531	22.8				10	3	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1				
BALLYMENA ..	11,381	9.3				3	4	2	...	...	...	...	1	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	...				
SLIGO, ...	11,163	3.8				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1				
KILKENNY, ...	10,514	11.4				3	4	1	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	2	1				
TRALEE, ...	10,300	17.4				3	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	3	..				
CLONMEL, ...	10,209	7.8				.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
NEWTOWNARDS	9,587	20.1				6	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1				
QUEENSTOWN, ...	8,209	14.7				5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...				
LARNE, ...	8,036	13.4				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
COLERAINE. ...	7,785	7.7				7	3	1	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...				
BANGOR, ..	7,776	8.5				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
BRAY, ..	7,691	7.2				5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1				
ATHLONE, ..	7,472	6.2				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...				
ARMAGH, ...	7,356	21.8				4	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...				

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and one at 72 years) admitted to hospital from localities outside the Area: Included in the 14 deaths are one from dysentery, 4 from tuberculous disease, one from cancer, and 2 from pneumonia. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 12th of June, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, . . . . .	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	
Diphtheria, . . . . .	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	2	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary, . . . . .	3	4	.	.	.	1	1	3	1	7	2	1	.	2	.	1	26	
Other Forms, . . . . .	.	1	3	.	1	.	.	2	.	.	.	.	1	1	.	1	10	
Cancer, . . . . .	.	1	.	.	.	.	.	.	.	1	.	.	2	.	.	1	5	
Diseases of Nervous System, . . . . .	2	1	2	.	.	.	1	1	1	2	.	1	.	.	.	2	13	
"    Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
"    Circulatory System, . . . . .	1	1	2	2	.	.	.	1	1	1	1	.	1	2	.	.	13	
"    Respiratory System, { Pneumonia, . . . . .	1	.	.	.	.	.	.	1	1	.	1	.	1	.	.	.	5	
"    "																		





TWENTY-THIRD WEEK, ending Saturday, 12th June, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 23rd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 12th June, 1915.																																	
	June 10, 1905.	June 9, 1906.	June 8, 1907.	June 6, 1908.	June 12, 1909.	June 11, 1910.	June 10, 1911.	June 8, 1912.	June 7, 1913.	June 6, 1914.		All Ages.	Deaths of Persons of the Ages of																																
													Under 1 month.	1 month and under a year.	0-5.		5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																							
															1-2.	2-5.																													
Diseases of the Pharynx, Ton- sillitis.	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Stomach, ...	—	—	—	—	—	—	2	3	1	3	—	3	1	.	.	.	.	.	.	.	.	.	.																						
Diarrhoea and Enteritis of Children under 2 years.	1	1	1	3	2	7	1	.	3	2	2.1	3	1	.	.	.	.	.	.	.	.	.	.																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	.	.	1	.	.	.	.																						
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	3	.	1	—	.	.	.	.	.	.	.	.	.	.	.	.																						
Cirrhosis of Liver, ...	2	3	2	1	1	.	1	.	.	1	1.1	1	.	.	.	.	.	.	1	.	.	.	.																						
Other Diseases of Liver, ...	1	.	2	1	.	.	.	.	.	1	.5	1	.	.	.	.	.	.	1	.	.	.	.																						
Peritonitis (cause unknown),	2	.	1	.	1	2	3	1	1	.	1.1	1	.	.	.	1	.	.	.	.	.	.	.																						
Other Diseases of Digestive System.	8	3	3	1	2	4	.	2	.	.	2.3	.	.	.	.	.	.	.	.	.	.	.	.																						
Acute Nephritis, ...	4	6	11	3	5	5	.	1	.	1	5.5	2	.	.	.	.	.	.	.	.	.	.	.																						
Chronic Bright's Disease, ...																								3	3	4	6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Urinary Calculi, ...																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	1	1	.	.	.	.	1	1	.	1	1	1	.	.	.	.	.	.	1	.	.	.	.																						
Puerperal Septicæmia, &c., ...	.	.	.	.	2	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.																						
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.	.																						
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	.	1	—	1	.	.	.	.	.	.	1	.	.	.	.																						
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	1	.	—	1	.	.	.	.	.	.	.	.	.	.	.																						
Congenital Malformations, ...	—	—	—	—	—	—	2	.	2	.	—	1	.	.	.	.	.	.	.	.	.	.	.																						
Premature Birth, ...	4	7	2	4	8	2	2	4	3	1	3.7	3	3	.	.	.	.	.	.	.	.	.	.																						
Congenital Debility, ...	—	—	—	—	—	—	4	1	3	3	—	7	6	1	.	.	.	.	.	.	.	.	.																						
Old Age, ...	4	3	.	2	8	4	7	5	5	9	4.7	4	.	.	.	.	.	.	.	.	.	4	.																						
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	1	.	—	2	1	.	.	1	.	.	.	.	.	.	.																						
ACCIDENT :																																													
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Burns and Scalds, ...	1	.	.	1	1	1	.	1	1	4	1.0	.	.	.	.	.	.	.	.	.	.	.	.																						
Drowning, ...	1	1	3	1	.	.	1	1	.	.	.8	.	.	.	.	.	.	.	.	.	.	.	.																						
Suffocation in Bed, ...	.	.	1	1	.	.	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.	.																						
Other Deaths by Accident, ...	3	2	1	.	1	5	1	3	3	1	2.0	.	.	.	.	.	.	.	.	.	.	.	.																						
Total Deaths from Accident,	5	3	5	3	2	6	2	5	4	6	4.1	.	.	.	.	.	.	.	.	.	.	.	.																						
Included in above are Deaths in connection with—																																													
Railways, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																						
Vehicles and Horses, ...	1	.	.	.	.	.	.	2	2	.	.5	.	.	.	.	.	.	.	.	.	.	.	.																						
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Building Operations, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																						
VIOLENCE OTHER THAN ACCIDENTAL:																																													
Homicide, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																						
Suicide, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																						
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																						
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	4	7	.	—	4	.	.	.	.	.	1	2	.	1	.	.																						

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5.—WEEK ENDING																									
		Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
No. of weeks in Annual Series,		51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Births registered.		224	117	236	232	259	185	238	236	269	225	231	206	250	238	218	196	218	236	252	231	206	216	208	240	245	175
Average Births in corresponding week of previous 10 years, ...		180	178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218
Deaths registered.		203	134	283	297	241	232	249	254	236	256	287	272	249	201	228	194	219	205	209	160	205	186	174	140	165	147
Annual Death-rate per 1,000, ...		26.1	17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7
Average Deaths in corresponding week of previous 10 years, ...		174	156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150
Ages, { Under 5 years, ...		51	35	87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25
5-15 " ...		9	8	12	7	3	6	11	4	9	11	17	8	9	6	10	3	7	7	5	5	9	8	4	8	3	8
15-25 " ...		7	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	6	9	11
25-45 " ...		22	17	33	38	31	35	31	31	28	39	40	41	31	43	25	26	35	35	34	30	40	35	34	24	26	33
45-65 " ...		61	35	65	70	35	63	66	56	61	64	80	60	52	31	46	45	54	45	49	39	48	42	39	33	41	43
65-75 " ...		28	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13
75 and upwards, ...		25	9	34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14
Deaths from:—		1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
Enteric Fever, ...		1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		26	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28
Other Forms, ...		5	5	7	10	10	5	8	13	7	5	10	8	7	6	9	5	9	9	12	8	10	9	8	7	3	12
Cancer, ...		7	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6
Diseases of Circulatory System, ...		32	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16	13
Diseases of Respi- ( Pneumonia, ...		19	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7
ratory System, { Others, ...		25	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18
Diarrhoea and Enteritis, under 2 years, ...		6	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	9	9	9
Diarrhoea, 2 years and upwards		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		9	3	2	2	4	4	8	4	4	11	5	5	8	11	7	4	5	7	7	8	5	2	5	5	6	5
Number of Uncertified Deaths, ...		4	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 12th June, 1915 : the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION		Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH												Total Number of Deaths.	Annual Death Rate per 1,000 of the Population in 1911.					
			Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Butteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System.	Other.	Diarrhea & Enteritis of children under 2 years of age.			Diarrhea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncer- tified Deaths.	
CLASS.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
I.	ALL PERSONS.	397,957																													
	CLASSES.																														
I.	Deaths in Families of the—																														
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	7	1	3	1	1	2	3	3	3	3	3	3	3	3	3	3	3	3	1	4	6	1	1	1	1	1	6	1	
III.	MIDDLE CLASS, ...	101,798	27	3	1	9	7	4	3	3	3	3	3	3	3	3	3	3	3	3	4	1	4	1	1	1	1	1	16	1	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	29	4	2	3	6	7	4	3	3	3	3	3	3	3	3	3	3	3	4	2	2	1	2	4	4	4	15	3	
V.	GENERAL SERVICE CLASS, ...	167,479	59	6	7	10	16	3	3	3	3	3	3	3	3	3	3	3	3	3	15	4	1	1	8	8	8	24	8	1	
	INMATES OF WORKHOUSES, ...	5,602	25	3	7	11	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	5	2	1	5	5	5	8	8	1	
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
	1. Clerical, Medical, Legal, and other Pro- fessions: Naval and Military Officers, and Heads of Public Departments, ...	7,868	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
II.	2. Merchants and Manufacturers, Higher Class	1,347	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	3. Persons of Rank and Property, not other- wise described, ...	5,443	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	5	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	6. Clerks and Commercial Assistants, ...	33,249	9	2	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
III.	7. Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	33,827	12	1	1	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	1	2	2	1	1	1	1	1	8	1	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	12	4	1	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	9. Building and Furnishing Trades, ...	28,823	7	3	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	10. Clothing Trades, ...	20,026	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	11. Food Supply Trades	8,952	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	12. Other Trades and Callings ranking with Trades, ...	32,070	10	3	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
IV.	13. Petty Shopkeepers	6,772	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	3	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	15. Domestic Servants,	36,041	11	4	1	3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	17. Hawkers, Porters, Labourers, &c., ...	103,081	20	2	5	7	10	2	2	2	2	2	2	2	2	2	2	2	2	2	10	3	1	1	5	5	5	14	3	1	
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...	5,602	25	3	7	11	2	2	2	2	2	2	2	2	2	2	2	2	2	2	4	5	2	1	5	5	5	8	8	1	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	May, 8	27.4	5.1	16	.	.	.	.	.	1	.	.	3	.	.	1	1	2	.	1	.	
	" 15	22.2	3.4	13	.	.	.	.	.	.	.	1	2	1	2	.	2	1	.	.	2	
	" 22	17.1	.	10	.	.	.	.	.	.	.	.	2	1	.	.	2	.	1	.	.	
	" 29	23.9	.	14	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	.	.	
Population in 1915	June, 5	13.7	3.4	8	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.	.	
(Est.) 30,504.	" 12	20.5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	May, 8	25.0	1.3	20	.	.	.	.	.	.	.	.	2	2	.	.	1	1	.	1	1	
	" 15	22.5	.	18	.	.	.	.	.	.	.	.	4	2	.	2	1	.	.	.	.	
	" 22	20.0	2.5	16	.	.	.	.	.	.	1	.	3	1	2	.	3	1	.	1	.	
	" 29	12.5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	1	1	
Population in 1915	June, 5	36.3	3.8	29	.	.	.	.	.	.	.	.	4	.	1	3	1	3	.	2	1	
(Est.) 41,685.	" 12	16.3	.	13	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.	
North City, No. 2. (Office, Lisburn-street.)	May, 8	37.4	.	20	.	.	.	.	.	.	.	.	5	3	.	1	2	.	.	.	1	
	" 15	18.7	.	10	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.	
	" 22	28.1	1.9	15	.	.	.	.	.	1	.	.	4	1	1	1	3	.	.	.	.	
	" 29	15.0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	
Population in 1915	June, 5	24.3	3.7	13	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	1	
(Est.) 27,883.	" 12	18.7	.	10	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	
North City, No. 3. (Office, Benburb-street.)	May, 8	18.9	1.5	13	.	.	.	.	.	.	.	.	3	1	3	2	2	1	.	.	1	
	" 15	30.5	.	21	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	1	.	
	" 22	13.1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.	
	" 29	13.1	.	9	.	.	.	.	.	.	.	.	1	1	.	3	2	.	.	.	.	
Population in 1915	June, 5	18.9	1.5	13	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1	
(Est.) 35,887.	" 12	8.7	2.9	6	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	
Clontarf and Howth No. 1 (part of).	May, 8	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	
	" 15	37.7	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	" 22	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 29	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
Population in 1915	June, 5	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
(Est.) 5,539.	" 12	9.4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	May, 8	22.6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 15	15.1	3.8	4	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.	
	" 22	26.4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	
	" 29	11.3	3.8	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Population in 1915	June, 5	11.3	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	
(Est.) 13,820.	" 12	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
Finglas and Glasnevin (part of).	May, 8	24.1	4.8	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
	" 15	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 22	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
	" 29	19.3	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
Population in 1915	June, 5	24.1	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	
(Est.) 10,829.	" 12	14.4	4.8	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	
South City, No. 1. (Office, Sth. Earl-street.)	May, 8	20.3	1.3	16	.	.	.	.	.	.	.	.	3	2	2	2	1	1	.	.	.	
	" 15	30.4	3.8	24	.	.	.	.	.	1	.	.	2	2	.	.	5	2	.	.	.	
	" 22	10.1	1.3	8	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.	
	" 29	17.7	.	14	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.	
Population in 1915	June, 5	21.5	1.3	17	.	.	.	.	.	.	.	.	3	.	.	.	5	1	.	.	.	
(Est.) 41,170.	" 12	16.5	.	13	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.	
South City, No. 2. (Office, Castle-street.)	May, 8	31.3	11.4	11	.	.	.	.	.	3	1	.	2	.	.	1	1	.	.	.	.	
	" 15	17.1	5.7	6	.	.	.	.	.	1	.	.	1	1	.	.	1	.	1	.	.	
	" 22	37.0	.	13	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	2	
	" 29	22.7	.	8	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	
Population in 1915	June, 5	22.7	2.8	8	.	.	.	.	.	1	.	.	.	1	1	1	1	.	.	.	.	
(Est.) 18,341.	" 12	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	
South City, No. 3. (Office, Peter-street.)	May, 8	26.1	1.2	22	.	.	.	.	.	.	1	.	5	.	3	1	4	.	.	1	1	
	" 15	24.9	2.4	21	.	.	.	.	.	.	1	.	4	.	.	3	2	.	.	.	1	
	" 22	19.0	2.4	16	.	.	.	.	.	1	.	.	2	.	1	1	4	1	.	.	1	
	" 29	16.6	1.2	14	.	.	.	1	.	.	.	.	3	.	.	2	2	.	.	.	.	
Population in 1915	June, 5	14.2	1.2	12	.	.	.	.	.	.	1	.	.	.	2	2	2	.	.	.	.	
(Est.) 43,970.	" 12	22.5	1.2	19	.	.	.	.	.	.	.	.	7	.	1	.	3	.	.	.	.	
South City, No. 4. (Office, Grand Canal-st.)	May, 8	20.4	.	13	.	.	.	.	.	.	.	.	5	.	3	1	1	.	.	.	.	
	" 15	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.	.	
	" 22	36.2	1.6	23	.	.	.	.	.	.	.	.	6	.	1	2	5	1	.	1	.	
	" 29	26.7	.	17	.	.	.	.	.	.	.	.	4	2	1	1	1	.	.	.	1	
Population in 1915	June, 5	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1	
(Est.) 33,171.	" 12	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.	
New Kilmainham.	May, 8	36.7	5.2	7	1	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	
	" 15	26.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	
	" 22	26.2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 29	10.5	.	2	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	
Population in 1915	June, 5	21.0	5.2	4	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	
(Est.) 9,948.	" 12	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	May, 8 " 15 " 22 " 29 June, 5 " 12	21.1 17.1 21.1 10.5 11.9 17.1	1.3 1.3 1.3 . . .	16 13 16 8 9 13	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	. . . . . .	. . . . . .	. 3 1 3 1 .	. 1 . 1 . 1	. . 2 . 2 .	. . . . . .	1 . 1 . 1 1	1 2 2 2 1 1	1 . . . . . .	. . 1 . . .	. . 1 . . .		
Pembroke Urban District. Population in 1915 (Est.) 30,538	May, 8 " 15 " 22 " 29 June, 5 " 12	15.4 23.9 15.4 20.5 13.7 12.0	1.7 1.7 3.4 1.7 . .	9 14 9 12 8 7	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . 1 . . .	. . . 1 . .	. . . . . .	. 1 2 2 2 2	. . . . . 1	1 3 . . . .	. . . . . .	. 3 1 3 . .	. 2 . . . .	. . . . . .	. . . . . .	. . . . 1 .		
Blackrock Urban District. Population in 1915 (Est.) 9,233.	May, 8 " 15 " 22 " 29 June, 5 " 12	11.3 22.6 16.9 16.9 . 16.9	. . . . . .	2 4 3 3 . 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . .	2 . . . . .	. . . . . .	. . . . . .	. . . . . .		
Kingstown Urban District. Population in 1911 16,941.	May, 8 " 15 " 22 " 29 June, 5 " 12	27.7 12.3 24.6 18.5 24.6 24.6	3.1 3.1 . 6.2 6.2 3.1	9 4 8 6 8 8	. . . . . .	. . . . . .	. . . . . .	1 . 4 2 2 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 2 1	1 . . . 2 1	. . . . . .	. . 1 1 1 . .	3 . 1 1 1 .	. 1 . . . .	. . . . . .	. . 1 . . .		
Belfast. Population in 1915 (Est.) 403,000.	May, 8 " 15 " 22 " 29 June, 5 " 12	16.7 15.1 16.7 16.9 16.7 13.7	1.6 1.0 0.6 1.4 0.9 1.0	129 117 129 131 129 106	. . . . . .	. . . . . .	. . . . . .	8 2 4 5 1 5	. . . 1 1 1	2 5 1 2 1 1	. 1 . . 1 .	. . . . . .	22 18 14 23 26 20	5 7 7 8 4 8	10 5 6 5 8 3	12 15 12 5 6 11	10 14 22 15 6 7	2 . . 3 3 1 .	. . . . . .	2 1 1 3 3 3		
Cork. Population in 1911 76,673.	May, 8 " 15 " 22 " 29 June, 5 " 12	20.4 16.3 21.8 19.0 15.6 15.6	. . 1.4 . 0.7 1.4	30 24 32 28 23 23	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . .	. . 1 . . 2	. . . . . .	. . . . . .	10 7 4 6 5 4	. 1 2 2 . 4	1 1 3 . 1 1	4 1 3 4 1 1	2 2 1 1 2 2	. . 1 1 1 .	. . . . 1 .	. . 1 . . .			
Londonderry. Population in 1915 (Est.) 41,200.	May, 8 " 15 " 22 " 29 June, 5 " 12	15.2 20.2 12.7 16.5 20.2 21.5	3.8 . . . 1.3 3.8	12 16 10 13 16 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . 1 3	. . . . . .	. . . . . .	. 1 1 . 1 3	1 . 3 2 . 2	. . . . 2 1	. . . . 1 1	. 3 . . . .	2 3 2 2 1 2	1 . . . . . .	1 . . . . . .			
Limerick. Population in 1911 38,518.	May, 8 " 15 " 22 " 29 June, 5 " 12	23.0 31.1 10.8 17.6 23.0 19.0	. . . . 1.4 .	17 23 8 13 17 14	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. 4 1 2 3 5	1 1 . . . .	. 3 1 . 1 .	. . . . . .	. 1 . . . 3 1	4 3 2 3 3 1	. . . . . .	. . . . . .	. . 1 . . .		
Waterford. Population in 1911 27,464.	May, 8 " 15 " 22 " 29 June, 5 " 12	13.3 19.0 30.4 7.6 15.2 11.4	1.9 1.9 5.7 . 3.8 .	7 10 16 4 8 6	. . . . . .	. . . . . .	. . . . . .	1 1 3 . 1 .	. . . . . .	. . . . . .	. . . . . .	. 2 4 1 1 1	. . 1 . . .	1 1 . . . .	. . . . 2 1	. . . . . 1	. . 2 . . 1	. . . . . .	. . . . . .	. . . . . .		

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		Dec. 19.	Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.
No. of weeks in Annual Series,		51	52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
BIRTHS registered, ...		...	156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173
DEATHS registered, ...		...	168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106
Annual Death-rate per 1,000 of estimated population, ...		...	22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7
Ages, { Under 1 year, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
1-5 years, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
5-25 " ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
25-45 " ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
45-65 " ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
65 and upwards, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Deaths from:—		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Enteric Fever, ...		1	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
Typhus, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...		7	9	8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1	5
Scarlet Fever, ...		7	1	2	...	5	3	3	4	3	...	...	3	...	...	...	...	...	1	...	1	...	...	...	1	1	1
Whooping-cough, ...		5	5	2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1	1
Diphtheria, ...		...	...	1	...	1	...	...	...	...	...	1	1	...	...	1	...	...	1	...	...	...	1	...	...	...	...
Dysentery, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis. { Pulmonary, ...		12	20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20
Other Forms, ...		7	4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8
Cancer ...		6	5	5	8	6	12	9	6	6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5	8	3
Diseases of Respi- { Pneumonia, ...		11	16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11
ratory System, { Others, ...		15	27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7
Liairrhoea and Enteritis, under 2 years, ...		5	1	1	2	2	...	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	...	...	3	3	1
Diarrhoea, 2 years and upwards, ...		...	...	1	...	...	...	...	1	...	...	...	2	...	...	3	2	...	...	1	1	...	...	...	...	...	...
Violent Deaths, ...		2	4	5	1	...	1	...	...	2	4	3	3	...	5	3	3	1	3	...	3	2	1	1	3	3	3
Number of Uncertified Deaths, ...		1	3	3	...	2	1	2	3	3	3	4	3	4	2	2	2	3	...	2	2	1	...	...	...	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, —	4,516,612	June 12,	1,958	1,103 <sup>c</sup>	12·7	.	.	55	5	16	9	21
EDINBURGH, —	328,700	„ 12,	115	98 <sup>c</sup>	15·5	.	.	3	3	4	.	1
GLASGOW, —	1,078,400	„ 12,	563	396 <sup>c</sup>	19·1	.	.	52	6	23	4	5
CALCUTTA, —	896,067	Apr. 24,	.	543	31·5	83*	71	2	.	.	1†	119† <sup>a</sup>
BOMBAY, —	979,445	May 1,	302	490	26·0	82*	14	.	.	.	.	45 <sup>a</sup>
MADRAS, —	518,660	Apr. 24,	312	318	34·9	54*	1	1	?	?	?	64† <sup>a</sup>
CAIRO, {	Egyptians, ...	„ 1,	575	573	45·6	43	.	4	.	?	2†	65
	Foreigners,	„ 1,	5	16	11·6	.	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	„ 1,	339	192	29·3	2	.	.	.	?	.	15
	Foreigners,	„ 1,	40	27	13·3	1	1	.	.	?	.	2
PARIS, —	2,847,229	May 1,	801	1,121	20·1	5	.	63	38	8	5†	27
BRUSSELS, —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, —	323,421	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, —	611,426 {	Apr. 24,	242	149	12·7	.	.	4	.	2	3†	3
		May 1,	267	126	10·7	1	.	1	.	3	1†	.
COPENHAGEN, —	492,000	„ 15,	214	181	19·2	1	.	1	.	.	1†	3
STOCKHOLM, —	886,270	„ 15,	130	108	14·5	.	.	3	1	3	.	2
CHRISTIANIA, —	251,446	„ 22,	94	60	12·4	.	.	.	.	1	1	1 <sup>a</sup>
PETROGRAD, —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, —	1,694,000	Apr. 10,	.	895	27·5	30	1	23	15	8	9†	65 <sup>a</sup>
ROME, —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, —	5,806,532	May 8,	2,804	1,609	14·5	5	.	35	16	5	24†	33
PHILADELPHIA, —	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, —	766,136	May. 22,	.	234 <sup>b</sup>	15·9	.	.	1	5	2	7	6 <sup>a</sup>

\* Deaths from "fever," including 18 deaths from plague and 7 from enteric fever in Calcutta; 33 from plague and 2 from enteric fever in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 73 deaths from cholera in Calcutta and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 196 deaths (including 4 from scarlet fever, 5 from diphtheria, and 4 from diarrhoeal diseases); rate, 13·3 per thousand.

<sup>c</sup> Including 13 deaths from cerebro-spinal fever in London, 3 in Edinburgh and 3 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 12th June, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	4	.	.	1	.	.	1	1	.	.	.	2	9
„ „ 1, West,	.	4	.	.	.	.	.	.	1	.	.	.	4	9
„ „ 2,	.	.	.	.	.	.	.	.	3	.	.	.	8	11
„ „ 3,	.	1	.	.	.	.	.	1	1	.	.	.	4	7
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	1	.	.	.	.	1	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1	2
South City No. 1,	.	.	.	.	.	.	1	.	.	.	.	.	5	6
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3,	.	2	2	.	1	.	.	1	.	.	.	.	5	11
„ „ 4,	.	.	.	.	1	.	.	.	4	.	.	.	3	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	2	.	4	.	2	3	6	.	.	.	33	62

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 12th June, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 12th June.			
	May 22.	May 29.	June 5.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	29	27	28	9	5	.	32
Typhus,	.	3	5	1	.	.	6
Small-pox,	.	.	.	.	.	.	.
Measles,	23	16	13	2	4	.	11
Scarlet Fever,	72	74	60	15	5	.	70*
Diphtheria,	33	28	29	8	7	2	28
Pneumonia,	19	23	17	6	2	.	21

\* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
DUBLIN REGISTRATION AREA,  
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;  
AND IN  
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:  
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.  
By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 19TH JUNE, 1915.

[No. 24.]

General Register Office, Charlemont House,  
Dublin, 21st June, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	May 29	June 5	June 12	June 19	
<b>27 Town Districts, (a)</b>	<b>16·4</b>	<b>17·0</b>	<b>15·4</b>	<b>14·2</b>	<b>15·8</b>
Dublin Reg. Area ...	17·0	19·0	17·0	16·4	17·3
Dublin City ...	17·3	20·7	17·0	16·3	17·8
Belfast ...	16·9	16·7	13·7	13·2	15·1
Cork ...	19·0	15·6	15·6	10·2	15·1
Londonderry ...	16·5	20·2	21·5	11·4	17·4
Limerick ...	17·6	23·0	19·0	8·1	16·9
Waterford ...	7·6	15·2	11·4	13·3	11·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·1 per 1,000. Among the 102 deaths from all causes for Belfast are 5 from measles, 2 from scarlet fever, one from whooping-cough, 2 from diarrhoea and enteritis of children under 2 years, and 3 from cerebro-spinal fever or cerebro-spinal meningitis. One of the 15 deaths from all causes for Cork is from scarlet fever. Included in the 9 deaths from all causes for Londonderry is one from whooping-cough. Of the 3 deaths from all causes for Ballymena one is from measles, and one death from whooping-cough is included in the 4 deaths from all causes for Larne.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 207—109 boys and 98 girls—and the deaths to 147—73 males and 74 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 18) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·4 per 1,000 of the population. During the twenty-four weeks, ending with Saturday last, the death-rate averaged 25·7, and was 2·4 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 147, represent an annual rate of 18·7 per 1,000; the annual rate for the past twenty-four weeks was 27·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·5 per 1,000 of the mean population for all deaths registered.

The total number of deaths registered include one from scarlet fever, 3 from whooping-cough, 2 from diphtheria, one\* from dysentery, 5 from diarrhoea and enteritis of children under 2 years of age, and one from influenza.

In the three preceding weeks, there were no deaths from scarlet fever; deaths from whooping-cough were 0, 3, and 2; deaths from diphtheria were one, one, and 2; deaths from dysentery were 0, 0, and one; deaths of children under 2 years of age from diarrhoea and enteritis were 0, 9, and 0; and deaths from influenza were 0, one, and one.

In the deaths from tuberculous disease, there was a fall from 27, 27, and 40, respectively, in the 3 preceding weeks to 24\* last week, 18 of these having been caused by pulmonary tuberculosis, 4 by tuberculous meningitis, and 2 by other forms of the disease.

The deaths of 10\* persons were ascribed to cancer.

Pneumonia caused 13 deaths, comprising 6 from broncho-pneumonia, 3 from lobar pneumonia, and 4 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age are one death attributed to convulsions, 6 to premature birth, and 2 to congenital debility.

Organic diseases of the heart caused 15 deaths and bronchitis, 11.

There were 2 accidental deaths comprising one death caused by drowning and one as the result of a gunshot wound.

One case of suicide was recorded.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under 5 years of age.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 13 were under one month old), and 28 were aged 65 years and upwards, including 18 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 3 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·4 per 1,000; the rate in the City was 16·3 (North City Districts, 14·8; South, 18·1), and in the Suburbs, 16·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·4 per 1,000 inhabitants, the rate for the City being 1·5 (in the North City Districts 1·9, and in the South 1·1), and for the Suburbs 1·1 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (7) are equal to an annual rate of 12·0 per 1,000, and include one death from whooping-cough, one from diphtheria, one from pulmonary tuberculosis, 2 from bronchitis, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (12) are equal to an annual rate of 15·0 per 1,000. Three deaths were caused by pulmonary tuberculosis, 2 by pneumonia, and one of a child under 2 years of age by diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. One of these deaths was from whooping-cough, 2 were from tuberculous meningitis, one from broncho-pneumonia, and one from bronchitis.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·0 per 1,000. One death from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis were recorded.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·6. One of the 2 deaths recorded for Coolock and Drumcondra, part of, was that of a child under 2 years of age from diarrhoea and enteritis; and the 2 deaths registered during the week as appertaining to Finglas and Glasnevin, part of, comprise one from diphtheria and one from pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·3 per 1,000. Included in these are 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, and 2 from bronchitis.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Among them are one death from pulmonary tuberculosis and one from bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·2 per 1,000. One death from scarlet fever, 3 from tuberculous disease, 2 from lobar-pneumonia, and one from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. These 13 deaths include one from whooping-cough, one from pulmonary tuberculosis, one from pneumonia, and one of a child under 2 years of age from diarrhoea and enteritis.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21·0 per 1,000. One death was caused by pulmonary tuberculosis, one by pneumonia, and there was one accidental death.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 18·5; Pembroke, 15·4; Blackrock, 5·6; and Kingstown, 21·5. The deaths from the principal epidemic diseases tabulated for these districts comprise 2 of children under 2 years of age from diarrhoea and enteritis—one recorded for Pembroke and one for Kingstown. Of the 14 deaths from all causes for Rathmines and Rathgar one was from influenza, one from tuberculous meningitis, and 2 from bronchitis. Among the 9 deaths appertaining to Pembroke are one from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis. The only death recorded for Blackrock was caused by pulmonary tuberculosis; and included in the 7 deaths from all causes for Kingstown are one from pulmonary tuberculosis and one from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·5), was equal to an average annual death-rate of 12·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 17·0, and for Edinburgh 11·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 19th June. From this Report it appears that of a total of 78 cases notified, 26 were scarlet fever, 23 pulmonary tuberculosis, 2 other forms of tuberculosis, 18 diphtheria, 6 erysipelas, 2 puerperal fever, and one cerebro-spinal fever. Among the 475 cases of infectious diseases in hospital at the close of the week were 194 of pulmonary tuberculosis, 151 of scarlet fever, 45 of diphtheria, 29 of whooping-cough, 21 of measles, 12 of erysipelas, 6 of cerebro-spinal fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford. during the week ended 19th June, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	May. 29,	.	—	—	8	3	.	5	.	.	2	3	.	—	—	.	—	.	22	43
	June. 5,	.	—	—	1	1	.	5	.	.	5	3	.	—	—	.	—	.	32	48
	June. 12,	.	—	—	12	2	.	4	.	2	3	6	.	—	—	1	—	.	33	62
	June. 19,	.	—	—	11	.	.	9	.	.	4	1	.	—	—	.	—	.	29	54
Rathmines and Rathgar Urban District.	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	May. 29,	.	.	.	2	.	.	.	.	.	1	.	.	—	5	—	—	—	1	7
	June. 5,	.	1	.	2	.	.	.	.	.	1	.	.	—	18	—	—	.	22	
	June. 12,	.	.	.	2	.	.	.	.	.	.	.	.	—	7	—	—	.	9	
	June. 19,	.	3	.	.	.	.	.	.	1	2	.	.	—	20	—	—	.	23	
Blackrock Urban District.	May. 29,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	June. 5,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	June. 12,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	
	June. 19,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	
Kingstown Urban District.	May. 29,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	2	.	
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	5	
	June. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	June. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	2	
City of Belfast.	May. 29,	.	—	—	53	.	.	3	1	.	.	3	.	—	—	2	—	.	1	63
	June. 5,	.	—	—	38	.	.	.	.	.	1	4	.	—	—	1	—	.	3	47
	June. 12,	.	—	—	28	.	.	1	.	.	2	4	.	—	—	1	—	.	6	42
	June. 19,	.	—	—	26	.	.	3	.	.	.	2	.	—	—	2	—	.	4	37
City of Cork.	May. 29,	.	8	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	12
	June. 5,	.	9	—	10	.	.	2	.	.	.	.	.	—	—	—	—	—	—	21
	June. 12,	.	5	—	3	.	.	.	.	.	.	4	.	—	—	—	—	—	—	12
	June. 19,	.	6	—	5	.	.	1	.	.	1	1	.	—	—	—	—	—	—	14
City of Londonderry.	May. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 12,	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
	June. 19,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
City of Limerick.	May. 29,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 5,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 12,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	—	—	—	—	2
	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	May. 29,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	3	
	June. 5,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	1	4	
	June. 12,	.	—	—	7	.	.	.	.	.	.	.	.	—	—	—	—	1	8	
	June. 19,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	5	

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 19th June, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 27, 28, and 32.

Six cases of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the close of the three preceding weeks were 3, 5, and 6 respectively.

Three cases of measles were admitted to hospital during the week, 5 were discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 16, 13, and 11 respectively.

Eleven cases of scarlet fever were admitted to hospital, 8 were discharged, there was one death and 72\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 74, 60, and 70, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 4 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 29, and 28 respectively, were 30 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 9 were discharged, and 18 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 19th June, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.		REGISTRATION—WEEK ENDING SATURDAY, 19TH JUNE, 1915.																													
		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
						BIRTHS.		DEATHS.																							
		POPULATION.		DEATHS.			TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																			Inquest Cases.	No. of Deaths in Public Institutions.
Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	Enteric Fever.	Typhus.					Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.							
							Pulmonary.	Other Forms.																							
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	24.6	14.2	1.1	571	331	54	59	...	...	...	6	4	6	2	...	51	15	17	30	27	7	...	8	15	103	13			
DUBLIN REGISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29.8	26.4	16.4	1.4	207	129	20	27	...	...	...	...	1	3	2	...	17	4	8	13	11	5	...	3	3	57	5			
CITY OF DUBLIN,	312,747	39.5	30.7	16.3	1.5	184	98	16	18	...	...	...	...	1	3	2	...	14	3	6	11	8	3	...	3	3	43	5			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	19.8	18.5	.	15	14	1	5	...	...	...	...	...	...	...	...	...	1	2	...	2	...	...	...	...	7	...			
PEMBROKE, ...	30,538	19.4	8.5	15.4	1.7	5	9	2	3	...	...	...	...	...	...	...	...	1	...	...	1	1	1	...	...	...	4	...			
BLACKROCK, ...	9,233	8.5	.	5.6	.	.	1	..	..	...	...	...	...	...	...	...	...	1	..	...	...	...	...	..	...	..	1	...			
KINGSTOWN, ...	16,941	11.6	9.2	21.5	3.1	3	7	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	2	...			
Urban Districts																															
BELFAST ..	403,000	27.0	25.6	13.2	1.3	198	102d	22	7	...	..	...	5	2	1	...	...	20	4	2	10	7	2	...	3	5	18	1			
CORK, ..	76,673	28.6	21.1	10.2	0.7	31	15	1	...	...	...	...	...	1	...	...	...	3	1	...	..	2	...	...	1	1	6	2			
LONDON-DERRY	41,200	16.0	20.2	11.4	1.3	16	9	1	2	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	2	2	..			
LIMERICK, ...	38,518	16.1	10.8	8.1	.	8	6	2	2	...	...	...	...	...	...	...	...	3	...	1	...	1	...	..	...	...	4	1			
WATERFORD, ...	27,464	19.1	34.2	13.3	.	18	7	...	4	...	...	...	...	...	...	...	...	1	1	...	1	1	...	...	...	...	...	1			
GALWAY, ...	13,255	2.5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.				3	5	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	1			
DUNDALK, ...	13,128	9.5					3	3	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	1	...
LURGAN, ...	12,553	14.7					8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8.4					4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10.9					7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17.0					5	7	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	2	...
PORTADOWN, ...	11,727	15.3					4	4	...	1	...	...	...	...	...	...	...	...	...	...	3	...	...	...	1	.	...	...	...	...	...
WEXFORD, ...	11,531	22.8					8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
BALLYMENA ..	11,381	9.3					3	...	1	...	3	...	1	...	...	...	1	...	...	...	...	...	...	1	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8					4	7	3	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	1	3	1
KILKENNY, ...	10,514	11.4					8	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
TRALEE, ...	10,300	17.4					6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8					4	3	...	...	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	3	...
NEWTOWNARDS	9,587	20.1					.	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
QUEENSTOWN,	8,209	14.7					9	6	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	4	...
LARNE, ...	8,036	13.4					1	4	...	1	4	...	1	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	...	1
COLERAINE. ...	7,785	7.7					5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5					3	4	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2					4	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...
ATHLONE, ..	7,472	6.2					4	3	...	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8					3	2	...	1	2	...	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) exclusive of 18 deaths of persons (including one under one year old and one at 76 years) admitted to hospital from localities outside the Area. The 18 deaths include one from dysentery, 3 from tuberculous disease, and 2 from cancer. (d) Including 3 deaths from cerebro-spinal fever or cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 19th of June, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
Whooping-cough, . . . . .	1	.	1	.	.	.	.	.	.	.	1	.	.	.	.	3		
Diphtheria, . . . . .	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2		
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1		
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary, . . . . .	1	3	.	1	.	.	1	3	1	2	1	1	.	1	1	17		
{ Other Forms, . . . . .	.	.	2	.	.	.	.	.	.	1	.	.	1	.	.	4		
Cancer, . . . . .	.	1	1	.	.	1	.	1	.	2	.	.	2	.	.	8		
Diseases of Nervous System, . . . . .	.	.	1	2	.	.	.	3	2	.	1	.	2	.	.	11		
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1		
" Circulatory System, . . . . .	.	3	5	1	.	.	.	1	.	.	2	.	2	2	.	17		
" Respiratory System, { Pneumonia, . . . . .	.	2	1	3	.	.	.	1	.	2	1	1	.	1	.	13		
{ Others, . . . . .	2	.	1	1	.	.	.	2	1	1	.	.	2	1	.	11		
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	.	1	.	.	.	1	.	.	.	.	1	.	.	1	.	5		
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1		
{ Others, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4		
" Genito-urinary System, . . . . .	.	.	.	.	.	.	.	1	1	.	.	1	3	.	2	8		
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1		
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Other specified Causes, . . . . .	.	2	1	2	.	.	.	2	.	2	6	.	1	2	.	19		
Violent Deaths, . . . . .	1	.	.	.	.	.	.	.	1	.	.	1	.	.	.	3		
Ill-defined, &c. Causes, . . . . .	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	2		
Deaths from All Causes . . . . .	7	12	13	11	.	2	2	16	6	12	13	4	14	9	1	7		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	12·0	15·0	24·3	16·0	.	7·5	9·6	20·3	17·1	14·2	20·4	21·0	18·5	15·4	5·6	21·5		
	14·8							18·1					16·8					
	16·3																	
Ages at Death. { Under 1 year, . . . . .	.	3	2	2	.	.	.	4	.	.	5	.	1	2	.	1		
{ 1 and under 2 years, . . . . .	2	.	2	1	.	1	.	2	1	.	1	.	1	1	.	11		
{ 2 " 5 " . . . . .	1	.	1	2	.	.	.	.	.	2	.	.	.	.	.	7		
{ 5 " 15 " . . . . .	.	.	1	1	.	.	2	1	.	.	1	.	.	.	.	6		
{ 15 " 25 " . . . . .	1	1	1	.	.	.	.	1	.	.	.	1	.	.	.	5		
{ 25 " 45 " . . . . .	1	3	1	2	.	.	.	2	2	2	1	1	3	1	1	21		
{ 45 " 65 " . . . . .	2	3	4	2	.	.	.	3	2	4	2	.	4	2	4	32		
{ 65 and upwards, . . . . .	.	2	1	1	.	1	.	3	1	4	3	2	5	3	.	27		
Number of Uncertified Deaths, . . . . .	1	1	1	1	.	.	.	.	1	.	.	.	.	.	.	5		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	3	6	3	6	.	1	.	4	2	4	2	1	5	4	.	41		
Workhouse Hospitals, . . . . .	.	.	2	.	.	1	.	2	1	2	3	.	2	.	1	16		





TWENTY-FOURTH WEEK, ending Saturday, 19th June, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 24th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 19th June, 1915.																																
	June 17, 1905.	June 16, 1906.	June 15, 1907.	June 13, 1908.	June 19, 1909.	June 18, 1910.	June 17, 1911.	June 15, 1912.	June 14, 1913.	June 13, 1914.		All Ages.	Deaths of Persons of the Ages of																															
													0-5.																															
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																						
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.																					
Diseases of Stomach, ...	—	—	—	—	—	—	—	1	3	2	—	3	.	.	.	.	.	.	2	1	.	.	.																					
Diarrhoea and Enteritis of Children under 2 years.	3	5	3	2	6	4	4	3	2	2	4.0	5	1	3	1	.	.	.	.	.	.	.	.																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	1	2	.	—	1	.	.	.	.	.	1	.	1	.	.	.																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	.	.	3	—	.	.	.	.	.	.	.	.	.	.	.	.																					
Cirrhosis of Liver, ...	.	3	.	.	2	2	1	1	.	1	1.0	.	.	.	.	.	.	.	.	.	.	.	.																					
Other Diseases of Liver, ...	1	1	.	.	1	1	1	2	1	1	.9	.	.	.	.	.	.	.	.	.	.	.	.																					
Peritonitis (cause unknown), Other Diseases of Digestive System.	3	.	1	.	1	1	.	1	.	3	1.0	.	.	.	.	.	.	.	.	.	.	.	.																					
	3	5	6	3	4	1	2	.	.	1	2.5	1	.	.	.	.	.	.	.	1	.	.	.																					
Acute Nephritis, ...	4	6	10	6	10	1	1	1	3	.	7.5	1	.	.	.	.	.	1	4	1	.	.	.																					
Chronic Bright's Disease, ...																								6	7	7	4	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																								.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							2	2	.	4		1	.	.	.	.	.	.	1	.	.	.	.																					
Puerperal Septicæmia, &c., ...	.	1	.	.	.	1	.	2	.	.	4	.	.	.	.	.	.	.	.	.	.	.	.																					
Other Causes incident to Pregnancy and Childbirth.	.	.	.	1	.	1	.	.	.	1	3	1	.	.	.	.	.	1	.	.	.	.	.																					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	4	3	1	—	1	.	.	.	.	.	.	1	.	.	.	.																					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	1	.	—	1	.	.	.	.	1	.	.	.	.	.	.																					
Premature Birth, ...	3	.	4	6	1	3	5	2	8	3	3.5	6	6	.	.	.	.	.	.	.	.	.	.																					
Congenital Debility, ...	—	—	—	—	—	—	1	3	4	4	—	2	1	1	.	.	.	.	.	.	.	.	.																					
Old Age, ...	2	3	5	1	4	4	3	2	3	3	3.0	5	.	.	.	.	.	.	.	1	4	.	.																					
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	1	.	—	4	2	.	.	.	.	.	1	1	.	.	.																					
ACCIDENT :																																												
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Burns and Scalds, ...	.	.	.	.	.	1	3	2	4	.	1.0	.	.	.	.	.	.	.	.	.	.	.	.																					
Drowning, ...	1	.	1	2	.	3	1	.	2	1	1.1	1	.	.	.	.	.	.	1	.	.	.	.																					
Suffocation in Bed, Other Deaths by Accident, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Total Deaths from Accident,	1	2	.	1	.	2	1	2	.	2	1.1	1	.	.	.	.	.	1	.	.	.	.	.																					
	2	2	1	3	.	6	5	4	6	3	3.2	2	.	.	.	.	.	1	1	.	.	.	.																					
Included in above are Deaths in connection with—																																												
Railways, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																					
Vehicles and Horses, ...	1	.	.	.	.	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.																					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
VIOLENCE OTHER THAN ACCIDENTAL:																																												
Homicide, ...	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																					
Suicide, ...	.	.	.	.	.	1	1	.	.	.	.2	1	.	.	.	.	.	.	.	1	.	.	.																					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	8	6	4	6	—	2	.	.	2	.	.	.	.	.	.	.	.																					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.
No. of weeks in Annual Series,		52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Births registered.		117	236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207
Average Births in corresponding week of previous 10 years, ...		178	178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219
Deaths registered, ...		134	283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205	203	160	205	186	174	140	165	147	147
Annual Death-rate per 1,000, ...		17.2	36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7
Average Deaths in corresponding week of previous 10 years, ...		156	156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,	...	35	87	100	74	60	52	84	63	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39
	...	8	12	7	3	6	11	4	9	11	9	7	11	6	10	3	7	7	5	5	9	8	4	8	3	8	6
	...	7	10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	6	9	11	10
	...	17	23	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25
	...	35	65	70	35	63	66	56	61	64	80	52	31	31	46	45	54	45	49	39	48	42	39	33	41	43	39
Deaths from :—	...	23	42	40	45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18
	...	9	84	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10
	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...	...	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...	...	20	38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18
{ Other Forms, ...	...	5	7	10	10	5	8	13	7	5	10	3	7	6	9	5	5	9	12	3	10	9	3	7	3	12	6
Cancer, ...	...	8	12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	10	10
Diseases of Circulatory System, ...	...	14	29	40	21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	13	14	16	13	20
Diseases of Respi- ( Pneumonia, ...	...	7	36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13
ratory System, { Others, ...	...	27	49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12
Diarrhoea and Enteritis, under 2 years, ...	...	5	8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	1	9	1	5
Diarrhoea, 2 years and upwards	...	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...	...	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	5	7	3	5	2	5	5	6	1	3
Number of Uncertified Deaths, ...	...	6	14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	5	7	3	5	2	5	5	6	1	3



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 19th June, 1915 : the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION  (The 31,338 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed 220,000 among the several groups to which they most probably belonged.)		Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH										Violence.	Other Causes.	Number of Uncertified Deaths			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Bacterial Fever.	Typhus.	Small-pox.	Malaria.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of the Respiratory System.		Diarrhea & Enteritis of children under 2 years of age.				Diarrhea, 2 years of age and upwards.		
	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
ALL PERSONS.		397,957	—	147	39	6	10	25	39	18	10	.	.	.	.	1	3	2	1	18	6	10	3	13	12	5	.	3	70	5
CLASSES.																														
Deaths in Families of the—																														
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14.2	4	2	4	6	10	25	39	18	10	.	.	.	.	1	1	.	2	1	4	.	1	3	1	.	.	3	.
II.	MIDDLE CLASS, ...	101,798	19.0	37	6	2	4	6	10	6	3	.	.	.	.	.	1	1	.	7	1	2	.	2	4	1	.	2	20	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	12.0	25	4	1	5	11	1	1	3	.	.	.	.	.	.	.	1	7	1	2	1	6	3	1	.	.	6	2
IV.	GENERAL SERVICE CLASS, ...	167,479	20.2	65	29	8	5	13	8	4	3	.	.	.	.	1	2	1	.	7	4	1	3	6	3	3	.	1	33	3
V.	INMATES OF WORKHOUSES, ...	5,602	—	16	1	1	1	8	5	1	.	.	.	.	.	.	.	.	.	2	.	3	.	1	2	.	.	.	8	.
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	19.9	3	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	11.0	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	18.6	9	1	.	2	3	2	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	5	.
	6. Clerks and Commercial Assistants, ...	33,249	17.3	11	4	1	3	.	.	2	1	.	.	.	.	.	.	.	.	2	.	.	.	2	1	.	.	.	5	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	23.1	15	1	1	4	6	2	1	.	.	.	.	.	.	.	.	.	.	1	2	.	.	2	.	.	.	10	.
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	4.4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.	.	.
	9. Building and Furnishing Trades, ...	28,823	10.9	6	3	.	1	1	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	.	.	.	.
	10. Clothing Trades, ...	20,026	15.6	6	.	.	1	3	1	1	.	.	.	.	.	.	.	.	1	1	.	.	1	1	1	.	.	.	2	.
	11. Food Supply Trades, ...	8,952	23.3	4	1	.	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	11.4	7	.	1	1	1	4	.	1	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	.	.	2	2
	13. Petty Shopkeepers	6,772	7.7	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
IV.	GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	52.2	13	9	1	2	1	1	.	.	.	.	.	1	.	.	1	.	1	2	.	.	1	.	.	.	.	5	1
	15. Domestic Servants, ...	36,041	11.6	8	3	1	3	1	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	4	.
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	17.0	5	1	1	1	2	1	2	3	2	.	.	.	.	.	.	.	5	.	1	3	5	1	.	.	1	21	2
	17. Hawkers, Porters, Labourers, &c., ...	103,081	19.7	39	16	2	4	7	5	3	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.
	18. Workhouse Inmates, ...	5,602	—	16	.	1	.	1	8	5	1	.	.	.	.	.	.	.	.	2	.	3	.	1	2	.	.	.	8	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Un- certified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	May, 15	22.2	3.4	13	.	.	.	.	.	.	.	1	2	1	2	.	.	1	.	.	2
	" 22	17.1	.	10	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	1	.
	" 29	23.9	.	14	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	.	.
	June 5	13.7	3.4	8	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.	.
Population in 1915	" 12	20.5	.	12	.	.	.	.	.	.	.	.	3	3	.	.	1	2	.	.	.
(Est.) 30,504.	" 19	12.0	3.4	7	.	.	.	.	.	1	1	.	1	.	.	.	2	.	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.)	May, 15	22.5	.	18	.	.	.	.	.	.	.	.	4	2	.	2	1	.	.	.	.
	" 22	20.0	2.5	16	.	.	.	.	.	.	.	1	3	1	2	1	3	1	.	1	.
	" 29	12.5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	.	1	.
	June, 5	36.3	3.8	29	.	.	.	.	.	.	.	.	4	4	1	3	1	3	.	2	1
Population in 1915	" 12	16.3	.	13	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	.
(Est.) 41,685.	" 19	15.0	1.3	12	.	.	.	.	.	.	.	.	3	.	1	2	.	1	.	.	1
North City, No. 2. (Office, Lisburn-street.)	May, 15	18.7	.	10	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	" 22	28.1	1.9	15	.	.	.	.	.	1	.	.	4	1	1	1	3	.	.	.	.
	" 29	15.6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June, 5	24.3	3.7	13	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	1
Population in 1915	" 12	18.7	.	10	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.
(Est.) 27,883.	" 19	24.3	1.9	13	.	.	.	.	.	1	.	.	.	2	1	1	1	.	.	.	1
North City, No. 3. (Office, Benburb-street.)	May, 15	30.5	.	21	.	.	.	.	.	.	.	.	4	.	2	.	3	.	.	1	.
	" 22	13.1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.
	" 29	13.1	.	9	.	.	.	.	.	.	.	.	1	1	.	3	2	.	.	.	.
	June, 5	18.9	1.5	13	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1
Population in 1915	" 12	8.7	2.9	6	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.
(Est.) 35,887.	" 19	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	1
Clontarf and Howth No. 1 (part of).	May, 15	37.7	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 22	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 29	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Population in 1915	June, 5	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(Est.) 5,539.	" 12	9.4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	May, 15	15.1	3.8	4	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
	" 22	26.4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	" 29	11.3	3.8	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June, 5	11.3	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
Population in 1915	" 12	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(Est.) 13,820.	" 19	7.5	3.8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Finglas and Glasnevin (part of).	May, 15	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 22	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 29	19.3	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	June, 5	24.1	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Population in 1915	" 12	14.4	4.8	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 19	9.6	4.8	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	May, 15	30.4	3.8	24	.	.	.	.	.	1	.	.	2	2	.	.	5	2	.	.	.
	" 22	10.1	1.3	8	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	" 29	17.7	.	14	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	June, 5	21.5	1.3	17	.	.	.	.	.	.	.	.	3	.	.	.	5	1	.	.	.
Population in 1915	" 12	16.5	.	13	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.
(Est.) 41,170.	" 19	20.3	.	16	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	.
South City, No. 2. (Office, Castle-street.)	May, 15	17.1	5.7	6	.	.	.	.	.	1	.	.	1	1	.	.	1	.	1	.	.
	" 22	37.0	.	3	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	2
	" 29	22.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	June, 5	22.7	2.8	8	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.
Population in 1915	" 12	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
(Est.) 18,341.	" 19	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1
South City, No. 3. (Office, Peter-street.)	May, 15	24.9	2.4	21	.	.	.	.	.	1	1	.	4	.	.	3	2	.	.	.	1
	" 22	19.0	2.4	16	.	.	.	.	.	1	.	.	2	.	1	1	4	1	.	.	1
	" 29	16.6	1.2	14	.	.	.	1	.	.	.	.	3	.	.	2	2	.	.	.	.
	June, 5	14.2	1.2	12	.	.	.	.	.	.	1	.	.	.	2	2	2	.	.	.	.
Population in 1915	" 12	22.5	1.2	19	.	.	.	.	.	.	1	.	7	.	1	1	3	.	.	.	.
(Est.) 43,970.	" 19	14.2	1.2	12	.	.	.	.	1	.	.	.	2	1	2	2	1	.	.	.	.
South City, No. 4. (Office, Grand Canal-st.)	May, 15	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.
	" 22	36.2	1.6	23	.	.	.	.	.	.	.	.	6	.	1	2	5	1	.	1	.
	" 29	26.7	.	17	.	.	.	.	.	.	.	.	4	2	1	1	1	.	.	.	1
	June, 5	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Population in 1915	" 12	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
(Est.) 33,171.	" 19	20.4	3.1	13	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	.
New Kilmainham.	May, 15	26.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
	" 22	26.2	.	5	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	" 29	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	June, 5	21.0	5.2	4	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
(Est.) 9,948.	" 12	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN DEFINITE DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.			Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Larvæ, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	May, 15 " 22 " 29 June, 5 " 12 " 19	17.1 21.1 10.5 11.9 17.1 18.5	1.3 1.3 . . . .	13 16 8 9 13 14	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .	. . . . . .	1 3 1 . . .	1 1 . 1 1 1	1 2 . 2 2 2	. 1 . 1 1 1	2 2 2 1 1 2	. . . . . .	1 . . . . .	. 1 . . . .	
Pembroke Urban District. Population in 1915 (Est.) 20,538	May, 15 " 22 " 29 June, 5 " 12 " 19	23.9 15.4 20.5 13.7 12.0 15.4	1.7 3.4 1.7 . . 1.7	14 9 12 8 7 9	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 . . . .	. 1 . . . .	. . . . . .	1 2 2 2 2 1	. . . . 1 .	. . . . . .	3 . . . . .	3 1 . . . 1	2 . . . . . 1	. . . . . 1	. . . . . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	May, 15 " 22 " 29 June, 5 " 12 " 19	22.6 16.9 16.9 . 16.9 5.6	. . . . . .	4 3 3 . 3 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	1 1 . . . .	. . . . . .	. . . . . .	. . . . . .		
Kingstown Urban District. Population in 1911 16,941.	May, 15 " 22 " 29 June, 5 " 12 " 19	12.3 24.6 18.5 24.6 24.6 21.5	3.1 12.3 6.2 6.2 3.1 3.1	4 8 6 8 8 7	. . . . . .	. . . . . .	. . . . . .	. . 4 2 2 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 2 1 1	. . . . 1 .	. . . 2 1 .	. . 1 . 1 .	1 1 1 1 . 1	. 1 1 1 . 1	. . . . . .	. . . . . .	
Belfast. Population in 1915 (Est.) 403,000.	May, 15 " 22 " 29 June, 5 " 12 " 19	15.1 16.7 16.9 16.7 13.7 13.2	1.0 0.6 1.4 0.9 1.0 1.3	117 129 131 129 106 102	. . . . . .	. . . . . .	. . . . . .	2 4 5 1 1 5	. . 1 1 1 2	5 1 2 1 1 1	1 . 2 1 . .	. . . 1 . .	18 14 23 26 20 20	. 7 8 4 8 4	. 6 5 8 3 2	5 22 5 6 11 10	15 12 15 10 7 7	. . 3 3 1 2	. . . . 1 .	1 1 3 3 1 3	
Cork. Population in 1911 76,673.	May, 15 " 22 " 29 June, 5 " 12 " 19	16.3 21.8 19.0 15.6 15.6 10.2	. 1.4 . 0.7 1.4 0.7	24 32 28 23 23 15	. . . . . .	. . . . . .	. . . . . .	. . 1 . . 1	. . . . . .	. 1 . . 2 . .	. . . . . .	. . . . . .	7 4 6 5 4 3	1 2 2 . 4 1	1 3 . 1 1 .	1 3 4 3 1 .	2 1 1 2 2 2	. . . 1 . .	. . . . . .	. 1 . . . 1 .	
Londonderry. Population in 1915 (Est.) 41,200.	May, 15 " 22 " 29 June, 5 " 12 " 19	20.2 12.7 16.5 20.2 21.5 11.4	. . . 1.3 3.8 1.3	16 10 13 16 17 9	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 3 1	. . . . . .	. . . . . .	1 1 1 1 2 1	. 1 3 2 2 1	. . . 2 1 1	3 . . . 1 .	3 2 2 1 2 .	. . . . . .	. . . . . .	. . . 1 . .	
Limerick. Population in 1911 38,518.	May, 15 " 22 " 29 June, 5 " 12 " 19	31.1 10.8 17.6 23.0 19.0 8.1	. . . 1.4 . .	23 8 13 17 14 6	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	4 1 2 3 5 3	1 . . . . .	3 1 . 1 . 1	1 . . 3 1 . .	3 2 3 3 1 1	. . . . . .	. . . . . .	. 1 . . . .	
Waterford. Population in 1911 27,464.	May, 15 " 22 " 29 June, 5 " 12 " 19	19.0 30.4 7.6 15.2 11.4 13.3	1.9 5.7 . 3.8 . .	10 16 4 8 6 7	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 4 1 1 1 1	. 1 . . . 1	1 . . . . .	. . . 2 1 1 1	. . 2 . 1 1 .	. . . . . .	. . . . 1 .	. . . 1 . .	

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1914-5—WEEK ENDING																									
		Dec. 26.	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.
No. of weeks in Annual Series,		52	53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
BIRTHS registered, ...		156	234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	198
DEATHS registered, ...		168	177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102
Annual Death-rate per 1,000 of estimated population, ...		22.0	23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards, ...		29	30	29	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20	21	21	22
Deaths from:—		22	35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9	14	11
Enteric Fever, ...		13	15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20
Typhus, ...		21	29	22	23	18	20	34	29	23	20	27	27	24	18	23	25	22	34	19	27	16	26	28	24	26	12
Small-pox, ...		36	29	27	37	59	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30
Measles, ...		47	39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7
Scarlet Fever, ...		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis. { Pulmonary, 20 4 5 16 27 1		20	20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20
Other Forms, ...		4	6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4
Cancer ...		5	5	8	6	12	9	6	6	5	6	6	6	6	2	8	6	6	9	9	10	5	6	5	8	3	2
Diseases of Respiratory System, { Pneumonia, 16 24 15 9 12 15 23 38 21 21 26 22 21 29 30 26 22 21 21 17 17 12 15 22 5 6 11 10		16	24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10
Others, ...		27	23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7
Diarrhoea and Enteritis, under 2 years, ...		1	1	2	2	2	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	2	2	3	3	1	2
Diarrhoea, 2 years and upwards, ...		1	1	1	1	1	1	1	1	1	1	2	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		4	5	1	1	1	1	1	2	4	3	3	1	5	3	3	1	3	3	3	2	1	1	3	3	3	3
Number of Uncertified Deaths, ...		3	3	1	2	1	2	3	3	3	4	3	4	2	2	2	3	2	2	2	1	1	1	1	2	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	June 19,	2,033	995 <sup>c</sup>	11·5	2	.	36	9	24	6	12	
EDINBURGH, / —	328,700	„ 19,	111	74 <sup>c</sup>	11·9	.	.	1	.	2	1	.	
GLASGOW, — —	1,078,400	„ 19,	558	351 <sup>c</sup>	17·0	.	.	59	2	8	3	6	
CALCUTTA, — —	896,067	May 1,	.	502	29·1	83*	55	2	.	.	.	94† <sup>a</sup>	
BOMBAY, — —	979,445	„ 8,	331	482	25·6	87*	22	1	.	.	.	36 <sup>a</sup>	
MADRAS, — —	518,660	„ 1,	346	344	34·5	59*	1	.	?	?	?	72 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Apr. 8,	642	635	50·1	44	1	3	1	?	3†	65	
	Foreigners,	„ 8,	9	17	12·3	.	.	2	.	?	.	2	
ALEXAN- DRIA, {	Egyptians,	„ 8,	330	144	22·0	2	.	.	.	?	.	19	
	Foreigners,	„ 8,	29	23	15·6	.	1	.	1	?	.	3	
PARIS, — —	2,847,229	May 8,	655	919	16·5	5	.	47	4	6	5†	25	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	611,924	May 8,	225	163	15·9	1	.	3	.	.	1†	1	
COPENHAGEN, — —	492,000	„ 22,	189	159	16·9	2	.	1	.	1	.	3	
STOCKHOLM, — —	386,270	„ 22,	124	93	12·5	.	.	2	1	4	.	.	
CHRISTIANIA, — —	251,446	„ 29,	119	58	12·0	.	.	.	.	1	.	.	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	Apr. 17,	.	783	24·1.	23	.	20	15	2	12	45 <sup>a</sup>	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	May 15,	2,556	1,472	13·2	4	.	30	12	9	32†	39	
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	766,136	May. 29,	.	222 <sup>b</sup>	15·1	1	.	2	2	2	9	1 <sup>a</sup>	

\* Deaths from "fever," including 15 deaths from plague and 9 from enteric fever in Calcutta ; 37 from plague and 7 from enteric fever in Bombay ; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 43 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 195 deaths ; rate, 13·3 per thousand.

<sup>c</sup> Including 4 deaths from cerebro-spinal fever in London, one in Edinburgh and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 19th June, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	8	.	.	.	.	.	.	.	.	.	.	1	4
"    "    1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	5	5
"    "    3, ...	.	.	.	.	2	.	.	1	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	3	.	.	.	.	.	.	.	1	4
South City No. 1, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
"    "    2, ...	.	.	.	.	1	.	.	1	.	.	.	.	1	3
"    "    3, ...	.	4	.	.	2	.	.	.	1	.	.	.	8	15
"    "    4, ...	.	1	.	.	.	.	.	1	.	.	.	.	5	7
New Kilmainham, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total, ...	.	11	.	.	9	.	.	4	1	.	.	.	29	54

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 19th June, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 19th June.			
	May 29.	June 5.	June 12.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	27	28	32	6	3	.	35
Typhus, ...	3	5	6	.	.	.	6
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	16	13	11	3	5	.	9
Scarlet Fever, ...	74	60	70	11	8	1	72*
Diphtheria, ...	28	29	28	7	4	1	30
Pneumonia, ...	23	17	21	6	9	.	18

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
DUBLIN REGISTRATION AREA,  
CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;  
AND IN  
TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

LONDON:  
PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.  
By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 26TH JUNE, 1915.

[No. 25.]

General Register Office, Charlemont House,  
Dublin, 28th June, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 5	June 12	June 19	June 26	
<b>27 Town Districts, (a)</b>	<b>17·0</b>	<b>15·4</b>	<b>14·2</b>	<b>14·8</b>	<b>15·3</b>
Dublin Reg. Area ...	19·0	17·0	16·4	15·7	17·0
Dublin City ...	20·7	17·0	16·3	15·2	17·3
Belfast ...	16·7	13·7	13·2	12·9	14·1
Cork ...	15·6	15·6	10·2	21·8	15·8
Londonderry ...	20·2	21·5	11·4	11·4	16·1
Limerick ...	23·0	19·0	8·1	10·8	15·2
Waterford ...	15·2	11·4	13·3	20·9	15·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·0 per 1,000. Among the 100 deaths from all causes for Belfast are 5 from measles, 3 from scarlet fever, one from diarrhoea and enteritis of a child under 2 years, and one from cerebro-spinal fever. Of the 32 deaths from all causes for Cork one is from measles, and one from whooping-cough. Included in the 9 deaths from all causes for Londonderry are one from each of enteric fever and whooping-cough, and one of the 11 deaths from all causes for Waterford is from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—105 boys and 94 girls—and the deaths to 133—72 males and 61 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·7 per 1,000 of the population. During the twenty-five weeks, ending with Saturday last, the death-rate averaged 25·3, and was 2·2 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 133, represent an annual rate of 17·0 per 1,000; the annual rate for the past twenty-five weeks was 26·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·3 per 1,000 of the mean population for all deaths registered.

The total number of deaths registered include 2 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, and 2 (children under 2 years of age) from diarrhoea and enteritis.

In the three preceding weeks the deaths from measles were 2, 1, and 0; deaths from scarlet fever were 0, 0, and one; deaths from whooping-cough were 3, 2, and 3; deaths from diphtheria were one, 2, and 2; and deaths of children under 2 years of age from diarrhoea and enteritis were 9, 0 and 5.

Deaths from tuberculous disease, which numbered 27, 40, and 24 in the 3 preceding weeks, were 28\* last week. They comprised 20 deaths from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and one from disseminated tuberculosis.

Ten\* deaths were caused by cancer.

Pneumonia was returned as the cause in the case of 11 deaths, 3 of which were from broncho-pneumonia, and 8 from pneumonia (type not distinguished.)

Among deaths of infants under one year of age, 2 were ascribed to convulsions, 5 to premature birth, and 5 to congenital debility.

Organic diseases of the heart caused 19 deaths and bronchitis, 9.

There were 4 accidental deaths, including one from burns, one from a railway accident, and one caused by a dray.

One case of suicide was recorded.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 infants under one year old.

Thirty-four of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 8 were under one month old), and 34 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 15 took place in the North Dublin Union Workhouse, 8 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·7 per 1,000; the rate in the City was 15·2 (North City Districts, 16·3; South, 13·9), and in the Suburbs, 17·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·0 per 1,000 inhabitants, the rate for the City being 0·8 (in the North City Districts 1·3, and in the South 0·4), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (5) are equal to an annual rate of 8·5 per 1,000, and include one death from whooping-cough and 2 from pulmonary tuberculosis.

No. 1 North City District, West (Summer-hill).—The deaths (16) are equal to an annual rate of 20·0 per 1,000. Five were due to tuberculous disease, one to broncho-pneumonia, 2 to bronchitis, and there was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Four deaths from tuberculous disease, 2 from pneumonia, one from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis were recorded.

No. 3 North City District (Benburb-street).—The deaths (12) represent an annual rate of 17·4 per 1,000. Among them are one death from diphtheria, one from pulmonary tuberculosis, 2 from pneumonia, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 28·2 per 1,000 inhabitants; Coolock and Drumcondra, part of, 3·8; and Finglas and Glasnevin, part of, 0·0.

No. 1 South City District (South Earl-street).—The deaths (8) represent an annual rate of 10·1 per 1,000. They include 3 deaths from tuberculous disease and one from bronchitis.

No. 2 South City District (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. One death was caused by whooping-cough, 3 by tuberculous disease, and one by pneumonia.

No. 3 South City District (Peter-street).—The deaths (13) are equal to an annual rate of 15·4 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, one from pneumonia, one from bronchitis, one accidental death, and there was one case of suicide.

No. 4 South City District (Grand Canal Street).—The deaths (6) are equivalent to an annual rate of 9·4 per 1,000. Two of these 6 deaths were caused by pulmonary tuberculosis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·8; Pembroke, 13·7; Blackrock, 22·6; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles for Rathmines and Rathgar, one from scarlet fever for Blackrock, and one from measles for Kingstown. Among the 15 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from pneumonia. The 8 deaths recorded for Pembroke include one from pneumonia and 2 from bronchitis. One of the 4 deaths from all causes for Blackrock was caused by pneumonia and another by bronchitis; and included in the 5 deaths appertaining to Kingstown are one from pulmonary tuberculosis and one from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·8), was equal to an average annual death-rate of 12·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 11·7.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 26th June. From this Report it appears that of the cases notified, 14 were scarlet fever, 10 pulmonary tuberculosis, 4 other forms of tuberculosis, 10 diphtheria, 8 erysipelas, and 5 cerebro-spinal fever. Among the 489 cases of infectious diseases in hospital at the close of the week were 198 of pulmonary tuberculosis, 148 of scarlet fever, 42 of diphtheria, 27 of whooping-cough, 26 of measles, 15 of erysipelas, and 9 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 26th June, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary ecchosis.	Total.
City of Dublin.	June. 5.	.	—	—	1	1	.	5	.	.	5	3	.	—	—	1	—	.	32	48
	June. 12.	.	—	—	12	2	.	4	.	2	3	6	.	—	—	—	—	.	33	62
	June. 19.	.	—	—	11	.	.	9	.	.	4	1	.	—	—	.	—	.	29	54
	June. 26.	.	—	—	7	.	.	3	.	1	5	.	.	—	—	.	—	.	18	34
Rathmines and Rathgar Urban District.	June. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	June. 12.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 19.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 26.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	June. 5.	.	1	.	2	.	.	.	.	.	1	.	.	—	18	—	—	—	.	22
	June. 12.	.	.	.	2	.	.	.	.	.	.	.	.	—	7	—	—	—	.	9
	June. 19.	.	3	.	.	.	.	.	.	1	2	.	.	—	20	—	—	—	.	26
	June. 26.	.	.	.	.	.	.	.	.	1	1	1	.	—	11	—	—	—	.	14
Blackrock Urban District.	June. 5.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	June. 12.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	June. 19.	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	June. 26.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	June. 5.	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	3	5
	June. 12.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	June. 19.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	June. 26.	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
City of Belfast.	June. 5.	.	—	—	38	.	.	.	.	.	1	4	.	—	—	1	—	.	3	47
	June. 12.	.	—	—	28	.	.	1	.	.	2	4	.	—	—	1	—	.	6	42
	June. 19.	.	—	—	26	.	.	3	.	.	.	2	.	—	—	2	—	.	4	37
	June. 26.	.	—	—	39	.	.	3	.	.	1	3	.	—	—	.	—	.	11	57
City of Cork.	June. 5.	.	9	—	10	.	.	2	.	.	.	.	.	—	—	—	—	—	—	21
	June. 12.	.	5	—	3	.	.	.	.	.	.	4	.	—	—	—	—	—	—	12
	June. 19.	.	6	—	5	.	.	1	.	.	1	1	.	—	—	—	—	—	—	14
	June. 26.	.	7	—	3	.	.	1	1	.	.	1	.	—	—	—	—	—	—	13
City of Londonderry.	June. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 12.	.	—	—	.	.	.	.	.	.	1	1	.	—	—	—	—	—	—	2
	June. 19.	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 26.	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
City of Limerick.	June. 5.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June. 12.	.	—	—	1	.	.	.	.	1	.	.	.	—	—	.	—	—	—	2
	June. 19.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June. 26.	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	June. 5.	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	1	4
	June. 12.	.	—	—	7	.	.	.	.	.	.	.	.	—	—	—	—	—	1	8
	June. 19.	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	2	5
	June. 26.	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 26th June, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Ten cases of enteric fever were admitted to hospital during the week, 8 were discharged, and 37 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 28, 32, and 35.

One case of typhus was admitted to hospital during the week, 2 were discharged, and 5 cases remained under treatment at its close. The cases in hospital at the close of the three preceding weeks were 5, 6, and 6 respectively.

Two cases of measles were admitted to hospital during the week, 3 were discharged, and 8 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 13, 11, and 9 respectively.

Six cases of scarlet fever were admitted to hospital, 12 were discharged, and 66\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 60, 70, and 72, respectively.

Three cases of diphtheria were admitted to hospital during the week, and 9 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 29, 28, and 30 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 10 cases of pneumonia were admitted to hospital, 5 were discharged, there were 2 deaths and 21 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 26th June, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 26TH JUNE, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.			BIRTHS.												DEATHS.											
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																No. of Deaths in Public Institutions.	No. of Uncertified Deaths.				
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System			Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.	Inquest Cases.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	24.9	14.8	1.0	579	345	55	73	1	...	...	8	5	4	1	...	52	27	24	22	20	4	...	6	10	108	15	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	25.4	15.7	1.0	199	123	20	31	...	...	...	2	1	2	1	...	19	6	8	11	9	2	...	4	5	52	5	
CITY OF DUBLIN, ...	312,747	39.5	29.0	15.2	0.8	174	91	14	20	...	...	...	...	...	2	1	...	17	6	7	7	5	2	...	4	5	47	2	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	10.5	19.8	1.3	8	15	1	7	...	...	...	1	...	...	...	1	...	1	1	1	...	...	...	...	...	...	...	
PEMBROKE, ...	30,538	19.4	13.7	13.7	...	8	8	3	3	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	1	...	
BLACKROCK, ...	9,233	8.5	16.9	22.6	5.6	3	4	1	1	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...	...	2	
KINGSTOWN, ...	16,941	11.6	18.5	15.4	3.1	6	5	1	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	...	2	1	
Urban Districts																													
BELFAST ...	403,000	27.0	25.2	12.9	1.2	195	100.7	18	13	...	...	...	5	3	...	...	17	8	9	6	7	1	...	2	4	24	...		
CORE, ...	76,673	28.6	21.8	21.8	1.4	32	32	5	3	...	...	...	1	...	1	...	5	3	3	...	...	...	...	...	1	11	...		
LONDON-DERRY, ...	41,200	16.0	30.4	11.4	2.5	24	9	1	2	1	...	...	...	...	1	...	1	1	...	...	2	...	...	...	...	2	...		
LIMERICK, ...	38,518	16.1	20.3	10.8	...	15	8	3	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	4	3		
WATERFORD, ...	27,464	19.1	36.1	20.9	1.9	19	11	2	1	...	...	...	...	1	...	...	3	2	...	...	...	...	...	...	...	5	1		
GALWAY, ...	13,255	2.5	...	...	...	5	3	1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...		
DUNDALK, ...	13,128	9.5	...	...	...	7	5	2	1	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	2	...		
LURGAN, ...	12,553	14.7	...	...	...	4	4	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...		
DROGHEDA, ...	12,501	8.4	...	...	...	2	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...		
LISBURN, ...	12,388	10.9	...	...	...	8	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...		
NEWRY, ...	11,963	17.0	...	...	...	1	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...		
PORTADOWN, ...	11,727	15.3	...	...	...	7	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22.8	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BALLYMENA, ...	11,381	9.3	...	...	...	...	5	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	1		
SLIGO, ...	11,163	3.8	...	...	...	3	10	...	3	...	...	...	...	...	...	...	2	2	...	1	...	...	...	...	...	...	3		
KILKENNY, ...	10,514	11.4	...	...	...	5	4	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...		
TRALEE, ...	10,300	17.4	...	...	...	2	2	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...		
CLONMEL, ...	10,209	7.8	...	...	...	...	4	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1		
NEWTOWNARDS, ...	9,587	20.1	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
QUEENSTOWN, ...	8,209	14.7	...	...	...	4	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
LARNE, ...	8,036	13.4	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
COLERAINE, ...	7,785	7.7	...	...	...	9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1		
BANGOR, ...	7,776	8.5	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BRAY, ...	7,691	7.2	...	...	...	5	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ...	7,472	6.2	...	...	...	6	4	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	2	...		
ARMAGH, ...	7,356	21.8	...	...	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 10 deaths of persons (including one under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. The 10 deaths include 3 from tuberculous disease, and 2 from cancer. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 26th of June, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.							
		CITY OF DUBLIN.																							
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF													
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.																		
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.						
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.						
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Whooping-cough,	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	2	.						
Diphtheria,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.						
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Tuberculosis, { Pulmonary,	2	4	1	1	.	.	.	2	2	3	2	.	1	.	.	1	19	1	.						
{ Other Forms,	.	1	3	.	.	.	.	1	1	.	.	.	.	.	.	.	6	2	.						
Cancer,	1	2	.	.	.	.	.	1	1	1	1	1	1	.	.	.	8	2	.						
Diseases of Nervous System,	1	.	2	3	1	.	.	.	1	.	.	.	1	2	.	.	11	.	.						
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Circulatory System,	.	2	.	1	1	.	.	2	1	3	3	2	3	.	1	.	19	1	.						
Respiratory System, { Pneumonia,	.	1	2	2	.	.	.	1	1	.	.	.	1	1	1	1	11	.	.						
{ Others,	.	2	1	.	.	.	.	1	.	1	.	.	1	2	1	.	9	1	.						
Diarrhoea and Enteritis, under 2 years,	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.						
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.						
{ Others,	.	1	1	.	.	1	.	.	.	1	.	.	.	.	.	.	4	.	.						
Genito-urinary System,	.	.	.	1	1	.	.	.	.	1	.	.	.	1	.	.	4	1	.						
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.						
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Other specified Causes,	.	2	4	1	.	.	.	1	1	.	.	.	4	2	.	1	16	1	.						
Violent Deaths,	.	1	.	1	.	.	.	.	.	2	.	.	.	.	.	.	4	1	.						
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	.	.						
Deaths from All Causes	5	16	15	12	3	1	.	8	9	13	6	3	15	8	4	5	123	10	.						
Annual Rate of Mortality from All Causes in every 1,000 of the population.	8·5	20·0	28·1	17·4	28·2	3·8	.	10·1	25·6	15·4	9·4	15·7	19·8	13·7	22·6	15·4	15·7	.	.						
	16·3					13·9					17·3														
	15·2																								
Ages at Death. { Under 1 year,	1	2	5	3	.	.	.	1	2	.	.	.	1	3	1	1	20	1	.						
1 and under 2 years,	.	.	2	2	.	.	.	.	.	.	.	.	.	1	.	1	6	.	.						
2 " 5 "	.	.	1	.	1	.	.	1	.	1	.	.	2	.	.	1	7	.	.						
5 " 15 "	.	2	1	.	.	.	.	.	.	1	.	.	.	1	1	.	6	.	.						
15 " 25 "	1	2	1	1	.	.	.	.	.	1	.	.	2	.	1	.	9	3	.						
25 " 45 "	1	2	.	2	.	.	.	4	2	4	3	.	2	.	.	.	20	1	.						
45 " 65 "	1	3	1	2	.	1	.	1	3	4	2	3	1	.	.	2	24	2	.						
65 and upwards,	1	5	4	2	2	.	.	1	2	2	1	.	7	3	1	.	31	3	.						
Number of Uncertified Deaths,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	2	1	5	.	.						
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																									
Public Hospitals, Prisons, and Lunatic Asylums,	1	5	1	5	1	.	.	1	2	7	3	1	.	1	.	1	29	9	.						
Workhouse Hospitals,	2	6	5	1	1	.	.	1	2	2	.	.	2	.	.	1	23	1	.						

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 25th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 26th June, 1915.											
	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.	June 22, 1912.	June 21, 1913.	June 20, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
ALL CAUSES.	138	149	171	126	155	130	127	131	148	151	142.6	133	8	13	6	7	6	12	21	26	23	11	
Enteric Fever, ...	1	.	.	.	.	.	1	1	.	1	.4	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	1	.	.	1	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	.	9	5	.	.	8	11	.	5	4.0	2	.	.	.	2	.	.	.	.	.	.	.
Scarlet Fever, ...	1	.	1	.	.	.	.	.	.	1	.8	1	.	.	.	.	1	.	.	.	.	.	.
Whooping-cough, ...	.	2	5	3	5	1	2	1	4	.	2.3	2	.	2	.	.	.	.	.	.	.	.	.
Diphtheria, ...	1	1	1	2	.	.	4	2	2	.	1.3	1	.	.	1	.	.	.	.	.	.	.	.
Croup, ...	.	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	1	.	.	.	.	.	.	.	.	2	.4	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	.	.	1	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non- puerperal).	1	.	1	.	.	1	.	.	2	1	.6	.	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	21	29	29	15	31	24	7	20	24	13	21.3	20	.	.	.	.	.	6	9	4	1	.	.
Tuberculous Meningitis, ...	3	6	6	7	4	4	6	.	1	1	3.8	4	.	.	.	2	1	.	1	.	.	.	.
Abdominal Tuberculosis, ...	1	2	.	.	2	1	3	1	.	2	1.2	3	.	1	.	.	.	2	.	.	.	.	.
Tuberculosis of the Vertebral Column.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	.	3	8	7	8	5	2	.	1	.	4.2	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs, Scrofula, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis, ...	.	.	.	.	.	.	2	3	1	.	.	1	.	.	.	1	.	.	.	.	.	.	.
Venereal Diseases, ...	2	.	.	.	2	1	1	.	1	.	.7	.	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	6	10	3	4	10	7	6	9	9	7.2	10	.	.	.	.	.	.	1	7	1	1	.
Tumour, situation undefined, Rheumatic Fever, ...	—	—	—	—	—	—	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	.	.	1	.	2	.	.	.	.	2	.5	.	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	.	4	.	2	—	1	.	.	.	.	.	.	1	.	.	.	.
Other General Diseases, ...	—	—	—	—	—	—	2	2	1	1	—	2	.	.	.	.	.	.	1	.	.	.	1
Alcoholism, ...	1	.	.	.	.	.	2	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	—	—	—	—	—	—	.	.	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	2	2	1	1	.	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Cerebral Hæmorrhage, Apo- plexy.	.	.	.	.	.	.	9	3	5	.	.	4	.	.	.	.	.	.	.	.	3	1	
Softening of Brain, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	.	.	.	.	.	.	.	1	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Epilepsy, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal), Other Diseases of Nervous System.	36	34	33	23	30	28	24	5	2	5	30.7	3	.	.	.	1	.	.	1	1	.	.	.
Pericarditis, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	8	7	24	.	.	19	.	.	.	.	1	.	3	6	5	4	1
Other Diseases of Circulatory system.	.	.	.	.	.	.	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Larynx, ...	—	—	—	—	—	—	.	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	12	17	13	10	11	13	9	10	15	7	11.7	9	.	1	.	.	.	.	.	1	6	1	.
Broncho-pneumonia, ...	1	3	8	.	4	1	5	3	7	8	4.0	3	.	.	2	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	1	.	3	.	.	4	.	1	1	2	1.2	.	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distin- guished)	3	10	4	9	6	5	3	8	5	4	5.7	8	.	.	2	1	2	.	.	2	.	1	
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pul- monary Apoplexy.	1	.	3	2	1	2	.	.	.	1	1.3	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.



TWENTY-FIFTH WEEK, ending Saturday, 26th June, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 26th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 26th June, 1915.										
	June 24, 1905.	June 23, 1906.	June 22, 1907.	June 20, 1908.	June 26, 1909.	June 25, 1910.	June 24, 1911.	June 22, 1912.	June 21, 1913.	June 20, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	3	5	4	1	—	1	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	4	3	6	7	6	3	5	3	3	7	4.9	2	.	2	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards		.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	1	1	—	1	.	.	.	.	1	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	1	2	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	4	1	1	2	.	1	2	1	.	.	1.2	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	.	.	.	.	.	.	1	1	1	1	.4	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown), ...	1	.	.	.	.	2	1	2	.	1	.7	2	.	.	.	.	.	.	2	.	.	.
Other Diseases of Digestive System.	13	9	2	8	4	3	.	.	1	.	4.0	.	.	.	.	.	.	.	.	.	.	.
Acute Nephritis, ...	2	5	7	4	7	1	4	1	.	1	4.2	1	.	1	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...								2	.	5		4	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...								.	.	.		.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).								.	.	.		.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)								1	.	.		.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	1	3	.	.4	1	.	.	.	.	.	1	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	2	1	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	1	.	—	.	.	.	.	.	.	.	.	.	.	.
Congenital Malformations, ...	—	—	—	—	—	—	.	1	.	1	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	4	3	4	5	5	5	.	5	5	3.9	5	4	1	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	2	.	4	4	—	5	2	3	.	.	.	.	.	.	.	.
Old Age, ...	.	2	3	2	1	2	5	2	5	2	2.4	3	.	.	.	.	.	.	.	2	1	.
Other Specified Diseases, ...	—	—	—	—	—	—	1	.	.	1	—	1	1	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	1	.	.	.	.	2	1	.	.	.4	1	.	.	.	.	1	.	.	.	.	.
Drowning, ...	1	.	.	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	1	.	1	.3	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	3	3	.	2	2	1	.	1	2	2	1.6	3	.	.	.	.	.	1	2	.	.	.
Total Deaths from Accident,	4	4	1	2	2	1	3	3	2	3	2.5	4	.	.	.	.	1	1	2	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	1	.	.	.	.	.2	1	.	.	.	.	.	.	1	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	.	.	.	.	1	.1	1	.	.	.	.	.	1	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	2	.	1	.	.4	1	.	.	.	.	.	.	1	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	5	2	3	—	2	.	.	.	.	.	.	1	1	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1914-5—WEEK ENDING																									
		Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
No. of weeks in Annual Series, ...		53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered.		236	232	259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199
Average Births in corresponding week of previous 10 years, ...		178	223	227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216
Deaths registered, ...		283	297	241	233	249	254	236	256	287	272	249	201	228	194	219	205	209	160	205	186	174	140	165	147	147	133
Annual Death-rate per 1,000, ...		36.3	37.9	30.7	29.7	31.7	32.4	30.1	32.6	36.6	31.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0
Average Deaths in corresponding week of previous 10 years, ...		156	197	188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155	143
Ages, { Under 5 years, ...		87	100	74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39	34
5-15 " ...		12	7	3	6	11	4	9	11	9	7	11	6	10	3	7	7	5	5	9	8	4	8	3	8	6	6
15-25 " ...		10	15	11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	6	9	11	10	12
25-45 " ...		23	38	31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25	21
45-65 " ...		65	70	35	63	66	56	61	64	80	60	52	31	46	45	45	45	48	39	48	42	39	33	41	43	39	26
65-75 " ...		42	40	22	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18	23
75 and upwards, ...		34	27	22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10	11
Deaths from:—		2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	1	1	1	1	1
Enteric Fever, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Typhus, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Scarlet Fever, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Whooping-cough, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Influenza, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...		38	25	17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20
" { Other Forms, ...		7	10	10	5	8	13	7	5	10	3	7	6	9	5	9	9	12	3	10	9	8	7	3	12	6	8
Cancer, ...		12	14	16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6	10	10
Diseases of Circulatory System, ...		29	40	21	33	32	19	15	17	17	27	17	15	19	13	13	21	18	15	18	18	18	14	16	13	20	20
Diseases of Respi- { Pneumonia, ...		36	42	34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13	11
ratory System { Others, ...		49	52	58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10
Diarrhoea and Enteritis, under 2 years, ...		8	7	7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	5	9	5	5	2
Diarrhoea, 2 years and upwards		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Violent Deaths, ...		2	2	4	4	8	4	4	11	5	5	8	11	7	4	5	7	7	3	5	2	1	5	6	5	3	5
Number of Uncertified Deaths, ...		14	11	7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th June, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION  (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Popula- tion in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 26TH JUNE, 1915.												CAUSES OF DEATH																
			Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.							DISEASES OF THE RESPIRATORY SYSTEM																			
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Convulsions.	Diseases of the Respiratory System		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.	
																				Pulmonary.	Other Forms.			Pneumonia.	Other.						
CLASS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
	ALL PERSONS.	397,957	—	133	34	6	12	21	26	23	11	.	.	.	2	1	2	1	.	20	8	10	2	11	10	2	.	5	59	5	
I.	Deaths in Families of the—	14,658	3·6	1	4	1	3	1	5	7	5	1	.	.	.	1	.	.	.	5	2	3	.	1	1	.	.	.	12	.	
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	101,798	13·3	26	4	1	3	1	5	7	5	.	.	.	.	1	.	.	.	6	1	3	.	1	1	1	.	.	17	1	
III.	MIDDLE CLASS, ...	108,420	15·9	33	5	2	5	3	12	3	3	.	.	.	.	.	2	.	.	5	3	1	2	7	3	1	.	4	21	4	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	167,479	15·3	49	21	3	8	11	6	4	1	.	.	2	.	.	.	.	4	2	3	.	2	4	.	.	.	.	9	.	
V.	GENERAL SERVICE CLASS, ...	5,602	—	24	4	.	1	6	3	9	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	INMATES OF WORKHOUSES, ...	5,602	—	24	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
I.	PROFESSIONAL AND INDEPENDENT CLASS.	7,868	6·6	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	2. Merchants and Manufacturers, Higher Class	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	3. Persons of Rank and Property, not otherwise described, ...	9,523	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
II.	MIDDLE CLASS.	25,199	16·6	8	2	1	.	1	1	2	3	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	5	.	
	4. General Body of Officials—Civil Service, Banking, &c., ...	33,249	9·4	6	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	33,249	9·4	6	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	6. Clerks and Commercial Assistants, ...	33,249	9·4	6	2	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18·5	12	.	.	2	.	4	4	2	.	.	.	.	.	.	.	.	3	1	3	.	.	1	.	.	.	4	.	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	11,777	22·1	5	1	1	2	.	1	.	.	.	.	.	.	.	.	.	.	4	1	.	.	1	.	.	.	.	2	1	
	8. Working Engineers, Engravers, Printers, Watchmakers and Jewellers, ...	28,823	21·7	12	3	1	1	2	4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	.
	9. Building and Furnishing Trades, ...	20,026	10·4	4	.	.	1	.	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	3	.
	10. Clothing Trades, ...	8,952	5·8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	11. Food Supply Trades, ...	32,070	16·3	10	1	1	1	1	6	1	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	5	.	
	12. Other Trades and Callings ranking with Trades, ...	6,772	7·7	1	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
IV.	Petty Shopkeepers	12,877	24·1	6	3	.	1	2	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	.	3	.	
	GENERAL SERVICE CLASS.	36,041	2·9	2	1	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	.	
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	15,380	10·2	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.	1	.	
	15. Domestic Servants, ...	103,081	19·2	38	15	3	2	8	5	4	1	.	.	1	.	.	.	.	5	1	1	.	6	2	1	1	.	4	17	3	
	16. Coach and Car Drivers, Vanmen, &c., ...	5,602	—	24	4	.	1	6	3	9	1	.	.	.	.	.	.	.	4	2	3	.	2	4	.	.	.	.	9	.	
V.	Hawkers, Porters, Labourers, &c., ...	5,602	—	24	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	INMATES OF WORKHOUSES.	5,602	—	24	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	18. Workhouse Inmates, ...	5,602	—	24	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	May, 22	17.1	.	10	.	.	.	.	.	.	.	.	2	1	.	.	2	.	.	1	.
	" 29	23.9	.	14	.	.	.	.	.	.	.	.	2	2	.	.	3	.	.	.	.
	June, 5	13.7	3.4	8	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.	.
	" 12	20.5	.	12	.	.	.	.	.	.	.	.	3	3	.	.	2	2	.	.	.
Population in 1915 (Est.) 30,504.	" 19	12.0	3.4	7	.	.	.	.	.	1	1	.	1	.	.	1	2	.	.	1	1
	" 26	8.5	1.7	5	.	.	.	.	.	1	.	.	2	.	1	.	2	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	May, 22	20.0	2.5	16	.	.	.	.	.	.	1	.	3	1	2	.	3	1	.	1	.
	" 29	12.5	.	10	.	.	.	.	.	.	.	.	2	1	1	1	1	.	1	1	.
	June, 5	36.3	3.8	29	.	.	.	.	.	.	.	.	4	4	1	1	3	3	.	2	1
	" 12	16.3	.	13	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	.
Population in 1915 (Est.) 41,685.	" 19	15.0	1.3	12	.	.	.	.	.	.	.	.	3	.	1	2	.	1	.	1	1
	" 26	20.0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	1	1
North City, No. 2. (Office, Lisburn-street.)	May, 22	28.1	1.9	15	.	.	.	.	.	1	.	.	4	1	1	1	3	.	.	.	.
	" 29	15.0	.	8	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	June, 5	24.3	3.7	13	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	1
	" 12	18.7	.	10	.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.
Population in 1915 (Est.) 27,883.	" 19	24.3	1.9	13	.	.	.	.	.	1	.	.	.	.	2	1	1	1	.	.	1
	" 26	28.1	1.9	15	.	.	.	.	.	.	.	.	1	3	.	2	1	1	.	.	.
North City, No. 3. (Office, Benburb-street.)	May, 22	13.1	.	9	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	1	.
	" 29	13.1	.	9	.	.	.	.	.	.	.	.	1	1	.	3	2	.	.	.	.
	June, 5	18.9	1.5	13	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1
	" 12	8.7	2.9	6	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.
Population in 1915 (Est.) 35,887.	" 19	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	1
	" 26	17.4	2.9	12	.	.	.	.	.	.	1	.	1	.	.	2	.	1	.	1	.
Clontarf and Howth No. 1 (part of).	May, 22	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 29	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June, 5	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 12	9.4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	May, 22	26.4	.	7	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	" 29	11.3	3.8	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	June, 5	11.3	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	" 12	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Population in 1915 (Est.) 13,820.	" 19	7.5	3.8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	" 26	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	May, 22	19.3	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 29	19.3	.	4	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	June, 5	24.1	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	" 12	14.4	4.8	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 10,829.	" 19	9.6	4.8	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	" 26	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	May, 22	10.1	1.3	8	.	.	.	.	.	.	.	.	2	.	.	1	2	1	.	.	.
	" 29	17.7	.	14	.	.	.	.	.	.	.	.	1	.	.	.	3	.	.	.	.
	June, 5	21.5	1.3	17	.	.	.	.	.	.	.	.	3	.	.	.	5	1	.	.	.
	" 12	16.5	.	13	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.
Population in 1915 (Est.) 41,170.	" 19	20.3	.	16	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	.
	" 26	10.1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
South City, No. 2. (Office, Castle-street.)	May, 22	37.0	.	3	.	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	2
	" 29	22.7	.	18	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
	June, 5	22.7	2.8	8	.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.
	" 12	17.1	.	6	.	.	.	.	.	1	.	.	1	.	.	1	1	.	.	.	.
Population in 1915 (Est.) 18,341.	" 19	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1
	" 26	25.6	2.8	9	.	.	.	.	.	1	.	.	2	1	1	1	.	.	.	.	.
South City, No. 3. (Office, Peter-street.)	May, 22	19.0	2.4	16	.	.	.	.	.	1	.	.	2	.	1	1	4	1	.	.	1
	" 29	16.6	1.2	14	.	.	.	1	.	.	.	.	3	.	.	2	2	.	.	1	.
	June, 5	14.2	1.2	12	.	.	.	.	.	.	1	.	.	.	2	2	2	.	.	.	.
	" 12	22.5	1.2	19	.	.	.	.	.	.	1	.	7	.	1	3	.	.	.	.	.
Population in 1915 (Est.) 43,970.	" 19	14.2	1.2	12	.	.	.	.	1	.	.	.	2	1	2	2	1	.	.	.	.
	" 26	15.4	.	13	.	.	.	.	.	.	.	.	3	.	1	1	.	.	.	2	.
South City, No. 4. (Office, Grand Canal-st.)	May, 22	36.2	1.6	23	.	.	.	.	.	.	.	.	6	.	1	2	5	1	.	1	.
	" 29	26.7	.	17	.	.	.	.	.	.	.	.	4	2	1	1	1	.	.	.	1
	June, 5	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	" 12	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
Population in 1915 (Est.) 33,171.	" 19	20.4	3.1	13	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.
	" 26	9.4	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
New Kilmainham.	May, 22	26.2	.	5	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
	" 29	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June, 5	21.0	5.2	4	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1
Population in 1915 (Est.) 9,948.	" 12	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	" 26	15.7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS...	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CHIEF CAUSES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Infantile, 2 years and upwards.		
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	May, 22	21.1	1.3	16	.	.	.	.	.	.	.	.	3	.	2	1	2	.	1	.	.
	" 29	10.5	.	8	.	.	.	.	.	.	.	.	1	1	.	1	2	.	1	1	1
	June, 5	11.9	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 12	17.1	.	13	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.
	" 19	18.5	.	14	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.	.	.
	" 26	19.8	1.3	15	.	.	.	1	.	.	.	.	1	.	1	1	1	.	.	.	.
Pembroke Urban District. Population in 1915 (Est.) 20,538	May, 22	15.4	3.4	9	.	.	.	.	.	1	1	.	2	.	.	1	.	.	.	.	1
	" 29	20.5	1.7	12	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	.	.
	June, 5	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	" 12	12.0	.	7	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	" 19	15.4	1.7	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	" 26	13.7	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
Blackrock Urban District. Population in 1915 (Est.) 9,233.	May, 22	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 29	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June, 5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 12	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	5.6	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 26	22.6	5.6	4	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2
Kingstown Urban District. Population in 1911 16,941.	May, 22	24.6	12.3	8	.	.	.	4	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 29	18.5	6.2	6	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	.	1
	June, 5	24.6	6.2	8	.	.	.	2	.	.	.	.	2	.	2	.	1	.	.	.	.
	" 12	24.6	3.1	8	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.
	" 19	21.5	3.1	7	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	1
	" 26	15.4	3.1	5	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	1
Belfast. Population in 1915 (Est.) 403,000.	May, 22	16.7	0.6	129	.	.	.	4	.	1	.	.	14	7	6	22	12	.	.	1	.
	" 29	16.9	1.4	131	.	.	.	5	1	2	.	.	23	8	5	5	15	3	.	3	.
	June, 5	16.7	0.9	129	.	.	.	1	1	1	1	.	26	4	8	6	10	3	.	3	2
	" 12	13.7	1.0	106	.	.	.	5	1	1	.	.	20	8	3	11	7	1	.	3	1
	" 19	13.2	1.3	102	.	.	.	5	2	1	.	.	20	4	2	10	7	2	.	3	1
	" 26	12.9	1.2	100	.	.	.	5	3	.	.	.	17	8	9	6	7	1	.	2	.
Cork. Population in 1911 76,673.	May, 22	21.8	1.4	32	.	.	.	1	.	1	.	.	4	2	3	3	1	.	.	1	1
	" 29	19.0	.	23	.	.	.	.	.	.	.	.	6	2	.	4	1	.	.	1	1
	June, 5	15.6	0.7	23	.	.	.	.	.	.	.	.	5	.	1	3	2	1	.	.	1
	" 12	15.6	1.4	23	.	.	.	.	.	2	.	.	4	4	1	1	2	.	.	.	2
	" 19	10.2	0.7	15	.	.	.	1	.	.	.	.	3	1	.	.	2	.	.	1	.
	" 26	21.8	1.4	32	.	.	.	1	.	1	.	.	5	3	3	.	.	.	.	.	.
Londonderry. Population in 1915 (Est.) 41,200.	May, 22	12.7	.	10	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	1
	" 29	16.5	.	13	.	.	.	.	.	.	.	.	1	3	.	.	2	.	.	.	1
	June, 5	20.2	1.3	16	.	.	.	.	.	1	.	.	1	2	2	1	1	.	.	1	1
	" 12	21.5	3.8	17	.	.	.	.	.	3	.	.	3	2	1	1	2	.	.	.	1
	" 19	11.4	1.3	9	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.
	" 26	11.4	2.5	9	1	.	.	.	.	1	.	.	1	1	.	.	2	.	.	.	.
Limerick. Population in 1911 38,518.	May, 22	10.8	.	8	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	1
	" 29	17.6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	June, 5	23.0	1.4	17	.	.	.	.	1	.	.	.	3	.	1	.	3	.	.	1	2
	" 12	19.0	.	14	.	.	.	.	.	.	.	.	5	.	.	3	1	.	.	.	1
	" 19	8.1	.	6	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	1
	" 26	10.8	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3
Waterford. Population in 1911 27,464.	May, 22	30.4	5.7	16	.	.	.	.	3	.	.	.	4	1	.	.	2	.	.	.	2
	" 29	7.6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June, 5	15.2	3.8	8	.	.	.	.	1	.	.	.	1	.	.	2	.	.	1	.	.
	" 12	11.4	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	" 19	13.3	.	7	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	" 26	20.9	1.9	11	.	.	.	.	1	.	.	.	3	2	.	.	.	.	.	.	1

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 26th June, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.						DEATHS FROM															No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
				All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.					TUBER- CULOSIS.					Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.									
						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pulmonary.	Other Forms.	Pneumonia.	Other.																
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																															
Belfast Urban No. 1 District.		15,879	7	13.1	1.1	4	3	2	2	1	2	2				1					1	2	2		1					3	
Do. 2 do.		49,500	22	12.6	1.0	12	4	2	1	3	4	3													2					4	
Do. 3 do.		50,032	20	15.6	3.2	15	4	2	1	3	4	1																		2	
Do. 4 do.		32,637	20	16.0	3.2	10	2	2	1	2	2	1					2				1	2	2						1	4	
Do. 5 do.		16,112	5	29.1		9	3	1	3	2	2	1									4	1	2						2	8	
Do. 6 do.		37,293	20	12.6		9	1			1	4	3									1	1	1						1	1	
Do. 7 do.		2,681	2	19.4		1					1	1																		1	
Do. 8 do.		5,964	2			1					1																				
Do. 9 do.		24,427	9	10.7		5			3																						
Do. 10 do.		28,958	13	10.8	1.8	6			2		1	1									2	1									
Do. 11 do.		39,311	24	9.3	1.3	7			2	1	3										1	1									
Do. 12 do.		38,076	29	16.4	4.1	12			3	3	2	1				3					2	2								1	
Do. 13 do.		23,233	15	9.0		4			1		2	1																		1	
Do. 14 do.		175	9			6			2	1	1	1																			
Do. 15 do.		22,669	9	13.8																											
Total,		386,947	195	12.9	1.2	100	18	11	18	13	27	13				5	3				17	8	9	6	7	1		2	4	24	
City of Cork.																															
Cork Urban No. 1 District		13,455	5	11.6	5.0	3	1	2	1	1	1	1				1					2									1	
Do. 2 do.		10,399	4	25.1		5			1																						
Do. 3 do.		9,793	5	10.6		2		1	1																						
Do. 4 do.		9,139		17.1		3	1	1	1																					3	
Do. 5 do.		6,250		41.7		5	1	2	2		2	1																		3	
Do. 6 do.		11,581	7	27.0	3.2	6	1	1	2	2	1	1																		2	
Do. 7 do.		16,056	8	26.0		8	1	1	4	2																				1	
Total,		76,673	32	21.8	1.4	32	5	5	8	6	5	3				1					5	3	3						1	11	



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1914-5—WEEK ENDING																											
BELFAST.		Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.
No. of weeks in Annual Series,		53	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
Births registered, ...		234	207	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	198	195
Deaths registered, ...		177	162	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100
Annual Death-rate per 1,000 of estimated population, ...		23.1	21.0	21.7	20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9
Ages, {		30	29	32	27	36	35	39	50	53	54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18
{ 1-5 years,		35	24	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11
{ 5-25 "		15	12	15	14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18
{ 25-45 "		29	22	23	18	20	34	29	23	20	27	27	24	18	23	25	22	34	19	27	16	26	28	24	26	12	13
{ 45-65 "		29	37	37	39	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27
{ 55 and upwards,		39	38	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7	13
Deaths from :—																											
Enteric Fever, ...		2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		8	6	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5
Scarlet Fever, ...		2	.	5	3	3	4	3	.	.	3	.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3
Whooping-cough, ...		2	3	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	.
Diphtheria, ...		1	.	1	.	.	.	.	.	1	1	.	1	1	.	.	1	.	.	.	1	.	.	1	.	.	.
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. {		20	9	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17
{ Pulmonary,		6	5	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4	8
{ Other Forms,		5	8	6	12	9	6	6	5	6	6	6	6	2	8	6	6	9	9	10	5	6	5	8	3	2	9
Cancer ...		24	15	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6
Diseases of Respi- {		23	30	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7
{ ratory System, {		Diarrhoea and Enteritis, under	1	2	.	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1
{ 2 years, ...		Diarrhoea, 2 years and upwards,	1	.	.	.	1	.	.	.	2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.
{ Violent Deaths, ...		5	1	.	1	.	.	2	4	3	3	.	5	3	3	1	3	.	3	2	1	1	3	3	3	2	.
{ Number of Uncertified Deaths, ...		3	.	2	1	2	3	3	3	4	3	4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	June 26,	1,879	1,023 <sup>c</sup>	11·8	4	.	19	10	15	13	15
EDINBURGH, ---	328,700	„ 26,	113	74 <sup>c</sup>	11·7	.	.	2	1	5	.	1
GLASGOW, ---	1,078,400	„ 26,	557	361 <sup>c</sup>	17·5	1	.	51	6	15	3	2
CALCUTTA, ---	896,067	May 8,	.	429	24·8	71*	57	.	.	2	1†	65‡ <sup>a</sup>
BOMBAY, ---	979,445	„ 15,	302	499	26·5	90*	17	.	.	1	.	36 <sup>a</sup>
MADRAS, ---	518,660	„ 8,	330	306	30·7	42*	1	.	?	?	?	75‡ <sup>a</sup>
CAIRO, {	Egyptians, ...	Apr. 15,	554	724	57·1	81	1	2	.	?	.	84
	Foreigners,	„ 15,	11	18	13·0	.	.	.	.	?	.	2
ALEXAN- DRIA, {	Egyptians,	„ 15,	320	168	25·6	1	.	.	.	?	.	20
	Foreigners,	„ 15,	32	27	18·3	1	1	.	.	?	.	1
PARIS, ---	2,847,229	May 15,	544	839	15·1	3	.	22	2	8	3†	26
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	813,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	611,924	May 15,	217	140	11·9	1	.	1	.	2	1†	4
COPENHAGEN, ---	492,000	„ 29,	228	145	15·4	.	.	.	1	2	.	4
STOCKHOLM, ---	386,270	„ 29,	121	86	11·6	.	.	.	.	2	.	.
CHRISTIANIA, ---	251,446	June 5,	129	57	11·8	.	.	.	.	2	.	2 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Apr. 24,	.	885	27·2	20	2	26	18	4	10	69 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	May 22,	2,511	1,492	13·4	1	.	33	13	11	46†	41
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	766,136	June 5,	.	208 <sup>b</sup>	14·2	.	.	2	3	3	6	5 <sup>a</sup>

\* Deaths from "fever," including 16 deaths from plague and 5 from enteric fever in Calcutta; 40 from plague and 3 from enteric fever in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 29 deaths from cholera in Calcutta and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 172 deaths (including 5 from diphtheria and 4 from diarrhoeal diseases); rate, 11·7 per thousand.

<sup>c</sup> Including 3 deaths from cerebro-spinal fever in London, one in Edinburgh and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 26th June, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	1	.	.	.	.	1	2
"    "    1, West, ...	.	1	.	.	.	.	.	1	.	.	.	.	5	7
"    "    2, ...	.	.	.	.	.	.	.	1	.	.	.	.	2	3
"    "    3, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	.	1	.	.	.	.	.	4	6
"    "    2, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
"    "    3, ...	.	3	.	.	.	.	.	.	.	.	.	.	3	6
"    "    4, ...	.	1	.	.	1	.	.	1	.	.	.	.	1	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	7	.	.	3	.	1	5	.	.	.	.	18	34

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 26th June, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 26th June.			
	June 5.	June 12.	June 19.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	28	32	35	10	8	.	37
Typhus, ...	5	6	6	1	2	.	5
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	13	11	9	2	3	.	8
Scarlet Fever, ...	60	70	72	6	12	.	66*
Diphtheria, ...	29	28	30	3	9	.	24
Pneumonia, ...	17	21	18	10	5	2	21

\* Exclusive of 14 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 3RD JULY, 1915.

[No. 26.]

*General Register Office, Charlemont House,  
Dublin, 5th July, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 12	June 19	June 26	July 3	
<b>27 Town Districts, (a)</b>	<b>15·4</b>	<b>14·2</b>	<b>14·8</b>	<b>16·6</b>	<b>15·2</b>
Dublin Reg. Area ...	17·0	16·4	15·7	18·6	16·9
Dublin City ...	17·0	16·3	15·2	19·5	17·0
Belfast ...	13·7	13·2	12·9	13·1	13·2
Cork ...	15·6	10·2	21·8	19·0	16·6
Londonderry ...	21·5	11·4	11·4	26·6	17·7
Limerick ...	19·0	8·1	10·8	25·7	15·9
Waterford ...	11·4	13·3	20·9	9·5	13·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·0 per 1,000. Among the 101 deaths from all causes for Belfast are 2 from measles, 4 from whooping-cough, 2 from diphtheria, 2 from diarrhoea and enteritis of children under 2 years, and one from cerebro-spinal fever. One of the 28 deaths from all causes for Cork is from measles. The 21 deaths from all causes for Londonderry include one from each of enteric fever and whooping-cough, and one of the 19 deaths from all causes for Limerick is from enteric fever.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 243—131 boys and 112 girls—and the deaths to 161—82 males and 79 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·6 per 1,000 of the population. During the twenty-six weeks, ending with Saturday last, the death-rate averaged 25·0, and was 2·2 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 161, represent an annual rate of 20·5 per 1,000; the annual rate for the past twenty-six weeks was 26·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 24·1 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one death each from measles and whooping-cough, 5 deaths of children under 2 years of age from diarrhoea and enteritis, and one death from chicken-pox.

Deaths from measles in the three preceding weeks were one, 0, and 2; deaths from whooping-cough were 2, 3, and 2; and deaths from diarrhoea and enteritis of children under 2 years of age were 0, 5, and 2, respectively.

There were 34\* deaths from tuberculous disease (all forms), including 25 deaths from pulmonary tuberculosis, 6 from tuberculous meningitis, and 3 from other forms of the disease.

In the three preceding weeks, deaths from all forms of the disease numbered 40, 24, and 28, respectively. Cancer caused 10\* deaths.

Of 8\* deaths from pneumonia, 4 were from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished.)

Two deaths of infants under one year old were ascribed to convulsions, 2 to congenital malformations, 4 to premature birth, and 2 to congenital debility.

There were 16 deaths from organic diseases of the heart, and 21 from bronchitis.

Five deaths were attributed to accidental causes, including one caused by being crushed by railway carriage and 2 by vehicles and horses. One death of a soldier was caused by wounds received in battle.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 3 children under 5 years of age (including 2 infants under one year old), and the deaths of 3 persons aged 65 years and upwards.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (22 being infants under one year, of whom 9 were under one month old), and 34 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards.\*

Seventy-four of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·6 per 1,000; the rate in the City was 19·5 (North City Districts, 17·3; South, 22·1), and in the Suburbs, 15·7.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 0·7 (in the North City Districts 0·3, and in the South 1·1), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·1 per 1,000. Of these 17 deaths 5 were caused by tuberculous disease, one by broncho-pneumonia, one by bronchitis, and one death was that of a child under 2 years of age caused by diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 16·3 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Three deaths were due to tuberculous disease and one to bronchitis.

No. 3 North City District (Benburb-street).—The deaths (7) represent an annual rate of 10·2 per 1,000, and include 3 from pulmonary tuberculosis and one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 4·8. One of the 2 deaths for Clontarf and Howth, No. 1, part of, was caused by pulmonary tuberculosis and the other by bronchitis; and one of the 4 deaths from all causes for Coolock and Drumcondra, part of, was due to broncho-pneumonia.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·8 per 1,000. Included in this number are 4 deaths from tuberculous disease, one from pneumonia, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. One death was due to pulmonary tuberculosis, 3 to bronchitis, and one of a child under 2 years of age to diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (20) are equal to an annual rate of 23·7 per 1,000. Among them are one death from whooping-cough, 8 deaths from tuberculous disease, 4 from bronchitis, and one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. One death was ascribed to pulmonary tuberculosis, 2 to bronchitis, and one of a child under 2 years of age to diarrhoea and enteritis.

New Kilmainham District.—The deaths (3) are equal to an annual rate of 15·7 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·5; Pembroke, 12·0; Blackrock, 5·6; and Kingstown, 40·0. The deaths from the principal epidemic diseases tabulated for these districts comprise one from measles and 2 (children under 2 years of age) from diarrhoea and enteritis for Kingstown. Of the 8 deaths from all causes for Rathmines and Rathgar 2 were caused by pulmonary tuberculosis and one by broncho-pneumonia. Of the 7 deaths from all causes for Pembroke 2 were from pneumonia and 2 from bronchitis, and there was one accidental death; and included in the 13 deaths from all causes for Kingstown 2 were from tuberculous disease and 2 from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·7), was equal to an average annual death-rate of 11·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·6 per 1,000, the rate for Glasgow being 19·0, and for Edinburgh 10·9.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 3rd July. From this Report it appears that of the 63 cases notified, 23 were scarlet fever, 16 pulmonary tuberculosis, 7 other forms of tuberculosis, 10 diphtheria, 4 erysipelas, 2 puerperal fever, and one cerebro-spinal fever. Among the 510 cases of infectious diseases in hospital at the close of the week were 190 of pulmonary tuberculosis, 149 of scarlet fever, 49 of diphtheria, 31 of measles, 27 of whooping-cough, 14 of erysipelas, and 9 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 3rd July, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June. 12,	.	—	—	12	2	.	4	.	2	3	6	.	—	—	.	—	.	33	62
	June. 19,	.	—	—	11	.	.	9	.	.	4	1	.	—	—	.	—	.	29	54
	June. 26,	.	—	—	7	.	.	3	.	1	5	.	.	—	—	.	—	.	18	34
	July. 3,	.	—	—	5	1	.	6	.	.	5	2	.	—	—	.	—	.	20	39
Rathmines and Rathgar Urban District.	June. 12,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	June. 12,	.	.	.	2	.	.	.	.	1	2	.	.	—	7	—	—	—	.	9
	June. 19,	.	3	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	26
	June. 26,	.	.	.	.	.	.	.	.	1	1	1	.	—	11	—	—	.	.	14
	July. 3,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	.	.	5
Blackrock Urban District.	June. 12,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	June. 19,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	1
	June. 26,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
	July. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	.
Kingstown Urban District.	June. 12,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	2
	June. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	.	2
	June. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	.	2
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	.	3
City of Belfast.	June. 12,	.	—	—	28	.	.	1	.	.	2	4	.	—	—	1	—	.	6	42
	June. 19,	.	—	—	26	.	.	3	.	.	.	2	.	—	—	2	—	.	4	37
	June. 26,	.	—	—	39	.	.	3	.	.	1	3	.	—	—	.	—	11	.	57
	July. 3,	.	—	—	35	.	.	3	.	.	1	.	.	—	—	2	—	6	.	47
City of Cork.	June. 12,	.	5	—	3	.	.	.	.	.	.	4	.	—	—	—	—	—	—	12
	June. 19,	.	6	—	5	.	.	1	.	.	1	1	.	—	—	.	—	—	—	14
	June. 26,	.	7	—	3	.	.	1	1	.	.	1	.	—	—	—	—	—	—	13
	July. 3,	.	3	—	5	.	.	1	.	.	.	.	.	—	—	—	—	—	—	9
City of Londonderry.	June. 12,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	2
	June. 19,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 26,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	July. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
City of Limerick.	June. 12,	.	—	—	1	.	.	.	.	1	.	.	.	—	—	.	—	—	—	2
	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	June. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	June. 12,	.	—	—	7	.	.	.	.	.	.	.	.	—	—	—	—	1	.	8
	June. 19,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	.	5
	June. 26,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	.	3
	July. 3,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	.	5

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 3rd July, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 5 were discharged, and 35 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 32, 35, and 37.

Four cases of typhus were discharged from hospital during the week, and one case remained under treatment at its close. The cases in hospital at the close of the three preceding weeks were 6, 6, and 5 respectively.

One case of measles was admitted to hospital during the week, 3 were discharged, and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 11, 9, and 8 respectively.

Fifteen cases of scarlet fever were admitted to hospital, 16 were discharged, and 65\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 72, and 66, respectively.

Two cases of diphtheria were admitted to hospital during the week, and 2 were discharged. The cases in hospital, which at the close of the 3 preceding weeks numbered 28, 30, and 24 respectively, were 24 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 9 were discharged, there were 2 deaths and 18 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 3rd July, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 3RD JULY, 1915.																															
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																							
		Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Unfilled Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards	Violence.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	27.8	16.6	1.0	646	387	51	92	2	...	...	4	...	6	2	...	54	25	20	25	39	10	...	8	18	127	14			
DUBLIN REG- ISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29.8	31.0	18.6	0.9	243	146	19	31	...	...	...	1	...	1	...	...	25	8	7	7	22	5	...	4	6	59	7			
CITY OF DUBLIN,	312,747	39.5	35.7	19.5	0.7	214	117	18	23	...	...	...	...	...	1	...	...	22	7	3	4	18	3	...	3	4	52	7			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	5.3	10.5	.	4	8	...	2	...	...	...	...	...	...	...	...	2	...	1	1	...	...	...	...	...	1	...			
PEMBROKE, ...	30,538	19.4	20.5	12.0	.	12	7	...	1	...	...	...	...	...	...	...	...	...	...	1	2	2	...	...	...	1	1	3			
BLACKROCK, ...	9,233	8.5	11.3	5.6	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
KINGSTOWN, ...	16,941	11.6	33.9	40.0	9.2	11	13	1	5	...	...	...	1	...	...	...	...	1	1	2	...	2	2	...	...	1	3	...			
Urban Districts																															
BELFAST ..	403,000	27.0	26.0	13.1	1.3	201	101	16	15	...	...	...	2	...	4	2	...	17	8	6	7	6	2	...	1	4	27	...			
CORK, ..	76,673	28.6	15.0	19.0	0.7	22	28	1	9	...	...	...	1	...	...	...	...	3	2	2	1	...	...	...	...	1	10	1			
LONDON- DERRY	41,200	16.0	26.6	26.6	2.5	21	21	3	7	1	...	...	...	...	1	...	...	1	1	...	2	4	...	...	...	...	5	1			
LIMERICK, ...	38,518	16.1	58.2	25.7	1.4	43	19	3	7	1	...	...	...	...	...	...	...	1	...	2	1	1	...	...	...	2	7	2			
WATERFORD, ...	27,464	19.1	11.4	9.5	1.9	6	5	2	1	...	...	...	...	...	...	...	...	...	...	...	1	2	1	...	...	...	2	...			
GALWAY, ...	13,255	2.5				10	14	2	3	...	...	...	...	...	...	...	...	...	2	3	1	1	1	...	1	1	4	...			
DUNDALK, ...	13,128	9.5				9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LURGAN, ...	12,553	14.7				7	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...			
DROGHEDA, ...	12,501	8.4				5	8	1	1	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	3	...			
LISBURN, ...	12,388	10.9				4	7	1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	1	2			
NEWRY, ...	11,963	17.0				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
PORTADOWN, ...	11,727	15.3				5	3	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,531	22.8				...	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...			
BALLYMENA ..	11,381	9.3				15	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1			
SLIGO, ...	11,163	3.8				5	5	...	4	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	1			
KILKENNY, ...	10,514	11.4				3	6	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	5	...			
TRALEE, ...	10,300	17.4				15	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
CLONMEL, ...	10,209	7.8				...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
NEWTOWNARDS	9,587	20.1				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
QUEENSTOWN,	8,209	14.7				6	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
LARNE, ...	8,036	13.4				5	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	...			
COLERAINE. ...	7,785	7.7				1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BANGOR, ..	7,776	8.5				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BRAY, ..	7,691	7.2				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2				5	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...			
ARMAGH, ...	7,356	21.8				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 15 deaths of persons (including 3 under one year old and 3 at 65 years or upwards) admitted to hospital from localities outside the Area. The 15 deaths include one from disseminated tuberculosis, 3 from cancer, and one from pneumonia. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 3rd of July, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary, . . . . .	4	3	2	3	1	.	3	1	4	1	.	2	.	.	1	25		
{ Other Forms, . . . . .	1	.	1	.	.	.	1	.	4	.	.	.	.	.	1	8		
Cancer, . . . . .	1	.	.	1	.	.	1	.	.	.	.	1	1	.	2	7		
Diseases of Nervous System, . . . . .	1	2	3	.	.	.	1	.	1	2	.	2	.	.	.	12		
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
" Circulatory System, . . . . .	2	3	1	.	.	1	1	.	3	2	1	.	.	1	2	17		
" Respiratory System, { Pneumonia, . . . . .	1	1	.	.	.	1	1	.	.	.	.	1	2	.	.	7		
{ Others, . . . . .	1	1	1	.	1	1	4	3	4	2	.	.	2	.	2	22		
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	1	.	.	.	.	.	.	1	.	1	.	.	.	.	2	5		
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1		
{ Others, . . . . .	1	2	.	1	.	.	1	.	2	.	1	.	.	.	.	8		
" Genito-urinary System, . . . . .	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	4		
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1		
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1		
Other specified Causes, . . . . .	3	.	3	1	.	1	1	4	.	.	4	.	2	1	.	1		
Violent Deaths, . . . . .	.	1	.	1	.	.	.	.	.	1	.	.	.	1	.	.		
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1		
Deaths from All Causes . . . . .	17	13	11	7	2	4	1	18	7	20	14	3	8	7	1	13		
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	29.1	16.3	20.6	10.2	18.8	15.1	4.8	22.8	19.9	23.7	22.0	15.7	10.5	12.0	5.6	40.0		
	17.3							22.1					15.7					
	19.5																	
Ages at Death, { Under 1 year, . . . . .	2	1	4	.	1	.	.	3	1	1	5	.	.	.	.	1		
1 and under 2 years, . . . . .	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	1		
2 " 5 " . . . . .	2	4	1	.	.	.	.	.	.	2	.	.	.	.	.	1		
5 " 15 " . . . . .	1	1	.	.	.	.	.	.	.	2	.	1	2	.	.	7		
15 " 25 " . . . . .	.	.	.	2	1	.	.	4	1	.	.	1	.	.	.	9		
25 " 45 " . . . . .	4	1	1	2	.	.	.	1	1	5	1	1	.	1	4	22		
45 " 65 " . . . . .	5	6	4	2	.	1	.	6	.	4	5	1	3	6	.	44		
65 and upwards, . . . . .	3	.	1	1	.	3	1	3	4	5	2	.	2	1	.	31		
Number of Uncertified Deaths, . . . . .	2	1	2	.	.	.	.	1	.	1	.	.	.	.	.	7		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	4	1	2	.	.	.	4	2	7	2	1	1	3	.	3		
Workhouse Hospitals, . . . . .	3	2	3	2	.	.	.	2	5	4	6	.	.	.	.	27		





TWENTY-SIXTH WEEK, ending Saturday, 3rd July, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 26th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 3rd July, 1915.																														
	July 1, 1905.	June 30, 1906.	June 29, 1907.	June 27, 1908.	July 3, 1909.	July 2, 1910.	July 1, 1911.	June 29, 1912.	June 28, 1913.	June 27, 1914.		All Ages.	Deaths of Persons of the Ages of																													
													0-5.																													
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Stomach, ...	—	—	—	—	—	—	3	2	4	3	—	1	.	1	.	.	.	.	.	.	.	.																				
Diarrhoea and Enteritis of Children under 2 years.	2	5	4	5	9	3	3	5	7	4	5.1	5	.	.	.	.	.	.	.	.	.	.																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	1	1	—	1	.	.	.	.	.	1	.	.	.	.																				
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	1	2	.	—	4	.	.	.	.	.	2	2	.	.	.																				
Cirrhosis of Liver, ...	1	.	.	1	.	.	1	1	1	2	1.5	.	.	.	.	.	.	.	.	.	.	.																				
Other Diseases of Liver, ...	.	3	1	.	1	.	.	1	1	1		.	.	.	.	.	.	.	.	.	.	.	.																			
Peritonitis (cause unknown),	.	.	.	.	2	1	.	.	.	.	.3	1	.	.	.	.	.	1	.	.	.	.																				
Other Diseases of Digestive System.	7	6	6	3	8	3	.	1	.	2	3.6	3	.	1	.	.	.	2	.	.	.	.																				
Acute Nephritis, ...	1	12	8	1	7	8	3	.	2	3	5.8	.	.	.	.	.	.	.	.	.	.	.																				
Chronic Bright's Disease, ...																							3	3	2	1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	.	1	.	.	.	.																				
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	1	1	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	2	1	.	—	1	.	.	.	.	.	.	.	.	.	1																				
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	.	—	1	.	.	.	1	.	.	.	.	.	.																				
Premature Birth, ...	2	1	4	5	6	1	10	6	4	6	4.5	4	4	.	.	.	.	.	.	.	.	.																				
Congenital Debility, ...	—	—	—	—	—	—	1	5	3	1	—	2	1	1	.	.	.	.	.	.	.	.																				
Old Age, ...	6	4	2	5	3	3	5	2	3	3	3.6	9	.	.	.	.	.	.	.	.	4	5																				
Other Specified Diseases, ...	—	—	—	—	—	—	2	3	3	3	—	2	1	1	.	.	.	.	.	.	.	.																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Burns and Scalds, ...	1	.	1	.	.	.	1	.	2	.	.5	.	.	.	.	.	.	.	.	.	.	.																				
Drowning, ...	.	1	.	.	1	.	.	1	1	.	.4	.	.	.	.	.	.	.	.	.	.	.																				
Suffocation in Bed, ...	.	1	.	2	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.																				
Other Deaths by Accident, ...	1	1	4	1	.	2	1	4	3	.	1.7	5	.	.	.	.	1	1	1	2	.	.																				
Total Deaths from Accident,	2	3	5	3	2	2	2	5	6	.	3.0	5	.	.	.	.	1	1	1	2	.	.																				
Included in above are Deaths in connection with—																																										
Railways, ...	.	.	1	.	.	.	.	.	.	.	.1	1	.	.	.	.	.	.	1	.	.	.																				
Vehicles and Horses, ...	.	.	2	.	.	1	.	3	2	.	.8	2	.	.	.	1	.	1	.	.	.	.																				
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Building Operations, ...	.	1	.	.	.	.	.	.	.	.	.1	1	.	.	.	.	.	.	1	.	.	.																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	.	5	2	—	1	.	.	1	.	.	.	.	.	.	.																				





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 3rd July, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION		Popula- tion in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.		AGES.										CAUSES OF DEATH										Violence.		Other Causes.		Number of Uncertified Deaths.	
										AGES.										CAUSES OF DEATH															
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)																					

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.						
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and America of Children under 2 years of age.	Diarrhoea, 2 years and upwards.								
													Pulmonary.	Other Forms.		Pneumonia.	Other.										
North City, No. 1 (E.) (Office Clarence St. Nth.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 30,504.	23.9 13.7 20.5 12.0 8.5 29.1	. 3.4 . 3.4 1.7 1.7	14 8 12 7 5 17	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 . 1 .	. . . . 1 .	. . . 1 .	2 2 3 1 2 4	2 1 . . . 1	. 1 . . 1 1	. . . . . 1	. . 1 2 2 1	3 1 2 2 . 1	. 1 . . . 1	. 1 . . . 1	. . . . . .	. . . . . .	. . . 1 . .	. . . . 1 .	. . . . . 2		
North City, No. 1 (W.) (Office, Summer-hill.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 41,685.	12.5 36.3 16.3 15.0 20.0 16.3	. 3.8 . 1.3 . .	10 29 13 12 16 13	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 4 4 3 4 3	1 . 1 1 1 .	1 1 1 1 2 .	1 3 . 2 1 1	. 1 3 . 2 1	. 1 2 . 1 1	. 1 . 1 . . .	. 3 . 1 . . .	. 3 . 1 . . .	. . 1 . . . .	. . . . . .	. . . . . .	1 2 . . 1 1	. 1 1 1 1 1	
North City, No. 2. (Office, Lisburn-street.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 27,883.	15.0 24.3 18.7 24.3 28.1 20.6	. 3.7 . 1.9 1.9 .	8 13 10 13 15 11	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . 3 2 1 2	. . . 3 1 . .	1 . . 1 . . .	1 . . 1 . 2 .	. 1 . 1 . 2 .	1 1 2 1 1 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 2 . . . . .	. 1 1 . . . .	. . . . . .	. 1 1 1 1 . 2
North City, No. 3. (Office, Benburb-street.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 35,887.	13.1 18.9 8.7 16.0 17.4 10.2	. 1.5 . 2.9 2.9 .	9 13 6 11 12 7	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 2 . .	. . . . . .	. . . . . .	. . . . 1 .	1 . . 1 . 3	1 . . . . .	. 1 . . 3 . 1	3 1 . 3 . .	2 1 1 1 . .	. 1 1 1 . . .	. 1 . . . . . .	. 1 . . . . . .	. 1 . . . . . .	. 1 . . . . . .	. . . . . . .	. . . . . . .	. . . . 1 . 1	. 1 . . . . 1	
Clontarf and Howth No. 1 (part of).	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 5,539.	9.4 28.2 9.4 . 28.2 18.8	. . . . . .	1 3 1 . 3 2	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 . 1 . 1	. . 1 . . .	. . . . . .	. . . . . .	. . 1 . . . 1	. 1 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
Coolock and Drumcondra (part of).	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 13,820.	11.3 11.3 11.3 7.5 3.8 15.1	3.8 . . 3.8 . .	3 3 3 2 1 4	1 . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 1 1 . .	. 1 . . 1 . .	1 . . 1 . .	. . . . . 1	. . . 1 . 1	. . . 1 . 1	. . . . 1 .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
Finglas and Glasnevin (part of).	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 10,829.	19.3 24.1 14.4 9.6 . 4.8	. . 4.8 4.8 . .	4 5 3 2 . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . 1 . .	. . . . . .	1 2 1 1 . .	. . . . . .	. . . . . .	. . . . . .	1 . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
South City, No. 1. (Office, St. Earl-street.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 41,170.	17.7 21.5 16.5 20.3 10.1 22.8	. 1.3 . . . .	14 17 13 16 8 18	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 3 3 3 2 3	. . 2 . 1 1	. . . 1 . 1	. . . 1 . 1	3 5 1 2 1 4	. 1 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .		
South City, No. 2. (Office, Castle-street.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 18,341.	22.7 22.7 17.1 17.1 25.6 19.9	. 2.8 . . 2.8 2.8	18 8 6 6 9 7	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	1 1 1 1 2 1	. 1 . . 1 .	1 1 . 1 1 .	1 . . 1 . 1 .	. 1 . 1 . 1 3	. 1 . . . 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .		
South City, No. 3. (Office, Peter-street.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 43,970.	16.6 14.2 22.5 14.2 15.4 23.7	1.2 1.2 1.2 1.2 . 1.2	14 12 19 12 13 20	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . 1 . .	3 7 2 2 3 4	. . . 1 . 4	. . 2 1 1 .	2 2 1 2 1 .	2 2 3 1 1 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .		
South City, No. 4. (Office, Grand Canal-st.)	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 33,171.	26.7 14.1 20.4 20.4 9.4 22.0	. . . 3.1 . 1.6	17 9 13 13 6 14	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	4 2 2 1 2 1	2 . . . . . .	1 . . 1 . 1 .	1 1 1 . . 2	1 1 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .		
New Kilmainham.	May, 29 June 5 " 12 " 19 Population in 1915 (Est.) 9,948.	10.5 21.0 15.7 21.0 15.7 15.7	. 5.2 . . . .	2 4 3 4 3 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. 1 . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .		

\* See note (§) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN DEATHS. SABES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	May, 29	10.5	.	8	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	1	1
	June, 5	11.9	.	9	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1
	" 12	17.1	.	13	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.
	" 19	18.5	.	14	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.	.	.
Population in 1915 (Est.) 39,541.	" 26	19.8	1.3	15	.	.	.	1	.	.	.	.	1	.	1	1	1	.	.	.	.
	July, 3	10.5	.	8	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	.
Pembroke Urban District.	May, 29	20.5	1.7	12	.	.	.	.	.	.	1	.	2	.	.	3	.	.	.	.	.
	June, 5	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.
	" 12	12.0	.	7	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	" 19	15.4	1.7	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
Population in 1915 (Est.) 30,538	" 26	13.7	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.
	July, 3	12.0	.	7	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	1	.
Blackrock Urban District.	May, 29	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	June, 5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 12	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,233.	" 19	5.6	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 26	22.6	5.6	4	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2
	July, 3	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	May, 29	18.5	6.2	6	.	.	.	2	.	.	.	.	.	.	.	1	1	.	.	1	.
	June, 5	24.6	6.2	8	.	.	.	2	.	.	.	.	2	.	2	.	1	.	.	.	.
	" 12	24.6	3.1	8	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.
	" 19	21.5	3.1	7	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.
Population in 1911 16,941.	" 26	15.4	3.1	5	.	.	.	1	.	.	.	.	1	.	.	1	.	2	.	.	1
	July, 3	40.0	9.2	13	.	.	.	1	.	.	.	.	1	1	2	.	2	2	.	.	.
Belfast.	May, 29	16.9	1.4	131	.	.	.	5	1	2	.	.	23	8	5	5	15	3	3	.	3
	June, 5	16.7	0.9	129	.	.	.	1	1	1	1	.	26	4	8	6	10	3	3	2	2
	" 12	13.7	1.0	106	.	.	.	5	1	1	.	.	20	8	3	11	7	1	3	1	1
Population in 1915 (Est.) 403,000.	" 19	13.2	1.3	102	.	.	.	5	2	1	.	.	20	4	2	10	7	2	.	.	.
	" 26	12.9	1.2	100	.	.	.	5	3	.	.	.	17	8	9	6	7	1	2	2	.
	July, 3	13.1	1.3	101	.	.	.	2	.	4	2	.	17	8	6	7	6	.	1	.	.
Cork.	May, 29	19.0	.	28	.	.	.	.	.	.	.	.	6	2	.	4	1	.	.	.	1
	June, 5	15.6	0.7	23	.	.	.	.	.	.	.	.	5	.	1	3	2	.	.	.	1
	" 12	15.6	1.4	23	.	.	.	.	.	2	.	.	4	4	1	1	2	.	.	.	.
Population in 1911 76,673.	" 19	10.2	0.7	15	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	2
	" 26	21.8	1.4	32	.	.	.	1	.	1	.	.	5	3	3	.	.	.	.	.	.
	July, 3	19.0	0.7	28	.	.	.	1	.	.	.	.	3	2	2	1	.	.	.	.	1
Londonderry.	May, 29	16.5	.	13	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.
	June, 5	20.2	1.3	16	.	.	.	.	.	1	.	.	1	2	2	.	1	.	.	1	1
	" 12	21.5	3.8	17	.	.	.	.	.	3	.	.	3	2	1	1	2	.	.	.	.
Population in 1915 (Est.) 41,200.	" 19	11.4	1.3	9	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.
	" 26	11.4	2.5	9	1	.	.	.	.	1	.	.	1	1	.	.	2	.	.	.	1
	July, 3	26.6	2.5	21	1	.	.	.	.	1	.	.	1	1	.	2	4	.	.	.	.
Limerick.	May, 29	17.6	.	13	.	.	.	.	.	.	.	.	2	.	.	.	3	.	.	.	1
	June, 5	23.0	1.4	17	.	.	.	.	1	.	.	.	3	.	1	3	1	.	.	.	2
	" 12	19.0	.	14	.	.	.	.	.	.	.	.	5	.	.	.	.	.	.	.	.
Population in 1911 38,518.	" 19	8.1	.	6	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	1
	" 26	10.8	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3
	July, 3	25.7	1.4	19	1	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	2
Waterford.	May, 29	7.6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	June, 5	15.2	3.8	8	.	.	.	.	1	.	.	.	1	.	.	2	1	.	.	.	.
	" 12	11.4	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
Population in 1911 27,464.	" 19	13.3	.	7	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1
	" 26	20.9	1.9	11	.	.	.	.	1	.	.	.	3	2	.	.	.	.	.	.	.
	July, 3	9.5	1.9	5	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 3rd July, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.								
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Total Number of DEATHS.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.			Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.				
						All Causes.	Certain Epi- demic Diseases.	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.									45 and under 65 years.	65 years and upwards.		Pneumonia.							Other.			
																															(3)	(4)	(5)
City of Belfast.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
BELFAST URBAN No. 1 District.	15,879	6	19.7	3.3	6	2	2	2	13	1	4	2	3	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2	4	2
Do. 2 do.	49,500	19	13.7	3.1	13	2	2	2	18	5	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 3 do.	50,032	26	13.5	3.1	13	3	3	3	18	5	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 4 do.	32,637	39	8.0	3.2	5	1	1	1	11	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 5 do.	16,112	7	35.6	8.2	11	3	1	1	11	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 6 do.	37,288	8	8.4	2.6	6	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 7 do.	2,681	2	2.6	2.6	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 8 do.	5,964	4	8.5	2.6	4	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 9 do.	24,427	15	16.2	1.8	9	1	1	1	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 10 do.	28,958	12	16.2	1.8	5	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 11 do.	39,311	26	6.6	1.4	11	2	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 12 do.	38,076	20	15.1	1.4	11	1	1	1	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 13 do.	23,233	9	11.2	6.9	15	1	1	1	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 14 do.	175	1	27.6	6.9	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 15 do.	22,669	8	27.6	6.9	12	3	1	1	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total.	386,947	201	13.1	0.7	101	16	12	8	25	25	7	15	1	1	17	8	6	7	4	2	1	2	1	1	1	1	1	1	1	1	1	1	1
City of Cork.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
CORK URBAN No. 1 District	13,455	2	19.4	5.0	5	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 2 do.	10,399	2	15.0	5.0	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 3 do.	9,793	3	10.6	5.0	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 4 do.	9,139	2	11.4	5.0	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 5 do.	6,250	1	25.0	5.0	3	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 6 do.	11,581	4	22.5	5.0	5	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Do. 7 do.	16,056	8	26.0	5.0	8	1	1	1	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total.	76,673	22	19.0	0.7	28	1	5	1	5	7	9	15	1	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.





TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	July 3,	1,883	1,010 <sup>c</sup>	11·7	3	.	18	4	20	4	12	
EDINBURGH, ---	328,700	" 3,	105	69	10·9	.	.	1	1	2	1	.	
GLASGOW, ---	1,078,400	" 3,	488	398 <sup>c</sup>	19·0	.	.	53	1	7	4	6	
CALCUTTA, ---	896,067	May 15,	.	413	23·9	45*	37	.	.	.	1†	81† <sup>a</sup>	
BOMBAY, ---	979,445	" 22,	325	444	23·6	64*	9	2	.	.	.	43 <sup>a</sup>	
MADRAS, ---	518,660	" 15,	344	372	37·3	48*	.	.	?	?	?	86† <sup>a</sup>	
CAIRO, {	Egyptians, ...	Apr. 22,	569	788	58·2	94	.	1	.	?	2†	79	
	Foreigners,	" 22,	5	22	15·9	1	.	4	.	?	.	.	
ALEXAN- DRIA, {	Egyptians,	" 22,	319	160	24·4	.	.	.	.	?	.	21	
	Foreigners,	" 22,	28	27	18·3	1	1	.	.	?	1†	.	
PARIS, ---	2,847,229	May 22,	448	850	15·3	6	.	26	5	4	2†	21	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	611,924	May 22,	238	142	12·1	.	.	1	.	1	2†	1	
COPENHAGEN, ---	492,000	June 5,	195	113	12·0	.	.	.	.	.	.	2	
STOCKHOLM, ---	386,270	" 5,	141	122	16·4	.	.	.	.	2	.	2	
CHRISTIANIA, ---	251,446	" 12,	95	74	15·3	.	.	.	.	.	.	2 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	May 1,	.	837	25·8	16	5	27	16	4	10	60† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	—	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	June 12,	.	236 <sup>b</sup>	16·1	1	.	2	3	2	10	5 <sup>a</sup>	

\* Deaths from "fever," including 5 deaths from plague and 5 from enteric fever in Calcutta; and 20 from plague and 2 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 41 deaths from cholera in Calcutta, one in Madras, and one in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 206 deaths (including 2 from scarlet fever, 8 from diphtheria, and 4 from diarrhoeal diseases); rate, 14·0 per thousand.

<sup>c</sup> Including 9 deaths from cerebro-spinal fever in London, and 3 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 3rd July, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	.	.	.	2	1	.	.	.	3	6
„ „ 1, West, ...	.	.	.	.	.	.	.	1	.	.	.	.	2	3
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
„ „ 3, ...	.	1	.	.	2	.	.	1	.	.	.	.	.	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	4	.	.	.	.	.	.	.	.	4
Coolock and Drumecondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	.	1	1	.	.	.	.	.	1	.	.	.	4	7
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3, ...	.	1	.	.	.	.	.	1	.	.	.	.	3	5
„ „ 4, ...	.	2	.	.	.	.	.	.	.	.	.	.	3	5
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	5	1	.	6	.	.	5	2	.	.	.	20	39

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 3rd July, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 3rd July.			
	June 12.	June 19.	June 26.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	32	35	37	3	5	.	35
Typhus, ...	6	6	5	.	4	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	11	9	8	1	3	.	6
Scarlet Fever, ...	70	72	66	15	16	.	65*
Diphtheria, ...	28	30	24	2	2	.	24
Pneumonia, ...	21	18	21	8	9	2	18

\* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# Quarterly Summary of the Weekly Returns

OF

## BIRTHS AND DEATHS

IN THE

### DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

---

*By Authority of the Registrar-General.*

---

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE  
BY ALEXANDER THOM & CO. LIMITED, ABBEY-STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from

E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or

WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or

H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;

or from the Agencies in the British Colonies and Dependencies,  
the United States of America, and other Foreign Countries of

T. FISHER UNWIN, LONDON, W.C.

1915.

*Price 1½d.*

---

VOL. LII.]

QUARTER ENDING SATURDAY, 3RD JULY, 1915.

[No. 26A.]

---

DUBLIN REGISTRATION AREA. — BIRTHS. — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1915, 409,000, there were registered during the thirteen weeks ended on Saturday, 3rd July, 1915, 2,876 births—1,476 boys and 1,400 girls—being equal to an annual ratio of 1 in 35·6, or 28·1 in every 1,000 of the population.

The number of births registered in the city was 2,500, equivalent to an annual rate of 32·0 in every 1,000 of the population; and in the urban districts named above, 376, equal to an annual rate of 15·6 in every 1,000 of the population.

There were registered in London during the same period 27,095 births—being equal to an annual birth-rate of 24·0 in every 1,000 of the estimated population; in Glasgow there were registered 7,585, being equal to 28·1 per 1,000; and in Edinburgh, 1,640—a number affording an annual birth-rate of 20·0 in every 1,000 of the estimated population.

DEATHS.—Omitting the deaths (169) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,082, are equivalent to an annual rate of 20·4 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 21·1. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,251—1,100 males and 1,151 females—affording an annual ratio of 1 in 45·4 or 22·0 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the second quarter of the ten years, 1905–1914, in the Dublin Registration Area was 22·3 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants\* of the north city districts registered last quarter was 836, representing an annual mortality of 20·1 in every 1,000 of the population; and the number in the south city districts was 789, equivalent to a rate

\* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

of 21·5 per 1,000. In the urban districts the number of deaths registered was 457, being equal to an annual death-rate of 19·0 in every 1,000.

The number of deaths registered in London during the same period was 17,121, a number equal to an annual rate of mortality of 15·2 in every 1,000 of the inhabitants; in Glasgow the number was 5,281, equal to 19·6 in every 1,000; and in Edinburgh 1,311, affording an annual death-rate of 16·0 in every 1,000 of the estimated population.

**DISEASES.**—The number of deaths from the principal epidemic diseases\* registered in the Dublin Registration Area during last quarter was 153, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 1·50.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1905–1914:—

NAMES OF DISEASES.	No. of Deaths in June Quarter, 1915.	Average No. of Deaths in June Quarters, 1905–1914.
Enteric Fever, ... ..	6	9
Typhus, ... ..	—	1
Small-pox, ... ..	—	—
Measles, ... ..	23	70
Scarlet Fever, ... ..	4	8
Whooping-cough, ... ..	50	37
Diphtheria, ... ..	18	15

**ENTERIC FEVER.**—Six deaths from enteric fever were registered during the 13 weeks ended 3rd July, which number was 3 under the average for the corresponding period of the preceding 10 years. Two of these deaths appertained to North city districts, 3 to South city districts, and one was that of a person admitted to hospital from a locality outside the Dublin Registration Area.

The cases under treatment in Dublin hospitals during the quarter numbered 90; of these 52 were discharged, 3 died, and 35 remained under treatment at the close of the quarter.

**TYPHUS.**—No death from this cause was recorded, but 11 cases of the disease were treated in Dublin hospitals during the quarter, and of these 10 were discharged, leaving only one case under treatment at the close of the quarter.

**SMALL-POX.**—There was no death from small-pox.

**MEASLES.**—To measles 23 deaths were ascribed, as against 280 in the second quarter of 1914, and an average of 70 for the corresponding period of the ten years, 1905–14. Of the 23 deaths, 2 belonged to South city districts, 20 to Kingstown urban district, and one to Rathmines and Rathgar.

Ninety-one cases of the disease were under treatment in Dublin hospitals during the quarter, and of these 85 were discharged, and 6 cases remained under treatment at the end of the period.

**SCARLET FEVER.**—Only 4 deaths were registered as from this cause, the average number for the second quarter of the ten years 1905–14, being 8, which was also the number recorded during the second quarter of 1914.

At the close of the first quarter of 1915, the cases under treatment numbered 75, the cases admitted during the second quarter of the year were 148, the number discharged from hospital was 156, there were 2 deaths therein, and 65† remained under treatment on 3rd July.

**WHOOPING-COUGH.**—There were 50 deaths from whooping-cough, being 13 over the average for the corresponding quarter of the ten years preceding and 30 over the number registered during the second quarter of 1914. Of the 50 deaths, representing an annual rate of 0·49 per 1,000 of the population, 14 appertained to North city districts, 29 to South city districts, 2 to Rathmines and Rathgar urban district and 5 to Pembroke.

\* See note (\*) on page 416*b*.

† Exclusive of 13 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.



**DIPHTHERIA.**—The deaths from diphtheria, 18 in number, are 3 above the average (15) for the second quarter of the preceding ten years, and 2 above the number for the second quarter of 1914. Seven of the 18 deaths were recorded for North city districts, 8 for South city districts, 2 for Pembroke urban district, and one was that of a person admitted to hospital from a locality outside the Dublin Registration Area. Of the 115 cases treated during the quarter in Dublin hospitals, 28 of which were under treatment in the preceding quarter, 87 were admitted, 77 were discharged, 14 died, and 24 cases of the disease remained in hospitals under treatment at the close of the quarter.

**DIARRHOEAL DISEASES.**—Fifty-two deaths were returned under this heading, and of these 49 were deaths of children under 2 years of age from diarrhoea and enteritis. The average number of deaths of children from the latter causes for the four years, 1911–14, was 51, the number recorded during the second quarter of 1914 being 50.

**INFLUENZA.**—The deaths from influenza, numbering 27, are one under the average for the second quarter of the preceding 10 years, but are 17 above the number registered during the second quarter of 1914.

**CEREBRO-SPINAL FEVER.**—Six deaths were registered in the Dublin Registration Area, as from this cause. In the preceding quarter 7 deaths were registered, and during the whole of the year 1914 only 3 deaths were recorded, no death from this disease having occurred during the second, third and fourth quarters of that year. The average for the second quarter of the decennium, 1905–14, was 5.

**TUBERCULOSIS.**—There were 447 deaths from all forms of tuberculous disease registered during the quarter, affording an annual rate of 4·37 per 1,000 of the population, and comprise 347 deaths from pulmonary tuberculosis, 42 from tuberculous meningitis, 20 from abdominal tuberculosis, 3 from tuberculosis of the vertebral column, 2 from tuberculosis of joints, 6 from tuberculosis of other organs and 27 from disseminated tuberculosis. The 447 deaths are 25 above the average (422) for the second quarter of the ten years 1905–14, and 81 above the number (366) for the second quarter of 1914.

The deaths from tuberculous disease appertaining to North city districts afford an annual rate of 4·48 per 1,000 of the population; the corresponding rate for the South city districts was 4·31—the rate for the whole city being 4·40 per 1,000. The mortality from tuberculous disease for Rathmines and Rathgar urban district was 2·53 per 1,000; for Pembroke, 2·49; for Blackrock, 0·87; and for Kingstown, 2·83, the annual rate represented by the total deaths from tuberculous disease in the last-named four urban districts being 2·41 per 1,000 of the population.

The deaths from pulmonary tuberculosis recorded for the Dublin Registration Area were equivalent to an annual rate of 3·08 per 1,000, the rate for North city districts being 3·42; for the South city, 3·47; and for the urban districts named above, it was 1·91 per 1,000.

**PNEUMONIA.**—To pneumonia 163 deaths were attributed; of these 71 were caused by broncho-pneumonia, 27 by lobar pneumonia, and 65 by pneumonia (type not distinguished). The annual rate represented by these deaths was 1·59 per 1,000 of the population.

**CANCER.**—There were 118 deaths from this disease, affording an annual rate of 1·15 per 1,000 of the population.

**DISEASES OF THE BRAIN AND NERVOUS SYSTEM.**—Under this heading 221 deaths were returned, being equal to an annual rate of 2·16 per 1,000. The 221 deaths include 6 from cerebro-spinal fever, 29 from simple meningitis and 53 from convulsions, all of the latter being deaths of children under 5 years of age.

**DISEASES OF THE CIRCULATORY SYSTEM.**—The number of deaths from these diseases amounted to 222, which number affords an annual rate of 2·17 per 1,000 of the population. Of the total, 192 were from organic diseases of the heart.

**BRONCHITIS.**—Deaths from bronchitis numbered 245, equivalent to an annual rate of 2·40 per 1,000 of the population.

**CONGENITAL CONDITIONS.**—Among the deaths included in this heading are 10 deaths attributed to congenital malformations, 60 to prematurity, and 62 to congenital debility.

**VIOLENCE.**—Fifty-three deaths were assigned to accidental causes, and of these 2 were caused by poisons or poisonous vapours (one by hydrocyanic acid and one by ammonia), 6 (including 2 of children under 5 years of age) by burns or scalds, 6 by drowning, 4 by railways, and 11 by vehicles and horses (including 8 caused by motors).

The deaths of 6 soldiers were caused by wounds received in battle.

Two cases of homicide and 3 of suicide were registered.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter (13 weeks) ended Saturday, 3rd July, 1915.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ... ..	29	61	52	3	35
Typhus, ... ..	4	7	10	—	1
Small-pox, ... ..	—	—	—	—	—
Measles, ... ..	12	79	85	—	6
Scarlet Fever, ... ..	75	148	156	2	65*
Diphtheria, ... ..	28	87	77	14	24
Pneumonia, ... ..	22	88	76	16	18

\* Exclusive of 13 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 54 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 54 cases, 26 (or 48 per cent.) were deaths of children under 5 years of age; these 26 deaths form 4·5 per cent. of the total number of deaths of children of that age-period. Of the deaths of 147 infants under one month old registered, there were 12 (or 8·2 per cent.) regarding which the cause was uncertified.

From Table II., on page 416*f*, it will be seen that, excluding 169 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,082, equal to an annual rate of 20·4 per 1,000 of the estimated population, and that 150 of these deaths, representing an annual rate of 1·5 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 20·8 per 1,000, and for the urban districts 19·0 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 1·4, and in the urban districts 1·7, the rates for the several districts varying from 0·0 in Clontarf and Howth No. 1 (part of) to 5·7 in Kingstown, the 110 deaths from all causes for that district, including 20 from measles, and 4 from diarrhoeal diseases.

OCCUPATIONS.—Table III., on page 416*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 22·4 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 18·0 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 16·3; and in the "General Service Class" it was 21·3.

AGES.—Of the 2,251 persons whose deaths were registered in the Dublin Registration Area during the quarter, 581 were under 5 years of age, including 365 infants under one year of age, the latter representing a rate of 126·9 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 56·8 in every 1,000 children at that age (according to the Census of 1911); 83 were between the ages of 5 and 15, representing an annual rate of 4·7 per 1,000 persons at that age-period; 152 were between the ages of 15 and 25, equivalent to an annual rate of 7·6 per 1,000; the total number under 25 years being equal to an annual mortality of 17·0 per 1,000 of the population at that age-period (according to the Census of 1911); 386, or 12·4 per 1,000 persons, were between 25 and 45; 549, or 37·3 per 1,000, between 45 and 65; 285, or 67·5 per 1,000, between 65 and 75; and 215, or 153·8 per 1,000, were aged 75 and upwards, including 12 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,251 deaths recorded during the quarter, 988, or 43·9 per cent., occurred in public institutions, viz., 608 in the various hospitals, prisons, and lunatic asylums; 159 in the North Dublin Union Workhouse; 208 in the South Dublin Union Workhouse; and 13 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 48·8†. At Greenwich, for the quarter, it was 54·5°; at Glasgow 51·3°; and at Edinburgh, 48·9°.

The rainfall at Dublin during the thirteen weeks measured 4·33‡ inches; at Greenwich, 4·45 inches; at Glasgow, 5·86; and at Edinburgh, 4·14 inches.

† See note (\*) p. 416*h*.

‡ For 13 weeks ended 26th June.



TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,\* for the thirteen weeks ended June 26th, 1915.

Prepared at the Meteorological Office under the direction of Sir NAPIER SHAW, F.R.S.

1915. WEEK ENDED.	BAROMETER.		THERMOMETER.				HYGROMETER.			OZONE.	BRIGHT SUNSHINE.			RAINFALL.		WIND.				
	Mean at 32° F. Mean Sea Level and Standard Gravity. 45° Lat.	Difference from Average.	Means of		Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.		Mean of Wet Bulb.	Mean Humidity.	Ozone.	Mean Daily Amount in Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Difference from Average.	Number of Days.	Mean Force (Beaufort Scale 0-12).
			Maximum A.	Minimum B.					° F.	° F.										
April 3rd, ...	1015.6	—	50.1	31.0	40.6	—	59	26	40.4	38.5	—	83	—	5.8	+1.3	46	—	5	0.4	
" 10th, ...	1003.9	—	51.7	37.0	44.4	—	54	32	43.8	41.8	—	86	—	6.9	+2.1	53	18	6	1.5	
" 17th, ...	1024.9	—	54.0	39.6	46.8	—	56	32	46.1	44.4	—	89	—	3.5	-1.7	26	2	4	0.0	
" 24th, ...	1020.5	—	54.9	37.1	46.0	—	60	28	46.5	44.1	—	84	—	5.2	-0.3	37	11	5	0.5	
May 1st, ...	1022.3	—	55.3	39.7	47.5	—	60	36	47.3	45.0	—	84	—	8.3	+2.5	58	9	2	0.2	
" 8th, ...	1018.3	—	55.6	38.6	47.1	—	64	28	48.3	46.1	—	86	—	5.6	-0.5	38	2	2	0.2	
" 15th, ...	1019.3	—	53.4	37.9	45.7	—	62	28	45.9	43.4	—	83	—	4.7	-1.8	31	11	5	0.2	
" 22nd, ...	1013.9	—	58.6	45.1	51.9	—	68	40	51.0	49.5	—	91	—	4.4	-2.4	28	24	3	0.5	
" 29th, ...	1022.7	—	61.4	39.0	50.2	—	67	32	51.8	48.3	—	82	—	12.7	+5.8	79	0	0	0.5	
June 5th, ...	1019.3	—	62.1	43.3	52.7	—	68	32	54.0	51.6	—	85	—	3.1	-0.6	37	7	3	0.4	
" 12th, ...	1017.1	—	65.3	46.3	55.8	—	68	36	56.9	55.0	—	89	—	6.9	+0.3	42	2	3	0.2	
" 19th, ...	1023.2	—	63.1	42.4	52.8	—	69	35	54.6	51.7	—	83	—	11.2	+4.7	67	0	0	0.4	
" 26th, ...	1014.9	—	62.6	43.7	53.2	—	69	32	55.5	53.4	—	87	—	5.9	-0.6	35	18	3	0.5	
Mean, ...	1018.1	+3.7	57.5	40.1	48.8	-1.3	69	26	49.4	47.2	—	86	—	6.7	+0.7	44	110	41	0.4	

\* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

NOTE —The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from the average for these elements being for the calendar months April to June. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter (13 weeks) ended 3rd July, 1915**, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases\* ; with the Mortality from some of the principal causes ; also the Deaths at certain age-periods, and the number of Uncertified Deaths ; the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1915.		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.		CAUSED BY													Number of Uncertified Deaths.												
Cols.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)			
North City.																																	
NORTH CITY, No. 1, E.,		30,504	21.0	1.8	160	29	9	8	4	13	28	44	25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 1, W.,		41,685	21.7	0.9	226	35	5	11	13	14	48	56	44	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 2,		27,883	24.0	1.3	167	31	13	9	9	18	23	40	29	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 3,		35,887	19.5	1.2	175	33	10	8	5	9	33	44	33	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
CLONTARF AND HOWTH, No. 1,		5,539	16.6	.	23	2	1	1	1	2	3	4	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
part of.		13,820	15.1	0.9	52	2	2	.	2	3	10	19	14	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
COOLICK AND DRUMCONDRA, part of,		10,829	12.2	1.1	33	8	1	3	3	2	4	8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
FINGLAS AND GLASNEVIN, part of,																																	
South City.																																	
SOUTH CITY, No. 1,		41,170	20.0	1.6	206	43	15	7	4	12	38	44	43	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 2,		18,341	27.7	3.5	127	23	10	8	2	4	22	30	28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 3,		43,970	22.2	1.5	244	36	11	21	12	15	39	55	55	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" " 4,		33,171	20.0	0.7	166	36	6	7	7	6	24	44	36	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
NEW KILMAINHAM,		9,948	18.5	2.4	46	9	2	2	3	5	9	12	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urban Districts.																																	
RATHMINES AND RATHGAR,		39,541	17.9	0.6	177	22	3	6	5	10	19	43	69	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pembroke, . . . . .		30,538	18.9	1.2	144	28	5	6	5	9	18	30	43	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BLACKROCK, . . . . .		9,233	11.3	0.4	26	4	1	.	1	2	2	6	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KINGSTOWN, . . . . .		16,941	26.0	5.7	110	12	14	8	1	3	16	21	35	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total		166,147	20.1	1.2	836	140	41	40	37	56	149	215	168	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South, . . . . .		146,600	21.5	1.7	789	147	44	45	28	42	132	185	166	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
North and South,		312,747	20.8	1.4	1,625	287	85	85	65	98	281	400	324	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total Urban Districts,		96,253	19.0	1.7	457	66	23	20	12	24	55	100	157	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total Registration Area,		409,000	20.4	1.5	2,082	353	108	105	77	122	336	500	481	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).					169	12	1	2	6	30	50	49	19	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

\* See note (\*) on page 416f.

\* See note (\*) on page 416f.



TABLE III.—Showing, in FIVE GENERAL CLASSES and EIGHTEEN GROUPS, the OCCUPATIONS or SOCIAL POSITION of the Persons whose Deaths were registered in the Dublin Registration Area during the **Quarter** (13 weeks) **ended Saturday, 3rd July, 1915**; the Annual Death Rate represented by the Deaths Registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, QUARTER (13 WEEKS) ENDED SATURDAY, 3RD JULY, 1915.																														
Class.		OCCUPATION OR SOCIAL POSITION.  [The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed 1910 ratio among the several groups to which they most probably belonged.]	COLS.	AGES.										CAUSES OF DEATH.													Number of Uncertified Deaths.			
				Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.		AGES.								CAUSES OF DEATH.														
				(1)	(2)	(3)	AGES.								CAUSES OF DEATH.															
				(1)	(2)	(3)	Under 5 Years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary Tuberculosis.	Other Forms.	Cancer.	Convulsions.	Pneumonia.		Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years and upwards.
ALL PERSONS.	397,957	—	2,251	581	83	152	386	549	235	215	6	.	.	23	4	50	18	4	347	100	118	53	163	275	49	3	58	980	54	
DEATHS IN FAMILIES OF THE—																														
PROFESSIONAL AND INDEPENDENT CLASS.																														
I.	PROFESSIONAL AND INDEPENDENT CLASS.	14,658	22.4	82	2	2	1	12	21	15	29	.	.	1	2	6	5	.	8	19	9	2	5	5	.	.	4	50	1	
II.	MIDDLE CLASS.	101,798	18.0	457	71	17	41	71	114	74	69	2	.	2	2	14	5	2	56	37	37	2	35	41	3	1	15	231	5	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	16.3	441	96	20	29	87	120	39	50	4	.	18	1	28	9	2	75	18	23	3	56	31	1	4	15	207	15	
IV.	GENERAL SERVICE CLASS.	167,479	21.3	891	369	40	68	155	155	76	28	.	.	18	1	28	9	2	144	44	28	44	82	86	31	1	34	335	33	
V.	INMATES OF WORKHOUSES.	5,602	—	380	43	4	13	61	139	81	39	.	.	.	1	2	1	.	64	19	21	4	14	87	9	.	1	157	.	
PROFESSIONAL AND INDEPENDENT CLASS.																														
I.	1. Clerical, Medical, Legal and Other Professions: Naval and Military Officers, and Heads of Public Departments.	7,868	30.5	69	1	2	1	11	15	8	22	.	.	1	.	.	.	.	7	.	3	.	5	4	.	.	3	37	1	.
	2. Merchants and Manufacturers, Higher Class	1,347	8.9	3	.	.	.	.	1	2	7	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	1	.	.
	3. Persons of Rank and Property, not otherwise described.	5,443	14.0	19	1	.	.	1	5	5	7	.	.	.	.	.	.	.	1	.	4	.	.	1	.	.	1	12	.	.
MIDDLE CLASS.																														
II.	4. General Body of Officials—Civil Service, Banking, &c.	9,523	16.0	38	6	.	.	7	12	7	6	.	.	.	.	.	.	.	5	1	3	.	2	2	.	.	2	21	1	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199	16.8	106	17	6	3	14	25	23	18	.	.	2	1	3	3	.	9	2	9	.	6	12	.	1	2	56	1	.
	6. Clerks and Commercial Assistants.	33,249	14.4	120	33	5	20	25	20	9	8	.	.	.	.	2	.	.	22	10	5	.	13	7	.	1	4	55	1	.
	7. Miscellaneous—including all Household-ers in Second Class Localities, not included in above.	33,827	22.8	193	15	6	18	25	57	35	37	2	.	.	.	.	1	2	.	20	6	20	2	14	20	.	.	7	99	2
ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	11.2	33	11	4	3	7	5	1	2	.	.	.	.	4	1	.	7	2	2	.	3	1	.	1	.	12	1	.
	9. Building and Furnishing Trades.	28,823	16.4	118	39	5	7	24	27	5	11	.	.	1	.	3	1	1	25	3	2	.	10	16	.	4	1	52	2	.
	10. Clothing Trades.	20,026	12.2	61	8	3	5	9	16	8	12	.	.	.	.	1	.	.	9	2	2	.	4	10	.	1	.	32	1	.
	11. Food Supply Trades.	8,952	12.5	28	7	2	2	5	8	3	3	.	.	.	.	1	.	.	3	2	1	.	1	5	.	1	.	13	.	.
	12. Other Trades and Callings ranking with Trades.	32,070	21.8	175	27	4	13	39	54	19	19	.	.	1	.	3	1	1	28	8	14	1	5	21	.	2	90	10	.	
	13. Petty Shopkeepers.	6,772	15.4	26	4	2	1	3	10	3	3	.	.	.	.	2	.	3	3	2	1	2	4	3	.	1	8	1	.	.
GENERAL SERVICE CLASS.																														
IV.	14. Army, Police, Postal Delivery, and Prison Services, &c.	12,977	42.2	137	68	4	8	28	15	7	7	3	.	5	1	4	3	.	14	7	4	8	16	6	11	1	7	47	6	.
	15. Domestic Servants.	36,041	9.4	84	37	2	12	14	18	12	3	.	.	1	.	1	.	.	12	4	7	5	7	11	1	.	36	1	.	.
	16. Coach and Car Drivers, Vannmen, &c.	15,380	21.1	588	37	2	12	16	16	8	3	1	.	2	.	4	3	.	8	3	4	5	9	12	2	.	1	28	3	.
	17. Hawkers, Porters, Labourers, &c.	103,081	22.8	588	240	33	45	101	106	49	14	1	.	10	.	19	3	2	110	30	13	26	50	57	17	.	26	224	23	.
INMATES OF WORKHOUSES.																														
V.	18. Workhouse Inmates.	5,602	—	380	43	4	13	61	139	81	39	.	.	.	1	2	1	.	64	19	21	4	14	87	9	.	1	157	.	.

TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18·3 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Bangor, 10·3 ; Lurgan, 11·8 ; Ballymena, 12·3 ; Clonmel, 12·9 ; Bray, 13·5 ; Lisburn, 13·6 ; Armagh, 14·1 ; Tralee, 15·1 ; Belfast, 16·7 ; Newry, 17·1 ; Londonderry, 17·7 ; Wexford, 18·0 ; Waterford, 18·2 ; Cork, 18·9 ; Drogheda, 18·9 ; Larne, 18·9 ; Limerick, 19·5 ; Newtownards, 19·6 ; Sligo, 19·7 ; Portadown, 19·8 ; Athlone, 19·8 ; Galway, 19·9 ; Dublin Registration Area, 20·4 ; Kilkenny, 20·5 ; Coleraine, 21·1 ; Dundalk, 21·9 ; Queenstown, 22·9.

The average annual rate represented by the deaths from the principal epidemic diseases\* in the 27 districts is 1·3 per 1,000 of the population, the rates varying from 0·0 in six of the districts to 4·8 in Portadown, the 58 deaths from all causes for that district including 14 deaths from measles.

The following is a synopsis of the mortality from the principal epidemic diseases\* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

ENTERIC FEVER.—Of 5 deaths from enteric fever, 2 appertained to Londonderry, and one death each to Belfast, Limerick, and Sligo.

TYPHUS.—There was no mortality from this cause.

SMALL-POX.—No death from small-pox was recorded.

MEASLES.—For Belfast, 55 deaths were returned ; for Portadown, 14 deaths ; for Coleraine, 6 deaths ; for Newtownards, 3 ; for Cork, 3 ; and for Ballymena, 2.

SCARLET FEVER.—Of 30 deaths from scarlet fever, 12 belonged to Waterford, 10 to Belfast, 3 to Newtownards, 2 to Lisburn, and one death each to Cork, Limerick, and Larne.

WHOOPIING-COUGH.—There were 39 deaths in Belfast, 10 in Londonderry, 7 in Cork, 2 in Dundalk, 2 in Larne, and one death each in Lisburn and Coleraine.

DIPHTHERIA.—Five deaths were recorded for Belfast, and one death each for Dundalk, Kilkenny, and Newtownards.

DIARRHOEAL DISEASES.—Included in the 45 deaths from diarrhoeal diseases are 37 from diarrhoea and enteritis of children under 2 years of age, 21 of the latter appertaining to Belfast, 3 to Queenstown, and 2 deaths each to Londonderry, Lisburn and Wexford.

PHTHISIS.—The annual death-rate from pulmonary tuberculosis for the 27 towns in the aggregate was 2·7 per 1,000 of the estimated population ; for the Dublin Registration Area it was 3·1 per 1,000, for Belfast county borough 2·5 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 2·5 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

\* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhoeal diseases.



TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter** (13 weeks) **ended Saturday, 3rd July, 1915**, in the Dublin Registration Area, and in each of the undermentioned twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

REGISTRATION—QUARTER (13 WEEKS) ENDED 3RD JULY, 1915.																											
NUMBERS REGISTERED.																											
DEATHS.																											
Caused by																											
BIRTHS.																											
Annual Rate per 1,000 persons Represented by																											
DEATHS.																											
From all Causes.																											
From certain Epidemic Diseases.†																											
BIRTHS.																											
From all Causes.																											
From certain Epidemic Diseases.†																											
POPULATION.																											
Per-sons to an Acre.																											
Total.																											
COLS.																											
TOTAL OF 27 TOWN DISTRICTS, ...																											
DUBLIN REGISTRATION AREA :—																											
TOTAL																											
CITY OF DUBLIN																											
RATHMINES AND RATHGAR, ...																											
PENROSE, ...																											
BLACKROCK, ...																											
KINGSTOWN, ...																											
BELFAST, ...																											
CORK, ...																											
LONDONDERRY, ...																											
LIMERICK, ...																											
WATERFORD, ...																											
GALWAY, ...																											
DUNDALK, ...																											
LURGAN, ...																											
DROGHEDA, ...																											
LISBURN, ...																											
NEWRY, ...																											
PORTADOWN, ...																											
WEXFORD, ...																											
BALLYMENA, ...																											
SILIGO, ...																											
KILKENNY, ...																											
CLONMEL, ...																											
NEWTOWNARDS, ...																											
QUEENSTOWN, ...																											
LARNE, ...																											
COLERAINE, ...																											
BANGOR, ...																											
BRAY, ...																											
ATHLONE, ...																											
ARMAGH, ...																											
No. of Deaths in Public Institutions.																											
No. of Uncertified Deaths.																											

\*The population given for the Dublin Registration Area, and the cities of Belfast and Londonderry, is that estimated to the middle of 1915 : that for each of the other districts is the population according to the Census of 1911.

† See note (\*) on page 416i.

(a) Including 5 deaths from cerebro-spinal meningitis for Dublin, 26 for Belfast, and one for Lurgan.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK registered during the Quarter (13 weeks) ended 3rd July, 1915, Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal Causes; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																			
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Total Number of DEATHS.				Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.			Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.																
				All Causes.	Certain Epidemic Diseases†	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)									(11)	(12)		(13)	(14)							(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)															
City of Belfast.																																																
BELFAST	URBAN No. 1 DISTRICT,	15,879	93	20.4	2.8	81	11	12	29	37	42	20	17					7	4	1	1		11	6	6	10	2		5	7	26																	
Do.	2 do.	49,500	315	17.5	1.4	217	32	29	27	35	50	37	31					6	3	2		41	14	10	13	18	6		1	6	73																	
Do.	3 do.	50,082	366	16.5	1.6	207	40	22	23	35	50	37	31					2	1			36	11	9	19	19	6	2	2	5	43	2																
Do.	4 do.	32,637	312	17.4	0.7	142	33	20	20	29	20	20	20					1	4			24	4	7	23	15	1		2	4	64	1																
Do.	5 do.	16,112	132	29.3	1.7	118	25	14	15	21	26	17	17							1		13	8	10	18	12			1	2	36	1																
Do.	6 do.	37,293	191	14.2	0.6	132	19	9	7	18	34	45	1					2				9	8	10	20	14	2		1	5	15																	
Do.	7 do.	2,681	11	10.4	—	7		1	2	3	1											2																										
Do.	8 do.	5,964	33	10.7	—	16		3	5	3	3	2										5		1																								
Do.	9 do.	24,427	180	17.4	1.8	106	23	17	20	18	18	10						1	1			20	9	3	9	8				1	1	4																
Do.	10 do.	28,958	219	18.6	1.2	135	29	8	19	26	34	19						1	9			25	7	4	10	9	4		2	2	21	4																
Do.	11 do.	39,311	276	12.3	0.7	121	22	19	12	21	23	24						2	3	1		16	6	6	6	17	12		3	5	19	1																
Do.	12 do.	38,076	318	21.1	2.4	201	31	86	38	31	39	26						4				25	8	8	21	30	2		4	15	50	2																
Do.	13 do.	23,233	142	12.7	0.9	74	9	8	6	14	18	19						5				12	3	6	5	7	1		1	3	8																	
Do.	14 do.	175	2	45.5	—	2		1	1									1				15		7																								
Do.	15 do.	22,669	129	21.9	1.9	134	18	15	15	26	31	19							9				11						2	4																		
Total,		386,947	2,712	16.7	1.3	1,683	292	202	230	297	375	287						55	10	39	5		254	96	84	170	163	21	2	27	63	434	12															
City of Cork.																																																
CORK	URBAN No. 1 DISTRICT,	13,455	46	14.6	—	49	8	5	4	6	12	14						3				6	1	3	3	4																						
Do.	2 do.	10,399	73	21.5	1.5	56	5	8	6	9	16	12						8	1			14	1	1	1	2	7																					
Do.	3 do.	9,793	73	20.8	—	51	9	7	11	7	9	8										12	1	1	2	3	5	1		2	5	16	4															
Do.	4 do.	9,189	36	18.4	0.9	42	5	1	3	12	10	11								1		7	3	3	2	1				1	3	24	2															
Do.	5 do.	6,250	23	19.2	—	30	3	3	5	4	6	9										4	4	3	2	1																						
Do.	6 do.	11,581	73	19.0	0.7	55	5	7	7	13	11	12								2			3	2	4	4																						
Do.	7 do.	16,056	106	19.7	1.0	79	9	11	8	19	17	15								4		15	9	6	11	2				1	1	28	1															
Total,		76,673	430	18.9	0.6	362	44	42	44	70	81	81						3	1	7		70	19	18	29	29		1		5	17	130	11															



# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX** of the **PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 10TH JULY, 1915.

[No. 27.]

*General Register Office, Charlemont House,  
Dublin, 12th July, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 13·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 19	June 26	July 3	July 10	
<b>27 Town Districts, (a)</b>	<b>14·2</b>	<b>14·8</b>	<b>16·6</b>	<b>13·3</b>	<b>14·7</b>
Dublin Reg. Area ...	16·4	15·7	18·6	15·9	16·6
Dublin City ...	16·3	15·2	19·5	15·7	16·7
Belfast ...	13·2	12·9	13·1	10·0	12·3
Cork ...	10·2	21·8	19·0	13·6	16·1
Londonderry ..	11·4	11·4	26·6	16·5	16·5
Limerick ...	8·1	10·8	25·7	21·7	16·6
Waterford ...	13·3	20·9	9·5	19·0	15·7

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 77 deaths from all causes for Belfast are 3 from measles, 2 from scarlet fever, 3 from whooping-cough, and 3 from diarrhoeal diseases. Included in the 20 deaths from all causes for Cork are one from measles, one from diphtheria, and one from diarrhoea. Two of the 10 deaths from all causes for Waterford were caused by scarlet fever; and one of the 4 deaths recorded for Larne was attributed to measles.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 202—118 boys and 84 girls—and the deaths to 133—58 males and 75 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·9 per 1,000 of the population. During the twenty-seven weeks, ending with Saturday last, the death-rate averaged 24·7, and was 2·1 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 133, represent an annual rate of 17·0 per 1,000; the annual rate for the past twenty-seven weeks was 26·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 2 from measles, 2 from diphtheria, 7\* from diarrhoea and enteritis of children under 2 years of age, and 2 from influenza.

In the three preceding weeks, deaths from measles were 0, 2, and one; deaths from diphtheria were 2, one, and 0; deaths of children under 2 years of age from diarrhoea and enteritis were 5, 2, and 5; and deaths from influenza were one, 0, and 0, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 24, 28, and 34, respectively, fell to 20 last week, the latter comprising 18 deaths from pulmonary tuberculosis, one from abdominal tuberculosis, and one from disseminated tuberculosis.

Eight\* deaths from cancer were registered.

Broncho-pneumonia caused 4 deaths, and pneumonia (type not distinguished), 3 deaths.

Among deaths of infants under one year old, 3 were ascribed to convulsions, one to congenital malformation, 5 to prematurity, and 3 to congenital debility.

To organic diseases of the heart 15 deaths were attributed, and to bronchitis, 13 deaths.

One death was caused by an accidental fall.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 infants under one year old, and the death of one person aged 78 years.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 11 were under one month old), and 38 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards.

Sixty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·9 per 1,000; the rate in the City was 15·7 (North City Districts, 14·8; South, 16·7), and in the Suburbs, 16·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·3 per 1,000 inhabitants, the rate for the City being 1·2 (in the North City Districts 0·9, and in the South 1·4), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·7 per 1,000. There were 2 deaths each from pulmonary tuberculosis and bronchitis.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 26·3 per 1,000. Among them are one death from measles, 2 from tuberculous disease, 2 from broncho-pneumonia, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 9·4 per 1,000. Pulmonary tuberculosis caused one death.

No. 3 *North City District* (Benburb-street).—The deaths (5) represent an annual rate of 7·3 per 1,000. One death from influenza was recorded.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 18·9 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. Of the 5 deaths from all causes for the first-named district, one was from pulmonary tuberculosis, and one was that of a child under 2 years of age from diarrhoea and enteritis; and of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis.

No. 1 *South City District* (South Earl-street).—The deaths (14) represent an annual rate of 17·7 per 1,000. One death each from influenza, pulmonary tuberculosis, pneumonia and bronchitis, and 2 deaths of children under 2 years of age from diarrhoea and enteritis were recorded.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000, and include one death each from diphtheria, pulmonary tuberculosis, and bronchitis.

No. 3 *South City District* (Peter-street).—The deaths (12) are equal to an annual rate of 14·2 per 1,000. There were 3 deaths from pulmonary tuberculosis, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. Seven deaths were caused by tuberculous disease and one by pneumonia.

*New Kilmainham District.*—One death was recorded, equivalent to an annual rate of 5·2 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·8; Pembroke, 18·8; Blackrock, 11·3; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one death from measles and one death of a child under 2 years of age from diarrhoea and enteritis for Rathmines and Rathgar, and one death from diphtheria for Pembroke. Among the 12 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis, 2 from bronchitis, and one accidental death; the 11 deaths from all causes for Pembroke include one from pulmonary tuberculosis, one from broncho-pneumonia, and one from bronchitis; and of the 6 deaths from all causes for Kingstown 2 were from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·5), was equal to an average annual death-rate of 11·7 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 17·2, and for Edinburgh 15·9.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 10th July. From this Report it appears that of 67 cases notified, 36 were scarlet fever, 14 pulmonary tuberculosis, one other forms of tuberculosis, 10 diphtheria, 3 erysipelas, 2 cerebro-spinal fever, and one enteric fever. Among the 522 cases of infectious diseases in hospital at the close of the week were 196 of pulmonary tuberculosis, 163 of scarlet fever, 50 of diphtheria, 31 of measles, 27 of whooping-cough, 11 of erysipelas, 9 of cerebro-spinal fever, and one of enteric fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 10th July, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June. 19,	.	—	—	11	.	.	9	.	.	4	1	.	—	—	.	—	.	29	54
	June. 26,	.	—	—	7	.	.	8	.	1	3	.	.	—	—	.	—	.	18	34
	July. 3,	.	—	—	5	1	.	6	.	.	5	2	.	—	—	.	—	.	20	39
	July. 10,	.	—	—	11	1	.	.	.	.	.	5	.	—	—	.	—	.	24	41
Rathmines and Rathgar Urban District.	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 10,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	June. 19,	.	3	.	.	.	.	.	.	1	2	1	.	—	20	—	—	—	.	25
	June. 26,	.	.	.	.	.	.	.	.	1	1	1	.	—	11	—	—	—	.	14
	July. 3,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	—	.	5
	July. 10,	.	1	.	.	.	.	.	.	.	.	.	.	—	3	—	—	—	.	4
Blackrock Urban District.	June. 19,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	June. 26,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 10,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	June. 19,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	June. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	3	.
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
City of Belfast.	June. 19,	.	—	—	26	.	.	3	.	.	.	2	.	—	—	2	—	.	4	37
	June. 26,	.	—	—	39	.	.	3	.	.	1	3	.	—	—	2	—	.	11	57
	July. 3,	.	—	—	35	.	.	3	.	.	1	.	.	—	—	2	—	.	6	47
	July. 10,	.	—	—	32	.	.	5	.	.	.	.	1	—	1	—	—	.	4	43
City of Cork.	June. 19,	.	6	—	5	.	.	1	.	.	1	1	.	—	—	—	—	—	—	14
	June. 26,	.	7	—	3	.	.	1	1	.	.	1	.	—	—	—	—	—	—	13
	July. 3,	.	3	—	5	.	.	1	.	.	.	.	.	—	—	—	—	—	—	9
	July. 10,	.	3	—	6	.	.	4	.	.	.	1	.	—	—	3	—	—	—	17 <sup>a</sup>
City of Londonderry.	June. 19,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	June. 26,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	July. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	June. 19,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	June. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	June. 19,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	2	5
	June. 26,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	July. 3,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	2	5
	July. 10,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	—	.	8

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 10th July, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 33 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 35, 37, and 35.

One case of typhus was admitted to hospital during the week, and two cases remained under treatment at its close. The cases in hospital at the close of the three preceding weeks were 6, 5, and one respectively.

Two cases of measles were admitted to hospital during the week, 2 were discharged, and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 8, and 6 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 6 were discharged, and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 72, 66, and 65, respectively.

Three cases of diphtheria were admitted to hospital during the week, 7 were discharged, and there was one death. The cases in hospital, which at the close of the 3 preceding weeks numbered 30, 24, and 24 respectively, were 19 at the close of last week.

In addition to the above-named diseases, 6 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death, and 18 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 10th July, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 10TH JULY, 1915.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																						
		POPULATION.		DEATHS.			BIRTHS.											DEATHS.											
		Total. (a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by												Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Un-ified Deaths.			
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Tuber-culosis.					Diseases of the Respiratory System.	Diarrhea and Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	23.1	13.3	1.2	537	309	51	83	...	...	...	7	4	3	3	...	47	9	11	23	33	8	3	2	5	110	14	
DUBLIN REGISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	25.8	15.9	1.3	202	125	18	34	...	...	...	2	...	...	2	...	18	2	6	7	16	6	...	1	3	55	7	
CITY OF DUBLIN, ...	312,747	39.5	28.3	15.7	1.2	170	94	13	28	...	...	...	1	...	...	1	...	16	2	5	4	13	5	...	...	2	47	4	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	22.4	15.8	2.6	17	12	...	2	...	...	...	1	...	...	...	...	1	...	1	...	2	1	...	1	1	4	...	
PEMBROKE, ...	30,538	19.4	15.4	18.8	1.7	9	11	3	2	...	...	...	...	...	...	1	...	1	...	...	1	1	...	...	...	...	4	2	
BLACKROCK, ...	9,233	8.5	11.3	11.3	.	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	12.3	18.5	.	4	6	2	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	
Urban Districts																													
BELFAST ..	403,000	27.6	21.7	10.6	1.4	163	77	17	15	...	...	...	3	2	3	...	...	10	5	2	9	9	1	2	1	1	20	...	
CORK, ..	76,673	28.6	21.1	13.6	2.0	31	20	4	5	...	...	...	1	...	...	1	...	2	1	...	...	2	...	1	...	1	3	1	
LONDON-DERRY	41,200	16.0	24.0	16.5	1.3	19	13	4	1	...	...	...	...	...	...	...	...	1	...	1	2	1	1	...	...	...	3	1	
LIMERICK, ...	38,518	16.1	17.6	21.7	.	13	16	...	7	...	...	...	...	...	...	...	...	3	...	1	2	2	...	...	...	...	11	...	
WATERFORD, ...	27,464	19.1	30.4	19.0	3.8	16	10	1	6	...	...	...	...	2	...	...	...	1	...	...	1	1	...	...	...	...	6	2	
GALWAY, ...	13,256	2.5				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	1	1	
DUNDALK, ...	13,128	9.5				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
DROGHEDA, ...	12,501	8.4				6	5	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
LISBURN, ...	12,388	10.9				7	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				3	4	...	3	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3				5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				10	6	...	5	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	
BALLYMENA ..	11,381	9.3				6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8				3	8	...	4	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	4	2	
KILKENNY, ...	10,514	11.4				1	3	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	...	
TRALEE, ...	10,300	17.4				7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
CLONMEL, ...	10,209	7.8				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
NEWTOWNARDS	9,587	20.1				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
QUEENSTOWN, ...	8,209	14.7				13	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4				3	4	1	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
COLERAINE. ...	7,785	7.7				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5				1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8				1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and 4 at 65 years or upwards) admitted to hospital from localities outside the Area; of the 8 deaths 2 were from cancer, and one (a child under 2 years) was from diarrhoea and enteritis.



TABDE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 10th of July, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																		
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF				
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2		
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diphtheria, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2		
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, . . . . .	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2		
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary, . . . . .	2	1	1	.	.	1	.	1	1	3	6	.	1	1	.	.	18		
{ Other Forms, . . . . .	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	2		
Cancer, . . . . .	.	1	.	.	.	1	.	1	.	1	1	.	1	.	.	.	6		
Diseases of Nervous System, . . . . .	2	4	1	.	.	.	.	1	.	2	1	.	1	.	1	2	15		
"    Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
"    Circulatory System, . . . . .	1	1	1	.	.	1	1	3	1	.	1	.	.	1	.	2	13		
"    Respiratory System. { Pneumonia, . . . . .	2	2	.	1	.	.	1	1	1	2	1	1	2	1	.	2	7		
{ Others, . . . . .	.	.	.	.	.	.	.	2	1	2	1	1	2	1	.	.	16		
"    Digestive System. { Diarrhoea and Enteritis, under 2 years, . . . . .	.	1	.	.	.	1	.	2	.	1	.	.	1	.	.	.	6		
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Others, . . . . .	.	1	1	.	.	1	.	1	.	.	.	.	3	1	.	.	8		
"    Genito-urinary System, . . . . .	.	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	3		
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		
"    Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes, . . . . .	1	6	1	2	.	.	1	.	1	2	2	.	1	4	1	.	22		
Violent Deaths, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1		
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
Deaths from All Causes . . . . .	8	21	5	5	.	5	3	14	5	12	15	1	12	11	2	6	125		
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	13·7	26·3	9·4	7·3	.	18·9	14·4	17·7	14·2	14·2	23·6	5·2	15·8	18·8	11·3	18·5	15·9		
	14·8							16·7							16·8				
	15·7																		
Ages at Death. { Under 1 year, . . . . .	1	7	.	.	.	1	.	1	.	1	2	.	.	3	.	2	18		
{ 1 and under 2 years, . . . . .	.	1	.	.	.	.	.	1	.	.	1	.	3	.	.	1	7		
{ 2     "     5     "     . . . . .	.	3	1	1	.	.	.	1	.	.	.	.	1	.	.	.	7		
{ 5     "     15   "     . . . . .	3	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	6		
{ 15   "     25   "     . . . . .	1	.	.	1	.	.	.	.	.	.	1	1	1	2	1	.	8		
{ 25   "     45   "     . . . . .	.	1	1	2	.	1	1	6	.	2	5	.	1	.	.	.	20		
{ 45   "     65   "     . . . . .	1	6	2	.	.	1	.	2	1	2	2	.	4	3	.	1	25		
{ 65 and upwards, . . . . .	2	3	1	1	.	2	2	3	3	7	4	.	2	2	1	1	34		
Number of Uncertified Deaths, . . . . .	.	2	.	1	.	.	.	.	.	.	1	.	.	2	.	1	7		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	3	4	.	3	.	1	1	2	2	2	4	.	1	3	.	.	26		
Workhouse Hospitals, . . . . .	2	6	2	.	.	.	.	5	2	6	2	.	3	1	.	.	29		





TWENTY-SEVENTH WEEK, ending Saturday, 10th July, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 27th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 10th July, 1915.											
	July 8, 1905.	July 7, 1906.	July 6, 1907.	July 4, 1908.	July 10, 1909.	July 9, 1910.	July 8, 1911.	July 6, 1912.	July 5, 1913.	July 4, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	2	1	3	3	—	3	.	.	.	2	.	.	1	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	6	1	1	3	4	7	4	4	4	4	4.2	7	1	4	2	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards.		—	—	—	—	—	—	1	1	1			.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	—	—	—	—	—	—	.	.	4	.	—	—	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	.	.	—	—	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	1	.	.	.	—	—	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	.	.	1	2	.	.	4	.	2	1.6	3	.	.	.	.	.	.	2	1	.	.	
Other Diseases of Liver, ...	2	1	.	.	1	1	.	1	.	.		1	.	.	1	.	.	.	.	.	.	.	.
Peritonitis (cause unknown),	.	.	.	1	1	.	1	.	1	1		.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	3	3	9	6	3	.	1	.	1	3.0	1	.	.	.	.	.	.	1	.	.	.	
Acute Nephritis, ...	7	5	5	7	5	8	1	1	.	2	5.7	3	.	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...								2	4	4			.	.	.	.	.	.	.	.			
Urinary Calculi, ...								.	1	.			.	.	.	.	.	.	.	.			
Uterine Tumour (non-cancerous).								.	.	.			.	.	.	.	.	.	.	.			
Ovarian Tumour (non-cancerous)								.	.	.			.	.	.	.	.	.	.	.			
Other Diseases of Genito-urinary System.								3	2	.			.	.	.	.	.	.	.	.			
Puerperal Septicæmia, &c., ...	2	.	.	.	.	.	1	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	3	2	3	—	1	.	.	.	.	.	.	1	.	.	.	
Diseases of Locomotor System,	—	—	—	—	—	—	.	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	
Congenital Malformations, ...	—	—	—	—	—	—	3	.	1	.	—	1	.	.	.	.	.	.	.	.	.	.	
Premature Birth, ...	1	5	2	2	2	12	9	3	1	2	3.9	5	4	1	.	.	.	.	.	.	.	.	
Congenital Debility, ...	—	—	—	—	—	—	3	7	2	2	—	3	2	1	.	.	.	.	.	.	.	.	
Old Age, ...	1	2	1	.	1	2	1	1	1	4	1.5	6	.	.	.	.	.	.	.	2	4	.	
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	1	2	—	2	1	.	.	.	.	.	1	.	.	.	
ACCIDENT :																							
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	.	.	.	3	.	1	.	.	3	.	.7	.	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	1	1	.	1	1	.	.	1	1	.6	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	.	3	1	3	1	7	5	1	1	4	2.6	1	.	.	.	.	.	1	.	.	.	.	
Total Deaths from Accident,	.	4	3	7	2	9	5	1	5	5	4.1	1	.	.	.	.	.	1	.	.	.	.	
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	1	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	.	2	1	.	.	1	.4	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide, ...	.	.	.	1	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	1	.	1	.	.	.	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	4	3	2	—	1	.	.	1	.	.	.	.	.	.	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915—WEEK ENDING																									
		Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
No. of weeks in Annual Series,		2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS REGISTERED.		259	185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199	243	202
Average Births in corresponding week of previous 10 years, ...		227	212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216	247	204
DEATHS REGISTERED.		241	233	249	254	236	256	287	272	249	201	228	191	219	205	209	160	205	186	174	140	165	147	147	138	161	133
Annual Death-rate per 1,000, ...		30.7	29.7	31.7	32.4	30.1	32.6	36.6	31.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	17.0	20.5	17.0	
Average Deaths in corresponding week of previous 10 years, ...		188	195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155	143	135	135
Ages, { Under 5 years, ...		74	60	52	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39	34	36	33
5-15 " ...		3	11	8	4	9	11	9	7	11	6	10	8	7	7	5	5	9	8	4	8	3	8	6	6	7	6
15-25 " ...		11	11	8	8	9	7	17	8	9	9	13	12	15	14	12	11	12	16	14	6	9	11	10	12	10	8
25-45 " ...		31	31	35	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21
45-65 " ...		35	63	66	56	61	64	80	60	52	31	46	45	54	45	49	39	48	42	39	33	41	43	39	26	51	27
65-75 " ...		45	38	41	39	25	42	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18	23	16	23
75 and upwards, ...		22	24	36	32	33	35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15
Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		3	6	4	7	10	6	11	6	5	13	10	10	9	4	11	2	5	5	3	1	3	2	3	2	1	2
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		2	4	4	8	10	8	13	18	11	11	11	8	8	4	2	6	3	4	1	1	1	1	1	1	1	1
Dysentery, ...		17	16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18
Tuberculosis { Pulmonary ...		10	5	8	13	7	5	10	8	7	6	9	5	9	9	12	3	10	9	8	7	3	12	6	8	10	8
Cancer, ...		16	11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6	10	10	10	8
Diseases of Circulatory System, ...		21	33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15
Diseases of Respi- ( Pneumonia, ...		34	22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13	11	8	7
ratory System, { Others, ...		58	49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17
Diarrhoea and Enteritis, under 2 years, ...		7	2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	1	9	1	5	2	5	7
Diarrhoea, 2 years and upwards		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...		4	4	8	4	4	11	5	5	8	11	7	4	5	7	7	3	5	2	5	5	6	1	3	5	6	1
Number of Uncertified Deaths, ...		7	11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5	7	7



REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH JULY, 1915.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 10TH JULY, 1915.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
CLASS.	OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified," in Table F3 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Population in each Class and Group in 1911.	AGES.										CAUSES OF DEATH														Total Number of Deaths.	Annual Death Rate per 1,000 of the Population in 1911.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			Under 5 years.						5 and under 15.				15 and under 25.				25 and under 45.				45 and under 65.				65 and under 75.				75 and upwards.				Tuberculosis.		Dysentery.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unrecorded Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)			(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Un- certified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.		
North City, No. 1 (E.) (Office Clarence St. Nth.)	June 5	13.7	3.4	8	.	.	.	.	.	1	.	.	2	1	.	.	1	1	.	.	.
	" 12	20.5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	" 19	12.0	3.4	7	.	.	.	.	.	1	1	.	1	.	.	.	2	.	.	1	1
	" 26	8.5	1.7	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
Population in 1915	July, 3	29.1	1.7	17	.	.	.	.	.	1	.	.	4	1	1	1	1	1	.	.	2
(Est.) 30,504.	" 10	13.7	.	8	.	.	.	.	.	.	.	.	2	.	1	1	2	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	June, 5	36.3	3.8	29	.	.	.	.	.	.	.	.	4	.	1	3	1	3	.	2	1
	" 12	16.3	.	13	.	.	.	.	.	.	.	.	4	1	1	1	3	.	.	.	1
	" 19	15.0	1.3	12	.	.	.	.	.	.	.	.	3	.	1	2	1	.	.	1	1
	" 26	20.0	.	16	.	.	.	.	.	.	.	.	4	1	.	1	2	1	.	1	1
Population in 1915	July, 3	16.3	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	1	1
(Est.) 41,685.	" 10	26.3	2.5	21	.	.	.	1	.	.	.	.	1	1	1	2	2	1	.	1	2
North City, No. 2. (Office, Lisburn-street.)	June, 5	24.3	3.7	13	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	2	1
	" 12	18.7	.	10	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
	" 19	24.3	1.9	13	.	.	.	.	.	1	.	.	.	3	2	1	1	.	.	.	1
	" 26	28.1	1.9	15	.	.	.	.	.	.	.	.	1	3	.	2	1	1	.	.	1
Population in 1915	July, 3	20.6	.	11	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	2
(Est.) 27,883.	" 10	9.4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.)	June, 5	18.9	1.5	13	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.	1
	" 12	8.7	2.9	6	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	1
	" 19	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	1
	" 26	17.4	2.9	12	.	.	.	.	.	.	1	.	1	.	.	2	.	1	.	1	1
Population in 1915	July, 3	10.2	.	7	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	1
(Est.) 35,887.	" 10	7.3	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1
Clontarf and Howth No. 1 (part of).	June, 5	28.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 12	9.4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 26	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	July, 3	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	June, 5	11.3	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.
	" 12	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	7.5	3.8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	" 26	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	July, 3	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
(Est.) 13,820.	" 10	18.9	3.8	5	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	.
Finglas and Glasnevin (part of).	June, 5	24.1	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	" 12	14.4	4.8	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 19	9.6	4.8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Population in 1915	July, 3	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 10	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
South City, No. 1. (Office, Stth. Earl-street.)	June, 5	21.5	1.3	17	.	.	.	.	.	.	.	.	3	.	.	.	5	1	.	.	.
	" 12	16.5	.	13	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.
	" 19	20.3	.	16	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	.
	" 26	10.1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
Population in 1915	July, 3	22.8	.	18	.	.	.	.	.	.	.	.	3	1	1	1	4	.	.	.	1
(Est.) 41,170.	" 10	17.7	2.5	14	.	.	.	.	.	.	.	.	1	.	1	1	2	2	.	.	.
South City, No. 2. (Office, Castle-street.)	June, 5	22.7	2.8	8	.	.	.	.	.	1	.	.	.	1	1	.	1	.	.	.	.
	" 12	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	" 19	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	" 26	25.6	2.8	9	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	.	.
Population in 1915	July, 3	19.9	2.8	7	.	.	.	.	.	1	.	.	1	.	.	.	3	1	.	.	.
(Est.) 18,341.	" 10	14.2	2.8	5	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
South City, No. 3. (Office, Peter-street.)	June, 5	14.2	1.2	12	.	.	.	.	.	.	1	.	.	.	2	2	2	.	.	.	.
	" 12	22.5	1.2	19	.	.	.	.	.	.	.	.	7	.	1	2	3	.	.	.	.
	" 19	14.2	1.2	12	.	.	.	.	.	1	.	.	2	1	2	2	1	.	.	.	.
	" 26	15.4	.	13	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	2	.
Population in 1915	July, 3	23.7	1.2	20	.	.	.	.	.	1	.	.	4	4	.	4	4	.	.	.	1
(Est.) 43,970.	" 10	14.2	1.2	12	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	June, 5	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	1
	" 12	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	" 19	20.4	3.1	13	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	.
	" 26	9.4	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
Population in 1915	July, 3	22.0	1.6	14	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
(Est.) 33,171.	" 10	23.6	.	15	.	.	.	.	.	.	.	.	6	1	1	1	1	.	.	.	1
New Kilmainham.	June, 5	21.0	5.2	4	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1
	" 12	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 26	15.7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
(Est.) 9,948.	July, 3	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 10	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN ENDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Furunculæ, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	June, 5 " 12 " 19 " 26	11.9 17.1 18.5 19.8	. . . 1.3	9 13 14 15	. . . . .	. . . . .	. . . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1 1	. 1 2	. 2 1	1 1 1 1	1 1 2 1	. . . . . . .	. . . . . . .	. . . . . . .
Population in 1915 (Est.) 39,541.	July, 3 " 10	10.5 15.8	. 2.6	8 12	. . .	. . .	. . .	1 1	. . .	. . .	. . .	. . .	. . .	2 1	. . .	. 1	. 1 1	2 2 1	. . . 1	. . . . .	1 1
Pembroke Urban District.	June, 5 " 12 " 19 " 26	13.7 12.0 15.4 13.7	. . . 1.7 . .	8 7 9 8	. . . . . . .	. . . . . . .	. . . . . . .	. . .	. . .	. . .	. . .	. . .	. . .	2 2 1 . .	. 1 . .	. . . . .	. 1 1 1	. 1 2 2	. . . 1 . .	. . . . . . .	1 . . . . 1
Population in 1915 (Est.) 20,538	July, 3 " 10	12.0 18.8	. 1.7	7 11	. . .	. . .	. . .	. . .	. . .	. . .	. 1	. . .	. . .	1 1	. . .	. 1 1	. 1 1	2 2 1	. . . . .	. . . . .	1 1
Blackrock Urban District.	June, 5 " 12 " 19 " 26	. 16.9 5.6 22.6	. . . . . 5.6	. 3 1 4	. . . . . . .	. . . . . . .	. . . . . . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1 . .	. . . . .	. . . . .	. 1 1	. 1 1	. . . . .	. . . . .	. . . 2
Population in 1915 (Est.) 9,233.	July, 3 " 10	5.6 11.3	. . .	1 2	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .
Kingstown Urban District.	June, 5 " 12 " 19 " 26	24.6 24.6 21.5 15.4	6.2 3.1 3.1 3.1	8 8 7 5	. . . . . . .	. . . . . . .	. . . . . . .	2 1 . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	2 1 1 1	. 1 . . . .	2 1 . . . .	. . . 1 1	1 . . 1 2	. . . 1 2	. . . . . 2	. . . . . . .
Population in 1911 16,941.	July, 3 " 10	40.0 18.5	9.2 . .	13 6	. . .	. . .	. . .	1 . . 3	. . . 2	. . . 3	. . . 4	. . . 2	. . . . .	1 1 10	1 . . 5	2 . . 2	. . . 9	2 2 9	. . . 1	. . . 2	
Belfast.	June, 5 " 12 " 19 " 26	16.7 13.7 13.2 12.9	0.9 1.0 1.3 1.2	129 106 102 100	. . . . . . .	. . . . . . .	. . . . . . .	1 5 5 5	1 2 3 . .	1 1 1 . .	1 . . 1 2	. . . . . . .	. . . . . . .	26 20 20 17	4 8 4 8	3 3 2 9	6 11 10 6	10 7 7 7	3 1 2 1	. . . . . 1	3 3 3 2
Population in 1915 (Est.) 403,000.	July, 3 " 10	13.1 10.0	1.3 1.4	101 77	. . .	. . .	. . .	2 3	. . .	4 3	2 . .	. . . . .	. . . . .	17 10	8 5	6 2	7 9	6 9	2 1	. 2	1 1
Cork.	June, 5 " 12 " 19 " 26	15.6 15.6 10.2 21.8	0.7 1.4 0.7 1.4	23 23 15 32	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . 1 . .	. 2 1 . .	. . . . . . .	. . . . . . .	. . . . . . .	5 4 3 5	. 4 1 3	1 1 . . 3	3 1 . . 3	2 2 2 1	1 2 . . . .	. . . . . . .	. . . 1 . .
Population in 1911 76,673.	July, 3 " 10	19.0 13.6	0.7 2.0	28 20	. . .	. . .	. . .	1 1	. . .	. . .	1 1	. . .	. . .	3 2	2 1	2 . .	1 . .	. 2	. . .	. 1	. . .
Londonderry.	June, 5 " 12 " 19 " 26	20.2 21.5 11.4 11.4	1.3 3.8 1.3 2.5	16 17 9 9	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 3 1 1	. . . . . 1	. . . . . . .	. . . . . . .	1 3 1 1	2 2 1 1	2 1 . . 2	. 1 . . 2	1 2 . . 4	. . . . . 1	. . . . . . .	1 . . . . . .
Population in 1915 (Est.) 41,200.	July, 3 " 10	26.6 16.5	2.5 1.3	21 13	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 1	1 . .	. 1	. 2	. 1	. 1	. . .	. 1
Limerick.	June, 5 " 12 " 19 " 26	23.0 19.0 8.1 10.8	1.4 . . . . . .	17 14 6 8	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	3 5 3 2	. . . . . . .	1 . . 1 2	. 3 1 . .	3 1 1 1	. . . . . . .	. . . . . . .	1 . . . . 3
Population in 1911 38,518.	July, 3 " 10	25.7 21.7	1.4 . .	19 16	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 3	. . .	2 1	. 2	. 2	. 1	. . .	. . .
Waterford.	June, 5 " 12 " 19 " 26	15.2 11.4 13.3 20.9	3.8 . . . . 1.9	8 6 7 11	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 1 1 3	. . . 1 2	. . . . . . .	2 1 1 1	. 1 1 2	. . . . . 1	. . . . . . .	. . . . . 1
Population in 1911 27,464.	July, 3 " 10	9.5 19.0	1.9 3.8	5 10	. . .	. . .	. . .	. . .	. 2	. . .	. . .	. . .	. . .	. 1	. . .	. . .	. 1	. 1	. . .	. . .	. 2

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 10th July, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												No. of Deaths in Public Institutions.	Inquest Cases.	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				All Causes.	Certain Epi- demic Diseases,†	Total Number of DEATHS.						Under 1 year.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.				Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
						Total	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pulmonary.	Other Forms.	Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																	(1)									(2)	(3)		(4)							(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
City of Belfast.		Belfast Urban No. 1 District,	15,879	5	3.3	9.9	3.3	3	17	7	7	13	18	15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1915—WEEK ENDING																									
	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.
No. of weeks in Annual Series,	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27
BIRTHS registered, ...	212	281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	198	195	201	168
DEATHS registered, ...	168	156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77
Annual Death-rate per 1,000 of estimated population, ...	21.7	20.2	20.4	25.2	24.6	23.8	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0
AGES, { Under 1 year, ...	32	27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17
1—5 years, ...	25	27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7
5—25 " ...	15	14	15	30	18	9	15	20	17	14	26	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7
25—45 " ...	23	18	20	34	29	23	20	27	27	24	13	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13
45—65 " ...	37	39	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18
65 and upwards, ...	36	31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7	13	15	15
Deaths from :—																										
Enteric Fever, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	10	11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5	2	3
Scarlet Fever, ...	5	3	3	4	3	.	.	3	.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3	.	2
Whooping-cough, ...	5	2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	.	4	3
Diphtheria, ...	1	.	.	.	.	.	1	1	1	1	1	.	.	1	.	.	.	1	.	.	1	.	.	.	2	.
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. { Pulmonary, ...	15	19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10
Other Forms, ...	14	6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4	8	8	5
Cancer ...	6	12	9	6	6	5	6	6	6	6	2	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2
Diseases of Respi- ( Pneumonia, ...	9	12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9
ratory System, { Others, ...	30	20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9
Diarrhoea and Enteritis, under 2 years, ...	2	.	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1
Diarrhoea, 2 years and upwards, ...	.	.	.	1	.	.	.	2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2
Violent Deaths, ...	.	1	.	.	2	4	3	3	.	5	3	3	1	3	.	3	2	1	1	3	3	3	3	2	1	1
Number of Uncertified Deaths, ...	2	1	2	3	3	3	4	3	4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.	.	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	July 10,	1,909	1,000 <sup>c</sup>	11·5	3	.	22	6	20	13	18	
EDINBURGH, ---	328,700	„ 10,	113	100 <sup>c</sup>	15·9	.	.	1	3	2	2	2	
GLASGOW, --	1,078,400	„ 10,	528	356 <sup>c</sup>	17·2	1	.	54	3	10	5	5	
CALCUTTA, --	896,067	May 22,	.	483	28·0	75*	34	.	.	.	1†	64† <sup>a</sup>	
BOMBAY, --	979,445	„ 29,	283	455	24·2	65*	13	.	.	.	.	35 <sup>a</sup>	
MADRAS, ---	518,660	„ 22,	265	341	34·2	42*	2	.	?	?	?	84 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Apr. 29,	534	841	66·3	134	.	2	.	?	1†	98	
	Foreigners, ...	„ 29,	6	17	12·3	.	1	1	.	?	.	.	
ALEXAN- DRIA, {	Egyptians, ...	„ 29,	270	191	29·1	3	1	1	.	?	.	23	
	Foreigners, ...	„ 29,	25	28	19·0	.	1	.	.	?	.	2	
PARIS, ---	2,847,229	May 29,	442	778	14·0	3	.	18	5	5	4†	25	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	611,924	May 29,	259	121	10·3	.	.	1	.	3	1†	2	
COPENHAGEN, ---	492,000	June 12,	208	130	13·8	1	.	.	.	.	.	7 <sup>a</sup>	
STOCKHOLM, ---	386,270	„ 12,	135	100	13·5	.	.	.	2	1	1	3 <sup>a</sup>	
CHRISTIANIA, ---	251,446	„ 19,	103	55	11·4	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	May 8,	.	815	25·1	15	2	28	11	5	3†	69 <sup>a</sup>	
ROME, ---	591,913	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	June 12,	2,577	1,479	13·3	7	.	45	7	8	24	47	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	June 19,	.	206 <sup>b</sup>	14·0	.	.	1	3	5	1	3 <sup>a</sup>	

\* Deaths from "fever," including 12 deaths from plague and 9 from enteric fever in Calcutta; 23 from plague and 4 from enteric fever in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 24 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 176 deaths (including 2 from scarlet fever, and 2 from diarrhoeal diseases); rate, 12·0 per thousand.

<sup>c</sup> Including 4 deaths from cerebro-spinal fever in London, 2 in Edinburgh, and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 10th July, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	6	.	.	.	.	.	.	1	.	.	.	1	8
"    "    1, West, ...	.	.	.	.	.	.	.	.	1	.	.	.	3	4
"    "    2, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
"    "    3, ...	.	.	.	.	.	.	.	.	1	.	.	.	3	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	.	.	.	.	1	.	.	.	4	5
"    "    2, ...	.	2	.	.	.	.	.	.	.	.	.	.	2	4
"    "    3, ...	.	2	1	.	.	.	.	.	.	.	.	.	4	7
"    "    4, ...	.	.	.	.	.	.	.	.	.	.	.	.	4	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	11	1	.	.	.	.	.	5	.	.	.	24	41

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 10th July, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 10th July.			
	June 19.	June 26.	July 3.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	35	37	35	5	7	.	33
Typhus, ...	6	5	1	1	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	9	8	6	2	2	.	6
Scarlet Fever, ...	72	66	65	18	6	.	77*
Diphtheria, ...	30	24	24	3	7	1	19
Pneumonia, ...	18	21	18	6	5	1	18

\* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE  
DUBLIN REGISTRATION AREA,CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 17TH JULY, 1915.

[No. 28.]

General Register Office, Charlemont House,  
Dublin, 19th July, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 12·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	June 26	July 3	July 10	July 17	
<b>27 Town Districts, (a)</b>	<b>14·8</b>	<b>16·6</b>	<b>13·3</b>	<b>12·6</b>	<b>14·3</b>
Dublin Reg. Area ...	15·7	18·6	15·9	13·9	16·0
Dublin City ...	15·2	19·5	15·7	14·2	16·1
Belfast ...	12·9	13·1	10·0	12·0	12·0
Cork ...	21·8	19·0	13·6	10·9	16·3
Londonderry ...	11·4	26·6	16·5	24·0	19·6
Limerick ...	10·8	25·7	21·7	16·2	18·6
Waterford ...	20·9	9·5	19·0	7·6	14·3

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 93 deaths from all causes for Belfast are 3 from measles, 4 from scarlet fever, one from each of whooping-cough and diphtheria, 4 from diarrhoeal diseases, and one from cerebro-spinal fever. One of the 16 deaths from all causes for Cork was from measles, and the 19 deaths from all causes for Londonderry include 5 from whooping-cough, and one of a child under two years of age from diarrhoea and enteritis.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 199—92 boys and 107 girls—and the deaths to 113—57 males and 56 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 4) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·9 per 1,000 of the population. During the twenty-eight weeks, ending with Saturday last, the death-rate averaged 24·3, and was 1·9 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 113, represent an annual rate of 14·4 per 1,000; the annual rate for the past twenty-eight weeks was 25·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·7 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from enteric fever, one from measles, one from scarlet fever, one from whooping-cough, 3 from diarrhoea and enteritis of children under 2 years, and 2 from influenza.

In the 3 preceding weeks, deaths from enteric fever were 0, 0, and 0; deaths from measles were 2, one, and 2; deaths from scarlet fever were one, 0, and 0; deaths from whooping-cough were 2, one, and 0; deaths of children under 2 years of age from diarrhoea and enteritis were 2, 5, and 7; and deaths from influenza were 0, 0, and 2.

Deaths from tuberculous disease, which in the 3 preceding weeks numbered 28, 34, and 20, respectively, fell to 15 last week, the latter including 12 deaths from pulmonary tuberculosis, one from tuberculous meningitis, one from tuberculosis of joints, and one from tuberculosis of other organs.

Nine\* deaths from cancer were registered.

Lobar pneumonia caused one death, and pneumonia (type not distinguished), 4 deaths.

Among deaths of infants under one year old, 3 were ascribed to convulsions, and 5 to congenital debility.

Organic diseases of the heart caused 10 deaths, and bronchitis 6 deaths.

Of the 6 deaths due to accident, one was caused by scalds, one by drowning, one by suffocation in bed, and one was the result of a railway accident.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old, and the death of one person aged 68 years.

Twenty-eight of the persons whose deaths were registered during the week were under 5 years of age (16 being infants under one year, of whom 5 were under one month old), and 26 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Forty-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 6 took place in the North Dublin Union Workhouse, 10 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 13·9 per 1,000; the rate in the City was 14·2 (North City Districts, 12·9; South, 15·8), and in the Suburbs, 13·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 1·3, and in the South 0·7), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (6) are equal to an annual rate of 10·3 per 1,000, and include one from enteric fever, one from lobar pneumonia, and one accidental death.

No. 1 *North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. One of them was due to whooping-cough, 5 to tuberculous disease, and one to bronchitis.

No. 2 *North City District* (Lisburn-street).—The deaths (5) are equivalent to an annual rate of 9·4 per 1,000. One was caused by influenza and one of a child under 2 years of age by diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (6) represent an annual rate of 8·7 per 1,000. Pulmonary tuberculosis was the cause of one death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 11·3 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4. One of the 3 deaths recorded for Coolock and Drumcondra, part of, was attributed to scarlet fever and one to pneumonia; and one of the 3 deaths from all causes for Finglas and Glasnevin, part of, was due to pulmonary tuberculosis.

No. 1 *South City District* (South Earl-street).—The deaths (13) represent an annual rate of 16·5 per 1,000. Among them are one death from pulmonary tuberculosis, one from bronchitis, one (a child under 2 years of age) from diarrhoea and enteritis, and 2 accidental deaths.

No. 2 *South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Pulmonary tuberculosis was the cause in 2 cases and bronchitis in one.

No. 3 *South City District* (Peter-street).—The deaths (13) are equal to an annual rate of 15·4 per 1,000. Included in this number are one death from influenza, one from bronchitis, and one of a child under 2 years of age from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. One death from pulmonary tuberculosis and one from bronchitis were recorded.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21·0 per 1,000. Tuberculous meningitis caused one of them.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·8; Pembroke, 1·7; Blackrock, 28·2; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Blackrock. Of the 12 deaths from all causes for Rathmines and Rathgar one was caused by pulmonary tuberculosis, 2 by pneumonia, and one by bronchitis. One of the 5 deaths from all causes for Blackrock was caused by pulmonary tuberculosis and 2 were accidental deaths; and among the 6 deaths recorded for Kingstown are one from tuberculosis of joints and one from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·0), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 12·5 per 1,000, the rate for Glasgow being 13·2, and for Edinburgh 9·7.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 17th July. From this Report it appears that of 53 cases notified, 19 were scarlet fever, 14 diphtheria, 8 pulmonary tuberculosis, 4 other forms of tuberculosis, 7 erysipelas, and one cerebro-spinal fever. Among the 517 cases of infectious diseases in hospital at the close of the week were 188 of pulmonary tuberculosis, 163 of scarlet fever, 52 of diphtheria, 31 of measles, 28 of whooping-cough, 13 of erysipelas, 7 of cerebro-spinal fever, and one of enteric fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 17th July, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	June. 26,	.	—	—	7	.	.	3	.	1	5	.	.	—	—	.	—	.	18	34
	July. 3,	.	—	—	5	1	.	6	.	.	5	2	.	—	—	.	—	.	20	39
	July. 10,	.	—	—	11	1	.	.	.	.	5	.	.	—	—	.	—	.	24	41
	July. 17,	.	—	—	11	.	.	3	.	.	2	3	.	—	—	.	—	.	9	28
Rathmines and Rathgar Urban District.	June. 26,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 10,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	—	3
	July. 17,	.	—	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	7
Pembroke Urban District.	June. 26,	.	.	.	.	.	.	.	.	1	1	1	.	—	11	—	—	—	.	14
	July. 3,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	—	.	5
	July. 10,	.	1	.	.	.	.	.	.	.	.	.	.	—	3	—	—	—	.	4
	July. 17,	.	2	.	.	.	.	.	.	.	.	.	.	—	4	—	—	—	1	7
Blackrock Urban District.	June. 26,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 10,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 17,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	June. 26,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	3	3	
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	
City of Belfast.	June. 26,	.	—	—	39	.	.	3	.	.	1	3	.	—	—	.	—	.	11	57
	July. 3,	.	—	—	35	.	.	3	.	.	1	.	.	—	—	2	—	.	6	47
	July. 10,	.	—	—	32	.	.	5	.	.	.	.	1	—	—	1	—	.	4	43
	July. 17,	.	—	—	25	.	.	.	1	.	1	2	1	—	—	2	—	.	.	32
City of Cork.	June. 26,	.	7	—	3	.	.	1	1	.	.	1	.	—	—	—	—	—	—	13
	July. 3,	.	3	—	5	.	.	1	.	.	.	.	.	—	—	—	—	—	—	9
	July. 10,	.	3	—	6	.	.	4	.	.	.	1	.	—	—	—	3	—	—	17 <sup>a</sup>
	July. 17,	.	4	—	10	.	.	4	.	.	2	1	.	—	—	2	—	—	—	23
City of Londonderry.	June. 26,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	4
	July. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Limerick.	June. 26,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	June. 26,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	July. 3,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	2	5	
	July. 10,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	.	8	
	July. 17,	.	—	—	5	1	.	.	.	.	.	.	.	—	—	—	—	.	6	

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 17th July, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 5 were discharged, there was one death, and 30 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 37, 35, and 33.

Two cases of typhus remained under treatment at the close of the week. The cases in hospital at the close of the three preceding weeks were 5, one, and 2 respectively.

Four cases of measles were admitted to hospital during the week, one was discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 8, 6, and 6 respectively.

Nine cases of scarlet fever were admitted to hospital, 8 were discharged, one died and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 66, 65, and 77, respectively.

Three cases of diphtheria were admitted to hospital during the week, 2 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 24, 24, and 19 respectively, were 20 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death, and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 17th July, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 17TH JULY, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		BIRTHS.	DEATHS.		BIRTHS.	DEATHS.																					No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
	Total.(a)	Per- sons to an Acre.		From all Causes.	From certain Epidemic Diseases. (b)		Caused by																						
							Tuber- culosis.	Diseases of the Respir- atory System	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.															
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.6	12.6	1.2	548	293	46	58	1	...	...	5	5	7	1	...	35	11	18	13	18	8	1	9	13	88	8	
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	25.4	13.9	0.9	199	109	15	26	1	...	...	1	1	1	...	...	12	3	8	5	6	3	...	5	7	43	3	
CITY OF DUBLIN,	312,747	39.5	28.2	14.2	1.0	169	85	11	19	1	...	...	...	1	1	...	...	10	2	7	2	5	3	...	3	5	38	1	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	14.5	15.8	.	11	12	3	4	...	...	...	...	...	...	...	...	1	...	1	2	1	...	...	...	...	2	1	
PEMBROKE, ...	30,538	19.4	20.5	1.7	.	12	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
BLACKROCK, ...	9,233	8.5	5.6	28.2	5.6	1	5	...	1	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	2	2	1	...	
KINGSTOWN, ...	16,941	11.6	18.5	15.5	.	6	6	1	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	1	1	
Urban Districts																													
BELFAST ...	403,000	27.0	24.1	12.0	1.7	176	(d)93	15	11	...	...	...	3	4	1	1	...	12	2	7	6	6	3	1	3	3	28	...	
CORK, ...	76,673	23.6	21.1	10.9	0.7	31	16	1	5	...	...	...	1	...	...	...	...	1	2	1	...	...	...	...	...	...	3	...	
LONDON- DERRY	41,200	16.0	17.7	24.0	7.6	14	19	3	7	...	...	...	...	...	5	...	...	1	1	...	...	2	1	...	...	...	2	1	
LIMERICK, ...	38,518	16.1	21.7	16.2	.	16	12	4	2	...	...	...	...	...	...	...	...	3	...	...	...	2	...	...	...	...	5	2	
WATERFORD, ...	27,464	19.1	26.6	7.6	.	14	4	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	
GALWAY, ...	13,256	2.5	...	...	...	7	4	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	2	...	
DUNDALK, ...	13,128	9.5	...	...	...	4	4	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	...	
LURGAN, ...	12,553	14.7	...	...	...	8	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4	...	...	...	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LISBURN, ...	12,388	10.9	...	...	...	5	(c)1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
NEWRY, ...	11,963	17.0	...	...	...	6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
PORTADOWN, ...	11,727	15.3	...	...	...	7	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8	...	...	...	2	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
BALLYMENA ...	11,381	9.3	...	...	...	5	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8	...	...	...	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4	...	...	...	3	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	
TRALEE, ...	10,300	17.4	...	...	...	8	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1	...	...	...	2	4	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...	...	
QUEENSTOWN,	8,209	14.7	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4	...	...	...	7	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	...	...	...	5	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BANGOR, ...	7,776	8.5	...	...	...	5	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 4 deaths of persons (including one under one year old) admitted to hospital from localities outside the Area; one of the 4 deaths was from cancer. (d) Including one death from cerebro-spinal fever. (e) Caused by cerebro-spinal meningitis.



TABDE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 17th of July, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.					URBAN DISTRICTS OF					
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	
Scarlet Fever, . . . . .	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	
Whooping-cough, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary, . . . . .	.	4	.	1	.	.	1	1	2	.	1	.	1	.	1	.	12	.	
{ Other Forms, . . . . .	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	3	.	
Cancer, . . . . .	1	2	1	2	.	.	.	1	.	.	.	.	1	.	.	.	8	1	
Diseases of Nervous System, . . . . .	.	1	1	1	.	.	.	.	.	4	2	1	1	.	.	3	14	.	
"  Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
"  Circulatory System, . . . . .	2	2	1	.	.	.	1	1	.	3	.	.	1	1	.	1	13	.	
"  Respiratory System. { Pneumonia, . . . . .	1	.	.	.	.	1	.	1	1	1	1	.	2	.	.	1	5	.	
{ Others, . . . . .	.	1	.	.	.	.	.	1	1	1	1	.	1	.	.	.	6	.	
{ Diarrhoea and Enteritis, under 2 years, . . . . .	.	.	1	.	.	.	.	1	.	1	.	.	.	.	.	.	3	.	
"  Digestive System. { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others, . . . . .	.	2	.	.	.	.	.	1	1	.	.	1	2	.	.	.	7	.	
"  Genito-urinary System, . . . . .	.	3	.	1	.	.	.	1	1	.	.	1	.	.	.	.	7	.	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
Diseases of the Skin and Cellular Tissue, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
"  Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	.	.	.	1	.	1	1	4	.	3	3	.	3	.	1	.	17	2	
Violent Deaths, . . . . .	1	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	5	1	
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
Deaths from All Causes . . . . .	6	18	5	6	.	3	3	13	5	13	9	4	12	1	5	6	109	4	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	10·3	22·5	9·4	8·7	.	11·3	14·4	16·5	14·2	15·4	14·1	21·0	15·8	1·7	28·2	18·5	13·9	.	
	12·9							15·6					13·0						
	14·2																		
Ages at Death. { Under 1 year, . . . . .	1	.	1	.	.	.	1	3	.	3	2	.	3	.	.	1	15	1	
1 and under 2 years, . . . . .	.	1	1	.	.	.	.	.	.	2	1	1	.	.	1	.	7	.	
2 " 5 " . . . . .	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	1	5	.	
5 " 15 " . . . . .	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	1	4	1	
15 " 25 " . . . . .	1	.	.	1	.	.	.	1	.	1	1	.	.	.	.	.	5	.	
25 " 45 " . . . . .	1	3	.	1	.	.	.	2	2	1	1	.	1	.	3	2	17	1	
45 " 65 " . . . . .	1	7	1	3	.	1	2	3	2	2	3	1	4	.	.	.	30	1	
65 and upwards, . . . . .	2	4	2	1	.	1	.	4	1	3	.	1	4	1	1	1	26	.	
Number of Uncertified Deaths, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	1	3	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	4	1	3	.	1	.	3	1	2	5	.	2	1	.	1	26	4	
Workhouse Hospitals. . . . .	.	4	1	1	.	.	.	5	3	2	.	.	.	.	1	.	17	.	





TWENTY-EIGHTH WEEK, ending Saturday, 17th July, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 28th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 17th July, 1915.												
	July 15, 1906.	July 14, 1906.	July 13, 1907.	July 11, 1908.	July 17, 1909.	July 16, 1910.	July 15, 1911.	July 13, 1912.	July 12, 1913.	July 11, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton- sillitis.	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
Diseases of Stomach, ...	—	—	—	—	—	—	1	2	3	2	—	1	.	.	.	.	.	.	.	1	.	.		
Diarrhoea and Enteritis of Children under 2 years.	17	3	7	12	9	5	7	7	10	4	8.4	3	.	.	2	1	.	.	.	.	.	.		
Diarrhoea 2 years and upwards.													.	.	.	.	.	.	.	.	.	.	.	.
Enteritis 2 years and upwards	—	—	—	—	—	—	2	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.		
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	2	2	2	—	2	.	1	.	.	.	.	.	.	1	.		
Hernia and Intestinal Ob- structions.	1	2	1	3	.	1	2	1	2	1	2.0	2	.	.	.	.	.	.	.	2	.	.		
Cirrhosis of Liver, ...	1	2	.	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Liver, ...	.	.	1	.	.	2	.	.	.	.	.5	1	.	.	.	.	.	.	.	1	.	.		
Peritonitis (cause unknown),	6	2	3	7	5	4	.	.	.	.	2.7	1	.	.	.	.	.	.	.	.	1	.		
Other Diseases of Digestive System.																								
Acute Nephritis, ...	6	9	1	6	5	6	9	3	2	3	6.0	1	.	.	.	.	.	.	.	.	.	.		
Chronic Bright's Disease, ...													5	.	.	.	.	1	.	1	2	1	.	.
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		
Puerperal Septicæmia, &c., ...	1	.	.	1	.	.	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	.	.	.	1	2	.	.5	1	.	.	.	.	1	.	.	.	.	.		
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	.	1	—	1	.	.	.	.	.	.	.	.	.	1		
Diseases of Locomotor System,	—	—	—	—	—	—	1	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.		
Congenital Malformations, ...	—	—	—	—	—	—	1	1	2	3	—	.	.	.	.	.	.	.	.	.	.	.		
Premature Birth, ...	7	4	5	2	4	5	3	3	7	3	4.3	.	.	.	.	.	.	.	.	.	.	.		
Congenital Debility, ...	—	—	—	—	—	—	4	4	6	1	—	5	1	4	.	.	.	.	.	.	.	.		
Old Age, ...	.	2	2	4	3	2	5	2	5	3	2.8	4	.	.	.	.	.	.	.	.	1	3		
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	2	1	—	4	1	1	.	.	.	.	.	.	.	2		
ACCIDENT :																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.		
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Burns and Scalds, ...	2	.	.	.	1	1	2	.	.	.	.6	1	.	.	.	.	1	.	.	.	.	.		
Drowning, ...	2	.	1	1	2	.	2	1	.	1	1.0	1	.	.	.	.	.	1	.	.	.	.		
Suffocation in Bed, ...	.	.	.	.	.	.	1	.	.	.	.1	1	.	1	.	.	.	.	.	.	.	.		
Other Deaths by Accident, ...	2	1	2	1	1	1	2	2	2	2	1.6	2	.	.	.	.	1	.	1	.	.	.		
Total Deaths from Accident,	6	1	3	2	4	2	7	3	2	3	3.3	6	.	1	.	.	1	1	2	.	1	.		
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	.	1	.	.	.1	1	.	.	.	.	1	.	.	.	.	.		
Vehicles and Horses, ...	.	1	.	.	.	.	2	1	2	1	.7	.	.	.	.	.	.	.	.	.	.	.		
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
VIOLENCE OTHER THAN ACCIDENTAL:																								
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Suicide, ...	.	1	.	.	.	1	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.		
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	6	7	1	—	1	.	.	.	.	.	.	.	1	.	.		

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915—WEEK ENDING																									
		Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.
No. of weeks in Annual Series,		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
Births registered.		185	238	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199	243	202	199
Average Births in corresponding week of previous 10 years, ...		212	220	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216	247	204	212
Deaths registered, ...		233	249	254	236	256	287	272	249	201	228	194	219	205	209	160	205	186	174	140	165	147	147	133	161	133	113
Annual Death-rate per 1,000, ...		29.7	31.7	32.4	30.1	32.6	26.6	31.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4
Average Deaths in corresponding week of previous 10 years, ...		195	201	195	198	193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155	143	135	135	145
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		60 6 11 31 63 38 24	52 11 8 35 66 41 36	84 4 8 31 56 39 32	68 9 9 31 61 25 33	69 11 7 28 43 64 42	66 9 17 39 80 50 26	62 7 8 40 60 56 39	62 11 9 41 52 35 39	54 6 9 31 46 42 28	61 10 13 43 54 29 26	50 3 12 25 45 34 25	55 7 15 26 54 37 25	50 7 14 35 45 32 22	67 5 12 34 49 17 25	42 5 11 39 19 14	50 9 12 40 48 31 15	46 8 16 35 42 21 18	51 4 14 34 39 17 15	32 8 6 24 33 22 15	54 3 9 26 41 19 13	25 8 11 33 43 18 10	39 6 10 25 39 26 18	34 7 12 23 26 16 11	36 10 10 21 23 23 18	33 6 8 21 27 23 15	28 5 5 18 31 13 13
Deaths from:—		1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diphtheria, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Dysentery, ...		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...		16	22	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12
Cancer, { Other Forms, ...		5	8	13	7	5	10	3	7	6	9	5	9	9	12	3	10	9	3	7	3	12	6	8	9	2	3
Diseases of Circulatory System, ...		11	9	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6	10	10	8	9	9
Diseases of Respiratory System, { Pneumonia, ...		33	32	19	15	33	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	13
Diarrhoea and Enteritis, under 2 years, ...		22	25	32	23	29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13	11	8	7	5
Diarrhoea and Enteritis, under 2 years, ...		49	56	61	55	43	69	59	45	34	39	26	44	25	22	21	21	25	17	17	17	18	12	10	22	17	6
Diarrhoea, 2 years and upwards		2	6	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	5	9	5	5	2	5	7	3
Violent Deaths, ...		4	8	4	4	11	5	5	8	11	7	4	5	7	7	3	5	1	5	6	3	3	5	5	5	1	6
Number of Uncertified Deaths, ...		11	6	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5	7	7	3



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 17th July, 1915 : the Annual Death-rate represented by the Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 17TH JULY, 1915.																															
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			AGES.											CAUSES OF DEATH																	
			Total Number of Deaths.		Under 5 years.						Enteric Fever.					Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of the Respiratory System		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unrecorded Deaths.
					Under 5 years.		5 and under 15.		15 and under 25.		25 and under 45.		45 and under 65.		65 and under 75.								75 and upwards.		Pulmonary.	Other Forms.					
CLASS.	COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)			(24)	(25)	(26)	(27)	(28)
ALL PERSONS.																															
CLASSES.																															
Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...																														
II.	MIDDLE CLASS, ...																														
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																														
IV.	GENERAL SERVICE CLASS, ...																														
V.	INMATES OF WORKHOUSES, ...																														
PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																														
	2. Merchants and Manufacturers, Higher Class																														
	3. Persons of Rank and Property, not otherwise described, ...																														
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...																														
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...																														
	6. Clerks and Commercial Assistants, ...																														
	7. Miscellaneous—including all Household in Second Class Localities not included in above, ...																														
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																														
	9. Building and Furnishing Trades, ...																														
	10. Clothing Trades, ...																														
	11. Food Supply Trades, ...																														
	12. Other Trades and Callings ranking with Trades, ...																														
IV.	13. Petty Shopkeepers ...																														
	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...																														
	15. Domestic Servants, ...																														
	16. Coach and Car Drivers, Vanmen, &c., ...																														
	17. Hawkers, Porters, Labourers, &c., ...																														
V.	INMATES OF WORKHOUSES.																														
	18. Workhouse Inmates, ...																														

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	June, 12	20.5	.	12	.	.	.	.	.	.	.	.	3	.	.	1	2	.	.	.	.
	" 19	12.0	3.4	7	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.
	" 26	8.5	1.7	5	.	.	.	.	.	1	.	.	2	.	1	.	.	.	.	.	1
	July, 3	29.1	1.7	17	.	.	.	.	.	.	.	.	4	1	1	1	1	1	.	.	2
Population in 1915	" 10	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
(Est.) 30,504.	" 17	10.3	1.7	6	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1
North City, No. 1 (W.) (Office, Summer-hill.)	June, 12	16.3	.	13	.	.	.	.	.	.	.	.	4	1	1	.	3	.	.	.	.
	" 19	15.0	1.3	12	.	.	.	.	.	.	.	.	3	.	1	2	.	.	1	.	1
	" 26	20.0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	.	1
	July, 3	16.3	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	.	1
Population in 1915	" 10	26.3	2.5	21	.	.	.	1	.	.	.	.	1	1	1	2	2	1	.	.	2
(Est.) 41,685.	" 17	22.5	1.3	18	.	.	.	.	.	1	.	.	4	1	2	.	1	.	.	.	.
North City, No. 2. (Office, Lisburn-street.)	June, 12	18.7	.	10	.	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.
	" 19	24.3	1.9	13	.	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	1
	" 26	28.1	1.9	15	.	.	.	.	.	1	.	.	1	3	.	2	1	1	.	.	.
	July, 3	20.6	.	11	.	.	.	.	.	.	.	.	2	1	.	.	1	.	1	.	2
Population in 1915	" 10	9.4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
(Est.) 27,883.	" 17	9.4	1.9	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
North City, No. 3. (Office, Benburb-street.)	June, 12	8.7	2.9	6	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.
	" 19	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1
	" 26	17.4	2.9	12	.	.	.	.	.	.	.	.	1	.	.	3	.	.	.	.	.
	July, 3	10.2	.	7	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1
Population in 1915	" 10	7.3	.	5	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	1
(Est.) 35,887.	" 17	8.7	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of).	June, 12	9.4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	July, 3	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(Est.) 5,539.	" 10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	June, 12	11.3	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	7.5	3.8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	" 26	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	July, 3	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 10	18.9	3.8	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.	.
(Est.) 13,820.	" 17	11.3	3.8	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
Finglas and Glasnevin (part of).	June, 12	14.4	4.8	3	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	" 19	9.6	4.8	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	" 26	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July, 3	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 10	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
(Est.) 10,829.	" 17	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	June, 12	16.5	.	13	.	.	.	.	.	.	.	.	3	2	.	1	2	.	.	.	.
	" 19	20.3	.	16	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	.
	" 26	10.1	.	8	.	.	.	.	.	.	.	.	2	1	.	1	1	.	.	.	.
	July, 3	22.8	.	18	.	.	.	.	.	.	.	.	3	1	1	1	4	.	.	.	1
Population in 1915	" 10	17.7	2.5	14	.	.	.	.	.	.	.	.	1	.	1	1	2	2	.	.	.
(Est.) 41,170.	" 17	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	1	1	1	.	2	.
South City, No. 2. (Office, Castle-street.)	June, 12	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	" 19	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1
	" 26	25.6	2.8	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July, 3	19.9	2.8	7	.	.	.	.	.	1	.	.	2	1	1	1	.	.	.	.	.
Population in 1915	" 10	14.2	2.8	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.
(Est.) 18,341.	" 17	14.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
South City, No. 3. (Office, Peter-street.)	June, 12	22.5	1.2	19	.	.	.	.	.	.	1	.	7	.	1	2	3	.	.	.	.
	" 19	14.2	1.2	12	.	.	.	.	.	.	.	.	2	1	2	1	1	.	.	.	.
	" 26	15.4	.	13	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	2	1
	July, 3	23.7	1.2	20	.	.	.	.	.	.	.	.	4	4	.	.	4	.	.	.	1
Population in 1915	" 10	14.2	1.2	12	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	1
(Est.) 43,970.	" 17	15.4	1.2	13	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
South City, No. 4. (Office, Grand Canal-st.)	June, 12	20.4	.	13	.	.	.	.	.	.	.	.	2	.	.	1	1	.	.	.	.
	" 19	20.4	3.1	13	.	.	.	.	.	.	1	.	1	.	.	1	.	1	.	.	.
	" 26	9.4	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
	July, 3	22.0	1.6	14	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
Population in 1915	" 10	23.6	.	15	.	.	.	.	.	.	.	.	6	1	1	1	1	.	.	.	1
(Est.) 33,171.	" 17	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
New Kilmainham.	June, 12	15.7	.	3	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 19	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	" 26	15.7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Population in 1915	July, 3	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 9,948.	" 10	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 17	21.0	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.			Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	June, 12	17.1	.	13	.	.	.	.	.	.	.	.	.	1	2	1	1	.	.	.	.
	" 19	18.5	.	14	.	.	.	.	.	.	.	.	.	1	2	1	2	.	.	.	.
	" 26	19.8	1.3	15	.	.	.	1	.	.	.	.	.	1	1	1	1	.	.	.	.
	July, 3	10.5	.	8	.	.	.	.	.	.	.	.	2	.	1	1	1	.	.	.	.
Population in 1915 (Est.) 39,541.	" 10	15.8	2.6	12	.	.	.	1	.	.	.	.	1	.	1	.	2	1	1	.	1
	" 17	15.8	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	1
Pembroke Urban District.	June, 12	12.0	.	7	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	" 19	15.4	1.7	9	.	.	.	.	.	.	.	.	1	.	.	1	1	1	.	.	.
	" 26	13.7	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	July, 3	12.0	.	7	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.	1
Population in 1915 (Est.) 20,538	" 10	18.8	1.7	11	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	.	2
	" 17	1.7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Blackrock Urban District.	June, 12	16.9	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 19	5.6	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 26	22.6	5.6	4	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	2
	July, 3	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,233.	" 10	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 17	28.2	5.6	5	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	.
Kingstown Urban District.	June, 12	24.6	3.1	8	.	.	.	1	.	.	.	.	1	1	1	.	.	.	.	.	.
	" 19	21.5	3.1	7	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.
	" 26	15.4	3.1	5	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	1
	July, 3	40.0	9.2	13	.	.	.	1	.	.	.	.	1	1	2	.	2	2	.	.	.
Population in 1911 16,941.	" 10	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1
	" 17	18.5	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
Belfast.	June, 12	13.7	1.0	106	.	.	.	5	1	1	.	.	20	8	3	11	7	1	.	3	1
	" 19	13.2	1.3	102	.	.	.	5	2	1	.	.	20	4	2	10	7	2	.	3	1
	" 26	12.9	1.2	100	.	.	.	5	3	.	.	.	17	8	9	6	7	1	.	2	.
	July, 3	13.1	1.3	101	.	.	.	2	.	4	2	.	17	8	6	7	6	2	.	1	.
Population in 1915 (Est.) 403,000.	" 10	10.0	1.4	77	.	.	.	3	2	3	.	.	10	5	2	9	9	1	2	1	.
	" 17	12.0	1.7	93	.	.	.	3	4	1	1	.	12	2	7	6	6	3	1	3	3
Cork.	June, 12	15.6	1.4	23	.	.	.	.	.	2	.	.	4	4	1	1	2	.	.	.	.
	" 19	10.2	0.7	15	.	.	.	.	1	.	.	.	3	1	.	.	2	.	.	1	2
	" 26	21.8	1.4	32	.	.	.	1	.	1	.	.	5	3	3	.	.	.	.	.	.
	July, 3	19.0	0.7	28	.	.	.	1	.	.	.	.	3	2	2	1	.	.	.	.	1
Population in 1911 76,873.	" 10	13.6	2.0	20	.	.	.	1	.	.	1	.	2	1	.	.	2	.	1	.	.
	" 17	10.9	0.7	16	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.	.	.
Londonderry.	June, 12	21.5	3.8	17	.	.	.	.	.	3 <sup>a</sup>	.	.	3	2	1	1	2	.	.	.	1
	" 19	11.4	1.3	9	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.
	" 26	11.4	2.5	9	1	.	.	.	.	1	.	.	1	1	.	.	2	.	.	.	.
	July, 3	26.6	2.5	21	1	.	.	.	.	1	.	.	1	1	.	2	4	.	.	.	1
Population in 1915 (Est.) 41,200.	" 10	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	.	1
	" 17	24.0	7.6	19	.	.	.	.	.	5	.	.	1	1	.	.	2	1	.	.	1
Limerick.	June, 12	19.0	.	14	.	.	.	.	.	.	.	.	5	.	.	3	1	.	.	.	.
	" 19	8.1	.	6	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	1
	" 26	10.8	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	3
	July, 3	25.7	1.4	19	1	.	.	.	.	.	.	.	1	.	2	1	1	.	.	.	2
Population in 1911 38,518.	" 10	21.7	.	16	.	.	.	.	.	.	.	.	3	.	1	2	2	.	.	.	.
	" 17	16.2	.	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	2
Waterford.	June, 12	11.4	.	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	" 19	13.3	.	7	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.	.	1
	" 26	20.9	1.9	11	.	.	.	.	1	.	.	.	3	2	.	.	2	.	.	.	.
	July, 3	9.5	1.9	5	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	.
Population in 1911 27,464.	" 10	19.0	3.8	10	.	.	.	.	2	.	.	.	1	.	.	1	1	.	.	.	2
	" 17	7.6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 17th July, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population represented by Deaths from		AGES AT DEATH.											DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.
				All Causes.	Certain Epi- demic Diseases.†	Total Number of DEATHS.						AGES AT DEATH.					DEATHS FROM															
						(5)	(4)	(3)	(2)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)		
City of Belfast.																																
BELFAST URBAN No. 1 DISTRICT,	15,879	3	23.0	3.3	7	1	1	1	2	2	1	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	(29)	(30)	
Do. 2 do.	49,500	16	15.8	3.2	15	4	4	2	7	7	1	45 and under 65 years.				1	2				2	1	1							1		
Do. 3 do.	50,032	27	14.6	3.1	14	4	2	5	2	4	1	25 and under 45 years.				1	1	1			3	1	1							5		
Do. 4 do.	32,637	25	19.2		12	2	2	1	2	4	1	5 and under 25 years.									1	1	1	3						6		
Do. 5 do.	16,112	9	6.5		2	.	1	1	1	1	2							1			1								2			
Do. 6 do.	37,293	13	8.4	1.4	6	.	1	1	1	1	.										1								2			
Do. 7 do.	2,681	3	19.4	19.4	1	.	1	1	.	.	.										1								2			
Do. 8 do.	5,964	.	8.7	.	1	.	1	.	.	.	.																		.			
Do. 9 do.	24,427	12	6.4	.	3	1	1	.	2	.	.													2					.			
Do. 10 do.	28,958	22	12.6	.	7	2	1	1	4	4	3										2	1	1						.			
Do. 11 do.	83,311	14	13.3	2.7	10	2	1	1	2	1	8										1	1	1						3			
Do. 12 do.	38,076	21	11.0	2.7	8	2	3	.	2	1	1										.	1	1	1					1			
Do. 13 do.	23,233	14	2.2	.	1	.	.	.	.	.	1										.	.	.						.			
Do. 14 do.	175	.	13.8	.	6	1	.	1	1	2	1										1	1	1						.			
Do. 15 do.	22,669	7		.	6	1	.	1	1	2	1										1	1	1						.			
Total,	386,947	186	12.0	1.7	93	15	16	13	11	27	11					3	4	1	1	.	12	2	7	6	6	3	1	3	3	28	.	
City of Cork.																																
CORK URBAN No. 1 DISTRICT	13,455	2	15.5	3.9	4	1	.	.	1	1	1					1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
Do. 2 do.	10,399	1	5.0	.	1	.	.	.	1	1	1					.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
Do. 3 do.	9,793	4	10.6	.	2	.	.	1	1	.	.					.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	
Do. 4 do.	9,139	8	5.7	.	1	.	.	1	.	.	.					.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Do. 5 do.	6,250	2	16.7	.	2	.	1	1	.	.	1					.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Do. 6 do.	11,581	4	4.5	.	1	.	.	1	1	1	2					.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Do. 7 do.	16,056	10	16.2	.	5	.	.	1	2	2	2					.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
Total,	76,673	31	10.9	0.7	16	1	.	3	3	4	5					1	.	.	.	.	1	2	1	.	.	.	.	.	3	.	.	

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.  
† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																											
		Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.		
No. of weeks in Annual Series,		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28		
BIRTHS registered, ...		281	217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	193	195	201	168	186		
DEATHS registered, ...		156	158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93		
Annual Death-rate per 1,000 of estimated population, ...		20.2	20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0		
AGES, {																													
{ Under 1 year, ...		27	36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15		
{ 1-5 years, ...		27	14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16		
{ 5-25, " ...		14	15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13		
{ 25-45, " ...		18	20	34	29	23	20	27	27	24	18	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11		
{ 45-65, " ...		39	48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27		
{ 55 and upwards, ...		31	25	44	48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7	13	15	15	11		
Deaths from :—																													
Enteric Fever, ...		.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...		11	2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5	2	3	8		
Scarlet Fever, ...		3	3	4	3	.	.	3	.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3	.	2	4		
Whooping-cough, ...		2	3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	.	4	3	1		
Diphtheria, ...		.	.	.	.	.	1	1	1	1	1	.	.	1	.	.	.	1	.	.	.	.	.	.	2	.	1		
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis. { Pulmonary, ...		19	17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12		
{ Other Forms, ...		6	7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4	8	8	5	2		
Cancer ...		12	9	6	6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7		
Diseases of Respi- { Pneumonia,		12	15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6		
ratory System, { Others, ...		20	30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6		
Diarrhoea and Enteritis, under 2 years, ...		.	3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1	3		
Diarrhoea, 2 years and upwards, ...		.	.	1	.	.	.	2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	1		
Violent Deaths, ...		1	.	.	2	4	3	3	.	5	3	3	1	3	.	3	2	1	1	3	3	3	3	2	1	1	3		
Number of Uncertified Deaths, ...		1	2	3	3	3	4	3	4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.	.	.	.		

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,518,612	July 17,	1,751	956 <sup>c</sup>	11·0	6	.	16	4	9	12	21	
EDINBURGH, ---	328,700	" 17,	100	61	9·7	.	.	2	.	1	1	2	
GLASGOW, ---	1,078,400	" 17,	474	272 <sup>c</sup>	13·2	1	.	31	5	5	2	8	
CALCUTTA ---	896,067	May 29,	.	375	21·7	65*	35	.	.	.	.	56† <sup>a</sup>	
BOMBAY, ---	979,445	June 5,	334	450	23·9	61*	13	.	.	.	.	42 <sup>a</sup>	
MADRAS, ---	518,660	May 29,	287	343	34·4	54*	1	1	?	?	?	82† <sup>a</sup>	
CAIRO, {	Egyptians, ...	" 6,	545	795	62·7	112	2	5	1	?	5†	119	
	Foreigners,	" 6,	14	22	15·9	2	.	.	.	?	.	5	
ALEXAN- DRIA, {	Egyptians,	" 6,	258	175	26·7	.	3	1	.	?	.	33	
	Foreigners,	" 6,	29	92	62·4	1	.	.	.	?	.	3	
PARIS, ---	2,847,229	June 5,	313	849	15·2	1	.	21	4	8	.	20	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	611,924	June 5,	251	120	10·2	1	.	1	.	3	.	2	
COPENHAGEN, ---	492,000	" 19,	214	138	14·6	1	.	2	.	.	1†	4	
STOCKHOLM, ---	386,270	" 19,	148	80	10·8	.	.	.	1	2	.	.	
CHRISTIANIA, ---	251,446	" 26,	116	50	10·4	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	May 15,	.	861	26·5	22	3	33	12	4	8	61 <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	—	.	.	.	.	.	.	.	.	.	.	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	766,136	June 26,	.	192 <sup>b</sup>	13·1	2	.	2	.	.	3	5 <sup>a</sup>	

\* Deaths from "fever," including 5 deaths from plague and one from enteric fever in Calcutta; 15 from plague and 3 from enteric fever in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 17 deaths from cholera in Calcutta, and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 165 deaths (including 2 from diphtheria, and 3 from diarrhoeal diseases); rate, 11·2 per thousand.

<sup>c</sup> Including 2 deaths from cerebro-spinal fever in London, and 4 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 17th July, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	1	.	.	.	1	.	.	.	2	.	.	.	1	5
"    "    1, West, ...	1	.	.	.	.	.	.	.	.	.	.	.	2	3
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
"    "    3, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	5	.	.	.	.	.	.	.	.	.	.	.	.	5
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1, ...	3	.	.	.	.	.	.	.	1	.	.	.	.	4
"    "    2, ...	.	.	.	.	1	.	.	.	.	.	.	.	2	3
"    "    3, ...	1	.	.	.	1	.	.	2	.	.	.	.	.	4
"    "    4, ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	11	.	.	.	3	.	.	2	3	.	.	.	9	28

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 17th July, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 17th July.			
	June 26.	July 3.	July 10.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	37	35	33	3	5	1	30
Typhus, ...	5	1	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	6	6	4	1	.	9
Scarlet Fever, ...	66	65	77	9	8	1	77*
Diphtheria, ...	24	24	19	3	2	.	20
Pneumonia, ...	21	18	18	3	4	1	16

\* Exclusive of 12 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 24TH JULY, 1915.

[No. 29.]

General Register Office, Charlemont House,  
Dublin, 26th July, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 3	July 10	July 17	July 24	
<b>27 Town Districts, (a)</b>	<b>16·6</b>	<b>13·3</b>	<b>12·6</b>	<b>14·7</b>	<b>14·3</b>
Dublin Reg. Area ...	18·6	15·9	13·9	14·3	15·7
Dublin City ...	19·5	15·7	14·2	15·2	16·1
Belfast ...	13·1	10·0	12·0	14·4	12·4
Cork ...	19·0	13·6	10·9	15·6	14·8
Londonderry ...	26·6	16·5	24·0	25·3	23·1
Limerick ...	25·7	21·7	16·2	23·0	21·6
Waterford ...	9·5	19·0	7·6	7·6	10·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·1 per 1,000. Among the 111 deaths from all causes for Belfast are one from each of measles, scarlet fever, whooping-cough, and diphtheria, and 5 from diarrhoeal diseases. Included in the 23 deaths from all causes for Cork are one from whooping-cough and one from diphtheria. Six of the 20 deaths from all causes for Londonderry were from whooping-cough, and of the 6 deaths from all causes for Lisburn one was from measles.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 214—109 boys and 105 girls—and the deaths to 121—54 males and 67 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 9) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·3 per 1,000 of the population. During the twenty-nine weeks, ending with Saturday last, the death-rate averaged 23·9, and was 1·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 121, represent an annual rate of 15·4 per 1,000; the annual rate for the past twenty-nine weeks was 25·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·5 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from whooping-cough, 3 from diphtheria, 3 from diarrhoea and enteritis of children under 2 years of age, and one from influenza.

In the 3 preceding weeks, deaths from whooping-cough were one, 0, and one; deaths from diphtheria were 0, 2, and 0; deaths from diarrhoea and enteritis of children under 2 years were 5, 7, and 3; and deaths from influenza 0, 2, and 2.

Deaths from tuberculous disease, which in the 3 preceding weeks numbered 34, 20, and 15, respectively, were 25\* last week, the latter comprising 18 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from disseminated tuberculosis.

Nine\* deaths from cancer were registered.

Broncho-pneumonia caused 3 deaths, lobar pneumonia 3 deaths, and pneumonia (type not distinguished) 5 deaths.

Among deaths of infants under one year old, 4 were ascribed to convulsions, one to premature birth, and 4 to congenital debility.

Organic diseases of the heart caused 10 deaths, and bronchitis 7 deaths.

There was one death the result of an accident, and one case of suicide.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old, and the death of one person aged 73 years.

Twenty-five of the persons whose deaths were registered during the week were under 5 years of age (20 being infants under one year, of whom 2 were under one month old), and 31 were aged 65 years and upwards, including 25 persons aged 70 and upwards; among the latter were 14 aged 75 and upwards.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·3 per 1,000; the rate in the City was 15·2 (North City Districts, 14·1; South, 16·4), and in the Suburbs, 11·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·9 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 1·6, and in the South 0·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·7 per 1,000. Four of the 8 deaths were caused by tuberculous disease, and there was one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (9) are equal to an annual rate of 11·3 per 1,000. Among them are one death from abdominal tuberculosis and 2 of children under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (6) are equivalent to an annual rate of 11·2 per 1,000. Included in this number are one death from abdominal tuberculosis and 2 from pneumonia.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·0 per 1,000. Four deaths were caused by tuberculous disease, one by pneumonia, and 2 by bronchitis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth. No. 1, part of, 37·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 9·6. One of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, was from diphtheria. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, were one death from diphtheria and 2 from pulmonary tuberculosis; and included in the 2 deaths recorded for Finglas and Glasnevin, part of, is one of a child under 2 years of age from diarrhoea and enteritis.

No. 1 South City District (South Earl-street).—The deaths (9) represent an annual rate of 11·4 per 1,000. One death was from diphtheria and 3 were from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000, and include 4 deaths from tuberculous disease.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·0 per 1,000. Four deaths from pulmonary tuberculosis, 2 from pneumonia, and 2 from bronchitis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Among them are 3 deaths from pneumonia.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000. One death was due to pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 10·2; Blackrock, 11·3; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts is one from whooping-cough for Rathmines and Rathgar. Of the 9 deaths from all causes for that district one was caused by influenza, one by pulmonary tuberculosis, one by lobar pneumonia, and there was one death by suicide. Among the 6 deaths recorded for Pembroke is one from lobar pneumonia; and included in the 4 deaths from all causes for Kingstown is one from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·2), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 14·2 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 10·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 24th July. From this Report it appears that of 52 cases notified, 21 were diphtheria, 13 scarlet fever, 12 pulmonary tuberculosis, one other form of tuberculosis, 4 erysipelas, and one puerperal fever. Among the 471 cases of infectious diseases in hospital at the close of the week were 180 of pulmonary tuberculosis, 142 of scarlet fever, 60 of diphtheria, 28 of measles, 24 of whooping-cough, 12 of erysipelas, 6 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 24th July, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	July. 3,	.	—	—	5	1	.	6	.	.	5	2	.	—	—	.	—	.	20	39
	July. 10,	.	—	—	11	1	.	.	.	.	2	5	.	—	—	.	—	.	24	41
	July. 17,	.	—	—	11	.	.	3	.	.	2	3	.	—	—	.	—	.	9	28
	July. 24,	.	—	—	8	.	.	5	.	1	2	7	.	—	—	.	—	.	20	43
Rathmines and Rathgar Urban District.	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 10,	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	—	3
	July. 17,	.	—	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	7
	July. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
Pembroke Urban District.	July. 3,	.	2	.	1	.	.	.	.	.	.	.	.	—	2	—	—	—	.	5
	July. 10,	.	1	.	.	.	.	.	.	.	.	.	.	—	3	—	—	—	.	4
	July. 17,	.	2	.	.	.	.	.	.	.	.	.	.	—	4	—	—	—	1	7
	July. 24,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	—	—	—	.	6
Blackrock Urban District.	July. 3,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 10,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 17,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 24,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	3	3
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	July. 3,	.	—	—	35	.	.	3	.	.	1	.	.	—	—	2	—	.	6	47
	July. 10,	.	—	—	32	.	.	5	.	.	.	.	1	—	—	1	—	.	4	43
	July. 17,	.	—	—	25	.	.	.	1	.	1	2	1	—	—	2	—	.	.	32
	July. 24,	.	—	—	21	.	.	1	.	.	.	5	.	—	—	.	—	.	6	33
City of Cork.	July. 3,	.	3	—	5	.	.	1	.	.	.	1	.	—	—	—	—	—	—	9
	July. 10,	.	3	—	6	.	.	4	.	.	.	1	.	—	—	3	—	—	—	17 <sup>a</sup>
	July. 17,	.	4	—	10	.	.	4	.	.	2	1	.	—	—	2	—	—	—	23
	July. 24,	.	3	—	1	.	.	2	.	.	1	.	.	—	—	2	—	—	—	9
City of Londonderry.	July. 3,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	2
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	July. 3,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July. 10,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	July. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
City of Waterford.	July. 3,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	2	5
	July. 10,	.	—	—	8	.	.	.	.	.	.	.	.	—	—	—	—	—	.	8
	July. 17,	.	—	—	5	1	.	.	.	.	.	.	.	—	—	—	—	—	.	6
	July. 24,	.	—	—	9	.	.	.	.	.	1	.	.	—	—	—	—	—	2	12

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 24th July, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 6 were discharged, and 26 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 35, 33, and 30.

One case of typhus was admitted to hospital, and 3 cases remained under treatment at the close of the week. The cases in hospital at the close of the three preceding weeks were one, 2, and 2 respectively.

One case of measles was admitted to hospital during the week, one was discharged, and 9 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 6, 6, and 9 respectively.

Six cases of scarlet fever were admitted to hospital, 21 were discharged, and 62\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 65, 77, and 77, respectively.

Four cases of diphtheria were admitted to hospital during the week, 4 were discharged, there was one death and the cases in hospital, which at the close of the 3 preceding weeks numbered 24, 19, and 20 respectively, were 19 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 2 were discharged, there were 2 deaths, and 14 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 24th July, 1915, in the DUBLIN REGISTRATION AREA and In each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 24TH JULY, 1915.																												
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.7	14.7	1.1	550	341	54	84	...	...	...	2	1	9	5	...	46	18	26	16	20	7	1	7	12	115	20
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	27.3	14.3	0.9	214	112	20	28	...	...	...	...	...	1	3	...	16	6	8	11	8	3	...	2	2	44	7
CITY OF DUBLIN,	312,747	39.5	31.5	15.2	1.0	149	91	20	19	...	...	...	...	...	...	3	...	14	6	6	9	8	3	...	1	1	42	7
Urban Districts.																												
RATHMINES and RATHGAR.	39,541	23.1	15.8	11.9	1.3	12	9	...	3	...	...	...	...	...	1	...	...	1	...	1	1	...	...	...	1	1	1	...
PENBROKE, ...	30,538	19.4	1.7	10.2	.	1	6	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
BLACKROCK, ...	9,233	8.5	23.2	11.3	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	21.5	12.3	.	7	4	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...
Urban Districts																												
BELFAST ...	403,000	27.0	23.8	14.4	1.2	184	111	18	23	...	.	...	1	1	1	1	...	13	8	11	3	6	4	1	2	6	31	4
CORK, ...	76,673	28.6	20.4	15.6	1.4	30	23	6	6	...	...	...	...	...	1	1	...	4	1	...	...	...	...	...	...	1	14	...
LONDON- DERRY	41,200	16.0	25.3	25.3	7.6	20	20	6	2	...	...	...	...	...	6	...	...	1	...	1	...	1	...	...	2	2	7	2
LIMERICK, ...	38,518	16.1	12.2	23.0	.	9	17	...	6	...	...	...	...	...	...	...	...	3	1	1	...	3	...	...	...	...	7	2
WATERFORD, ...	27,464	19.1	11.4	7.6	.	6	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	4	...
GALWAY, ...	13,255	2.5				5	4	...	1	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	1	...
DUNDALK, ...	13,128	9.5				5	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...
LURGAN, ...	12,553	14.7				8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
DROGHEDA, ...	12,501	8.4				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN, ...	12,388	10.9				8	6	2	1	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1
NEWRY, ...	11,963	17.0				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
PORTADOWN, ...	11,727	15.3				7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				6	5	...	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1
BALLYMENA ...	11,381	9.3				...	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
SLIGO, ...	11,163	3.8				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4				4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	.	...	...	...	...	...	1	...
TRALEE, ...	10,300	17.4				7	4	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				1	2	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...
NEWTOWNARDS	9,587	20.1				3	4	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...
QUEENSTOWN,	8,209	14.7				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
LARNE, ...	8,036	13.4				9	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...
COLERAINE, ...	7,785	7.7				2	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
BANGOR, ...	7,776	8.5				3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ...	7,691	7.2				3	6	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	1
ATHLONE, ...	7,472	6.2				...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
ARMAGH, ...	7,356	21.8				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 9 deaths of persons (including 3 at 65 years or upwards) admitted to hospital from localities outside the Area; the 9 deaths include 3 from tuberculous disease and one from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 24th of July, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.														URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.				
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Diphtheria,	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	3	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	.	3	.	.	3	.	2	.	2	4	.	.	1	.	.	.	1	16	2
Other Forms,	.	1	1	1	1	.	.	.	2	.	.	.	.	.	.	.	.	6	1
Cancer,	.	1	1	.	.	1	.	.	1	.	2	.	1	.	.	.	1	8	1
Diseases of Nervous System,	.	.	.	2	.	.	.	1	.	4	1	.	1	.	1	1	1	11	1
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	1	2	1	.	2	.	.	1	2	1	.	1	.	.	.	.	11	1
Respiratory System.	{ Pneumonia,	.	.	2	1	.	.	.	.	2	3	1	1	1	.	.	.	11	.
	Others,	.	.	.	2	.	.	.	.	2	1	.	.	.	.	.	.	8	.
	Diarrhoea and Enteritis, under 2 years,	.	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.
Digestive System.	Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Others,	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.	4	1
Genito-urinary System,	.	.	1	.	1	1	.	1	.	.	1	.	1	.	.	.	.	6	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other Causes incident to Pregnancy and Childbirth,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	1	1	2	.	1	.	2	1	2	2	1	.	3	1	1	1	18	.
Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes	.	8	9	6	11	4	5	2	9	7	16	12	2	9	6	2	4	112	9
Annual Rate of Mortality from All Causes in every 1,000 of the population.	.	13·7	11·3	11·2	16·0	37·7	18·9	9·6	11·4	19·9	19·0	18·9	10·5	11·9	10·2	11·3	12·3	14·3	.
		14·1							16·4				11·4						
		15·2																	
Ages at Death.	{ Under 1 year,	1	2	.	2	.	.	1	2	2	5	5	.	.	.	.	.	20	.
	1 and under 2 years,	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	2	.
	2 " 5 "	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	3	.
	5 " 15 "	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	3	.
	15 " 25 "	.	1	1	1	.	3	.	.	.	.	.	1	1	.	1	8	2	.
	25 " 45 "	.	3	.	3	.	.	1	1	1	3	.	1	1	.	.	15	3	.
	45 " 65 "	4	1	2	3	1	1	.	2	3	6	4	.	2	2	.	2	33	1
	65 and upwards,	2	2	3	2	2	.	3	.	2	3	.	3	3	2	1	28	3	.
Number of Uncertified Deaths,	.	.	.	.	2	.	.	.	.	.	5	.	.	.	.	.	.	7	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	.	4	1	2	4	.	3	1	1	.	3	1	1	1	.	.	1	23	8
Workhouse Hospitals,	.	2	1	2	1	.	.	.	4	3	4	4	.	.	.	.	.	21	1

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 29th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 24th July, 1915.												
	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.	July 20, 1912.	July 19, 1913.	July 18, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
ALL CAUSES.	153	156	168	144	115	144	162	131	129	139	144·1	121	2	18	2	3	3	10	18	34	17	14		
Enteric Fever, ...	2	1	.	1	2	2	2	.	.	1	1·1	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	2	.	3	.	1	3	8	.	6	2·3	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, ...	.	.	.	.	.	3	.	.	.	3	·6	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, ...	1	3	4	1	2	1	4	.	1	.	1·7	1	.	.	.	1	.	.	.	.	.	.	.	
Diphtheria, ...	.	1	.	.	1	.	2	3	1	2	1·0	3	.	.	1	1	1	.	.	.	.	.	.	
Croup, ...	.	1	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	.	.	.	.	1	2	.	.	.	·3	1	.	.	.	.	.	.	.	1	.	.	.	
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	1	1	.	1	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases, ...	.	.	1	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non-puerperal).	.	1	1	.	.	.	.	.	.	2	·4	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	.	.	1	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																								
Pulmonary Tuberculosis, ...	14	23	21	21	23	11	17	21	15	16	18·2	18	.	1	.	1	.	6	5	4	1	.	.	
Tuberculous Meningitis, ...	4	3	4	6	3	2	4	3	1	4	3·4	2	.	1	.	1	.	.	.	.	.	.	.	
Abdominal Tuberculosis, ...	3	2	2	.	.	.	4	2	1	1	1·5	3	.	.	.	.	1	1	1	.	.	.	.	
Tuberculosis of the Vertebral Column.											1													
Tuberculosis of Joints, ...											.													
Tuberculosis of other Organs, ...											1													
Scrofula, ...											.													
Disseminated Tuberculosis, ...											1	4	2											
Venereal Diseases, ...	1	1	2	2	.	2	.	.	1	.	·9	.	.	.	.	.	.	.	.	.	.	.	.	
Cancer, ...	6	14	5	10	4	11	10	11	14	7	9·2	9	.	.	.	.	.	.	1	7	1	.	.	
Tumour, situation undefined, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever, ...	.	1	.	.	.	.	.	1	1	.	·3	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes, ...	.	.	1	.	.	1	.	.	1	.	·3	1	.	.	.	.	.	.	.	1	.	.	.	
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other General Diseases, ...	.	.	.	.	.	.	6	3	2	2	.	.	.	.	.	.	.	.	.	1	.	1	.	
Alcoholism, ...	.	.	.	.	.	1	.	.	.	.	·1	1	.	.	.	.	.	.	1	.	.	.	.	
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis, ...	.	.	.	.	.	.	.	3	3	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
Cerebral Hæmorrhage, Apoplexy.	.	.	.	.	.	.	.	4	8	6	.	.	.	.	.	.	.	.	.	2	2	.	.	
Softening of Brain, ...	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
Paralysis, without specified cause.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	1	.	.	
Epilepsy, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Convulsions (non-puerperal), ...	.	.	.	.	.	.	.	2	1	4	.	.	.	4	.	.	.	.	.	.	.	.	.	
Other Diseases of Nervous System.	30	37	45	33	22	34	43	2	1	2	32·1	1	.	.	.	.	.	.	.	.	.	1	.	
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	
Organic Diseases of the Heart, ...	.	.	.	.	.	.	.	9	12	11	.	10	.	.	.	.	.	.	.	2	6	1	1	
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	.	
Other Diseases of Circulatory system.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis, ...	6	9	19	8	10	13	9	9	7	5	9·5	7	.	1	.	.	.	.	1	2	1	2	.	
Broncho-pneumonia, ...	5	4	7	4	3	3	4	1	1	3	3·5	3	.	1	.	1	.	.	.	1	1	.	.	
Lobar pneumonia, ...	.	.	1	.	.	1	2	3	.	2	·9	3	.	.	1	.	.	.	1	1	1	.	.	
Pneumonia (type not distinguished)	3	8	4	.	3	5	2	.	4	7	3·6	5	.	1	.	.	1	1	1	1	.	1	.	
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pulmonary Apoplexy.	2	1	3	2	2	1	1	.	2	.	1·6	.	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	.	1	.	.	.	



TWENTY-NINTH WEEK, ending Saturday, 24th July, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes <i>Registered</i> in the Week ending Saturday										Averages in 29th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 24th July, 1915.																			
	July 22, 1905.	July 21, 1906.	July 20, 1907.	July 18, 1908.	July 24, 1909.	July 23, 1910.	July 22, 1911.	July 20, 1912.	July 19, 1913.	July 18, 1914.		All Ages.	Deaths of Persons of the Ages of																		
													0-5.																		
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.									
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	1	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.									
Diseases of Stomach, ...	—	—	—	—	—	—	1	4	4	2	—	1	.	.	.	.	.	.	.	.	.	.									
Diarrhoea and Enteritis of Children under 2 years.	22	7	2	17	9	9	11	7	11	6	10.4	3	.	3	.	.	.	.	.	1	.	.									
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	.	.	—	1	.	.	.	.	.	.	.	1	.	.									
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	3	1	.	2	—	.	.	.	.	.	.	.	.	.	.	.									
Cirrhosis of Liver, ...	.	.	1	.	1	1	.	1	1	1	.6	1	.	.	.	.	.	.	.	.	1	.									
Other Diseases of Liver, ...	2	2	.	.	.	1	.	1	.	.	.6	.	.	.	.	.	.	.	.	.	.	.									
Peritonitis (cause unknown),	.	.	.	.	.	1	.	.	.	.	.1	1	.	.	.	.	.	.	.	.	1	.									
Other Diseases of Digestive System.	9	2	6	2	6	4	2	1	1	3	3.6	1	.	.	.	.	.	1	.	.	.	.									
Acute Nephritis, ...	5	6	6	4	4	5	1	.	1	1	4.8	1	.	.	.	.	.	.	.	1	.	.									
Chronic Bright's Disease, ...													3	1	6	2	5	.	.	.	.	.	.	.	.	.	1	1	2	1	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							2	.	1	.	—	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.				
Puerperal Septicæmia, &c., ...	.	.	.	1	1	.	1	.	.	.	.1	1	.	.	.	.	.	1	.	.	.	.									
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.2	1	.	.	.	.	1	.	.	.	.	.									
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	.	1	—	1	.	.	.	.	.	.	.	.	.	1									
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	3	2	1	—	.	.	.	.	.	.	.	.	.	.	.									
Premature Birth, ...	6	6	1	4	1	4	2	4	5	9	4.2	1	1	.	.	.	.	.	.	.	.	.									
Congenital Debility, ...	—	—	—	—	—	—	3	4	3	.	—	4	1	3	.	.	.	.	.	.	.	.									
Old Age, ...	4	3	4	7	.	2	3	3	5	5	3.6	9	.	.	.	.	.	.	.	.	4	5									
Other Specified Diseases, ...	—	—	—	—	—	—	2	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.									
ACCIDENT :																															
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.									
Conflagration, ...	3	.	.	.	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.									
Burns and Scalds, ...	1	.	1	.	.	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.									
Drowning, ...	1	.	1	.	2	.	1	.	.	1	.6	.	.	.	.	.	.	.	.	.	.	.									
Suffocation in Bed, ...	.	.	2	.	.	.	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.									
Other Deaths by Accident, ...	4	2	3	1	4	7	1	1	1	3	2.7	1	.	.	.	.	.	.	.	1	.	.									
Total Deaths from Accident,	9	2	7	1	6	8	2	1	1	5	4.2	1	.	.	.	.	.	.	.	1	.	.									
Included in above are Deaths in connection with—																															
Railways, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Vehicles and Horses, ...	2	1	.	1	1	2	.	1	.	1	.9	.	.	.	.	.	.	.	.	.	.	.									
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.									
Building Operations, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
VIOLENCE OTHER THAN ACCIDENTAL :																															
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.3	1	.	.	.	.	.	.	1	.	.	.									
Suicide, ...	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.									
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	4	2	6	—	1	.	.	.	.	.	.	.	.	1	.									





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 24th July, 1915; the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

CLASS.		OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911		AGES.										CAUSES OF DEATH										Total Number of Deaths.	Annual Death Rate per 1,000 of the Population in 1911.	Population in each Class and Group in 1911.				
					AGES.						CAUSES OF DEATH																						
				(1)	(2)	(3)	Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of the Respiratory System.		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths			
				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
I. ALL PERSONS.		COLS.		397,957	—	121	25	3	10	18	34	17	14	.	.	.	.	.	1	3	.	18	7	9	4	11	8	3	.	2	55	7	
II. DEATHS IN FAMILIES OF THE—				14,658	14.2	4	3	2	4	1	2	1	1	.	.	.	.	.	1	2	.	3	1	4	1	.	1	.	.	.	3	3	
III. PROFESSIONAL AND INDEPENDENT CLASS.				101,798	14.9	29	3	2	4	1	8	5	6	.	.	.	.	.	1	2	.	3	1	4	1	.	1	.	.	.	14	2	
IV. ARTISAN CLASS AND PETTY SHOPKEEPERS.				108,420	13.0	27	6	.	5	4	10	1	1	.	.	.	.	.	.	.	.	4	1	2	1	6	.	1	.	.	12	2	
V. GENERAL SERVICE CLASS.				167,479	12.1	39	11	1	1	10	5	7	4	.	.	.	.	.	.	1	.	6	3	3	1	5	3	1	.	1	15	3	
VI. INMATES OF WORKHOUSES.				5,602	—	22	5	.	.	3	9	3	2	.	.	.	.	.	.	.	.	5	2	.	1	.	3	.	.	.	11	.	
I. PROFESSIONAL AND INDEPENDENT CLASS.				7,868	26.5	4	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	
II. MERCHANTS AND MANUFACTURERS, HIGHER CLASS				1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
III. PERSONS OF RANK AND PROPERTY, NOT OTHERWISE DESCRIBED.				5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
IV. GENERAL BODY OF OFFICIALS—CIVIL SERVICE.				9,523	16.4	3	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	
V. BANKING, &C., PETTY SHOPKEEPERS.				25,199	16.6	8	2	.	3	.	3	2	1	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.	4	1	.	
VI. BUSINESS MANAGERS &C.				33,249	12.5	8	2	.	3	.	2	.	1	.	.	.	.	.	.	1	.	.	2	2	.	.	.	.	.	2	.	.	
VII. MISCELLANEOUS—including all householders in second class localities not included in above.				33,827	15.4	10	1	.	1	.	2	2	4	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	6	1	.	
VIII. ARTISAN CLASS AND PETTY SHOPKEEPERS.				11,777	8.9	2	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.
IX. WATCHMAKERS, ENGRAVERS, PRINTERS.				28,828	12.7	7	3	.	2	.	1	1	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	2	.	.	
X. BUILDING AND FURNISHING TRADES.				20,026		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
XI. CLOTHING TRADES.				8,952	34.9	6	2	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.
XII. FOOD SUPPLY TRADES.				32,070	17.9	11	1	.	2	2	5	.	1	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	7	1	.	
XIII. OTHER TRADES AND CALLINGS RANKING WITH TRADES.				6,772	7.7	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
XIV. PETTY SHOPKEEPERS.				12,977	32.1	8	3	1	.	2	.	1	1	.	.	.	.	.	.	.	.	2	1	.	1	.	.	.	.	3	1	.	
XV. GENERAL SERVICE CLASS.				36,041	7.2	5	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	
XVI. DOMESTIC SERVANTS.				15,380	10.2	3	1	.	.	.	2	4	3	.	.	.	.	.	.	.	.	3	2	2	1	2	3	1	.	1	8	2	
XVII. COACH AND CAR DRIVERS, VANMEN, &C.				103,081	11.6	23	7	.	.	7	2	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
XVIII. HAWKERS, PORTERS, LABOURERS, &C.				5,602	—	22	5	.	.	3	9	3	2	.	.	.	.	.	.	.	.	5	2	.	1	.	3	.	.	.	11	.	.
XIX. INMATES OF WORKHOUSES.																																	

Registration of Births and Deaths, Ireland.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	June, 19	12.0	3.4	7	.	.	.	.	.	1	1	.	1	.	.	.	2	.	.	1	1
	" 26	8.5	1.7	5	.	.	.	.	.	1	.	.	2	.	.	1	.	.	.	.	.
	July, 3	29.1	1.7	17	.	.	.	.	.	.	.	.	4	1	1	1	1	1	.	.	2
	" 10	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	.	.
Population in 1915	" 17	10.3	1.7	6	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
(Est.) 30,504.	" 24	13.7	.	8	.	.	.	.	.	.	.	.	3	1	1	.	.	.	1	.	
North City, No. 1 (W.) (Office, Summer-hill.)	June, 19	15.0	1.3	12	.	.	.	.	.	.	.	.	3	.	1	2	.	1	.	.	1
	" 26	20.0	.	16	.	.	.	.	.	.	.	.	4	1	2	1	2	.	.	1	1
	July, 3	16.3	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	1	1
	" 10	26.3	2.5	21	.	.	.	1	.	.	.	.	1	1	1	2	2	1	.	.	2
Population in 1915	" 17	22.5	1.3	18	.	.	.	.	.	1	.	.	4	1	2	.	1	.	.	.	.
(Est.) 41,685.	" 24	11.3	2.5	9	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
North City, No. 2. (Office, Lisburn-street.)	June, 19	24.3	1.9	13	.	.	.	.	.	1	.	.	1	2	1	1	1	.	.	.	1
	" 26	28.1	1.9	15	.	.	.	.	.	.	.	.	1	3	.	2	1	1	.	.	1
	July, 3	20.6	.	11	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	2
	" 10	9.4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Population in 1915	" 17	9.4	1.9	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
(Est.) 27,883.	" 24	11.2	.	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.)	June, 19	16.0	.	11	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	1
	" 26	17.4	2.9	12	.	.	.	.	.	.	1	.	1	.	.	2	.	.	1	.	.
	July, 3	10.2	.	7	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	.
	" 10	7.3	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1
Population in 1915	" 17	8.7	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
(Est.) 35,887.	" 24	16.0	.	11	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	.	2
Clontarf and Howth No. 1 (part of).	June, 19	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 26	28.2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July, 3	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 24	37.7	9.4	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
Coolock and Drumcondra (part of).	June, 19	7.5	3.8	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
	" 26	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July, 3	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 10	18.9	3.8	5	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
Population in 1915	" 17	11.3	3.8	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
(Est.) 13,820.	" 24	18.9	3.8	5	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	June, 19	9.6	4.8	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.
	" 26	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	July, 3	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 10	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 17	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 24	9.6	4.8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	June, 19	20.3	.	16	.	.	.	.	.	.	.	.	3	.	1	1	2	.	.	.	.
	" 26	10.1	.	8	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
	July, 3	22.8	.	18	.	.	.	.	.	.	.	.	3	1	1	1	4	.	.	.	1
	" 10	17.7	2.5	14	.	.	.	.	.	.	.	.	1	.	1	1	2	2	.	.	.
Population in 1915	" 17	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	2	.
(Est.) 41,170.	" 24	11.4	1.3	9	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
South City, No. 2. (Office, Castle-street.)	June, 19	17.1	.	6	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	1
	" 26	25.6	2.8	9	.	.	.	.	.	1	.	.	2	1	1	1	.	.	.	.	.
	July, 3	19.9	2.8	7	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	" 10	14.2	2.8	5	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
Population in 1915	" 17	14.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.
(Est.) 18,341.	" 24	19.9	.	7	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.
South City, No. 3. (Office, Peter-street.)	June, 19	14.2	1.2	12	.	.	.	.	1	.	.	.	2	1	2	2	1	.	.	.	.
	" 26	15.4	.	13	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	2	.
	July, 3	23.7	1.2	20	.	.	.	.	.	1	.	.	4	4	.	.	4	.	.	.	1
	" 10	14.2	1.2	12	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	.
Population in 1915	" 17	15.4	1.2	13	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
(Est.) 43,970.	" 24	19.0	.	16	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	5
South City, No. 4. (Office, Grand Canal-st.)	June, 19	20.4	3.1	13	.	.	.	.	.	1	.	.	1	.	.	1	.	1	.	.	.
	" 26	9.4	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	1	.	.	.
	July, 3	22.0	1.6	14	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
	" 10	23.6	.	15	.	.	.	.	.	.	.	.	6	1	1	1	1	.	.	.	1
Population in 1915	" 17	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
(Est.) 33,171.	" 24	18.9	.	12	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.
New Kilmainham.	June, 19	21.0	.	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.
	" 26	15.7	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	July, 3	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 10	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
(Est.) 9,948.	" 17	21.0	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 24	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	June, 19 " 26 July, 3 " 10 " 17 " 24	18.5 19.8 10.5 15.8 15.8 11.9	. 1.3 . 2.6 . 1.3	14 15 8 12 12 9	. . . . . .	. . . . . .	. . . . . .	. 1 . 1 . . .	. . . . . .	. . . . . 1	. . . . . .	. . . . . .	. 1 2 1 1 1 1	1 . . . . .	2 . 1 1 1 1	. 1 1 1 2 1	2 1 . 2 1 .	. . . 1 . .	. . . . . .	. . . 1 . .	. . . 1 . .
Pembroke Urban District. Population in 1915 (Est.) 30,538	June, 19 " 26 July, 3 " 10 " 17 " 24	15.4 13.7 12.0 18.8 1.7 10.2	1.7 . . 1.7 . .	9 8 7 11 1 6	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . 1 . . .	1 . . 1 . .	. . 1 . . .	. . . 1 2 1 1	1 1 2 1 1 .	1 2 2 1 . .	1 . . . . . .	. . . . . .	. . . . . .	. . 1 . . .
Blackrock Urban District. Population in 1915 (Est.) 9,233.	June, 19 " 26 July, 3 " 10 " 17 " 24	5.6 22.6 5.6 11.3 28.2 11.3	. 5.6 . . 5.6 .	1 4 1 2 5 2	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. 1 . . . . .	. 1 . . . . .	. . . . . .	. . . . . .	. . . . 2 .
Kingstown Urban District. Population in 1911 16,941.	June, 19 " 26 July, 3 " 10 " 17 " 24	21.5 15.4 40.0 18.5 18.5 12.3	3.1 3.1 9.2 . . .	7 5 13 6 6 4	. . . . . .	. . . . . .	. . . . . .	. . 1 . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 1 1 1 1	. . 1 . 1 .	. . 2 . . 1 .	1 1 2 2 1 .	. . 2 2 . . . .	1 . 2 . . . .	. . . . . .	. . . . . .	. . . . . .
Belfast. Population in 1915 (Est.) 403,000.	June, 19 " 26 July, 3 " 10 " 17 " 24	13.2 12.9 13.1 10.0 12.0 14.4	1.3 1.2 1.3 1.4 1.7 1.2	102 100 101 77 93 111	. . . . . .	. . . . . .	. . . . . .	5 5 2 3 3 1	2 3 4 2 4 1	1 . 4 3 1 1 .	. . 2 . . 1 .	. . . . 1 .	20 17 17 10 12 13	4 8 8 5 2 8	2 9 6 2 7 11	10 6 7 9 6 3	7 7 6 9 6 6	2 1 2 1 3 4	. . . 2 1 1 .	. . . 2 1 3 1	. . . 2 1 1 .
Cork. Population in 1911 76,673.	June, 19 " 26 July, 3 " 10 " 17 " 24	10.2 21.8 19.0 13.6 10.9 15.6	0.7 1.4 0.7 2.0 0.7 1.4	15 32 28 20 16 23	. . . . . .	. . . . . .	. . . . . .	. . 1 . 1 .	1 . . . . .	. 1 . . . 1 .	. . . 1 . 1 .	. . . . . .	3 5 3 2 1 4	1 3 2 1 2 1	. 3 2 . 1 .	. . 1 . . . .	2 . . 2 . . .	. . . . . .	. . . 1 . . .	. . . . . .	1 . . . . .
Londonderry. Population in 1915 (Est.) 41,200.	June, 19 " 26 July, 3 " 10 " 17 " 24	11.4 11.4 26.6 16.5 24.0 25.3	1.3 2.5 2.5 1.3 7.6 7.6	9 9 21 13 19 20	. 1 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . 1 1 . 5 6	. . . . . .	. . . . . .	1 1 1 1 1 1	. 1 1 1 1 .	1 . 1 1 . 1 .	. . 2 2 . 1 .	2 4 1 1 2 1	. . . 1 . . .	. . . 1 . . .	. . . . . .	. . . . 2 .
Limerick. Population in 1911 38,518.	June, 19 " 26 July, 3 " 10 " 17 " 24	8.1 10.8 25.7 21.7 16.2 23.0	. . 1.4 . . .	6 8 19 16 12 17	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 2 1 3 3 3	. . 1 . . 1	1 2 1 1 . 1	. 1 2 2 . 3	1 1 2 2 . 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .
Waterford. Population in 1911 27,464.	June, 19 " 26 July, 3 " 10 " 17 " 24	13.3 20.9 9.5 19.0 7.6 7.6	. 1.9 1.9 3.8 . .	7 11 5 10 4 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 2 . . .	. . . . . .	. . . . . .	. . . . . .	1 3 1 1 1 1	1 2 . . . .	. . . 1 1 1 .	1 2 1 1 . .	1 2 1 1 . .	. 1 . . . . .	. . . . . .	. . . . . .	. . . . . .

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 24th July, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.														
						AGES AT DEATH.						DEATHS FROM																					
						Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.																					
				All Causes.	Certain Epi- demic Diseases,†	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.	(28)	(29)
City of Belfast.			(1)	(2)																													
BELFAST URBAN No. 1 DISTRICT.		15,879		7	16.4	.	5	2	1	2	2	2	2	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	1	2	2
Do. 2 do.		49,500		26	11.6	.	11	8	3	2	5	5	2	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	1	3	1
Do. 3 do.		50,032		25	15.6	3.1	15	8	1	2	2	4	2	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	2	6	1
Do. 4 do.		32,637		20	25.6	1.6	16	4	1	2	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		16,112		14	19.4	.	6	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		37,293		17	5.6	.	4	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		2,681		.	19.4	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5,964		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		24,427		9	14.9	2.1	7	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 10 do.		28,958		11	16.2	1.8	9	2	2	3	2	2	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.
Do. 11 do.		39,311		16	13.3	2.7	10	1	2	3	2	2	2	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.
Do. 12 do.		38,076		21	17.8	.	13	2	1	1	1	4	4	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.
Do. 13 do.		23,233		10	9.0	.	4	.	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		175		8	23.0	.	10	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		22,669		8	.	2.3	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,		386,947		184	14.4	1.2	111	18	8	23	16	23	23	.	.	.	1	1	1	.	13	8	11	3	6	4	1	2	6	31	4		
City of Cork.																																	
CORK URBAN No. 1 DISTRICT		13,455		4	15.5	3.9	4	2	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		10,399		2	10.0	5.0	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 3 do.		9,793		3	16.0	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 4 do.		9,139		2	34.2	.	6	1	1	1	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		6,260		3	8.3	.	1	.	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		11,531		7	18.0	.	4	.	.	1	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		16,056		9	9.7	.	3	.	1	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,		76,673		30	15.6	1.4	23	6	.	3	3	5	6	.	.	.	.	1	1	1	.	4	1	.	.	.	.	.	.	1	14	.	

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1915—WEEK ENDING																											
BELFAST.		Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.
No. of weeks in Annual Series,		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29
BIRTHS registered, ...		217	264	222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184
DEATHS registered, ...		158	195	190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111
Annual Death-rate per 1,000 of estimated population, ...		20.4	25.2	24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards, ...		36	35	39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18
		14	24	18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8
		15	30	18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23
		20	34	29	23	20	27	27	24	13	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16
		48	28	38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23
		25	44	48	40	41	42	46	45	32	46	48	25	27	27	26	21	20	23	21	24	17	7	13	15	15	11
Deaths from:—																											
Enteric Fever, ...		.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		2	4	3	5	4	5	6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5	2	3	8	1
Scarlet Fever, ...		3	4	3	.	.	3	.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3	.	2	4	1
Whooping-cough, ...		3	4	1	3	6	3	6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	1	4	3	1	1
Diphtheria, ...		.	.	.	.	1	1	.	1	1	.	.	1	.	.	.	1	.	.	1	.	.	.	2	.	1	1
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. { Pulmonary, ...		17	24	19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13
Other Forms, ...		7	8	9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4	8	8	5	2	8
Cancer ...		9	6	6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11
Diseases of Respi- ( Pneumonia, ...		15	15	23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	8
ratory System, { Others, ...		30	30	43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6
Diarrhoea and Enteritis, under 2 years, ...		3	3	2	4	1	1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1	3	4
Diarrhoea, 2 years and upwards, ...		.	1	.	.	.	2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	1	1
Violent Deaths, ...		.	.	2	4	3	3	.	5	3	3	1	3	.	3	2	1	1	3	3	3	3	2	1	1	3	2
Number of Uncertified Deaths,...		2	3	3	3	4	3	4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.	.	.	.	4

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	July 24,	1,906	967 <sup>c</sup>	11·2	5	.	17	9	20	11	25	
EDINBURGH, — —	328,700	„ 24,	119	64	10·2	.	.	1	2	.	5	.	
GLASGOW, — —	1,078,400	„ 24,	548	314	15·2	2	.	29	4	9	2	10	
CALCUTTA — —	896,067	June 5,	.	358	20·4	54*	19	.	.	.	1	56 <sup>†a</sup>	
BOMBAY, — —	979,445	„ 12,	332	415	22·0	47*	10	1	.	1	.	28 <sup>a</sup>	
MADRAS, — —	518,660	„ 5,	387	295	29·6	41*	.	4	?	?	?	55 <sup>†a</sup>	
CAIRO, {	Egyptians, ...	May 13,	484	946	74·6	143	.	8	.	?	3 <sup>†</sup>	138	
	Foreigners,	„ 13,	6	49	35·4	2	.	.	.	?	.	3	
ALEXAN- DRIA, {	Egyptians,	„ 13,	253	187	28·5	.	2	.	.	?	.	151	
	Foreigners,	„ 13,	34	79	53·6	.	.	.	.	?	.	2	
PARIS, — —	2,847,229	June 12,	356	798	14·3	2	.	28	2	3	.	24	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	611,924	June 12,	254	133	11·3	1	.	2	.	3	.	4	
COPENHAGEN, — —	492,000	„ 26,	226	103	10·9	.	.	.	1	.	1	6	
STOCKHOLM, — —	386,270	„ 26,	134	96	12·9	.	.	3	3	1	1	2	
CHRISTIANIA, — —	251,446	July 3,	101	61	12·7	.	.	.	.	.	.	.	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	May 22,	.	817	25·1	32	2	43	8	2	7	83 <sup>a</sup>	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	June 12,	2,577	1,479	13·3	7	.	47	7	8	24	47	
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	766,136	July 3,	.	158 <sup>b</sup>	10·8	.	.	2	1	.	2	3 <sup>a</sup>	

\* Deaths from "fever," including 2 deaths from plague and 7 from enteric fever in Calcutta; 8 from plague and 2 from enteric fever in Bombay; and one from enteric fever in Madras

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 131 deaths; rate, 8·9 per thousand.

<sup>c</sup> Including 8 deaths from cerebro-spinal fever in London, and in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 24th July, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	2	.	.	.	.	.	1	3	.	.	.	.	6
„ „ 1, West, ...	.	.	.	.	1	.	.	.	1	.	.	.	3	5
„ „ 2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	.	.	.	.	.	.	.	.	.	.	.	3	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	1	3
Finglas and Glasnevin (part of), ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	.	.	1	.	1	.	1	.	.	.	3	6
„ „ 2, ...	.	1	.	.	.	.	.	.	.	.	.	.	.	1
„ „ 3, ...	.	1	.	.	2	.	.	1	1	.	.	.	6	11
„ „ 4, ...	.	2	.	.	.	.	.	.	.	.	.	.	2	4
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Total, ...	.	8	.	.	5	.	1	2	7	.	.	.	20	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 24th July, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 24th July.			
	July 3.	July 10.	July 17.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	35	33	30	2	6	.	26
Typhus, ...	1	2	2	1	.	.	3
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	6	9	1	1	.	9
Scarlet Fever, ...	65	77	77	6	21	.	62*
Diphtheria, ...	24	19	20	4	4	1	19
Pneumonia, ...	18	18	16	2	2	2	14

\* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 31ST JULY, 1915.

[No. 30.]

*General Register Office, Charlemont House,  
Dublin, 3rd August, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 10.	July 17.	July 24.	July 31.	
<b>27 Town Districts, (a)</b>	<b>13·3</b>	<b>12·6</b>	<b>14·7</b>	<b>14·1</b>	<b>13·7</b>
Dublin Reg. Area ...	15·9	13·9	14·3	13·6	14·4
Dublin City ...	15·7	14·2	15·2	14·0	14·8
Belfast ...	10·0	12·0	14·4	15·0	12·9
Cork ...	13·6	10·9	15·6	9·5	12·4
Londonderry ...	16·5	24·0	25·3	16·5	20·6
Limerick ...	21·7	16·2	23·0	23·0	21·0
Waterford ...	19·0	7·6	7·6	11·4	11·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·3 per 1,000. Among the 116 deaths from all causes for Belfast are 3 from measles, one from scarlet fever, 4 from whooping-cough, one from diphtheria, and 3 from diarrhoea and enteritis of children under 2 years. Included in the 14 deaths from all causes for Cork are one from diphtheria and one of a child under 2 years from diarrhoea and enteritis. Of the 13 deaths from all causes for Londonderry 3 were from whooping-cough and 2 from diarrhoea and enteritis of children under 2 years, and 2 of the 6 deaths from all causes for Waterford are also from diarrhoea and enteritis of children under 2 years.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 225—114 boys and 111 girls—and the deaths to 117—55 males and 62 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 10) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 13·6 per 1,000 of the population. During the thirty weeks, ending with Saturday last, the death-rate averaged 23·6, and was 1·4 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 117, represent an annual rate of 14·9 per 1,000; the annual rate for the past thirty weeks was 25·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·4 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from measles and whooping-cough and 7 deaths from diarrhoea and enteritis of children under two years of age.

Deaths from measles in the three preceding weeks numbered 2, one and 0; deaths from whooping-cough were 0, one and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 7, 3 and 3, respectively.

There were 23\* deaths from tuberculous disease, comprising 17 from pulmonary tuberculosis, 3 from tuberculous meningitis, one from abdominal tuberculosis, and 2 from tuberculosis of other organs. Deaths from all forms of the disease in the three preceding weeks numbered respectively, 20, 15 and 25.

Cancer caused 8\* deaths.

Two deaths from broncho-pneumonia, and 3 from pneumonia (type not distinguished) were recorded.

Deaths among infants under one year of age include 6 attributed to convulsions, one to congenital malformation, 5 to prematurity and 2 to congenital debility.

There were 13 deaths from organic diseases of the heart.

One accidental death was registered.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the deaths of two persons aged 65 years and upwards.

Thirty-five of the persons whose deaths were registered during the week were under 5 years of age (27 being infants under one year, of whom 11 were under one month old), and 21 were aged 65 years and upwards, including 13 persons aged 70 and upwards; among the latter were 8 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 97 years respectively.

Fifty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 13·6 per 1,000; the rate in the City was 14·0 (North City Districts, 15·4; South, 12·4), and in the Suburbs, 12·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·1 per 1,000 inhabitants, the rate for the City being 1·3 (in the North City Districts 2·2, and in the South 0·4), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·4 per 1,000, and include one death from whooping-cough, 2 from pulmonary tuberculosis, and 2 of children under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 16·3 per 1,000. Three were from tuberculous disease, one from broncho-pneumonia, and 3 from diarrhoea and enteritis of children under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 13·1 per 1,000. Among them are 2 deaths from pulmonary tuberculosis and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 18·9 per 1,000. Two of them were caused by tuberculous disease.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 9·6. One of the 2 deaths recorded for Clontarf and Howth, No. 1, part of, was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (7) represent an annual rate of 8·9 per 1,000. One death was from pulmonary tuberculosis, one from pneumonia, and one from bronchitis.

No. 2 South City District (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000. Included in this number are one death from tuberculous meningitis and 2 from pneumonia.

No. 3 South City District (Peter-street).—The deaths (11) are equal to an annual rate of 13·0 per 1,000. One death was from pulmonary tuberculosis.

No. 4 South City District (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000. Four deaths from tuberculous disease and one from broncho-pneumonia were recorded.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000, and comprise one death from abdominal tuberculosis and one death of a child under 2 years of age from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 8·5; Blackrock, 22·6; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. One of the 9 deaths from all causes for that district was from pulmonary tuberculosis. One of the 4 deaths from all causes for Pembroke was also from pulmonary tuberculosis; and one death from the same disease is included in the 5 deaths recorded for Kingstown.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·9), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·8 per 1,000, the rate for Glasgow being 13·9, and for Edinburgh 12·2.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 31st July. From this Report it appears that of 57 cases notified, 22 were scarlet fever, 17 diphtheria, 8 pulmonary tuberculosis, 6 other forms of tuberculosis, 2 erysipelas, and 2 cerebro-spinal fever. Among the 459 cases of infectious diseases in hospital at the close of the week were 180 of pulmonary tuberculosis, 134 of scarlet fever, 52 of diphtheria, 27 of whooping-cough, 19 of measles, 9 of erysipelas, 6 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 31st July, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrheal Diseases.	Acute Poliomyelitis.	Pulmonary ecchymosis	Total.
City of Dublin.	July. 10.	.	—	—	11	1	.	.	.	.	2	5	.	—	—	.	—	.	24	41
	July. 17.	.	—	—	11	.	.	3	.	.	2	3	.	—	—	.	—	.	9	28
	July. 24.	.	—	—	8	.	.	5	.	1	2	7	.	—	—	.	—	.	20	43
	July. 31.	.	—	—	11	1	.	4	.	1	2	3	.	—	—	.	—	.	7	29
Rathmines and Rathgar Urban District.	July. 10.	.	—	—	1	.	.	.	.	.	2	.	.	—	—	—	—	—	—	3
	July. 17.	.	—	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	7
	July. 24.	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	July. 31.	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	July. 10.	.	1	.	.	.	.	.	.	.	.	.	.	—	3	.	—	—	.	4
	July. 17.	.	2	.	.	.	.	.	.	.	.	.	.	—	4	.	—	—	1	7
	July. 24.	.	2	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	6
	July. 31.	.	4	.	.	.	.	1	.	.	.	.	.	—	10	.	—	—	.	15
Blackrock Urban District.	July. 10.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 17.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 24.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 31.	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	July. 10.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 17.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 24.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 31.	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	July. 10.	.	—	—	32	.	.	5	.	.	.	1	—	—	—	1	—	.	4	43
	July. 17.	.	—	—	25	.	.	1	.	.	1	3	1	—	—	2	—	.	6	32
	July. 24.	.	—	—	21	.	.	1	.	.	5	.	—	—	—	.	—	.	6	33
	July. 31.	.	—	—	36	.	.	3	.	.	1	5	—	—	—	.	—	1	7	53
City of Cork.	July. 10.	.	3	—	6	.	.	4	.	.	.	1	—	—	—	—	—	—	—	17a
	July. 17.	.	4	—	10	.	.	4	.	.	2	1	—	—	—	3	—	—	—	23
	July. 24.	.	3	—	1	.	.	2	.	.	1	.	—	—	—	2	—	—	—	9
	July. 31.	.	3	—	6	.	.	1	.	.	.	.	—	—	—	7	—	—	—	17a
City of Londonderry.	July. 10.	.	—	—	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	.
	July. 17.	.	—	—	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	1
	July. 24.	.	—	—	1	.	.	.	.	.	.	.	—	—	—	—	—	—	—	1
	July. 31.	.	—	—	.	.	.	.	.	.	.	1	—	—	—	—	—	—	—	1
City of Limerick.	July. 10.	.	—	—	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	.
	July. 17.	.	—	—	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	1
	July. 24.	.	—	—	.	.	.	1	.	.	.	.	—	—	—	—	—	—	—	.
	July. 31.	.	—	—	.	.	.	.	.	.	.	.	—	—	—	—	—	—	—	.
City of Waterford.	July. 10.	.	—	—	8	.	.	.	.	.	.	.	—	—	—	—	—	—	.	8
	July. 17.	.	—	—	5	1	.	.	.	.	.	.	—	—	—	—	—	—	.	6
	July. 24.	.	—	—	9	.	.	.	.	.	1	.	—	—	—	—	—	2	12	.
	July. 31.	.	—	—	4	.	.	.	.	.	.	.	—	—	—	—	—	.	4	.

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 31st July, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 7 were discharged, and 21 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 33, 30, and 26.

Two cases of typhus were discharged from hospital, and one case remained under treatment at the close of the week. The cases in hospital at the close of the three preceding weeks were 2, 2, and 3 respectively.

Four cases of measles were admitted to hospital during the week, 5 were discharged, and 8 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 6, 9, and 9 respectively.

Eleven cases of scarlet fever were admitted to hospital, 15 were discharged, and 58\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 77, and 62, respectively.

Fifteen cases of diphtheria were admitted to hospital during the week, 4 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 19, 20, and 19 respectively, were 30 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 7 were discharged, and 12 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 31st July, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 31ST JULY, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																							
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.				Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.						
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.									
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19·2	24·1	14·1	1·3	560	327	75	61	...	...	...	4	1	8	2	...	47	18	15	16	20	16	...	1	5	98	12			
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29·8	28·7	13·6	1·1	225	107	27	21	...	...	...	1	...	1	...	...	16	5	7	5	2	7	...	...	...	41	5			
CITY OF DUBLIN,	312,747	39·5	31·3	14·0	1·3	188	84	24	13	...	...	...	...	...	1	...	...	13	5	5	5	1	7	...	...	...	35	4			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23·1	13·2	11·9	1·3	10	9	1	5	...	...	...	1	...	...	...	...	1	...	...	...	1	...	...	...	...	3	1			
PEMBROKE, ...	30,538	19·4	22·2	8·5	.	13	5	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	...			
BLACKROCK, ...	9,233	8·5	22·6	22·6	.	4	4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
KINGSTOWN, ...	16,941	11·6	30·8	15·4	.	10	5	...	2	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...		
Urban Districts																															
BELFAST ..	403,000	27·0	23·9	15·0	1·6	185	116	24	21	...	...	...	3	1	4	1	...	16	5	5	6	9	3	...	...	3	33	1			
CORK, ..	76,673	28·6	17·7	9·5	1·4	26	14	2	2	...	...	...	...	...	...	1	...	...	2	...	1	...	1	...	...	...	6	...			
LONDON- DERRY	41,200	16·0	25·3	16·5	6·3	20	13	6	1	...	...	...	...	...	3	...	...	...	1	...	1	4	2	...	...	...	2	...			
LIMERICK, ...	38,518	16·1	12·2	23·0	.	9	17	4	4	...	...	...	...	...	...	...	...	2	...	2	1	1	...	...	...	...	6	2			
WATERFORD, ...	27,464	19·1	15·2	11·4	3·8	8	6	3	...	...	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	1	...			
GALWAY, ...	13,255	2·5				6	3	...	1	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	1			
DUNDALK, ...	13,128	9·5				3	3	...	1	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	...	...	...		
LURGAN, ...	12,553	14·7				9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
DROGHEDA, ...	12,501	8·4				8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
LISBURN, ...	12,388	10·9				5	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...			
NEWRY, ...	11,963	17·0				1	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
PORTADOWN, ...	11,727	15·3				6	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22·8				5	9	1	1	...	...	...	...	...	...	...	...	2	2	...	...	1	...	...	...	...	1	1			
BALLYMENA ..	11,381	9·3				1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...		
SLIGO, ...	11,163	3·8				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
KILKENNY, ...	10,514	11·4				2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
TRALEE, ...	10,300	17·4				1	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	...			
CLONMEL, ...	10,209	7·8				2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...		
NEWTOWNARDS	9,587	20·1				7	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
QUEENSTOWN, ...	8,209	14·7				4	4	1	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	...	...	...	1	...			
LARNE, ...	8,036	13·4				1	3	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	2	...			
COLERAINE, ...	7,785	7·7				2	3	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...		
BANGOR, ..	7,776	8·5				7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BRAY, ..	7,691	7·2				4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ..	7,472	6·2				8	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ARMAGH, ...	7,356	21·8				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 10 deaths of persons admitted to hospital from localities outside the Area; the 10 deaths include 2 from tuberculous disease and one from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 31st of July, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES, &c.	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	2	2	2	1	1	.	1	.	1	1	3	.	1	1	.	1	16	
{ Other Forms,	.	1	.	1	.	.	.	1	.	1	1	1	.	.	.	.	5	
Cancer,	1	.	.	3	.	1	.	.	.	.	.	.	.	.	.	2	7	
Diseases of Nervous System,	2	2	2	2	.	1	.	.	.	3	2	.	2	2	2	.	20	
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System,	.	.	1	2	.	1	.	.	.	3	2	.	3	1	.	1	14	
" Respiratory System. { Pneumonia,	.	1	.	.	.	.	.	1	2	.	1	.	.	.	.	.	5	
{ Others,	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	2	
" Digestive System. { Diarrhoea and Enteritis, under 2 years,	2	3	1	.	.	.	.	.	.	.	.	1	.	.	.	.	7	
{ Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others,	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	3	
" Genito-urinary System,	.	.	.	1	.	.	.	.	1	2	.	.	.	.	1	.	5	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	1	3	1	2	1	.	2	3	.	2	1	.	1	1	1	1	20	
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Deaths from All Causes	9	13	7	13	2	3	2	7	5	11	10	2	9	5	4	5	107	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15·4	16·3	13·1	18·9	18·8	11·3	9·6	8·9	14·2	13·0	15·7	10·5	11·9	8·5	22·6	15·4	13·6	
	15·4							12·4				12·5						
	14·0																	
Ages at Death. { Under 1 year,	4	4	2	4	.	.	2	4	1	1	1	1	1	.	2	.	27	
" 1 and under 2 years,	1	.	.	1	.	.	.	.	1	.	1	1	.	.	.	.	5	
" 2 " 5 "	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	
" 5 " 15 "	.	3	.	.	.	.	.	.	1	.	2	.	.	.	.	.	6	
" 15 " 25 "	.	.	1	.	.	.	.	1	.	.	1	.	.	.	.	.	3	
" 25 " 45 "	3	2	2	2	1	.	.	.	.	2	2	.	1	2	1	2	20	
" 45 " 65 "	1	2	.	5	.	2	.	.	2	4	1	.	1	2	1	1	22	
" 65 and upwards,	.	2	2	1	1	1	.	1	.	4	1	.	5	1	.	2	21	
Number of Uncertified Deaths,	2	.	.	1	.	.	.	.	.	1	.	.	1	.	.	.	5	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	2	1	2	.	2	.	1	1	.	5	.	3	3	.	.	20	
Workhouse Hospitals,	4	5	1	2	.	.	.	1	1	4	3	.	.	.	.	.	21	





THIRTIETH WEEK, ending Saturday, 31st July, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 30th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 31st July, 1915.																														
	July 29, 1905.	July 28, 1906.	July 27, 1907.	July 25, 1908.	July 31, 1909.	July 30, 1910.	July 29, 1911.	July 27, 1912.	July 26, 1913.	July 25, 1914.		All Ages.	Deaths of Persons of the Ages of																													
													0-5.																													
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Stomach, ...	—	—	—	—	—	—	2	.	2	5	—	.	.	.	.	.	.	.	.	.	.	.																				
Diarrhoea and Enteritis of Children under 2 years.	28	11	4	11	6	4	34	8	6	6	12.7	7	1	5	1	.	.	.	.	.	.	.																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.																				
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.																				
Cirrhosis of Liver, ...	.	1	3	.	.	1	.	1	.	3	.2	.	.	.	.	.	.	.	.	.	.	.																				
Other Diseases of Liver, ...	.	1	.	.	2	.	.	.	.	2	.5	.	.	.	.	.	.	.	.	.	.	.																				
Peritonitis (cause unknown), ...	1	.	.	2	1	.	1	.	1	1	.7	3	1	1	.	.	.	2	.	.	.	.																				
Other Diseases of Digestive System.	7	2	8	3	4	.	1	.	1	1	2.7	1	1	.	.	.	.	.	.	.	.	.																				
Acute Nephritis, ...	3	2	6	6	7	4	2	.	1	1	4.8	1	.	.	.	.	.	.	.	.	.	.																				
Chronic Bright's Disease, ...																							4	2	3	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	2	2	.	.	.	1	.	.	.	.	.	.	1	.	.	.																				
Puerperal Septicæmia, &c., ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Other Causes incident to Pregnancy and Childbirth.	1	1	.	.	.	.	.	1	.	.	.3	1	.	.	.	.	.	.	1	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.																				
Premature Birth, ...	4	2	6	1	5	3	8	3	4	3	3.9	5	4	1	.	.	.	.	.	.	.	.																				
Congenital Debility, ...	—	—	—	—	—	—	5	4	8	4	—	2	.	2	.	.	.	.	.	.	.	.																				
Old Age, ...	5	6	1	1	3	3	2	5	6	2	3.5	8	.	.	.	.	.	.	.	.	4	4																				
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	.	2	—	1	1	.	.	.	.	.	.	.	.	.																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.																				
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Burns and Scalds, ...	.	1	1	1	.	.	.	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.																				
Drowning, ...	1	2	.	.	1	1	1	1	1	1	.9	.	.	.	.	.	.	.	.	.	.	.																				
Suffocation in Bed, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Other Deaths by Accident, ...	2	1	4	1	4	2	3	.	2	.	1.9	1	.	.	.	.	.	.	1	.	.	.																				
Total Deaths from Accident,	3	4	5	3	5	3	4	1	4	2	3.4	1	.	.	.	.	.	.	1	.	.	.																				
Included in above are Deaths in connection with—																																										
Railways, ...	.	.	1	.	.	.	2	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.																				
Vehicles and Horses, ...	.	.	1	.	.	1	1	.	1	.	.4	1	.	.	.	.	.	.	1	.	.	.																				
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Suicide, ...	1	.	.	.	.	2	1	.	.	1	.5	.	.	.	.	.	.	.	.	.	.	.																				
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	3	6	3	—	1	.	.	.	.	1	.	.	.	.	.																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.
N <sup>o</sup> . of weeks in Annual Series,	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	236	269	225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199	243	202	199	214	225
DEATHS REGISTERED.	239	224	209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216	247	204	212	217	216
Annual Death-rate per 1,000, ...	254	236	256	287	272	249	20	228	191	219	205	203	160	205	186	174	140	165	147	147	133	161	193	113	121	117
Average Deaths in corresponding week of previous 10 years, ...	32.4	30.1	32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	28.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9
Ages, { Under 5 years, ...	84	68	69	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39	34	36	33	28	25	35
15-25 " ...	4	9	11	9	7	11	6	10	8	7	7	5	5	9	9	4	8	3	8	6	6	7	6	5	3	6
25-45 " ...	8	9	17	17	8	9	9	13	12	15	14	12	11	12	16	14	6	9	11	10	12	10	8	5	10	6
45-65 " ...	31	31	28	39	40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	18	24
65-75 " ...	56	61	64	80	60	52	81	16	45	54	45	49	39	48	42	39	33	41	43	39	26	51	27	31	34	25
75 and upwards, ...	39	25	42	50	56	35	42	29	31	37	32	17	19	31	21	17	22	19	18	18	23	16	23	13	17	13
Deaths from:—	32	33	35	26	39	39	23	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	14	8
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	3	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...	7	10	6	11	6	5	13	10	10	9	4	11	2	5	5	3	1	3	2	2	2	1	2	2	1	1
Diphtheria, ...	2	3	3	1	1	1	1	1	1	1	1	1	2	3	2	1	1	1	1	1	1	1	1	1	1	1
Influenza, ...	8	10	8	13	18	11	11	11	8	8	4	2	6	1	4	1	1	1	1	1	1	1	2	2	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis { Pulmonary ...	22	25	19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17
Other Forms, ...	13	7	5	10	3	7	6	9	5	9	9	12	3	10	9	3	7	3	12	6	8	8	9	2	3	7
Cancer, ...	4	8	12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6	10	10	10	8	9	9	8
Diseases of Circulatory System, ...	19	15	33	17	27	17	17	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	13	12	15
Diseases of Respiratory System, { Pneumonia, ...	32	23	28	25	22	16	17	17	15	21	23	16	8	12	9	13	12	10	17	13	11	8	7	5	11	5
Others, ...	61	55	43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2
Diarrhoea and Enteritis, under 2 years, ...	8	8	4	2	10	8	2	6	4	1	3	2	5	6	6	5	1	9	1	5	2	5	7	3	3	7
Diarrhoea, 2 years and upwards	4	4	11	5	5	8	11	7	4	5	7	1	3	5	1	1	1	1	1	1	1	1	1	1	1	1
Violent Deaths, ...	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	5	5	6	1	3	5	7	1	6	2	1
Number of Uncertified Deaths, ...	15	10	13	7	9	13	8	5	8	4	3	7	1	4	6	5	5	6	1	3	5	7	1	6	2	1



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 31st July, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION  (The 31,315 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	AGES.															CAUSES OF DEATH															Number of Uncertified Deaths
				AGES.							DISEASES OF THE RESPIRATORY SYSTEM								Other Causes.															
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)				
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)				
ALL PERSONS.		397,957	—	117	35	6	6	24	25	13	8	.	.	1	.	1	.	.	.	17	6	8	6	5	2	7	.	1	63	5				
CLASSES.																																		
Deaths in Families of the—				4	7	.	2	6	4	3	2	1	.	.	1	.	.	.	.	3	.	3	1	.	.	.	.	.	4	.				
PROFESSIONAL AND INDEPENDENT CLASS, ...		14,658	14.2	24	7	.	2	6	4	3	2	1	.	.	1	.	.	.	.	3	.	3	1	.	.	.	.	.	14	1				
MIDDLE CLASS, ...		101,798	12.3	21	7	3	3	6	5	3	2	.	.	.	.	.	.	.	.	4	4	3	1	1	.	1	.	.	11	.				
ARTISAN CLASS AND PETTY SHOPKEEPERS, ...		108,420	10.1	21	7	3	3	6	5	3	2	.	.	.	.	.	.	.	.	5	5	.	4	3	2	4	.	.	22	4				
GENERAL SERVICE CLASS, ...		167,479	14.6	47	20	5	1	8	6	4	3	.	.	.	.	.	.	.	.	5	1	.	.	1	.	.	.	1	22	.				
INMATES OF WORKHOUSES, ...		5,602	—	21	1	1	.	7	9	1	2	.	.	.	.	.	.	.	.	5	1	2	.	1	.	.	.	.	12	.				
PROFESSIONAL AND INDEPENDENT CLASS.																																		
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...		7,868	6.6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.				
2. Merchants and Manufacturers, Higher Class		1,347	28.7	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
3. Persons of Rank and Property, not otherwise described, ...		5,443	28.7	3	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.				
MIDDLE CLASS.																																		
4. General Body of Officials—Civil Service, Banking, &c., ...		9,523	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
5. Traders (except Petty Shopkeepers), Business Managers, &c., ...		25,199	6.2	3	1	.	.	2	.	1	1	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.				
6. Clerks and Commercial Assistants, ...		33,249	11.0	7	4	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	.				
7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...		33,827	21.6	14	2	.	2	3	3	2	2	.	.	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	10	1				
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																		
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...		11,777	13.3	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.				
9. Building and Furnishing Trades, ...		28,823	5.4	3	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.				
10. Clothing Trades, ...		20,026	5.2	2	2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.				
11. Food Supply Trades, ...		8,952	11.6	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
12. Other Trades and Callings ranking with Trades, ...		32,070	17.9	11	1	.	2	2	5	1	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	6	.				
13. Petty Shopkeepers		6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
GENERAL SERVICE CLASS.																																		
14. Army, Police, Postal Delivery and Prison Services, &c., ...		12,977	40.2	10	4	1	.	2	1	1	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.	.	5	.				
15. Domestic Servants, ...		36,041	4.3	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	1	1				
16. Coach and Car Drivers, Vanmen, &c., ...		15,380	30.5	9	4	2	.	2	1	.	.	.	.	.	.	.	.	.	.	2	1	.	2	2	1	2	.	.	3	3				
17. Hawkers, Porters, Labourers, &c., ...		103,081	12.6	25	10	2	1	4	3	3	2	.	.	.	.	.	.	.	.	2	3	.	2	2	1	2	.	.	13	.				
INMATES OF WORKHOUSES.																																		
18. Workhouse Inmates, ...		5,602	—	21	1	1	.	7	9	1	2	.	.	.	.	.	.	.	.	5	1	2	.	1	.	.	.	.	12	.				

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.			
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.					
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	June, 26 July, 3 " 10 " 17 " 24	8.5 29.1 13.7 10.3 13.7	1.7 1.7  1.7  	5 17 8 6 8	. . . . . 1 . . .	. . . . . . . . .	. . . . . . . . .	. . . . . . . . .	. . . . . . . . .	. . . . . . . . .	1 . . . . . . . .	. . . . . . . . .	. . . . . . . . .	2 4 2 3 2	. 1 . . . . 1	. 1 . . 1 1 1	. 1 . . 1 . . . .	. 1 2 . . . . . .	. . . 1 . . . .	. . . . . . . 2	. . . . . 1 1	. . . . . . . . .	. . . . . 1 1	. 2 . . . . . .
North City, No. 1 (W.) (Office, Summer-hill.)	June, 26 July, 3 " 10 " 17 " 24 " 31	20.0 16.3 26.3 22.5 11.3 16.3	. . . 2.5 1.3 2.5 3.8	16 13 21 18 9 13	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . 1 . . . . . . .	. . . . . 1 . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	4 3 1 4 . . 2	1 1 1 1 1 1	2 . . 1 2 1 . .	1 1 1 2 . . 1	2 1 2 1 . . . .	. . . 1 . . 2 . .	. . . 1 . . 2 . .	. . . 1 . . 2 . .	. . . . . . . 3 . .	. . . . . . . . . . .	1 1 . . . . . . . .	1 1 2 . . . . . .
North City, No. 2. (Office, Lisburn-street.)	June, 26 July, 3 " 10 " 17 " 24 " 31	28.1 20.6 9.4 9.4 11.2 13.1	1.9 . . . . 1.9 . . . .	15 11 5 5 6 7	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	1 2 1 . . 1 2	3 1 . . 1 . . . .	. . . . . . . 1 . .	. . . . . . . 2 . .	2 . . . . . . 2 . .	1 1 . . . . . . . .	1 . . . . . . 1 . .	1 . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 2 . . . . . . . .	1 2 . . . . . . . .
North City, No. 3. (Office, Benburb-street.)	June, 26 July, 3 " 10 " 17 " 24 " 31	17.4 10.2 7.3 8.7 16.0 18.9	2.9 . . . . . . . . . .	12 7 5 6 11 13	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . 1 . . . . . . .	. . . . . . . . . . .	1 3 . . 1 3 1	. . . . . . . 1 1	. . . . . 2 . . 3	2 . . . . . . 1 . .	. . . . . . . 1 . .	. . . 1 . . . . . .	1 . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	1 1 . . . . . . . .	. 1 2 1 . . 1	
Clontarf and Howth No. 1 (part of).	June, 26 July, 3 " 10 " 17 " 24 " 31	28.2 18.8 . . . . 37.7 18.8	. . . . . . . 9.4 . .	3 2 . . . . 4 2	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . 1 . .	. . . . . . . 1 . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	
Coolock and Drumcondra (part of).	June, 26 July, 3 " 10 " 17 " 24 " 31	3.8 15.1 18.9 11.3 18.9 11.3	. . . 3.8 3.8 3.8 . .	1 4 5 3 5 3	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	. 1 . . . . 2 . .	. . . . . . . . . 1	. . . . . 1 . . . .	. . . . . 1 . . . .	. . . . . . . . . . .	. . . 1 . . . . . .	. . . 1 . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	
Finglas and Glasnevin (part of).	June, 26 July, 3 " 10 " 17 " 24 " 31	. 4.8 14.4 14.4 9.6 9.6	. . . . . . . 4.8 . .	. 1 3 3 2 2	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . 1 . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . 1 . . . . . .	. . . . . . . 1 . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	
South City, No. 1. (Office, St. Earl-street.)	June, 26 July, 3 " 10 " 17 " 24 " 31	10.1 22.8 17.7 16.5 11.4 8.9	. . . 2.5 1.3 1.3 . .	8 18 14 13 9 . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . . .	. . . . . . . . . . .	2 3 1 1 1 1	1 . . . . . . . . . .	. 1 1 1 . . 1	. 1 1 1 . . 1	1 4 2 1 3 1	. . . 2 . . 1 . .	. . . . . . . . . . .	. . . . . . . . . 2	. . . . . . . . . . .	. 1 . . . . . . . . . .		
South City, No. 2. (Office, Castle-street.)	June, 26 July, 3 " 10 " 17 " 24 " 31	25.6 19.9 14.2 14.2 19.9 14.2	2.8 2.8 2.8 . . . . . .	9 7 5 5 7 5	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . 1 . . . . .	. . . . . . . . . . .	. . . . . 1 . . . . .	2 1 1 2 2 . .	1 . . . . . . 1 1	1 . . . . . . . . 2	1 . . . . 3 1 . .	. . . . . 1 . . . .	. . . 1 . . . . . .	. . . 1 . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .		
South City, No. 3. (Office, Peter-street.)	June, 26 July, 3 " 10 " 17 " 24 " 31	15.4 23.7 14.2 15.4 19.0 13.0	. 1.2 1.2 1.2 . . . .	13 20 12 13 16 11	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . . .	. . . . . . . . . . .	3 4 3 3 4 1	. 4 . . . . . . . .	1 1 1 . . . . . .	1 4 2 1 2 . .	1 . . 1 1 2 . .	. . . 1 . . . . . .	. . . 1 . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	2 1 . . . . . . 1		
South City, No. 4. (Office, Grand Canal-st.)	June, 26 July, 3 " 10 " 17 " 24 " 31	9.4 22.0 23.6 14.1 18.9 15.7	. 1.6 . . . . . . . .	6 14 15 9 12 10	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	2 1 6 1 3 3	. . . 1 . . . . 1	1 . . 1 . . 2 . .	. . . 1 1 3 1	. . . 1 1 . . . .	. . . 1 . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .		
New Kilmainham.	June, 26 July, 3 " 10 " 17 " 24 " 31	15.7 15.7 5.2 21.0 10.5 10.5	. . . . . . . . . . .	3 3 1 4 2 2	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . 1	. . . . . . . . . . .	1 . . . . . . 1 . .	. . . 1 . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .		

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Enteritis of Children under 2 years of age.	Marasmus, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	June, 26	19.8	1.3	15	.	.	.	1	.	.	.	.	1	.	1	1	1	.	.	.	
	July, 3	10.5	.	8	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.	
	" 10	15.8	2.6	12	.	.	.	1	.	.	.	.	1	.	1	1	2	1	.	1	
	" 17	15.8	.	12	.	.	.	.	.	.	.	.	1	.	1	2	1	.	.	.	
	" 24	11.9	1.3	9	.	.	.	.	.	1	.	.	1	.	1	1	.	.	.	1	
" 31	11.9	1.3	9	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	.	1	
Pembroke Urban District. Population in 1915 (Est.) 20,538	June, 26	13.7	.	8	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	
	July, 3	12.0	.	7	.	.	.	.	.	.	.	.	.	.	.	1	2	2	.	1	
	" 10	18.8	1.7	11	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	2	
	" 17	1.7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 24	10.2	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" 31	8.5	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.		
Blackrock Urban District. Population in 1915 (Est.) 9,233.	June, 26	22.6	5.6	4	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	2	
	July, 3	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 10	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 17	28.2	5.6	5	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	2	
	" 24	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" 31	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Kingstown Urban District. Population in 1911 16,941.	June, 26	15.4	3.1	5	.	.	.	1	.	.	.	.	1	.	.	1	.	.	.	1	
	July, 3	40.0	9.2	13	.	.	.	1	.	.	.	.	1	1	2	2	2	.	.	1	
	" 10	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1	
	" 17	18.5	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	1	
	" 24	12.3	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1	
" 31	15.4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.		
Belfast. Population in 1915 (Est.) 403,000.	June, 26	12.9	1.2	100	.	.	.	5	3	.	.	.	17	8	9	6	7	1	2	.	
	July, 3	13.1	1.3	101	.	.	.	2	.	4	2	.	17	8	6	7	6	2	1	.	
	" 10	10.0	1.4	77	.	.	.	3	2	3	.	.	10	5	2	9	9	1	1	.	
	" 17	12.0	1.7	93	.	.	.	3	4	1	1	.	12	2	7	6	6	3	1	3	
	" 24	14.4	1.2	111	.	.	.	1	1	1	1	.	13	8	11	3	6	4	1	2	
" 31	15.0	1.6	116	.	.	.	3	1	4	1	.	16	5	5	6	9	3	.	1		
Cork. Population in 1911 76,673.	June, 26	21.8	1.4	32	.	.	.	1	.	1	.	.	5	3	3	.	.	.	.	.	
	July, 3	19.0	0.7	28	.	.	.	1	.	.	.	.	3	2	2	1	.	.	.	1	
	" 10	13.6	2.0	20	.	.	.	1	.	.	1	.	2	1	.	.	2	.	.	1	
	" 17	10.9	0.7	16	.	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	
	" 24	15.6	1.4	23	.	.	.	.	.	1	1	.	4	1	.	.	.	.	.	.	
" 31	9.5	1.4	14	.	.	.	.	.	.	1	.	.	.	2	.	1	.	.	.		
Londonderry. Population in 1915 (Est.) 41,200.	June, 26	11.4	2.5	9	1	.	.	.	.	1	.	.	1	1	.	2	2	.	.	.	
	July, 3	26.6	2.5	21	1	.	.	.	.	.	.	.	1	1	.	2	4	1	.	1	
	" 10	16.5	1.3	13	.	.	.	.	.	1	.	.	1	.	1	2	1	1	.	1	
	" 17	24.0	7.6	19	.	.	.	.	.	5	.	.	1	1	.	2	2	1	.	1	
	" 24	25.3	7.6	20	.	.	.	.	.	6	.	.	1	.	1	.	1	.	2	2	
" 31	16.5	6.3	13	.	.	.	.	.	3	.	.	.	.	1	.	4	2	.	.		
Limerick. Population in 1911 33,518.	June, 26	10.8	.	8	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	
	July, 3	25.7	1.4	19	1	.	.	.	.	.	.	.	1	.	2	1	1	.	.	2	
	" 10	21.7	.	16	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	
	" 17	16.2	.	12	.	.	.	.	.	.	.	.	3	.	.	2	.	.	.	2	
	" 24	23.0	.	17	.	.	.	.	.	.	.	.	3	1	1	.	3	.	.	2	
" 31	23.0	.	17	.	.	.	.	.	.	.	.	2	.	2	1	.	.	.	2		
Waterford. Population in 1911 27,464.	June, 26	20.9	1.9	11	.	.	.	.	1	.	.	.	3	2	.	.	.	.	.	1	
	July, 3	9.5	1.9	5	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.	
	" 10	19.0	3.8	10	.	.	.	.	2	.	.	.	1	.	.	1	1	.	.	2	
	" 17	7.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 24	7.6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
" 31	11.4	3.8	6	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 31st July, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.								
				Annual Rate* of Mortality per 1,000 of the Population in 1911. represented by Deaths from		Total Number of DEATHS.						Enteric Fever.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.					Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	
		All Causes.	Certain Epidemic Diseases†	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)				

City of Belfast.																																		
BELFAST URBAN No. 1 DISTRICT.	15,879	8	9.9	3.3	3	3	3	1	4	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2	49,500	23	20.0	2.1	19	4	4	2	1	4	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3	50,032	25	14.6	1.0	14	4	2	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4	32,637	23	17.6	1.6	11	3	1	1	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5	16,112	3	9.7		3	1	1	1	2	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6	37,293	9	8.4		6	1	1	1	2	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7	2,681	1	58.3		3	1	1	1	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 8	5,964	1	17.1		8	2	1	1	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 9	24,427	8	18.0		10	1	1	1	4	2	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 10	28,958	19	18.0		10	2	1	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 11	39,311	24	13.3	2.7	10	2	1	3	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 12	38,076	18	16.4	5.5	12	3	2	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 13	23,293	12	15.7		7	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 14	175	1	23.0	2.3	10	2	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15	22,669	11	23.0	2.3	10	2	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	386,947	165	15.0	1.6	116	24	14	14	17	26	21	1	1	1	3	1	4	1	1	16	5	6	9	1	1	1	1	1	1	1	1	1	1	1
City of Cork.																																		
CORK URBAN No. 1 DISTRICT	13,455	4	20.1	5.0	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 2	10,399	6	20.1	5.0	4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3	9,793	2	5.3	5.3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4	9,139	2	11.4		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 5	6,250	5	4.5		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 6	11,531	4	19.5		6	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 7	16,056	3	19.5		6	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	76,673	26	9.5	1.4	14	2	4	2	3	1	2	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.





TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	July 31,	1,944	940 <sup>c</sup>	10·9	2	.	13	5	11	7	31
EDINBURGH, ---	328,700	" 31,	113	77 <sup>c</sup>	12·2	.	.	1	1	.	1	1
GLASGOW, --	1,078,400	" 31,	533	288 <sup>c</sup>	13·9	.	.	32	5	1	2	7
CALCUTTA --	896,067	June 12,	.	326	18·9	50*	13	.	.	.	1	30† <sup>a</sup>
BOMBAY, ---	979,445	" 19,	336	434	23·0	39*	11	.	.	.	.	26† <sup>a</sup>
MADRAS, ---	518,660	" 12,	358	304	30·5	29*	.	2	?	?	?	56 <sup>a</sup>
CAIRO, {	Egyptians, ...	May 20,	451	983	77·5	153	.	5	.	?	3†	156
	Foreigners,	" 20,	7	27	19·5	4	.	.	.	?	.	1
ALEXAN- DRIA, {	Egyptians,	" 20,	234	212	32·4	3	4	.	.	?	.	50
	Foreigners,	" 20,	24	132	89·5	1	1	1	.	?	.	2
PARIS, ---	2,847,229	June 19,	368	712	12·8	.	.	13	1	5	1†	17
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	611,924	June 19,	241	124	10·6	.	.	.	.	2	.	1
COPENHAGEN, ---	492,000	July 3,	172	100	10·6	.	.	.	.	1	.	3
STOCKHOLM, ---	386,270	" 3,	143	91	12·2	.	.	1	2	3	1	3 <sup>a</sup>
CHRISTIANIA, ---	250,677	" 10,	116	46	9·5	.	.	.	.	.	.	1 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	May 29,	.	913	28·1	29	3	45	13	3	7	95 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	June 19,	2,538	1,392	12·5	7	.	29	11	12	30†	37
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,326	July 10,	.	183 <sup>b</sup>	13·1	3	.	.	2	2	5	4 <sup>a</sup>

\* Deaths from "fever," including 7 deaths from enteric fever in Calcutta; and 5 from plague and 2 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 11 deaths from cholera in Calcutta, and one in Bombay.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted. 156 deaths (including 2 from enteric fever, one from scarlet fever, 3 from diphtheria, and 3 from diarrhoeal diseases); rate, 11·2 per thousand.

<sup>c</sup> Including 3 deaths from cerebro-spinal fever in London, one in Edinburgh, and 4 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 31st July, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
"    "    1, West, ...	.	2	.	.	.	.	.	.	1	.	.	.	1	4
"    "    2, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
"    "    3, ...	.	2	.	.	1	.	.	.	.	.	.	.	2	5
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1, ...	.	2	1	.	.	.	1	.	.	.	.	.	.	4
"    "    2, ...	.	1	.	.	.	.	.	.	1	.	.	.	1	3
"    "    3, ...	.	2	.	.	2	.	.	2	.	.	.	.	.	6
"    "    4, ...	.	1	.	.	.	.	.	.	.	.	.	.	1	2
New Kilmainham, ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total, ...	.	11	1	.	4	.	1	2	3	.	.	.	7	29

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 31st July, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 31st July.			
	July 10.	July 17.	July 24.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	33	30	26	2	7	.	21
Typhus, ...	2	2	3	.	2	.	1
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	9	9	4	5	.	8
Scarlet Fever, ...	77	77	62	11	15	.	58*
Diphtheria, ...	19	20	19	15	4	.	30
Pneumonia, ...	18	16	14	5	7	.	12

\* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 7TH AUGUST, 1915.

[No. 31.]

*General Register Office, Charlemont House,  
Dublin, 9th August, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 11·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 17	July 24	July 31	Aug. 7	
<b>27 Town Districts, (a)</b>	<b>12·6</b>	<b>14·7</b>	<b>14·1</b>	<b>11·9</b>	<b>13·3</b>
Dublin Reg. Area ...	13·9	14·3	13·6	12·4	13·6
Dublin City ...	14·2	15·2	14·0	12·3	13·9
Belfast ...	12·0	14·4	15·0	11·3	13·2
Cork ...	10·9	15·6	9·5	12·9	12·2
Londonderry ...	24·0	25·3	16·5	15·2	20·2
Limerick ...	16·2	23·0	23·0	12·2	18·6
Waterford ...	7·6	7·6	11·4	11·4	9·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 87 deaths from all causes for Belfast are 2 from scarlet fever, one from whooping-cough, 2 from diphtheria, one from dysentery, and 4 from diarrhoeal diseases. One of the 19 deaths from all causes for Cork is from whooping-cough, and the 12 deaths from all causes for Londonderry include one from whooping-cough and 3 from diarrhoea and enteritis of children under 2 years.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 178—81 boys and 97 girls—and the deaths to 110—60 males and 50 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 12·4 per 1,000 of the population. During the thirty-one weeks, ending with Saturday last, the death-rate averaged 23·2, and was 1·2 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 110, represent an annual rate of 14·0 per 1,000; the annual rate for the past thirty-one weeks was 24·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·2 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one death each from enteric fever, measles, whooping-cough, and dysentery, 2 from diphtheria,\* 7 deaths from diarrhoea and enteritis of children under two years of age, and one death from influenza.

In the three preceding weeks deaths from enteric fever were one, 0, and 0 respectively; deaths from measles were one, 0, and one; deaths from whooping-cough were one, one, and one; deaths from diphtheria were 0, 3, and 0; deaths from diarrhoea and enteritis of children under 2 years of age were 3, 3, and 7; and deaths from influenza were 2, one, and 0.

Deaths from tuberculous disease, which, in the preceding weeks, numbered 15, 25, and 23, respectively, rose to 26\* last week, the latter comprising 17 from pulmonary tuberculosis, 4 from tuberculous meningitis, 3 from abdominal tuberculosis, and 2 from other forms of the disease.

The deaths of 4\* persons were caused by cancer.

There were 4 deaths from pneumonia, including 2 from broncho-pneumonia, and 2 from pneumonia (type not distinguished).

Among deaths of infants under one year of age, 2 were ascribed to convulsions, 2 to prematurity, and 3 to congenital debility.

Eight deaths were caused by organic diseases of the heart and 4 by bronchitis.

Two accidental deaths were registered, one (that of a child aged one year and 5 months) having been caused by scalds.

There were 2 cases of suicide.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year old and the death of a person aged 68 years.

Thirty-three of the persons whose deaths were registered during the week were under 5 years of age (21 being infants under one year, of whom 3 were under one month old), and 25 were aged 65 years and upwards, including 17 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Fifty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 12·4 per 1,000; the rate in the City was 12·3 (North City Districts, 10·4; South, 14·6), and in the Suburbs, 12·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 2·8, and in the South 0·7), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 18·8 per 1,000, and include one death from dysentery, 4 from tuberculous disease, one from pneumonia, and 3 of children under 2 years of age from diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (7) are equal to an annual rate of 8·8 per 1,000. One of the deaths was from broncho-pneumonia, and 3 were of children under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 13·1 per 1,000. Included in this number are 3 deaths from tuberculous disease and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 *North City District* (Benburb-street).—The deaths (4) represent an annual rate of 5·8 per 1,000. Tuberculous disease caused one death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 0·0. One of the 3 deaths recorded for Coolock and Drumcondra, part of, was caused by measles.

No. 1 *South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·0 per 1,000. Among them are 4 deaths from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and one case of suicide.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. One death was due to whooping-cough and one to tuberculous meningitis.

No. 3 *South City District* (Peter-street).—The deaths (15) are equal to an annual rate of 17·8 per 1,000. One death from diphtheria, 2 from tuberculous disease, one from pneumonia, and 2 from bronchitis were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (4) are equivalent to an annual rate of 6·3 per 1,000. Two deaths were caused by pulmonary tuberculosis.

*New Kilmainham District.*—One death was recorded for this district, affording an annual rate of 5·2 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·2; Pembroke, 20·5; Blackrock, 5·6; and Kingstown, 9·2. The only death from the principal epidemic diseases tabulated for these districts was one from enteric fever for Rathmines and Rathgar. Two of the 7 deaths from all causes for that district were from tuberculous disease and one was an accidental death. Of the 12 deaths from all causes for Pembroke one was from influenza, 5 were from pulmonary tuberculosis, and there was one accidental death; and one of the 3 deaths recorded for Kingstown was from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 10·8), was equal to an average annual death-rate of 11·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 14·3, and for Edinburgh 13·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 7th August. From this Report it appears that of 48 cases notified, 14 were diphtheria, 13 scarlet fever, 8 pulmonary tuberculosis, 7 other forms of tuberculosis, and 6 erysipelas. Among the 467 cases of infectious diseases in hospital at the close of the week were 180 of pulmonary tuberculosis, 129 of scarlet fever, 62 of diphtheria, 30 of whooping-cough, 30 of measles, 9 of erysipelas, 4 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever:

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 7th August, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	July. 17,	.	—	—	11	.	.	3	.	.	2	3	.	—	—	.	—	.	9	28
	July. 24,	.	—	—	8	.	.	5	.	1	2	7	.	—	—	.	—	.	20	43
	July. 31,	.	—	—	11	1	.	4	.	1	2	3	.	—	—	.	—	.	7	29
	Aug. 7,	.	—	—	8	.	.	8	.	.	1	3	.	—	—	.	—	.	13	33
Rathmines and Rathgar Urban District.	July. 17,	.	—	—	5	.	.	.	.	.	1	1	.	—	—	—	—	—	—	7
	July. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	July. 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	July. 17,	.	2	.	.	.	.	.	.	.	.	.	.	—	4	.	—	—	1	7
	July. 24,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	6
	July. 31,	.	4	.	.	.	.	1	.	.	.	.	.	—	10	.	—	—	.	15
	Aug. 7,	.	2	.	1	.	.	.	.	.	.	.	.	—	1	.	—	—	5	9
Blackrock Urban District.	July. 17,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 24,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 31,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 7,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
City of Belfast.	July. 17,	.	—	—	25	.	.	.	1	.	1	2	1	—	—	2	—	.	.	32
	July. 24,	.	—	—	21	.	.	1	.	.	.	5	.	—	—	.	—	.	6	33
	July. 31,	.	—	—	36	.	.	3	.	.	1	5	.	—	—	.	—	1	7	53
	Aug. 7,	.	—	—	26	.	.	3	.	.	2	2	.	—	—	.	—	.	4	37
City of Cork.	July. 17,	.	4	—	10	.	.	4	.	.	2	1	.	—	—	—	2	—	—	23
	July. 24,	.	3	—	1	.	.	2	.	.	1	.	.	—	—	—	2	—	—	9
	July. 31,	.	3	—	6	.	.	1	.	.	.	.	.	—	—	—	7	—	—	17 <sup>a</sup>
	Aug. 7,	.	3	—	9	.	.	2	1	.	2	2	.	—	—	—	8	—	—	27
City of Londonderry.	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 24,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
City of Limerick.	July. 17,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	July. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	July. 17,	.	—	—	5	1	.	.	.	.	.	.	.	—	—	—	—	—	.	6
	July. 24,	.	—	—	9	.	.	.	.	.	1	.	.	—	—	—	—	—	2	12
	July. 31,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 7th August, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 7 were discharged, there was one death, and 14 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 30, 26, and 21.

One case of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the close of the three preceding weeks were 2, 3, and one respectively.

Three cases of measles were admitted to hospital during the week, 4 were discharged, and 7 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 9, and 8 respectively.

Nine cases of scarlet fever were admitted to hospital, 11 were discharged, and 56\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 62, and 58, respectively.

Eleven cases of diphtheria were admitted to hospital during the week, 8 were discharged, 2 died, and the cases in hospital, which at the close of the 3 preceding weeks numbered 20, 19, and 30 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death and 9 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 7th August, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.	REGISTRATION—WEEK ENDING SATURDAY, 7TH AUGUST, 1915.																											
	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
	Total.(a)	Persons to an Acre.	BIRTHS.	From all Causes. From certain Epidemic Diseases (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																					
							Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	24.6	11.9	1.2	573	277	50	57	1	...	...	1	2	4	3	2	44	19	14	10	16	13	1	10	12	99	8
DUBLIN REGISTRATION AREA:—																												
TOTAL, (c) ...	409,000	29.8	22.7	12.4	1.5	178	97	20	22	1	...	...	1	...	1	1	1	16	9	3	4	3	7	...	4	3	43	4
CITY OF DUBLIN, ...	312,747	39.5	24.8	12.3	1.8	149	74	19	16	...	...	...	1	...	1	1	1	9	8	2	4	3	7	...	2	2	36	1
Urban Districts.																												
RATHMINES and RATHGAR, ...	39,541	23.1	6.6	9.2	1.3	5	7	1	2	1	...	...	...	...	...	...	1	1	...	...	...	...	...	...	1	...	1	2
PEMBROKE, ...	30,538	19.4	23.9	20.5	.	14	12	...	3	...	...	...	...	...	...	...	5	...	1	...	...	...	...	...	1	1	5	...
BLACKROCK, ...	9,233	8.5	5.6	5.6	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KINGSTOWN, ...	16,941	11.6	27.7	9.2	.	9	3	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1
Urban Districts																												
BELFAST ..	403,000	27.0	26.0	11.3	1.3	201	87	16	13	...	...	...	...	2	1	2	1	11	4	9	4	8	3	1	5	6	26	...
CORE, ..	76,673	28.6	21.1	12.9	0.7	31	19	1	3	...	...	...	...	...	1	...	...	4	...	...	...	1	...	...	...	...	11	1
LONDON-DERRY	41,200	16.0	21.5	15.2	5.1	17	12	3	4	...	...	...	...	...	1	...	...	2	1	...	...	1	3	...	...	...	3	...
LIMERICK, ...	38,518	16.1	56.9	12.2	.	42	9	2	1	...	...	...	...	...	...	...	2	...	1	...	2	...	...	...	...	...	5	2
WATERFORD, ...	27,464	19.1	24.7	11.4	.	13	6	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	2	...
GALWAY, ...	13,255	2.5	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
DUNDALK, ...	13,128	9.5	...	...	...	6	3	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
LURGAN, ...	12,553	14.7	...	...	...	7	4	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...
DROGHEDA, ...	12,501	8.4	...	...	...	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LISBURN ...	12,388	10.9	...	...	...	10	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWRY, ...	11,963	17.0	...	...	...	2	7	1	3	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	...	1	...
PORTADOWN, ...	11,727	15.3	...	...	...	4	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8	...	...	...	5	5	.	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	1	1
BALLYMENA ..	11,381	9.3	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4	...	...	...	1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
TRALEE, ...	10,300	17.4	...	...	...	4	3	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...
CLONMEL, ...	10,209	7.8	...	...	...	6	5	1	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
QUEENSTOWN, ...	8,209	14.7	...	...	...	4	5	...	3	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	2	...
LARNE, ...	8,036	13.4	...	...	...	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7.7	...	...	...	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	1	...	...
BANGOR, ..	7,776	8.5	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2	...	...	...	1	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8	...	...	...	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area; the 13 deaths include one each from diphtheria, pulmonary tuberculosis, and cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 7th of August, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.				
	CITY OF DUBLIN.																					
	REGISTRATION DISTRICTS IN																					
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.						
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.				
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Measles, . . . . .	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.				
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Whooping-cough, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.				
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	1				
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Influenza, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.				
Dysentery, . . . . .	1	.	.	.	.	.	.	3	.	1	2	.	1	5	.	1	1	.				
Tuberculosis, { Pulmonary, . . . . .	2	.	1	.	.	.	.	1	1	1	.	.	1	.	.	1	16	1				
{ Other Forms, . . . . .	2	.	2	1	.	.	.	1	1	1	.	.	1	.	.	.	9	.				
Cancer, . . . . .	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	3	1				
Diseases of Nervous System, . . . . .	1	.	1	.	.	.	.	.	1	2	1	1	.	.	1	.	8	.				
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
" Circulatory System, . . . . .	.	3	.	.	.	1	.	2	.	3	.	.	2	1	.	2	14	1				
" Respiratory System, { Pneumonia, . . . . .	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	4	.				
{ Others, . . . . .	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	3	2				
{ Diarrhoea and Enteritis, under 2 years, . . . . .	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.				
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
{ Others, . . . . .	.	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	3	3				
" Genito-urinary System, . . . . .	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.	.	3	.				
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	2	1				
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.				
" Locomotor System, . . . . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1				
Other specified Causes, . . . . .	1	.	.	2	.	.	.	2	1	2	.	.	.	1	.	.	9	2				
Violent Deaths, . . . . .	.	.	.	.	.	1	.	1	.	.	.	.	1	1	.	.	4	.				
Ill-defined, &c. Causes, . . . . .	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	4	.				
Deaths from All Causes . . . . .	11	7	7	4	1	3	.	15	6	15	4	1	7	12	1	3	97	13				
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	18·8	8·8	13·1	5·8	9·4	11·3	.	19·0	17·1	17·8	6·3	5·2	9·2	20·5	5·6	9·2	12·4	.				
	10·4							14·6							12·5			.				
	12·3																.					
Ages at Death. { Under 1 year, . . . . .	3	4	2	1	.	.	.	2	3	3	.	1	1	.	.	.	20	1				
{ 1 and under 2 years, . . . . .	1	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.	5	.				
{ 2 " 5 " . . . . .	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	6	1				
{ 5 " 15 " . . . . .	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	2				
{ 15 " 25 " . . . . .	.	.	1	.	.	.	.	1	.	1	.	.	.	1	.	.	4	1				
{ 25 " 45 " . . . . .	.	.	1	.	.	.	.	4	.	2	2	.	3	4	1	1	18	3				
{ 45 " 65 " . . . . .	3	2	1	.	.	2	.	1	2	4	1	.	1	2	.	1	20	2				
{ 65 and upwards, . . . . .	1	1	.	3	1	.	.	5	1	4	.	.	2	3	.	1	22	3				
Number of Uncertified Deaths, . . . . .	.	.	1	.	.	.	.	.	.	.	.	.	2	.	.	1	4	.				
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																						
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	1	3	2	.	.	1	.	3	1	6	.	.	1	4	.	.	22	9				
Workhouse Hospitals, . . . . .	2	1	2	2	.	.	.	3	2	6	1	.	.	1	.	1	21	4				





THIRTY-FIRST WEEK, ending Saturday, 7th August, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 31st Week of the 10 years, 1905-1914.	In the Week ending Saturday, 7th Aug., 1915.															
	Aug. 5, 1905.	Aug. 4, 1906.	Aug. 3, 1907.	Aug. 1, 1908.	Aug. 7, 1909.	Aug. 6, 1910.	Aug. 5, 1911.	Aug. 3, 1912.	Aug. 2, 1913.	Aug. 1, 1914.		All Ages.	Deaths of Persons of the Ages of														
													0-5.														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Stomach, ...	—	—	—	—	—	—	6	3	1	1	—	1	.	.	.	.	.	.	.	1	.	.					
Diarrhoea and Enteritis of Children under 2 years.	32	14	3	16	6	6	29	17	11	9	14.6	7	.	.	.	.	.	.	.	.	.	.					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													1	.	1	1	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	1	2	.	—	1	.	.	.	.	.	.	.	.	.	.					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	3	3	1	3	—	1	.	.	.	.	.	.	1	.	.	.					
Cirrhosis of Liver, ...	.	1	.	1	.	1	2	.	.	2	.7	2	.	.	.	.	.	.	2	.	.	.					
Other Diseases of Liver, ...	1	.	.	1	.	1	2	.	.	1	.6	1	.	.	.	.	.	1	.	.	.	.					
Peritonitis (cause unknown),	.	.	1	2	1	1	.	.	2	.	.7	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Digestive System.	6	4	2	6	6	4	2	3	.	.	3.3	.	.	.	.	.	.	.	.	.	.	.					
Acute Nephritis, ...	5	2	6	1	2	9	1	1	1	1	4.9	3	.	.	.	.	.	.	.	.	.	.					
Chronic Bright's Disease, ...							1	3	6	3		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...							.	1	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	1	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.					
Puerperal Septicæmia, &c., ...	1	.	1	1	.	1	1	1	1	2	.4	3	.	.	.	.	.	.	3	.	.	.					
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	2	1	—	1	.	.	.	1	.	.	.	.	.	.					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	2	—	2	.	.	.	2	.	.	.	.	.	.					
Premature Birth, ...	3	2	2	2	4	4	5	6	2	4	3.4	2	1	1	.	.	.	.	.	.	.	.					
Congenital Debility, ...	—	—	—	—	—	—	8	1	5	6	—	3	.	3	.	.	.	.	.	.	.	.					
Old Age, ...	6	3	4	2	4	4	.	3	3	3	3.2	4	.	.	.	.	.	.	.	1	3	.					
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	1	3	—	.	.	.	.	.	.	.	.	.	.	.					
ACCIDENT :	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Conflagration, ...	2	.	.	.	.	1	.	.	1	1	.5	1	.	.	1	.	.	.	.	.	.	.					
Burns and Scalds, ...	1	.	1	2	1	1	.	.	1	.	.6	.	.	.	.	.	.	.	.	.	.	.					
Drowning, ...	.	.	.	1	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.					
Suffocation in Bed, ...	2	1	1	1	4	1	2	4	2	1	1.9	1	.	.	.	.	.	.	.	.	1	.					
Other Deaths by Accident, ...	5	1	2	4	5	3	2	4	4	2	3.2	2	.	.	1	.	.	.	.	.	.	1					
Total Deaths from Accident,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Included in above are Deaths in connection with—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Railways, ...	2	1	.	.	2	.	1	2	.	.	.8	.	.	.	.	.	.	.	.	.	.	.					
Vehicles and Horses, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
VIOLENCE OTHER THAN ACCIDENTAL :	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Homicide, ...	.	1	1	.	.	.	.	.	1	1	.2	2	.	.	.	.	.	.	.	2	.	.					
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	3	6	.	—	4	.	.	1	.	.	.	1	1	.	1					





TABLE VI.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 7th August, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 7TH AUGUST, 1915.																																
CLASS.	OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.								CAUSES OF DEATH													Violence.	Other Causes.	Number of Uncertified Deaths.				
													Tuberculosis.					Diseases of the Respiratory System														
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.				Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)		
I.	ALL PERSONS.	397,957	—	110	33	4	5	21	22	14	11	1			1		1	2	1	17	9	4	2	4	5	7		4	52	4		
II.	DEATHS IN FAMILIES OF THE—			2	4	1	1	1	4	3	1	1								1									1			
III.	MIDDLE CLASS, ...	14,658	7.1	22	4	1	1	8	4	3	1									4									14	1		
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	101,798	11.3	20	5	3	1	2	6	3	1	1				1	1	1		1	2	3	1	1		1			9	1		
V.	GENERAL SERVICE CLASS, ...	108,420	9.6	41	19		3	7	5	4	3				1				1	8	7				1	1	5		11	2		
	INMATES OF WORKHOUSES, ...	167,479	12.8	25	5			3	7	4	6									3					4	1			17			
I.	PROFESSIONAL AND INDEPENDENT CLASS.																															
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6.6	1				1			1									1												
	2. Merchants and Manufacturers, Higher Class	1,347	38.7	1																												
	3. Persons of Rank and Property, not otherwise described, ...	5,443																														
II.	MIDDLE CLASS.																															
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3				1	2																				1	2		
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	16.6	8	2			3	1	2																				5	1	
	6. Clerks and Commercial Assistants, ...	33,249	3.1	2			1	1												1			1							1		
III.	MISCELLANEOUS—including all Householders in Second Class Localities not included in above, ...	33,827	13.9	9	2	1		3	1	1	1									2		1								6		
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																															
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777		5	1	1		1	2																					2		
	9. Building and Furnishing Trades, ...	28,823	9.0	3			1					1																				
	10. Clothing Trades, ...	20,026	7.8	3			1		2											1												
	11. Food Supply Trades	8,952																														
	12. Other Trades and Callings ranking with Trades, ...	32,070	19.5	12	4	2		1	2	3							1	1												6	1	
IV.	PETTY SHOPKEEPERS	6,772																														
	GENERAL SERVICE CLASS.																															
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	56.3	14	9		1	2	1		1				1			1		1									2	2	1	
	15. Domestic Servants, ...	36,041	2.9	2					1		1																			2		
	16. Coach and Car Drivers, Valetmen, &c., ...	15,380	6.8	2	1																									1		
	17. Hawkers, Porters, Labourers, &c., ...	103,081	11.6	23	9		2	4	3	4	1								1	7	3		1	1		2			6	1		
V.	INMATES OF WORKHOUSES.																															
	18. Workhouse Inmates, ...	5,602	—	25	5			3	7	4	6									3					4	1				17		

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	July, 3	29.1	1.7	17	.	.	.	.	.	.	.	.	4	1	1	1	1	1	.	.	2
	" 10	13.7	.	8	.	.	.	.	.	.	.	.	2	.	.	2	.	.	.	.	.
	" 17	10.3	1.7	6	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	" 24	13.7	.	8	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	1	.
Population in 1915 (Est.) 30,504.	" 31	15.4	5.1	9	.	.	.	.	.	1	.	.	2	1	1	.	.	2	.	.	2
	Aug. 7	18.8	6.8	11	.	.	.	.	.	.	1	.	2	2	.	1	.	3	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	July, 3	16.3	.	13	.	.	.	.	.	.	.	.	3	.	.	1	1	.	.	1	1
	" 10	26.3	2.5	21	.	.	.	1	.	.	.	.	1	1	1	2	2	1	.	.	2
	" 17	22.5	1.3	18	.	.	.	.	.	1	.	.	4	1	2	.	1	.	.	.	.
	" 24	11.3	2.5	9	.	.	.	.	.	.	.	.	1	1	1	.	.	2	.	.	.
Population in 1915 (Est.) 41,685.	" 31	16.3	3.8	13	.	.	.	.	.	.	.	.	2	1	.	1	.	3	.	.	.
	Aug. 7	8.8	3.8	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.
North City, No. 2. (Office, Lisburn-street.)	July, 3	20.6	.	11	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	2
	" 10	9.4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 17	9.4	1.9	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	" 24	11.2	.	6	.	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.
Population in 1915 (Est.) 27,883.	" 31	13.1	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Aug. 7	13.1	1.9	7	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1
North City, No. 3. (Office, Benburb-street.)	July, 3	10.2	.	7	.	.	.	.	.	.	.	.	3	.	1	.	.	.	.	1	.
	" 10	7.3	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1
	" 17	8.7	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.
	" 24	16.0	.	11	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	2	.
Population in 1915 (Est.) 35,887.	" 31	18.9	.	13	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	1	1
	Aug. 7	5.8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of).	July, 3	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	" 24	37.7	9.4	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	" 31	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	Aug. 7	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	July, 3	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.
	" 10	18.9	3.8	5	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
	" 17	11.3	3.8	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.
	" 24	18.9	3.8	5	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 13,820.	" 31	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Aug. 7	11.3	3.8	3	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Finglas and Glasnevin (part of).	July, 3	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 10	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 17	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 24	9.6	4.8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Population in 1915 (Est.) 10,829.	" 31	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	July, 3	22.8	.	18	.	.	.	.	.	.	.	.	3	1	1	1	4	.	.	.	1
	" 10	17.7	2.5	14	.	.	.	.	.	.	.	.	1	.	1	1	2	2	.	.	.
	" 17	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	2	.
	" 24	11.4	1.3	9	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
Population in 1915 (Est.) 41,170.	" 31	8.9	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	Aug. 7	19.0	.	15	.	.	.	.	.	.	.	.	3	1	1	1	1	.	1	.	.
South City, No. 2. (Office, Castle-street.)	July, 3	19.9	2.8	7	.	.	.	.	.	.	.	.	1	.	.	.	3	1	.	.	.
	" 10	14.2	2.8	5	.	.	.	.	.	.	1	.	1	.	.	.	1	.	.	.	.
	" 17	14.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	" 24	19.9	.	7	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.
Population in 1915 (Est.) 18,341.	" 31	14.2	.	5	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	Aug. 7	17.1	2.8	6	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
South City, No. 3. (Office, Peter-street.)	July, 3	23.7	1.2	20	.	.	.	.	.	1	.	.	4	4	.	.	4	.	.	1	1
	" 10	14.2	1.2	12	.	.	.	.	.	.	.	.	3	.	1	.	2	1	.	.	1
	" 17	15.4	1.2	13	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1
	" 24	19.0	.	16	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	5
Population in 1915 (Est.) 43,970.	" 31	13.0	.	11	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	Aug. 7	17.8	1.2	15	.	.	.	.	.	1	.	.	1	1	.	1	2	.	.	.	.
South City, No. 4. (Office, Grand Canal-st.)	July, 3	22.0	1.6	14	.	.	.	.	.	.	.	.	1	.	.	.	2	1	.	.	.
	" 10	23.6	.	15	.	.	.	.	.	.	.	.	6	1	1	1	1	.	.	.	1
	" 17	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
	" 24	18.9	.	12	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.
Population in 1915 (Est.) 33,171.	" 31	15.7	.	10	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.
	Aug. 7	6.3	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
New Kilmainham.	July, 3	15.7	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 10	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 17	21.0	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,948.	" 24	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 31	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 7	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.			
Rathmines and Rathgar Urban District.	July, 3	10.5	.	8	.	.	.	.	.	.	.	.	2	.	1	1	.	.	.	.
	" 10	15.8	2.6	12	.	.	.	1	.	.	.	.	1	.	1	1	2	1	1	.
	" 17	15.8	.	12	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	" 24	11.9	1.3	9	.	.	.	.	.	1	.	.	1	.	1	1	1	.	1	.
Population in 1915 (Est.) 39,541.	" 31	11.9	1.3	9	.	.	.	1	.	.	.	.	1	.	.	.	1	.	.	1
	Aug. 7	9.2	1.3	7	1	.	.	.	.	.	.	.	1	1	.	.	.	.	1	2
Pembroke Urban District.	July, 3	12.0	.	7	.	.	.	.	.	.	.	.	.	.	1	2	2	.	.	.
	" 10	18.8	1.7	11	.	.	.	.	.	.	1	.	1	.	.	1	1	.	.	2
	" 17	1.7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 24	10.2	.	6	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915 (Est.) 30,538	" 31	8.5	.	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	Aug. 7	20.5	.	12	.	.	.	.	.	.	.	.	5	.	1	.	.	.	1	.
Blackrock Urban District.	July, 3	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 10	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 17	28.2	5.6	5	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
Population in 1915 (Est.) 9,233.	" 24	11.3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 31	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 7	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District.	July, 3	40.0	9.2	13	.	.	.	1	.	.	.	.	1	1	2	.	2	2	.	.
	" 10	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	1
	" 17	18.5	.	6	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	" 24	12.3	.	4	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.
Population in 1911 16,941.	" 31	15.4	.	5	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	Aug. 7	9.2	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Belfast.	July, 3	13.1	1.3	101	.	.	.	2	.	4	2	.	17	8	6	7	6	2	.	1
	" 10	10.0	1.4	77	.	.	.	3	2	3	.	.	10	5	2	9	9	1	1	.
	" 17	12.0	1.7	93	.	.	.	3	.	1	.	.	12	2	7	6	6	3	2	3
Population in 1915 (Est.) 403,000.	" 24	14.4	1.2	111	.	.	.	1	1	1	1	.	13	8	11	3	6	4	1	4
	" 31	15.0	1.6	116	.	.	.	3	1	4	1	.	16	5	5	6	9	3	.	1
	Aug. 7	11.3	1.3	87	.	.	.	.	2	1	2	1	11	4	9	4	8	3	5	.
Cork.	July, 3	19.0	0.7	28	.	.	.	1	.	.	.	.	3	2	2	1	.	.	.	1
	" 10	13.6	2.0	20	.	.	.	1	.	.	1	.	2	1	.	.	2	.	.	1
	" 17	10.9	0.7	16	.	.	.	1	.	.	.	.	1	2	1	.	.	.	.	.
Population in 1911 76,873.	" 24	15.6	1.4	23	.	.	.	.	.	1	1	.	4	1	.	.	.	.	.	.
	" 31	9.5	1.4	14	.	.	.	.	.	.	1	.	.	2	.	1	.	1	.	.
	Aug. 7	12.9	0.7	19	.	.	.	.	.	1	.	.	4	.	.	.	1	.	.	1
Londonderry.	July, 3	26.6	2.5	21	1	.	.	.	.	1	.	.	1	1	.	2	4	.	.	1
	" 10	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	2	1	1	.	1
	" 17	24.0	7.6	19	.	.	.	.	.	5	.	.	1	1	.	.	2	.	.	1
Population in 1915 (Est.) 41,200.	" 24	25.3	7.6	20	.	.	.	.	.	6	.	.	1	.	1	.	1	.	.	2
	" 31	16.5	6.3	13	.	.	.	.	.	3	.	.	.	1	.	1	4	2	.	.
	Aug. 7	15.2	5.1	12	.	.	.	.	.	1	.	.	2	1	.	.	1	3	.	.
Limerick.	July, 3	25.7	1.4	19	1	.	.	.	.	.	.	.	1	.	2	1	1	.	.	2
	" 10	21.7	.	16	.	.	.	.	.	.	.	.	3	.	1	2	2	.	.	2
	" 17	16.2	.	12	.	.	.	.	.	.	.	.	3	.	.	.	2	.	.	.
Population in 1911 38,518.	" 24	23.0	.	17	.	.	.	.	.	.	.	.	3	1	1	3	1	.	.	2
	" 31	23.0	.	17	.	.	.	.	.	.	.	.	2	.	2	1	1	.	.	2
	Aug. 7	12.2	.	9	.	.	.	.	.	.	.	.	2	.	1	.	2	.	.	2
Waterford.	July, 3	9.5	1.9	5	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.
	" 10	19.0	3.8	10	.	.	.	.	2	.	.	.	1	.	.	1	1	.	.	2
	" 17	7.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1911 27,464.	" 24	7.6	.	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 31	11.4	3.8	6	.	.	.	.	.	.	.	.	1	.	.	1	1	2	.	.
	Aug. 7	11.4	.	6	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																										
		Feb. 13.	Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	
No. of weeks in Annual Series,		6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
Births registered, ...		222	205	212	241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201	
Deaths registered, ...		190	180	176	208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	
Annual Death-rate per 1,000 of estimated population, ...		24.6	23.3	22.8	26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	
Ages, { Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 65 and upwards, ...		39	50	33	54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	
Deaths from :—		18	21	26	22	26	19	22	22	24	26	16	17	19	12	13	18	18	9	14	11	12	7	16	8	14	12	
Enteric Fever, ...		18	9	15	20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	
Typhus, ...		29	23	20	27	27	24	18	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	
Small-pox, ...		38	37	41	43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23	26	23	
Measles, ...		48	40	41	42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	
Scarlet Fever, ...																												
Whooping-cough, ...																												
Diphtheria, ...																												
Dysentery, ...																												
Tuberculosis, { Pulmonary, ...		19	13	15	18	13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	
Cancer ...		9	5	12	10	8	2	7	13	7	12	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	
Diseases of Respi- ratory System, { Pneumonia, ...		6	5	6	6	6	6	3	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	
Diarrhoea and Enteritis, under 2 years, ...		23	38	21	21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	
Diarrhoea, 2 years and upwards, ...		43	28	31	34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	
Violent Deaths, ...		2	4	1	1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1	3	4	3	3	
Number of Uncertified Deaths, ...		.	.	.	2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	1	1	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Aug. 7,	1,680	937 <sup>c</sup>	10·8	.	.	9	4	13	7	45
EDINBURGH, ---	328,700	„ 7,	89	82 <sup>c</sup>	13·0	.	.	.	.	2	1	1
GLASGOW, ---	1,078,400	„ 7,	518	296 <sup>c</sup>	14·3	.	.	19	5	5	1	10
CALCUTTA ---	896,067	June 19,	.	326	18·9	53*	11	.	.	.	.	44† <sup>a</sup>
BOMBAY, ---	979,445	„ 26,	316	362	19·2	38*	5	2	.	1	.	26 <sup>a</sup>
MADRAS, ---	518,660	„ 19,	342	326	32·7	30*	1	2	?	?	?	79 <sup>a</sup>
CAIRO, {	Egyptians, ...	May 27,	455	1,045	82·4	163	.	2	.	?	3†	179
	Foreigners,	„ 27,	5	26	18·8	1	.	.	.	?	1†	2
ALEXAN- DRIA, {	Egyptians,	„ 27,	224	214	32·7	.	1	.	1	?	.	56
	Foreigners,	„ 27,	15	145	98·3	1	.	.	.	?	.	1
PARIS, ---	2,847,229	June 26,	375	651	11·7	3	.	11	2	4	1†	12
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,083	June 26,	258	98	8·4	.	.	.	.	4	.	.
COPENHAGEN, ---	492,000	July 10,	342	112	11·9	1	.	2	1	.	1	6 <sup>a</sup>
STOCKHOLM, ---	386,270	„ 10,	144	92	12·4	.	.	.	4	1	.	4 <sup>a</sup>
CHRISTIANIA, ---	250,677	„ 17,	91	40	8·3	.	.	.	1	1	1	2 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	June 5,	.	922	28·4	9	5	61	16	4	12	116† <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	June 26,	2,823	1,277	11·5	1	.	8	7	12	25†	48
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	July 17,	.	197 <sup>b</sup>	14·1	2	.	.	1	2	4	10 <sup>a</sup>

\* Deaths from "fever," including 3 deaths from enteric fever in Calcutta; and 7 from plague and one from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Calcutta, and 3 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 170 deaths (including one from enteric fever and 6 from diarrhoeal diseases); rate, 12·2 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever in London, one in Edinburgh, and 5 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 7th August, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever	Enteric or Typhoid Fever.	Krysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 1, West,	.	3	.	.	1	.	.	.	.	.	.	.	5	9
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	3	.	.	2	.	.	1	.	.	.	.	.	6
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	.	1	.	.	5	.	.	.	1	.	.	.	1	8
„ „ 4,	.	1	.	.	.	.	.	.	2	.	.	.	3	6
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	8	.	.	8	.	.	1	3	.	.	.	13	33

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 7th August, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 7th August			
	July 17.	July 24.	July 31.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	30	26	21	1	7	1	14
Typhus,	2	3	1	.	.	.	1
Small-pox,	.	.	.	.	.	.	.
Measles,	9	9	8	3	4	.	7
Scarlet Fever,	77	62	58	9	11	.	56*
Diphtheria,	20	19	30	11	8	2	31
Pneumonia,	16	14	12	2	4	1	9

\* Exclusive of 18 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS****IN THE  
DUBLIN REGISTRATION AREA,**

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 14TH AUGUST, 1915.

[No. 32.]

*General Register Office, Charlemont House,  
Dublin, 16th August, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 24	July 31	Aug. 7	Aug. 14	
<b>27 Town Districts, (a)</b>	<b>14·7</b>	<b>14·1</b>	<b>11·9</b>	<b>14·6</b>	<b>13·8</b>
Dublin Reg. Area ...	14·3	13·6	12·4	16·4	14·2
Dublin City ...	15·2	14·0	12·3	17·3	14·7
Belfast ...	14·4	15·0	11·3	12·7	13·4
Cork ...	15·6	9·5	12·9	17·0	13·7
Londonderry ...	25·3	16·5	15·2	21·5	19·6
Limerick ...	23·0	23·0	12·2	14·9	18·3
Waterford ...	7·6	11·4	11·4	15·2	11·4

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·8 per 1,000. Among the 98 deaths from all causes for Belfast are one from measles, 3 from scarlet fever, and 7 from diarrhoeal diseases. Included in the 17 deaths from all causes for Londonderry are 4 from whooping-cough and 2 from diarrhoeal diseases. Of the 7 deaths from all causes for Sligo 3 were from scarlet fever and one from whooping-cough, and one of the 4 deaths from all causes for Kilkenny was from whooping-cough.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 188—99 boys and 89 girls—and the deaths to 143—74 males and 69 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·4 per 1,000 of the population. During the thirty-two weeks, ending with Saturday last, the death-rate averaged 23·0, and was 1·1 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 143, represent an annual rate of 18·2 per 1,000; the annual rate for the past thirty-two weeks was 24·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·1 per 1,000 of the mean population for all deaths registered.

Included in the 143 deaths registered are one from measles, 2 from scarlet fever, 4 from whooping-cough, 2 from diphtheria, and 11 deaths from diarrhoea and enteritis of children under two years of age.

In the three preceding weeks deaths from measles were 0, one, and one; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were one, one, and one; deaths from diphtheria were 3, 0, and 2; and deaths from diarrhoea and enteritis of children under 2 years of age were 3, 7, and 7, respectively.

Deaths from tuberculous disease, which, in the three preceding weeks, numbered 25, 23, and 26, respectively, fell last week to 19\*, the latter comprising 16 deaths from pulmonary tuberculosis, and 3 from disseminated tuberculosis.

Cancer caused 9\* deaths.

There were 4 deaths from pneumonia.

Included in the deaths of infants under one year of age, were 5 from convulsions, one attributed to congenital malformation, 3 to prematurity, and 8 to congenital debility.

Fourteen deaths were caused by organic diseases of the heart and 9 by bronchitis.

There were 5 accidental deaths, including one caused by drowning, and 4 by vehicles and horses.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year old and the death of one person aged 73 years.

Fifty-one of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 9 were under one month old), and 32 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards.

Seventy-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 17 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed: [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000; the rate in the City was 17·3 (North City Districts, 16·6; South, 18·1), and in the Suburbs, 13·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 1·6, and in the South 5·0), and for the Suburbs 0·5 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (14) are equal to an annual rate of 23·9 per 1,000. There were 3 deaths from tuberculous disease, one from pneumonia, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years of age.

*No. 1 North City District, West* (Summer-hill).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. Three deaths were caused by tuberculous disease, one by bronchitis, and 3 deaths by diarrhoea and enteritis of children under 2 years of age.

*No. 2 North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Pulmonary tuberculosis caused 2 deaths, pneumonia one death, and bronchitis 2 deaths.

*No. 3 North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·1 per 1,000, and include one death from diarrhoea and enteritis of a child under 2 years of age, and one accidental death.

*Other North City Districts*.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·8.

*No. 1 South City District* (South Earl-street).—The deaths (15) represent an annual rate of 19·0 per 1,000. Among them are 3 deaths from pulmonary tuberculosis, one from bronchitis, and 3 deaths from diarrhoea and enteritis of children under 2 years of age.

*No. 2 South City District* (Castle-street).—The deaths (5) are equal to an annual rate of 14·2 per 1,000, and include one death from scarlet fever and one from pulmonary tuberculosis.

*No. 3 South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 24·9 per 1,000. One death each from measles and scarlet fever, 2 from diphtheria, 2 from pulmonary tuberculosis, one from bronchitis, 2 (those of children under 2 years of age) from diarrhoea and enteritis, and one accidental death were recorded.

*No. 4 South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. There were 3 deaths from whooping-cough, one from pulmonary tuberculosis, one from diarrhoea and enteritis of a child under 2 years of age, and one accidental death.

*New Kilmainham District*.—There was one death, equivalent to an annual rate of 5·2 per 1,000.

*Urban Districts*.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 6·6; Pembroke, 12·0; Blackrock, 28·2; and Kingstown, 24·6. The only death from any of the principal epidemic diseases tabulated for these districts was one from whooping-cough for Blackrock. The 5 deaths from all causes for Rathmines and Rathgar include one from pneumonia. Among the 7 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, one from bronchitis, and one accidental death. Of the 5 deaths from all causes for Blackrock one was from pneumonia; and of the 8 deaths from all causes for Kingstown one was caused by tuberculous disease, one by bronchitis, and one by drowning.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·6), was equal to an average annual death-rate of 11·5 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 12·6 per 1,000, the rate for Glasgow being 13·9, and for Edinburgh 11·4.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 14th August. From this Report it appears that of 55 cases notified, 26 were scarlet fever, 15 diphtheria, 6 pulmonary tuberculosis, 5 other forms of tuberculosis, and 3 erysipelas. Among the 471 cases of infectious diseases in hospital at the close of the week were 185 of pulmonary tuberculosis, 133 of scarlet fever, 71 of diphtheria, 32 of measles, 23 of whooping-cough, 9 of erysipelas, 3 of cerebro-spinal fever, and one of enteric fever.

\* See note (c) at foot of Table II.

† See note (i) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 14th August, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	July. 24,	.	—	—	8	.	.	5	.	1	2	7	.	—	—	.	—	.	20	43
	July. 31,	.	—	—	11	1	.	4	.	1	2	3	.	—	—	.	—	.	7	29
	Aug. 7,	.	—	—	8	.	.	8	.	.	1	3	.	—	—	.	—	.	13	33
	Aug. 14,	.	—	—	5	.	.	4	.	.	3	3	.	—	—	.	—	.	17	32
Rathmines and Rathgar Urban District.	July. 24,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	July. 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	July. 24,	.	2	.	2	.	.	.	.	.	.	.	.	—	2	.	—	—	.	6
	July. 31,	.	4	.	.	.	.	1	.	.	.	.	.	—	10	.	—	—	.	15
	Aug. 7,	.	2	.	1	.	.	.	.	.	.	.	.	—	1	.	—	—	5	9
	Aug. 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	4	.	—	—	.	6
Blackrock Urban District.	July. 24,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	July. 31,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 7,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 14,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
Kingstown Urban District.	July. 24,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	July. 24,	.	—	—	21	.	.	1	.	.	.	5	.	—	—	.	—	.	6	33
	July. 31,	.	—	—	36	.	.	3	.	.	1	5	.	—	—	.	—	1	7	53
	Aug. 7,	.	—	—	26	.	.	3	.	.	2	2	.	—	—	.	—	.	4	37
	Aug. 14,	.	—	—	32	.	.	1	.	.	3	4	.	—	—	.	—	.	1	41
City of Cork.	July. 24,	.	3	—	1	.	.	2	.	.	1	.	.	—	—	—	2	—	—	9
	July. 31,	.	3	—	6	.	.	1	.	.	.	.	.	—	—	—	7	—	—	17 <sup>a</sup>
	Aug. 7,	.	3	—	9	.	.	2	1	.	2	2	.	—	—	—	8	—	—	27
	Aug. 14,	.	5	—	5	.	.	.	.	.	2	1	.	—	—	—	9	—	—	22
City of Londonderry.	July. 24,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 14,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
City of Limerick.	July. 24,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	—	1
	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
City of Waterford.	July. 24,	.	—	—	9	.	.	.	.	.	1	.	.	—	—	—	—	—	2	12
	July. 31,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Aug. 14,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 14th August, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Three cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 13 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 21, and 14.

One case of typhus remained under treatment in hospital at the close of the week. The cases in hospital at the close of the three preceding weeks were 3, one, and one respectively.

One case of measles was discharged from hospital during the week, and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 9, 8, and 7 respectively.

Thirteen cases of scarlet fever were admitted to hospital, 13 were discharged, there were 2 deaths, and 54\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 62, 58, and 56, respectively.

Six cases of diphtheria were admitted to hospital during the week, 6 were discharged, 2 died, and the cases in hospital, which at the close of the 3 preceding weeks numbered 19, 30, and 31 respectively, were 29 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 10 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 14th August, 1915, in the DUBLIN REGISTRATION AREA and In each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 14TH AUGUST, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																							
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																					
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.3	14.6	1.8	541	339	62	79	...	...	...	2	8	10	2	...	36	15	20	16	24	18	2	7	10	115	16	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	23.8	16.4	2.5	188	129	31	30	...	...	...	1	2	4	2	...	15	3	5	4	10	11	...	5	5	61	6	
CITY OF DUBLIN,	312,747	39.5	27.8	17.3	3.2	167	101	26	20	...	...	...	1	2	3	2	...	13	2	4	2	8	11	...	3	3	54	5	
Urban Districts.																													
RATHMINES and RATHGAR.	39,541	23.1	9.2	6.6	.	7	5	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
PEMBROKE, ...	30,538	19.4	18.8	12.0	.	11	7	...	3	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	1	1	3	1	
BLACKROCK, ...	9,233	8.5	5.6	28.2	5.6	1	5	1	2	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	1	...	
KINGSTOWN, ...	16,941	11.6	6.2	24.6	.	2	8	2	3	...	...	...	...	...	...	...	...	...	1	1	...	1	...	...	1	1	3	...	
Urban Districts																													
BELFAST ..	403,000	27.0	21.0	12.7	1.4	162	98	19	15	...	...	...	1	3	...	...	...	9	5	8	7	6	6	1	2	4	23	...	
CORK, ..	76,673	28.6	30.6	17.0	.	45	25	2	8	...	...	...	...	...	...	...	...	2	2	...	2	2	...	...	...	...	13	...	
LONDON- DERRY	41,200	16.0	22.8	21.5	7.6	18	17	4	4	...	...	...	...	...	4	...	...	1	1	1	...	...	1	1	...	...	...	1	
LIMERICK, ...	38,518	16.1	14.9	14.9	.	11	11	2	4	...	...	...	...	...	...	...	...	3	...	...	...	2	...	...	...	...	2	3	
WATERFORD, ...	27,464	19.1	28.5	15.2	.	15	8	2	1	...	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	1	6	
GALWAY, ...	13,255	2.5				7	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
DUNDALK, ...	13,128	9.5				7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LURGAN, ...	12,553	14.7				5	3	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
LISBURN ...	12,388	10.9				6	4	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				2	3	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3				11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				4	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2	
BALLYMENNA ..	11,381	9.3				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	1	
SLIGO, ...	11,163	3.8				9	7	...	2	...	...	...	...	3	1	...	...	...	...	1	...	...	...	...	...	...	4	1	
KILKENNY, ...	10,514	11.4				9	4	...	3	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	2	
TRALEE, ...	10,300	17.4				6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...	
CLONMEL, ...	10,209	7.8				5	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
NEWTOWNARDS	9,587	20.1				...	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
QUEENSTOWN,	8,209	14.7				8	3	...	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...	
LARNE, ...	8,036	13.4				5	5	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	
COLERAINE. ...	7,785	7.7				5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
SANGOR, ..	7,776	8.5				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				4	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,366	21.8				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including one under one year old and at 65 years or upwards), admitted to hospital from localities outside the Area; the 14 deaths include one from pulmonary tuberculosis, and 4 from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 14th of August, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.														URBAN DISTRICTS OF				
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.											
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.					BLACKROCK.
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	2	.
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	2	2	2	.	.	.	.	3	1	2	1	.	.	2	.	.	.	15	1
{ Other Forms, . . . . .	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
Cancer, . . . . .	1	1	.	.	.	.	.	1	.	1	.	.	.	.	.	1	.	5	4
Diseases of Nervous System, . . . . .	1	1	.	2	.	1	.	1	.	2	.	.	1	.	2	3	14	1	.
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System, . . . . .	1	.	2	1	.	1	.	2	1	2	2	.	1	.	1	1	15	2	.
" Respiratory System, { Pneumonia, . . . . .	1	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.	4	.	.
{ Others, . . . . .	2	1	2	.	.	.	.	1	.	1	.	1	1	1	1	10	.	.	.
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	3	.	1	.	.	.	3	.	2	1	.	.	.	.	.	11	.	.
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Enteritis, 2 years and upwards, . . . . .	.	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	4	.	.
{ Others, . . . . .	.	4	2	1	.	1	.	2	.	.	.	.	1	.	.	.	11	3	.
" Genito-urinary System, . . . . .	.	1	.	1	.	.	.	1	.	.	.	.	.	.	.	.	3	1	.
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	4	2	.	2	.	.	.	.	1	5	.	.	2	1	.	.	17	1	.
Violent Deaths, . . . . .	.	.	.	1	.	.	.	.	.	1	1	.	.	1	.	1	5	.	.
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	2	1	.
Deaths from All Causes . . . . .	14	18	9	9	.	2	1	15	5	21	9	1	5	7	5	8	129	14	.
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	23·9	22·5	16·8	13·1	.	7·5	4·8	19·0	14·2	24·9	14·1	5·2	6·6	12·0	23·2	24·6	16·4	.	.
	16·6							18·1					13·5						
	17·3																		
Ages at Death. { Under 1 year, . . . . .	7	5	2	2	.	.	.	1	1	3	.	.	2	.	1	2	31	1	.
{ 1 and under 2 years, . . . . .	2	1	.	1	.	.	.	3	.	1	3	.	.	.	1	.	12	.	.
{ 2 " 5 " . . . . .	1	1	1	.	.	.	.	.	.	1	3	.	.	.	.	.	7	.	.
{ 5 " 15 " . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	.
{ 15 " 25 " . . . . .	1	.	.	1	.	.	.	1	1	1	1	.	.	.	.	.	6	1	.
{ 25 " 45 " . . . . .	.	2	.	.	.	.	.	4	.	3	.	.	1	.	.	1	11	1	.
{ 45 " 65 " . . . . .	1	4	4	2	.	2	.	3	.	5	1	1	.	2	1	2	28	9	.
{ 65 and upwards, . . . . .	1	5	2	3	.	.	1	3	2	2	1	.	2	3	2	3	30	2	.
Number of Uncertified Deaths, . . . . .	1	.	.	1	.	.	.	.	.	3	.	.	.	1	.	.	6	.	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	3	2	3	.	1	.	3	3	7	2	.	.	2	1	1	30	13	.
Workhouse Hospitals, . . . . .	2	4	3	5	.	.	.	7	1	4	2	.	.	1	.	2	31	1	.

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 32nd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 14th August, 1915.										
	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.	Aug. 9, 1913.	Aug. 8, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
ALL CAUSES.	151	130	118	149	113	143	169	120	144	136	138·3	143	9	23	12	7	4	7	12	37	21	11
Enteric Fever, ...	.	1	1	1	.	.	2	1	.	2	·8	.	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	.	2	5	2	1	1	2	4	1	2	2·0	1	.	1	.	.	.	.	.	.	.	.
Scarlet Fever, ...	.	.	.	.	.	1	3	1	.	.	·5	2	.	.	.	1	.	.	1	.	.	.
Whooping-cough, ...	.	3	1	1	2	3	1	2	.	.	1·3	4	.	.	3	1	.	.	.	.	.	.
Diphtheria, ...	1	2	1	1	.	.	.	1	2	1	·9	2	.	.	1	1	.	.	.	.	.	.
Croup, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Influenza, ...	.	1	.	2	.	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Dysentery, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Erysipelas, ...	1	.	.	.	.	.	.	.	.	1	·2	.	.	.	.	.	.	.	.	.	.	.
Other Epidemic Diseases, ...	.	.	1	1	.	.	.	.	.	.	·2	.	.	.	.	.	.	.	.	.	.	.
Pyæmia and Septicæmia (non- puerperal).	.	.	.	1	2	.	1	.	.	.	·4	.	.	.	.	.	.	.	.	.	.	.
Tetanus, ...	1	.	.	.	.	.	.	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
TUBERCULOSIS.																						
Pulmonary Tuberculosis, ...	22	18	15	13	9	14	13	17	17	19	15·7	16	.	.	.	2	1	4	4	5	.	.
Tuberculous Meningitis, ...	3	.	6	4	5	7	2	1	4	2	3·4	.	.	.	.	.	.	.	.	.	.	.
Abdominal Tuberculosis, ...	.	.	3	1	1	1	7	3	1	2	1·8	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of the Vertebral Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of Joints, ...	6	7	6	5	4	7	.	.	.	1	4·9	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis of other Organs, Scrofula, ...	.	.	.	.	.	.	2	3	4	1	.	3	.	1	.	.	.	.	1	1	.	.
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	2	1	.	4	.	.	2	.	7	1·0	.	.	.	.	.	.	.	.	.	.	.
Cancer, ...	8	4	3	9	6	8	11	8	11	7	7·5	9	.	.	.	.	.	.	1	6	2	.
Tumour, situation undefined, Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	1	·1	.	.	.	.	.	.	.	.	.	.	.
Diabetes, ...	1	.	2	.	.	.	.	.	.	1	·4	.	.	.	.	.	.	.	.	.	.	.
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	1	.	.	1	.	3	.	.	.	1	.	.	2	.	.	.
Other General Diseases, ...	.	.	.	.	.	.	1	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.
Alcoholism, ...	.	1	1	.	2	.	1	1	1	.	·7	.	.	.	.	.	.	.	.	.	.	.
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Cerebro-spinal Fever, ...	.	.	.	.	.	.	1	.	.	.	·1	.	.	.	.	.	.	.	.	.	.	.
Simple Meningitis, ...	.	.	.	.	.	.	3	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.
Cerebral Hæmorrhage, Apo- plexy.	.	.	.	.	.	.	5	5	2	5	.	3	.	.	.	.	.	.	.	2	1	.
Softening of Brain, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Paralysis, without specified cause.	.	.	.	.	.	.	2	1	1	2	.	1	.	.	.	.	.	.	1	2	.	.
Epilepsy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Convulsions (non-puerperal), ...	.	.	.	.	.	.	4	1	5	2	.	5	2	3	.	.	.	.	.	.	.	.
Other Diseases of Nervous System.	30	35	18	37	28	32	1	3	1	1	29·3	3	.	.	.	.	.	.	.	2	1	.
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Acute Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	1	11	22	14	.	14	.	.	.	1	.	.	6	4	3	.
Other Diseases of Circulatory system.	.	.	.	.	.	.	3	.	1	1	.	2	.	.	.	.	.	.	1	1	.	.
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Bronchitis, ...	5	8	16	6	9	7	8	5	6	9	7·9	9	.	3	2	.	.	.	.	2	2	.
Broncho-pneumonia, ...	.	.	3	2	.	1	1	1	2	3	1·3	.	.	.	.	.	.	.	.	.	.	.
Lobar pneumonia, ...	.	1	.	1	1	3	.	3	4	1	1·4	.	.	.	.	.	.	.	.	.	.	.
Pneumonia (type not distin- guished)	4	4	5	3	1	4	7	3	2	.	3·3	4	.	1	.	.	.	.	1	1	1	.
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Pulmonary Congestion, Pul- monary Apoplexy.	1	2	.	2	.	1	.	.	1	.	1·0	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Respiratory System.	.	.	.	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	1	.	.	.



THIRTY-SECOND WEEK, ending Saturday, 14th August, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 32nd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 14th August, 1915.																					
	Aug. 12, 1905.	Aug. 11, 1906.	Aug. 10, 1907.	Aug. 8, 1908.	Aug. 14, 1909.	Aug. 13, 1910.	Aug. 12, 1911.	Aug. 10, 1912.	Aug. 9, 1913.	Aug. 8, 1914.		All Ages.	Deaths of Persons of the Ages of																				
													Under 1 month.	1 month and under a year.	0-5.			15-25.	25-45.	45-65.	65-75.	75 and upwards.											
															1-2.	2-5.	5-15.																
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Stomach, ...	—	—	—	—	—	—	2	1	2	2	—	5	.	2	.	.	.	1	.	1	1	.	.										
Diarrhoea and Enteritis of Children under 2 years.	} 33	15	7	20	13	16	{ 41	13	18	10	{ 19.7	{ 11	.	6	5	.	.	.	.	.	.	.	.										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	.	2	—	1	.	.	.	1	.	.	.	2	1	.	1										
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	.	2	.	—	3	.	.	.	.	.	1	2	.	.	.	.										
Cirrhosis of Liver, ...	.	2	2	.	.	2	3	1	1	1	1.2	2	.	.	.	.	.	.	2	.	.	.	.										
Other Diseases of Liver, ...	.	.	.	1	2	.	1	2	.	4	1.0	1	.	1	.	.	.	.	.	.	.	.	.										
Peritonitis (cause unknown),	2	.	.	.	1	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.										
Other Diseases of Digestive System.	5	10	.	5	2	1	.	2	.	.	2.5	2	1	.	.	.	.	.	1	.	.	.	.										
Acute Nephritis, ...	} 7	.	2	8	3	5	{ .	3	3	.	{ 5.4	{ 4	.	.	.	.	.	.	.	.	.	.	.										
Chronic Bright's Disease, ...													6	4	6	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	.	2	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.										
Other Causes incident to Pregnancy and Childbirth.	.	1	.	2	1	.	.	.	.	1	.5	1	.	.	.	.	.	1	.	.	.	.	.										
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	.	1	—	.	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	1	1	.	—	1	1	.	.	.	.	.	.	.	.	.	.										
Premature Birth, ...	2	2	3	2	2	3	3	2	2	1	2.3	3	3	.	.	.	.	.	.	.	.	.	.										
Congenital Debility, ...	—	—	—	—	—	—	1	6	3	3	—	8	2	6	.	.	.	.	.	.	.	.	.										
Old Age, ...	3	.	2	2	3	6	3	.	2	5	2.6	3	.	.	.	.	.	.	.	.	.	3	.										
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	1	2	—	.	.	.	.	.	.	.	.	.	.	.	.										
ACCIDENT :																																	
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.										
Conflagration, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.										
Burns and Scalds, ...	.	.	.	1	.	1	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.	.										
Drowning, ...	.	1	.	2	2	1	.	.	.	1	.7	1	.	.	.	.	.	.	1	.	.	.	.										
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Other Deaths by Accident, ...	2	2	1	3	.	4	2	3	5	3	2.5	4	.	.	.	1	1	1	.	.	1	.											
Total Deaths from Accident.	2	3	2	6	3	6	2	3	6	4	3.7	5	.	.	.	1	1	2	.	.	1	.											
Included in above are Deaths in connection with—																																	
Railways, ...	.	.	1	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.										
Vehicles and Horses, ...	1	2	.	1	.	2	1	1	2	.	1.0	4	.	.	.	1	1	1	.	.	1	.											
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
VIOLENCE OTHER THAN ACCIDENTAL :																																	
Homicide, ...	.	.	.	.	.	.	.	.	.	3	.3	.	.	.	.	.	.	.	.	.	.	.	.										
Suicide, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.										
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	2	2	4	—	3	.	.	1	.	.	.	.	2	.	.											

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																										
		Feb. 20.	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	
No of weeks in Annual Series,		7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		
BIRTHS registered.		225	231	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	
Average Births in corresponding week of previous 10 years, ...		209	203	228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	
DEATHS registered, ...		256	287	272	249	201	228	194	219	205	209	160	205	186	174	140	165	147	147	138	161	133	113	121	117	110	143	
Annual Death-rate per 1,000, ...		32.6	36.6	34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	
Average Deaths in corresponding week of previous 10 years, ...		193	198	202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		69	66	62	62	54	61	50	55	50	67	42	50	46	51	22	54	25	39	34	36	33	28	25	35	33	51	
		11	9	7	11	6	10	3	7	7	5	5	9	8	4	8	3	8	6	6	7	6	5	3	6	4	4	
		28	39	40	41	31	48	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	18	24	21	12	
		64	80	60	52	31	46	45	54	45	49	39	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	
		42	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18	23	16	23	13	17	13	14	21	
		35	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	11	8	11		
Deaths from:—																												
Enteric Fever, ...		1						1	3				2			1							1			1		
Typhus, ...																												
Small-pox, ...																												
Measles, ...				1						1	6	2	1		4		2	1		2	1			1				
Scarlet Fever, ...		1			1		1																					
Whooping-cough, ...		6	11	6	5	13	10	10	9	4	11	2	5	5	3		3	2	3	2	1		1	1				
Diphtheria, ...		3	1	1	1	1	1		1	1	1	2	3	2	1		1	2	2	1		2	1					
Influenza, ...		8	13	18	11	11	11	8	8	4	2	6		4		1	1	1	1			2	2					
Dysentery, ...																												
Tuberculosis { Pulmonary ...		19	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	
Cancer, ...		5	10	3	7	6	9	5	9	9	12	3	10	9	8	7	3	12	6	8	9	2	8	7	6	9	3	
Diseases of Circulatory System, ...		12	10	11	7	7	11	13	10	5	7	11	17	9	10	5	8	6	10	10	10	8	9	9	8	4	9	
Diseases of Respi- ( Pneumonia, ...		33	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	13	12	15	17	17	
ratory System, { Others, ...		29	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	
Diarrhoea and Enteritis, under 2 years, ...		43	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	
Diarrhoea, 2 years and upwards		4	2	10	8	2	6	4	1	3	2	5	6	6	5		9		5	2	5	7	3	3	7	7	11	
Violent Deaths, ...		11	5	5	8	11	7	4	5	7	7	3	5	1	1		6		3	5	5	1	6	2	1	4	5	
Number of Uncertified Deaths, ...		13	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 14th August, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 14TH AUGUST, 1915.																																		
CLASS.		OCCUPATION OR SOCIAL POSITION  (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Population in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911		Total Number of Deaths.		AGES.										CAUSES OF DEATH														
		COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	Tuberculosis.		Diseases of the Respiratory System.		(25)	(26)	(27)	(28)	(29)				
							Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.		
<b>ALL PERSONS.</b>				397,957	—	143	51	4	7	12	37	21	11	.	.	.	1	2	4	2	.	16	3	9	5	4	10	11	.	5	71	6		
<b>CLASSES.</b>																																		
<b>Deaths in Families of the—</b>																																		
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...			14,658	10.7	3	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
II.	MIDDLE CLASS, ...			101,798	8.7	17	1	1	3	5	16	3	3	.	.	.	.	.	.	.	.	1	1	2	.	.	.	.	.	.	1	11	3	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...			108,420	17.3	36	11	3	5	10	5	2	2	.	.	.	1	1	1	.	.	5	1	1	1	1	3	4	.	2	17	3	3	
IV.	GENERAL SERVICE CLASS, ...			167,479	17.1	55	30	2	3	5	8	5	2	.	.	.	.	1	1	4	1	7	1	5	4	1	5	6	.	2	18	3	3	
V.	INMATES OF WORKHOUSES, ...			5,602	—	32	9	.	1	1	11	7	3	.	.	.	.	.	.	.	.	3	.	1	.	.	1	5	.	.	22	.	.	
<b>PROFESSIONAL AND INDEPENDENT CLASS.</b>																																		
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...			7,868	13.8	2	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	
	2. Merchants and Manufacturers, Higher Class			1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	3. Persons of Rank and Property, not otherwise described, ...			5,443	9.6	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	
II.	MIDDLE CLASS.																																	
	4. General Body of Officials—Civil Service, Banking, &c., ...			9,523	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...			25,199	2.1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	6. Clerks and Commercial Assistants, ...			33,249	4.7	3	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...			33,827	20.0	13	.	2	.	.	6	3	2	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	1	9	.	.	.	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																																	
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...			11,777	22.1	5	1	.	1	2	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	2	.	.	.	1	5	2	.
	9. Building and Furnishing Trades, ...			28,823	21.7	12	5	.	1	2	3	1	.	.	.	.	.	.	.	.	.	2	2	1	.	.	1	.	.	.	2	2	1	.
	10. Clothing Trades, ...			20,026	10.4	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
	11. Food Supply Trades, ...			8,952	11.6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	12. Other Trades and Callings ranking with Trades, ...			32,070	17.9	11	3	.	1	1	3	1	2	.	.	.	1	.	.	.	.	1	.	.	.	.	2	.	.	.	7	2	.	
	13. Petty Shopkeepers, ...			6,772	15.4	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
IV.	GENERAL SERVICE CLASS.																																	
	14. Army, Police, Postal Delivery and Prison Services, &c., ...			12,977	32.1	8	5	.	1	1	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	1	.	2	.	3	.	.	
	15. Domestic Servants, ...			36,041	7.2	5	3	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.
	16. Coach and Car Drivers, Vanmen, &c., ...			15,380	27.1	8	5	.	1	.	2	.	.	.	.	.	.	.	1	2	1	.	.	.	.	.	.	.	.	.	1	.	.	
	17. Hawkers, Porters, Labourers, &c., ...			103,081	17.2	34	17	2	1	4	4	4	2	.	.	.	.	.	.	.	.	5	.	4	3	.	.	.	.	2	12	3	.	
	INMATES OF WORKHOUSES.																																	
V.	18. Workhouse Inmates, ...			5,602	—	32	9	.	1	1	11	7	3	.	.	.	.	.	.	.	.	3	.	1	.	.	1	5	.	.	22	.	.	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncertified Deaths.																																																																																																																																																																																																																																				
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.																																																																																																																																																																																																																																			
													Pulmonary.	Other Forms.	Pneumonia.	Other.																																																																																																																																																																																																																																							
North City, No. 1 (E.) (Office Clarence St. Nth.)	July, 10 " 17 " 24 " 31 Aug. 7 " 14	13.7 10.3 13.7 15.4 18.8 23.9	. 1.7 . 5.1 6.8 1.7	8 6 8 9 11 14	. 1 . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . 1 . .	. . . . . . .	2 . 3 2 2 2 2	. . 1 1 2 1 1	. 1 1 1 1 1 1	2 1 . . 1 2 .	. . . . . . .	2 1 2 3 3 3 3	. . . . . . .	. 1 . . 1 1 1 .	. . 1 . . . .	1 1 . . 2 2 .	. . . . . . .	. 1 1 . . . .	. . 2 . . . .	1 . . 1 1 .	. . . . . . .	. 1 . . . . . .	. . . 2 1 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 . . 1 .	. . 1 .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Tuberculosis, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	July, 10 " 17 " 24 " 31	15.8 15.8 11.9 11.9	2.6 . 1.3 1.3	12 12 9 9	. . . .1	. . . .1	. . .1 .1	. . .1 .1	. . .1 .1	. . .1 .1	. . .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	2 1 1 1	1 .1 .1 .1	. .1 .1 .1	1 .1 .1 .1	. .1 .1 .1
Population in 1915 (Est.) 39,541.	Aug. 7 " 14	9.2 6.6	1.3 .	7 5	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. 1	. .1	. .1	. .1	. 1	. 1	. .1	. .1	. 1
Pembroke Urban District.	July, 10 " 17 " 24 " 31	18.8 1.7 10.2 8.5	1.7 . . .	11 1 6 5	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	1 .1 .1 1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	1 .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1
Population in 1915 (Est.) 20,538	Aug. 7 " 14	20.5 12.0	. .	12 7	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	5 2	. .1	. .1	. .1	. 1	. 1	. .1	. 1	. 1
Blackrock Urban District.	July, 10 " 17 " 24 " 31	11.3 28.2 11.3 22.6	. 5.6 . .	2 5 2 4	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. 1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. 2 .1 .1
Population in 1915 (Est.) 9,233.	Aug. 7 " 14	5.6 28.2	5.6 .	1 5	. .1	. .1	. .1	. .1	. .1	. 1	. .1	. .1	. .1	. .1	. .1	. 1	. .1	. .1	. .1	. .1	. .1
Kingstown Urban District.	July, 10 " 17 " 24 " 31	18.5 18.5 12.3 15.4	. .1 .1 .1	6 6 4 5	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. 1 .1 1	. 1 .1 2	. 1 .1 1	. 2 1 .1	. 1 .1 1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1
Population in 1911 16,941.	Aug. 7 " 14	9.2 24.6	. .	3 8	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	1 1	. 1	. 1	. 1	. 1	. 1	. 1	. 1	. 1
Belfast.	July, 10 " 17 " 24 " 31	10.0 12.0 14.4 15.0	1.4 1.7 1.2 1.6	77 93 111 116	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	3 3 1 3	2 4 1 1	3 1 1 4	. 1 1 1	. .1 .1 1	10 12 13 16	5 2 8 5	2 7 11 5	9 6 3 6	9 6 6 9	1 3 4 3	2 1 1 1	1 3 2 5	. 3 4 1
Population in 1915 (Est.) 403,000.	Aug. 7 " 14	11.3 12.7	1.3 1.4	87 98	. .1	. .1	. .1	. 1	2 3	1 .	2 .1	. .1	11 9	4 5	9 8	4 7	8 6	3 6	3 6	1 1	. 2
Cork.	July, 10 " 17 " 24 " 31	13.6 10.9 15.6 9.5	2.0 0.7 1.4 1.4	20 16 23 14	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	1 1 .1 .1	. .1 1 .1	. .1 1 .1	. .1 1 .1	. .1 1 .1	2 1 4 4	1 2 1 2	. 1 .1 .1	. .1 1 .1	2 .1 .1 1	. .1 1 .1	. .1 1 .1	. .1 .1 .1	. .1 .1 .1
Population in 1911 76,673.	Aug. 7 " 14	12.9 17.0	0.7 .	19 25	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. 2	. 2	. .1	. 2	. 2	. 2	. .1	. .1	. .1
Londonderry.	July, 10 " 17 " 24 " 31	16.5 24.0 25.3 16.5	1.3 7.6 7.6 6.3	13 19 20 13	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 5 6	. .1 3	. .1 .1	. .1 .1	1 1 1	. 1 .1	1 .1 .1	2 .1 1	1 2 1	1 1 4	1 .1 2	. .1 3	. 2 .1
Population in 1915 (Est.) 41,200.	Aug. 7 " 14	15.2 21.5	5.1 7.6	12 17	. .1	. .1	. .1	. .1	. 4	. .1	. .1	. .1	2 1	1 1	. 1	. .1	. .1	1 1	3 1	. 1	. .1
Limerick.	July, 10 " 17 " 24 " 31	21.7 16.2 23.0 23.0	. .1 .1 .1	16 12 17 17	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	3 3 3	. 1 .1	1 1 2	2 .1 1	2 2 3	. .1 1	. .1 2	. .1 2	. 2 2
Population in 1911 38,518.	Aug. 7 " 14	12.2 14.9	. .	9 11	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	2 3	. .1	. 1	. .1	. 2	. 2	. .1	. .1	. 3
Waterford.	July, 10 " 17 " 24 " 31	19.0 7.6 7.6 11.4	3.8 . . 3.8	10 4 4 6	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	2 .1 .1 .1	. .1 .1 .1	. .1 .1 .1	. .1 .1 .1	1 1 1	. .1 .1	. .1 .1	. 1 1	1 .1 1	. .1 2	. .1 .1	. .1 .1	. .1 .1
Population in 1911 27,464.	Aug. 7 " 14	11.4 15.2	. .	6 8	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. 1 2	. .1	. .1	. .1	. 1	. .1	. .1	. .1	. .1

\* See note (i) at foot of first page.







TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Aug. 14,	1,962	1,009 <sup>c</sup>	11·6	.	.	11	5	9	7	59	
EDINBURGH, ---	328,700	„ 14,	103	72 <sup>c</sup>	11·4	.	.	3	2	.	3	3	
GLASGOW, --	1,078,400	„ 14	504	287 <sup>c</sup>	13·9	1	.	20	10	.	1	15	
CALCUTTA --	896,067	June 26,	.	333	19·3	64*	6	.	.	.	.	44½ <sup>a</sup>	
BOMBAY, --	979,445	July 3,	320	359	19·1	35*	4	1	.	1	.	30 <sup>a</sup>	
MADRAS, ---	518,660	June 26,	320	265	26·6	36*	.	.	?	?	?	58 <sup>a</sup>	
CAIRO, {	Egyptians, ...	659,372	„ 3,	519	1,365	107·7	192	1	5	.	?	6†	297
	Foreigners,	71,913	„ 3,	5	45	32·5	6	.	.	.	?	.	4
ALEXAN- DRIA, {	Egyptians,	340,742	„ 3,	209	211	32·2	.	1	.	.	?	.	59
	Foreigners,	76,699	„ 3,	24	84	56·9	1	2	.	.	?	.	5
PARIS, ---	2,847,229	July 3,	461	693	12·4	1	.	8	3	3	3†	18	
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ...	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	612,088	July 3,	212	109	9·3	.	.	1	.	.	1†	1	
COPENHAGEN, ---	492,000	„ 17,	184	109	11·6	.	.	.	.	1	.	.	
STOCKHOLM, ---	386,270	„ 17,	125	73	9·8	.	.	1	1	.	.	1	
CHRISTIANIA, ---	250,677	„ 24,	132	39	8·1	1	.	.	.	.	.	2 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	June 12,	.	1,117	34·4	18	5	60	14	9	8	234½ <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	July 3,	2,811	1,247	11·2	4	.	19	9	7	22†	59	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	July 24,	.	198 <sup>b</sup>	14·2	1.	.	.	1	1	2	8 <sup>a</sup>	

\* Deaths from "fever," including 5 from plague, and 3 from enteric fever in Calcutta; and 4 from plague and 3 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta, and 14 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 171 deaths (including one from diphtheria); rate, 12·3 per thousand.

<sup>c</sup> Including 4 deaths from cerebro-spinal fever in London, one in Edinburgh, and one in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 14th August, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	2	.	.	.	2	4
"    "    1, West,	.	1	.	.	.	.	.	1	.	.	.	.	1	3
"    "    2,     ...	.	.	.	.	.	.	.	.	.	.	.	.	6	6
"    "    3,     ...	.	.	.	.	1	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,     ...	.	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    2,     ...	.	2	.	.	.	.	.	.	.	.	.	.	1	3
"    "    3,     ...	.	1	.	.	3	.	.	2	1	.	.	.	2	9
"    "    4,     ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
New Kilmainham,     ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,     ...	.	5	.	.	4	.	.	3	3	.	.	.	17	32

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 14th August, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 14th August			
	July 24.	July 31.	August 7.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,     ...	26	21	14	3	4	.	13
Typhus,     ...	3	1	1	.	.	.	1
Small-pox,     ...	.	.	.	.	.	.	.
Measles,     ...	9	8	7	.	1	.	6
Scarlet Fever,     ...	62	58	56	13	13	2	54*
Diphtheria,     ...	19	30	31	6	6	2	29
Pneumonia,     ...	14	12	9	4	3	.	10

\* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 21ST AUGUST, 1915.

[No. 33.]

*General Register Office, Charlemont House,  
Dublin, 23rd August, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 13·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	July 31	Aug. 7	Aug. 14	Aug. 21	
<b>27 Town Districts, (a)</b>	<b>14·1</b>	<b>11·9</b>	<b>14·6</b>	<b>13·6</b>	<b>13·5</b>
Dublin Reg. Area ...	13·6	12·4	16·4	14·7	14·3
Dublin City ...	14·0	12·3	17·3	15·3	14·7
Belfast ...	15·0	11·3	12·7	13·6	13·2
Cork ...	9·5	12·9	17·0	19·0	14·6
Londonderry ...	16·5	15·2	21·5	20·2	18·3
Limerick ...	23·0	12·2	14·9	8·1	14·5
Waterford ...	11·4	11·4	15·2	22·8	15·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·1 per 1,000. Among the 105 deaths from all causes for Belfast are one from measles, 2 from scarlet fever, 3 from whooping-cough, 9 from diarrhoea and enteritis of children under 2 years, and one from cerebro-spinal meningitis. The 28 deaths from all causes for Cork include one from measles and 2 from diarrhoea and enteritis of children under 2 years, and of the 16 deaths from all causes for Londonderry, 4 were from whooping-cough and 2 from diarrhoea and enteritis of children under 2 years.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 243—129 boys and 114 girls—and the deaths to 120—57 males and 63 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 14·7 per 1,000 of the population. During the thirty-three weeks, ending with Saturday last, the death-rate averaged 22·8, and was 1·0 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 120, represent an annual rate of 15·3 per 1,000; the annual rate for the past thirty-three weeks was 24·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 23·0 per 1,000 of the mean population for all deaths registered.

Among the 120 deaths registered are one death each from scarlet fever, whooping-cough, and diphtheria, 2 deaths from dysentery, and 17 deaths from diarrhoeal diseases. In the three preceding weeks deaths from scarlet fever were 0, 0, and 2; deaths from whooping-cough were one, one, and 4; deaths from diphtheria were 0, 2, and 2; deaths from dysentery were 0, one, and 0; and deaths from diarrhoeal diseases were 7, 7, and 11, respectively.

Deaths from tuberculous disease numbered 17\*, including 13 from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from abdominal tuberculosis. In the three preceding weeks the deaths from all forms of the disease amounted, respectively, to 23, 26, and 19.

Eight deaths were ascribed to cancer.

There were 4 deaths from pneumonia, comprising 2 deaths from broncho-pneumonia and 2 from pneumonia (type not distinguished).

Among deaths of infants under one year old, 4 were ascribed to prematurity, one to convulsions, and one to congenital debility.

Organic diseases of the heart caused 11 deaths and bronchitis 6 deaths.

There were 4 accidental deaths, including one (that of a child 16 months old) caused by burns and scalds, and 2 by drowning.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one person aged 70 years.

Thirty-nine of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 5 were under one month old), and 28 were aged 65 years and upwards, including 19 persons aged 70 and upwards; among the latter were 11 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 93 years, respectively.

Fifty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 4 took place in the North Dublin Union Workhouse, and 12 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 14·7 per 1,000; the rate in the City was 15·3 (North City Districts, 14·1; South, 16·7), and in the Suburbs, 12·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 3·5 (in the North City Districts 2·2, and in the South 5·0), and for the Suburbs 0·5 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·2 per 1,000, and include 3 from tuberculous disease, one from pneumonia, one of a child under 2 years from diarrhoea and enteritis, and one death of a child from burns and scalds.

*No. 1 North City District, West* (Summer-hill).—The deaths (11) are equal to an annual rate of 13·8 per 1,000. Scarlet fever caused one death, pulmonary tuberculosis 2 deaths, and diarrhoea and enteritis 3 deaths of children under 2 years of age.

*No. 2 North City District* (Lisburn-street).—The deaths (9) are equivalent to an annual rate of 16·8 per 1,000. Dysentery caused one death, pulmonary tuberculosis 2 deaths, bronchitis one death, and accidental drowning one death.

*No. 3 North City District* (Benburb-street).—The deaths (6) represent an annual rate of 8·7 per 1,000.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 9·6. Included in the 2 deaths for Clontarf and Howth, No. 1, part of, is one from dysentery; and the 2 deaths for Coolock and Drumcondra, part of, comprise one from pulmonary tuberculosis, and one from broncho-pneumonia.

*No. 1 South City District* (South Earl-street).—The deaths (11) represent an annual rate of 13·9 per 1,000, and include 5 from diarrhoeal diseases.

*No. 2 South City District* (Castle-street).—The deaths (4) are equal to an annual rate of 11·4 per 1,000, and include one death of a child under 2 years of age from diarrhoea and enteritis, and one from bronchitis.

*No. 3 South City District* (Peter-street).—The deaths (17) are equal to an annual rate of 20·2 per 1,000. Pulmonary tuberculosis caused 3 deaths, bronchitis 4 deaths, and there was one death from diarrhoea.

*No. 4 South City District* (Grand Canal Street).—The deaths (13) are equivalent to an annual rate of 20·4 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis one death, broncho-pneumonia one death, diarrhoea and enteritis 5 deaths of children under 2 years, and there was one death from accidental violence.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000, and include one from tuberculous meningitis, and one (that of a child under 2 years) from diarrhoea and enteritis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 17·1; Pembroke, 13·7; Blackrock, 5·6; and Kingstown, 3·1. The only death from any of the principal epidemic diseases tabulated for these districts was one from diphtheria for Rathmines and Rathgar. The 13 deaths from all causes for the last-named district include one from tuberculous meningitis and one from pneumonia. Among the 8 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, and one caused by accidental drowning.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 11·5), was equal to an average annual death-rate of 11·4 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 12·3 per 1,000, the rate for Glasgow being 12·7, and for Edinburgh 10·5.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 21st August. From this Report it appears that of 45 cases notified, 13 were scarlet fever, 13 diphtheria, 9 pulmonary tuberculosis, 5 other forms of tuberculosis, and 5 erysipelas. Among the 469 cases of infectious diseases in hospital at the close of the week were 184 of pulmonary tuberculosis, 124 of scarlet fever, 81 of diphtheria, 38 of measles, 21 of whooping-cough, 7 of erysipelas, and 3 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 21st August, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	July. 31,	.	—	—	11	1	.	4	.	1	2	3	.	—	—	.	—	.	7	29
	Aug. 7,	.	—	—	8	.	.	8	.	.	1	3	.	—	—	.	—	.	13	33
	Aug. 14,	.	—	—	5	.	.	4	.	.	3	3	.	—	—	.	—	.	17	32
	Aug. 21,	.	—	—	9	.	.	4	.	1	.	.	.	—	—	1	—	.	28	43
Rathmines and Rathgar Urban District.	July. 31,	.	—	—	.	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	July. 31,	.	4	.	.	.	.	1	.	.	.	.	.	—	10	.	—	—	.	15
	Aug. 7,	.	2	.	1	.	.	.	.	.	.	.	.	—	1	.	—	—	5	9
	Aug. 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	4	.	—	—	.	6
	Aug. 21,	.	2	.	1	.	.	.	.	.	.	1	.	—	1	.	—	—	.	5
Blackrock Urban District.	July. 31,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 7,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 14,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Aug. 21,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	July. 31,	.	—	—	36	.	.	3	.	.	1	5	.	—	—	.	—	1	7	53
	Aug. 7,	.	—	—	26	.	.	3	.	.	2	2	.	—	—	.	—	.	4	37
	Aug. 14,	.	—	—	32	.	.	1	.	.	3	4	.	—	—	.	—	.	1	41
	Aug. 21,	.	—	—	39	.	.	4	.	.	1	3	1	—	—	1	—	.	2	51
City of Cork.	July. 31,	.	3	—	6	.	.	1	.	.	.	.	.	—	—	—	7	—	—	17 <sup>a</sup>
	Aug. 7,	.	3	—	9	.	.	2	1	.	2	2	.	—	—	—	8	—	—	27
	Aug. 14,	.	5	—	5	.	.	.	.	.	2	1	.	—	—	—	9	—	—	22
	Aug. 21,	.	1	—	6	.	.	1	.	.	.	.	.	—	—	11	—	—	—	19
City of Londonderry.	July. 31,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Aug. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 14,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 21,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
City of Limerick.	July. 31,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	July. 31,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Aug. 14,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Aug. 21,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 21st August, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 2 were discharged, and 12 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 21, 14, and 13.

One case of typhus was discharged from hospital, and no cases remained under treatment at the close of the week. There was one case under treatment at the close of each of the three preceding weeks.

Six cases of measles were admitted to hospital during the week, and 12 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 8, 7, and 6 respectively.

Ten cases of scarlet fever were admitted to hospital, 9 were discharged, there was one death, and 54\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 58, 56, and 54, respectively.

Eight cases of diphtheria were admitted to hospital during the week, one was discharged, 2 died, and the cases in hospital, which at the close of the 3 preceding weeks numbered 30, 31, and 29 respectively, were 34 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, and 10 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 21st August, 1915, in the DUBLIN REGISTRATION AREA and In each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 21ST AUGUST, 1915.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																					
								Caused by																					
		Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.2	13.6	2.1	539	317	61	75	...	...	...	2	3	8	1	2	34	17	22	12	14	28	4	8	13	86	8	
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	31.0	14.7	2.8	243	115	29	28	...	...	...	...	1	1	1	2	13	3	8	4	6	14	3	4	2	45	3	
CITY OF DUBLIN,	312,747	39.5	36.7	15.3	3.5	220	92	28	15	...	...	...	...	1	1	...	2	11	2	8	3	6	14	3	3	1	36	3	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	17.1	1.3	9	13	1	9	...	...	...	...	...	1	...	...	1	...	1	...	...	...	...	...	...	6	...	
PEMBROKE, ...	30,538	19.4	13.7	13.7	.	8	8	...	3	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	1	2	...	
BLACKROCK, ...	9,233	8.5	5.6	5.6	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
KINGSTOWN, ...	16,941	11.6	15.4	3.1	.	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
Urban Districts																													
BELFAST ..	403,000	27.0	22.1	13.6	1.9	171	105(d)	18	19	...	...	...	1	2	3	...	...	15	8	7	2	3	9	...	1	6	16	1	
CORK, ..	76,673	28.6	16.3	19.0	2.0	24	28	6	5	...	...	...	1	...	...	...	...	2	3	1	2	...	2	...	1	2	10	2	
LONDON- DERRY	41,200	16.0	16.5	20.2	7.6	13	16	3	3	...	...	...	...	4	...	...	...	...	2	1	1	2	...	...	...	2	...		
LIMERICK, ...	38,518	16.1	8.1	8.1	.	6	6	1	1	...	...	...	...	...	...	...	...	1	1	...	...	2	...	...	...	...	3	1	
WATERFORD, ...	27,464	19.1	20.9	22.8	.	11	12	1	5	...	...	...	...	...	...	...	...	2	1	...	1	...	...	...	...	2	3	...	
GALWAY, ...	13,255	2.5				4	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
DUNDALK, ...	13,128	9.5				4	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				4	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	2	1	1	...	
DROGHEDA, ...	12,501	8.4				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LISBURN ...	12,388	10.9				5	4	1	1	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	
PORTADOWN, ...	11,727	15.3				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				4	2	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	
BALLYMENA ..	11,381	9.3				3	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
SLIGO, ...	11,163	3.8				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	
KILKENNY, ...	10,514	11.4				5	5	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	3	1	
TRALEE, ...	10,300	17.4				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1				...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
QUEENSTOWN,	8,209	14.7				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LARNE, ...	8,036	13.4				5	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5				...	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
ATHLONE, ...	7,472	6.2				...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8				1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 5 deaths of persons (including one under one year old, admitted to hospital from localities outside the Area. Included in the 5 deaths is one from abdominal tuberculosis. (d) Including one death from cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 21st of August, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN:																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery, . . . . .	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	.	2	
Tuberculosis, { Pulmonary, . . . . .	2	2	2	.	.	1	.	.	.	3	1	.	.	2	.	.	13	
{ Other Forms, . . . . .	1	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	3	
Cancer, . . . . .	2	1	.	.	.	.	.	2	.	2	1	.	.	.	.	.	8	
Diseases of Nervous System, . . . . .	2	1	.	.	1	.	.	1	.	1	.	.	2	1	1	.	10	
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System, . . . . .	2	.	1	1	.	.	2	.	.	2	.	.	2	2	.	1	13	
" Respiratory System. { Pneumonia, . . . . .	1	.	.	.	.	1	.	.	.	.	1	.	1	.	.	.	4	
{ Others, . . . . .	.	.	1	.	.	.	.	.	1	4	.	.	.	.	.	.	6	
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	3	.	.	.	.	.	3	1	.	5	1	.	.	.	.	14	
" Digestive System. { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.	3	
{ Enteritis, 2 years and upwards, . . . . .	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	
{ Others, . . . . .	.	1	.	1	.	.	.	.	1	.	.	.	3	.	.	.	6	
" Genito-urinary System, . . . . .	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	.	1	2	1	.	.	.	1	.	3	2	.	3	2	.	.	15	
Violent Deaths, . . . . .	1	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	4	
Ill-defined, &c. Causes, . . . . .	.	.	1	1	.	.	.	.	1	1	.	.	.	.	.	.	4	
Deaths from All Causes . . . . .	13	11	9	6	2	2	2	11	4	17	13	2	13	8	1	1	115	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	22·2	13·8	16·8	8·7	18·8	7·5	9·6	13·9	11·4	20·2	20·4	10·5	17·1	13·7	5·6	3·1	14·7	
	14·1							16·7					12·5					
	15·3																	
Ages at Death. { Under 1 year, . . . . .	3	4	4	1	.	1	.	4	1	1	8	1	1	.	.	.	29	
{ 1 and under 2 years, . . . . .	2	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	5	
{ 2 " 5 " . . . . .	.	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	4	
{ 5 " 15 " . . . . .	1	1	.	.	.	.	.	.	.	.	.	1	2	.	.	.	5	
{ 15 " 25 " . . . . .	.	1	.	.	.	.	.	.	1	.	.	.	.	1	.	.	3	
{ 25 " 45 " . . . . .	2	3	1	2	.	1	.	1	.	5	2	.	1	1	1	.	20	
{ 45 " 65 " . . . . .	4	2	3	2	1	.	.	1	1	4	1	.	1	2	.	.	21	
{ 65 and upwards, . . . . .	1	.	.	1	1	.	2	3	1	5	1	.	9	3	.	1	28	
Number of Uncertified Deaths, . . . . .	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	3	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	3	3	3	2	.	1	.	1	.	5	5	.	5	2	1	.	31	
Workhouse Hospitals, . . . . .	1	1	1	.	.	.	.	1	2	6	1	.	1	.	.	.	14	
																	3	





THIRTY-THIRD WEEK, ending Saturday, 21st August, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 33rd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 21st August, 1915.															
	Aug. 19, 1905.	Aug. 18, 1906.	Aug. 17, 1907.	Aug. 15, 1908.	Aug. 21, 1909.	Aug. 20, 1910.	Aug. 19, 1911.	Aug. 17, 1912.	Aug. 16, 1913.	Aug. 15, 1914.		All Ages.	Deaths of Persons of the Ages of														
													0-5.														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.						
Diseases of Stomach, ...	—	—	—	—	—	—	4	.	2	3	—	2	.	.	.	.	.	1	.	1	.	.					
Diarrhoea and Enteritis of Children under 2 years.	27	31	8	43	30	10	49	7	27	11	26.4	14	1	12	1	.	.	.	.	.	.	.					
Diarrhoea 2 years and upwards.																											
Enteritis 2 years and upwards	—	—	—	—	—	—	6	.	4	1	—	3	.	.	.	.	.	.	1	.	.	.					
Appendicitis and Typhilitis, ...	—	—	—	—	—	—	.	1	1	1	—	1	.	.	.	.	.	.	1	1	.	1					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	1	1	3	—	4	.	1	.	.	.	.	1	1	1	1					
Cirrhosis of Liver, ...	1	3	1	.	1	.	1	3	2	1	1.3	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Liver, ...	.	.	1	1	1	1	1	.	2	1	.8	.	.	.	.	.	.	.	.	.	.	.					
Peritonitis (cause unknown),	.	2	.	2	.	.	.	.	1	.	.5	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Digestive System.	7	3	6	4	5	4	3	.	2	.	3.4	.	.	.	.	.	.	.	.	.	.	.					
Acute Nephritis, ...	1	2	2	4	8	9	1	.	1	3	5.3	2	.	.	.	.	.	.	.	.	.	.					
Chronic Bright's Disease, ...							5	4	4	5		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	1	2	1	.	1	.	.	.	.	.	1	.	.	.	.					
Puerperal Septicæmia, &c., ...	.	.	1	.	1	.	.	1	.	.	3	.	.	.	.	.	.	.	.	.	.	.					
Other Causes incident to Pregnancy and Childbirth.	1	3	.	.	1	.	1	1	.	.	.7	2	.	.	.	.	.	2	.	.	.	.					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	3	.	3	—	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	1	1	—	.	.	.	.	.	.	.	.	.	.	.					
Premature Birth, ...	2	1	3	2	3	4	5	3	5	4	3.2	4	4	.	.	.	.	.	.	.	.	.					
Congenital Debility, ...	—	—	—	—	—	—	8	2	5	6	—	1	1	.	.	.	.	.	.	.	.	.					
Old Age, ...	4	2	.	1	3	4	5	3	6	7	3.5	3	.	.	.	.	.	.	.	.	.	3					
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	1	2	—	1	.	.	.	.	.	.	.	1	.	.					
ACCIDENT:																											
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Burns and Scalds, ...	2	.	.	2	.	.	1	.	.	1	.6	1	.	1	.	.	.	.	.	.	.	.					
Drowning, ...	.	1	.	1	.	.	2	.	.	1	.5	2	1	.	.	.	1	.	.	.	.	.					
Suffocation in Bed, ...	.	.	1	.	1	.	.	.	.	2	.4	.	.	.	.	.	.	.	.	.	.	.					
Other Deaths by Accident, ...	1	1	1	5	2	2	2	2	3	5	2.4	1	.	.	.	.	.	.	.	1	.	.					
Total Deaths from Accident,	3	2	2	8	3	2	5	2	3	9	4.0	4	.	1	1	.	1	.	.	1	.	.					
Included in above are Deaths in connection with—																											
Railways, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.					
Vehicles and Horses, ...	.	.	.	1	1	1	1	.	1	2	.7	.	.	.	.	.	.	.	.	.	.	.					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.					
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
VIOLENCE OTHER THAN ACCIDENTAL:																											
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Suicide, ...	.	.	.	.	.	.	3	.	.	1	.4	.	.	.	.	.	.	.	.	.	.	.					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	4	8	5	—	4	.	.	.	1	1	.	2	.	.	.					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	Feb. 27.	March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.
No. of weeks in Annual Series,	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33
Births registered,	211	206	220	238	218	196	218	236	252	231	206	216	208	240	245	175	207	199	213	202	199	214	225	178	188	213
Average Births in corresponding week of previous 10 years, ...	203	228	226	207	214	231	219	212	223	217	208	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218
Deaths registered, ...	287	272	249	20.	228	191	219	205	209	160	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120
Annual Death-rate per 1,000, ...	36.6	31.7	31.7	25.6	29.1	24.7	27.9	28.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3
Average Deaths in corresponding week of previous 10 years, ...	198	202	194	191	191	199	201	193	201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154
Under 5 years,	66	62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39
5-15 "	9	7	11	6	10	3	7	7	5	5	9	8	4	8	3	8	6	6	7	6	5	3	6	4	4	6
15-25 "	17	8	9	13	9	12	15	14	12	11	12	16	14	6	9	11	10	10	12	8	5	10	6	5	7	4
25-45 "	39	40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	18	24	21	12	21
45-65 "	80	60	52	31	46	45	54	45	49	39	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	22
65-75 "	50	56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18	23	16	23	13	17	13	14	21	17
75 and upwards,	26	39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	14	8	11	11	11
Deaths from:—																										
Enteric Fever, ...	1					1	3				2			1							1			1		
Typhus, ...						1																				
Small-pox, ...																										
Measles, ...		1		1	1	6		1	1	2	1		4	3	2	1	1	2	1	2	1	1	1	1	1	1
Scarlet Fever, ...	11	6	5	13	10	9	9	4	11	2	5	5	3	3	3	2	3	2	2	1	1	1	1	1	1	1
Whooping-cough, ...	1	1	1	1	1	1	1	1	1	2	3	4	1	1	1	1	1	1	1	2	2	3	2	2	2	2
Diphtheria, ...	13	18	11	11	11	8	8	4	2	6					1	1	1	1		2	2	1				
Influenza, ...																										
Dysentery, ...	29	32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13
Tuberculosis { Pulmonary ...	10	3	7	6	9	5	9	9	12	8	10	9	3	7	3	12	6	8	9	2	3	7	6	9	8	4
Cancer, ...	10	11	7	7	11	13	10	5	7	11	17	9	10	5	5	8	10	10	10	8	9	9	9	4	9	8
Diseases of Circulatory System, ...	17	27	17	15	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	13	12	15	15	17	13
Diseases of Respi- ( Pneumonia, ...	28	25	22	16	17	15	21	23	16	8	12	9	13	12	10	12	7	11	8	7	5	11	5	4	4	4
ratory System, { Others, ...	69	59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6
Diarrhoea and Enteritis, under 2 years, ...	2	10	8	2	6	4	1	3	2	5	6	6	5	5	9		5	2	5	7	3	3	7	7	11	14
Diarrhoea, 2 years and upwards																										
Violent Deaths, ...	5	5	8	11	7	4	5	7	7	3	5	1	1	5	6		3	5	5	1	6	2	1	4	5	4
Number of Uncertified Deaths, ...	7	9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	8





TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	July, 17	10.3	1.7	6	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.
	" 24	13.7	.	8	.	.	.	.	.	.	.	.	3	1	1	1	.	.	.	1	.	
	" 31	15.4	5.1	9	.	.	.	.	.	1	.	.	2	2	1	1	.	.	2	.	2	
	Aug. 7	18.8	6.8	11	.	.	.	.	.	.	.	1	2	2	2	1	1	.	3	.	.	
Population in 1915	" 14	23.9	1.7	14	.	.	.	.	.	.	.	.	2	1	1	1	2	1	1	.	1	
(Est.) 30,504.	" 21	22.2	1.7	13	.	.	.	.	.	.	.	.	2	1	2	1	.	1	.	1	.	
North City, No. 1 (W.) (Office, Summer-hill.)	July, 17	22.5	1.3	18	.	.	.	.	.	1	.	.	4	1	2	.	1	.	2	.	.	
	" 24	11.3	2.5	9	.	.	.	.	.	.	.	.	2	1	1	.	.	2	.	.	.	
	" 31	16.3	3.8	13	.	.	.	.	.	.	.	.	2	1	.	1	.	3	.	.	.	
	Aug. 7	8.8	3.8	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	
Population in 1915	" 14	22.5	3.8	18	.	.	.	.	.	.	.	.	2	1	1	1	1	3	.	.	.	
(Est.) 41,685.	" 21	13.8	5.0	11	.	.	.	.	1	.	.	.	2	.	1	.	.	3	.	.	.	
North City, No. 2. (Office, Lisburn-street.)	July, 17	9.4	1.9	5	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
	" 24	11.2	.	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	
	" 31	13.1	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	
	Aug. 7	13.1	1.9	7	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	
Population in 1915	" 14	16.8	.	9	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.	
(Est.) 27,883.	" 21	16.8	1.9	9	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	1	1	
North City, No. 3. (Office, Benburb-street.)	July, 17	8.7	.	6	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	
	" 24	16.0	.	11	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	.	2	
	" 31	18.9	.	13	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	1	
	Aug. 7	5.8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Population in 1915	" 14	13.1	1.5	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1	
(Est.) 35,887.	" 21	8.7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	
Clontarf and Howth No. 1 (part of).	July, 17	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 24	37.7	9.4	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	
	" 31	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	Aug. 7	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 5,539.	" 21	18.8	9.4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	July, 17	11.3	3.8	3	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	
	" 24	18.9	3.8	5	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	
	" 31	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	Aug. 7	11.3	3.8	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
Population in 1915	" 14	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 13,820.	" 21	7.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	
Finglas and Glasnevin (part of).	July, 17	14.4	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	
	" 24	9.6	4.8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 31	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Aug. 7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 14	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 10,829.	" 21	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City, No. 1. (Office, Stth. Earl-street.)	July, 17	16.5	1.3	13	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	2	.	
	" 24	11.4	1.3	9	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.	
	" 31	8.9	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.	
	Aug. 7	19.0	.	15	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	1	.	
Population in 1915	" 14	19.0	3.8	15	.	.	.	.	.	.	.	.	3	.	1	1	1	3	.	.	.	
(Est.) 41,170.	" 21	13.9	6.3	11	.	.	.	.	.	.	.	.	.	.	2	.	3	2	.	.	.	
South City, No. 2. (Office, Castle-street.)	July, 17	14.2	.	5	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	.	.	
	" 24	19.9	.	7	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	
	" 31	14.2	.	5	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.	
	Aug. 7	17.1	2.8	6	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	
Population in 1915	" 14	14.2	2.8	5	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	
(Est.) 18,341.	" 21	11.4	2.8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	
South City, No. 3. (Office, Peter-street.)	July, 17	15.4	1.2	13	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	1	
	" 24	19.0	.	16	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	5	
	" 31	13.0	.	11	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
	Aug. 7	17.8	1.2	15	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.	
Population in 1915	" 14	24.9	7.1	21	.	.	.	1	1	.	2	.	2	.	1	1	1	2	.	1	3	
(Est.) 43,970.	" 21	20.2	1.2	17	.	.	.	.	.	.	.	.	3	.	2	.	4	.	1	.	.	
South City, No. 4. (Office, Grand Canal-st.)	July, 17	14.1	.	9	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	
	" 24	18.9	.	12	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.	
	" 31	15.7	.	10	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	
	Aug. 7	6.3	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	
Population in 1915	" 14	14.1	6.3	9	.	.	.	.	.	3	.	.	1	.	.	.	.	1	.	.	.	
(Est.) 33,171.	" 21	20.4	9.4	13	.	.	.	.	.	1	.	.	1	.	1	1	.	5	.	1	.	
New Kilmainham.	July, 17	21.0	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	" 24	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 31	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	Aug. 7	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 14	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 9,948.	" 21	10.5	5.2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.																																																																																																																																																																																																												
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Furunculæ, 2 years and upwards.	Violence.																																																																																																																																																																																																													
													Pulmonary.	Other Forms.	Pneumonia.	Other.																																																																																																																																																																																																																
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	July, 17 " 24 " 31 Aug. 7 " 14 " 21	15.8 11.9 11.9 9.2 6.6 17.1	. 1.3 1.3 1.3 1.3 1.3	12 9 9 7 5 13	. . . . . 1 . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. . . 1 . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . 1 .	. . . . . . . . . . .	1 1 1 1 . . . .	. . . . . 1 . 1 . 1 .	1 1 . . . . . . 1 .	2 1 . . . . . . 1 .	1 . . 1 . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . 1 . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . . . . . .	. . . . . . . . . . .	. 1 . . . . . . . . .	. . . . . . .<

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 21st August, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	DEATHS FROM												No. of Deaths in Public Institutions.	Number of Uncertified Deaths.														
				AGES AT DEATH.						DISEASES OF THE RESPIRATORY SYSTEM.																					
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.			Dysentery.	TUBERCULOSIS.		Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.					
				Total Number of DEATHS.															Pulmonary.	Other Forms.											
			(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.																															
BELFAST URBAN No. 1 District,		15,879	5	9.9	.	8	1	1	1	3	2	1	.	.	.	.	1	.	.	.	3	1	.	.	.	.	.	.	.	.	.
Do. 2 do.		49,500	29	10.5	1.1	10	1	1	1	6	3	3	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.
Do. 3 do.		50,032	16	13.5	2.1	13	3	1	1	1	6	3	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.
Do. 4 do.		32,637	21	16.0	4.8	10	2	1	2	2	1	3	.	.	.	.	.	2	.	.	3	1	2	.	.	.	.	.	2	1	2
Do. 5 do.		16,112	5	12.9	.	4	.	.	.	1	3	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		37,293	10	9.8	.	7	.	.	2	1	3	1	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.
Do. 7 do.		2,681	1	8.7	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5,964	2	8.7	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		21,427	10	14.9	2.1	7	3	1	1	2	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Do. 10 do.		28,958	20	10.8	3.6	6	3	1	2	2	1	1	.	.	.	.	.	1	.	3	2	.	.	.	.	.	.	.	.	.	.
Do. 11 do.		39,311	15	14.6	1.3	11	3	2	2	2	1	4	.	.	.	.	.	.	.	3	1	1	.	.	.	.	.	.	.	4	1
Do. 12 do.		38,076	19	19.2	5.5	14	2	5	.	3	4	2	.	.	.	.	.	.	.	2	1	1	.	.	.	.	.	.	.	.	.
Do. 13 do.		23,233	8	24.7	2.2	11	4	1	.	.	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.
Do. 14 do.		175	10	16.1	.	1	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		22,669	10	16.1	.	7	.	.	.	5	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.
Total.		386,947	171	13.6	1.9	105	18	15	10	16	27	19	.	.	.	1	2	3	.	15	8	7	2	3	9	.	1	6	16	1	1
City of Cork.																															
CORK URBAN No. 1 District		13,455	4	7.8	5.0	2	2	1	1	1	.	2	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.
Do. 2 do.		10,399	6	25.1	31.9	5	1	1	1	1	1	2	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	.	.	2	1
Do. 3 do.		9,793	2	5.7	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1
Do. 4 do.		9,139	2	41.7	9.0	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 5 do.		6,250	3	22.7	6.5	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 6 do.		11,581	2	22.7	6.5	2	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Do. 7 do.		16,056	7	22.7	6.5	7	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Total.		76,673	24	19.0	2.0	28	6	3	1	6	7	5	.	.	.	1	.	.	.	2	3	1	2	.	.	.	1	2	10	2	2

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.





TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Aug. 21,	1,912	995 <sup>c</sup>	11·5	1	.	9	4	11	10	85	
EDINBURGH, ---	328,700	" 21,	90	66 <sup>c</sup>	10·5	.	.	3	.	.	.	2	
GLASGOW, --	1,078,400	" 21,	488	262 <sup>c</sup>	12·7	1	.	13	1	4	2	13	
CALCUTTA --	896,067	July 3,	.	329	19·0	47*	6	.	.	.	.	49† <sup>a</sup>	
BOMBAY, --	979,445	" 10,	361	451	23·9	58*	6	2	.	.	.	44† <sup>a</sup>	
MADRAS. ---	518,660	" 3,	304	291	29·2	39*	.	.	?	?	?	61 <sup>a</sup>	
CAIRO, {	Egyptians, ...	June 10,	537	1,043	82·3	152	.	4	.	?	3†	211	
	Foreigners, ...	" 10,	4	31	22·4	6	.	.	.	?	.	2	
ALEXAN- DRIA, {	Egyptians, ...	" 10,	256	206	31·4	5	2	1	.	?	.	63	
	Foreigners, ...	" 10,	21	50	33·9	4	1	.	.	?	.	3	
PARIS, ---	2,847,229	July 17,	415	631	11·3	1	.	9	2	4	4†	26	
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	612,083	July 10,	234	139	11·8	.	.	1	.	2	2†	5	
COPENHAGEN, ---	492,000	" 24,	221	106	11·2	.	.	1	2	1	1†	4	
STOCKHOLM, ---	386,270	" 24,	151	89	12·0	.	.	1	.	1	1	1	
CHRISTIANIA, ---	250,677	" 31,	105	45	9·3	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	June 19,	.	1,111	34·2	15	2	45	16	7	13†	286† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	July 17,	2,496	1,376	12·4	6	.	20	5	9	33†	102	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	July 31,	.	222 <sup>b</sup>	15·9	.	.	1	.	6	5	22 <sup>a</sup>	

\* Deaths from "fever," including one from plague, and 4 from enteric fever in Calcutta; 19 from plague and one from enteric fever in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 20 deaths from cholera in Calcutta, one in Bombay, and 7 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 196 deaths (including 4 from diphtheria and 19 from diarrhoeal diseases); rate, 14·0 per thousand.

<sup>c</sup> Including 3 deaths from cerebro-spinal fever in London, one in Edinburgh, and 4 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 21st August, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionmyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	..	2	.	.	.	.	.	.	.	.	.	.	5	7
„ „ 1, West,	..	3	.	.	.	.	.	.	.	.	.	.	8	11
„ „ 2,	..	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3,	..	1	.	.	1	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	1	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	..	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	..	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 2,	..	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	..	1	.	.	1	.	.	.	.	.	.	.	5	7
„ „ 4,	..	.	.	.	1	.	.	.	.	.	1	.	6	8
New Kilmainham,	..	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	..	9	.	.	4	.	1	.	.	.	1	.	28	43

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 21st August, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 21st August.			
	July 31.	August 7.	August 14.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	21	14	13	1	2	.	12
Typhus,	1	1	1	.	1	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	8	7	6	6	.	.	12
Scarlet Fever,	58	56	54	10	9	1	54*
Diphtheria,	30	31	29	8	1	2	34
Pneumonia,	12	9	10	4	4	.	10

\* Exclusive of 20 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 28TH AUGUST, 1915.

[No. 34.]

General Register Office, Charlemont House,  
Dublin, 30th August, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·5 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 7	Aug. 14	Aug. 21	Aug. 28	
<b>27 Town Districts, (a)</b>	<b>11·9</b>	<b>14·6</b>	<b>13·6</b>	<b>14·5</b>	<b>13·6</b>
Dublin Reg. Area ...	12·4	16·4	14·7	16·8	15·1
Dublin City ...	12·3	17·8	15·3	19·0	16·0
Belfast ...	11·3	12·7	13·6	14·0	12·9
Cork ...	12·9	17·0	19·0	11·6	15·1
Londonderry ...	15·2	21·5	20·2	19·0	19·0
Limerick ...	12·2	14·9	8·1	19·0	13·6
Waterford ...	11·4	15·2	22·8	19·0	17·1

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·2 per 1,000. Among the 108 deaths from all causes for Belfast are one from enteric fever, one from measles, 2 from scarlet fever, one from whooping-cough, and 9 from diarrhoeal diseases. Two of the 17 deaths from all causes for Cork are from diarrhoea and enteritis of children under 2 years. Included in the 15 deaths from all causes for Londonderry are 4 from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. Of the 3 deaths from all causes for Dundalk 2 were from diarrhoea and enteritis of children under 2 years. One of the 2 deaths recorded for Drogheda was from diphtheria, and the death appertaining to Sligo was also from this disease.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 210—107 boys and 103 girls—and the deaths to 134—71 males and 63 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 2) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·8 per 1,000 of the population. During the thirty-four weeks, ending with Saturday last, the death-rate averaged 22·6, and was 0·9 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 134, represent an annual rate of 17·1 per 1,000; the annual rate for the past thirty-four weeks was 24·1 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·9 per 1,000 of the mean population for all deaths registered.

Among the 134 deaths registered are one from measles, one from diphtheria, and 22 deaths from diarrhoea and enteritis of children under 2 years. In the three preceding weeks deaths from measles were one, one, and 0; deaths from diphtheria were 2, 2, and one; and deaths from diarrhoea and enteritis of children under 2 years were 7, 11, and 14, respectively.

Deaths from tuberculous disease numbered 26\*, including 19 from pulmonary tuberculosis, 5 from tuberculous meningitis, and one from each of abdominal tuberculosis and tuberculosis of joints. In the three preceding weeks deaths from tuberculous disease numbered 26, 19, and 17, respectively.

Cancer caused 10 deaths.

There were 4 deaths attributed to pneumonia (type not distinguished).

The deaths of infants under one year old include 4 from convulsions, 3 from premature birth, and 6 from congenital debility.

Organic diseases of the heart caused 13 deaths and bronchitis 6 deaths.

There were 2 accidental deaths, one (that of a child aged 16 months) from scalds, and one by drowning.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases were all deaths of children under 5 years of age (of whom 3 were infants under one year old).

Fifty of the persons whose deaths were registered during the week were under 5 years of age (39 being infants under one year, of whom 8 were under one month old), and 23 were aged 65 years and upwards including 14 persons aged 70 and upwards; among the latter were 9 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 93 years, respectively.

Fifty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 20 took place in the North Dublin Union Workhouse, and 15 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·8 per 1,000; the rate in the City was 19·0 (North City Districts, 19·8; South, 18·1), and in the Suburbs, 9·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·8 (in the North City Districts 4·4, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·7 per 1,000, and include one from tuberculous meningitis and 3 from diarrhoea and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (22) are equal to an annual rate of 27·5 per 1,000. Tuberculous disease caused 3 deaths, pneumonia 2 deaths, diarrhoea and enteritis of children under 2 years 4 deaths, and there was one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000, and include 4 from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 21·8 per 1,000. Diphtheria caused one death, tuberculous disease 3 deaths, and diarrhoea and enteritis of children under 2 years 3 deaths.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 14·4.

No. 1 South City District (South Earl-street).—The deaths (11) represent an annual rate of 13·9 per 1,000, and include 5 from tuberculous disease, one from bronchitis, and one (that of a child under 2 years) from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Pulmonary tuberculosis caused one death, bronchitis one death, diarrhoea and enteritis of children under 2 years 2 deaths, and there was one death by accidental drowning.

No. 3 South City District (Peter-street).—The deaths (19) are equal to an annual rate of 22·5 per 1,000. Included in the total are 3 from tuberculous disease, one from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000, and include 2 from pulmonary tuberculosis and 3 from diarrhoea and enteritis of children under 2 years.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·0 per 1,000. Pulmonary tuberculosis and bronchitis each caused one death, and there was one death of a child under 2 years from diarrhoea and enteritis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·2; Pembroke, 12·0; Blackrock, 11·3; and Kingstown, 6·2. The only death from any of the principal epidemic diseases tabulated for these districts was one from measles for Rathmines and Rathgar. The 7 deaths from all causes for the last-named district include one from pulmonary tuberculosis. One of the 7 deaths from all causes for Pembroke was from bronchitis. One of the 2 deaths from all causes for Blackrock is from pneumonia; and of the 2 deaths for Kingstown one is from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·4), was equal to an average annual death-rate of 12·3 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 13·3 per 1,000, the rate for Glasgow being 13·9, and for Edinburgh 11·6.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 28th August. From this Report it appears that of 66 cases notified, 27 were diphtheria, 23 scarlet fever, 7 pulmonary tuberculosis, 5 other forms of tuberculosis, and 4 erysipelas. Among the 494 cases of infectious diseases in hospital at the close of the week were 179 of pulmonary tuberculosis, 125 of scarlet fever, 98 of diphtheria, 44 of measles, 20 of whooping-cough, 8 of erysipelas, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (1) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 28th August, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Fuerpal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total
City of Dublin.	Aug. 7,	.	+	—	8	.	.	8	.	.	1	3	.	—	—	.	—	.	13	33
	Aug. 14,	.	+	—	5	.	.	4	.	.	3	3	.	—	—	.	—	.	17	32
	Aug. 21,	.	—	—	9	.	.	4	.	1	.	.	.	—	—	1	—	.	28	43
	Aug. 28,	.	+	—	6	.	.	6	.	.	4	2	.	—	—	.	—	.	29	47
Rathmines and Rathgar Urban District.	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Aug. 14,	.	+	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	+	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 28,	.	+	—	2	.	.	2	.	.	.	2	.	—	—	—	—	—	—	6
Pembroke Urban District.	Aug. 7,	.	2	.	1	.	.	.	.	.	.	.	.	—	1	.	—	—	5	9
	Aug. 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	4	.	—	—	.	6
	Aug. 21,	.	2	.	1	.	.	.	.	.	1	1	.	—	1	.	—	—	.	5
	Aug. 28,	.	.	.	.	.	.	.	.	.	1	.	1	—	2	.	—	—	.	4
Blackrock Urban District.	Aug. 7,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 14,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	.	1
	Aug. 21,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 28,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	2
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Aug. 7,	.	+	—	26	.	.	3	.	.	2	2	.	—	—	.	—	.	4	37
	Aug. 14,	.	—	—	32	.	.	1	.	.	3	4	.	—	—	.	—	.	1	41
	Aug. 21,	.	—	—	39	.	.	4	.	.	1	3	1	—	—	1	—	.	2	51
	Aug. 28,	.	—	—	44	.	.	4	.	.	1	1	.	—	—	1	—	.	5	56
City of Cork.	Aug. 7,	.	3	—	9	.	.	2	1	.	2	2	.	—	—	—	8	—	—	27
	Aug. 14,	.	5	—	5	.	.	.	.	.	2	1	.	—	—	—	9	—	—	22
	Aug. 21,	.	1	—	6	.	.	1	.	.	.	.	.	—	—	—	11	—	—	19
	Aug. 28,	.	2	—	3	.	.	1	.	.	1	.	1	—	—	—	20	—	—	28
City of Londonderry.	Aug. 7,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 14,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 21,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 28,	.	+	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
City of Limerick.	Aug. 7,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 28,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
City of Waterford.	Aug. 7,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Aug. 14,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	2	4
	Aug. 21,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5
	Aug. 28,	.	+	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 28th August, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, there was one death, and 15 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 14, 13, and 12.

One case of measles was admitted to hospital during the week, 9 were discharged and 4 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 7, 6, and 12 respectively.

Nine cases of scarlet fever were admitted to hospital, 6 were discharged, there was one death, and 56\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 56, 54, and 54, respectively.

Seven cases of diphtheria were admitted to hospital during the week, 4 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 31, 29, and 34 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 3 were discharged, and 9 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 28th August, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 28TH AUGUST, 1915.																														
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																						
								Caused by																						
Total. (a)		Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber-culosis.		Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.		
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	24.2	14.5	2.2	563	338	84	71	1	...	...	2	2	5	3	...	44	12	19	12	22	36	1	3	11	102	8		
DUBLIN REGISTRATION AREA:—																														
TOTAL, (c.) ...	409,000	29.8	26.8	16.8	3.1	210	132	39	23	...	...	...	1	...	...	1	...	19	6	10	4	8	22	...	2	4	51	4		
CITY OF DUBLIN,	312,747	39.5	30.8	19.0	3.8	185	114	35	16	...	...	...	...	...	...	1	..	17	6	8	3	6	22	...	2	2	46	4		
Urban Districts.																														
RATHMINES and RATHGAR, ...	39,541	23.1	14.5	9.2	1.3	11	7	1	4	...	...	...	1	...	...	...	...	1	...	...	...	...	...	...	...	...	...	3	...	
PEMBROKE, ...	30,538	19.4	15.4	12.0	.	9	7	2	3	...	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	2	1	...	...	
BLACKROCK, ...	9,233	8.5	22.6	11.3	.	4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	3.1	6.2	.	1	2	...	...	...	...	...	...	...	...	...	...	1	..	1	...	...	...	...	...	...	1	...	...	
Urban Districts																														
BELFAST ..	403,000	27.0	23.9	14.0	1.8	185	108	23	23	1	..	...	1	2	1	...	...	14	3	6	5	5	8	1	1	6	26	...		
CORK, ..	76,673	28.6	21.1	11.6	1.4	31	17	3	3	...	...	...	...	...	...	...	...	1	1	1	...	2	2	...	...	...	3	...	...	
LONDON-DERRY	41,200	16.0	24.0	19.0	6.3	19	15	6	3	...	...	...	...	...	4	...	...	1	...	...	...	2	1	...	...	...	...	...	...	
LIMERICK, ...	38,518	16.1	13.5	19.0	.	10	14	3	2	...	...	...	...	...	...	...	...	...	...	2	1	1	...	...	...	1	1	2	...	
WATERFORD, ...	27,464	19.1	15.2	19.0	1.9	8	10	2	3	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	7	...	...	
GALWAY, ...	13,256	2.5				5	6	1	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	3	...	...	
DUNDALK, ...	13,128	9.5				5	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	...	
LURGAN, ...	12,553	14.7				8	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				2	2	...	1	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	
LISBURN ...	12,388	10.9				7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				6	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
PORTADOWN, ...	11,727	15.3				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				9	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
BALLYMENA ..	11,331	9.3				4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8				9	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4				3	4	...	3	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	4	...	...	
TRALEE, ...	10,300	17.4				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1				14	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	
QUEENSTOWN, ...	8,209	14.7				3	4	1	1	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	2	1	...	
LARNE, ...	8,036	13.4				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE. ...	7,735	7.7				3	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
SANGOR, ..	7,776	8.5				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				1	3	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				9	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
ARMAGH, ...	7,356	21.8				...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (4) at foot of first page. (c) Exclusive of 2 deaths of persons admitted to hospital from localities outside the Area. One of the 2 deaths was from tuberculous meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 28th of August, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
		CITY OF DUBLIN.													URBAN DISTRICTS OF				
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.										
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.					PEMBROKE.
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diphtheria, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	.	2	4	2	.	.	.	3	1	2	2	1	1	.	.	.	1	19	
{ Other Forms, . . . . .	1	1	.	1	.	.	.	2	.	1	.	.	.	.	.	.	.	6	
Cancer, . . . . .	2	.	1	3	.	.	1	.	.	1	.	.	.	1	.	1	10	.	
Diseases of Nervous System, . . . . .	.	4	.	.	.	.	.	2	.	4	1	1	.	.	.	.	.	12	
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System, . . . . .	.	3	1	2	.	1	1	1	.	2	2	.	1	1	.	.	.	15	
" Respiratory System, { Pneumonia, . . . . .	.	2	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	4	
{ Others, . . . . .	1	.	1	.	.	.	.	1	1	1	.	1	.	2	.	.	.	8	
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	3	4	3	3	.	.	.	1	2	2	3	1	.	.	.	.	.	22	
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others, . . . . .	1	1	.	1	.	.	.	.	2	1	.	.	.	.	.	.	.	3	
" Genito-urinary System, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	6	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	.	4	3	2	.	.	1	1	.	3	2	.	2	2	1	.	.	21	
Violent Deaths, . . . . .	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	
Deaths from All Causes . . . . .	8	22	14	15	.	1	3	11	7	19	10	4	7	7	2	2	132	2	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	13·7	27·5	26·2	21·8	.	3·8	14·4	13·9	19·9	22·5	15·7	21·0	9·2	12·0	11·3	6·2	16·8	.	
	19·8							18·1					9·3						
	19·0																		
Ages at Death. Under 1 year, . . . . .	3	6	4	5	.	.	.	3	2	6	4	2	1	2	1	.	39	.	
1 and under 2 years, . . . . .	1	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	5	.	
2 " 5 " . . . . .	.	2	1	.	.	.	.	.	1	1	.	1	1	.	.	.	6	.	
5 " 15 " . . . . .	.	.	.	3	.	.	.	1	1	1	.	1	.	.	.	.	8	.	
15 " 25 " . . . . .	.	.	.	.	.	1	.	2	.	2	.	.	.	.	.	.	5	1	
25 " 45 " . . . . .	.	3	5	2	.	.	.	1	.	4	1	.	.	.	.	1	17	1	
45 " 65 " . . . . .	2	6	3	2	.	.	2	2	2	3	1	1	1	1	1	1	29	.	
65 and upwards, . . . . .	2	3	.	3	.	.	1	2	1	2	2	.	4	3	.	.	23	.	
Number of Uncertified Deaths, . . . . .	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	4	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	1	5	1	2	.	.	.	2	1	3	.	.	1	.	.	1	17	1	
Workhouse Hospitals, . . . . .	1	4	5	9	.	.	1	1	2	3	5	.	2	1	.	.	34	1	





THIRTY-FOURTH WEEK, ending Saturday, 28th August, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 34th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 28th August, 1915.										
	Aug. 26, 1905.	Aug 25, 1906.	Aug. 24, 1907.	Aug. 22, 1908.	Aug 28, 1909.	Aug. 27, 1910.	Aug 26, 1911.	Aug 24, 1912.	Aug. 23, 1913.	Aug 22, 1914.		All Ages.	Deaths of Persons of the Ages of									
													0-5.									
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	1	1	2	2	—	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	28	37	9	47	38	23	{ 38 10	11	21	13	{ 28.6 4	{ 22 3	2	16	4	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																						
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	2	2	—	1	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	2	1	.	—	1	.	.	.	.	.	1	.	1	.	.
Cirrhosis of Liver, ...	1	1	1	2	2	.	.	.	1	3	1.1	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	1	2	.	.	.	.	.	.	1	.5	3	.	.	.	.	.	.	2	1	.	.
Peritonitis (cause unknown),	1	.	.	2	.	.	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	5	8	7	8	4	8	.	.	.	.	4.0	1	.	.	.	.	.	.	1	.	.	.
Acute Nephritis, ...	3	5	2	9	3	8	{ 2 2	2	2	3	2	{ 5.5 1	.	.	.	.	.	.	.	.	.	.
Chronic Bright's Disease, ...																						
Urinary Calculi, ...																						
Uterine Tumour (non-can- cerous).																						
Ovarian Tumour (non-can- cerous)																						
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Puerperal Septicæmia, &c., ...	.	.	.	.	2	.	1	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	1	.	1	.	2	.	.	.	.5	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	2	—	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	3	1	3	4	3	7	3	3	2	3	3.2	3	3	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	5	1	2	5	—	6	1	5	.	.	.	.	.	.	.	.
Old Age, ...	—	4	.	1	.	1	4	3	4	2	1.9	5	.	.	.	.	.	.	.	2	3	.
Other Specified Diseases, ...	—	—	—	—	—	—	3	.	2	2	—	2	2	.	.	.	.	.	.	.	.	.
ACCIDENT:																						
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	3	.	.	1	.	.	.	1	.	.	.5	1	.	1	.	.	.	.	.	.	.	.
Drowning, ...	.	.	1	2	.	1	2	.	2	.	.8	1	.	.	.	1	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	4	7	2	1	2	3	3	.	3	2	2.7	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	8	7	3	5	2	4	5	1	7	2	4.4	2	.	1	.	1	.	.	.	.	.	.
Included in above are Deaths in connection with—																						
Railways, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	2	1	.	1	1	.	1	.	2	.	.8	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																						
Homicide, ...	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	6	8	2	—	1	.	.	.	1	.	.	.	.	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																									
		March 6.	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.
No. of weeks in Annual Series,		9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
Births registered.		206	220	238	218	196	218	219	252	231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210
Average Births in corresponding week of previous 10 years, ...		228	226	207	214	231	219	212	223	217	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214
Deaths registered.		272	249	201	228	194	219	205	209	160	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134
Annual Death-rate per 1,000, ...		34.7	31.7	25.6	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1
Average Deaths in corresponding week of previous 10 years, ...		202	194	194	191	199	201	193	201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156
Ages, { Under 5 years, ...		62	62	54	61	50	55	50	67	42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	61	39	50
5-15 " ...		7	11	9	10	8	7	7	5	5	9	8	4	8	3	8	6	6	7	6	5	3	6	4	4	6	8
15-25 " ...		8	9	9	13	12	15	14	12	11	12	16	14	6	9	11	10	12	10	8	5	10	6	5	7	4	6
25-45 " ...		40	41	31	43	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	10	24	21	12	21	18
45-65 " ...		60	52	31	46	45	54	45	48	39	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	22	29
65-75 " ...		56	35	42	29	34	37	32	17	19	31	21	17	22	19	13	18	23	16	23	13	17	13	14	21	17	14
{ 75 and upwards, ...		39	39	28	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	14	8	11	11	11	9
Deaths from:—																											
Enteric Fever, ...						1	3				2			1							1			1			
Typhus, ...						1																					
Small-pox, ...																											
Measles, ...		1		1				1	6	2	1		4	3	2	1			1	2	1		1	1	1	1	1
Scarlet Fever, ...		1	1	1	1	2		1	1	2	5	5	3		3	2	3	2	1		1	1	1	1	2	2	2
Whooping-cough, ...		6	5	13	10	10	9	4	11	2	2	3	1	1	1	2	2	1			2	3	3	2	4	4	4
Diphtheria, ...		1	1	1	1		1	1	2	6	3	4	1		1	1	1			2	2	1		1	1	1	1
Influenza, ...		18	11	11	11	8	8	4	2																		
Dysentery, ...																											
Tuberculosis { Pulmonary ...		32	29	24	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19
Cancer, ...		3	7	6	9	5	9	9	12	8	10	9	8	7	8	12	6	8	9	2	3	7	6	9	3	4	7
Diseases of Circulatory System, ...		11	7	7	11	13	10	5	17	11	17	9	10	5	8	6	10	10	10	9	9	9	8	8	4	8	10
Diseases of Respi- ( Pneumonia, ...		27	17	15	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	12	12	15	15	17	13	16
ratory System, { Others, ...		25	22	16	17	15	21	23	16	8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4
Diarrhoea and Enteritis, under 2 years, ...		59	45	34	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8
Diarrhoea, 2 years and upwards		10	8	2	6	4	1	3	2	5	6	6	5		9		5	2	5	7	8	3	7	7	11	14	22
Violent Deaths, ...																											
Number of Uncertified Deaths, ...		5	8	11	7	4	5	7	7	3	5	2	5	5	6		3	5	5	1	6	2	1	4	6	4	4
		9	13	8	5	8	4	3	7	1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4



TABLE VI.—Showing in Five General Classes and Eighteen Groups the Occupations or Social Position of the Persons whose Deaths were registered in the Dublin Registration Area during the Week ending Saturday, 28th August, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION		Population in each Class and Group 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH										CAUSES OF DEATH						
					Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuberculosis.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unclassified Deaths.	
					(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
ALL PERSONS.		397,957	—	134	50	8	6	18	29	14	9							1			7	10	5	4	8	22		2	55	4	
CLASSES.																															
Deaths in Families of the—																															
I.	MIDDLE CLASS.	14,658	10.7	3	2	4	2	1	6	3	1										1										
II.	PROFESSIONAL AND INDEPENDENT CLASS.	101,798	10.2	20	2	2	1	4	7	1	2							1		2	2	3		1	1	1					
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	8.7	18	2	2	1	4	7	1	1									4	2	2		2	2						
IV.	GENERAL SERVICE CLASS.	167,479	18.1	58	35	1	3	7	6	4	2			1						9	2	1	5	2	1	14		1	22	4	
V.	INNATES OF WORKHOUSES.	5,602	—	35	9	1		6	10	6	3									4		4		1	4	6			16		
PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,868	19.9	3	2						1										1									2	
	2. Merchants and Manufacturers.	1,947																													
	3. Persons of Rank and Property, not otherwise described.	5,443																													
II.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c.	9,523	16.4	3			1		2												1	1								1	
	5. Traders (except Petty Shopkeepers), Business Managers, &c.	25,199																													
	6. Clerks and Commercial Assistants.	33,249	14.1	9	1	2	1	1	2	2										2										5	
III.	Miscellaneous—including all Householders in Second Class Localities not included in above.	33,827	12.3	8	1	2			2	1	2										1	2			1	1				2	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777	4.4	1		1		1												1											
	9. Building and Furnishing Trades.	28,823	5.4	3	1																1										
	10. Clothing Trades.	20,026	13.0	5	1	1	1	2												1	1				1						
	11. Food Supply Trades.	8,952																													
	12. Other Trades and Callings ranking with Trades.	32,070	13.0	8				2	4	1	1									1											
IV.	13. Petty Shopkeepers	6,772	7.7	1				1												1											
	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	52.2	13	8			1	2	2																					
	15. Domestic Servants.	36,041	8.7	6	4			1	1											1										6	
	16. Coach and Car Drivers, Varnmen, &c.	15,380	10.2	3	1			2	1																						1
	17. Hawkers, Porters, Labourers, &c.	103,081	18.2	36	22	1	3	3	3	2	2			1						6	1									16	3
V.	INNATES OF WORKHOUSES.																														
	18. Workhouse Inmates.	5,602	—	35	9	1		6	10	6	3									4		4		1	4	6				16	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	July, 24	13.7	.	8	.	.	.	.	.	.	.	.	3	1	1	.	.	.	.	1	.
	" 31	15.4	5.1	9	.	.	.	.	.	1	.	.	12	1	1	.	.	2	.	.	2
	Aug. 7	18.8	6.8	11	.	.	.	.	.	.	.	1	2	2	1	1	.	3	.	.	.
	" 14	23.9	1.7	14	.	.	.	.	.	.	.	.	2	1	1	1	2	1	1	.	1
Population in 1915	" 21	22.2	1.7	13	.	.	.	.	.	.	.	.	2	1	1	2	1	1	1	.	.
(Est.) 30 504.	" 28	13.7	5.1	8	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	July, 24	11.3	2.5	9	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.
	" 31	16.3	3.8	13	.	.	.	.	.	.	.	.	2	1	.	1	.	3	.	.	.
	Aug. 7	8.8	3.8	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	" 14	22.5	3.8	18	.	.	.	.	.	.	.	.	2	1	1	1	1	3	.	.	.
Population in 1915	" 21	13.8	5.0	11	.	.	.	.	1	.	.	.	2	.	1	.	.	3	.	.	.
(Est.) 41,685.	" 28	27.5	5.0	22	.	.	.	.	.	.	.	.	2	1	.	2	.	4	.	1	.
North City, No. 2. (Office, Lisburn-street.)	July, 24	11.2	.	6	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	" 31	13.1	.	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	Aug. 7	13.1	1.9	7	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1
	" 14	16.8	.	9	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
Population in 1915	" 21	16.8	1.9	9	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1	1
(Est.) 27,883.	" 28	26.2	5.6	14	.	.	.	.	.	.	.	.	4	.	1	1	1	3	.	.	.
North City, No. 3. (Office, Benburb-street.)	July, 24	16.0	.	11	.	.	.	.	.	.	.	.	3	1	.	1	2	.	.	.	2
	" 31	18.9	.	13	.	.	.	.	.	.	.	.	1	1	3	.	.	.	.	.	1
	Aug. 7	5.8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 14	13.1	1.5	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
Population in 1915	" 21	8.7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
(Est.) 35,887.	" 28	21.8	5.8	15	.	.	.	.	.	.	1	.	2	1	3	.	.	3	.	.	.
Clontarf and Howth No. 1 (part of).	July, 24	37.7	9.4	4	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
	" 31	18.8	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	Aug. 7	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 21	18.8	9.4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	July, 24	18.9	3.8	5	.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.
	" 31	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Aug. 7	11.3	3.8	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
	" 14	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 21	7.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
(Est.) 13,820.	" 28	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	July, 24	9.6	4.8	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 31	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Aug. 7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 21	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 28	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	July, 24	11.4	1.3	9	.	.	.	.	.	.	1	.	.	.	.	.	3	.	.	.	.
	" 31	8.9	.	7	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	.
	Aug. 7	19.0	.	15	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	1	.
	" 14	19.0	3.8	15	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	.
Population in 1915	" 21	13.9	6.3	11	.	.	.	.	.	.	.	.	.	.	2	.	.	3	2	.	.
(Est.) 41,170.	" 28	13.9	1.3	11	.	.	.	.	.	.	.	.	3	2	.	.	1	1	.	.	1
South City, No. 2. (Office, Castle-street.)	July, 24	19.9	.	7	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.
	" 31	14.2	.	5	.	.	.	.	.	.	.	.	.	1	.	2	.	.	.	.	.
	Aug. 7	17.1	2.8	6	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	" 14	14.2	2.8	5	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.
Population in 1915	" 21	11.4	2.8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
(Est.) 18,341.	" 28	19.9	5.7	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	.
South City, No. 3. (Office, Peter-street.)	July, 24	19.0	.	16	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	5
	" 31	13.0	.	11	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	Aug. 7	17.8	1.2	15	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	3
	" 14	24.9	7.1	21	.	.	.	1	1	.	2	.	2	.	1	.	1	2	.	1	3
Population in 1915	" 21	20.2	1.2	17	.	.	.	.	.	.	.	.	3	.	2	.	4	.	1	.	3
(Est.) 43,970.	" 28	22.5	2.4	19	.	.	.	.	.	.	.	.	2	1	1	.	1	2	.	.	3
South City, No. 4. (Office, Grand Canal-st.)	July, 24	18.9	.	12	.	.	.	.	.	.	.	.	.	.	2	3	1	.	.	.	.
	" 31	15.7	.	10	.	.	.	.	.	.	.	.	3	1	.	1	.	.	.	.	.
	Aug. 7	6.3	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	" 14	14.1	6.3	9	.	.	.	.	.	.	3	.	1	.	.	.	.	1	.	1	.
Population in 1915	" 21	20.4	9.4	13	.	.	.	.	.	.	1	.	1	.	1	1	.	5	.	1	.
(Est.) 33,171.	" 28	15.7	4.7	10	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
New Kilmainham.	July, 24	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 31	10.5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Aug. 7	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
Population in 1915	" 21	10.5	5.2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
(Est.) 9,948.	" 28	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN INFECTIOUS DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	July, 24 " 31 Aug. 7 " 14	11.9 11.9 9.2 6.6	1.3 1.3 1.3 .	9 9 7 5	. . . 1 . . .	. . . . . . .	. . . . . . .	. . . 1 . . .	. . . . . . .	1 . . . . . .	. . . . . . .	. . . . . . .	1 1 1 .	. . . 1 .	1 . . . . . .	1 . . 1 .	. . . . . . .	. . . . . . .	. . . . . . .	1 1 1 .	. . . 2
Population in 1915 (Est.) 39,541.	" 21 " 28	17.1 9.2	1.3 1.3	13 7	. . .	. . .	. . .	1 . .	. . .	. 1	. . .	1 . .	. 1 .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . 1	. . . .
Pembroke Urban District.	July, 24 " 31 Aug. 7 " 14	10.2 8.5 20.5 12.0	. . . . . . .	6 5 12 7	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 5 2 2	. . . . . . .	. . . 1 .	1 . . . . 2	. . . . . . .	. . . . . 1	. . . . . . .	. . . 1 1	. . . 1
Population in 1915 (Est.) 30,538	" 21 " 28	13.7 12.0	. . .	8 7	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 2 .	. . . . .	1 . .	. . . . .	. . . 2	. . . . .	. . . . .	. 1 1	. . . .
Blackrock Urban District.	July, 24 " 31 Aug. 7 " 14	11.3 22.6 5.6 28.2	. . . . . 5.6	2 4 1 5	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .
Population in 1915 (Est.) 9,233.	" 21 " 28	5.6 11.3	. . .	1 2	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . . . .	. . . . .	. . . 1	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
Kingstown Urban District.	July, 24 " 31 Aug. 7 " 14	12.3 15.4 9.2 24.6	. . . . . . .	4 5 3 8	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 1 1 . .	. . . . . 1	1 . . 1 .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .
Population in 1911 16,941.	" 21 " 28	3.1 6.2	. . .	1 2	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . . . .	1 . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
Belfast.	July, 24 " 31 Aug. 7 " 14	14.4 15.0 11.3 12.7	1.2 1.6 1.3 1.4	111 116 87 98	. . . . . . .	. . . . . . .	. . . . . . .	1 3 . . 1	1 1 2 3	1 4 1 . .	1 1 2 . .	. 1 . . . .	13 16 11 9	8 5 4 5	11 5 9 8	3 6 4 7	6 9 8 6	4 3 3 6	1 1 1 1	2 5 2 1	4 1 . . 1
Population in 1915 (Est.) 403,000.	" 21 " 28	13.6 14.0	1.9 1.8	105 108	. 1	. . .	. . .	1 1	2 2 1	3 . . . .	. . . . .	. . . . .	15 14	8 3	7 6	2 5	3 5	9 8	9 8	1 1	. . .
Cork.	July, 24 " 31 Aug. 7 " 14	15.6 9.5 12.9 17.0	1.4 1.4 0.7 .	23 14 19 25	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . 1 . .	1 1 . . . .	. . . . . . .	4 . . 4 2	1 2 . . 2	. . . . . 2	. 1 . . 2	. . . 1 2	. 1 . . 2	. . . . . 2	. . . . . 1	. . . . . 2
Population in 1911 76,673.	" 21 " 28	19.0 11.6	2.0 1.4	28 17	. . .	. . .	. . .	1 . .	. . .	. . .	. . .	. . .	2 1	3 1	1 . .	. 2	. 2	. 2	. 2	1 . .	. . .
Londonderry.	July, 24 " 31 Aug. 7 " 14	25.3 16.5 15.2 21.5	7.6 6.3 5.1 7.6	20 13 12 17	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	6 3 1 4	. . . . . 4	. . . . . . .	1 . . 2 1	. 1 1 . .	1 . . 1 2	. . . . . 1	1 4 1 1	. 2 3 1	. . . 1 2	. . . 1 1	2 . . 1
Population in 1915 (Est.) 41,200.	" 21 " 28	20.2 19.0	7.6 6.3	16 15	. . .	. . .	. . .	. . .	. . .	. 4	. . .	. . .	. 1	. . .	. . .	. 2	. 1	. 2	. 1	. 1	. . .
Limerick.	July, 24 " 31 Aug. 7 " 14	23.0 23.0 12.2 14.9	. . . . . . .	17 17 9 11	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	3 2 2 3	1 . . . . 1	1 . . 1 2	. . . 1 1	3 1 2 2	. . . . . 2	. . . . . . .	. . . . . . .	2 2 3 1
Population in 1911 38,518.	" 21 " 28	8.1 19.0	. . .	6 14	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1	1 . .	. 2	. 1	. 1	. . .	. . .	. . .	1 2
Waterford.	July, 24 " 31 Aug. 7 " 14	7.6 11.4 11.4 15.2	. 3.8 . . . .	4 6 6 8	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1 . . . . 2	. . . 1 1	. . . . . 1	. . . . . 1	. 1 . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .
Population in 1911 27,464.	" 21 " 28	22.8 19.0	. 1.9	12 10	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 . .	1 1	. . .	. . .	. 1	. . .	. . .	. . .	. . .

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' Districts, the NUMBER of BIRTHS and DEATHS in the Cities (or URBAN Districts) of BELFAST and CORK registered during the week ended 28th August, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain Age Periods: the Number of Deaths from the Principal Causes: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.	Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM												Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.													
			All Causes.	Certain Epi- demic Diseases,†	Total Number of DEATHS.						Enteric Fever.						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.					Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.										
					(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)								(15)	(16)		(17)	(18)							(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
City of Belfast.	BELFAST URBAN No. 1 District.	15,879	4	19.7	3.3	6	3	1	3	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 2 do.	49,500	10	14.7	1.1	14	1	1	1	4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 3 do.	50,032	26	20.8	1.0	20	3	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 4 do.	32,637	14	14.4	1.6	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 5 do.	16,112	7	22.7	3.2	7	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 6 do.	37,233	22	7.0	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 7 do.	2,681	1	19.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 8 do.	5,964	2	8.7	8.7	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 9 do.	24,427	16	8.5	2.1	4	1	1	1	2	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 10 do.	28,958	19	18.0	5.4	10	4	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 11 do.	39,311	17	9.3	1	7	3	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 12 do.	38,076	24	17.8	2.7	13	3	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 13 do.	23,233	16	6.7	2.2	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 14 do.	175	7	18.4	2.3	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
	Do. 15 do.	22,669	7	18.4	2.3	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1												
Total.	386,947	185	14.0	1.8	108	23	7	10	19	26	23	1	1	1	1	2	1	1	1	1	14	3	6	5	5	8	1	6	26	1	1													
City of Cork.	CORK URBAN No. 1 District	13,455	5	7.8	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 2 do.	10,399	5	15.0	5.3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 3 do.	9,793	4	26.6	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 4 do.	9,139	4	22.8	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 5 do.	6,250	1	9.0	4.5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 6 do.	11,531	3	9.0	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Do. 7 do.	16,056	9	3.2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1													
	Total.	76,673	31	11.6	1.4	17	3	2	1	3	5	3	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	3	1	1	1												

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.  
† See note (2) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.		1915—WEEK ENDING																											
		March 6	March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.		
No. of weeks in Annual Series,		9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34		
Births registered, ...		241	243	194	232	177	235	256	227	219	167	185	242	228	180	173	193	195	201	168	186	184	135	201	162	171	185		
Deaths registered, ...		208	195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108		
Annual Death-rate per 1,000 of estimated population, ...		26.9	25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0		
Ages, { Under 1 year,		54	44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23		
{ 1-5 years,		22	23	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7		
{ 5-25 "		20	17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10		
{ 25-45 "		27	27	24	13	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19		
{ 45-65 "		43	35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23	26	23	29	26	26		
{ 65 and upwards,		42	46	45	32	46	48	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23		
Deaths from :—		1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...		5	6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5	2	3	3	1	3	.	1	1	1		
Scarlet Fever, ...		3	.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3	.	3	4	1	1	2	3	2	2		
Whooping-cough, ...		3	6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1		
Diphtheria, ...		1	.	1	1	.	.	1	.	.	.	1	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.		
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.		
Tuberculosis, { Pulmonary,		18	18	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14		
{ Other Forms,		10	8	2	7	13	7	13	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3		
Cancer ...		6	6	6	3	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6		
Diseases of Respi- { Pneumonia,		21	29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5		
{ ratory System, { Others, ...		34	31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5		
Diarrhoea and Enteritis, under 2 years, ...		1	4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1	3	4	3	3	6	9	8		
Diarrhoea, 2 years and upwards, ...		2	.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	1		
Violent Deaths, ...		3	.	5	3	3	1	3	.	3	2	1	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1		
Number of Uncertified Deaths, ...		3	4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.	.	.	.	4	1	.	.	1	.		

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Aug. 28,	1,897	1,078 <sup>c</sup>	12·4	1	.	16	3	13	13	120
EDINBURGH, ---	328,700	" 28,	113	73 <sup>c</sup>	11·6	.	.	4	.	1	2	3
GLASGOW, ---	1,078,400	" 28,	506	287 <sup>c</sup>	13·9	1	.	9	3	4	2	12
CALCUTTA ---	896,067	July 10,	.	363	21·0	55*	6	.	.	.	.	49½ <sup>a</sup>
BOMBAY. ---	979,445	" 17,	366	361	19·2	45*	6	.	.	.	.	30 <sup>a</sup>
MADRAS. ---	518,660	" 10,	332	307	30·8	43*	3	1	?	?	?	55 <sup>a</sup>
CAIRO, {	Egyptians, ...	June 17,	494	1,481	116·8	213	1	11	.	?	8†	394
	Foreigners,	" 17,	4	39	28·2	4	.	.	.	?	.	2
ALEXAN- DRIA, {	Egyptians,	" 17,	239	285	43·5	8	3	2	.	?	.	92
	Foreigners,	" 17,	15	110	74·6	13	1	2	.	?	.	4
PARIS, ---	2,847,229	July 24,	375	691	12·4	.	.	8	3	2	1†	28
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,482	July 17,	194	101	8·6	1	.	.	.	1	1†	1
COPENHAGEN, ---	492,000	" 31,	211	103	10·9	.	.	.	1	.	.	2
STOCKHOLM, ---	386,270	" 31,	140	71	9·6	.	.	.	1	.	.	1
CHRISTIANIA, ---	250,677	Aug. 7,	92	40	8·3	.	.	.	.	.	.	1 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	June 26,	.	.	.	.	.	.	.	.	.	.
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	July 24,	2,529	1,299	11·7	6	.	11	2	6	16†	143
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	Aug. 7,	.	190 <sup>b</sup>	13·6	.	.	1	.	1	5	21 <sup>a</sup>

\* Deaths from "fever," including 3 from plague, and 3 from enteric fever in Calcutta; 11 from plague and 2 from enteric fever in Bombay; and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 169 deaths (including 4 from diphtheria and 19 from diarrhoeal diseases); rate, 12·1 per thousand.

<sup>c</sup> Including 2 deaths from cerebro-spinal fever in London, one in Edinburgh, and 4 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 28th August, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	2	.	.	.	.	5	8
"    "    1, West,	.	1	.	.	.	.	.	.	1	.	.	.	4	6
"    "    2,	.	.	.	.	1	.	.	.	.	.	.	.	5	6
"    "    3,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	.	.	.	.	.	4	6
"    "    2,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
"    "    3,	.	3	.	.	2	.	.	1	1	.	.	.	7	14
"    "    4,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
New Kilmainham,	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Total,	.	6	.	.	6	.	.	4	2	.	.	.	29	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 28th August, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 28th August			
	August 7.	August 14.	August 21.	No. admitted.	Dis-charged.	Died.	No. under treatment at close of week.
Enteric Fever,	14	13	12	4	.	1	15
Typhus,	1	1	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	7	6	12	1	9	.	4
Scarlet Fever,	56	54	54	9	6	1	56*
Diphtheria,	31	29	34	7	4	.	37
Pneumonia,	9	10	10	2	3	.	9

\* Exclusive of 22 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

LONDON:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE.

By ALEX. THOM & Co., LIMITED, ABBEY STREET, DUBLIN.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 4TH SEPTEMBER, 1915.

[No. 35]

*General Register Office, Charlemont House,  
Dublin, 6th September, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 14	Aug. 21	Aug. 28	Sept. 4	
<b>27 Town Districts, (a)</b>	<b>14·6</b>	<b>13·6</b>	<b>14·5</b>	<b>15·8</b>	<b>14·6</b>
Dublin Reg. Area ...	16·4	14·7	16·8	16·3	16·0
Dublin City ...	17·3	15·3	19·0	18·3	17·5
Belfast ...	12·7	13·6	14·0	15·4	13·9
Cork ...	17·0	19·0	11·6	15·6	15·8
Londonderry ...	21·5	20·2	19·0	29·1	22·4
Limerick ...	14·9	8·1	19·0	14·9	14·2
Waterford ...	15·2	22·8	19·0	19·0	19·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·8 per 1,000. Among the 119 deaths from all causes for Belfast are 2 from enteric fever, one from measles, 3 from scarlet fever, 5 from whooping-cough, one from diphtheria, 22 from diarrhoeal diseases, and one from cerebro-spinal fever. Included in the 23 deaths from all causes for Cork are 2 from diarrhoea and enteritis of children under 2 years. The 23 deaths from all causes for Londonderry included 2 from whooping-cough and 5 from diarrhoeal diseases. Diphtheria caused one of the 2 deaths recorded for Wexford. One of the 2 deaths for Kilkenny was from whooping-cough, and of the 4 deaths from all causes for Newtownards one was from scarlet fever.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 179—80 boys and 99 girls—and the deaths to 144—83 males and 61 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 16) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 16·3 per 1,000 of the population. During the thirty-five weeks, ending with Saturday last, the death-rate averaged 22·4, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 144, represent an annual rate of 18·4 per 1,000; the annual rate for the past thirty-five weeks was 24·0 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from scarlet fever and 18 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from scarlet fever in the three preceding weeks were 2, one, and 0; and deaths from diarrhoea and enteritis of children under 2 years were 11, 14, and 22, respectively.

Of 25\* deaths from tuberculous disease, 21 were from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from disseminated tuberculosis. In the three preceding weeks deaths from all forms of the disease numbered 19, 17, and 26, respectively.

Eleven\* deaths from cancer were registered.

Pneumonia (type not distinguished) caused 2 deaths.

Among deaths of infants under one year of age, 3 were ascribed to convulsions, one to congenital malformation, 7 to prematurity, and 2 to congenital debility.

Ten deaths from organic diseases of the heart and 8 from bronchitis were registered.

There were 3 accidental deaths, including one caused by burns, and one by a tram car.

To homicide one death was attributed.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old and the deaths of 3 persons aged 65 years and upwards.

Forty-six of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 10 were under one month old), and 29 were aged 65 years and upwards, including 21 persons aged 70 and upwards; among the latter were 10 aged 75 and upwards, of whom one (a male) was stated to have been aged 91 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 16·3 per 1,000; the rate in the City was 18·3 (North City Districts, 20·1; South, 16·4), and in the Suburbs, 9·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 3·8, and in the South 2·5), and for the Suburbs 0·0.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 30·8 per 1,000, and include 3 from pulmonary tuberculosis, one from bronchitis, 4 from diarrhoea and enteritis of children under 2 years, and one from accidental burns.

*No. 1 North City District, West* (Summer-hill).—The deaths (20) are equal to an annual rate of 25·0 per 1,000. Scarlet fever caused one death, pulmonary tuberculosis one death, pneumonia 2 deaths, bronchitis one death, and diarrhoea and enteritis of children under 2 years 2 deaths.

*No. 2 North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Included in the total are 3 from tuberculous disease, 5 from diarrhoea and enteritis of children under 2 years, and one accidental death.

*No. 3 North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·2 per 1,000. Pulmonary tuberculosis caused 2 deaths.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 7·5 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 9·6. One of the 2 deaths for Finglas and Glasnevin, part of, is from disseminated tuberculosis.

*No. 1 South City District* (South Earl-street).—The deaths (7) represent an annual rate of 8·9 per 1,000, and include one from pulmonary tuberculosis, one from bronchitis, and 2 (children under 2 years) from diarrhoea and enteritis.

*No. 2 South City District* (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Included in the total are 2 from tuberculous disease and 2 from diarrhoea and enteritis of children under 2 years.

*No. 3 South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 24·9 per 1,000, and include 5 from pulmonary tuberculosis, 4 from bronchitis, one (a child under 2 years) from diarrhoea and enteritis, and one accidental death.

*No. 4 South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000. Pulmonary tuberculosis caused one death, bronchitis one death, and diarrhoea and enteritis of children under 2 years 2 deaths.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 7·9; Pembroke, 10·2; Blackrock, 16·9; and Kingstown, 9·2. There was no death from any of the principal epidemic diseases tabulated for these districts. Of the 6 deaths from all causes for Rathmines and Rathgar 2 are from tuberculous disease; and one of the 3 deaths from all causes for Kingstown is from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 12·6), was equal to an average annual death-rate of 12·1 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 12·2 per 1,000, the rate for Glasgow being 12·2, and for Edinburgh 12·7.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th September. From this Report it appears that of 72 cases notified, 33 were scarlet fever, 20 diphtheria, 5 pulmonary tuberculosis, 4 other forms of tuberculosis, 5 erysipelas, 4 enteric fever, and one puerperal fever. Among the 502 cases of infectious diseases in hospital at the close of the week were 176 of pulmonary tuberculosis, 130 of scarlet fever, 100 of diphtheria, 43 of measles, 18 of whooping-cough, 9 of erysipelas, 4 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th September, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total
City of Dublin.	Aug. 14,	.	—	—	5	.	.	4	.	.	3	3	.	—	—	.	—	.	17	32
	Aug. 21,	.	—	—	9	.	.	4	.	1	.	.	.	—	—	.	—	.	28	43
	Aug. 28,	.	—	—	6	.	.	6	.	.	4	2	.	—	—	.	—	.	29	47
	Sept. 4,	.	—	—	4	.	.	9	.	.	1	.	.	—	—	.	—	.	18	32
Rathmines and Rathgar Urban District.	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 28,	.	—	—	2	.	.	2	.	.	.	2	.	—	—	—	—	—	—	6
	Sept. 4,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Aug. 14,	.	1	.	1	.	.	.	.	.	.	.	.	—	—	—	—	.	.	6
	Aug. 21,	.	2	.	1	.	.	.	.	.	.	1	.	—	4	—	—	.	.	5
	Aug. 28,	.	.	.	.	.	.	.	.	.	1	.	1	—	2	—	—	.	.	4
	Sept. 4,	.	2	.	3	.	.	.	.	.	1	.	.	—	18	—	—	2	.	21
Blackrock Urban District.	Aug. 14,	.	.	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	.	1
	Aug. 21,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Aug. 28,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Sept. 4,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	.	1
Kingstown Urban District.	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Aug. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.	.
	Sept. 4,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	.	.	2
City of Belfast.	Aug. 14,	.	—	—	32	.	.	1	.	.	3	4	.	—	—	.	—	1	.	41
	Aug. 21,	.	—	—	39	.	.	4	.	.	1	3	1	—	—	1	—	2	.	51
	Aug. 28,	.	—	—	44	.	.	4	.	.	1	1	.	—	—	1	—	5	.	56
	Sept. 4,	.	—	—	47	.	.	2	.	.	1	3	.	—	—	2	—	3	.	58
City of Cork.	Aug. 14,	.	5	—	5	.	.	.	.	.	2	1	.	—	—	—	9	—	—	22
	Aug. 21,	.	1	—	6	.	.	1	.	.	.	.	.	—	—	—	11	—	—	19
	Aug. 28,	.	2	—	3	.	.	1	.	.	1	.	1	—	—	—	20	—	—	28
	Sept. 4,	.	.	—	7	.	.	3	.	.	1	2	.	—	—	37	—	—	—	50
City of Londonderry.	Aug. 14,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 21,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 28,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Sept. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Limerick.	Aug. 14,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Aug. 28,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Sept. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Aug. 14,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	2	.	4
	Aug. 21,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	1	.	5
	Aug. 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	2	.	3
	Sept. 4,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	.	.	4

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th September, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 19 cases remained under treatment in hospital at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 13, 12, and 15.

Two cases of measles were discharged from hospital during the week, and 2 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 6, 12, and 4 respectively.

Twelve cases of scarlet fever were admitted to hospital, 13 were discharged, and 55\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 54, 54, and 56, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 6 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 29, 34, and 37 respectively, were 39 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 4 were discharged, and 7 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th September, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 4TH SEPTEMBER, 1915.																																	
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by			NUMBERS REGISTERED.																											
	POPULATION.		DEATHS.			BIRTHS.	DEATHS.																										
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																							
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Disenses of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.						
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)					
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	25.2	15.8	2.8	586	368	88	82	2	...	...	1	5	8	2	...	45	23	18	11	17	41	7	6	14	133	13					
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	22.8	16.3		179	128	35	29	...	...	...	...	1	...	...	...	18	4	10	2	9	13	...	3	5	49	5					
CITY OF DUBLIN,	312,747	39.5	25.0	18.3	3.2	150	110	35	21	...	...	...	...	1	...	...	...	16	3	7	2	9	18	...	3	5	44	4					
Urban Districts.																																	
RATHMINES and RATHGAR, ...	39,541	23.1	10.5	7.9	.	8	6	.	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	...	...	...	...	3	...				
PEMBROKE, ...	30,538	19.4	22.2	10.2	.	13	6	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...				
BLACKROCK, ...	9,233	8.5	11.3	16.9	.	2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	18.5	2	.	6	3	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	1	...	...	...	
Urban Districts																																	
BELFAST ..	403,000	27.0	24.7	15.4	4.4	191	119 d	32	16	2	...	...	1	3	5	1	...	12	9	2	4	2	18	4	2	5	39	2	...	...	...	...	
CORK, ..	76,673	28.6	14.3	15.6	1.4	21	23	6	6	...	...	...	...	...	...	...	...	1	2	2	2	...	2	...	...	2	8	1	...	...	...	...	
LONDON- DERRY	41,200	16.0	24.0	29.1	8.9	19	23	6	6	...	...	...	...	...	...	...	...	4	2	1	1	...	3	2	1	1	4	...	...	...	...	...	
LIMERICK, ...	38,518	16.1	39.3	14.9	.	29	11	...	1	...	...	...	...	...	...	...	...	1	1	1	...	2	...	...	...	...	1	7	1	...	...	...	
WATERFORD, ...	27,464	19.1	30.4	19.0	1.9	16	10	...	6	...	...	...	...	...	...	...	...	2	...	1	...	2	...	1	...	...	5	...	...	...	...	...	
GALWAY, ...	13,255	2.5				7	3	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	...	...
DUNDALK, ...	13,128	9.5				10	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
LURGAN, ...	12,553	14.7				12	5	2	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	...	...	...	...	...
DROGHEDA, ...	12,501	8.4				13	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...
LISBURN ...	12,388	10.9				9	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
NEWRY, ...	11,963	17.0				3	4	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...
PORTADOWN, ...	11,727	15.3				7	4	1	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				5	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
BALLYMENA ..	11,381	9.3				10	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
SLIGO, ...	11,163	3.8				6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4				2	2	1	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TRALEE, ...	10,300	17.4				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONMEL, ...	10,209	7.8				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1				5	4	1	2	...	...	...	...	1	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...	...	...	...	...
QUEENSTOWN,	8,209	14.7				4	3	...	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
LARNE, ...	8,036	13.4				8	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
COLERAINE. ...	7,785	7.7				5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				8	13	3	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	11	1
ARMAGH, ...	7,356	21.8				5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 16 deaths of persons admitted to hospital from localities outside the Area; the 16 deaths include 3 from pulmonary tuberculosis and one from cancer. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 4th of September, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods.\* *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.									
		CITY OF DUBLIN.																									
		REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF															
		Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.																				
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.								SOUTH CITY NO. 4.	NEW KILMAINHAM.							
RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.																								
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Scarlet Fever,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.					
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Tuberculosis, { Pulmonary,	3	1	2	2	.	.	1	1	1	5	1	.	1	.	.	1	.	.	18	3	.						
Other Forms,	.	.	1	.	.	.	1	.	1	.	.	.	1	.	.	.	.	.	4	.	.						
Cancer,	3	1	1	2	.	.	.	.	.	.	.	.	1	.	1	1	.	.	10	1	.						
Diseases of Nervous System,	2	3	1	1	.	.	1	.	.	.	2	1	1	4	.	.	.	16	1	.	.						
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Circulatory System,	1	2	.	1	.	1	.	.	2	3	.	.	1	.	1	.	.	12	2	.	.						
Respiratory System. { Pneumonia,	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.						
Others,	1	1	.	.	.	.	.	1	.	5	1	.	.	.	.	.	.	9	.	.	.						
Diarrhoea and Enteritis, under 2 years,	4	2	5	.	.	.	.	2	2	1	2	.	.	.	.	.	.	18	.	.	.						
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Others,	.	2	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	4	6	.	.						
Genito-urinary System,	.	1	1	.	.	.	.	.	.	.	2	.	.	.	.	.	.	4	2	.	.						
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	2	.	.	.						
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
Other specified Causes,	3	4	2	1	.	1	.	3	.	5	1	.	1	1	1	1	.	24	.	.	.						
Violent Deaths,	1	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1	.	.						
Ill-defined, &c. Causes,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.						
Deaths from All Causes	18	20	15	7	.	2	2	7	7	21	9	2	6	6	3	3	.	128	16	.	.						
Annual Rate of Mortality from All Causes in every 1,000 of the population.	30.8	25.0	28.1	10.2	.	7.5	9.6	8.9	19.9	24.9	14.1	10.5	7.9	10.2	16.9	9.2	.	16.3	.	.	.						
	20.1							16.4							9.3		.	.	.	.	.	.	.				
	18.3																.	.	.	.	.	.	.	.	.	.	.
Ages at Death. { Under 1 year,	6	5	7	2	.	1	.	3	3	6	2	.	.	.	.	.	.	35	.	.	.						
1 and under 2 years,	1	1	1	.	.	.	.	1	.	.	1	.	.	.	.	.	.	5	.	.	.						
2 " 5 "	.	1	2	.	.	.	1	.	.	1	.	.	1	.	.	.	.	6	.	.	.						
5 " 15 "	1	2	.	.	.	.	.	.	.	1	.	.	1	1	.	.	.	6	1	.	.						
15 " 25 "	.	1	.	2	.	.	.	.	.	1	.	.	1	.	.	1	.	6	2	.	.						
25 " 45 "	4	2	1	2	.	.	1	1	2	2	.	1	.	1	1	.	.	18	9	.	.						
45 " 65 "	5	4	2	.	.	.	.	1	1	4	2	1	3	.	.	.	.	23	4	.	.						
65 and upwards,	1	4	2	1	.	1	.	1	1	7	3	.	.	4	2	2	.	29	.	.	.						
Number of Uncertified Deaths,	2	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	5	.	.	.						
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																											
Public Hospitals, Prisons, and Lunatic Asylums,	3	3	2	1	.	.	.	1	.	4	3	.	3	.	.	.	.	20	16	.	.						
Workhouse Hospitals,	3	2	4	2	.	.	1	1	4	6	4	.	.	1	.	1	.	29	.	.	.						

TABLE IV.—DUBLIN REGISTRATION AREA,—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH	Deaths from all causes Registered in the Week ending Saturday										Averages in 35th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 4th September, 1915.											
	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.	Aug. 31, 1912.	Aug. 30, 1913.	Aug. 29, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
ALL CAUSES.	165	166	149	179	149	120	210	122	164	163	158.7	144	10	25	5	6	7	8	27	27	10	10	
Enteric Fever, ...	2	2	2	.	1	1	2	.	.	2	1.2	.	.	.	.	.	.	.	.	.	.	.	
Typhus, . . . . .	.	.	.	1	.	.	.	.	2	.	.3	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	2	.	7	8	.	.	1	2	1	1	2.2	.	.	.	.	.	.	.	.	.	.	.	
Scarlet Fever, ...	.	.	.	1	2	1	.	2	.	1	.7	1	.	.	.	1	.	.	.	.	.	.	
Whooping-cough, ...	.	.	.	.	.	4	7	4	.	1	1.6	.	.	.	.	.	.	.	.	.	.	.	
Diphtheria, ...	1	.	.	.	3	1	1	1	.	4	1.1	.	.	.	.	.	.	.	.	.	.	.	
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	.	1	1	.	.	1	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.	
Dysentery, ...	—	—	—	—	—	—	—	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.	1	.	1	
Other Epidemic Diseases, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non- puerperal).	1	1	.	1	.	.	2	.	1	.	.6	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	1	.	.	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																							
Pulmonary Tuberculosis, ...	21	18	15	28	18	17	22	12	18	18	18.7	21	.	.	.	.	1	4	10	6	.	.	
Tuberculous Meningitis, ...	1	5	3	2	2	2	4	1	1	1	2.2	2	.	1	.	.	1	.	.	.	.	.	
Abdominal Tuberculosis, ...	.	.	.	3	1	1	.	2	2	3	1.6	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of the Vertebral Column.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of Joints, ...	5	4	4	3	3	2	.	1	1	.	3.1	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs, Scrofula, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	
Disseminated Tuberculosis, ...	.	.	.	.	.	.	2	2	3	.	.	2	.	.	1	1	.	.	.	.	.	.	
Venereal Diseases, ...	1	2	1	1	5	.	.	.	1	.	1.1	.	.	.	.	.	.	.	.	.	.	.	
Cancer, ...	10	10	10	7	8	8	10	7	6	10	8.6	11	.	.	.	.	.	.	1	6	4	.	
Tumour, situation undefined, Rheumatic Fever, ...	—	—	—	—	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Diabetes, ...	1	.	.	.	.	.	1	1	3	2	.8	.	.	.	.	.	.	.	.	.	.	.	
Anæmia, Leucocythæmia, ...	—	—	—	—	—	—	1	2	1	2	—	1	.	.	.	.	.	.	1	.	.	.	
Other General Diseases, ...	—	—	—	—	—	—	—	—	2	1	—	5	.	1	.	.	.	.	1	.	2	1	
Alcoholism, ...	1	.	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever, ...	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis, ...	.	.	.	.	.	.	2	7	7	8	.	4	.	1	1	1	1	.	.	.	.	.	
Cerebral Hamorrhage, Apo- plexy.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	.	.	1	2	1	.	
Softening of Brain, ...	.	.	.	.	.	.	2	1	4	2	.	1	.	.	.	.	.	.	.	.	.	1	
Paralysis, without specified cause.	.	.	.	.	.	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	
Epilepsy, ...	.	.	.	.	.	.	2	7	3	1	.	4	.	3	.	1	.	.	.	.	2	.	
Convulsions (non-puerperal), Other Diseases of Nervous System.	42	33	35	36	26	21	2	3	3	2	30.6	2	.	1	.	1	.	.	.	.	.	.	
Pericarditis, ...	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis, ...	.	.	.	.	.	.	1	3	.	.	.	3	.	.	.	.	.	.	2	.	.	.	
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	9	8	10	14	.	10	.	.	.	.	.	1	1	3	3	3	
Other Diseases of Circulatory system.	.	.	.	.	.	.	3	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.	
Diseases of the Larynx, ...	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis, ...	13	2	9	12	8	6	4	11	6	7	7.8	8	.	2	.	.	.	.	1	2	1	2	
Broncho-pneumonia, ...	2	2	3	1	.	4	5	7	1	3	2.8	.	.	.	.	.	.	.	.	.	.	.	
Lobar pneumonia, ...	.	1	.	3	1	1	2	1	1	3	1.3	.	.	.	.	.	.	.	.	.	.	.	
Pneumonia (type not distin- guished)	7	2	8	2	6	.	5	3	5	2	4.0	2	.	.	.	1	.	.	1	.	.	.	
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pul- monary Apoplexy.	1	2	1	2	.	.	1	.	1	.	.8	.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Respiratory System.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	



THIRTY-FIFTH WEEK, ending Saturday, 4th September, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 35th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 4th September, 1915.																					
	Sept. 2, 1905.	Sept. 1, 1906.	Aug. 31, 1907.	Aug. 29, 1908.	Sept. 4, 1909.	Sept. 3, 1910.	Sept. 2, 1911.	Aug. 31, 1912.	Aug. 30, 1913.	Aug. 29, 1914.		All Ages.	Deaths of Persons of the Ages of																				
													0-5.																				
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	1	1	.	.2	.	.	.	.	.	.	.	.	.	.	.											
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	5	3	—	.	.	.	.	.	.	.	.	.	.	.											
Diarrhoea and Enteritis of Children under 2 years.	} 25	35	12	31	26	22	{ 52	6	29	28	{ 28.6	{ 18	.	15	3	1	1	.	2	.	.	.											
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	1	3	—	1	.	.	.	.	.	1	.	.	.	.											
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	1	2	2	1	—	2	.	.	.	.	.	1	1	.	.	.											
Cirrhosis of Liver, ...	1	2	1	1	1	1	2	.	2	1	1.2	.	.	.	.	.	.	.	.	.	.	.											
Other Diseases of Liver, ...	1	2	1	.	.	.	1	.	1	.	.6	.	.	.	.	.	.	.	.	.	.	.											
Peritonitis (cause unknown), ...	1	1	1	.	.	.	.	.	.	.	.2	2	.	.	.	.	.	2	.	.	.	.											
Other Diseases of Digestive System.	3	9	6	6	2	4	1	.	2	1	3.4	1	.	.	.	.	1	.	.	.	.	.											
Acute Nephritis, ...	} 6	7	8	3	3	9	{ 7	1	1	3	{ 5.5	{ 4	.	.	.	.	.	.	1	1	1	1	.										
Chronic Bright's Disease, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	.	.	.	.	.	.	.	.	2	1	2	2	.	.	.	.	.	1	1	.	.	.											
Puerperal Septicæmia, &c., ...	.	.	.	1	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.											
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	2	1	1	1	.6	.	.	.	.	.	.	.	.	.	.	.											
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	3	1	—	2	.	.	.	.	.	1	.	1	.	.											
Diseases of Locomotor System.	—	—	—	—	—	—	3	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.											
Congenital Malformations, ...	—	—	—	—	—	—	.	.	.	.	—	1	1	.	.	.	.	.	.	.	.	.											
Premature Birth, ...	5	3	2	3	3	1	4	6	5	5	3.7	7	7	.	.	.	.	.	.	.	.	.											
Congenital Debility, ...	—	—	—	—	—	—	8	1	5	7	—	2	1	1	.	.	.	.	.	.	.	.											
Old Age, ...	4	1	4	1	3	2	5	1	1	3	2.5	5	.	.	.	.	.	.	.	3	2	.											
Other Specified Diseases, ...	—	—	—	—	—	—	.	1	2	.	—	1	1	.	.	.	.	.	.	.	.	.											
ACCIDENT :																																	
Poisons or Poisonous Vapours.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.											
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Burns and Scalds, ...	1	.	.	1	2	1	.	.	2	.	.7	1	.	.	.	.	1	.	.	.	.	.											
Drowning, ...	.	2	2	2	2	1	.	.	.	3	1.2	.	.	.	.	.	.	.	.	.	.	.											
Suffocation in Bed, ...	.	.	1	.	1	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.											
Other Deaths by Accident, ...	2	5	2	1	2	2	2	1	.	3	2.0	2	.	.	.	1	.	1	.	.	.	.											
Total Deaths from Accident,	3	7	5	4	7	5	3	1	2	6	4.3	3	.	.	.	1	1	.	.	.	.	.											
Included in above are Deaths in connection with—																																	
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Vehicles and Horses, ...	.	1	1	1	.	.	.	.	.	.	.3	1	.	.	.	.	.	1	.	.	.	.											
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Building Operations, ...	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.											
VIOLENCE OTHER THAN ACCIDENTAL:																																	
Homicide, ...	.	.	1	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	.	.											
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	8	5	5	3	—	1	.	.	.	.	.	.	1	.	.	.											







TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncertified Deaths.										
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.									
													Pulmonary.	Other Forms.	Pneumonia.	Other.													
North City, No. 1 (E.) (Office, Clarence St. Nth.) Population in 1915 (Est.) 30,504.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	15.4 18.8 23.9 22.2 13.7 30.8	5.1 6.8 1.7 1.7 5.1 6.8	9 11 14 13 8 18	.	.	.	.	.	1	.	.	1	12 12 12 12 3	.	12 12 12 12 3	1 1 1 1 1	1 1 1 1 1	.	12 12 12 12 4	.	.	1 1 1 1 1	2 1 1 1 2					
North City, No. 1 (W.) (Office, Sun mer-hill.) Population in 1915 (Est.) 41,685.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	16.3 8.8 22.5 13.8 27.5 25.0	3.8 3.8 3.8 5.0 5.0 3.8	13 7 18 11 22 20	.	.	.	.	.	.	.	.	.	2 2 2 2 2 1	1 1 1 1 1 .	.	1 1 1 1 12 1	.	3 3 3 3 4 2	.	.	1 1 1 1 1 1	.	.	1 1 1 1 1 .				
North City, No. 2. (Office, Lisburn-street.) Population in 1915 (Est.) 27,883.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	13.1 13.1 16.8 16.8 26.2 28.1	.	7 7 9 9 14 15	.	.	.	.	.	.	.	.	.	2 1 2 2 4 2	.	2 2 .	.	.	1 1 .	1 2 1 1 1 5	.	.	1 1 1 1 3 1	.	.	1 1 1 1 1 1			
North City, No. 3. (Office, Benburb-street.) Population in 1915 (Est.) 35,887.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	18.9 5.8 13.1 8.7 21.8 10.2	.	13 4 9 6 15 7	.	.	.	.	.	.	.	.	.	1 1 .	1 1 .	3 .	.	.	.	.	1 1 1 1 3 .	.	.	1 1 1 1 3 .	.	.	1 1 1 1 1 .		
Clontarf and Howth No. 1 (part of). Population in 1915 (Est.) 5,539.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	18.8 9.4 . 18.8 . .	.	2 1 . 2 . .	.	.	.	.	.	.	.	.	.	1 . . 1 . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of). Population in 1915 (Est.) 13,820.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	11.3 11.3 7.5 7.5 3.8 7.5	3.8	3 3 2 2 1 2	.	.	.	1	.	.	.	.	.	.	.	.	1 .	.	.	.	.	.	.	.	.	.	.	1	
Finglas and Glasnevin (part of). Population in 1915 (Est.) 10,829.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	9.6 . 4.8 9.6 14.4 9.6	.	2 . 1 2 3 2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
South City, No. 1. (Office, Sh. Earl-street.) Population in 1915 (Est.) 41,170.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	8.9 19.0 19.0 13.9 13.9 8.9	.	7 15 15 11 11 7	.	.	.	.	.	.	.	.	.	1 3 3 3 3 1	.	1 1 1 2 .	1 1 1 .	1 1 1 .	.	3 3 3 1 1 2	.	.	1 1 1 1 1 .	.	.	1 1 1 1 1 .			
South City, No. 2. (Office, Castle-street.) Population in 1915 (Est.) 18,341.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	14.2 17.1 14.2 11.4 19.9 19.9	.	5 6 5 4 7 7	.	.	.	.	.	1	.	.	.	.	1 1 1 .	.	2 1 1 .	.	.	.	1 1 1 1 2 2	.	.	1 1 1 1 1 .	.	.	1 1 1 1 1 .		
South City, No. 3. (Office, Peter-street.) Population in 1915 (Est.) 43,970.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	13.0 17.8 24.9 20.2 22.5 24.9	.	11 15 21 17 19 21	.	.	.	.	.	1	1	.	2	1 2 3 2 5	.	1 1 1 2 1 .	.	1 1 .	.	2 1 4 1 5 1	.	.	1 1 1 1 2 1	.	.	1 1 1 1 1 .			
South City, No. 4. (Office, Grand Canal-st.) Population in 1915 (Est.) 33,171.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	15.7 6.3 14.1 20.4 15.7 14.1	.	10 4 9 13 10 9	.	.	.	.	.	.	.	3	1	3 2 1 2 1	1 1 1 .	.	1 1 1 1 .	.	.	.	5 3 3 2	.	.	1 1 1 1 1 .	.	.	1 1 1 1 1 .		
New Kilmainham. Population in 1915 (Est.) 9,948.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	10.5 5.2 5.2 10.5 21.0 10.5	.	2 1 1 2 4 2	.	.	.	.	.	.	.	.	.	.	.	1 .	.	.	.	1 1 1 1	.	.	1 1 1 1	.	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN DEATHS. SALES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Enteritis of Children under 2 years of age.	Leprosy, 5 years and upwards.	Violence		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	11.9 9.2 6.6 17.1 9.2 7.9	1.3 1.3 6.6 1.3 1.3 .	9 7 5 13 7 6	. 1 . . . .	. . . . . .	. . . . . .	1 . . . 1 .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	1 1 . 1 1 1	. 1 . 1 . .	. . . . . .	. . . 1 . .	1 . . . . . .	. . . . . .	. . . . . .	. 1 . . . .	. . . . . .	
Pembroke Urban District. Population in 1915 (Est.) 30,538	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	8.5 20.5 12.0 13.7 12.0 10.2	. . . . . .	5 12 7 8 7 6	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 5 2 2 . .	. . . . . .	. 1 . . 1 .	. . . . . .	. . 1 . 2 .	. . . . . .	. . . . . .	. . . . . .	. 1 1 1 . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	22.6 5.6 28.2 5.6 11.3 16.9	. . 5.6 . . .	4 1 5 1 2 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . 1	. . . . 1 .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	
Kingstown Urban District. Population in 1911 16,941.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	15.4 9.2 24.6 3.1 6.2 9.2	. . . . . .	5 3 8 1 2 3	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 . . 1 1	. . 1 . 1 1	2 . 1 . 1 1	. . . . . .	. . 1 . . .	. . . . . .	. . . . . .	. . 1 . . .		
Belfast. Population in 1915 (Est.) 403,000.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	15.0 11.3 12.7 13.6 14.0 15.4	1.6 1.3 1.4 1.9 1.8 4.4	116 87 98 105 108 119	. . . . 1 2	. . . . . .	. . . . 1 .	3 . 1 1 1 1	1 2 3 2 2 3	4 1 . 3 1 5	1 2 . . 1 .	. 1 . . . .	16 11 9 15 14 12	5 4 5 8 3 9	5 9 4 7 6 2	6 4 8 7 5 4	9 8 6 3 5 2	3 3 6 9 8 18	. 1 1 1 1 4	. 5 2 1 1 2		
Cork. Population in 1911 76,673.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	9.5 12.9 17.0 19.0 11.6 15.6	1.4 0.7 . 2.0 1.4 1.4	14 19 25 28 17 23	. . . . . .	. . . . . .	. . . 1 . .	. . . . . .	. . . . . .	. 1 . . . .	. . . . . .	. . . . . .	. 4 2 2 1 1	2 . 2 3 1 2	. . . 1 1 2	1 . 2 2 . 2	. 1 2 2 . 2	1 . 2 2 2 2	. . . 2 2 2 .	. . . 1 . . .		
Londonderry. Population in 1915 (Est.) 41,200.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	16.5 15.2 21.5 20.2 19.0 29.1	6.3 5.1 7.6 7.6 6.3 8.9	13 12 17 16 15 23	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 1 4 4 4 2	. . . . . .	. . . . . .	. 2 1 1 1 4	1 1 1 2 . 2	. . . . . 1	1 . 1 1 . 1	4 1 1 1 2 .	2 3 1 2 1 3	. . 1 . 1 2	. . . . . 1		
Limerick. Population in 1911 38,518.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	23.0 12.2 14.9 8.1 19.0 14.9	. . . . . .	17 9 11 6 14 11	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	2 2 3 1 1 1	. . . 1 2 . 1	2 1 . . . 1	1 . . 1 . . .	1 2 2 2 1 2	. . . . . .	. . . . . .	. . . . . .		
Waterford. Population in 1911 27,464.	July, 31 Aug. 7 " 14 " 21 " 28 Sept. 4	11.4 11.4 15.2 22.8 19.0 19.0	3.8 . . . 1.9 1.9	6 6 8 12 10 10	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 2 2 1 2	1 2 . 1 . .	. . . . . 1	. . . 1 . . .	1 1 . . . 2	2 . . 1 . . .	. . . . 1 .	. . . . . .		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 4th September, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Inquest Cases.	(28)	(29)	(30)		
					All Causes.	Certain Epi- demic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.						Diarrhoea 2 years of age and upwards.	Violence.
																					Pulmonary.	Other Forms.		Pneumonia.	Other.								
CITY OF BELFAST.																																	
BELFAST URBAN No. 1 DISTRICT.			15,879	9	23.0	9.9	7	32	14	11	22	24	16	2						2	8												
Do.	2	do.	48,500	23	15.8	4.2	15	3	3	1	5	3							1	2													
Do.	3	do.	50,032	32	28.8	7.3	18	6	3	2	1	3							1	1													
Do.	4	do.	32,687	23	16.0	3.2	10	4	1	3	2	1							1	1													
Do.	5	do.	16,112	5	19.4	3.2	6	1	1	1	2	1							1	1													
Do.	6	do.	37,298	9	19.6	2.8	14	1	1	2	3	3							1	1													
Do.	7	do.	2,681	8	38.9	19.4	2		1		1																						
Do.	8	do.	5,964	2	8.7	8.7	1		1																								
Do.	9	do.	24,427	15	8.5	6.4	4	1	1		1								2	1													
Do.	10	do.	28,958	17	16.2	1.8	9	4	1	2	3								1	1													
Do.	11	do.	39,311	22	9.8	5.3	7	4	1	1	1								1														
Do.	12	do.	38,076	18	16.4	4.1	12	3	2	3	4								1														
Do.	13	do.	23,238	4	6.7		3																										
Do.	14	do.	175																														
Do.	15	do.	22,669	9	25.3	4.6	11	4			2								1	1													
Total,			386,947	191	15.4	4.4	119	32	14	11	22	24	16	2					12	9	2	4	2		4	2	5	39	2				
CITY OF CORK.																																	
CORK URBAN No. 1 DISTRICT			13,455	3	7.8		2				1		1																				
Do.	2	do.	10,399	6	25.1		5						3						1	1													
Do.	3	do.	9,793	1	26.6		5												1	1													
Do.	4	do.	9,139	1	5.7		1												1	1													
Do.	5	do.	6,250	3	16.7		2				1																						
Do.	6	do.	11,581	3	31.5	9.0	7				1	2	1																				
Do.	7	do.	16,056	4	3.2		1				1																						
Total,			76,673	21	15.6	1.4	23	6	3		5	3	6						1	2	2					2	8						

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1915—WEEK ENDING																												
BELFAST.		March 13.	March 20.	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	
No. of weeks in Annual Series,		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	
BIRTHS registered, ...		243	194	232	177	235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	
DEATHS registered, ...		195	193	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	
Annual Death-rate per 1,000 of estimated population, ...		25.2	25.0	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	
AGES, { Under 1 year,		44	40	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	
{ 1—5 years,		26	19	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	
{ 5—25 "		17	14	20	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	
{ 25—45 "		27	24	18	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	
{ 45—65 "		35	51	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23	26	23	29	27	26	24	
{ 65 and upwards,		46	45	32	46	27	27	26	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	
Deaths from:—																												
Enteric Fever, ...		.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		6	7	4	4	6	3	2	7	8	2	4	5	1	5	5	5	2	3	3	1	3	.	1	1	1	1	
Scarlet Fever, ...		.	.	.	.	.	1	.	1	.	.	.	1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	
Whooping-cough, ...		6	1	3	3	5	5	7	5	2	5	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	
Diphtheria, ...		.	1	1	.	.	1	.	.	.	1	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Tuberculosis. { Pulmonary, ...		13	18	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	
{ Other Forms, ...		8	2	7	13	7	13	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	
Cancer ...		6	6	3	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	
Diseases of Respi- { Pneumonia,		29	30	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	
ratory System, { Others, ...		31	33	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	
Diarrhoea and Enteritis, under 2 years, ...		4	2	3	4	1	2	2	2	2	.	.	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	
Diarrhoea, 2 years and upwards, ...		.	.	3	2	.	.	1	1	.	.	.	.	.	.	.	.	.	2	1	1	1	1	1	.	1	4	
Violent Deaths, ...		.	5	3	3	1	3	.	3	2	1	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	
Number of Uncertified Deaths, ...		4	2	2	2	3	.	2	2	1	.	.	.	2	1	1	.	.	.	.	4	1	.	.	1	.	2	

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Sept. 4,	1,735	1,088 <sup>c</sup>	12·6	2	.	4	4	22	7	156	
EDINBURGH, ---	328,700	" 4,	90	80	12·7	.	.	6	1	1	3	.	
GLASGOW, ---	1,078,400	" 4,	480	253	12·2	1	.	5	4	1	.	16	
CALCUTTA, ---	896,067	July 17,	.	352	20·4	63*	3	.	.	.	1†	47‡ <sup>a</sup>	
BOMBAY, ---	979,445	" 24,	351	394	20·9	44*	2	2	.	.	1	36 <sup>a</sup>	
MADRAS, ---	518,660	" 17,	361	325	32·6	31*	.	1	?	?	?	86 <sup>a</sup>	
CAIRO, {	Egyptians, ...	June 24,	523	1,016	80·1	106	1	6	.	?	5†	300	
	Foreigners,	" 24,	6	39	28·2	7	.	.	.	?	1†	4	
ALEXAN- DRIA, {	Egyptians,	" 24,	239	203	31·7	2	1	1	.	?	.	71	
	Foreigners,	" 24,	30	63	42·3	7	.	.	.	?	.	4	
PARIS, ---	2,847,229	July 31,	460	678	12·2	2	.	9	3	1	3†	29	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	612,482	July 24,	267	116	9·9	.	.	1	.	2	1†	1	
COPENHAGEN, ---	492,000	Aug. 7,	210	102	10·8	.	.	.	1	.	.	1	
STOCKHOLM, ---	386,270	" 7,	105	74	10·9	.	.	1	.	1	.	.	
CHRISTIANIA, ---	250,677	" 14,	90	44	9·1	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	—	.	.	.	.	.	.	.	.	.	.	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	July 31,	2,579	1,328	11·9	14	.	8	8	13	22†	195	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Aug. 14,	.	206 <sup>b</sup>	14·8	1	.	2	3	1	6	33 <sup>a</sup>	

\* Deaths from "fever," including one from plague, and 5 from enteric fever in Calcutta; 3 from plague and 3 from enteric fever in Bombay; and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 182 deaths (including one from scarlet fever, 4 from diphtheria, and 31 from diarrhoeal diseases); rate, 13·0 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th September, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
"    " 1, West,	...	1	.	.	1	.	.	1	.	.	.	.	1	4
"    " 2, ...	...	.	.	.	.	.	.	.	.	.	.	.	1	1
"    " 3, ...	...	1	.	.	2	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumeondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	1	2
Finglas and Glasnevin (part of), ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	...	1	.	.	.	.	.	.	.	.	.	.	7	8
"    " 2, ...	...	1	.	.	.	.	.	.	.	.	.	.	3	4
"    " 3, ...	...	.	.	.	3	.	.	.	.	.	.	.	2	5
"    " 4, ...	...	.	.	.	1	.	.	.	.	.	.	.	.	1
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
Total,	...	4	.	.	9	.	.	1	.	.	.	.	18	32

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th September, 1915, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 4th September.			
	August 14.	August 21.	August 28.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	13	12	15	8	4	.	19
Typhus, ...	1	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	6	12	4	.	2	.	2
Scarlet Fever, ...	54	54	56	12	13	.	55*
Diphtheria, ...	29	34	37	8	6	.	39
Pneumonia, ...	10	10	9	2	4	.	7

\* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

## IN THE DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 11TH SEPTEMBER, 1915.

[No. 36.]

*General Register Office, Charlemont House,  
Dublin, 13th September, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·7 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 21	Aug. 28	Sept. 4	Sept. 11	
<b>27 Town Districts, (a)</b>	<b>13·6</b>	<b>14·5</b>	<b>15·8</b>	<b>16·7</b>	<b>15·1</b>
Dublin Reg. Area ...	14·7	16·8	16·3	18·4	16·5
Dublin City ...	15·3	19·0	18·3	20·2	18·2
Belfast ...	13·6	14·0	15·4	16·0	14·8
Cork ...	19·0	11·6	15·6	22·4	17·1
Londonderry ...	20·2	19·0	29·1	15·2	20·9
Limerick ...	8·1	19·0	14·9	13·5	13·9
Waterford ...	22·8	19·0	19·0	13·3	18·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·8 per 1,000. Among the 124 deaths from all causes for Belfast are one from scarlet fever, 5 from whooping-cough, and 13 from diarrhoea and enteritis of children under 2 years, and the 33 deaths from all causes for Cork include 2 from diarrhoea and enteritis of children under 2 years.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 196—109 boys and 87 girls—and the deaths to 156—92 males and 64 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·4 per 1,000 of the population. During the thirty-six weeks, ending with Saturday last, the death-rate averaged 22·3, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 156, represent an annual rate of 19·9 per 1,000; the annual rate for the past thirty-six weeks was 23·9 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·8 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from whooping-cough, 2 from diphtheria, one from dysentery, and 14 from diarrhoeal diseases.

In the three preceding weeks, deaths from whooping-cough were one, 0, and 0; deaths from diphtheria were one, one, and 0; deaths from dysentery were 2, 0, and 0; and deaths from diarrhoeal diseases were 17, 22 and 18, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered 17, 26, and 25, respectively, rose to 27\* last week, the latter comprising 22 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease.

Cancer caused 11\* deaths.

Of 7\* deaths from pneumonia, 5 were caused by broncho-pneumonia, one by lobar pneumonia, and one by pneumonia (type not distinguished).

Six deaths of infants under one year old were ascribed to convulsions, and 7 to congenital debility.

Organic diseases of the heart caused 14 and bronchitis 13 deaths.

There was one death from accidental burns.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old), and the deaths of 2 persons aged 65 years and upwards.

Forty-three of the persons whose deaths were registered during the week were under 5 years of age (30 being infants under one year, of whom 6 were under one month old), and 33 were aged 65 years and upwards, including 28 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Sixty-one of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·4 per 1,000; the rate in the City was 20·2 (North City Districts, 20·4; South, 19·9), and in the Suburbs, 12·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 2·5, and in the South 2·5), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (12) are equal to an annual rate of 20·5 per 1,000, and include one from whooping-cough, 3 from tuberculous disease, one from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

No. 1 North City District, West (Summer-hill).—The deaths (18) are equal to an annual rate of 22·5 per 1,000. Pulmonary tuberculosis caused one death, broncho-pneumonia 2 deaths, bronchitis 2 deaths, and diarrhoea and enteritis of children under 2 years 4 deaths.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. There were 3 deaths from pulmonary tuberculosis, one from lobar pneumonia, and 3 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (11) represent an annual rate of 16·0 per 1,000. Tuberculous disease caused 3 deaths, and diarrhoea and enteritis of a child under 2 years one death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 37·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 14·4.

No. 1 South City District (South Earl-street).—The deaths (14) represent an annual rate of 17·7 per 1,000. Pulmonary tuberculosis caused 5 deaths, bronchitis one death, and diarrhoea and enteritis (of a child under 2 years) one death.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Tuberculous disease caused 3 deaths, and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (18) are equal to an annual rate of 21·3 per 1,000, and include 2 from diphtheria, one from broncho-pneumonia, 3 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years, and one from accidental burns.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000, and include 3 from pulmonary tuberculosis and one from diarrhoea.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21·0 per 1,000, and include one from pulmonary tuberculosis and one from diarrhoea and enteritis of a child under 2 years.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 15·4; Blackrock, 0·0; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from dysentery for Rathmines and Rathgar, and 2 (of children under 2 years) from diarrhoea and enteritis for Pembroke. Included in the 9 deaths from all causes for Rathmines and Rathgar are one from pulmonary tuberculosis and one from bronchitis. Among the 9 deaths from all causes for Pembroke are one from tuberculous meningitis, and one from bronchitis; and of the 5 deaths from all causes for Kingstown one is from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·0), was equal to an average annual death-rate of 14·0 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 14·0 per 1,000, the rate for Glasgow being 14·5, and for Edinburgh 14·0.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th September. From this Report it appears that of 94 cases notified, 40 were scarlet fever, 33 diphtheria, 7 pulmonary tuberculosis, 9 other forms of tuberculosis, and 5 erysipelas. Among the 524 cases of infectious diseases in hospital at the close of the week were 173 of pulmonary tuberculosis, 156 of scarlet fever, 106 of diphtheria, 37 of measles, 16 of whooping-cough, 6 of erysipelas, 4 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th September, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Aug. 21,	.	—	—	9	.	.	4	.	1	.	.	.	—	—	1	—	.	28	43
	Aug. 28,	.	—	—	6	.	.	6	.	.	4	2	.	—	—	.	—	.	29	47
	Sept. 4,	.	—	—	4	.	.	9	.	.	1	.	.	—	—	.	—	.	18	32
	Sept. 11,	.	—	—	3	.	.	8	.	.	6	1	.	—	—	.	—	.	18	36
Rathmines and Rathgar Urban District.	Aug. 21,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	—	4
	Aug. 28,	.	—	—	2	.	.	2	.	.	.	2	.	—	—	—	—	—	—	6
	Sept. 4,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Sept. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Aug. 21,	.	2	.	1	.	.	.	.	.	.	1	.	—	1	.	—	—	.	5
	Aug. 28,	.	.	.	.	.	.	.	.	.	1	.	1	—	2	.	—	—	.	4
	Sept. 4,	.	2	.	3	.	.	.	.	.	1	.	.	—	13	.	—	—	2	21
	Sept. 11,	.	1	.	1	.	.	.	.	.	1	.	.	—	2	.	—	—	1	6
Blackrock Urban District.	Aug. 21,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Aug. 28,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Sept. 4,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	1
	Sept. 11,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Aug. 21,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Aug. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Sept. 4,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	.	2
	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Aug. 21,	.	—	—	39	.	.	4	.	.	1	3	1	—	—	1	—	.	2	51
	Aug. 28,	.	—	—	44	.	.	4	.	.	1	1	.	—	—	1	—	.	5	56
	Sept. 4,	.	—	—	47	.	.	2	.	.	1	3	.	—	—	2	—	.	3	58
	Sept. 11,	.	—	—	69	.	.	1	.	.	1	1	.	—	—	.	—	.	3	74
City of Cork.	Aug. 21,	.	1	—	6	.	.	1	.	.	.	.	.	—	—	—	11	—	—	19
	Aug. 28,	.	2	—	3	.	.	1	.	.	1	.	1	—	—	—	20	—	—	28
	Sept. 4,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	—	37	—	—	50
	Sept. 11,	.	1	—	9	.	.	1	.	.	.	1	.	—	—	—	13	—	—	25
City of Londonderry.	Aug. 21,	.	—	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	3
	Aug. 28,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Sept. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 11,	.	—	—	1	.	.	.	.	.	.	3	.	—	—	—	—	—	—	4
City of Limerick.	Aug. 21,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	2
	Aug. 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	—	.
	Sept. 11,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	.	—	—	—	2
City of Waterford.	Aug. 21,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5
	Aug. 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3
	Sept. 4,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	.	4
	Sept. 11,	.	—	—	3	1	.	1	.	.	.	.	.	—	—	—	—	—	.	5

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th September, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, and 26 cases remained under treatment at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 12, 15, and 19.

One case of measles was admitted to hospital during the week, and 3 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 12, 4, and 2 respectively.

Four cases of scarlet fever were admitted to hospital, one was discharged, and 58\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 54, 56, and 55, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 9 were discharged, there were 2 deaths, and the cases in hospital, which at the close of the 3 preceding weeks numbered 34, 37, and 39 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, one was discharged, and 10 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th September, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 11TH SEPTEMBER, 1915.																														
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
		POPULATION.				DEATHS.		BIRTHS.												DEATHS.										
		Total. (a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.		Caused by										Violence.									
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.										
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	22.1	16.7	1.8	513	389	79	95	...	...	...	...	1	6	2	1	54	19	22	15	26	30	1	4	9	113	16		
DUBLIN REG-ISTRATION AREA:—TOTAL, (c.) ...	409,000	29.8	25.0	18.4	2.3	196	144	29	31	...	...	...	...	1	2	1	20	5	10	4	15	13	1	1	...	49	8			
CITY OF DUBLIN, ...	312,747	39.5	29.3	20.2	2.5	176	121	26	22	...	...	...	...	1	2	...	18	4	10	4	13	11	1	1	...	42	8			
Urban Districts.																														
RATHMINES and RATHGAR, ...	39,541	23.1	13.2	11.9	1.3	10	9	...	4	...	...	...	...	...	...	...	1	1	...	...	...	1	...	...	...	...	3	...		
PEMBROKE, ...	30,538	19.4	6.8	15.4	3.4	4	9	3	3	...	...	...	...	...	...	...	...	1	...	...	1	2	...	...	...	...	3	...		
BLACKROCK, ...	9,233	8.5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
KINGSTOWN, ...	16,941	11.6	18.5	15.4	...	6	6	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...		
Urban Districts																														
BELFAST ...	403,000	27.0	23.7	16.0	2.5	183	124	29	27	...	...	...	...	1	5	...	...	14	7	6	5	4	13	...	2	7	29	3		
CORK, ...	76,673	28.6	17.7	22.4	1.4	26	33	7	7	...	...	...	...	...	...	...	...	8	2	1	3	1	2	...	...	...	16	1		
LONDON-DERRY ...	41,200	16.0	12.7	15.2	1.3	10	12	2	4	...	...	...	...	...	...	...	...	1	1	1	...	2	1	...	...	...	3	...		
LIMERICK, ...	38,518	16.1	13.5	13.5	...	10	10	3	2	...	...	...	...	...	...	...	...	3	...	2	...	1	...	...	...	...	4	1		
WATERFORD, ...	27,464	19.1	24.7	13.3	1.9	13	7	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	4	...		
GALWAY, ...	13,255	2.5	...	...	...	6	6	...	3	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	1	...	2	1		
DUNDALK, ...	13,128	9.5	...	...	...	2	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LURGAN, ...	12,553	14.7	...	...	...	5	4	2	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4	...	...	...	4	4	...	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
LISBURN ...	12,388	10.9	...	...	...	8	2	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0	...	...	...	6	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3	...	...	...	6	5	...	1	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	1	...	...	...	
WEXFORD, ...	11,531	22.8	...	...	...	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	
BALLYMENA ...	11,331	9.3	...	...	...	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8	...	...	...	3	3	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	
KILKENNY, ...	10,514	11.4	...	...	...	1	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
TRALEE, ...	10,300	17.4	...	...	...	4	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8	...	...	...	5	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	2	...	...	
NEWTOWNARDS	9,587	20.1	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
QUEENSTOWN, ...	8,209	14.7	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4	...	...	...	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	...	...	...	3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
BANGOR, ...	7,776	8.5	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2	...	...	...	3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	
ATHLONE, ...	7,472	6.2	...	...	...	...	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...	...	
ARMAGH, ...	7,356	21.8	...	...	...	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the case of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 2 at 65 years or upwards), admitted to hospital from localities outside the Area: the 12 deaths include 2 from pulmonary tuberculosis, one from cancer, and 3 from pneumonia.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 11th of September, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

DEATHS IN DUBLIN REGISTRATION AREA.																		Deaths in Institutions of Persons admitted from without the Registration Area.
NAMES OF DISEASES &c.	CITY OF DUBLIN.																TOTAL FOR DUBLIN REGISTRATION AREA.	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria,	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Tuberculosis, { Pulmonary,	1	1	3	2	.	.	.	5	2	.	3	2	1	.	.	1	20	2
{ Other Forms,	2	.	.	1	.	.	.	1	1	.	.	.	1	1	.	.	5	.
Cancer,	1	1	.	.	1	.	1	1	1	3	.	1	.	.	.	.	10	1
Diseases of Nervous System,	1	2	2	2	1	.	1	3	.	1	3	1	2	2	.	1	22	2
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System,	.	4	2	.	1	.	.	2	1	1	3	.	1	1	.	2	18	2
Respiratory System, { Pneumonia,	.	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	3
Others,	1	3	4	.	.	.	.	1	1	3	.	.	1	1	.	.	15	.
Diarrhoea and Enteritis, under 2 years,	2	4	.	1	.	.	.	1	.	2	.	1	.	2	.	.	13	.
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Enteritis, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Others,	.	.	3	1	1	1	.	.	.	.	.	.	.	.	.	.	6	1
Genito-urinary System,	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	1	4	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	2	1	.	2	.	1	.	1	1	2	2	.	3	1	.	.	16	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	1	.	.	1	.	.	1	.	.	1	.	.	.	.	.	.	4	.
Deaths from All Causes	12	18	15	11	4	2	3	14	3	18	12	4	9	9	.	5	144	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	20.5	22.5	28.1	16.0	37.7	7.5	14.4	17.7	22.7	21.3	18.9	21.0	11.9	15.4	.	15.4	18.4	.
	20.4							19.9							12.5			
	20.2																	
Ages at Death. { Under 1 year,	5	5	4	3	.	1	.	.	1	3	3	1	.	3	.	.	29	1
1 and under 2 years,	1	2	.	.	.	.	.	3	.	1	.	1	.	.	.	.	8	1
2 " 5 "	.	1	.	.	.	.	.	.	.	2	.	.	.	1	.	.	4	.
5 " 15 "	1	.	1	1	1	.	.	1	.	1	.	.	1	.	.	.	7	.
15 " 25 "	2	2	.	2	1	.	.	.	1	.	.	.	.	.	.	.	8	1
25 " 45 "	1	2	3	.	.	.	1	4	3	1	5	1	2	.	.	1	24	1
45 " 65 "	1	5	6	4	1	.	.	3	1	3	3	.	2	2	.	2	33	6
65 and upwards,	1	1	1	1	1	1	2	3	2	7	1	1	4	3	.	2	31	2
Number of Uncertified Deaths,	.	.	.	1	.	.	1	1	1	2	1	1	.	.	.	.	8	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	2	3	2	.	.	2	2	1	5	2	1	2	2	.	.	24	11
Workhouse Hospitals,	2	3	2	2	.	.	.	3	3	4	3	.	1	1	.	1	25	1

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH	Deaths from all causes Registered in the Week ending Saturday										Averages in 36th Week of the 10 years 1905-1914.	In the Week ending Saturday, 11th Sept. 1915.																					
	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.	Sept. 7, 1912.	Sept. 6, 1913.	Sept. 5, 1914.		All Ages.	Deaths of Persons of the Ages of																				
													0-5.																				
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.											
ALL CAUSES.	143	184	159	170	134	141	219	129	157	160	159.6	156	6	24	9	4	7	9	25	39	21	12											
Enteric Fever, ...	4	2	.	2	2	1	.	.	2	1	1.4	.	.	.	.	.	.	.	.	.	.	.											
Typhus, ..	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.											
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Measles, ...	.	.	3	6	2	.	.	.	1	.	1.2	.	.	.	.	.	.	.	.	.	.	.											
Scarlet Fever, ...	.	.	1	.	.	1	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.											
Whooping-cough, ...	.	1	2	.	1	3	4	3	1	.	1.5	1	.	.	.	1	.	.	.	.	.	.											
Diphtheria, ...	1	.	.	1	1	.	2	2	1	2	1.0	2	.	.	.	2	.	.	.	.	.	.											
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Influenza, ...	.	1	2	1	.	.	2	2	1	1	1.0	.	.	.	.	.	.	.	.	.	.	.											
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.											
Erysipelas, ...	1	.	.	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.											
Other Epidemic Diseases, ...	1	.	1	3	.	.	.	.	.	.	.5	.	.	.	.	.	.	.	.	.	.	.											
Pyæmia and Septicæmia (non-puerperal).	1	1	.	.	.	1	1	.	1	1	.6	1	.	.	1	.	.	.	.	.	.	.											
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
TUBERCULOSIS.																																	
Pulmonary Tuberculosis, ...	12	21	25	19	20	23	22	18	20	25	20.5	22	.	.	.	.	1	3	11	7	.	.											
Tuberculous Meningitis, ...	5	5	4	2	1	7	.	2	2	5	3.3	1	.	.	.	1	.	.	.	.	.	.											
Abdominal Tuberculosis, ...	1	1	.	2	.	.	5	1	2	3	1.5	2	.	1	1	.	.	.	.	.	.	.											
Tuberculosis of the Vertebral Column.	6	3	6	1	.	6	2	.	1	.	3.6	1	.	.	.	.	.	.	.	.	.	.											
Tuberculosis of Joints, ...													.	.	.	.	.	.	.	.	.												
Tuberculosis of other Organs, ...													.	.	.	.	.	.	.	.	.	.											
Scrofula, ...													.	.	.	.	.	.	.	.	.	.											
Disseminated Tuberculosis,...							3	2	2	1		1	.	1	.	.	.	.	.	.	.	.											
Venereal Diseases, ...	1	1	.	1	1	.	1	.	1	.	.5	.	.	.	.	.	.	.	.	.	.	.											
Cancer, ...	6	7	7	4	9	9	10	16	14	20	9.6	11	.	.	.	.	.	.	2	5	3	1											
Tumour, situation undefined,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Rheumatic Fever, ...	.	.	1	1	.	.	1	.	.	2	.5	.	.	.	.	.	.	.	.	.	.	.											
Diabetes, ...	1	2	3	.	2	.	.	.	.	.	.9	.	.	.	.	.	.	.	.	.	.	.											
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	.											
Other General Diseases, ...	.	.	.	.	.	.	1	1	1	1	.	1	.	.	.	.	.	.	.	1	.	.											
Alcoholism, ...	.	1	.	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.											
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Cerebro-spinal Fever, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.											
Simple Meningitis, ...	35	33	43	38	23	32	2	2	4	1	31.1	4	.	1	.	.	2	1	.	.	.	.											
Cerebral Hæmorrhage, Apoplexy.													7	.	.	.	.	1	4	2	.	.											
Softening of Brain, ...													.	.	.	.	.	.	.	.	.	.											
Paralysis, without specified cause.													4	.	.	.	.	1	2	.	.	1											
Epilepsy, ...													.	.	.	.	.	.	.	.	.	.											
Convulsions (non-puerperal), ...													7	2	4	1	.	.	.	.	.	.											
Other Diseases of Nervous System.													2	.	.	.	.	.	1	1	.	.											
Pericarditis, ...													1	.	.	.	.	.	.	.	.	.											
Acute Endocarditis, ...													3	.	.	.	.	1	.	.	.												
Organic Diseases of the Heart,													14	.	.	.	.	1	4	5	.	4											
Embolism and Thrombosis (including Cerebral).													2	.	.	.	.	1	1	.	.	.											
Other Diseases of Circulatory system.													.	.	.	.	.	.	.	.	.	.											
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Bronchitis, ...	10	7	10	10	10	9	11	10	7	5	8.9	13	.	.	1	.	1	.	1	5	4	1											
Broncho-pneumonia, ...	1	1	2	2	1	2	1	7	1	3	2.1	5	.	1	1	.	.	.	1	1	.	.											
Lobar pneumonia, ...	.	1	.	.	.	1	.	.	.	3	.5	1	.	.	.	.	.	.	.	.	.	.											
Pneumonia (type not distinguished)	2	2	4	4	5	3	4	1	1	1	2.7	1	.	.	.	.	1	.	.	.	.	.											
Pleurisy, ...	3	1	1	3	2	1	2	.	1	4	2.4	1	.	.	.	.	.	.	.	.	.	.											
Pulmonary Congestion, Pulmonary Apoplexy.													.	.	.	.	.	.	.	.	.												
Other Diseases of Respiratory System.													1	.	.	.	.	1	.	.	.	.											



THIRTY-SIXTH WEEK, ending Saturday, 11th September, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										In the Week ending Saturday, 11th September, 1915.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Sept. 9, 1905.	Sept. 8, 1906.	Sept. 7, 1907.	Sept. 5, 1908.	Sept. 11, 1909.	Sept. 10, 1910.	Sept. 9, 1911.	Sept. 7, 1912.	Sept. 6, 1913.	Sept. 5, 1914.	Averages in 36th Week of the 10 years, 1905-1914.	Deaths of Persons of the Ages of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
												All Ages.	0-5.										Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 11th September, 1915: the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION			COLS.		Popula- tion in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911		Total Number of Deaths.		AGES.														CAUSES OF DEATH										Number of Deaths	
CLASS.	(The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)						
ALL PERSONS.			—	156	43	7	9	25	39	21	12	6	1	1	1	1	1	1	1	2	5	11	7	7	15	13	1	1	70	8						
CLASSES.																																				
Deaths in Families of the—																																				
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	14.2	4	1	1	2	4	3	6	1	1	1	1	1	1	1	1	1	2	1	3	1	1	1	1	1	1	3	1						
II.	MIDDLE CLASS, ...	101,798	10.2	20	1	1	2	4	6	6	1	1	1	1	1	1	1	1	1	6	1	3	1	3	1	1	1	13	17	2						
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	15.9	33	3	3	2	5	11	5	4	4	4	4	4	4	4	4	4	10	4	4	7	5	7	10	1	23	5	5						
IV.	GENERAL SERVICE CLASS, ...	167,479	22.7	72	33	4	4	9	12	8	3	3	3	3	3	3	3	3	3	10	4	4	7	5	7	10	1	23	5	5						
V.	INMATES OF WORKHOUSES, ...	5,602	—	26	5	1	7	7	7	2	4	1	1	1	1	1	1	1	1	4	1	1	1	5	1	1	1	14	14	1	1					
PROFESSIONAL AND INDEPENDENT CLASS.																																				
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	26.5	4	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	1	1					
	2. Merchants and Manufacturers, Higher Class	1,347	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	3. Persons of Rank and Property, not otherwise described, ...	5,443	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
II.	MIDDLE CLASS.																																			
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	22.0	4	—	—	—	1	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	10.3	5	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	2	1	2	1	1	1	1	1	2	2	1	1					
	6. Clerks and Commercial Assistants, ...	33,249	11.0	7	1	1	2	—	3	—	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	3	1	1					
III.	Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	6.2	4	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																				
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	2	5	2	2					
	9. Building and Furnishing Trades, ...	28,823	16.3	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1					
	10. Clothing Trades, ...	20,026	13.0	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
	11. Food Supply Trades, ...	8,952	5.8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
	12. Other Trades and Callings ranking with Trades, ...	32,070	22.8	14	2	1	1	3	5	2	1	1	1	1	1	1	1	1	1	2	1	1	1	3	1	1	1	5	1	1	1					
IV.	Petty Shopkeepers ...	6,772	15.4	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—					
GENERAL SERVICE CLASS.																																				
	14. Army, Police, Postal Delivery and Prison Services &c., ...	12,977	52.2	13	8	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	3	1	1	1	1				
	15. Domestic Servants, ...	36,041	5.8	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	10.2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
	17. Hawkers, Porters, Labourers, &c., ...	103,081	26.8	53	24	3	4	8	8	4	2	1	1	1	1	1	1	1	1	9	4	2	5	3	5	6	1	18	4	4	4	4				
INMATES OF WORKHOUSES.																																				
V.	18. Workhouse Inmates, ...	5,602	—	26	5	1	7	7	7	2	4	1	1	1	1	1	1	1	1	4	1	1	1	5	1	1	1	14	14	1	1	1				

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 7	18.8	6.8	11	.	.	.	.	.	.	.	1	2	2	.	1	.	3	.	.	.
	" 14	23.9	1.7	14	.	.	.	.	.	.	.	.	2	1	1	1	2	1	1	1	1
	" 21	22.2	1.7	13	.	.	.	.	.	.	.	.	2	1	1	1	.	1	.	.	.
	" 28	13.7	5.1	8	.	.	.	.	.	.	.	.	.	1	2	2	.	3	.	.	.
Population in 1915 (Est.) 30,504.	Sept. 4	30.8	6.8	18	.	.	.	.	.	.	.	.	3	1	1	1	1	4	.	1	2
	" 11	20.5	5.1	12	.	.	.	.	.	1	.	.	1	2	1	.	1	2	.	1	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 7	8.8	3.8	7	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.
	" 14	22.5	3.8	18	.	.	.	.	.	.	.	.	2	1	1	.	1	3	.	.	.
	" 21	13.8	5.0	11	.	.	.	.	.	.	.	.	2	1	1	.	.	3	.	.	.
	" 28	27.5	5.0	22	.	.	.	.	1	.	.	.	2	1	.	2	.	4	.	.	.
Population in 1915 (Est.) 41,685.	Sept. 4	25.0	3.8	20	.	.	.	.	1	.	.	.	1	.	1	2	1	2	.	.	.
	" 11	22.5	5.0	18	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	.	.
North City, No. 2. (Office, Lisburn-street.)	Aug. 7	13.1	1.9	7	.	.	.	.	.	.	.	.	1	2	.	.	.	1	.	.	1
	" 14	16.8	.	9	.	.	.	.	.	.	.	.	2	.	.	.	2	.	.	1	1
	" 21	16.8	1.9	9	.	.	.	.	.	.	.	1	2	.	.	1	1	.	.	1	.
	" 28	26.2	5.6	14	.	.	.	.	.	.	.	.	4	.	1	1	1	3	.	.	.
Population in 1915 (Est.) 27,883.	Sept. 4	28.1	9.4	15	.	.	.	.	.	.	.	.	2	1	1	1	1	5	.	1	.
	" 11	28.1	.	15	.	.	.	.	.	.	.	.	3	.	1	1	4	.	.	.	.
North City, No. 3. (Office, Benburb-street.)	Aug. 7	5.8	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 14	13.1	1.5	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	" 21	8.7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	" 28	21.8	5.8	15	.	.	.	.	.	.	1	.	2	1	3	.	.	3	.	.	.
Population in 1915 (Est.) 35,887.	Sept. 4	10.2	.	7	.	.	.	.	.	.	.	.	2	1	2	.	.	.	.	.	.
	" 11	16.0	1.5	11	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	1
Clontarf and Howth No. 1 (part of).	Aug. 7	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	18.8	9.4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	37.7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Aug. 7	11.3	3.8	3	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.
	" 14	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	7.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	" 28	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 13,820.	Sept. 4	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Aug. 7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 28	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Population in 1915 (Est.) 10,829.	Sept. 4	9.6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 11	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City, No. 1. (Office, Stn. Earl-street.)	Aug. 7	19.0	.	15	.	.	.	.	.	.	.	.	3	1	1	1	1	.	.	1	.
	" 14	19.0	3.8	15	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	.
	" 21	13.9	6.3	11	.	.	.	.	.	.	.	.	.	.	2	.	.	3	.	.	.
	" 28	13.9	1.3	11	.	.	.	.	.	.	.	.	3	2	.	.	1	1	.	1	.
Population in 1915 (Est.) 41,170.	Sept. 4	8.9	2.5	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.
	" 11	17.7	1.3	14	.	.	.	.	.	.	.	.	5	.	1	.	1	1	.	.	1
South City, No. 2. (Office, Castle-street.)	Aug. 7	17.1	2.8	6	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.
	" 14	14.2	2.8	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 21	11.4	2.8	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	" 28	19.9	5.7	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	.
Population in 1915 (Est.) 18,341.	Sept. 4	19.9	5.7	7	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	.	.
	" 11	22.7	.	8	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
South City, No. 3. (Office, Peter-street.)	Aug. 7	17.8	1.2	15	.	.	.	.	.	.	1	.	1	1	.	1	2	.	.	.	.
	" 14	24.9	7.1	21	.	.	.	1	1	.	2	.	2	.	1	.	4	.	1	3	.
	" 21	20.2	1.2	17	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	.	.
	" 28	22.5	2.4	19	.	.	.	.	.	.	.	.	2	1	1	.	1	2	.	.	3
Population in 1915 (Est.) 43,970.	Sept. 4	24.9	1.2	21	.	.	.	.	.	.	.	.	5	.	.	.	5	1	.	1	2
	" 11	21.3	4.7	18	.	.	.	.	.	.	2	.	.	.	3	1	3	2	.	1	2
South City, No. 4. (Office, Grand Canal-st.)	Aug. 7	6.3	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.
	" 14	14.1	6.3	9	.	.	.	.	.	.	3	.	1	.	.	1	.	1	.	1	.
	" 21	20.4	9.4	13	.	.	.	.	.	.	.	.	1	.	1	.	.	5	.	1	.
	" 28	15.7	4.7	10	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
Population in 1915 (Est.) 33,171.	Sept. 4	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	" 11	18.9	1.6	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
New Kilmainham.	Aug. 7	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 14	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	10.5	5.2	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
Population in 1915 (Est.) 9,948.	Sept. 4	10.5	5.2	4	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
	" 11	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Aug. 7 " 14 " 21 " 28	9.2 6.6 17.1 9.2	1.3 . 1.3 1.3	7 5 13 7	1 . . .	. . . .	. . . 1	. . . .	. . . .	. . 1 .	. . . .	. . . 1	1 . 1 1	1 . . .	. 1 1 .	. . . .	. . . .	. . . .			
Population in 1915 (Est.) 39,541.	Sept. 4 " 11	7.9 11.9	. 1.3	6 9	. .	. .	. .	. .	. .	. .	1	1 1	1 .	. .	1 .	. .	. .	.			
Pembroke Urban District.	Aug. 7 " 14 " 21 " 28	20.5 12.0 13.7 12.0	. . . .	12 7 8 7	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	5 2 2 .	. . . .	1 . . 1	. . . 2	. 1 . .	. . . .	. . . .			
Population in 1915 (Est.) 30,538	Sept. 4 " 11	10.2 15.4	. 3.4	6 9	. .	. .	. .	. .	. .	. .	. .	. . 1	1 .	. .	1 .	. 2	. .	.			
Blackrock Urban District.	Aug. 7 " 14 " 21 " 28	5.6 28.2 5.6 11.3	. 5.6 . .	1 5 1 2	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	. . . .	. . . 1	. 1 . .	. . . .	. . . .	. . . .			
Population in 1915 (Est.) 9,233.	Sept. 4 " 11	16.9 .	. .	3 .	. .	. .	. .	. .	. .	. .	. .	. . .	. . .	1 .	. .	. .	. .	.			
Kingstown Urban District.	Aug. 7 " 14 " 21 " 28	9.2 24.6 3.1 6.2	. . . .	3 8 1 2	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 . . 1	. 1 . .	. 1 . 1	. . . .	. 1 . .	. . . .	. . . .			
Population in 1911 16,941.	Sept. 4 " 11	9.2 15.4	. .	3 5	. .	. .	. .	. .	. .	. .	. .	1 1 1	. . .	1 . .	. . .	. . .	. . .	.			
Belfast.	Aug. 7 " 14 " 21 " 28	11.3 12.7 13.6 14.0	1.3 1.4 1.9 1.8	87 98 105 108	. . . 1	. . . .	. . 1 .	2 3 2 2	1 . 3 1	2 . . .	1 . . .	11 9 15 14	4 5 8 3	9 8 7 6	4 7 2 5	8 6 3 5	3 6 9 8	1 1 1 1			
Population in 1915 (Est.) 403,000.	Sept. 4 " 11	15.4 16.0	4.4 2.5	119 124	2 .	. .	1 .	3 1	5 5	1 .	1 .	12 14	9 7	2 6	4 5	2 4	18 13	4 .			
Cork.	Aug. 7 " 14 " 21 " 28	12.9 17.0 19.0 11.6	0.7 . 2.0 1.4	19 25 23 17	. . . .	. . . .	. . . 1	. . . .	1 . . .	. . . .	. . . .	4 2 2 1	. 2 3 1	. . 1 2	. 2 2 2	1 2 2 2	. . 2 2	. . . .			
Population in 1911 76,673.	Sept. 4 " 11	15.6 22.4	1.4 1.4	23 33	. .	. .	. .	. .	. .	. .	. .	1 8	2 2	2 1	2 3	2 1	2 2	.			
Londonderry.	Aug. 7 " 14 " 21 " 28	15.2 21.5 20.2 19.0	5.1 7.6 7.6 6.3	12 17 16 15	. . . .	. . . .	. . . .	. . . .	1 4 4 4	. . . .	. . . .	2 1 . 1	1 1 . 2	. 1 2 1	. . 1 .	1 1 2 .	3 1 2 1	. 1 . .			
Population in 1915 (Est.) 41,200.	Sept. 4 " 11	29.1 15.2	8.9 1.3	23 12	. .	. .	. .	. .	2 .	. .	. .	4 1	2 1	1 1	. .	. 2	3 1	2 .			
Limerick.	Aug. 7 " 14 " 21 " 28	12.2 14.9 8.1 19.0	. . . .	9 11 6 14	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 3 1 .	. 1 . 1	1 . 2 .	. . 1 .	2 2 1 2	. . . .	. . . .			
Population in 1911 38,518.	Sept. 4 " 11	14.9 13.5	. .	11 10	. .	. .	. .	. .	. .	. .	. .	1 3	. .	1 2	. .	2 1	. .	.			
Waterford.	Aug. 7 " 14 " 21 " 28	11.4 15.2 22.8 19.0	. . . 1.9	6 8 12 10	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 2 . 2	1 1 .	. . .	. 1 .	1 . 2	. . 1	. . 1			
Population in 1911 27,464.	Sept. 4 " 11	19.0 13.3	1.9 1.9	10 7	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	1 .	. .			

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the URBAN (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th September, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes, and from certain Epidemic Diseases: Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.		Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
							Under 1 year.						5 and under 25 years.				25 and under 45 years.				45 and under 65 years.				65 years and upwards.								Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		DISEASES OF THE RESPIRATORY SYSTEM.		Other.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea 2 years of age and upwards.		Violence.		Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
							All Causes.		Certain Epidemic Diseases.†		1 year and under 5 years.		5 and under 25 years.		25 and under 45 years.		45 and under 65 years.		65 years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1916.  
† See note (†) at foot of first page.





TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Sept. 11,	1,770	1,218 <sup>c</sup>	14·0	2	.	5	5	13	10	176
EDINBURGH, ---	328,700	" 11,	108	88	14·0	.	.	5	.	1	5	2
GLASGOW, ---	1,078,400	" 11,	448	299 <sup>c</sup>	14·5	2	.	5	3	2	6	20
CALCUTTA ---	896,067	July 24,	.	354	20·5	65*	3	1	.	.	2†	60‡ <sup>a</sup>
BOMBAY, ---	979,445	" 31,	388	413	21·9	41*	5	.	.	.	.	33‡ <sup>a</sup>
MADRAS, ---	518,660	" 24,	337	360	36·1	43*	3	1	?	?	?	79‡ <sup>a</sup>
CAIRO, {	Egyptians, ...	" 1,	534	906	71·4	84	1	5	.	?	8†	277
	Foreigners,	" 1,	21	20	14·5	4	.	.	.	?	.	.
ALEXAN- DRIA, {	Egyptians,	" 1,	252	243	37·1	1	1	.	.	?	.	99
	Foreigners,	" 1,	25	64	43·4	5	.	.	.	?	.	4
PARIS, ---	2,847,229	Aug. 7,	464	721	12·9	3	.	5	4	4	5†	32
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,482	July 31,	249	100	8·5	.	.	.	1	1	1†	2
COPENHAGEN, ---	492,000	Aug. 14,	211	116	12·3	2	.	.	.	.	.	7 <sup>a</sup>
STOCKHOLM, ---	386,270	" 14,	135	81	10·9	.	.	.	1	.	3	.
CHRISTIANIA, ---	250,677	" 21,	101	52	10·8	.	.	.	.	.	.	2 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	July 24,	.	1,274	39·2	15	3	52	16	8	13†	413 <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ...	5,806,532	Aug. 7,	2,720	1,451	13·0	7	.	16	.	16	15†	241
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	Aug. 21,	.	226 <sup>b</sup>	16·2	1	.	.	.	3	.	35 <sup>a</sup>

\* Deaths from "fever," including 12 from enteric fever in Calcutta; and 5 from plague and one from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 22 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 194 deaths (including 30 from diarrhoeal diseases); rate, 13·9 per thousand.

<sup>c</sup> Including 4 deaths from cerebro-spinal fever in London, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th September, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 1, West,	.	.	.	.	.	.	.	1	.	.	.	.	1	2
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
„ „ 3,	.	.	.	.	1	.	.	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	1	.	.	1	.	.	.	.	.	.	.	5	7
„ „ 2,	.	.	.	.	1	.	.	.	.	.	.	.	2	3
„ „ 3,	.	1	.	.	2	.	.	2	1	.	.	.	3	9
„ „ 4,	.	.	.	.	1	.	.	2	.	.	.	.	3	6
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	3	.	.	8	.	.	6	1	.	.	.	18	36

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th September, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th September.			
	August 21.	August 28.	Sept. 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	12	15	19	7	.	.	26
Typhus,	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	12	4	2	1	.	.	3
Scarlet Fever,	54	56	55	4	1	.	58*
Diphtheria,	34	37	39	9	9	2	37
Pneumonia,	10	9	7	4	1	.	10

\* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116 GRAFTON STREET, DUBLIN: or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF: or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 18TH SEPTEMBER, 1915.

[No. 37.]

General Register Office, Charlemont House,  
Dublin, 20th September, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Aug. 28	Sept. 4	Sept. 11	Sept. 18	
<b>27 Town Districts, (a)</b>	<b>14·5</b>	<b>15·3</b>	<b>16·7</b>	<b>16·8</b>	<b>15·9</b>
Dublin Reg. Area ...	16·8	16·3	18·4	20·1	17·9
Dublin City ...	19·0	18·3	20·2	20·8	19·6
Belfast ...	14·0	15·4	16·0	14·6	15·0
Cork ...	11·6	15·6	22·4	22·4	18·0
Londonderry ...	19·0	29·1	15·2	13·9	19·3
Limerick ...	19·0	14·9	13·5	10·8	14·6
Waterford ...	19·0	19·0	13·3	9·5	15·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·6 per 1,000. Among the 113 deaths from all causes for Belfast are one from whooping-cough, one from diphtheria, and 15 from diarrhoeal diseases. Included in the 33 deaths from all causes for Cork are 2 from diarrhoea and enteritis of children under 2 years. Of the 11 deaths from all causes for Londonderry 3 are from whooping-cough and 2 from diarrhoea and enteritis of children under 2 years. Among the 5 deaths from all causes for Galway is one from enteric fever; one death from this disease is included in the 6 deaths from all causes for Newry; and 2 of the 4 deaths from all causes for Sligo are from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—97 boys and 85 girls—and the deaths to 166—83 males and 83 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·1 per 1,000 of the population. During the thirty-seven weeks, ending with Saturday last, the death-rate averaged 22·2, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 166, represent an annual rate of 21·2 per 1,000; the annual rate for the past thirty-seven weeks was 23·8 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·7 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one from whooping-cough, 3 from diphtheria, 25 from diarrhoea and enteritis of children under 2 years of age, and one from cerebro-spinal meningitis.

In the three preceding weeks, deaths from whooping-cough were 0, 0, and one, respectively; deaths from diphtheria were one, 0, and 2; deaths from diarrhoea and enteritis of children under 2 years of age were 22, 18, and 13; and deaths from cerebro-spinal fever were 0, 0, and 0.

Deaths from all forms of tuberculous disease which had been 26, 25, and 27 in the three preceding weeks, rose to 38\* last week; of the 38 deaths 35 were from pulmonary tuberculosis and 3 from tuberculosis of other organs.

Twelve\* deaths from cancer were registered.

Pneumonia caused 7 deaths, comprising 4 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 4 were from convulsions, 6 were attributed to prematurity, and 3 to congenital debility.

There were 8 deaths from organic diseases of the heart and 6 from bronchitis.

One accidental death was recorded.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one person aged 67 years.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (40 being infants under one year, of whom 13 were under one month old), and 35 were aged 65 years and upwards, including 26 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom one (a female) was stated to have been aged 90 years.

Seventy-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 8 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·1 per 1,000; the rate in the City was 20·8 (North City Districts, 19·5; South, 22·4), and in the Suburbs, 17·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·3 (in the North City Districts 3·8, and in the South 5·0), and for the Suburbs 1·6 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (8) are equal to an annual rate of 13·7 per 1,000, and include one from each of diphtheria, pulmonary tuberculosis, broncho-pneumonia, and one (that of a child under 2 years) from diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (28) are equal to an annual rate of 35·0 per 1,000. Included in the total are 8 from pulmonary tuberculosis, 3 from pneumonia, one from bronchitis, and 6 (of children under 2 years) from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. Whooping-cough caused one death, pulmonary tuberculosis 3 deaths, and diarrhoea and enteritis of children under 2 years 2 deaths.

No. 3 *North City District* (Benburb-street).—The deaths (11) represent an annual rate of 16·0 per 1,000, and include one from pulmonary tuberculosis and one (that of a child under 2 years) from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 4·8.

No. 1 *South City District* (South Earl-street).—The deaths (18) represent an annual rate of 22·8 per 1,000, and include 7 from tuberculous disease, one from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one from bronchitis and one from diarrhoea and enteritis of a child under 2 years.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 24·9 per 1,000. Diphtheria caused one death, pulmonary tuberculosis 4 deaths, bronchitis 2 deaths, and diarrhoea and enteritis of children under 2 years 2 deaths.

No. 4 *South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Pulmonary tuberculosis caused 2 deaths, pneumonia one death, diarrhoea and enteritis of children under 2 years 6 deaths, and there was one death by accident.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000, and comprise one from broncho-pneumonia and one (that of a child under 2 years) from diarrhoea and enteritis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·2; Pembroke, 27·3; Blackrock, 33·9; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diphtheria for Pembroke, and one from diarrhoea and enteritis under 2 years for each of Rathmines and Rathgar and Pembroke. Included in the 7 deaths from all causes for Rathmines and Rathgar are 2 from pulmonary tuberculosis and one from bronchitis. Of the 16 deaths from all causes for Pembroke 5 are from tuberculous disease. Among the 6 deaths from all causes for Blackrock are 2 from pulmonary tuberculosis and one from broncho-pneumonia; and one of the 4 deaths from all causes for Kingstown is from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·7), was equal to an average annual death-rate of 13·8 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 13·7 per 1,000, the rate for Glasgow being 14·1, and for Edinburgh 14·0.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th September. From this Report it appears that of 87 cases notified, 34 were scarlet fever, 24 diphtheria, 11 pulmonary tuberculosis, 11 other forms of tuberculosis, 6 erysipelas, and one enteric fever. Among the 532 cases of infectious diseases in hospital at the close of the week were 172 of pulmonary tuberculosis, 159 of scarlet fever, 113 of diphtheria, 38 of measles, 10 of whooping-cough, 7 of erysipelas, 5 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th September, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Aug. 28,	.	—	—	6	.	.	6	.	.	4	2	.	—	—	.	—	.	29	47
	Sept. 4,	.	—	—	4	.	.	9	.	.	1	.	—	—	—	.	—	18	32	
	Sept. 11,	.	—	—	3	.	.	8	.	.	6	1	.	—	—	.	—	18	36	
	Sept. 18,	.	—	—	6	.	.	6	.	.	6	5	.	—	—	.	—	35	58	
Rathmines and Rathgar Urban District.	Aug. 28,	.	—	—	2	.	.	2	.	.	.	2	.	—	—	—	—	—	—	6
	Sept. 4,	.	—	—	.	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Sept. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Aug. 28,	.	.	.	8	.	.	.	.	.	1	.	1	—	2	.	—	—	2	4
	Sept. 4,	.	2	.	.	.	.	.	.	.	.	.	.	—	13	.	—	—	1	21
	Sept. 11,	.	1	.	1	.	.	.	.	.	1	.	.	—	2	.	—	—	1	6
	Sept. 18,	.	1	.	2	.	.	1	.	.	.	.	.	—	6	.	—	—	.	10
Blackrock Urban District.	Aug. 28,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	1
	Sept. 4,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Sept. 11,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Sept. 18,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	1	3
Kingstown Urban District.	Aug. 28,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Sept. 4,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	.	.
	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	Aug. 28,	.	—	—	44	.	.	4	.	.	1	1	.	—	—	1	—	.	5	56
	Sept. 4,	.	—	—	47	.	.	2	.	.	1	3	.	—	—	2	—	3	58	
	Sept. 11,	.	—	—	69	.	.	1	.	.	.	1	.	—	—	.	—	3	74	
	Sept. 18,	.	—	—	55	.	.	1	.	3	5	4	.	—	—	.	—	1	69	
City of Cork.	Aug. 28,	.	2	—	3	.	.	1	.	.	1	.	1	—	—	—	20	—	—	28
	Sept. 4,	.	.	—	7	.	.	3	.	.	1	2	.	—	—	—	37	—	—	50
	Sept. 11,	.	1	—	9	.	.	1	.	.	1	.	.	—	—	—	13	—	—	25
	Sept. 18,	.	2	—	5	.	.	1	.	.	.	.	.	—	—	—	23	—	—	31
City of Londonderry.	Aug. 28,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Sept. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 11,	.	—	—	1	.	.	.	.	.	.	3	.	—	—	—	—	—	—	4
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
City of Limerick.	Aug. 28,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Sept. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 11,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	2
	Sept. 18,	.	—	—	.	.	.	.	.	.	6	.	.	—	—	—	—	—	—	6
City of Waterford.	Aug. 28,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3
	Sept. 4,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	.	4	
	Sept. 11,	.	—	—	3	1	.	1	.	.	.	.	.	—	—	—	—	.	5	
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	2	

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th September, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 31 cases remained under treatment at the close of the week, the respective numbers in hospital at the close of the 3 preceding weeks being 15, 19, and 26.

Two cases of measles were admitted to hospital during the week, and 5 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 4, 2, and 3 respectively.

Seven cases of scarlet fever were admitted to hospital, 13 were discharged, and 52\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 56, 55, and 58, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 7 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 37, 39, and 37 respectively, were 38 at the close of last week.

In addition to the above-named diseases, 5 cases of pneumonia were admitted to hospital, 5 were discharged, and 10 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th September, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 18TH SEPTEMBER, 1915.																														
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																						
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Tuber- culosis.	Diseases of the Respir- atory System.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.1	16.8	2.6	538	390	84	99	2	...	...	...	...	7	4	...	59	15	28	21	27	44	3	2	10	121	13		
DUBLIN REG- ISTRATION AREA:— TOTAL. (c.) ...	409,000	29.8	23.2	20.1	3.7	182	155(d)	40	33	...	...	...	...	...	1	3	...	34	2	10	7	11	25	...	1	3	64	3		
CITY OF DUBLIN.	312,747	39.5	26.7	20.8	4.3	160	125	35	22	...	...	...	...	...	1	2	...	25	1	8	6	9	23	...	1	3	52	3		
Urban Districts.																														
RATHMINES and RATHGAR.	39,541	23.1	13.2	9.2	1.3	10	7	1	3	...	...	...	...	...	...	...	...	2	...	1	...	2	1	...	...	...	...	4	...	
PEMBROKE, ...	30,538	19.4	12.0	27.3	3.4	7	16	3	4	...	...	...	...	...	...	1	...	4	1	1	...	...	1	...	...	...	...	5	...	
BLACKROCK, ...	9,233	8.5	...	33.9	...	...	6	...	2	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	...	3	...	
KINGSTOWN, ...	16,941	11.6	15.4	12.3	...	5	4	1	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
Urban Districts																														
BELFAST ...	403,000	27.0	20.6	14.6	2.2	159	113	22	30	...	...	...	...	...	1	1	...	10	3	8	8	11	13	2	1	4	25	2		
CORK, ...	76,673	28.6	35.4	22.4	1.4	52	33	5	12	...	...	...	...	...	...	...	...	6	2	4	3	1	2	...	...	...	...	15	2	
LONDON- DERRY	41,200	16.0	30.4	13.9	6.3	24	11	3	3	...	...	...	...	...	3	...	...	1	...	1	...	1	2	...	...	...	...	1	...	
LIMERICK, ...	38,518	16.1	10.8	10.8	...	8	8	1	2	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	3	2	
WATERFORD, ...	27,464	19.1	20.9	9.6	...	11	5	...	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1	2	
GALWAY, ...	13,255	2.5	...	...	...	11	5	...	1	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	1	1	
DUNDALK, ...	13,128	9.5	...	...	...	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7	...	...	...	8	3	1	2	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4	...	...	...	5	6	1	4	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...	
LISBURN ...	12,388	10.9	...	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0	...	...	...	5	6	...	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	3	...	
PORTADOWN, ...	11,727	15.3	...	...	...	6	6	1	1	...	...	...	...	...	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BALLYMENA ...	11,381	9.3	...	...	...	1	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	
SLIGO, ...	11,163	3.8	...	...	...	4	4	2	...	...	...	...	...	...	2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	
TRALEE, ...	10,300	17.4	...	...	...	8	6	1	2	...	...	...	...	...	...	...	...	1	2	...	...	...	...	...	...	...	...	4	...	
CLONMEL, ...	10,209	7.8	...	...	...	5	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	
NEWTOWNARDS	9,587	20.1	...	...	...	4	3	1	...	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	
QUEENSTOWN,	8,209	14.7	...	...	...	1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
LARNE, ...	8,036	13.4	...	...	...	6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	...	...	...	3	2	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BANGOR, ..	7,776	8.5	...	...	...	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2	...	...	...	3	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
ATHLONE, ..	7,472	6.2	...	...	...	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) exclusive of 8 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area: the 8 deaths include 2 from tuberculous disease, and 2 from cancer. (d) Including one death from cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 18th of September, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough, . . . . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1		
Diphtheria, . . . . .	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	3		
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary, . . . . .	1	8	3	1	.	.	6	.	4	2	.	2	4	2	1	34		
{ Other Forms, . . . . .	.	.	.	.	.	2	1	.	.	.	.	.	1	.	.	2		
Cancer, . . . . .	1	1	1	1	.	2	1	.	1	.	.	1	1	.	.	10		
Diseases of Nervous System, . . . . .	.	2	.	1	.	.	.	2	2	2	2	.	.	1	1	1		
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	2		
" Circulatory System, . . . . .	.	.	2	2	.	.	.	.	.	1	1	.	.	2	.	10		
" Respiratory System, { Pneumonia, . . . . .	1	3	.	.	.	.	.	.	.	.	1	1	.	.	1	7		
{ Others, . . . . .	.	2	.	.	1	.	.	1	2	3	.	.	2	.	.	11		
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	1	6	2	1	.	.	.	3	1	2	6	1	1	1	.	25		
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards, . . . . .	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2		
{ Others, . . . . .	.	1	.	1	.	.	.	2	.	1	.	.	1	.	.	6		
" Genito-urinary System, . . . . .	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	3		
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	1	2		
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes, . . . . .	2	2	2	3	.	.	.	3	.	5	2	.	1	2	.	1		
Violent Deaths, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1		
Ill-defined, &c. Causes, . . . . .	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2		
Deaths from All Causes . . . . .	8	28	11	11	1	2	1	18	6	21	16	2	7	16	6	4		
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	13·7	25·0	20·6	16·0	9·4	7·5	4·8	22·8	17·1	24·9	25·2	10·5	9·2	27·3	33·9	12·3		
	19·5							22·4				17·9				20·1		
	20·8																	
Ages at Death. { Under 1 year, . . . . .	1	7	2	3	.	.	.	7	2	5	6	2	1	3	.	1		
{ 1 and under 2 years, . . . . .	.	2	1	.	.	.	.	1	1	.	2	.	.	2	.	9		
{ 2 " 5 " . . . . .	.	1	1	1	.	.	.	.	.	1	.	.	.	.	.	4		
{ 5 " 15 " . . . . .	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	4		
{ 15 " 25 " . . . . .	.	2	1	.	.	.	1	.	.	1	.	.	.	1	.	6		
{ 25 " 45 " . . . . .	2	8	3	1	.	.	.	3	.	3	4	.	3	4	2	34		
{ 45 " 65 " . . . . .	2	2	2	4	.	1	.	3	2	7	1	.	.	2	2	28		
{ 65 and upwards, . . . . .	1	5	1	2	1	1	.	3	1	4	3	.	3	4	2	33		
Number of Uncertified Deaths, . . . . .	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	.	7	2	6	.	1	1	3	1	7	3	.	4	4	3	42		
Workhouse Hospitals, . . . . .	1	3	1	2	.	.	.	5	1	3	5	.	.	1	.	22		
																6		





THIRTY-SEVENTH WEEK, ending Saturday, 18th September, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 37th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 18th September, 1915.																
	Sept. 16, 1905.	Sept. 15, 1906.	Sept. 14, 1907.	Sept. 12, 1908.	Sept. 18, 1909.	Sept. 17, 1910.	Sept. 16, 1911.	Sept. 14, 1912.	Sept. 13, 1913.	Sept. 12, 1914.		All Ages.	Deaths of Persons of the Ages of															
													Under 1 month.	1 month and under a year.	0-5.		5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.						
															1-2.	2-5.												
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Stomach, ...	—	—	—	—	—	—	1	2	2	1	—	2	1	1	.	.	.	.	.	.	.	.	.					
Diarrhoea and Enteritis of Children under 2 years.	13	58	15	27	11	26	46	2	37	17	26.1	25	3	18	4	.	.	.	.	.	.	.	.					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1	2	1	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	.	3	.	—	2	.	.	.	.	.	.	.	1	.	1	.					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	3	5	3	1	—	1	.	.	.	.	.	.	.	1	.	.	.					
Cirrhosis of Liver, ...	.	2	.	1	4	3	1	1	1	.	1.3	1	.	.	.	.	.	.	1	.	.	.	.					
Other Diseases of Liver, ...	1	.	.	.	1	1	4	1	2	1	1.1	.	.	.	.	.	.	.	.	.	.	.	.					
Peritonitis (cause unknown),	.	.	.	2	.	.	.	1	1	2	.6	.	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Digestive System.	9	7	6	9	3	5	.	.	.	1	4.0	2	1	.	.	.	.	.	1	.	.	.	.					
Acute Nephritis, ...	5	7	7	6	3	6	.	1	2	.	5.7	.	.	.	.	.	.	.	.	.	.	.	.					
Chronic Bright's Disease, ...							3	4	1	3		2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
Urinary Calculi, ...							1	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							2	.	3	3																		
Puerperal Septicæmia, &c., ...	.	1	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	1	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	2	2	—	2	.	.	.	.	.	.	.	1	.	1	.					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.					
Premature Birth, ...	2	4	3	2	4	6	2	4	2	4	3.3	6	6	.	.	.	.	.	.	.	.	.	.					
Congenital Debility, ...	—	—	—	—	—	—	5	3	3	8	—	3	2	1	.	.	.	.	.	.	.	.	.					
Old Age, ...	3	3	1	3	4	3	5	3	5	5	3.5	10	.	.	.	.	.	.	.	.	5	5	.					
Other Specified Diseases, ...	—	—	—	—	—	—	.	2	3	2	—	2	.	.	1	.	.	.	.	.	.	1	.					
ACCIDENT :																												
Poisons or Poisonous Vapours.	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Burns and Scalds, ...	.	1	1	.	.	2	.	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.	.					
Drowning, ...	.	.	.	.	1	.	.	.	1	2	.4	.	.	.	.	.	.	.	.	.	.	.	.					
Suffocation in Bed,	.	.	.	.	.	.	2	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.					
Other Deaths by Accident, ...	4	.	1	3	2	4	.	.	5	1	2.0	1	.	.	.	.	.	1	.	.	.	.	.					
Total Deaths from Accident,	4	2	2	3	3	6	2	.	6	3	3.1	1	.	.	.	.	.	1	.	.	.	.	.					
Included in above are Deaths in connection with—																												
Railways, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Vehicles and Horses, ...	1	.	1	.	1	.	.	.	2	.	.5	.	.	.	.	.	.	.	.	.	.	.	.					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
VIOLENCE OTHER THAN ACCIDENTAL :																												
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Suicide, ...	.	.	1	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	8	5	.	—	2	.	.	.	.	.	.	.	1	1	.	.					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
No of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	213	196	218	236	252	231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182
DEATHS REGISTERED.																										
Annual Death-rate per 1,000, ...	228	194	219	205	209	160	205	186	174	140	165	117	147	138	161	133	113	121	117	110	143	120	134	144	156	66
Average Deaths in corresponding week of previous 10 years, ...	29.1	24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2
Deaths from:—	191	199	201	193	201	195	175	180	158	168	132	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158
Enteric Fever, ...	61	50	55	50	67	42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	20	46	48	53
Typhus, ...	10	8	7	7	5	5	9	8	4	8	3	8	6	6	7	8	5	3	6	4	4	6	8	7	7	4
Small-pox, ...	13	12	15	14	12	11	12	16	14	6	9	11	10	12	10	10	5	10	6	5	7	4	6	8	9	6
Measles, ...	48	25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	18	24	21	12	21	18	27	25	36
Scarlet Fever, ...	46	45	54	45	49	39	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32
Whooping-cough, ...	29	34	37	32	17	19	31	21	17	22	19	13	18	23	16	23	13	17	13	14	21	17	14	19	21	19
Diphtheria, ...	26	25	25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	14	8	11	11	11	9	10	12	16
Influenza, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...	32	24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35
{ Other Forms, ...	9	5	9	9	12	3	10	9	3	7	3	3	6	8	9	2	3	7	6	9	3	4	7	4	5	3
Cancer, ...	11	13	10	5	7	11	17	9	10	5	8	10	10	10	10	8	9	9	8	4	9	8	10	11	11	12
Diseases of Circulatory System, ...	19	18	13	21	18	15	18	18	18	14	16	13	20	20	18	15	13	12	15	16	17	13	16	14	20	10
Diseases of Respi- { Pneumonia, ...	17	15	21	23	16	8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7
{ Others, ...	39	26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11
Diarrhoea and Enteritis, under 2 years, ...	6	4	1	3	2	5	6	6	5	9	9	5	5	2	5	7	3	3	7	7	11	14	22	18	13	25
Diarrhoea, 2 years and upwards	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Violent Deaths, ...	7	4	5	7	7	3	5	2	5	5	6	3	3	5	5	1	6	2	1	4	5	4	2	4	1	1
Number of Uncertified Deaths, ...	5	8	4	3	7	1	2	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITIONS of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th September, 1915; the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION			Population in each Class and Group in 1911.	AGES.													CAUSES OF DEATH														
(The 3138 persons returned under the head "Unspecified," in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)			Annual Death Rate per 1,000 of the Population in 1911	Total Number of Deaths.	AGES.								CAUSES OF DEATH																		
CLASS.	Colrs.	(1)	(2)	(3)	Under 6 years.	15 and under 15.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Diseases of the Respiratory System.		Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unreported Deaths.		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
I.	ALL PERSONS.	397,957	—	166	53	4	6	36	32	19	16	.	.	.	.	.	3	.	.	35	8	12	5	7	11	25	.	1	63	3	
II.	DEATHS IN FAMILIES OF THE—	14,658	7.1	2	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
III.	MIDDLE CLASS.	101,798	17.4	34	4	1	4	10	4	2	9	.	.	.	.	.	2	.	9	2	4	.	.	2	3	.	.	12	.	.	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	108,420	18.8	35	10	.	6	9	7	3	.	.	.	.	.	.	.	.	4	.	3	1	1	3	5	.	.	18	2	.	
V.	GENERAL SERVICE CLASS.	167,479	22.1	71	35	2	13	11	7	1	.	.	.	.	.	1	1	.	15	.	5	2	2	2	2	19	.	.	24	1	.
	INNATES OF WORKHOUSES.	5,602	—	24	4	1	6	8	3	2	.	.	.	.	.	.	.	.	7	1	.	2	2	2	2	1	.	1	8	.	.
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
II.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments.	7,868	13.3	2	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.
III.	2. Merchants and Manufacturers.	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	3. Persons of Rank and Property, not otherwise described.	5,443	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
V.	MIDDLE CLASS.																														
VI.	4. General Body of Officials—Civil Service, Banking, &c.	9,523	11.0	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.
VII.	5. Traders (except Petty Shopkeepers), Business Managers &c.	25,199	6.2	3	.	.	2	.	.	1	.	.	.	.	.	.	.	.	.	6	.	1	.	1	.	.	.	.	1	.	.
VIII.	6. Clerks and Commercial Assistants.	33,249	20.4	13	4	1	2	4	1	1	.	.	.	.	.	.	2	.	.	.	.	1	.	.	.	.	.	.	4	.	.
IX.	7. Miscellaneous—including all Household in Second Class Localities not included in above.	33,827	21.7	16	.	.	1	3	3	2	7	.	.	.	.	.	.	.	1	2	.	3	.	.	.	.	.	.	7	.	.
X.	ARTISAN CLASS AND PETTY SHOPKEEPERS.																														
XI.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers.	11,777			3	.	2	1	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	2	1	.	.	1	1	.
XII.	9. Building and Furnishing Trades.	28,823	14.5	8	.	.	1	3	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
XIII.	10. Clothing Trades.	20,026	20.8	8	1	.	1	1	1	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	6	.	.
XIV.	11. Food Supply Trades.	8,952	11.6	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.
XV.	12. Other Trades and Callings ranking with Trades.	32,070	24.4	15	6	.	2	4	2	1	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	4	.	.	8	1	.
XVI.	13. Petty Shopkeepers.	6,772	15.4	2	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.
XVII.	GENERAL SERVICE CLASS.																														
XVIII.	14. Army, Police, Postal Delivery and Prison Services, &c.	12,977	56.3	14	9	.	5	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	4	.	.	8	.	.
XIX.	15. Domestic Servants.	36,041	5.8	4	1	.	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	1	.	.
XX.	16. Coach and Car Drivers, Vanmen, &c.	15,380	23.7	7	3	1	1	1	1	1	.	.	.	.	.	.	.	.	2	.	.	1	1	1	1	2	.	.	2	.	.
XXI.	17. Hawkers, Porters, Labourers, &c.	103,081	23.3	46	22	1	2	7	10	4	.	.	.	.	.	.	1	1	11	.	4	1	1	1	2	12	.	.	13	1	.
XXII.	INNATES OF WORKHOUSES.																														
XXIII.	18. Workhouse Innates.	5,602	—	24	4	1	6	8	3	2	.	.	.	.	.	.	.	.	7	1	.	2	2	2	2	1	.	1	8	.	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 14	23.9	1.7	14	.	.	.	.	.	.	.	.	2	1	1	1	2	1	.	.	1
	" 21	22.2	1.7	13	.	.	.	.	.	.	.	.	2	1	1	1	1	1	.	1	.
	" 28	13.7	5.1	8	.	.	.	.	.	.	.	.	.	1	2	.	1	3	.	.	.
	Sept. 4	30.8	6.8	18	.	.	.	.	.	.	.	.	3	.	3	.	1	4	.	1	2
Population in 1915	" 11	20.5	5.1	12	.	.	.	.	.	1	.	.	1	2	1	1	1	2	.	.	1
(Est.) 30,504.	" 18	13.7	3.4	8	.	.	.	.	.	.	1	.	1	.	1	1	.	1	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 14	22.5	3.8	18	.	.	.	.	.	.	.	.	2	1	1	.	1	3	.	.	.
	" 21	13.8	5.0	11	.	.	.	.	1	.	.	.	2	.	1	.	.	3	.	.	.
	" 28	27.5	5.0	22	.	.	.	.	.	.	.	.	2	1	.	2	.	4	.	1	.
	Sept. 4	25.0	3.8	20	.	.	.	.	1	.	.	.	1	.	1	2	1	2	.	.	.
Population in 1915	" 11	22.5	5.0	18	.	.	.	.	.	.	.	.	1	.	1	2	3	4	.	.	.
(Est.) 41,885.	" 18	35.0	7.5	28	.	.	.	.	.	.	.	.	8	.	1	3	2	6	.	.	1
North City, No. 2. (Office, Lisburn-street.)	Aug. 14	16.8	.	9	.	.	.	.	.	.	.	.	2	.	.	1	2	.	.	.	.
	" 21	16.8	1.9	9	.	.	.	.	.	.	1	.	2	.	.	.	1	.	.	1	1
	" 28	26.2	5.6	14	.	.	.	.	.	.	.	.	4	.	1	1	1	3	.	.	.
	Sept. 4	28.1	9.4	15	.	.	.	.	.	.	.	.	2	1	1	1	4	.	.	1	.
Population in 1915	" 11	28.1	.	15	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.
(Est.) 27,883.	" 18	20.6	5.6	11	.	.	.	.	.	1	.	.	3	.	1	.	.	2	.	.	.
North City, No. 3. (Office, Benburb-street.)	Aug. 14	13.1	1.5	9	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	1
	" 21	8.7	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
	" 28	21.8	5.8	15	.	.	.	.	.	.	.	.	2	1	3	.	.	3	.	.	.
	Sept. 4	10.2	.	7	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.
Population in 1915	" 11	16.0	1.5	11	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	1
(Est.) 35,887.	" 18	16.0	1.5	11	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
Clontarf and Howth No. 1 (part of).	Aug. 14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	18.8	9.4	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 28	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 11	37.7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 18	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Coolock and Drumcondra (part of).	Aug. 14	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	7.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	" 28	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Sept. 4	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 11	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 13,820.	" 18	7.5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Aug. 14	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 21	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 28	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Sept. 4	9.6	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 11	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
(Est.) 10,829.	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Aug. 14	19.0	3.8	15	.	.	.	.	.	.	.	.	3	.	1	.	1	3	.	.	.
	" 21	13.9	6.3	11	.	.	.	.	.	.	.	.	.	.	2	.	.	3	2	.	.
	" 28	13.9	1.3	11	.	.	.	.	.	.	.	.	3	2	.	.	1	1	.	.	1
	Sept. 4	8.9	2.5	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.
Population in 1915	" 11	17.7	1.3	14	.	.	.	.	.	.	.	.	5	.	1	.	1	1	.	.	1
(Est.) 41,170.	" 18	22.8	3.8	18	.	.	.	.	.	.	.	.	6	1	.	.	1	3	.	.	.
South City, No. 2. (Office, Castle-street.)	Aug. 14	14.2	2.8	5	.	.	.	.	1	.	.	.	1	.	.	.	1	.	.	.	.
	" 21	11.4	2.8	4	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 28	19.9	5.7	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	.
	Sept. 4	19.9	5.7	7	.	.	.	.	.	.	.	.	1	1	.	.	1	2	.	.	.
Population in 1915	" 11	22.7	.	8	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
(Est.) 18,341.	" 18	17.1	2.8	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
South City, No. 3. (Office, Peter-street.)	Aug. 14	24.9	7.1	21	.	.	.	1	1	.	2	.	2	.	1	.	1	2	.	1	3
	" 21	20.2	1.2	17	.	.	.	.	.	.	.	.	3	.	2	.	4	.	1	.	3
	" 28	22.5	2.4	19	.	.	.	.	.	.	.	.	2	1	1	.	1	2	.	1	1
	Sept. 4	24.9	1.2	21	.	.	.	.	.	.	.	.	5	.	.	.	5	1	.	1	2
Population in 1915	" 11	21.3	4.7	18	.	.	.	.	.	.	2	.	.	.	3	1	3	2	.	1	2
(Est.) 43,970.	" 18	24.9	3.6	21	.	.	.	.	.	.	1	.	4	.	1	.	3	2	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Aug. 14	14.1	6.3	9	.	.	.	.	.	3	.	.	1	.	.	.	.	1	.	1	.
	" 21	20.4	9.4	13	.	.	.	.	.	1	.	.	1	.	1	.	.	5	.	1	.
	" 28	15.7	4.7	10	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
	Sept. 4	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
Population in 1915	" 11	18.9	1.6	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	1
(Est.) 33,171.	" 18	25.2	9.4	16	.	.	.	.	.	.	.	.	2	.	.	1	.	6	.	1	.
New Kilmainham.	Aug. 14	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 21	10.5	5.2	2	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	" 28	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.
Population in 1915	Sept. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 9,948.	" 11	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1
	" 18	10.5	5.2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAB, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.		Marriages, 2 years and upwards.	Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Aug. 14 " 21 " 28 Sept. 4	6.6 17.1 9.2 7.9	. 1.3 1.3 .	5 13 7 6	. . . .	. . . .	. . 1 .	. . . .	. . . .	. . . .	. . 1 .	. . . .	. 1 1 1	. 1 1 1	. . . .	1 1 . .	. . . .	. . . .	. . . .	. . . .	
Population in 1915 (Est.) 39,541.	" 11 " 18	11.9 9.2	1.3 1.3	9 7	. .	. .	. .	. .	. .	. .	1 .	. .	1 2	. .	1 .	. .	1 2	1 .	. .	. .	
Pembroke Urban District.	Aug. 14 " 21 " 28 Sept. 4	12.0 13.7 12.0 10.2	. . . .	7 8 7 6	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 2 . .	. . . 1	. . 1 .	. . . .	1 . 2 1	. . . 2	. . . .	. 1 .	
Population in 1915 (Est.) 20,538	" 11 " 18	15.4 27.3	3.4 3.4	9 16	. .	. .	. .	. .	. .	. .	. 1	. .	4 1	1 1	. .	. .	. .	1 .	. .	. .	
Blackrock Urban District.	Aug. 14 " 21 " 28 Sept. 4	28.2 5.6 11.3 16.9	5.6 . . .	5 1 2 3	. . . .	. . . .	. . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	. . . .	. . . 1	1 . 1 .	. . 1 .	. . . .	. . . .	. . . .	. . . .	
Population in 1915 (Est.) 9,233.	" 11 " 18	. 33.9	. .	6	. .	. .	. .	. .	. .	. .	. .	. .	2 .	. .	. .	1 .	. .	. .	. .	. .	
Kingstown Urban District.	Aug. 14 " 21 " 28 Sept. 4	24.6 3.1 6.2 9.2	. . . .	8 1 2 3	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 1 1	1 . 1 .	1 . 1 .	. . . .	1 . . .	. . . .	. . . .	1 .	
Population in 1911 16,941.	" 11 " 18	15.4 12.3	. .	5 4	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	. .	. .	. .	. .	. .	. .	
Belfast.	Aug. 14 " 21 " 28 Sept. 4	12.7 13.6 14.0 15.4	1.4 1.9 1.8 4.4	98 105 108 119	. . 1 2	. . . .	. . 1 1	1 1 2 3	3 2 1 3	. . 1 1	. . . .	. . . .	9 15 14 12	5 8 3 9	8 7 6 2	7 2 5 4	6 3 5 2	6 9 8 18	1 1 1 4	2 1 1 2	
Population in 1915 (Est.) 403,000.	" 11 " 18	16.0 14.6	2.5 2.2	124 113	. .	. .	. .	. .	1 5 1	. 1 .	. .	. .	10 3	3 8	8 .	8 .	11 .	13 .	2 .	1 .	
Cork.	Aug. 14 " 21 " 28 Sept. 4	17.0 19.0 11.6 15.6	. 2.0 1.4 1.4	25 28 17 23	. . . .	. . . .	. . . 1	. . . .	. . . .	. . . .	. . . .	. . . .	2 2 1 1	2 3 1 2	. 1 1 2	2 2 2 2	2 2 2 2	. 2 2 2	. . . .	. 1 .	
Population in 1911 76,673.	" 11 " 18	22.4 22.4	1.4 1.4	33 33	. .	. .	. .	. .	. .	. .	. .	. .	8 6	2 2	1 4	3 3	1 1	2 2	. .	. .	
Londonderry.	Aug. 14 " 21 " 28 Sept. 4	21.5 20.2 19.0 29.1	7.6 6.3 6.3 8.9	17 16 15 23	. . . .	. . . .	. . . .	. . . .	. . . .	4 4 2 .	. . . .	. . . .	1 1 4 1	1 . 2 1	1 2 1 1	. 1 1 .	. 2 1 .	1 1 3 1	1 . 2 .	. . 1 .	
Population in 1915 (Est.) 41,200.	" 11 " 18	15.2 13.9	1.3 6.3	12 11	. .	. .	. .	. .	. .	. 3	. .	. .	1 1	1 .	1 1	. .	1 1	2 2	. .	. .	
Limerick.	Aug. 14 " 21 " 28 Sept. 4	14.9 8.1 19.0 14.9	. . . .	11 6 14 11	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	3 1 . 3	. 1 . 1	. . 2 .	. 1 1 2	2 1 2 1	. . . .	. . . .	. . . .	
Population in 1911 38,518.	" 11 " 18	13.5 10.8	. .	10 8	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 .	1 .	. .	. .	. .	. .	
Waterford	Aug. 14 " 21 " 28 Sept. 4	15.2 22.8 19.0 19.0	. . 1.9 1.9	8 12 10 10	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 2 2	2 1 . .	. 1 1	. . .	1 . 2	. . 1	. . .	. .	
Population in 1911 27,464.	" 11 " 18	13.3 9.5	1.9 .	7 5	. .	. .	. .	. .	. .	. .	. .	. .	2 1	. 1	. .	. .	. .	1 .	. 1	. .	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th September, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes: the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.			Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM											Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.				
					Total Number of DEATHS.																												
					Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.				Diarrhoea upwards.	Violence.		
					All Causes.	Certain Epidemic Diseases.†															Pneumonia.	Other.		Pulmonary.	Other Forms.								
Cols.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																																	
BELFAST URBAN No. 1 DISTRICT.	15,879	8	13.1	3.3	4	1	3	1	1	1																							
Do. 2 do.	49,500	18	12.6	3.2	12	4	1	2	4	3																							
Do. 3 do.	50,032	16	12.5		12	4	1	2	4	3																							
Do. 4 do.	32,637	24	22.4	3.2	14	3	2	1	1	3																							
Do. 5 do.	16,112	7	16.2		5	2	1	1	1	2																							
Do. 6 do.	37,293	13	9.8		7	1				2																							
Do. 7 do.	2,681	2																															
Do. 8 do.	5,964	3	26.2		3				1	1																							
Do. 9 do.	24,427	8	17.1	2.1	8	1	1	1	2	1																							
Do. 10 do.	28,958	15	23.4	7.2	13	2	2	3	1	3																							
Do. 11 do.	39,311	15	13.3		10	2	2	2	1	2																							
Do. 12 do.	38,076	16	17.8	2.7	13	3	1	1	2	4																							
Do. 13 do.	23,233	9	13.5	2.2	6	1				4																							
Do. 14 do.	175	1																															
Do. 15 do.	22,669	10	13.8	6.9	6	1	1			3																							
Total,	386,947	159	14.6	2.2	113	22	12	13	18	30																							
City of Cork.																																	
CORK URBAN No. 1 DISTRICT.	13,455	5	23.3		6	1		2		2																							
Do. 2 do.	10,399	13	25.1		5	1	1	1	2																								
Do. 3 do.	9,793	5	5.3		1																												
Do. 4 do.	9,139	8	17.1	5.7	3																												
Do. 5 do.	6,250	3	33.4		4				2																								
Do. 6 do.	11,581	6	22.5	4.5	5	1	1	1	2	2																							
Do. 7 do.	16,056	12	29.2		9	1	1	1	6																								
Total,	76,673	52	22.4	1.4	33	5	4	5	7	12																							

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1915.—WEEK ENDING																									
	March 27.	April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.
No. of weeks in Annual Series,	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37
BIRTHS registered, ...	232	177	235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159
DEATHS registered, ...	165	180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113
Annual Death-rate per 1,000 of estimated population, ...	21.3	23.3	21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6
{ Under 1 year, 1—5 years, 5—25 " 25—45 " 45—65 " 55 and upwards,	34	31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22
	22	22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12
	25	18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13
	18	23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18
	39	40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23	26	23	29	27	26	24	25	18
Deaths from:—	32	46	48	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30
Enteric Fever, ...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...
Typhus, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...	4	4	6	3	2	7	8	2	4	5	1	6	5	5	2	3	3	1	3	...	1	1	1	1	...	...
Scarlet Fever, ...	...	...	...	1	...	1	...	...	...	1	1	1	2	3	...	2	4	1	1	2	3	2	2	3	1	...
Whooping-cough, ...	3	3	5	5	7	6	2	5	1	2	1	1	1	...	4	3	1	1	4	1	...	3	1	5	5	1
Diphtheria, ...	1	...	...	1	...	...	...	1	...	...	1	...	...	...	2	...	1	1	1	2	...	...	...	1	...	...
Dysentery, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
Tuberculosis. {	20	15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10
Pulmonary, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Other Forms, ...	7	13	7	12	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3
Cancer ...	2	8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8
Diseases of Respi- {	26	22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8
ratory System, {	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Pneumonia, ...	25	29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11
Others, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhoea and Enteritis, under 2 years, ...	3	4	1	2	2	2	2	...	...	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13
Diarrhoea, 2 years and upwards, ...	3	2	...	...	1	1	...	...	...	...	...	...	...	...	...	2	1	1	...	1	1	...	1	4	...	2
Violent Deaths, ...	3	3	1	3	...	3	2	1	1	3	3	3	3	2	1	1	3	2	...	5	2	1	1	2	2	1
Number of Uncertified Deaths, ...	2	2	3	...	2	2	1	...	...	...	2	1	1	...	...	...	...	4	1	...	...	1	...	2	3	2

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Sept. 18,	1,849	1,276 <sup>c</sup>	14·7	3	.	1	4	17	17	171	
EDINBURGH, ---	328,700	" 18,	113	88	14 0	.	.	6	.	.	4	5	
GLASGOW, ---	1,078,400	" 18,	450	292	14 1	.	.	4	6	1	1	25	
CALCUTTA ---	896,067	July 31,	.	366	21·2	64*	2	.	.	.	.	57† <sup>a</sup>	
BOMBAY, ---	979,445	Aug. 7,	361	494	26·2	54*	4	.	.	1	.	52† <sup>a</sup>	
MADRAS, ---	518,660	July 31,	351	382	38·3	33*	5	.	?	?	?	90 <sup>a</sup>	
CAIRO, {	Egyptians, ...	657,451	" 8,	546	884	69·9	74	1	2	.	?	6†	230
	Foreigners,	72,952	" 8,	4	26	18·5	3	.	.	.	?	.	2
ALEXAN- DRIA, {	Egyptians,	344,239	" 8,	267	246 <sup>d</sup>	37·2	5	2	.	.	?	.	92
	Foreigners,	77,569	" 8,	26	76	50 9	10	1	.	.	?	.	3
PARIS, ---	2,847,229	Aug. 14,	397	704	12 6	1	.	7	5	7	2†	31	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	612,722	Aug. 7,	245	110	9·4	.	.	1	.	1	1†	.	
COPENHAGEN, ---	492,000	" 21,	228	121	12·8	.	.	1	.	.	.	2 <sup>a</sup>	
STOCKHOLM, ---	386,270	" 21,	115	59	7·9	.	.	.	.	.	.	4	
CHRISTIANIA, ---	250,677	" 28,	111	41	8 5	.	.	.	.	.	2	4 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	July 31,	.	1,215	37·4	15	3	41	11	4	10†	487† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Aug. 14,	3,116	1,322	11·9	9	.	7	2	15	18†	219	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,326	Aug. 28,	.	201 <sup>b</sup>	14·4	3	.	1	.	5	3	22 <sup>a</sup>	

\* Deaths from "fever," including 5 from enteric fever in Calcutta; 8 from plague and one from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, one in Bombay, and 4 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 168 deaths (including 2 from diphtheria, and 21 from diarrhoeal diseases): rate, 12·0 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever.

<sup>d</sup> Including one death from plague.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th September, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	3	.	.	.	1	.	.	.	2	6
"    "    1, West, ...	.	.	.	.	.	.	.	1	.	.	.	.	5	6
"    "    2, ...	.	.	.	.	.	.	.	.	2	.	.	.	7	9
"    "    3, ...	.	.	.	.	.	.	.	.	1	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Finglas and Glasnevin (part of), ..	.	.	.	.	.	.	.	.	.	.	.	.	2	2
South City No. 1, ...	.	1	.	.	.	.	.	1	.	.	.	.	6	8
"    "    2, ...	.	1	.	.	1	.	.	1	.	.	.	.	.	3
"    "    3, ...	.	3	.	.	2	.	.	1	.	.	.	.	7	13
"    "    4, ...	.	1	.	.	.	.	.	2	1	.	.	.	3	7
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	5	.	.	6	.	.	6	5	.	.	.	35	58

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th September, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th September.			
	August 28.	Sept. 4.	Sept. 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	15	19	26	8	3	.	31
Typhus, ...	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	4	2	3	2	.	.	5
Scarlet Fever, ...	56	55	58	7	13	.	52*
Diphtheria, ...	37	39	37	8	7	.	38
Pneumonia, ...	9	7	10	5	5	.	10

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS****IN THE  
DUBLIN REGISTRATION AREA,**

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

*Price 1½d.*

VOL. LII.] WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1915.

[No. 38.]

*General Register Office, Charlemont House,  
Dublin, 27th September, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·4 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGHES, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 4	Sept. 11	Sept. 18	Sept. 25	
<b>27 Town Districts, (a)</b>	<b>15·8</b>	<b>16·7</b>	<b>16·8</b>	<b>16·4</b>	<b>16·4</b>
Dublin Reg. Area ...	16·3	18·4	20·1	19·6	18·6
Dublin City ...	18·3	20·2	20·8	22·5	20·4
Belfast ...	15·4	16·0	14·6	11·4	14·4
Cork ...	15·6	22·4	22·4	19·7	20·0
Londonderry ...	29·1	15·2	13·9	20·2	19·6
Limerick ...	14·9	13·5	10·8	13·5	13·2
Waterford ...	19·0	13·3	9·5	9·5	12·8

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·8 per 1,000. Among the 88 deaths from all causes for Belfast are one each from enteric fever, scarlet fever, and whooping-cough, and 12 from diarrhoeal diseases. Included in the 29 deaths from all causes for Cork are 6 from diarrhoeal diseases. Of the 16 deaths from all causes for Londonderry 2 are from whooping-cough and one from diarrhoea. One of the 5 deaths from all causes for Waterford is from scarlet fever. The 10 deaths from all causes for Newry include one from diphtheria. Two of the 4 deaths from all causes for Ballymena are from whooping-cough. Of the 10 deaths from all causes for Sligo one is from whooping-cough and one from diarrhoea and enteritis of a child under 2 years; and the 4 deaths from all causes for Tralee include one from scarlet fever and one from diarrhoea and enteritis of a child under 2 years.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 191—103 boys and 88 girls—and the deaths to 169—97 males and 72 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 15) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 19·6 per 1,000 of the population. During the thirty-eight weeks, ending with Saturday last, the death-rate averaged 22·2, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 169, represent an annual rate of 21·5 per 1,000; the annual rate for the past thirty-eight weeks was 23·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·7 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from enteric fever, 2 from measles, one death each from scarlet fever and whooping-cough, and 24 deaths from diarrhoea and enteritis of children under 2 years of age.

There were no deaths from enteric fever or measles in the three preceding weeks; deaths from scarlet fever were one, 0, and 0; deaths from whooping-cough were 0, one, and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 18, 13, and 25.

There were 25\* deaths from tuberculous disease, comprising 20 from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from tuberculosis of joints. In the three preceding weeks deaths from all forms of the disease numbered 25, 27, and 38, respectively.

Cancer caused 10 deaths.

The 6 deaths from pneumonia, include one from broncho-pneumonia one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Three deaths of infants under one year of age were ascribed to convulsions, 5 to premature birth, and 7 to congenital debility.

There were 15 deaths from organic diseases of the heart and 12 from bronchitis.

Four deaths were assigned to accidental causes, including 2 caused by drowning and one caused by a motor car.

One case of suicide was recorded.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one infant under one year of age and the death of one person aged 86 years.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (46 being infants under one year, of whom 15 were under one month old), and 31 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 12 aged 75 and upwards.

Sixty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, and 20 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 19·6 per 1,000; the rate in the City was 22·5 (North City Districts, 19·5; South, 26·0), and in the Suburbs, 10·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·7 per 1,000 inhabitants, the rate for the City being 4·7 (in the North City Districts 4·7, and in the South 4·8), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (18) are equal to an annual rate of 30·8 per 1,000, and include 4 from pulmonary tuberculosis, one from broncho-pneumonia, one from bronchitis, and 5 from diarrhoea and enteritis of children under 2 years.

No. 1 *North City District, West* (Summer-hill).—The deaths (23) are equal to an annual rate of 28·8 per 1,000. Included in the total are 5 from pulmonary tuberculosis, one from bronchitis, and 6 (of children under 2 years) from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (6) are equivalent to an annual rate of 11·2 per 1,000, and include one death from whooping-cough.

No. 3 *North City District* (Benburb-street).—The deaths (7) represent an annual rate of 10·2 per 1,000. The total includes one from measles, one from tuberculous meningitis, one from pneumonia, and one (that of a child under 2 years) from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 14·4. One of the 3 deaths for the last-named district is that of a child under 2 years from diarrhoea and enteritis.

No. 1 *South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·6 per 1,000, and include one from each of measles, scarlet fever, and pneumonia, 2 from bronchitis, and 3 (those of children under 2 years of age) from diarrhoea and enteritis.

No. 2 *South City District* (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. Included in the total are 2 from tuberculous disease, one from pneumonia, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (20) are equal to an annual rate of 23·7 per 1,000, and include 6 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, and 3 (those of children under 2 years) from diarrhoea and enteritis.

No. 4 *South City District* (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 22·6 per 1,000. Enteric fever caused one death, pulmonary tuberculosis 3 deaths, bronchitis 2 deaths, and there was one accidental death.

*New Kilmainham District.*—The deaths (6) are equal to an annual rate of 31·4 per 1,000, and include one from pulmonary tuberculosis, 2 (of children under 2 years) from diarrhoea and enteritis, one accidental death, and there was one death by suicide.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·2; Pembroke, 12·0; Blackrock, 5·6; and Kingstown, 3·1. The only death from any of the principal epidemic diseases tabulated for these districts was one (that of a child under 2 years) from diarrhoea and enteritis for Pembroke. Of the 10 deaths from all causes for Rathmines and Rathgar 2 are from bronchitis. The one death for Blackrock is from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·0), was equal to an average annual death-rate of 13·5 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow being 14·9, and for Edinburgh 10·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th September. From this Report it appears that of 88 cases notified, 30 were diphtheria, 29 scarlet fever, 14 pulmonary tuberculosis, 7 other forms of tuberculosis, 5 erysipelas, one enteric fever, one puerperal fever, and one cerebro-spinal fever. Among the 544 cases of infectious diseases in hospital at the close of the week were 172 of pulmonary tuberculosis, 172 of scarlet fever, 120 of diphtheria, 28 of measles, 7 of erysipelas, 6 of enteric fever, 5 of whooping-cough, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th September, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Sept. 4,	.	—	—	4	.	.	9	.	.	1	.	.	—	—	—	—	—	18	32
	Sept. 11,	.	—	—	3	.	.	8	.	.	6	1	.	—	—	—	—	—	18	36
	Sept. 18,	.	—	—	6	.	.	6	.	.	6	5	.	—	—	—	—	—	35	58
	Sept. 25,	.	—	—	3	.	.	5	.	1	10	.	.	—	—	—	—	—	16	35
Rathmines and Rathgar Urban District.	Sept. 4,	.	—	—	1	.	.	1	.	.	1	1	.	—	—	—	—	—	—	3
	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Sept. 4,	.	2	.	3	.	.	.	.	.	1	.	.	—	13	.	—	—	2	21
	Sept. 11,	.	1	.	1	.	.	.	.	.	1	.	.	—	2	.	—	—	1	6
	Sept. 18,	.	1	.	2	.	.	1	.	.	.	.	.	—	6	.	—	—	.	10
	Sept. 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
Blackrock Urban District.	Sept. 4,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Sept. 11,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Sept. 18,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1	3
	Sept. 25,	.	2	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3
Kingstown Urban District.	Sept. 4,	.	—	—	.	.	.	1	.	.	.	1	.	—	—	—	—	—	.	2
	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Sept. 4,	.	—	—	47	.	.	2	.	.	1	3	.	—	—	2	—	.	3	58
	Sept. 11,	.	—	—	69	.	.	1	.	.	.	1	.	—	—	—	—	.	3	74
	Sept. 18,	.	—	—	55	.	.	1	.	3	5	4	.	—	—	—	—	1	69	69
	Sept. 25,	.	—	—	67	.	.	.	.	.	2	2	.	—	—	—	—	5	76	76
City of Cork.	Sept. 4,	.	—	—	7	.	.	3	.	.	1	2	.	—	—	—	37	—	—	50
	Sept. 11,	.	1	—	9	.	.	1	.	.	.	1	.	—	—	—	13	—	—	25
	Sept. 18,	.	2	—	5	.	.	1	.	.	.	.	.	—	—	—	23	—	—	31
	Sept. 25,	.	1	—	1	.	.	2	.	.	.	.	.	—	—	—	25	—	—	29
City of Londonderry.	Sept. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Sept. 11,	.	—	—	1	.	.	.	.	.	.	3	.	—	—	—	—	—	—	4
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Sept. 25,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	—	5
City of Limerick.	Sept. 4,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	—	.
	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Sept. 18,	.	—	—	.	.	.	.	.	.	6	.	.	—	—	—	—	—	—	6
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Sept. 4,	.	—	—	2	.	.	1	.	.	.	1	.	—	—	—	—	—	.	4
	Sept. 11,	.	—	—	3	1	.	1	.	.	.	.	.	—	—	—	—	—	.	5
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	2	2
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	1

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th September, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Nine cases of enteric fever were admitted to hospital during the week, and 40 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 19, 26, and 31.

Three cases of measles were admitted to hospital during the week, 2 were discharged, one died and 5 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 2, 3, and 5 respectively.

Six cases of scarlet fever were admitted to hospital, 7 were discharged, there was one death, and 50\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 55, 58, and 52, respectively.

Five cases of diphtheria were admitted to hospital during the week, 2 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 39, 37, and 38 respectively, were 41 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, one was discharged, one died, and 11 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th September, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.		BIRTHS.	DEATHS.																									
	Total.(a)	Per- sons to an Acre.	BIRTHS.	DEATHS.			TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by														Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
											Tubercu- losis.	Diseases of the Respir- atory System.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.							Dysentery.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	22.9	16.4	2.8	533	381	95	58	2	...	...	2	4	7	1	...	43	12	24	22	25	45	3	6	10	112	8			
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	24.4	19.6	3.7	191	154	46	25	1	...	...	2	1	1	...	...	19	4	10	6	13	24	...	3	4	53	5			
CITY OF DUBLIN.	312,747	39.5	27.7	22.5	4.7	166	135	42	19	1	...	...	2	1	1	...	...	18	4	8	6	11	23	...	3	4	49	4			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	14.5	13.2	.	11	10	3	3	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	4	1			
PEMBROKE. ...	30,538	19.4	15.4	12.0	1.7	9	7	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
BLACKROCK. ...	9,233	8.5	5.6	5.6	.	1	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
KINGSTOWN. ...	16,941	11.6	12.3	3.1	.	4	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...			
Urban Districts																															
BELFAST ..	403,000	27.0	23.5	11.4	1.9	182	88	22	9	1	...	...	...	1	1	...	...	6	4	7	11	5	11	1	2	3	20	1			
CORK, ..	76,673	28.6	17.7	19.7	4.1	26	29	6	4	...	...	...	...	...	...	...	...	6	...	2	1	...	5	1	...	...	10	...			
LONDON - DERRY	41,200	16.0	26.6	20.2	3.8	21	16	3	1	...	...	...	...	...	2	...	...	2	1	...	1	2	...	1	...	...	2	...			
LIMERICK, ...	38,518	16.1	17.6	13.5	.	13	10	3	...	...	...	...	...	...	...	...	...	1	1	1	...	1	...	...	...	1	3	...			
WATERFORD, ...	27,464	19.1	17.1	9.5	1.9	9	5	...	2	...	...	...	...	1	...	...	...	1	...	...	1	...	...	...	...	...	1	...			
GALWAY, ...	13,255	2.5	...	...	...	8	11	2	3	...	...	...	...	...	...	...	...	3	...	1	1	...	1	...	1	1	4	...			
DUNDALK, ...	13,128	9.5	...	...	...	8	7	2	1	...	...	...	...	...	...	...	...	2	...	1	...	...	1	...	...	...	3	...			
LURGAN, ...	12,553	14.7	...	...	...	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
DROGHEDA, ...	12,501	8.4	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LISBURN ...	12,388	10.9	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
NEWRY, ...	11,963	17.0	...	...	...	4	10	...	2	...	...	...	...	...	...	...	1	1	2	...	1	...	...	...	...	...	6	...			
PORTADOWN, ...	11,727	15.3	...	...	...	5	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,631	22.8	...	...	...	13	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BALLYMENA ..	11,381	9.3	...	...	...	3	4	1	1	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...	...	1	...			
SLIGO, ...	11,163	3.8	...	...	...	3	10	2	3	...	...	...	...	...	1	...	...	1	...	...	...	1	1	...	...	...	7	1			
KILKENNY, ...	10,514	11.4	...	...	...	1	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
TRALEE, ...	10,300	17.4	...	...	...	7	4	1	...	...	...	...	...	1	...	...	...	...	...	1	...	...	1	...	...	...	1	...			
CLONMEL, ...	10,209	7.8	...	...	...	2	6	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...			
NEWTOWNARDS	9,587	20.1	...	...	...	7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
QUEENSTOWN,	8,209	14.7	...	...	...	...	4	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LARNE, ...	8,036	13.4	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
COLERAINE. ...	7,785	7.7	...	...	...	1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...			
BANGOR. ..	7,776	8.5	...	...	...	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BRAY, ..	7,691	7.2	...	...	...	2	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1			
ATHLONK. ..	7,472	6.2	...	...	...	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ARMAGH, ...	7,356	21.8	...	...	...	2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (†) at foot of first page. (c) Exclusive of 15 deaths of persons (including 6 at 65 years or upwards), admitted to hospital from localities outside the Area; the 15 deaths include 2 from tuberculous disease.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 25th of September, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Whooping-cough, . . . . .	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	4	5	.	.	.	.	.	.	1	4	3	1	.	.	1	.	19	1
{ Other Forms, . . . . .	.	.	.	1	.	.	.	.	1	2	.	.	.	.	.	.	4	1
Cancer, . . . . .	1	.	.	.	.	1	1	1	.	2	2	.	1	.	.	1	10	.
Diseases of Nervous System, . . . . .	1	1	.	1	.	.	.	1	2	2	3	.	4	.	.	.	15	1
"    Organs of Special Sense, . . . . .	2	3	.	2	.	2	.	3	1	.	.	.	1	3	.	.	17	1
"    Circulatory System, . . . . .	1	.	.	1	.	.	.	1	1	2	.	.	.	.	.	.	6	.
"    Respiratory System. { Pneumonia, . . . . .	1	1	.	.	1	.	1	2	.	3	2	.	2	.	.	.	13	1
{ Others, . . . . .	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
"    Digestive System. { Diarrhoea and Enteritis, under 2 years, . . . . .	5	6	.	1	.	1	3	2	3	.	2	.	1	.	.	.	24	.
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Enteritis, 2 years and upwards, . . . . .	.	2	.	.	.	.	1	1	.	.	.	.	1	.	.	.	5	5
"    Genito-urinary System, . . . . .	.	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	3	.
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	1
"    Locomotor System, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Other specified Causes, . . . . .	3	4	4	.	1	.	.	2	1	1	3	1	1	2	.	.	23	2
Violent Deaths, . . . . .	.	.	.	.	.	.	.	.	.	.	1	2	.	.	.	.	3	2
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	3	.
Deaths from All Causes . . . . .	18	23	6	7	2	3	3	21	11	20	15	6	10	7	1	1	154	15
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	30·8	23·8	11·2	10·2	18·3	11·3	14·4	26·6	31·3	23·7	23·6	31·4	13·2	12·0	5·6	3·1	19·6	.
	19·5							26·0					10·3					
	22·5																	
Ages at Death. { Under 1 year, . . . . .	5	8	6	1	1	.	1	7	4	4	4	1	3	1	.	.	46	.
"    1 and under 2 years, . . . . .	2	1	.	1	.	.	.	3	1	1	1	1	.	.	.	.	11	.
"    2 " 5 " . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.
"    5 " 15 " . . . . .	1	1	.	1	.	.	.	1	1	1	1	.	.	.	.	.	7	.
"    15 " 25 " . . . . .	1	2	.	.	.	.	.	.	.	2	.	2	.	1	.	.	8	1
"    25 " 45 " . . . . .	2	5	.	1	.	.	.	4	2	3	3	2	.	1	1	.	24	4
"    45 " 65 " . . . . .	4	3	.	1	1	.	2	4	3	4	3	.	4	1	.	1	31	4
"    65 and upwards, . . . . .	3	3	.	1	.	3	.	2	.	5	2	.	3	3	.	.	25	6
Number of Uncertified Deaths, . . . . .	.	1	.	.	.	.	.	2	.	1	.	.	1	.	.	.	5	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	5	5	1	2	.	1	.	1	.	3	2	2	3	.	.	.	25	12
Workhouse Hospitals, . . . . .	4	2	1	2	.	.	.	6	2	6	4	.	1	.	.	.	28	3

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 38th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 25th September, 1915.												
	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.	Sept. 21, 1912.	Sept. 20, 1913.	Sept. 19, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
ALL CAUSES.	137	201	145	153	157	174	183	134	143	161	158.8	169	15	31	11	2	7	9	28	35	19	12		
Enteric Fever, ...	2	2	.	1	2	1	3	1	1	3	1.6	1	.	.	.	.	.	.	.	1	.	.	.	
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...	.	1	.	3	.	3	.	3	.	.	1.0	2	.	.	1	1	.	.	.	.	.	.	.	
Scarlet Fever, ...	.	1	.	.	1	.	3	1	2	.	.8	1	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, ...	1	1	1	1	.	1	3	4	.	.	1.2	1	.	1	.	.	.	.	.	.	.	.	.	
Diphtheria, ...	.	.	2	.	2	3	.	.	.	1	.8	.	.	.	.	.	.	.	.	.	.	.	.	
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, ...	.	.	.	1	.	1	.	1	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Erysipelas, ...	.	1	.	.	.	2	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.	
Other Epidemic Diseases, ...	.	.	.	.	1	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Pyæmia and Septicæmia (non- puerperal).	1	.	1	.	3	1	1	1	.	1	.9	.	.	.	.	.	.	.	.	.	.	.	.	
Tetanus, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
TUBERCULOSIS.																								
Pulmonary Tuberculosis, ...	25	26	21	21	21	19	12	7	15	18	18.5	20	.	.	1	1	.	5	8	5	.	.	.	
Tuberculous Meningitis, ...	2	5	6	6	3	3	.	2	.	2	2.9	4	.	1	1	.	1	1	.	.	.	.	.	
Abdominal Tuberculosis, ...	3	.	2	.	.	.	1	2	.	2	1.0	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of the Vertebral Column.	6	7	4	3	6	5	.	.	.	1	4.0	1	.	.	.	.	.	1	.	.	.	.	.	
Tuberculosis of Joints, ...																								
Tuberculosis of other Organs, Scrofula, ...																								
Disseminated Tuberculosis,...																								
Venereal Diseases, ...	.	2	3	1	1	1	.	.	.	.	.8	1	.	1	.	.	.	.	.	.	.	.	.	
Cancer, ...	5	6	9	8	18	9	9	6	9	15	9.4	10	.	.	.	.	.	.	2	6	2	.	.	
Tumour, situation undefined,	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Rheumatic Fever, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Diabetes, ...	1	.	.	1	2	.	4	.	1	1	.9	2	.	.	.	.	.	.	.	1	1	.	.	
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	1	.	2	2	.	1	.	.	.	.	.	.	1	1	1	1	.	
Other General Diseases, ...	.	.	.	.	.	.	3	.	3	3	.	4	.	.	.	.	1	1	.	1	1	1	1	
Alcoholism, ...	.	1	1	.	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.	
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Cerebro-spinal Fever, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.	
Simple Meningitis, ...	.	.	.	.	.	.	2	.	1	7	.	2	.	2	.	.	.	.	.	.	.	.	.	
Cerebral Hæmorrhage, Apo- plexy.	30	44	29	34	24	32	5	2	2	4	31.5	3	.	.	.	.	.	.	1	1	1	.	.	
Softening of Brain, ...																								
Paralysis, without specified cause.																								
Epilepsy, ...																								
Convulsions (non-puerperal), ...																								
Other Diseases of Nervous System.																								
Pericarditis, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Acute Endocarditis, ...	.	.	.	.	.	.	1	13	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	12	1	17	16	.	15	.	.	.	1	1	4	1	4	4	.	.	
Other Diseases of Circulatory system.	.	.	.	.	.	.	3	2	.	3	.	1	.	.	.	1	.	.	.	.	.	.	.	
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Bronchitis, ...	6	10	14	11	13	16	12	7	9	7	10.5	12	.	.	2	1	.	.	.	.	.	.	.	
Broncho-pneumonia, ...	4	3	2	6	1	3	3	5	2	2	3.1	1	.	.	.	.	.	.	.	3	4	2	.	
Lobar pneumonia, ...	.	.	.	1	1	.	1	1	3	2	.9	1	.	.	.	.	.	1	.	.	.	.	.	
Pneumonia (type not distin- guished)	1	4	4	5	2	1	.	7	.	.	3.1	4	.	.	1	.	.	.	1	.	1	1	.	
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Pulmonary Congestion, Pul- monary Apoplexy.	.	.	.	2	5	4	.	1	2	1	.	1	.	.	.	.	.	.	.	1	.	.	.	
Other Diseases of Respiratory System.	.	.	.	.	.	.	.	2	.	.	1.9	1	.	.	.	.	.	.	.	1	.	.	.	



THIRTY-EIGHTH WEEK, ending Saturday, 25th September, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 38th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 25th September, 1915.											
	Sept. 23, 1905.	Sept. 22, 1906.	Sept. 21, 1907.	Sept. 19, 1908.	Sept. 25, 1909.	Sept. 24, 1910.	Sept. 23, 1911.	Sept. 21, 1912.	Sept. 20, 1913.	Sept. 19, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	4	4	—	3	.	.	.	.	.	.	.	.	.	.	
Diarrhoea and Enteritis of Children under 2 years.	14	43	16	24	9	32	44	3	25	25	24.6	24	2	18	4	.	.	.	.	1	2	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards													.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	4	1	1	1	—	1	.	.	.	.	.	.	.	1	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	3	.	.	—	2	.	.	.	.	.	.	.	.	2	.	
Cirrhosis of Liver, ...	1	2	1	1	5	2	3	2	1	.	1.8	2	.	.	.	.	.	.	.	2	.	.	
Other Diseases of Liver, ...	1	1	.	.	.	1	2	1	.	.	.6	1	.	.	.	.	.	.	.	.	1	.	
Peritonitis (cause unknown),	.	1	.	.	.	.	.	.	.	.	.1	1	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Digestive System.	3	7	2	4	6	3	1	.	.	2	2.8	.	.	.	.	.	.	.	.	.	1	.	
Acute Nephritis, ...	7	7	6	4	6	4	2	3	.	1	5.9	2	.	.	.	.	.	.	.	.	.	.	
Chronic Bright's Disease, ...							6	2	3	3		.	.	.	.	.	.	.	.	.			
Urinary Calculi, ...							1	.	.	.		.	.	.	.	.	.	.	.	.			
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.			
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.			
Other Diseases of Genito- urinary System.	7	7	6	4	6	4	1	1	.	2	5.9	1	.	.	.	.	.	.	1	.	.		
Puerperal Septicæmia, &c., ...							.	1	.	.		.	.	.	.	.	.	.	.	.			
Other Causes incident to Pregnancy and Childbirth.							1	.	3	.		1	.	.	.	.	1	.	.	.	.	1	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	2	1	1	—	3	1	1	.	.	.	.	1	.	.		
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	.	.	—	1	.	.	.	.	.	.	1	.	.		
Premature Birth, ...	6	5	5	4	4	7	3	6	3	2	4.5	5	5	.	.	.	.	.	.	.	.		
Congenital Debility, ...	—	—	—	—	—	—	1	1	3	2	—	7	3	4	.	.	.	.	.	.	.		
Old Age, ...	3	2	2	1	1	4	6	6	7	5	3.7	3	.	.	.	.	.	.	.	.	3		
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	1	1	—	2	2	.	.	.	.	.	.	.	.		
ACCIDENT:																							
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Burns and Scalds, ...	2	1	.	1	1	1	2	2	.	1	1.1	.	.	.	.	.	.	.	.	.	.		
Drowning, ...	2	1	.	1	.	1	2	.	1	2	1.0	2	.	.	.	1	.	.	.	1	.		
Suffocation in Bed, ...	.	1	1	.	.	2	.	1	.	.	.5	.	.	.	.	.	.	.	.	.	.		
Other Deaths by Accident, ...	.	2	3	2	1	2	3	1	8	2	2.4	2	.	.	.	.	.	2	.	.	.		
Total Deaths from Accident,	4	5	4	4	2	6	7	4	9	5	5.0	4	.	.	.	1	.	2	.	1	.		
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	1	1	.	.	.2	.	.	.	.	.	.	.	.	.	.		
Vehicles and Horses, ...	.	2	.	1	1	1	.	.	1	.	.6	1	.	.	.	.	.	1	.	.	.		
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.		
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Suicide, ...	.	.	.	.	.	.	.	1	.	1	.2	1	.	.	.	.	.	1	.	.	.		
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	5	2	1	—	3	.	.	1	.	1	.	1	.	.		

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																									
		April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.
No of weeks in Annual Series,		13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38
Births registered.		196	218	236	252	231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191
Average Births in corresponding week of previous 10 years, ...		231	219	212	223	217	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218
Deaths registered, ...		194	219	205	209	160	205	186	174	140	165	147	147	138	161	183	113	121	117	110	143	120	134	144	156	166	169
Annual Death-rate per 1,000, ...		24.7	27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5
Average Deaths in corresponding week of previous 10 years, ...		199	201	193	201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		50	55	50	67	42	50	46	51	32	54	25	89	34	36	33	28	25	35	33	51	39	50	46	43	53	59
		3	7	7	5	5	9	8	4	8	8	3	8	6	7	6	5	3	6	4	4	6	8	7	7	4	7
		12	15	14	12	11	12	16	14	6	9	11	10	12	10	8	5	10	6	5	7	4	6	8	9	6	9
		25	26	35	34	30	40	35	34	24	26	33	25	21	23	21	18	24	18	24	21	12	21	18	25	36	28
		45	54	45	49	48	42	39	33	41	43	39	25	26	51	27	31	34	25	22	22	22	29	27	39	32	35
		34	37	32	17	19	31	21	17	22	19	13	18	23	16	23	13	17	13	14	14	21	17	14	19	21	19
		25	25	22	25	14	15	18	15	15	13	14	14	10	11	18	15	18	14	8	11	11	9	10	12	16	12
Deaths from :—		1	3	...	...	2	...	...	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1
Enteric Fever, ...		1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Typhus, ...		1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...		...	...	1	6	2	1	...	4	3	2	1	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
Scarlet Fever, ...		...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Whooping-cough, ...		...	...	4	11	2	5	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Diphtheria, ...		...	...	1	1	2	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Influenza, ...		...	...	4	2	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery, ...		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...		24	27	31	26	26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20
Other Forms, ...		5	9	9	12	8	10	9	8	7	3	12	6	8	9	9	3	7	6	9	3	4	7	4	5	3	5
Cancer, ...		13	10	5	7	11	17	9	10	5	8	6	10	10	10	10	9	9	8	4	9	8	10	11	11	12	10
Diseases of Circulatory System, ...		18	13	21	18	15	18	18	14	16	13	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18
Diseases of Respi- { Pneumonia, ...		15	21	23	16	8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	4	2	7	6
ratory System, { Others, ...		26	44	25	22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14
Diarrhoea and Enteritis, under 2 years, ...		4	1	3	2	5	6	6	5	...	9	...	5	2	5	7	3	3	7	7	11	14	22	18	13	25	24
Diarrhoea, 2 years and upwards		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Violent Deaths, ...		4	5	7	7	3	5	2	5	5	6	...	3	5	5	1	6	...	1	4	5	4	2	4	1	1	5
Number of Uncertified Deaths, ...		8	4	3	7	1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 25th September, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 25TH SEPTEMBER, 1915.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
CLASS.		OCCUPATION OR SOCIAL POSITION (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		Population in each Class and Group in 1911.		AGES.										CAUSES OF DEATH										Number of Deaths																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
						Total Number of Deaths.						CAUSES OF DEATH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
						(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)			(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, simi ar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Un- certified Deaths.						
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES. PAGE 2.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		Violence.					
													Pulmonary.	Other Forms.		Pneumonia.	Other.									
North City, No. 1 (E.) (Office Clarence St. Nth.)	Aug. 21 28 Sept. 4 11	22.2 13.7 30.8 20.5	1.7 5.1 6.8 5.1	13 8 18 12	.	.	.	.	.	.	.	.	2 3 1 1	1 1 2 1	2 2 3 1	1 . . . . 1	.	1 3 4 2	.	1 1 1 1	.	1 1 1 5	.	1 1 1 1	.	2 1
Population in 1915 (Est.) 30,504.	" 18 25	13.7 30.8	3.4 8.5	8 18	.	.	.	.	.	.	1	1	4	.	1 1	1 1	1 1	1 1	1 5	.	.	.	.	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 21 28 Sept. 4 11	13.8 27.5 25.0 22.5	5.0 5.0 3.8 5.0	11 22 20 18	.	.	.	.	1	.	.	.	2 2 1 1	.	1 . . 1 1	.	2 2 2 3	3 4 2 4	.	.	.	.	.	1	.	.
Population in 1915 (Est.) 41,685.	" 18 25	35.0 28.8	7.5 7.5	28 23	.	.	.	.	.	.	.	.	8 5	.	1 . . 1 . .	3 . . 3 . .	2 2 6 6	6 6	.	.	.	.	.	.	.	1
North City, No. 2. (Office, Lisburn-street.)	Aug. 21 28 Sept. 4 11	16.8 26.2 28.1 28.1	1.9 5.6 9.4 . .	9 14 15 15	.	.	.	.	.	.	.	1	2 4 2 3	.	1 1 1 . .	1 1 1 1	1 1 4 . .	3 5 5 2	.	.	.	.	.	1	.	.
Population in 1915 (Est.) 27,883.	" 18 25	20.6 11.2	5.6 1.9	11 6	.	.	.	.	.	1	.	.	3	.	1 . . . . . .	.	.	.	2	.	.	.	.	.	.	.
North City, No. 3. (Office, Benburb-street.)	Aug. 21 28 Sept. 4 11	8.7 21.8 10.2 16.0	. . 5.8 . . 1.5	6 15 7 11	.	.	.	.	.	.	.	1	2 2 2 1	.	1 2 1 1	.	.	3 . . . . 1	.	.	.	.	.	.	2	
Population in 1915 (Est.) 35,887.	" 18 25	16.0 10.2	1.5 2.9	11 7	.	.	.	1	.	.	.	.	.	1	.	1 1 1 . .	.	1 1 1 1	.	.	.	.	.	.	.	1
Clontarf and Howth No. 1 (part of).	Aug. 21 28 Sept. 4 11	18.8 . . . . 37.7	9.4 . . . . . .	2 . . . . 4	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 5,539.	" 18 25	9.4 18.8	. . . .	1 2	.	.	.	.	.	.	.	.	.	.	.	.	1 1	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Aug. 21 28 Sept. 4 11	7.5 3.8 7.5 7.5	. . . . . . . .	2 . . 2 2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	
Population in 1915 (Est.) 13,820.	" 18 25	7.5 11.3	. . . .	2 3	.	.	.	.	.	.	.	.	.	.	2 1	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Aug. 21 28 Sept. 4 11	9.6 14.4 9.6 14.4	. . . . . . . .	2 3 2 3	.	.	.	.	.	.	.	.	.	.	1 1 1 1	.	.	.	.	.	.	.	.	.	1	
Population in 1915 (Est.) 10,829.	" 18 25	4.8 14.4	. . 4.8	1 3	.	.	.	.	.	.	.	.	.	.	1 1	.	1 1	1 1	.	.	.	.	.	.	.	
South City, No. 1. (Office, St. Earl-street.)	Aug. 21 28 Sept. 4 11	13.9 13.9 8.9 17.7	6.3 1.3 2.5 1.3	11 11 7 14	.	.	.	.	.	.	.	.	3 1 5 6	.	2 . . . . 1	.	1 1 1 1	3 1 1 3	2 . . . . 3	.	.	.	.	.	1	
Population in 1915 (Est.) 41,170.	" 18 25	22.8 26.6	3.8 6.3	18 21	.	.	.	1	1	.	.	.	.	1	1 1	1 2	2 3	.	.	.	.	.	.	.	2	
South City, No. 2. (Office, Castle-street.)	Aug. 21 28 Sept. 4 11	11.4 19.9 19.9 22.7	2.8 5.7 5.7 . .	4 7 7 8	.	.	.	.	.	.	.	.	1 1 2 1	.	1 1 1 1	.	1 1 1 1	1 2 2 . .	.	.	.	.	.	1		
Population in 1915 (Est.) 18,341.	" 18 25	17.1 31.3	2.8 5.7	6 11	.	.	.	.	.	.	.	.	1 1	.	.	.	2 1	1 2	.	.	.	.	.	.	1	
South City, No. 3. (Office, Peter-street.)	Aug. 21 28 Sept. 4 11	20.2 22.5 24.9 21.3	1.2 2.4 1.2 4.7	17 19 21 18	.	.	.	.	.	.	.	.	3 2 5 . .	.	2 1 . . 3	.	4 . . 1 3	. . 2 2 3	1 . . 1 3	.	.	.	.	.	3	
Population in 1915 (Est.) 43,970.	" 18 25	24.9 23.7	3.6 3.6	21 20	.	.	.	.	.	.	.	2 1	.	4 4	2 2	1 2	3 3	3 3	.	.	.	.	.	.	1	
South City, No. 4. (Office, Grand Canal-st.)	Aug. 21 28 Sept. 4 11	20.4 15.7 14.1 18.9	9.4 4.7 3.1 1.6	13 10 9 12	.	.	.	.	.	1	.	.	1 2 1 3	.	1 . . . . . .	1 . . . . 1	.	5 3 2 6	.	.	.	.	1	.		
Population in 1915 (Est.) 33,171.	" 18 25	25.2 23.6	9.4 1.6	16 15	1	.	.	.	.	.	.	.	2 3	.	.	2	2	.	.	.	.	.	.	1	.	
New Kilmainham.	Aug. 21 28 Sept. 4 11	10.5 21.0 10.5 21.0	5.2 5.2 . . 5.2	2 4 2 4	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	.	.	.	.	.	
Population in 1915 (Est.) 9,948.	" 18 25	10.5 31.4	5.2 10.5	2 6	.	.	.	.	.	.	.	.	1	.	1 . . . .	.	1 . . . .	1 1 2	.	.	.	.	.	.	2	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.			Starvation and Enteritis of Children under 2 years of age.	1 year and upwards.				
													Pulmonary.	Other Forms.	Pneumonia.	Other.							
Rathmines and Rathgar Urban District.	Aug. 21 " 28 Sept. 4	17.1 9.2 7.9	1.3 1.3 .	13 7 6	.	.	.	.	.	.	1	.	.	1	.	1	.	.	.	.	.	.	
Population in 1915 (Est.) 39,541.	" 11 " 18 " 25	11.9 9.2 13.2	1.3 1.3 .	9 7 10	.	.	.	.	.	.	.	1	.	.	1	.	2 2	1 2	.	.	.	1	
Pembroke Urban District.	Aug. 21 " 28 Sept. 4	13.7 12.0 10.2	.	8 7 6	.	.	.	.	.	.	.	.	2	.	.	1	.	.	2	.	.	1	
Population in 1915 (Est.) 20,538	" 11 " 18 " 25	15.4 27.3 12.0	3.4 3.4 1.7	9 16 7	.	.	.	.	.	.	1	.	.	4	1	1	.	.	2 1 1	.	.	.	
Blackrock Urban District.	Aug. 21 " 28 Sept. 4	5.6 11.3 16.9	.	1 2 3	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Population in 1915 (Est.) 9,233.	" 11 " 18 " 25	. 33.9 5.6	.	. 6 1	.	.	.	.	.	.	.	.	.	2 1	.	1	.	.	.	.	.	.	
Kingstown Urban District.	Aug. 21 " 28 Sept. 4	3.1 6.2 9.2	.	1 2 3	.	.	.	.	.	.	.	.	.	1 1 1	.	1	.	.	.	.	.	1	
Population in 1911 16,941.	" 11 " 18 " 25	15.4 12.3 3.1	.	5 4 1	.	.	.	.	.	.	.	.	.	1 1 .	.	1	.	.	.	.	.	.	
Belfast.	Aug. 21 " 28 Sept. 4	13.6 14.0 15.4	1.9 1.8 4.4	105 108 119	.	.	.	1 1 1	2 2 3	3 1 5	.	.	15 14 12	8 3 9	7 6 2	2 5 4	3 5 2	9 8 18	.	1 1 4	1 2 2	1 2 2	
Population in 1915 (Est.) 403,000.	" 11 " 18 " 25	16.0 14.6 11.4	2.5 2.2 1.9	124 113 88	2 . 1	.	.	. . .	1 . 1	5 1 1	. 1 .	.	14 10 6	7 3 4	6 8 7	5 8 11	4 11 5	13 13 11	2 1 1	2 1 2	3 2 1		
Cork.	Aug. 21 " 28 Sept. 4	19.0 11.6 15.6	2.0 1.4 1.4	28 17 23	.	.	.	1 . .	.	.	.	.	2 1 1	3 1 2	1 1 2	2 . 2	.	2 2 2	.	1 . .	2 . 1	2 . 2	
Population in 1911 76,673.	" 11 " 18 " 25	22.4 22.4 19.7	1.4 1.4 4.1	33 33 29	.	.	.	. . .	.	.	.	.	8 6 6	2 2 .	4 3 2	3 3 1	1 2 5	2 2 1	1 1 1	.	1 . .	2 . .	
Londonderry.	Aug. 21 " 28 Sept. 4	20.2 19.0 29.1	7.6 6.3 8.9	16 15 23	.	.	.	.	.	4 4 2	.	.	. 1 4	.	2 1 2	1 1 1	1 2 1	2 1 3	.	1 2 1	.	.	
Population in 1915 (Est.) 41,200.	" 11 " 18 " 25	15.2 13.9 20.2	1.3 6.3 3.8	12 11 16	.	.	.	.	.	. . 2	.	.	1 1 2	1 . 1	1 . .	. 1 2	1 1 2	1 2 .	1 . 1	.	1 . .	.	
Limerick.	Aug. 21 " 28 Sept. 4	8.1 19.0 14.9	.	6 14 11	.	.	.	.	.	.	.	.	1 . 1	1 . 1	.	2 1 1	.	2 1 1	.	.	.	1 2 1	
Population in 1911 38,518.	" 11 " 18 " 25	13.5 10.8 13.5	.	10 8 10	.	.	.	.	.	.	.	.	3 1 1	.	2 . 1	1 1 1	1 1 1	1 . .	1 . .	.	1 . .	2 . .	
Waterford	Aug. 21 " 28 Sept. 4	22.8 19.0 19.0	.	12 10 10	.	.	.	.	.	.	.	.	2 . 2	1 . .	.	1 . 2	.	1 . 2	.	.	.	.	
Population in 1911 27,464.	" 11 " 18 " 25	13.3 9.5 9.5	1.9 . 1.9	7 5 5	.	.	.	.	.	.	.	.	1 . 1	1 . .	.	.	.	1 . .	.	1 . .	.	.	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 25th September, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	AGES AT DEATH.											DEATHS FROM														No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.	
				Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from	Total Number of DEATHS.						Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Lysentery.	TUBERCULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.						
					All Causes.	Certain Epidemic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.									45 and under 65 years.	65 years and upwards.		Pneumonia.	Other.									
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)			
City of Belfast.																																
BELFAST URBAN No. 1 District,	15,879	8	13.1	3.3	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 2 do.	49,500	27	2.1	1.0	16	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 3 do.	50,032	22	16.7	9.6	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 4 do.	32,637	20	20.8	12.9	8.2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 5 do.	16,112	9	12.9	7.0	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 6 do.	37,293	14	19.4	1.4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 7 do.	2,681	7	19.4	19.4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 8 do.	5,964	1	17.5	2.1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 9 do.	24,427	8	10.7	10.7	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 10 do.	28,958	13	10.8	2.1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 11 do.	39,311	15	11.9	1.3	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 12 do.	38,076	30	9.6	4.1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 13 do.	23,238	7	11.2	11.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 14 do.	175	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 15 do.	22,669	13	18.4	18.4	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Total,	386,947	182	11.4	1.9	88	22	9	10	15	23	9	1	1	1	1	1	1	1	6	4	7	11	5	5	11	1	2	3	20	1		
City of Cork.																																
CORK URBAN No. 1 District	13,455	10	11.6	5.0	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1		
Do. 2 do.	10,399	4	10.0	5.0	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 3 do.	9,793	2	16.0	17.1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 4 do.	9,139	2	39.9	17.1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1		
Do. 5 do.	6,250	1	8.3	8.3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1		
Do. 6 do.	11,581	3	36.0	6.5	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Do. 7 do.	16,056	4	16.2	16.2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
Total,	76,673	26	19.7	4.1	29	6	3	3	8	5	4	1	1	1	1	1	1	1	3	2	2	1	1	1	5	1	1	10	1			

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																										Sept. 18.	Sept. 25.
		April 3.	April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.				
No. of weeks in Annual Series,		13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	
BIRTHS registered, ..		177	235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	182	
DEATHS registered, ...		180	163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	88	
Annual Death-rate per 1,000 of estimated population, ...		23.8	21.1	21.5	20.8	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	11.4	
Ages, { Under 1 year, ...		31	27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	22	
1-5 years, ...		22	24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	9	
5-25 " ...		18	15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	10	
25-45 " ...		23	25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	15	
45-65 " ...		40	24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	25	26	23	29	27	26	24	25	18	23	23	
65 and upwards, ...		46	48	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	9	
Deaths from :—																													
Enteric Fever, ...				1																			1	2			1	1	
Typhus, ...																													
Small-pox, ...																													
Measles, ...		4	6	8	2	7	8	2	4	5	1	5	5	5	2	8	8	1	8		1	1	1	1					
Scarlet Fever, ...				1		1				1	1	1	2	3		2	4	1	1	2	3	2	2	3	1		1	1	
Whooping-cough, ...		3	5	5	7	5	2	5	1	2	1	1	1		4	3	1	1	4	1		3	1	5	5	1	1	1	
Diphtheria, ...				1				1			1				2		1	1	1	2				1					
Dysentery, ...																				1									
Tuberculosis. { Pulmonary, ...		15	17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	6	
Other Forms, ...		13	7	12	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	4	
Cancer ...		8	6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	8	8	7	7	
Diseases of Respi- { Pneumonia, ...		22	21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	11	
ratory System, { Others, ...		29	23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	5	
Diarrhoea and Enteritis, under 2 years, ...		4	1	2	2	2	2			3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	11	11	11	
Diarrhoea, 2 years and upwards, ...		2			1	1										2	1	1		1	1		1	4		2	1	1	
Violent Deaths, ...		3	1	3		3	2	1	1	3	3	3	3	2	1	1	3	2		5	2	1	1	2	2	1	2	2	
Number of Uncertified Deaths, ...		2	3		2	2	1				2	1	1					4	1			1		2	3	2	1	1	

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Sept. 25,	1,906	1,212 <sup>c</sup>	14·0	1	.	5	3	18	12	183
EDINBURGH, ---	328,700	" 25,	111	65 <sup>c</sup>	10·3	.	.	1	.	1	4	4
GLASGOW, ---	1,078,400	" 25,	541	309 <sup>c</sup>	14·9	.	.	1	7	.	3	34
CALCUTTA ---	896,067	Aug. 7,	.	376	21·8	63*	1	1	.	.	.	62½ <sup>a</sup>
BOMBAY, ---	979,445	" 14,	368	435	23·1	51*	5	1	.	1	.	41½ <sup>a</sup>
MADRAS, ---	518,660	" 7,	314	362	36·3	50*	1	2	?	?	?	103½ <sup>a</sup>
CAIRO, {	Egyptians, ...	July 15,	541	861	68·1	54	.	3	.	?	9†	265
	Foreigners,	" 15,	14	37	26·4	4	1	.	.	?	.	2
ALEXAN- DRIA, {	Egyptians,	" 15,	284	250	37·8	5	2	.	.	?	.	89
	Foreigners,	" 15,	30	73	48·9	.	.	.	.	?	.	8
PARIS, ---	2,847,229	Aug. 21,	371	641	11·5	4	.	2	3	6	1†	22
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	318,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,722	Aug. 14,	243	119	10·1	.	.	.	.	2	1†	1
COPENHAGEN, ---	492,000	" 28,	214	119	12·6	.	.	.	.	.	1	3
STOCKHOLM, ---	386,270	" 28,	122	89	12·0	.	.	.	.	.	.	2
CHRISTIANIA, ---	250,677	Sept. 4,	83	56	11·6	.	.	.	.	.	.	.
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Aug. 7,	.	1,167	35·9	22	1	35	14	10	8†	451½ <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Aug. 21,	2,401	1,366	12·3	15	.	1	3	7	17†	234
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	Sept. 4,	.	201 <sup>b</sup>	14·4	2	.	.	.	7	5	31 <sup>a</sup>

\* Deaths from "fever," including 7 from enteric fever in Calcutta; 6 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 16 deaths from cholera in Calcutta, one in Bombay, 2 in Madras and 6 in Moscow

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 177 deaths (including 3 from diphtheria, and 28 from diarrhoeal diseases); rate, 12·1 per thousand.

<sup>c</sup> Including 4 deaths from cerebro-spinal fever in London, and one in each of Edinburgh and Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th September, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	3	.	1	2	.	.	.	.	3	9
„ „ 1, West,	...	1	.	.	.	.	.	.	.	.	.	.	3	4
„ „ 2,	...	1	.	.	.	.	.	1	.	.	.	.	1	3
„ „ 3,	...	1	.	.	1	.	.	.	.	.	.	.	.	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	1	.	.	.	.	1	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	1	.	.	.	.	.	1
South City No. 1,	...	.	.	.	.	.	.	5	.	.	.	.	3	8
„ „ 2,	...	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ 3,	...	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 4,	...	.	.	.	.	.	.	.	.	.	.	.	2	2
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	...	3	.	.	5	.	1	10	.	.	.	.	16	35

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th September, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 25th September.			
	Sept. 4.	Sept. 11.	Sept. 18.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	19	26	31	9	.	.	40
Typhus,	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	2	3	5	3	2	1	5
Scarlet Fever,	55	58	52	6	7	1	50*
Diphtheria,	39	37	38	5	2	.	41
Pneumonia,	7	10	10	3	1	1	11

\* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 2ND OCTOBER, 1915.

[No. 39.]

General Register Office, Charlemont House,  
Dublin, 4th October, 1915.

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 18·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 11	Sept. 18	Sept. 25	Oct. 2	
<b>27 Town Districts, (a)</b>	<b>16·7</b>	<b>16·8</b>	<b>16·4</b>	<b>18·3</b>	<b>17·0</b>
Dublin Reg. Area ...	18·4	20·1	19·6	20·4	19·6
Dublin City ...	20·2	20·8	22·5	21·3	21·2
Belfast ...	16·0	14·6	11·4	16·2	14·6
Cork ...	22·4	22·4	19·7	17·7	20·5
Londonderry ...	15·2	13·9	20·2	13·9	15·8
Limerick ...	13·5	10·8	13·5	20·8	14·5
Waterford ...	13·3	9·5	9·5	26·6	14·7

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 3·2 per 1,000. Among the 125 deaths from all causes for Belfast are one from enteric fever, 2 from scarlet fever, one from whooping-cough, one from diphtheria, and 14 from diarrhoea and enteritis of children under 2 years. Included in the 26 deaths from all causes for Cork are 6 from diarrhoeal diseases. Of the 11 deaths from all causes for Londonderry 2 are from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. One of the 15 deaths from all causes for Limerick is from enteric fever. The 14 deaths from all causes for Waterford include 4 from diarrhoeal diseases, and one of the 4 deaths from all causes for Kilkenny is from whooping-cough.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 245—109 boys and 136 girls—and the deaths to 171—81 males and 90 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 11) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·4 per 1,000 of the population. During the thirty-nine weeks, ending with Saturday last, the death-rate averaged 22·1, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905—1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 171, represent an annual rate of 21·8 per 1,000; the annual rate for the past thirty-nine weeks was 23·7 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 2\* from enteric fever, one each from measles and whooping-cough, and 30 from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 0, 0, and one; deaths from measles were 0, 0, and 2; deaths from whooping-cough were one, one, and one; and deaths from diarrhoea and enteritis of children under 2 years of age were 13, 25, and 24, respectively.

Deaths from tuberculous disease which in the three preceding weeks numbered, respectively, 27, 38, and 25, amounted to 37\* last week, the latter comprising 28 from pulmonary tuberculosis and 3 each from tuberculous meningitis, abdominal tuberculosis, and disseminated tuberculosis.

Eight\* deaths from cancer were registered.

There were 2 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Among deaths of infants under one year of age, 5 were ascribed to convulsions, 3 to prematurity, and 6 to congenital debility.

Organic diseases of the heart caused 13 and bronchitis 3 deaths.

Two deaths were attributed to accidental causes, one (that of a child aged 2 years) having been caused by scalds and one by a railway engine.

In 9 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 infants under one year of age.

Sixty-two of the persons whose deaths were registered during the week were under 5 years of age (43 being infants under one year, of whom 7 were under one month old), and 32 were aged 65 years and upwards, including 24 persons aged 70 and upwards; among the latter were 13 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 13 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·4 per 1,000; the rate in the City was 21·3 (North City Districts, 22·6; South, 19·9), and in the Suburbs, 17·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 4·2 per 1,000 inhabitants, the rate for the City being 4·5 (in the North City Districts 2·8, and in the South 6·4), and for the Suburbs 3·3 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (16) are equal to an annual rate of 27·4 per 1,000, and include one from whooping-cough, 2 from tuberculous disease, one from lobar-pneumonia, and 4 from diarrhoea and enteritis of children under 2 years.

*No. 1 North City District, West* (Summer-hill).—The deaths (17) are equal to an annual rate of 21·3 per 1,000. Enteric fever caused one death, tuberculous disease 3 deaths, pneumonia one death, diarrhoea and enteritis under 2 years one death, and there was one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. Pulmonary tuberculosis caused 3 deaths, broncho-pneumonia one death, bronchitis 2 deaths, and there was one death (of a child under 2 years) from diarrhoea and enteritis.

*No. 3 North City District* (Benburb-street).—The deaths (14) represent an annual rate of 20·3 per 1,000. Included in the total are 4 from tuberculous disease and one (that of a child under 2 years) from diarrhoea and enteritis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 19·3. One of the 2 deaths for Clontarf and Howth, No. 1, part of, is from general tuberculosis. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, one is from tuberculous meningitis; and 3 of the 4 deaths from all causes for Finglas and Glasnevin, part of, are from tuberculous disease.

*No. 1 South City District* (South Earl-street).—The deaths (16) represent an annual rate of 20·3 per 1,000, and include one from measles, 3 from tuberculous disease, one from broncho-pneumonia, one from bronchitis, and 5 (of children under 2 years) from diarrhoea and enteritis.

*No. 2 South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include 2 from pulmonary tuberculosis and one (that of a child under 2 years) from diarrhoea and enteritis.

*No. 3 South City District* (Peter-street).—The deaths (22) are equal to an annual rate of 28·1 per 1,000. Pulmonary tuberculosis caused 7 deaths and diarrhoea and enteritis of children under 2 years 4 deaths.

*No. 4 South City District* (Grand Canal Street).—The deaths (10) are equivalent to an annual rate of 15·7 per 1,000. Tuberculous peritonitis caused one death, and diarrhoea and enteritis (of children under 2 years) 7 deaths.

*New Kilmainham District.*—The deaths (2) are equal to an annual rate of 10·5 per 1,000. Tuberculous meningitis caused one death.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·5; Pembroke, 20·5; Blackrock, 22·6; and Kingstown, 24·6. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhoea and enteritis of a child under 2 years for Rathmines and Rathgar, and 5 deaths of children from the same cause for Pembroke. Of the 8 deaths from all causes for Rathmines and Rathgar one was from pneumonia. Of the 12 deaths from all causes for Pembroke one occurred accidentally. Included in the 4 deaths from all causes for Blackrock is one from pulmonary tuberculosis; and 3 deaths from the same cause are among the 8 deaths from all causes for Kingstown.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·6), was equal to an average annual death-rate of 14·0 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 14·3 per 1,000, the rate for Glasgow being 15·2, and for Edinburgh 15·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 2nd October. From this Report it appears that of 93 cases notified, 38 were scarlet fever, 29 diphtheria, 10 pulmonary tuberculosis, 9 other forms of tuberculosis, 6 erysipelas, and one enteric fever. Among the 580 cases of infectious diseases in hospital at the close of the week were 207 of scarlet fever, 171 of pulmonary tuberculosis, 138 of diphtheria, 30 of measles, 7 of enteric fever, 6 of erysipelas, 2 of whooping-cough, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 2nd October, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Variola.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Sept. 11,	.	—	—	3	.	.	8	.	.	6	1	.	—	—	.	—	.	18	36
	Sept. 18,	.	—	—	6	.	.	6	.	.	6	5	.	—	—	.	—	.	35	58
	Sept. 25,	.	—	—	3	.	.	5	.	1	10	.	.	—	—	.	—	.	16	35
	Oct. 2,	.	—	—	7	.	.	3	.	.	2	1	.	—	—	.	—	.	19	32
Rathmines and Rathgar Urban District.	Sept. 11,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	—	1
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	—	.
	Oct. 2,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	.	—	.	—	3
Pembroke Urban District.	Sept. 11,	.	1	.	1	.	.	.	.	.	1	.	.	—	2	.	—	.	1	6
	Sept. 18,	.	1	.	2	.	.	1	.	.	.	.	.	—	6	.	—	.	10	
	Sept. 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	.	3	
	Oct. 2,	.	1	.	.	.	.	.	.	.	1	.	.	—	5	.	—	.	7	
Blackrock Urban District.	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	
	Sept. 18,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	.	1	3
	Sept. 25,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	3	
	Oct. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	
Kingstown Urban District.	Sept. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	.	.	
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	.	.	
	Oct. 2,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	.	—	3	6	
City of Belfast.	Sept. 11,	.	—	—	69	.	.	1	.	.	.	1	.	—	—	.	—	3	74	
	Sept. 18,	.	—	—	55	.	.	1	.	3	5	4	.	—	—	.	—	1	69	
	Sept. 25,	.	—	—	67	.	.	.	.	.	2	2	.	—	—	.	—	5	76	
	Oct. 2,	.	—	—	45	.	.	2	.	.	.	4	.	—	—	1	—	2	54	
City of Cork.	Sept. 11,	.	1	—	9	.	.	1	.	.	.	1	.	—	—	—	13	—	25	
	Sept. 18,	.	2	—	5	.	.	1	.	.	.	.	.	—	—	—	23	—	31	
	Sept. 25,	.	1	—	1	.	.	2	.	.	.	.	.	—	—	—	25	—	29	
	Oct. 2,	.	1	—	7	.	.	2	.	.	.	1	.	—	—	11	—	—	22	
City of Londonderry.	Sept. 11,	.	—	—	1	.	.	.	.	.	.	3	.	—	—	—	—	—	4	
	Sept. 18,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	1	
	Sept. 25,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	5	
	Oct. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	
City of Limerick.	Sept. 11,	.	—	—	.	.	.	.	.	.	2	.	.	—	—	—	—	—	2	
	Sept. 18,	.	—	—	.	.	.	.	.	.	6	.	.	—	—	—	—	—	6	
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	
	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	1	
City of Waterford.	Sept. 11,	.	—	—	3	1	.	1	.	.	.	.	.	—	—	—	—	.	5	
	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	1	2	
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	1	
	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	1	

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 2nd October, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, one was discharged, one died and 40 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 26, 31, and 40.

Three cases of measles were admitted to hospital during the week, one was discharged, one died and 6 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 3, 5, and 5 respectively.

Nine cases of scarlet fever were admitted to hospital, 7 were discharged, and 52\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 58, 52, and 50, respectively.

Four cases of diphtheria were admitted to hospital during the week, 8 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 37, 38, and 41 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 4 were discharged, and 10 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 2nd October, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 2ND OCTOBER, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		NUMBERS REGISTERED.																												
	POPULATION.		Annual Rate per 1,000 Persons Represented by		BIRTHS.		DEATHS.																								
					BIRTHS.	From all Causes.	From certain Epidemic Diseases (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by				Diseases of the Respir- atory System	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.	
	Tuber- culosis.	Pulmonary.	Other Forms.	Cancer.																											
Total (a)	Per- sons to an Acre.																														
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	28.3	18.3	3.2	659	426	112	94	3	...	...	1	2	5	1	...	53	10	20	25	24	60	3	10	16	121	20			
DUBLIN REG- ISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29.8	31.2	20.4	4.2	245	160	43	31	1	...	...	1	...	1	...	...	26	9	7	5	5	30	...	2	2	54	9			
CITY OF DUBLIN,	312,747	39.5	36.3	21.3	4.5	218	128	33	22	1	...	...	1	...	1	...	...	22	9	6	4	5	24	...	1	1	48	7			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	13.2	10.5	1.3	10	8	3	2	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	2	...		
PEMBROKE, ...	30,538	19.4	13.7	20.5	8.5	8	12	6	4	...	...	...	...	...	...	...	...	...	...	...	...	...	5	...	1	1	2	2			
BLACKROCK, ...	9,233	8.5	5.6	22.6	.	1	4	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
KINGSTOWN, ...	16,941	11.6	24.6	24.6	.	8	8	1	1	...	...	...	...	...	...	...	...	3	...	1	...	...	...	...	...	...	1	...			
Urban Districts																															
BELFAST ..	403,000	27.0	24.5	16.2	2.5	189	125	32	28	1	..	...	...	2	1	1	...	11	...	5	10	14	14	...	3	6	32	...			
CORK, ..	76,673	28.6	21.1	17.7	4.1	31	26	8	4	...	...	...	...	...	...	...	...	2	...	2	2	2	5	1	...	1	9	...			
LONDON- DERRY	41,200	16.0	22.8	13.9	3.8	18	11	3	2	...	...	...	...	...	2	...	...	...	...	1	1	...	1	...	1	1	1	2			
LIMERICK, ...	38,518	16.1	48.7	20.3	1.4	36	15	3	3	1	...	...	...	...	...	...	...	3	...	...	1	...	...	...	...	...	6	2			
WATERFORD, ...	27,464	19.1	26.6	26.6	7.6	14	14	3	4	...	...	...	...	...	...	...	...	...	...	1	1	2	2	2	1	2	3	1			
GALWAY, ...	13,255	2.5				11	8	3	1	...	...	...	...	...	...	...	...	2	...	1	...	...	1	...	1	1	...	2			
DUNDALK, ...	13,128	9.5				13	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1			
LURGAN, ...	12,553	14.7				8	4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...			
DROGHEDA, ...	12,501	8.4				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LISBURN ...	12,388	10.9				3	8	2	2	...	...	...	...	...	...	...	...	...	...	...	2	1	1	...	1	1	3	...			
NEWRY, ...	11,963	17.0				7	7	...	4	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	1	1	...			
PORTADOWN, ...	11,727	15.3				4	4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...			
WEXFORD, ...	11,531	22.8				4	5	...	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1			
BALLYMENA ..	11,381	9.3				24	5	3	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...	...	...	...	...			
SLIGO, ...	11,163	3.8				7	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
KILKENNY, ...	10,514	11.4				17	4	2	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	1	2	1			
TRALEE, ...	10,300	17.4				4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...			
CLONMEL, ...	10,209	7.8				3	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1			
NEWTOWNARDS	9,587	20.1				2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
QUEENSTOWN,	8,209	14.7				2	6	1	1	...	...	...	...	...	...	...	...	2	...	1	...	...	1	...	...	...	2	...			
LARNE, ...	8,036	13.4				4	5	1	1	...	...	...	...	...	...	...	...	2	...	...	1	...	...	...	...	...	3	...			
COLERAINE. ..	7,785	7.7				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BANGOR, ..	7,776	8.5				4	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...			
BRAY, ..	7,691	7.2				1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
ARMAGH, ...	7,356	21.8				1	3	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...			

— (a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 11 deaths of persons (including one at 74 years), admitted to hospital from localities outside the Area: the 11 deaths include one from enteric fever, 2 from pulmonary tuberculosis, and one from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 2nd of October, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																	TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.													URBAN DISTRICTS OF					
	REGISTRATION DISTRICTS IN																		
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.											
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.			
Enteric Fever, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary, . . . . .	1	2	3	3	.	.	2	2	2	7	.	.	.	.	1	3	26	2	
{ Other Forms, . . . . .	1	1	.	1	1	1	1	1	.	.	1	1	.	.	.	.	9	.	
Cancer, . . . . .	1	1	.	1	.	1	.	.	1	1	.	.	.	.	.	1	7	1	
Diseases of Nervous System, . . . . .	2	1	2	3	.	.	.	2	.	2	1	.	1	2	2	.	18	.	
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
" Circulatory System, . . . . .	2	1	1	2	.	2	.	1	.	.	.	.	3	2	.	.	14	3	
" Respiratory System, { Pneumonia, . . . . .	1	1	1	.	.	.	.	1	.	.	.	.	1	.	.	.	5	.	
{ Others, . . . . .	1	.	2	.	.	.	.	1	1	.	.	.	.	.	.	.	5	.	
" Digestive System, { Diarrhoea and Enteritis, under 2 years, . . . . .	4	1	1	1	.	.	.	5	1	4	7	.	1	5	.	.	30	.	
{ Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards, . . . . .	.	2	.	2	1	.	.	1	.	1	.	.	.	.	.	.	7	.	
{ Others, . . . . .	1	.	2	1	.	.	.	.	.	2	.	.	.	.	.	1	7	2	
" Genito-urinary System, . . . . .	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	1	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue, . . . . .	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.	
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	.	4	1	.	.	1	1	1	1	2	.	1	2	2	1	2	19	1	
Violent Deaths, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	2	.	
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	
Deaths from All Causes . . . . .	16	17	14	14	2	5	4	16	6	22	10	2	8	12	4	8	160	11	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	27·4	21·3	26·2	20·3	18·8	18·9	19·3	20·3	17·1	26·1	15·7	10·5	10·5	20·5	22·6	24·6	20·4	.	
	22·6							19·9					17·3						
	21·3																		
Ages at Death. { Under 1 year, . . . . .	4	5	2	4	.	.	.	4	1	5	7	1	3	0	.	1	43	.	
" 1 and under 2 years, . . . . .	1	.	2	.	.	1	.	6	.	.	2	.	.	.	.	.	12	.	
" 2 " 5 " . . . . .	2	1	1	.	.	.	.	1	.	1	1	.	.	.	.	.	7	.	
" 5 " 15 " . . . . .	1	1	.	.	1	.	1	.	.	3	.	1	.	.	.	.	8	.	
" 15 " 25 " . . . . .	2	.	.	.	.	.	.	.	1	.	.	.	.	1	.	1	5	2	
" 25 " 45 " . . . . .	1	2	3	6	.	.	1	4	2	4	.	.	1	.	1	2	28	5	
" 45 " 65 " . . . . .	3	3	3	1	.	1	.	1	1	5	.	.	2	1	1	3	26	3	
" 65 and upwards, . . . . .	2	4	3	3	1	3	1	.	1	4	.	.	2	4	2	1	31	1	
Number of Uncertified Deaths, . . . . .	1	1	2	.	.	.	.	1	.	.	1	1	.	2	.	.	9	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	3	5	3	.	.	.	.	4	2	6	.	.	.	2	.	.	25	9	
Workhouse Hospitals, . . . . .	1	4	4	4	.	.	.	2	.	10	.	.	2	.	1	1	29	2	





THIRTY-NINTH WEEK, ending Saturday, 2nd October, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 39th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 2nd October, 1915.																														
	Sept. 30, 1905.	Sept. 29, 1906.	Sept. 28, 1907.	Sept. 26, 1908.	Oct. 2, 1909.	Oct. 1, 1910.	Sept. 30, 1911.	Sept. 28, 1912.	Sept. 27, 1913.	Sept. 26, 1914.		All Ages.	Deaths of Persons of the Ages of																													
													Under 1 month.	0-5.				5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																			
														1 month and under a year.	1-2.	2-5.	5-15.																									
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Stomach, ...	—	—	—	—	—	—	5	1	2	3	—	1	.	.	.	.	.	.	.	.	.	.																				
Diarrhoea and Enteritis of Children under 2 years.	12	42	27	16	9	34	28	2	33	14	22.3	30	1	22	7	.	.	.	.	.	.	.																				
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																							1	2	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	1	.	—	.	.	.	.	.	.	.	.	.	.	.																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	3	.	2	2	—	2	.	.	.	.	.	.	2	.	.	.																				
Cirrhosis of Liver, ...	1	.	2	2	.	2	1	.	.	1	.9	3	.	.	.	.	.	.	2	1	.	.																				
Other Diseases of Liver, ...	1	1	.	2	.	2	.	.	.	2	.8	.	.	.	.	.	.	.	.	.	.	.																				
Peritonitis (cause unknown),	1	.	1	.	.	.	.	1	1	.	.4	3	.	.	.	.	.	1	.	2	.	.																				
Other Diseases of Digestive System.	7	9	6	6	5	2	2	.	1	.	3.8	.	.	.	.	.	.	.	.	.	.	.																				
Acute Nephritis, ...	2	3	3	9	4	6	1	1	2	.	5.1	1	.	.	1	.	.	.	.	.	.	.																				
Chronic Bright's Disease, ...																							1	4	3	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	3	1	2	.	.	1	.	.	.	.	.	.	.	1	.	.																				
Puerperal Septicæmia, &c., ...	1	.	.	1	2	1	1	.	1	1	.3	1	.	.	.	.	.	.	1	.	.	.																				
Other Causes incident to Pregnancy and Childbirth.	.	.	1	2	2	1	.	1	1	1	.9	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	2	3	1	—	3	.	1	.	.	1	.	.	.	1	.																				
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	2	2	.	—	.	.	.	.	.	.	.	.	.	.	.																				
Premature Birth, ...	3	4	1	2	5	4	4	4	5	1	3.3	3	3	.	.	.	.	.	.	.	.	.																				
Congenital Debility, ...	—	—	—	—	—	—	6	2	5	7	—	6	1	5	.	.	.	.	.	.	.	.																				
Old Age, ...	5	6	1	2	2	2	5	3	4	10	4.0	6	.	.	.	.	.	.	.	.	1	5																				
Other Specified Diseases, ...	—	—	—	—	—	—	1	2	5	1	—	1	.	1	.	.	.	.	.	.	.	.																				
ACCIDENT :																																										
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	1	.	1	.2	.	.	.	.	.	.	.	.	.	.	.																				
Conflagration, ...	.	2	.	.	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																				
Burns and Scalds, ...	1	.	.	.	1	.	3	1	1	.	.7	1	.	.	1	.	.	.	.	.	.	.																				
Drowning, ...	2	.	1	.	.	.	2	.	.	1	.6	.	.	.	.	.	.	.	.	.	.	.																				
Suffocation in Bed, ...	1	1	1	2	1	.	.	.	.	.	.7	.	.	.	.	.	.	.	.	.	.	.																				
Other Deaths by Accident, ...	3	.	2	1	.	3	2	2	3	.	1.6	1	.	.	.	.	1	.	.	.	.	.																				
Total Deaths from Accident,	7	3	4	3	2	3	7	4	4	3	4.0	2	.	.	1	.	1	.	.	.	.	.																				
Included in above are Deaths in connection with—																																										
Railways, ...	.	.	.	1	.	1	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.																				
Vehicles and Horses, ...	1	.	.	1	.	1	.	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.																				
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
VIOLENCE OTHER THAN ACCIDENTAL :																																										
Homicide, ...	.	1	.	.	.	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.																				
Suicide, ...	.	1	.	.	2	.	.	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.																				
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	5	2	2	—	1	.	.	.	.	.	.	.	.	.	1																				

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																								Sept. 25.	Oct. 2.
		April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.		
No of weeks in Annual Series		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered.		218	236	252	231	206	216	908	240	199	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245
Average Births in corresponding week of previous 10 years, ...		219	212	223	217	268	235	209	215	216	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241
DEATHS registered, ...		219	205	209	160	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171
Annual Death-rate per 1,000, ...		27.9	26.1	26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8
Average Deaths in corresponding week of previous 10 years, ...		201	193	201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159	160
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		55	50	67	42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62
		7	7	5	5	9	8	4	8	3	8	6	6	7	6	5	3	6	4	4	6	8	7	7	4	7	8
		15	14	12	11	12	16	14	6	9	11	10	12	10	8	5	10	6	5	7	4	6	8	9	6	9	7
		26	35	34	30	40	35	34	24	26	33	25	21	23	23	21	18	18	24	21	12	21	18	27	25	36	28
		54	45	49	39	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	22	37	22	27	39	32	35
		37	32	17	19	31	21	17	22	19	13	18	18	23	16	23	13	17	13	14	21	17	14	19	1	19	19
Deaths from :— Enteric Fever, ... Typhus, ... Small-pox, ... Measles, ... Scarlet Fever, ... Whooping-cough, ... Diphtheria, ... Influenza, ... Dysentery, ... Tuberculosis { Pulmonary ... Cancer, ... Diseases of Circulatory System, ... Diseases of Respi- (Pneumonia, ... ratory System, { Others, ... Diarrhoea and Enteritis, under 2 years, ... Diarrhoea, 2 years and upwards ... Violent Deaths, ... Number of Uncertified Deaths, ...		25	22	25	14	15	18	15	15	13	14	10	11	18	15	13	14	8	11	11	9	10	12	16	12	13	
		3							1								1		1							1	2



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 2nd October, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Unclassified Deaths.

OCCUPATION OR SOCIAL POSITION			Population in each Class and Group in 1911.	AGES.																			CAUSES OF DEATH										Total Number of Deaths.		Annual Death Rate per 1,000 of the Population in 1911
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	Tuberculosis.		Diseases of the Respiratory System		(26)	(27)	(28)	(29)							
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unidentified Deaths.				
ALL PERSONS.			397,957	—	171	62	8	7	33	29	19	13	2	.	.	1	.	1	.	.	28	9	8	5	5	5	30	.	2	75	9				
CLASSES.																																			
Deaths in Families of the—					10	3	2	2	2	3	3	.	.	.	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	7	1				
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,558	35.6	29	3	2	4	6	6	6	6	.	.	.	.	.	.	.	.	.	3	2	1	.	.	.	.	.	.	11	3				
II.	MIDDLE CLASS, ...	101,798	14.9	29	8	1	7	7	4	2	1	1	1	.	.	.	.	1	.	.	5	1	3	2	1	1	3	.	.	19	3				
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	13.9	29	8	1	7	7	4	2	1	1	1	.	.	.	.	1	.	.	9	4	2	3	1	1	24	.	1	23	5				
IV.	GENERAL SERVICE CLASS, ...	167,479	22.4	72	47	3	4	9	7	1	1	1	1	.	.	1	.	.	.	.	9	4	2	3	1	1	24	.	1	23	5				
V.	INNATES OF WORKHOUSES, ...	5,602	—	31	4	3	.	11	7	5	1	.	.	.	.	.	.	.	.	.	9	2	1	.	2	2	.	.	.	15	.				
PROFESSIONAL AND INDEPENDENT CLASS.																																			
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39.8	6	.	.	.	2	1	2	1	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	4	.				
	2. Merchants and Manufacturers, Higher Class	1,347		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
	3. Persons of Rank and Property, not otherwise described, ...	5,443	38.8	4	.	.	.	.	.	1	1	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.				
II.	MIDDLE CLASS.																																		
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	32.9	6	.	.	.	1	2	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	5	.				
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	10.3	5	1	.	1	1	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.				
	6. Clerks and Commercial Assistants.	33,249	15.7	10	2	2	1	2	1	1	1	1	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	4	1				
III.	7. Miscellaneous—including all Household In Second Class Localities not included in above, ...	33,327	12.3	8	.	.	1	.	2	1	4	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	6	.				
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																			
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	8.9	2	1	.	.	1	2	2	1	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	.	.	.	1	2	.			
	9. Building and Furnishing Trades, ...	28,323	18.1	10	4	.	.	1	2	2	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	5	2	.			
	10. Clothing Trades, ...	20,026	10.4	4	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	1	.	.			
	11. Food Supply Trades	8,952	5.8	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.			
	12. Other Trades and Callings ranking with Trades, ...	32,070	16.3	10	3	.	1	3	2	1	1	.	1	.	.	.	.	.	.	.	1	1	2	1	.	.	.	.	1	2	1	.			
IV.	13. Petty Shopkeepers	6,772	15.4	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.			
GENERAL SERVICE CLASS.																																			
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	56.8	14	9	2	1	.	1	.	1	.	.	.	.	1	.	.	.	.	2	2	1	.	.	1	.	.	.	3	1	.			
	15. Domestic Servants, ...	36,041	4.3	3	2	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	1	1	.			
	16. Coach and Car Drivers, Valetmen, &c., ...	15,380		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
	17. Hawkers, Porters, Labourers, &c., ...	103,081	27.8	55	36	1	3	8	6	1	.	.	1	.	.	.	.	.	.	.	6	2	1	2	.	.	.	.	1	19	4	.			
V.	INNATES OF WORKHOUSES.																																		
	18. Workhouse Inmates, ...	5,602	—	31	4	3	.	11	7	5	1	.	.	.	.	.	.	.	.	.	9	2	1	.	2	2	.	.	.	15	.	.			

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*: with the Mortality from the principal admitted; also, simiar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncer- tified Deaths.			
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.				
													Pulmonary.	Other Forms.		Pneumonia.	Other.							
North City, No. 1 (E.) (Office Clarence St. Nth.).	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 30,504.	13.7 30.8 20.5 13.7 30.8 27.4	5.1 6.8 5.1 3.4 8.5 8.5	8 18 12 8 18 16	.	.	.	.	.	.	.	.	.	3 1 1 4 1	1 2 1 1 1	2 3 1 1 1	.	1 1 1 1 1	3 4 2 1 5 4	.	.	1 1 1 1 1	2 1 1 1 1	
North City, No. 1 (W.) (Office, Summer-hill.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 41,685.	27.5 25.0 22.5 35.0 28.8 21.3	5.0 3.8 5.0 7.5 7.5 2.5	22 20 18 28 23 17	.	.	.	.	1	.	.	.	.	2 1 1 8 5 2	1 1 1 1 1 1	.	2 1 2 3 2 1	.	4 2 4 6 6 1	.	.	1 1 1 1 1	1 1 1 1 1	
North City, No. 2. (Office, Lisburn-street.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 27,883.	26.2 28.1 28.1 20.6 11.2 26.2	5.6 9.4 15 5.6 1.9 1.9	14 15 11 6 14	.	.	.	.	.	.	.	.	.	4 2 3 3 3	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 4 2 2 2	3 5 2 1 1	.	.	1 1 1 1 1	2 1 1 1 1	
North City, No. 3. (Office, Benburb-street.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 35,887.	21.8 10.2 16.0 16.0 10.2 20.3	5.8 7 1.5 1.5 2.9 1.5	15 7 11 11 7 14	.	.	.	.	.	.	.	1	.	2 2 1 1 3	1 1 1 1 1	3 2 1 1 1	.	.	3 1 1 1 1	.	.	1 1 1 1 1	1 1 1 1 1	
Clontarf and Howth No. 1 (part of).	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 5,539.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 13,820.	3.8 7.5 7.5 7.5 11.3 18.9	.	1 2 2 2 3 5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Finglas and Glasnevin (part of).	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 10,829.	14.4 9.6 14.4 4.8 14.4 19.3	.	3 2 3 1 3 4	.	.	.	.	.	.	.	.	.	.	1 1 1 1 2	1 1 1 1 1	.	.	.	1 1 1 1 1	.	.	1 1 1 1 1	1 1 1 1 1
South City, No. 1. (Office, Stth. Earl-street.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 41,170.	13.9 8.9 17.7 22.8 26.6 20.3	1.3 2.5 1.3 3.8 6.3 7.6	11 7 14 18 21 16	.	.	.	.	.	.	.	.	.	3 1 5 6 6 2	2 1 1 1 1 1	.	.	1 1 1 1 2 1	1 2 1 3 3 5	.	.	1 1 1 1 1 1	1 1 1 1 1 1	
South City, No. 2. (Office, Castle-street.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 18,341.	19.9 19.9 22.7 17.1 31.3 17.1	5.7 5.7 8 2.8 5.7 2.8	7 7 8 6 11 6	.	.	.	.	.	.	.	.	.	1 1 2 1 1 2	.	.	1 1 1 1 1 1	2 2 2 1 2 1	1 2 2 1 2 1	.	1	1 1 1 1 1 1	1 1 1 1 1 1	
South City, No. 3. (Office, Peter-street.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 43,970.	22.5 24.9 21.3 24.9 23.7 26.1	2.4 1.2 4.7 3.6 3.6 4.7	19 21 18 21 20 22	.	.	.	.	.	.	.	.	.	2 5 4 4 4 7	1 1 1 1 2 1	1 3 1 1 2 1	.	1 5 3 3 3 4	2 1 2 2 3 4	.	1	1 1 1 1 1 1	1 1 1 1 1 1	
South City, No. 4. (Office, Grand Canal-st.)	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 33,171.	15.7 14.1 18.9 25.2 23.6 15.7	4.7 3.1 1.6 9.4 1.6 11.0	10 9 12 16 15 10	.	.	.	.	.	.	.	.	.	2 1 3 2 3 1	.	.	.	1 1 1 1 2 1	3 2 1 6 7 7	.	1	1 1 1 1 1 1	1 1 1 1 1 1	
New Kilmainham.	Aug. 28 Sept. 4 " 11 " 18 Population in 1915 (Est.) 9,948.	21.0 10.5 21.0 10.5 31.4 10.5	5.2 5.2 5.2 10.5 10.5 10.5	4 2 4 2 6 2	.	.	.	.	.	.	.	.	.	1 1 1 1 1 1	.	.	.	1 1 1 1 2 1	1 1 1 1 2 1	.	2	1 1 1 1 1 1	1 1 1 1 1 1	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marriages, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District.	Aug. 28 Sept. 4 " 11 " 18 " 25 Oct. 2	9.2 7.9 11.9 9.2 13.2 10.5	1.3 . 1.3 1.3 1.3 1.3	7 6 9 7 10 8	. .																

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 2nd October, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Cols.		No. of BIRTHS.		Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.												DEATHS FROM															No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Population in 1911.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
All Causes.		Certain Epi- demic Diseases.†		Total Number of DEATHS.		Under 1 year.		1 year and under 5 years.		5 and under 25 years.		25 and under 45 years.		45 and under 65 years.		65 years and upwards.		Enteric Fever.		Typhus.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Diphtheria.		Dysentery.		Pulmonary.		Other Forms.		Diarrhoea and Enteritis of children under 2 years of age.		Diarrhoea 2 years of age and upwards.		Violence.		Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

† See note (†) at foot of first page.

The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																									
		April 10.	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
No. of weeks in Annual Series,		14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39
BIRTHS registered, ...		235	256	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189
DEATHS registered, ...		163	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125
Annual Death-rate per 1,000 of estimated population, ...		21.1	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2
AGES, {																											
{ Under 1 year, ...		27	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32
{ 1-5 years, ...		24	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11
{ 5-25 " ...		15	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9
{ 25-45 " ...		25	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19
{ 45-65 " ...		24	40	27	37	28	32	33	25	29	18	30	27	25	18	27	23	26	23	29	27	26	24	25	18	23	26
{ 65 and upwards, ...		48	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28
Deaths from :—																											
Enteric Fever, ...		1	1																		1	2				1	1
Typhus, ...																											
Small-pox, ...																											
Measles, ...		6	3	2	7	8	2	4	5	1	5	5	5	2	3	3	1	3		1	1	1	1				
Scarlet Fever, ...			1		1				1	1	1	2	3		2	4	1	1	2	3	2	2	3	1		1	2
Whooping-cough, ...		5	5	7	5	2	5	1	2	1	1	1		4	3	1	1	4	1		3	1	5	5	1	1	1
Diphtheria, ...			1				1			1				2		1	1	1	2				1		1		1
Dysentery, ...																			1								
Tuberculosis, {																											
{ Pulmonary, ...		17	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11
{ Other Forms, ...		7	13	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	
Cancer ...		6	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5
Diseases of Respi- { Pneumonia,		21	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10
ratory System, { Others, ...		23	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14
Diarrhoea and Enteritis, under 2 years, ...		1	2	2	2	2			3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	11	14	
Diarrhoea, 2 years and upwards, ...				1	1										2	1	1		1					2	1		
Violent Deaths, ...		1	3		3	3	1	1	3	3	3	3	2	1	1	3	2		5	2	1	1	2	2	1	2	3
Number of Uncertified Deaths, ...		3		2	2	1				2	1	1					4	1			1		2	3	2	1	

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,616,612	Oct. 2,	1,828	1,268 <sup>c</sup>	14·6	.	.	3	2	17	11	209
EDINBURGH, ---	328,700	" 2,	106	95	15·1	.	.	1	1	.	1	1
GLASGOW, ---	1,078,400	" 2,	424	314 <sup>c</sup>	15·2	.	.	7	4	1	2	36
CALCUTTA ---	896,067	Aug. 14,	.	412	23·9	73*	2	.	.	.	.	45† <sup>a</sup>
BOMBAY, ---	979,445	" 21,	460	413	24·4	58*	5	.	.	.	1	60† <sup>a</sup>
MADRAS, ---	518,660	" 14,	353	381	38·2	42*	2	3	?	?	?	104† <sup>a</sup>
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.
ALEXAN- DRIA, {	Egyptians,	" 22,	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.
PARIS, ---	2,847,229	Aug. 28,	525	688	12·3	1	.	1	2	5	2†	19
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,722	Aug. 21,	232	108	9·4	.	.	2	1	3	.	3
COPENHAGEN, ---	492,000	Sept. 4,	218	103	10·9	.	.	1	.	.	1	4
STOCKHOLM, ---	386,270	" 4,	136	69	9·3	.	.	.	.	.	.	2 <sup>a</sup>
CHRISTIANIA, ---	250,677	" 11,	92	54	11·2	.	.	.	.	.	1	3 <sup>a</sup>
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Aug. 28,	.	1,015	31·2	40	.	21	26	7	10†	276† <sup>a</sup>
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Aug. 28,	3,058	1,361	12·2	21	.	4	.	15	7†	212
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	Sept. 11,	.	204 <sup>b</sup>	14·6	2	.	.	.	3	1	28 <sup>a</sup>

\* Deaths from "fever," including 5 from enteric fever in Calcutta; 5 from plague and 7 from enteric fever in Bombay, and 2 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, 2 in Bombay, one in Madras and 8 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 177 deaths (including 26 from diarrhoeal diseases); rate, 12·7 per thousand.

<sup>c</sup> Including 2 deaths from cerebro-spinal fever in London, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 2nd October, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	.	1	2
"    "    1, West,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
"    "    2,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
"    "    3,	.	3	.	.	.	.	.	.	.	.	.	.	1	4
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	1	.	.	.	1	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	1	.	.	1	.	.	.	.	.	.	.	5	7
"    "    2,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    3,	.	2	.	.	.	.	.	.	.	.	.	.	1	3
"    "    4,	.	.	.	.	.	.	.	1	.	.	.	.	3	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	7	.	.	3	.	.	2	1	.	.	.	19	32

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 2nd October, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 2nd October.			
	Sept. 11.	Sept. 18.	Sept. 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	26	31	40	2	1	1	40
*Typhus,	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	3	5	5	3	1	1	6
Scarlet Fever,	58	52	50	9	7	.	52*
Diphtheria,	37	38	41	4	8	.	37
Pneumonia,	10	10	11	3	4	.	10

\* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# Quarterly Summary of the Weekly Returns

OF

## BIRTHS AND DEATHS

IN THE

### DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE  
By ALEXANDER THOM & CO. LIMITED, ABBEY-STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, and other Foreign Countries of  
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1915.

Price 1½d.

VOL. LII.]

QUARTER ENDING SATURDAY, 2ND OCTOBER, 1915.

[No. 39A.]

**DUBLIN REGISTRATION AREA. — BIRTHS.** — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1915, 409,000, there were registered during the thirteen weeks ended on Saturday, 2nd October, 1915, 2,652 births—1,347 boys and 1,305 girls—being equal to an annual ratio of 1 in 38·6, or 25·9 in every 1,000 of the population.

The number of births registered in the city was 2,307, equivalent to an annual rate of 29·5 in every 1,000 of the population; and in the urban districts named above, 345, equal to an annual rate of 14·3 in every 1,000 of the population.

There were registered in London during the same period 24,050 births—being equal to an annual birth-rate of 21·3 in every 1,000 of the estimated population; in Glasgow there were registered 6,442, being equal to 23·9 per 1,000; and in Edinburgh, 1,368—a number affording an annual birth-rate of 16·6 in every 1,000 of the estimated population.

**DEATHS.**—Omitting the deaths (127) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 1,670, are equivalent to an annual rate of 16·3 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 18·7. The total number of deaths registered in the Dublin Registration Area during the quarter was 1,797—922 males and 875 females—affording an annual ratio of 1 in 56·9 or 17·6 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the third quarter of the ten years, 1905–1914, in the Dublin Registration Area was 19·8 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants\* of the north city districts registered last quarter was 701, representing an annual mortality of 16·9 in every 1,000 of the population; and the number in the south city districts was 656, equivalent to a rate

\* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

of 17·9 per 1,000. In the urban districts the number of deaths registered was 313, being equal to an annual death-rate of 13·0 in every 1,000.

The number of deaths registered in London during the same period was 13,937, a number equal to an annual rate of mortality of 12·3 in every 1,000 of the inhabitants; in Glasgow the number was 3,829, equal to 14·2 in every 1,000; and in Edinburgh 1,011, affording an annual death-rate of 12·3 in every 1,000 of the estimated population.

DISEASES.—The number of deaths from the principal epidemic diseases\* registered in the Dublin Registration Area during last quarter was 242, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·37.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1905–1914:—

NAMES OF DISEASES.	No. of Deaths in September Quarter, 1915.	Average No. of Deaths in September Quarters, 1905–1914.
Enteric Fever, ... ..	5	15
Typhus, ... ..	—	1
Small-pox, ... ..	—	—
Measles, ... ..	10	24
Scarlet Fever, ... ..	6	8
Whooping-cough, ... ..	13	22
Diphtheria, ... ..	16	14

ENTERIC FEVER.—Five deaths from enteric fever were registered during the 13 weeks ended 2nd October, the average for the corresponding quarter of the preceding ten years being 15. Of the 5 deaths, 2 belonged to North City districts, one to South City, No. 4, and one to Rathmines and Rathgar urban district.

Fifty-five cases of the disease were admitted to Dublin hospitals, during the quarter, 4 died therein, and 40 cases remained under treatment at the close of the quarter.

TYPHUS.—There was no mortality from this disease, but 3 typhus patients were treated in hospital during the period, all of whom were discharged.

SMALL-POX.—No case of small-pox was reported.

MEASLES.—Of 10 deaths from this cause, 3 appertained to North City districts, 3 to South City districts, 3 to Rathmines and Rathgar, and one to Blackrock.

In the three preceding quarters, deaths from measles registered in the Area numbered 4, 5, and 23, respectively, the average for the third quarter of the ten years, 1905–14, being 24.

Thirty-six cases were under treatment in hospitals; and of these 28 were discharged, 2 died, and 6 remained under treatment at the close of the quarter.

SCARLET FEVER.—No less than 188 cases of scarlet fever were treated in hospitals during the quarter; 130 of these were discharged, 6 died, and 52† cases remained in hospital at the end of the period.

Three of the 6 deaths belonged to North City districts, and 3 to South City districts.

WHOOPING-COUGH.—There were 13 deaths from this disease, as against an average of 22 for the third quarter of the preceding ten years. Eleven of the 13 deaths were recorded for the city, one for Rathmines and Rathgar urban district, and one for Blackrock.

\* See note (\*) on page 624*b*.

† See note (\*) at foot of Table I.



**DIPHTHERIA.**—Sixteen deaths from diphtheria were registered, being 2 above the average for the corresponding quarter of the preceding 10 years. Of 115 cases of this disease under treatment in hospitals, 68 were discharged, 10 died therein, and 37 cases were under treatment at the end of the quarter.

The 16 deaths include 4 appertaining to North City districts, 8 to South City districts, one to Rathmines and Rathgar, 2 to Pembroke, and one was that of a person admitted to hospital from without the Registration Area.

**DIARRHOEAL DISEASES.**—There were 192 deaths from these diseases, including 184 deaths from diarrhoea and enteritis of children under 2 years of age, and 4 deaths from dysentery. In the third quarter of the preceding 4 years, the average number of deaths of children from diarrhoea and enteritis was 237. Of the deaths of children from diarrhoea and enteritis during the past quarter, 89 belonged to North City districts, 82 to South City districts, 3 to Rathmines and Rathgar, and 9 to Pembroke.

**INFLUENZA.**—Six deaths from influenza were registered, being equal to the average for the corresponding period of the preceding ten years.

**CEREBRO-SPINAL FEVER.**—Only one death from this cause was recorded. In the three preceding quarters such deaths numbered 0, 7, and 6, respectively.

**TUBERCULOSIS.**—Deaths from all forms of tuberculous disease which in the three preceding quarters numbered 372, 414, and 447, respectively, fell to 323 last quarter. This number is 14 under the number registered during the third quarter of 1914, and 23 under the average number for the corresponding period of the ten years, 1905–14.

Of the 323 deaths (representing an annual rate of 3·16 per 1,000 of the population) 256 were from pulmonary tuberculosis, 27 from tuberculous meningitis, 16 from abdominal tuberculosis, and 24 from other forms of tuberculous disease.

North City districts accounted for 130 deaths from tuberculosis, affording an annual rate of 3·13 per 1,000; the number for South City districts was 126, or 3·44 per 1,000; for Rathmines and Rathgar urban district, 13, being equal to an annual rate of 1·32 per 1,000; for Pembroke, 17, or 2·23 per 1,000; for Blackrock, 5, or 2·17 per 1,000; and the number for Kingstown was 12, affording an annual rate of 2·83 per 1,000 of the population.

The annual rate represented by deaths from pulmonary tuberculosis appertaining to the Dublin Registration Area was 2·37 per 1,000; the corresponding rates for North and South City districts and for the urban districts above referred to being 2·38, 2·81, and 1·66, respectively.

**CANCER.**—This disease caused 117 deaths, affording an annual rate of 1·14 per 1,000 of the population, the respective annual rates for the three preceding quarters being 1·32, 1·30, and 1·15.

**PNEUMONIA.**—The deaths from pneumonia, numbering 71, represent an annual rate of 0·69 per 1,000 of the population, the 71 deaths comprising 25 from broncho-pneumonia, 8 from lobar pneumonia, and 38 from pneumonia (type not distinguished).

**DISEASES OF THE BRAIN AND NERVOUS SYSTEM.**—To this group 199 deaths (being equivalent to an annual rate of 1·95 per 1,000) were assigned, the 199 deaths including one death from cerebro-spinal fever, 22 from simple meningitis, and 56 from convulsions—55 of the latter being deaths of children under 5 years of age.

**DISEASES OF THE CIRCULATORY SYSTEM.**—Deaths from diseases of the circulatory system numbered 195, affording an annual rate of 1·91 per 1,000; 154 of the 195 deaths were from organic diseases of the heart.

**BRONCHITIS.**—There were 94 deaths from bronchitis, being equal to an annual rate of 0·92 per 1,000.

**CONGENITAL CONDITIONS.**—Four deaths were assigned to congenital malformations, 44 to premature birth, and 57 to congenital debility.

**VIOLENCE.**—To accidental causes 33 deaths were attributed, including one death by poison (opium), 7 by burns and scalds, 4 of the latter being deaths of children under 5 years of age; 7 by drowning; one, that of an infant, by overlaying; 2 by railways, and 2 by motor vehicles.

One homicidal and 4 suicidal cases were recorded.

TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) ended **Saturday, 2nd October, 1915.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ... ..	35	55	46	4	40
Typhus, ... ..	1	2	3	—	—
Small-pox, ... ..	—	—	—	—	—
Measles, ... ..	6	30	28	2	6
Scarlet Fever, ... ..	65	123	130	6	52*
Diphtheria, ... ..	24	91	68	10	37
Pneumonia, ... ..	18	45	47	6	10

\* Exclusive of 17 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 69 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 69 cases, 34 (or 49 per cent.) were deaths of children under 5 years of age; these 34 deaths form 6·1 per cent. of the total number of deaths of children of that age-period. Of the deaths of 104 infants under one month old registered, there were 17 (or 16·3 per cent.) regarding which the cause was uncertified.

From Table II., on page 624*f*, it will be seen that, excluding 127 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 1,670, equal to an annual rate of 16·3 per 1,000 of the estimated population, and that 239 of these deaths, representing an annual rate of 2·3 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 17·4 per 1,000, and for the urban districts 13·0 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 2·8, and in the urban districts 1·0, the rates for the several districts varying from 0·0 in Kingstown to 4·2 in North City No. 1 East, the 149 deaths from all causes for that district including one from enteric fever, 3 from whooping-cough, one from diphtheria, one from dysentery, and 26 from diarrhoea and enteritis of children under 2 years.

OCCUPATIONS.—Table III., on page 624*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 16·1 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 11·9 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 13·3; and in the "General Service Class" it was 17·5.

AGES.—Of the 1,797 persons whose deaths were registered in the Dublin Registration Area during the quarter, 557 were under 5 years of age, including 397 infants under one year of age, the latter representing a rate of 149·7 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 54·5 in every 1,000 children at that age (according to the Census of 1911); 75 were between the ages of 5 and 15, representing an annual rate of 4·2 per 1,000 persons at that age-period; 90 were between the ages of 15 and 25, equivalent to an annual rate of 4·5 per 1,000; the total number under 25 years being equal to an annual mortality of 15·0 per 1,000 of the population at that age-period (according to the Census of 1911); 302, or 9·7 per 1,000 persons, were between 25 and 45; 389, or 26·4 per 1,000, between 45 and 65; 229, or 54·3 per 1,000, between 65 and 75; and 155, or 110·9 per 1,000, were aged 75 and upwards, including 12 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 1,797 deaths recorded during the quarter, 779, or 43·4 per cent., occurred in public institutions, viz., 439 in the various hospitals, prisons, and lunatic asylums; 134 in the North Dublin Union Workhouse; 198 in the South Dublin Union Workhouse; and 8 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 56·7°†. At Greenwich, for the quarter, it was 60·7°; at Glasgow 56·3°; and at Edinburgh, 55·5°.

The rainfall at Dublin during the thirteen weeks measured 9·06‡ inches; at Greenwich, 8·35 inches; at Glasgow, 6·62; and at Edinburgh, 10·89 inches.

† See note (\*) p. 624*h*.

‡ For 13 weeks ended 25th September.



TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,\* for the thirteen weeks ended September 25th, 1915.

Prepared at the Meteorological Office under the direction of Sir NAPIER SHAW, F.R.S.

1915. WEEK ENDED.	BAROMETER.		THERMOMETER.					HYGROMETER.			OZONE.	BRIGHT SUNSHINE.			RAINFALL.		WIND.		
	Mean at 32° F. Mean Sea Level and Standard Gravity. Lat. 45°.	Difference from Average.	Maximum A.	Minimum B.	Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Per cent.	Hours.	Hours.	Difference from Average.	Percentage of Possible.	Total Amount.	Difference from Average.	Number of Days.	Mean Force (Beaufort Scale 0-12).
July 3rd, ...	1013.9	—	64.9	52.7	58.8	—	70	50	58.1	56.3	89	1.6	—	4.8	10	39	—	6	0.2
„ 10th, ...	1015.5	—	64.6	48.0	56.3	—	68	42	56.5	53.6	83	5.0	—	1.1	30	29	—	4	0.9
„ 17th, ...	1007.2	—	63.1	48.9	56.0	—	65	44	54.9	52.2	83	5.7	—	0.1	35	27	—	4	1.3
„ 24th, ...	1008.5	—	65.6	50.6	58.1	—	69	43	57.2	54.1	82	5.1	—	0.3	32	16	—	6	1.1
„ 31st, ...	1012.1	—	62.4	45.4	53.9	—	67	38	54.9	52.5	85	5.0	—	0.3	31	40	—	6	0.2
Aug. 7th, ...	1009.8	—	62.9	50.4	56.7	—	66	44	56.2	54.6	91	2.9	—	2.5	19	24	—	6	0.2
„ 14th, ...	1013.1	—	68.0	51.6	59.8	—	72	43	59.0	57.0	88	5.1	—	0.2	34	23	—	5	0.1
„ 21st, ...	1020.9	—	65.1	47.1	56.1	—	67	42	56.3	54.7	90	5.0	—	0.3	34	4	—	2	0.2
„ 28th, ...	1023.3	—	68.3	48.4	53.4	—	72	46	57.8	55.6	87	5.1	—	0.1	36	4	—	1	0.0
Sept. 4th, ...	1016.0	—	60.1	42.4	51.3	—	63	35	51.1	43.4	83	6.5	—	1.4	47	5	—	4	0.2
„ 11th, ...	1016.7	—	67.1	43.4	55.3	—	71	39	56.0	52.8	82	7.4	—	2.5	56	1	—	1	0.2
„ 18th, ...	1018.8	—	68.6	48.7	53.7	—	73	40	59.1	56.7	86	5.2	—	0.4	41	7	—	4	0.2
„ 25th, ...	1012.4	—	64.4	52.1	58.3	—	68	45	58.7	56.1	85	4.5	—	0.1	37	11	—	5	0.3
Mean,	1014.5	+0.3	65.0	48.4	56.7	0.0	73	35	56.6	54.2	86	4.9	—	0.4	34	230	+17	54	0.4

\* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months July to September. For remarks on the Weather of the Quarter see "Quarterly Return."

TABLE II.—Showing for the **Quarter** (13 weeks) **ended 2nd October, 1915**, the number of **DEATHS** of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases\*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths; *the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.*

[illegible]

Deaths in Institutions of Persons admitted from without the Registration Area (not included in above)

\* See note (\*) on page 624h.

† See note (\*) on page 624i.





**TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.**—The average annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 14·8 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Armagh, 8·7 ; Bangor, 8·7 ; Drogheda, 9·0 ; Dundalk, 10·1 ; Lurgan, 10·5 ; Portadown, 10·9 ; Coleraine, 11·3 ; Ballymena, 11·6 ; Lisburn, 11·6 ; Clonmel, 11·8 ; Newtownards, 12·5 ; Tralee, 13·2 ; Bray, 13·5 ; Belfast, 13·5 ; Sligo, 13·6 ; Kilkenny, 14·5 ; Waterford, 14·7 ; Larne, 14·9 ; Wexford, 15·6 ; Cork, 16·0 ; Limerick, 16·2 ; Dublin Registration Area, 16·3 ; Athlone, 16·6 ; Galway, 16·6 ; Newry, 18·1 ; Queenstown, 19·0 ; and Londonderry, 19·2.

The average annual rate represented by the deaths from the principal epidemic diseases\* in the 27 districts is 1·9 per 1,000 of the population, the rates varying from 0·0 in four of the districts to 5·6 in Londonderry, the 198 deaths from all causes for that district including 36 from whooping-cough and 22 from diarrhoeal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases\* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for the quarter :—

**ENTERIC FEVER.**—Five deaths for Belfast and one death each for Limerick, Galway, and Newry were recorded.

**TYPHUS.**—There was no death from typhus.

**SMALL-POX.**—No mortality from small-pox occurred.

**MEASLES.**—Of 19 deaths, 14 appertained to Belfast, and 3 to Cork.

**SCARLET FEVER.**—Of 32 deaths from this disease, 24 belonged to Belfast, 3 each to Waterford and Sligo, and one each to Tralee and Newtownards.

**WHOOPING-COUGH.**—For Londonderry 36 deaths were recorded ; for Belfast, 27 deaths ; for Sligo, 4 deaths ; for Kilkenny, 3 deaths ; and for Cork and Ballymena, 2 deaths each.

**DIPHTHERIA.**—There were 8 deaths recorded for Belfast, 3 for Cork, and one death each for Drogheda, Newry, Wexford, and Sligo.

**DIARRHOEAL DISEASES.**—Of [the 171 deaths from diarrhoea and enteritis of children under 2 years of age, 106 occurred in Belfast, 21 in Cork, 18 in Londonderry, 8 in Waterford, 3 in Dundalk, and 3 in Galway.

**PULMONARY TUBERCULOSIS.**—The annual death-rate from pulmonary tuberculosis for the 27 towns in the aggregate was 1·9 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·4 per 1,000, for Belfast county borough 1·5 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 1·9 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

\* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhoeal diseases.



TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter (13 weeks) ended Saturday, 2nd October, 1915**, in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

[illegible]

\*The population given for the Dublin Registration Area, and the cities of Belfast and Londonderry, is that estimated to the middle of 1915: that for each of the other districts is the population according to the Census of 1911. (See note (\*) on page 624.)

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of Births and Deaths in the Cities (or URBAN DISTRICTS) of BELFAST and CORK registered during the Quarter (13 weeks) ended 2nd October, 1915. Deaths in Public Institutions from which the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the Population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal Causes; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM													No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.			
						Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.				Violence.	Diarrhoea, 2 years of age and upwards.	Diarrhoea and Enteritis of children under 2 years of age.	Other.		Cancer.	TUBERCULOSIS.		Dysentery.	Diphtheria.	Whooping-cough.	Scarlet Fever.	Measles.				Small-pox.	Typhus.	Enteric Fever.
						All Causes.	Certain Epidemic Diseases†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pneumonia.	Other.				Pulmonary.	Other Forms.														
City of Belfast.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)			
BELFAST URBAN No. 1 DISTRICT.		15,879	84	16.9	2.5	67	16	6	8	11	18	8				3	1	2	2			3	4	4	3	5	1	1	2	20	1			
Do. 2 do.		49,500	278	12.5	1.8	155	22	22	16	22	42	31					6	5	2			10	13	7	8	9	2	2	12	58	2			
Do. 3 do.		50,032	299	15.8	2.3	198	42	19	25	27	55	30				2	2	7	1			15	12	14	14	18	1	3	8	51	3			
Do. 4 do.		32,637	252	18.0	2.3	147	41	12	12	28	29	25					1	7	1			9	4	5	4	15	9	2	1	1	1	1		
Do. 5 do.		16,112	110	15.4	1.7	62	17	4	9	7	13	12					1	1				9	4	11	3	2								
Do. 6 do.		37,293	182	9.8	0.5	91	11	4	12	14	23	27					1	1				2	2	6	6	2								
Do. 7 do.		2,681	20	13.4	3.0	9	1	1	1	1	1	6										1	1	1	1	1								
Do. 8 do.		5,964	18	11.4	2.0	17	4	2	8	8	4	1										1	1	1	1	1								
Do. 9 do.		24,427	157	12.8	2.0	78	13	7	15	16	16	11					6	1				9	3	2	4	1								
Do. 10 do.		28,958	211	14.9	2.2	108	28	10	18	19	23	15					2	2				17	3	4	7	9	11							
Do. 11 do.		39,311	217	11.9	2.1	117	25	15	15	18	25	19					2	2				14	8	7	3	11	10							
Do. 12 do.		38,076	259	15.2	3.7	145	38	28	8	25	21	25					6	1	4			10	4	9	9	13	22							
Do. 13 do.		23,233	146	11.4	0.7	66	10	2	9	10	14	21					1	1				10	3	6	3	2	2							
Do. 14 do.		175				8			1	1	1	1										7												
Do. 15 do.		22,669	113	17.8	2.5	101	19	9	9	15	31	18						4				7	6	9	8	9								
Total,		386,947	2,346	13.5	2.0	1,364	287	141	155	216	315	250		5		14	24	27	8	1	153	63	83	80	88	106	14	25	60	318	14			
City of Cork.																																		
CORK URBAN No. 1 DISTRICT.		13,455	49	9.5	0.9	32	4	2	5	7	5	9				1		2				5	2	4	4	2								
Do. 2 do.		10,399	66	18.5	3.1	48	13	9	8	6	7	5				2			3			7	3	1	2	1								
Do. 3 do.		8,793	51	15.9	1.2	39	9	6	3	4	7	10										7	2	2	2	1								
Do. 4 do.		9,139	48	18.8	2.6	48	10	1	3	10	8	11										7	1	1	1	8								
Do. 5 do.		6,250	39	20.5	0.6	32	4	2	2	4	15	5										2	2	2	4	1								
Do. 6 do.		11,581	59	16.2	2.1	47	7	5	4	11	10	9										6	2	1	1	1								
Do. 7 do.		16,056	93	16.2	1.2	65	10	3	5	12	14	21										5	6	3	2	3								
Total,		76,673	405	16.0	1.7	306	57	29	30	54	66	70				3			2	3		39	18	14	16	11	21	3	1	7	120	8		

GENERAL REGISTER OFFICE,  
Charlemont House, Dublin,  
21st October, 1915.

\*The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

†See note (\*) on page 416h.

WILLIAM J. THOMPSON  
Registrar-General.



# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

Vol. LII.]

WEEK ENDING SATURDAY, 9TH OCTOBER, 1915.

[No. 40.]

*General Register Office, Charlemont House,  
Dublin, 11th October, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 18	Sept. 25	Oct. 2	Oct. 9	
<b>27 Town Districts, (a)</b>	<b>16·8</b>	<b>16·4</b>	<b>18·3</b>	<b>16·0</b>	<b>16·9</b>
Dublin Reg. Area ...	20·1	19·6	20·4	18·7	19·7
Dublin City ...	20·8	22·5	21·3	20·5	21·3
Belfast ...	14·6	11·4	16·2	16·3	14·6
Cork ...	22·4	19·7	17·7	19·0	19·7
Londonderry ...	13·9	20·2	13·9	17·7	16·4
Limerick ...	10·8	13·5	20·3	8·1	13·2
Waterford ...	9·5	9·5	26·6	5·7	12·8

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 2·5 per 1,000. Among the 126 deaths from all causes for Belfast are one from enteric fever, one from measles, 5 from scarlet fever, one from whooping-cough, one from diphtheria, 9 from diarrhoeal diseases, and one from cerebro-spinal meningitis. The 28 deaths from all causes for Cork include 2 from diarrhoea. Of the 14 deaths from all causes for Londonderry one is from enteric fever, 2 from whooping-cough, and 3 from diarrhoea and enteritis of children under 2 years. One of the 6 deaths from all causes for Limerick is from enteric fever, and this disease also caused the only death recorded for Newry.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 172—98 boys and 74 girls—and the deaths to 161—82 males and 79 females.

### DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·7 per 1,000 of the population. During the forty weeks, ending with Saturday last, the death-rate averaged 22·0, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 161, represent an annual rate of 20·5 per 1,000; the annual rate for the past forty weeks was 23·6 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·6 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 2 from measles, one from whooping-cough, and 25 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from measles were 0, 2, and one; deaths from whooping-cough were one, one, and one; and deaths from diarrhoea and enteritis of children under 2 years of age were 25, 24 and 30, respectively.

Pulmonary tuberculosis caused 23 deaths, tuberculous meningitis 4, abdominal tuberculosis 2, and other forms of tuberculous disease 3, the total deaths from tuberculous disease numbering 32\*, as against 38, 25, and 37, respectively, in the three preceding quarters.

Cancer caused 10\* deaths.

Two deaths from pneumonia were recorded.

The deaths of 2 infants under one year of age were attributed to convulsions, 8 to prematurity, and 13 to congenital debility.

Twelve deaths from organic diseases of the heart and 7 from bronchitis were registered.

There were 4 accidental deaths, including 2 (one being that of a child aged 4 years 8 months) caused by burns and one by drowning.

One case of suicide was recorded.

In 6 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under five years of age (including 3 infants under one year old) and the death of one person aged 73 years.

Seventy of the persons whose deaths were registered during the week were under 5 years of age (51 being infants under one year, of whom 16 were under one month old), and 22 were aged 65 years and upwards, including 15 persons aged 70 and upwards; among the latter were 6 aged 75 and upwards.

Sixty-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 7 took place in the North Dublin Union Workhouse, and 9 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·7 per 1,000; the rate in the City was 20·5 (North City Districts, 19·8; South, 21·3), and in the Suburbs, 13·0.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·6 per 1,000 inhabitants, the rate for the City being 4·3 (in the North City Districts 4·4, and in the South 4·2), and for the Suburbs 1·1 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (14) are equal to an annual rate of 23·9 per 1,000, and include 2 from tuberculous disease, one from bronchitis, and 5 of children under 2 years of age from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (13) are equal to an annual rate of 16·3 per 1,000. Pulmonary tuberculosis caused one death, diarrhoea and enteritis of children under 2 years 4 deaths, and there was one death by drowning.

No. 2 North City District (Lisburn-street).—The deaths (12) are equivalent to an annual rate of 22·4 per 1,000. Included in the total are 2 from pulmonary tuberculosis, 2 from diarrhoea and enteritis of children under 2 years, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·6 per 1,000. Tuberculous meningitis and bronchitis each caused one death, and there were 2 deaths of children under 2 years from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 47·1 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 28·9. Included in the 5 deaths from all causes for Clontarf and Howth, No. 1, part of, is one from each of pulmonary tuberculosis and bronchitis. Of the 5 deaths from all causes for Coolock and Drumcondra, part of, 3 are from pulmonary tuberculosis and one from bronchitis; and among the 6 deaths from all causes for Finglas and Glasnevin, part of, are 2 from pulmonary tuberculosis and one from diarrhoea and enteritis of a child under 2 years.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·8 per 1,000, and include 4 from tuberculous disease, one from bronchitis, 5 (of children under 2 years) from diarrhoea and enteritis, and one suicidal death.

No. 2 South City District (Castle-street).—The deaths (8) are equal to an annual rate of 22·7 per 1,000. Tuberculous disease caused 2 deaths and bronchitis one death.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·2 per 1,000. Measles caused one death, tuberculous disease 6 deaths, pneumonia one death, diarrhoea and enteritis of children under 2 years 2 deaths, and there was one accidental death.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Measles caused one death, bronchitis one death, and there were 3 deaths of children under 2 years from diarrhoea and enteritis.

New Kilmainham District.—The one death for this district is equal to an annual rate of 5·2 per 1,000, and was from pulmonary tuberculosis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 13·7; Blackrock, 5·6; and Kingstown, 18·5. The deaths from the principal epidemic diseases tabulated for these districts comprise one of a child under 2 years from diarrhoea and enteritis for Rathmines and Rathgar, and one from whooping-cough for Pembroke. Included in the 6 deaths from all causes for Kingstown are 3 from pulmonary tuberculosis and one from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 15·8), was equal to an average annual death-rate of 14·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·3 per 1,000, the rate for Glasgow being 17·5, and for Edinburgh 12·4.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 9th October. From this Report it appears that of 72 cases notified, 30 were diphtheria, 29 scarlet fever, 8 pulmonary tuberculosis, one other form of tuberculosis, 3 erysipelas, and one cerebro-spinal fever. Among the 601 cases of infectious diseases in hospital at the close of the week were 208 of scarlet fever, 163 of pulmonary tuberculosis, 149 of diphtheria, 36 of measles, 7 of enteric fever, 6 of erysipelas, 2 of cerebro-spinal fever, and one of whooping-cough.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 9th October, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Sept. 18,	.	—	—	6	.	.	6	.	.	6	5	.	—	—	.	—	.	35	58
	Sept. 25,	.	—	—	3	.	.	5	.	1	10	.	.	—	—	.	—	.	16	35
	Oct. 2,	.	—	—	7	.	.	3	.	.	2	1	.	—	—	.	—	.	19	32
	Oct. 9,	.	—	—	12	.	.	2	.	.	10	2	.	—	—	.	—	.	18	44
Rathmines and Rathgar Urban District.	Sept. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Oct. 2,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Sept. 18,	.	1	.	2	.	.	1	.	.	.	.	.	—	6	.	—	—	.	10
	Sept. 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
	Oct. 2,	.	1	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	.	7
	Oct. 9,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	.	1
Blackrock Urban District.	Sept. 18,	.	1	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	1	3
	Sept. 25,	.	2	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	3
	Oct. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Oct. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 2,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	3	6	.
	Oct. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Sept. 18,	.	—	—	55	.	.	1	.	3	5	4	.	—	—	.	—	.	1	69
	Sept. 25,	.	—	—	67	.	.	.	.	.	2	2	.	—	—	.	—	.	5	76
	Oct. 2,	.	—	—	45	.	.	2	.	.	.	4	.	—	—	1	—	.	2	54
	Oct. 9,	.	—	—	67	.	.	7	.	.	.	9	.	—	—	1	—	.	2	86
City of Cork.	Sept. 18,	.	2	—	5	.	.	1	.	.	.	.	.	—	—	—	23	—	—	31
	Sept. 25,	.	1	—	1	.	.	2	.	.	.	.	.	—	—	—	25	—	—	29
	Oct. 2,	.	1	—	7	.	.	2	.	.	.	1	.	—	—	—	11	—	—	22
	Oct. 9,	.	.	—	3	.	.	.	.	.	3	.	.	—	—	—	3	—	—	9
City of Londonderry.	Sept. 18,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Sept. 25,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	—	5
	Oct. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
City of Limerick.	Sept. 18,	.	—	—	.	.	.	.	.	.	6	.	.	—	—	—	—	—	—	6
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 2,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	.	.	.	.	1	1	.	.	.	—	—	—	—	—	—	2
City of Waterford.	Sept. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1	2
	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
	Oct. 9,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 9th October, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Fourteen cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 50 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 31, 40, and 40.

Five cases of measles were admitted to hospital during the week, 2 were discharged, one died and 8 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 5, 5, and 6 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 8 were discharged, and 62\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 52, 50, and 52, respectively.

Five cases of diphtheria were admitted to hospital during the week, 10 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 38, 41, and 37 respectively, were 32 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, 4 were discharged, and 8 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 9th October, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 9TH OCTOBER, 1915.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																								
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	22.2	16.0	2.5	517	373	94	73	4	...	...	3	5	4	1	...	50	18	22	17	30	37	4	5	5	102	15			
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	21.9	18.7	3.6	172	147	51	21	...	...	...	2	...	1	...	...	21	7	9	2	9	25	...	4	3	48	6			
CITY OF DUBLIN,	312,747	39.5	24.8	20.5	4.3	149	123	47	16	...	...	...	2	...	...	...	...	18	7	7	1	9	24	...	4	3	41	4			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	11.9	1.3	9	9	2	2	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	3	...			
PEMBROKE, ...	30,538	19.4	10.2	13.7	1.7	6	8	1	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	1	2			
BLACKROCK, ...	9,233	8.5	5.6	5.6	.	1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
KINGSTOWN, ...	16,941	11.6	21.5	18.5	.	7	6	1	...	...	...	...	...	...	...	...	...	3	...	1	1	...	...	...	...	...	3	...			
Urban Districts																															
BELFAST ..	403,000	27.0	22.9	16.3	2.3	177	126 (d)	28	24	1	...	...	1	5	1	1	...	20	8	6	9	14	8	1	...	...	30	5			
CORK, ..	76,673	28.6	23.8	19.0	1.4	35	28	4	6	...	...	...	...	...	...	...	...	3	1	2	2	4	...	2	...	...	10	...			
LONDON- DERRY	41,200	16.0	31.6	17.7	7.6	25	14	4	...	1	...	...	...	...	2	...	...	1	...	1	2	...	3	...	...	...	1	1			
LIMERICK, ...	38,518	16.1	14.9	8.1	1.4	11	5	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
WATERFORD, ...	27,464	19.1	17.1	5.7	1.9	9	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...			
GALWAY, ...	13,255	2.5				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...			
DUNDALK, ...	13,128	9.5				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LURGAN, ...	12,553	14.7				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
DROGHEDA, ...	12,501	8.4				5	7	2	3	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	1			
LISBURN ...	12,388	10.9				5	5	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...			
NEWRY, ...	11,963	17.0				5	1	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
PORTADOWN, ...	11,727	15.3				7	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,531	22.8				3	4	...	2	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	...			
BALLYMENA ..	11,381	9.3				5	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	1	...			
SLIGO, ...	11,163	3.8				6	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...			
KILKENNY, ...	10,514	11.4				2	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3	...			
TRALEE, ...	10,300	17.4				3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	1			
CLONMEL, ...	10,209	7.8				3	2	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...			
NEWTOWNARDS	9,587	20.1				7	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...			
QUEENSTOWN,	8,209	14.7				10	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LARNE, ...	8,036	13.4				4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	...	...			
COLERAINE. ..	7,785	7.7				3	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...			
BANGOR, ..	7,776	8.5				1	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BRAY, ..	7,691	7.2				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2				...	3	...	2	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1			
ARMAGH, ...	7,356	21.8				1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			

(d) According to the Census of 1911, but in the case of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including one at 72 years), admitted to hospital from localities outside the Area; the 14 deaths include 4 from tuberculous disease, and one from cancer. (d) Including one death from cerebro-spinal meningitis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 9th of October, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PENROSE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	2	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	1	1	2	.	1	3	2	3	1	3	.	1	.	.	.	3	21	2
Other Forms,	1	.	.	1	1	.	.	1	1	3	.	.	.	.	.	.	7	2
Cancer, . . . . .	.	.	1	1	1	.	.	3	.	.	1	.	1	.	.	1	9	1
Diseases of Nervous System, . . . . .	2	1	1	.	.	.	.	2	.	1	2	.	1	1	.	.	11	.
Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Circulatory System, . . . . .	2	2	.	2	.	1	.	.	1	.	1	.	.	2	.	.	11	2
Respiratory System, { Pneumonia,	1	.	.	1	1	1	.	1	1	.	3	.	.	.	.	1	2	.
Others,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	9	.
Diarrhoea and Enteritis, under 2 years, . . . . .	5	4	2	2	.	1	5	5	2	3	.	1	.	.	.	.	25	.
Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Enteritis, 2 years and upwards, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Others, . . . . .	.	1	2	.	.	1	.	.	.	1	.	1	.	1	.	.	7	1
Genito-urinary System, . . . . .	.	.	.	.	.	.	1	1	.	.	1	.	2	.	.	.	4	1
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.
Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Other specified Causes, . . . . .	2	2	3	1	1	1	1	.	4	5	3	.	2	1	.	1	27	3
Violent Deaths, . . . . .	.	1	1	.	.	.	.	1	.	1	.	.	.	.	.	.	4	1
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.	3	1
Deaths from All Causes . . . . .	14	13	12	8	5	5	6	18	8	17	16	1	9	8	1	6	147	14
Annual Rate of Mortality from All Causes in every 1,000 of the population.	23·9	16·3	22·4	11·6	47·1	18·9	23·9	22·8	22·7	20·2	25·2	5·2	11·9	13·7	5·6	18·5	18·7	.
	19·8							21·3							13·0		20·5	
Ages at Death. { Under 1 year, . . . . .	6	7	4	4	1	.	2	5	4	7	7	.	2	1	.	1	51	.
1 and under 2 years, . . . . .	2	1	2	.	.	.	.	1	.	2	2	.	2	1	.	.	13	.
2 " 5 " . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	5	1
5 " 15 " . . . . .	.	1	.	.	.	1	.	2	.	1	.	.	.	.	.	.	5	2
15 " 25 " . . . . .	2	.	1	.	.	1	.	.	.	6	.	.	1	.	.	1	12	2
25 " 45 " . . . . .	1	1	1	.	1	3	2	1	1	.	.	1	1	3	.	2	17	5
45 " 65 " . . . . .	2	3	1	3	1	.	.	6	.	1	3	.	1	.	.	2	23	3
65 and upwards, . . . . .	1	.	.	1	2	1	1	3	3	.	4	.	2	2	1	.	21	1
Number of Uncertified Deaths, . . . . .	.	.	.	.	.	.	2	1	1	.	.	.	.	2	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	4	1	.	2	3	2	1	1	8	4	.	2	1	.	3	34	12
Workhouse Hospitals, . . . . .	1	1	2	2	.	.	.	5	.	.	1	1	1	.	.	.	14	2





FORTIETH WEEK, ending Saturday, 9th October, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes <i>Registered</i> in the Week ending Saturday										Averages in 40th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 9th October, 1915.																																		
	Oct. 7, 1905.	Oct. 6, 1906.	Oct. 5, 1907.	Oct. 3, 1908.	Oct. 9, 1909.	Oct. 8, 1910.	Oct. 7, 1911.	Oct. 6, 1912.	Oct. 4, 1913.	Oct. 3, 1914.		All Ages.	Deaths of Persons of the Ages of																																	
													0-5.																																	
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																								
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Diseases of Stomach, ...	—	—	—	—	—	—	5	2	.	2	—	3	1	1	.	.	.	.	.	.	1	.	.																							
Diarrhoea and Enteritis of Children under 2 years.	8	34	14	13	7	19	32	1	26	11	17.1	25	.	20	5	.	.	.	.	.	.	.	.																							
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards																								1	.	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	3	.	—	.	.	.	.	1	.	.	.	.	.	.	.																							
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	.	.	.	—	.	.	.	.	.	.	.	.	.	.	.	.																							
Cirrhosis of Liver, ...	1	.	1	.	2	2	.	1	.	.	.7	2	.	.	.	.	.	.	2	.	.	.	.																							
Other Diseases of Liver, ...	3	3	.	.	2	1	.	.	3	2	1.4	2	.	.	.	.	.	.	.	.	.	.	.																							
Peritonitis (cause unknown),	1	.	.	.	1	.	.	1	.	.	.3	1	.	.	.	1	.	.	1	.	1	.	.																							
Other Diseases of Digestive System.	3	6	6	1	3	1	2	1	.	.	2.3	.	.	.	.	.	.	.	.	.	.	.	.																							
Acute Nephritis, ...	9	5	6	3	2	5	2	1	.	3	6	5.0	1	.	.	.	.	.	1	.	2	.	1	.																						
Chronic Bright's Disease, ...																									1	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.																									2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	1	2	.4	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Causes incident to Pregnancy and Childbirth.	.	.	5	.	1	.	.	.	1	1	.8	1	.	.	.	.	.	.	1	.	.	.	.																							
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	.	.	—	2	.	.	.	1	.	.	.	1	.	.	.																							
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	.	1	.	—	1	.	.	.	.	1	.	.	.	.	.	.																							
Premature Birth, ...	7	3	2	2	4	5	8	4	5	4	3.9	8	7	1	.	.	.	.	.	.	.	.	.																							
Congenital Debility, ...	—	—	—	—	—	—	6	3	5	.	13	4	9	.	.	.	.	.	.	.	.	.	.																							
Old Age, ...	4	5	6	1	6	2	4	2	6	5	4.1	1	.	.	.	.	.	.	.	.	1	.	.																							
Other Specified Diseases, ...	—	—	—	—	—	—	2	.	1	3	—	3	3	.	.	.	.	.	.	.	.	.	.																							
ACCIDENT :																																														
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.																							
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Burns and Scalds, ...	1	.	.	1	.	3	.	2	.	.	.7	2	.	.	.	1	.	1	.	.	.	.	.																							
Drowning, ...	.	.	2	.	1	1	.	.	2	.	.6	1	.	.	.	.	.	.	1	.	.	.	.																							
Suffocation in Bed, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Other Deaths by Accident, ...	1	4	1	2	3	5	1	1	2	2	2.2	1	.	.	.	.	.	.	.	.	1	.	.																							
Total Deaths from Accident,	2	4	3	3	5	10	1	4	4	2	3.8	4	.	.	.	1	.	1	1	.	1	.	.																							
Included in above are Deaths in connection with—																																														
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Vehicles and Horses, ...	1	1	.	.	.	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.																							
Ships, Boats, Docks, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
VIOLENCE OTHER THAN ACCIDENTAL :																																														
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Suicide, ...	.	.	.	.	.	.	1	.	.	.	.1	1	.	.	.	.	.	.	.	.	1	.	.																							
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	8	4	5	—	4	.	.	1	.	.	.	.	1	1	1	.																							





REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 9TH OCTOBER, 1915.

OCCUPATION OR SOCIAL POSITION  (The 3138 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged.)		Population in each Class and Group 1911.	AGES.										CAUSES OF DEATH																		
			Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.								Diseases of the Respiratory System																		
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	Tuberculosis.		Diseases of the Respiratory System		(25)	(26)	(27)	(28)	(29)			
					Under 5 years.	5 and under 16.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Krimeric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhea & Enteritis of children under 2 years of age.	Diarrhea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Unrecorded Deaths.	
ALL PERSONS.		397,957	—	161	70	7	14	22	26	16	6	.	.	.	2	.	1	.	.	23	9	10	2	2	9	25	.	5	73	6	
CLASSES.																															
I.	Deaths in Families of the—		14.2	4	.	.	.	.	2	.	2	.	.	.	.	.	.	.	.	3	.	1	.	.	1	.	.	.	2	.	
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,558	11.8	23	3	4	5	6	4	1	.	.	.	.	.	.	.	.	.	8	.	4	.	.	1	.	.	2	13	.	
III.	MIDDLE CLASS, ...	101,798	17.8	37	18	2	4	8	2	2	1	.	.	.	.	.	.	.	.	9	3	1	.	1	.	8	.	1	14	2	
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	25.2	81	47	4	5	5	11	7	2	.	2	.	2	.	1	.	.	7	6	2	2	1	6	17	.	2	35	4	
V.	GENERAL SERVICE CLASS, ...	167,479	—	16	2	1	1	4	5	3	.	.	.	.	.	.	.	.	.	4	.	2	.	.	1	.	.	.	9	.	
INNATES OF WORKHOUSES, ...		5,602	—	16	2	1	1	4	5	3	.	.	.	.	.	.	.	.	.	4	.	2	.	.	1	.	.	.	.	.	
PROFESSIONAL AND INDEPENDENT CLASS.																															
I.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	6.6	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
II.	2. Merchants and Manufacturers, Higher Class	1,347	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III.	3. Persons of Rank and Property, not otherwise described, ...	5,443	28.7	3	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
MIDDLE CLASS.																															
IV.	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3	.	.	.	.	2	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.
V.	5. Traders (except Petty Shopkeepers), Business Managers &c., ...	25,199	4.1	2	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.
VI.	6. Clerks and Commercial Assistants.	33,249	9.4	6	2	.	1	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.
III.	7. Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,827	18.5	12	1	.	3	2	4	2	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	2	6	.	.
ARTISAN CLASS AND PETTY SHOPKEEPERS.																															
III.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17.7	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1	1	.	.	.	1	1	1	1	.
IV.	9. Building and Furnishing Trades, ...	28,823	21.7	12	8	2	1	1	1	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.	4	1	.
V.	10. Clothing Trades, ...	20,026	7.8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.
VI.	11. Food Supply Trades	8,952	29.1	5	2	.	.	2	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	.
III.	12. Other Trades and Callings ranking with Trades, ...	32,070	21.1	13	6	.	4	2	1	.	.	.	.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	5	1	.
GENERAL SERVICE CLASS.		6,772	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
IV.	13. Petty Shopkeepers	12,977	52.2	13	12	.	.	.	2	1	1	.	.	.	1	.	1	.	.	.	.	1	.	.	.	7	.	.	4	.	.
GENERAL SERVICE CLASS.																															
V.	14. Army, Police, Postal Delivery and Prison Services &c., ...	36,041	5.8	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.
VI.	15. Domestic Servants, ...	15,380	17.0	59	32	3	5	4	8	6	1	.	.	.	1	.	.	.	.	6	5	1	2	1	5	10	.	2	26	4	.
INNATES OF WORKHOUSES.																															
V.	16. Workhouse Innates, ...	5,602	—	16	2	1	1	4	5	3	.	.	.	.	.	.	.	.	.	4	.	2	.	.	1	.	.	.	9	.	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 4	30.8	6.8	18	.	.	.	.	.	.	.	.	3	.	3	.	1	4	.	1	2
	" 11	20.5	5.1	12	.	.	.	.	.	1	.	.	1	2	1	1	1	2	.	.	1
	" 18	13.7	3.4	8	.	.	.	.	.	.	1	.	1	.	1	1	1	1	.	.	.
	" 25	30.8	8.5	18	.	.	.	.	.	.	.	.	4	.	1	1	1	5	.	.	.
Population in 1915	Oct. 2	27.4	8.5	16	.	.	.	.	.	1	.	.	1	1	1	1	1	4	.	.	1
(Est.) 30,504	" 9	23.9	8.5	14	.	.	.	.	.	.	.	.	1	1	.	1	1	5	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 4	25.0	3.8	20	.	.	.	.	1	.	.	.	1	.	1	2	1	2	.	.	.
	" 11	22.5	5.0	18	.	.	.	.	.	.	.	.	1	.	1	2	2	4	.	.	.
	" 18	35.0	7.5	28	.	.	.	.	.	.	.	.	8	.	1	3	1	6	.	.	1
	" 25	28.8	7.5	23	.	.	.	.	.	.	.	.	5	.	.	.	6	.	.	.	.
Population in 1915	Oct. 2	21.3	2.5	17	1	.	.	.	.	.	.	.	2	1	1	1	.	1	.	1	1
(Est.) 41,685.	" 9	16.3	5.0	13	.	.	.	.	.	.	.	.	1	.	.	.	4	.	1	.	.
North City, No. 2. (Office, Lisburn-street.)	Sept. 4	28.1	9.4	15	.	.	.	.	.	.	.	.	2	1	1	.	5	.	1	.	.
	" 11	28.1	.	15	.	.	.	.	.	.	.	.	3	.	.	1	.	.	.	.	.
	" 18	20.6	5.6	11	.	.	.	.	.	1	.	.	3	.	1	.	2	.	.	.	.
	" 25	11.2	1.9	6	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Oct. 2	26.2	1.9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	.	2
(Est.) 27,883.	" 9	22.4	3.7	12	.	.	.	.	.	.	.	.	2	.	1	.	2	2	1	1	.
North City, No. 3. (Office, Benburb-street.)	Sept. 4	10.2	.	7	.	.	.	.	.	.	.	.	2	.	2	.	.	.	.	.	.
	" 11	16.0	1.5	11	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	1
	" 18	16.0	1.5	11	.	.	.	.	.	.	.	.	1	.	1	.	1	1	.	.	.
	" 25	10.2	2.9	7	.	.	.	1	.	.	.	.	.	1	.	1	1	.	.	.	.
Population in 1915	Oct. 2	20.3	1.5	14	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
(Est.) 35,887.	" 9	11.6	2.9	8	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.
Clontarf and Howth No. 1 (part of).	Sept. 4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	37.7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 18	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 25	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
(Est.) 5,539.	Oct. 2	18.8	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 9	47.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
Coolock and Drumcondra (part of).	Sept. 4	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 18	7.5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	" 25	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Population in 1915	Oct. 2	18.9	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
(Est.) 13,820.	" 9	18.9	.	5	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
Finglas and Glasnevin (part of).	Sept. 4	9.6	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 11	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 25	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
Population in 1915	Oct. 2	19.3	.	4	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
(Est.) 10,829.	" 9	28.9	4.8	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	2
South City, No. 1. (Office, Stn. Earl-street.)	Sept. 4	8.9	2.5	7	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	.
	" 11	17.7	1.3	14	.	.	.	.	.	.	.	.	5	.	1	.	1	1	.	.	1
	" 18	22.8	3.8	18	.	.	.	.	.	.	.	.	6	1	.	.	1	3	.	.	.
	" 25	26.6	6.3	21	.	.	.	1	1	.	.	.	.	.	1	1	2	3	.	.	2
Population in 1915	Oct. 2	20.3	7.6	16	.	.	.	1	.	.	.	.	2	1	.	1	1	5	.	.	1
(Est.) 41,170.	" 9	22.8	6.3	18	.	.	.	.	.	.	.	.	3	1	3	.	1	5	1	1	1
South City, No. 2. (Office, Castle-street.)	Sept. 4	19.9	5.7	7	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
	" 11	22.7	.	8	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	" 18	17.1	2.8	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	" 25	31.3	5.7	11	.	.	.	.	.	.	.	.	1	1	.	1	1	2	.	.	.
Population in 1915	Oct. 2	17.1	2.8	6	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
(Est.) 18,341.	" 9	22.7	.	8	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1
South City, No. 3. (Office, Peter-street.)	Sept. 4	24.9	1.2	21	.	.	.	.	.	.	.	.	5	.	.	.	5	1	.	1	1
	" 11	21.3	4.7	18	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	.	2
	" 18	24.9	3.6	21	.	.	.	.	.	.	2	.	4	.	1	1	3	2	.	1	1
	" 25	23.7	3.6	20	.	.	.	.	.	.	.	.	.	.	2	2	3	3	.	.	1
Population in 1915	Oct. 2	26.1	4.7	22	.	.	.	.	.	.	.	.	7	4	1	2	3	4	.	.	.
(Est.) 43,970.	" 9	20.2	3.6	17	.	.	.	1	.	.	.	.	3	3	.	1	.	2	.	1	.
South City, No. 4. (Office, Grand Canal-st.)	Sept. 4	14.1	3.1	9	.	.	.	.	.	.	.	.	1	.	.	.	1	2	.	.	1
	" 11	18.9	1.6	12	.	.	.	.	.	.	.	.	3	.	.	.	.	1	.	.	1
	" 18	25.2	9.4	16	.	.	.	.	.	.	.	.	2	.	.	1	.	6	.	1	.
	" 25	23.6	1.6	15	1	.	.	.	.	.	.	.	3	.	2	.	2	.	.	.	.
Population in 1915	Oct. 2	15.7	11.0	10	.	.	.	.	.	.	.	.	3	.	.	.	.	7	.	1	1
(Est.) 33,171.	" 9	25.2	6.3	16	.	.	.	1	.	.	.	.	.	.	1	.	3	3	.	.	.
New Kilmainham.	Sept. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1
	" 18	10.5	5.2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 25	31.4	10.5	6	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.
(Est.) 9,948.	Oct. 2	10.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2	.
	" 9	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Marasmus and Enteritis of Children under 2 years of age.	Malaria, 2 years and upward.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Sept. 4 " 11 " 18 " 25 Oct. 2 " 9	7.9 11.9 9.2 13.2 10.5 11.9	. 1.3 1.3 . 1.3 1.3	6 9 7 10 8 9	. .																

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks, Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1915—WEEK ENDING																									
	April 17.	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.
No. of weeks in Annual Series,	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
BIRTHS registered, ...	256	227	219	167	185	248	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177
DEATHS registered, ...	166	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126
Annual Death-rate per 1,000 of estimated population, ...	21.5	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3
AGES, { Under 1 year, ...	32	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28
1-5 years, ...	26	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6
5-25 " ...	21	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17
25-45 " ...	22	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	18	18	16	19	22	19	18	15	19	22
45-65 " ...	40	27	37	28	32	33	25	29	18	30	27	25	18	27	28	26	23	29	27	26	24	25	18	23	26	29
65 and upwards, ...	25	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24
Deaths from:—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Enteric Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Typhus, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Small-pox, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Measles, ...	3	2	7	8	2	4	5	1	5	5	5	2	3	8	1	3	1	1	1	1	1	1	1	1	1	1
Scarlet Fever, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Whooping-cough, ...	5	7	5	2	5	1	2	1	1	1	1	4	3	1	1	4	1	1	3	1	5	5	1	1	1	1
Diphtheria, ...	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Dysentery, ...	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis, { Pulmonary, ...	17	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20
Other Forms, ...	13	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	5	8
Cancer, ...	6	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6
Diseases of Respiratory System, { Pneumonia, ...	21	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9
Others, ...	24	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14
Diarrhoea and Enteritis, under 2 years, ...	2	2	2	2	2	2	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8
Diarrhoea, 2 years and upwards, ...	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	4	1	2	1	1	1
Violent Deaths, ...	3	3	3	2	1	1	3	3	3	3	2	1	1	3	2	2	5	2	1	1	2	2	2	1	2	3
Number of Uncertified Deaths, ...	1	2	2	1	1	1	1	2	1	1	1	1	1	1	4	1	1	1	1	1	2	3	2	1	1	5

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, ---	4,516,612	Oct. 9,	1,958	1,365 <sup>c</sup>	15·8	1	.	1	3	10	15	192
EDINBURGH, ---	328,700	" 9,	114	78	12·4	.	.	3	2	.	2	3
GLASGOW, ---	1,078,400	" 9,	473	362	17·5	.	.	4	7	1	2	26
CALCUTTA ---	896,067	Aug. 21,	.	377	21·8	62*	.	.	.	.	.	56† <sup>a</sup>
BOMBAY, ---	979,445	" 28,	396	457	24·3	66*	3	1	.	.	.	64 <sup>a</sup>
MADRAS. ---	518,660	" 21,	348	463	46·4	55*	2	2	?	?	?	113† <sup>a</sup>
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.
ALEXAN- DRIA, {	Egyptians,	" 22,	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.
PARIS, ---	2,847,229	Sept. 4,	435	634	11·4	5	.	4	.	5	2†	31
BRUSSELS, ---	780,848	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, ---	612,722	Aug. 28,	226	106	9·0	.	.	6	1	2	1†	3
COPENHAGEN, ---	492,000	Sept., 11	232	94	10·0	1	.	.	.	.	1†	1
STOCKHOLM, ---	386,270	" 11,	124	77	10·4	.	.	.	3	.	.	.
CHRISTIANIA, ---	250,677	" 18,	117	45	9·3	.	.	.	.	.	1	.
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, ---	1,694,000	Sept. 4,	.	1,166	35·9	30	1	33	13	5	14†	306† <sup>a</sup>
ROME, ---	591,948	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, ---	5,806,532	Sept. 4,	.	.	.	.	.	.	.	.	.	.
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, ---	727,826	Sept. 18,	.	234 <sup>b</sup>	16·8	1	.	.	.	3	4	33 <sup>a</sup>

\* Deaths from "fever," including 9 from enteric fever in Calcutta; 8 from plague and 3 from enteric fever in Bombay, and 5 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 19 deaths from cholera in Calcutta, one in Madras and 5 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 199 deaths (including 2 from whooping-cough, 3 from diphtheria, and 28 from diarrhoeal diseases); rate, 14·3 per thousand.

<sup>c</sup> Including 2 deaths from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 9th October, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	...	...	...	...	...	...	2	...	...	...	...	1	3
"    "    1, West,	...	...	...	...	...	...	...	1	1	...	...	...	...	2
"    "    2,	...	...	...	...	...	...	...	...	...	...	...	...	3	3
"    "    3,	...	5	...	...	...	...	...	1	1	...	...	...	1	8
Clontarf and Howth No. 1 (part of),	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Coolock and Drumcondra (part of),	...	...	...	...	...	...	...	...	...	...	...	...	3	3
Finglas and Glasnevin (part of),	...	...	...	...	...	...	...	...	...	...	...	...	...	...
South City No. 1,	...	...	...	...	...	...	...	...	...	...	...	...	6	6
"    "    2,	...	2	...	...	...	...	...	2	...	...	...	...	...	4
"    "    3,	...	5	...	...	2	...	...	3	...	...	...	...	2	12
"    "    4,	...	...	...	...	...	...	...	1	...	...	...	...	2	3
New Kilmainham,	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Total,	...	12	...	...	2	...	...	10	2	...	...	...	18	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 9th October, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 9th October.			
	Sept. 18.	Sept. 25.	Oct. 2.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	31	40	40	14	4	...	50
Typhus,	...	...	...	...	...	...	...
Small-pox,	...	...	...	...	...	...	...
Measles,	5	5	6	5	2	1	8
Scarlet Fever,	52	50	52	18	8	...	62*
Diphtheria,	38	41	37	5	10	...	32
Pneumonia,	10	11	10	2	4	...	8

\* Exclusive of 17 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 16TH OCTOBER, 1915.

[No. 41.]

General Register Office, Charlemont House,  
Dublin, 18th October, 1915.

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 14·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Sept. 25	Oct. 2	Oct. 9	Oct. 16	
<b>27 Town Districts, (a)</b>	<b>16·4</b>	<b>18·3</b>	<b>16·0</b>	<b>14·8</b>	<b>16·4</b>
Dublin Reg. Area ...	19·6	20·4	18·7	18·5	19·3
Dublin City ...	22·5	21·3	20·5	19·7	21·0
Belfast ...	11·4	16·2	16·3	12·6	14·1
Cork ...	19·7	17·7	19·0	11·6	17·0
Londonderry ...	20·2	18·9	17·7	21·5	18·3
Limertick ...	18·5	20·3	8·1	16·2	14·5
Waterford ...	9·5	26·6	5·7	17·1	14·7

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·8 per 1,000. Among the 97 deaths from all causes for Belfast are one from enteric fever, 3 from scarlet fever, and 7 from diarrhoea and enteritis of children under 2 years. The 17 deaths from all causes for Cork include 4 from diarrhoea and enteritis of children under 2 years; and 2 of the 17 deaths from all causes for Londonderry are also from this disease. Of the 6 deaths from all causes for Lisburn 3 are from diarrhoeal diseases, and one of the 2 deaths recorded for Kilkenny was caused by whooping-cough.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 219—110 boys and 109 girls—and the deaths to 158—85 males and 73 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 18·5 per 1,000 of the population. During the forty-one weeks, ending with Saturday last, the death-rate averaged 22·0, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 158, represent an annual rate of 20·1 per 1,000; the annual rate for the past forty-one weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·5 per 1,000 of the mean population for all deaths registered.

Among the 158 deaths from all causes are 3 from enteric fever, one from measles, one from whooping-cough, and 13 from diarrhoea and enteritis of children under 2 years.

In the three preceding weeks, deaths from enteric fever were one, 2, and 0; deaths from measles were 2, one and 2; deaths from whooping-cough were one, one, and one; and deaths from diarrhoea and enteritis of children under 2 years of age were 24, 30, and 25, respectively.

Tuberculous disease, which in the three preceding weeks caused 25, 37, and 32 deaths, respectively, in the week under notice caused 37\* deaths, comprising 28 from pulmonary tuberculosis, 3 from tuberculous meningitis, 3 from abdominal tuberculosis, and 3 from other forms of the disease.

There were 11\* deaths from cancer.

Four deaths from pneumonia were recorded, comprising one from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

The deaths of 4 infants under one year of age were attributed to convulsions, one to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 13 deaths and bronchitis 13 deaths.

There were 2 accidental deaths, one being that of a child aged 4 years from burns.

In 6 instances the cause of death was "uncertified", there having been no medical attendant during the last illness; these cases comprise the deaths of 4 infants under one year of age, and the deaths of 2 persons aged 65 years and upwards.

Forty of the persons whose deaths were registered during the week were under 5 years of age (29 being infants under one year, of whom 8 were under one month old), and 32 were aged 65 years and upwards, including 20 persons aged 70 and upwards; among the latter were 6 aged 75 and upwards, of whom one (a female) was stated to have been aged 95 years.

Seventy of the deaths registered during the week occurred in hospitals and other public institutions; of this number 14 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 18·5 per 1,000; the rate in the City was 19·7 (North City Districts, 20·7; South, 18·5), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·5 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 3·1, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·1 per 1,000, and include 3 from tuberculous disease, 3 from bronchitis, and 2 of children under 2 years from diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (15) are equal to an annual rate of 18·8 per 1,000. Whooping-cough caused one death, tuberculous disease 5 deaths, and diarrhoea and enteritis of children under 2 years 2 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000, and include 3 from tuberculous disease, 3 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (15) represent an annual rate of 21·8 per 1,000. Enteric fever caused one death, pulmonary tuberculosis 6 deaths, bronchitis one death, diarrhoeal diseases 2 deaths, and there was one accidental death.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 11·3; and Finglas and Glasnevin, part of, 28·9.

No. 1 *South City District* (South Earl-street).—The deaths (12) represent an annual rate of 15·2 per 1,000, and include 2 from pulmonary tuberculosis, one from pneumonia, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (9) are equal to an annual rate of 25·6 per 1,000. Pulmonary tuberculosis caused 4 deaths, lobar pneumonia one death, and diarrhoea and enteritis (a child under 2 years) one death.

No. 3 *South City District* (Peter-street).—The deaths (21) are equal to an annual rate of 24·9 per 1,000. Included in the total are 2 from enteric fever, 5 from tuberculous disease, one from pneumonia, 3 from bronchitis, and one from diarrhoea.

No. 4 *South City District* (Grand Canal Street).—The deaths (9) are equivalent to an annual rate of 14·1 per 1,000, and include one from measles, 2 from tuberculous disease, and 3 from diarrhoea and enteritis of children under 2 years.

*New Kilmainham District.*—The one death for this district is equal to an annual rate of 5·2 per 1,000, and was from pulmonary tuberculosis.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·8; Pembroke, 12·0; Blackrock, 11·3; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was that of a child under 2 years from diarrhoea and enteritis for Pembroke. Included in the 12 deaths from all causes for Rathmines and Rathgar are 2 from tuberculous disease. Among the 7 deaths from all causes for Pembroke there is one from each of pulmonary tuberculosis, broncho-pneumonia, bronchitis, and diarrhoea and enteritis under 2 years. One of the 2 deaths for Blackrock is from disseminated tuberculosis; and one of the 6 deaths from all causes for Kingstown is from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·6), was equal to an average annual death-rate of 13·9 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 15·5 per 1,000, the rate for Glasgow being 16·2, and for Edinburgh 12·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 16th October. From this Report it appears that of 89 cases notified, 45 were scarlet fever, 21 diphtheria, 13 pulmonary tuberculosis, 2 other forms of tuberculosis, and 8 erysipelas. Among the 612 cases of infectious diseases in hospital at the close of the week were 227 of scarlet fever, 162 of pulmonary tuberculosis, 146 of diphtheria, 40 of measles, 6 of enteric fever, 4 of erysipelas, one of cerebro-spinal fever, and one of whooping-cough.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 16th October, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total
City of Dublin.	Sept. 25,	.	—	—	3	.	.	5	.	1	10	.	.	—	—	.	—	.	16	35
	Oct. 2,	.	—	—	7	.	.	3	.	.	2	1	.	—	—	.	—	.	19	32
	Oct. 9,	.	—	—	12	.	.	2	.	.	10	2	.	—	—	.	—	.	18	44
	Oct. 16,	.	—	—	10	.	.	3	.	1	16	3	.	—	—	.	—	.	16	50
Rathmines and Rathgar Urban District	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
	Oct. 2,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Oct. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Sept. 25,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
	Oct. 2,	.	1	.	.	.	.	.	.	.	1	.	.	—	1	.	—	—	.	7
	Oct. 9,	.	.	.	.	.	.	.	.	.	.	.	.	—	5	.	—	—	.	1
	Oct. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
Blackrock Urban District.	Sept. 25,	.	2	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	3
	Oct. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 16,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
Kingstown Urban District.	Sept. 25,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 2,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	3	6
	Oct. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Sept. 25,	.	—	—	67	.	.	.	.	.	2	2	.	—	—	.	—	.	5	76
	Oct. 2,	.	—	—	45	.	.	2	.	.	.	4	.	—	—	1	—	.	2	54
	Oct. 9,	.	—	—	67	.	.	7	.	.	.	9	.	—	—	1	—	.	2	86
	Oct. 16,	.	—	—	58	.	.	3	.	.	3	5	.	—	—	.	—	.	8	72
City of Cork.	Sept. 25,	.	1	—	1	.	.	2	.	.	.	.	.	—	—	25	—	—	—	29
	Oct. 2,	.	1	—	7	.	.	2	.	.	.	1	.	—	—	11	—	—	—	22
	Oct. 9,	.	.	—	3	.	.	.	.	.	3	.	.	—	—	3	—	—	—	9
	Oct. 16,	.	1	—	6	.	.	2	.	.	.	.	.	—	—	1	—	—	—	10
City of Londonderry.	Sept. 25,	.	—	—	4	.	.	.	.	.	1	.	.	—	—	—	—	—	—	5
	Oct. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
City of Limerick.	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	.	—	—	—	1
	Oct. 9,	.	—	—	.	.	.	.	.	1	.	.	.	—	—	.	—	—	—	2
	Oct. 16,	.	—	—	2	.	.	.	1	.	1	.	.	—	—	.	—	—	—	4
City of Waterford.	Sept. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	.	—	1
	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	.	—	1
	Oct. 9,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	1	—	5
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	.	—	1

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 16th October, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eleven cases of enteric fever were admitted to hospital during the week, 6 were discharged, there were 2 deaths and 53 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 40, 40, and 50.

Seven cases of measles were admitted to hospital during the week, one was discharged, and 14 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 5, 6, and 8 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 10 were discharged, and 70\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 50, 52, and 62, respectively.

Five cases of diphtheria were admitted to hospital during the week, 6 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 41, 37, and 32 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 2 cases of pneumonia were admitted to hospital, one was discharged, and 9 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 16th October, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 16TH OCTOBER, 1915.																														
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																						
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.					
																		Pulmonary.	Other Forms.											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)		
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	26.2	14.8	1.8	609	345	68	78	4	...	...	1	3	2	...	...	56	11	26	81	34	29	3	7	6	108	10		
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	27.9	18.5	2.5	219	145	29	32	3	...	...	1	...	1	...	...	27	8	8	4	14	13	2	1	...	57	6		
CITY OF DUBLIN,	312,747	39.5	30.3	19.7	3.2	182	118	25	22	3	...	...	1	...	1	...	...	25	6	8	3	11	12	2	1	...	52	5		
Urban Districts.																														
RATHMINES and RATHGAR.	39,541	23.1	17.1	15.8	.	13	12	2	5	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	1		
PEMBROKE, ...	30,538	19.4	22.2	12.0	1.7	13	7	...	2	...	...	...	...	...	...	...	...	1	...	...	1	2	1	...	...	...	2	...		
BLACKROCK, ...	9,233	8.5	22.6	11.3	.	4	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...		
KINGSTOWN, ...	16,941	11.6	21.5	18.5	.	7	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...		
Urban Districts																														
BELFAST ..	403,000	27.0	27.0	12.6	1.4	209	97	21	16	1	...	...	...	3	...	...	...	17	2	6	2	9	7	...	2	1	27	...		
CORK, ..	76,673	28.6	24.5	11.6	2.7	36	17	4	2	...	...	...	...	...	...	...	...	3	...	3	...	2	4	...	...	1	6	...		
LONDON- DERRY	41,200	16.0	20.2	21.5	2.5	16	17	2	3	...	...	...	...	...	...	...	...	3	...	1	...	1	2	...	1	1	5	...		
LIMERICK, ...	38,518	16.1	20.3	16.2	.	15	12	3	2	...	...	...	...	...	...	...	...	3	...	...	...	3	...	...	...	...	4	1		
WATERFORD, ...	27,464	19.1	17.1	17.1	1.9	9	9	...	5	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	2	1		
GALWAY, ...	13,255	2.5				6	3	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	...	...		
DUNDALK, ...	13,128	9.5				8	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
LURGAN, ...	12,553	14.7				6	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...		
DROGHEDA, ...	12,501	8.4				13	3	...	2	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...		
LISBURN ...	12,388	10.9				5	6	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1	1	1	...	...		
NEWRY, ...	11,963	17.0				7	8	...	3	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	2	...		
PORTADOWN, ...	11,727	15.3				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22.8				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...		
BALLYMENA ..	11,381	9.3				6	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
SLIGO, ...	11,163	3.8				1	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
KILKENNY, ...	10,514	11.4				5	2	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	1		
TRALEE, ...	10,300	17.4				5	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...		
CLONMEL, ...	10,209	7.8				10	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...		
NEWTOWNARDS	9,587	20.1				4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
QUEENSTOWN,	8,209	14.7				6	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
LARNE, ...	8,036	13.4				2	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...		
COLERAINE, ...	7,785	7.7				5	3	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	1	...		
BANGOR, ..	7,776	8.5				2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	...		
BRAY, ..	7,691	7.2				3	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ..	7,472	6.2				2	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...		
ARMAGH, ...	7,356	21.8				4	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (2) at foot of first page. (c) Exclusive of 13 deaths of persons admitted to hospital from localities outside the Area; the 13 deaths include 2 from tuberculous disease, and 3 from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 16th of October, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	1	.	.	.	.	.	2	.	.	.	.	.	.	3	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Measles, . . . . .	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	2	4	1	6	.	.	.	2	4	4	1	1	1	1	.	.	27	1
{ Other Forms, . . . . .	1	1	2	.	.	.	.	.	1	1	1	1	1	1	1	.	8	1
Cancer, . . . . .	.	1	.	1	.	.	1	.	1	3	1	.	.	.	.	.	8	3
Diseases of Nervous System, . . . . .	4	1	.	1	1	2	2	2	.	1	.	.	1	.	.	3	18	2
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System, . . . . .	1	1	.	.	1	.	1	2	.	2	1	.	3	.	.	1	13	2
" Respiratory System, { Pneumonia, . . . . .	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.	.	4	.
{ Others, . . . . .	3	.	3	1	.	.	.	1	.	3	.	.	.	2	.	1	14	.
{ Diarrhoea and Enteritis, under 2 years, . . . . .	2	2	2	1	.	.	.	1	1	.	3	.	.	1	.	.	13	.
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	1	.	.	1	.	.	1	2	1	.	8	3
{ Others, . . . . .	.	1	.	1	.	.	.	1	.	.	1	.	1	.	.	.	3	.
" Genito-urinary System, . . . . .	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1	.
Puerperal Septicæmia, etc., . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	3	2	.	1	.	1	1	2	1	1	.	.	4	.	.	1	17	.
Violent Deaths, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1
Ill-defined, &c. Causes, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Deaths from All Causes . . . . .	17	15	8	15	2	3	6	12	9	21	9	1	12	7	2	6	145	13
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	29·1	18·8	15·0	21·8	18·8	11·3	23·9	15·2	25·6	24·9	14·1	5·2	15·8	12·0	11·3	18·5	18·5	.
	20·7							18·5					14·6					
	19·7																	
Ages at Death. { Under 1 year, . . . . .	6	4	2	2	.	1	1	4	1	.	4	.	2	.	1	1	29	.
1 and under 2 years, . . . . .	.	1	.	.	.	.	.	1	1	.	1	.	.	2	.	.	6	.
2 " 5 " . . . . .	2	.	1	1	.	.	.	.	.	1	.	.	.	.	.	.	5	.
5 " 15 " . . . . .	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	3	.
15 " 25 " . . . . .	.	4	.	.	.	.	1	1	1	1	.	1	.	.	.	.	9	.
25 " 45 " . . . . .	3	1	1	7	1	1	2	1	2	5	1	.	1	1	.	.	27	5
45 " 65 " . . . . .	3	3	2	4	1	1	1	2	3	4	2	.	4	2	1	1	34	8
65 and upwards, . . . . .	3	2	1	1	.	.	1	3	1	9	1	.	5	2	.	3	32	.
Number of Uncertified Deaths, . . . . .	4	.	.	1	.	.	.	.	.	.	.	.	1	.	.	.	6	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	2	1	5	.	2	1	.	.	7	1	.	1	1	1	1	25	13
Workhouse Hospitals, . . . . .	4	2	3	3	.	.	2	5	5	4	2	1	.	1	.	.	32	.





FORTY-FIRST WEEK, ending Saturday, 16th November, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 41st Week of the 10 years, 1905-1914.	In the Week ending Saturday, 16th October, 1915.																				
	Oct. 14, 1905.	Oct. 13, 1906.	Oct. 12, 1907.	Oct. 10, 1908.	Oct. 16, 1909.	Oct. 15, 1910.	Oct. 14, 1911.	Oct. 12, 1912.	Oct. 11, 1913.	Oct. 10, 1914.		All Ages.	Deaths of Persons of the Ages of																			
													0-5.																			
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.										
Diseases of the Pharynx, Ton- sillitis.	.	1	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Stomach, ...	—	—	—	—	—	—	6	.	1	2	—	4	1	1	.	.	1	.	1	.	.	.										
Diarrhoea and Enteritis of Children under 2 years.	6	18	31	13	10	16	27	5	29	14	17.8	13	1	10	2	.	.	.	.	.	.	.										
Diarrhoea 2 years and upwards.																							2	1	.	2	2	.	1	.	1	.
Enteritis 2 years and upwards	—	—	—	—	—	—	4	.	1	.	—	2	.	.	.	.	.	1	.	1	.	1										
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	2	.	.	.	.	.	.	1	2	.	.										
Hernia and Intestinal Ob- structions.	1	2	.	3	3	.	1	1	.	.	.9	.	.	.	.	.	.	.	.	.	.	.										
Cirrhosis of Liver, ...	2	.	1	2	.	1	1	.	2	.	2	1.1	1	.	.	.	.	.	.	.	.	.										
Other Diseases of Liver, ...	.	1	.	1	1	1	1	1	.	.	.5	.	.	.	.	.	.	.	1	.	.	.										
Peritonitis (cause unknown),	2	5	1	3	6	6	1	.	8	1	2.8	2	.	.	.	.	.	.	2	.	.	.										
Other Diseases of Digestive System.																																
Acute Nephritis, ...	2	9	6	7	6	4	1	2	2	1	6.1	1	.	.	.	.	.	.	.	.	1	.										
Chronic Bright's Disease, ...													3	2	5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							1	3	3	1	.	1	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.					
Puerperal Septicæmia, &c., ...	2	.	.	.	.	2	1	3	.	.	.8	1	.	.	.	.	.	1	.	.	.	.										
Other Causes incident to Pregnancy and Childbirth.	2	1	.	.	1	.	.	1	1	.	.6	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	1	.	1	—	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	.	1	—	.	.	.	.	.	.	.	.	.	.	.										
Congenital Malformations, ...	—	—	—	—	—	—	1	3	2	1	—	.	.	.	.	.	.	.	.	.	.	.										
Premature Birth, ...	3	4	5	1	3	3	8	2	4	1	2.9	1	1	.	.	.	.	.	.	.	.	.										
Congenital Debility, ...	—	—	—	—	—	—	6	6	3	2	—	6	2	4	.	.	.	.	.	.	.	.										
Old Age, ...	.	2	1	.	4	5	8	4	2	7	2.8	4	.	.	.	.	.	.	.	2	2	.										
Other Specified Diseases, ...	—	—	—	—	—	—	1	3	8	2	—	2	2	.	.	.	.	.	.	.	.	.										
ACCIDENT :																																
Poisons or Poisonous Vapours.	.	.	.	.	.	1	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.										
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Burns and Scalds, ...	1	3	2	.	.	.	.	4	.	2	1.2	1	.	.	.	1	.	.	.	.	.	.										
Drowning, ...	.	1	.	.	.	2	.	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.										
Suffocation in Bed, ...	.	2	.	.	.	.	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.										
Other Deaths by Accident, ...	3	.	5	4	1	1	3	5	1	5	2.8	1	.	.	.	.	.	1	.	.	.	.										
Total Deaths from Accident,	4	6	7	4	1	4	4	10	2	7	4.9	2	.	.	.	1	.	1	.	.	.	.										
Included in above are Deaths in connection with—																																
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Vehicles and Horses, ...	2	.	1	2	.	.	1	2	.	.	.8	.	.	.	.	.	.	.	.	.	.	.										
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
VIOLENCE OTHER THAN ACCIDENTAL :																																
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Suicide, ...	1	.	.	2	.	.	1	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.										
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	7	6	6	2	—	1	.	.	.	.	.	.	.	1	.	.										

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																											
		April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.		
No of weeks in Annual Series,		16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41		
BIRTHS registered.		252	231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219.		
Average Births in corresponding week of previous 10 years, ...		223	217	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189		
DEATHS registered, ...		209	160	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158		
Annual Death-rate per 1,000, ...		26.6	20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1		
Average Deaths in corresponding week of previous 10 years, ...		201	195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153		
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		67	42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40		
		5	5	9	8	4	8	3	8	6	6	7	6	5	3	6	4	4	6	6	8	7	7	4	7	8	3		
		12	11	12	16	14	6	9	11	10	12	10	8	6	10	6	6	5	7	4	4	6	8	9	6	9	7	14	
		34	30	40	35	34	24	26	33	25	21	23	21	18	18	24	24	21	12	21	18	27	25	36	28	33	22	32	
		49	39	48	42	39	33	41	43	39	26	51	27	31	31	34	25	22	37	22	22	27	39	32	35	29	26	32	
		17	19	31	21	17	22	19	13	18	23	16	23	16	23	13	17	14	21	17	14	19	1	19	19	16	26	6	
		25	14	15	18	15	15	13	14	10	11	18	15	15	13	14	8	11	11	11	9	10	12	16	12	13	6	6	
		Deaths from:—																											
		Enteric Fever, ...		.	.	2	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	2	.	3
		Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...		6	2	1	.	4	3	2	1	.	2	1	.	1	.	1	1	1	1	1	1	.	.	2	1	2	1		
Scarlet Fever, ...		1	2	5	5	3	.	3	2	1	1	1	.	1	.	1	2	1	1	.	1	.	1	1	1	1	1		
Whooping-cough, ...		11	2	3	2	1	1	1	2	2	1	.	.	1	3	.	2	2	1	1	.	.	1	1	1	1	1		
Diphtheria, ...		1	2	3	2	1	1	1	2	2	1	.	.	.	3	.	2	2	1	1	.	.	3	1	1	1	1		
Influenza, ...		2	6	.	4	.	1	1	1	1	.	.	2	2	1	.	1	1	.	.	.	.	2	1	.	.	.		
Dysentery, ...		.	.	.	1	.	.	.	1	1	.	.	.	.	1	.	1	.	2	.	.	.	.	.	.	.	.		
Tuberculosis { Pulmonary ...		26	36	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28		
Cancer, ...		12	3	10	9	3	7	3	12	6	8	9	2	3	7	6	9	3	4	7	7	4	5	5	9	9	9		
Diseases of Circulatory System, ...		7	11	17	9	10	5	8	6	10	10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11		
Diseases of Respi- ( Pneumonia, ...		18	15	18	18	18	14	16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15		
ratory System { Others, ...		16	8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	4	2	7	6	5	2	4		
Diarrhoea and Enteritis, under 2 years, ...		22	21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	11	5	2	14		
Diarrhoea, 2 years and upwards, ...		2	5	6	6	5	.	9	.	5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13		
Violent Deaths, ...		1	3	5	2	5	2	6	.	3	.	5	1	.	2	1	4	5	4	.	.	1	.	.	2	.	2		
Number of Uncertified Deaths, ...		7	1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6		



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 16th October, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION		Popula- tion in each Class and Group in 1911.	REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 16TH OCTOBER, 1915.										CAUSES OF DEATH																
			AGES.										DISEASES OF THE RESPIRATORY SYSTEM.																
CLASS.		COLS.	(1)	(2)	(3)	AGES.								DISEASES OF THE RESPIRATORY SYSTEM.										Violence.	Other Causes.	Number of Uncertified Deaths			
						Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Krætic Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.				Convulsions.	Pneumonia.	Other.
I.	ALL PERSONS.	897,957	—	158	40	3	9	32	42	26	6	3	8	11	16	16	17	18	19	20	21	22	23	24	25	26	27	28	29
	CLASSES.																												
	Deaths in Families of the—																												
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17.8	5	..	..	..	..	4	1	..	..	..	..	..	..	..	..	..	1	..	..	1	..	..	..	..	..	
II.	MIDDLE CLASS, ...	101,798	14.9	23	3	1	3	5	7	7	3	..	..	..	..	..	..	..	..	2	1	1	..	2	..	..	..	..	
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	21.6	45	10	2	2	10	15	6	..	..	..	..	..	..	..	..	..	9	4	4	..	2	..	..	..	..	
IV.	GENERAL SERVICE CLASS, ...	167,479	14.6	47	20	..	1	10	8	6	2	..	1	..	..	..	..	..	..	4	2	3	2	6	..	..	..	..	
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	7	..	3	7	8	6	1	..	..	..	..	..	..	..	..	13	1	2	..	4	1	2	..	..	
I.	PROFESSIONAL AND INDEPENDENT CLASS.																												
	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	33.1	5	..	..	..	..	4	1	..	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	
	2. Merchants and Manufacturers, Higher Class	1,347	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
	3. Persons of Rank and Property, not otherwise described, ...	5,443	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
II.	MIDDLE CLASS.																												
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	27.4	5	1	..	..	1	2	..	1	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	24.8	12	1	..	2	2	2	7	..	..	..	..	..	..	..	..	..	..	..	..	1	1	..	..	..	..	
	6. Clerks and Commercial Assistants, ...	33,249	7.8	5	1	..	2	2	..	..	..	..	..	..	..	..	..	..	..	2	..	..	..	1	..	..	..	..	
III.	Miscellaneous—including all Household-ers in Second Class Localities not included in above, ...	33,827	10.8	7	..	1	1	..	3	..	2	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	
	ARTISAN CLASS AND PETTY SHOPKEEPERS.																												
	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17.7	4	2	1	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	
	9. Building and Furnishing Trades, ...	28,823	14.5	8	3	1	..	2	2	3	..	..	..	..	..	..	..	..	..	2	2	1	..	1	..	..	..	..	
	10. Clothing Trades, ...	20,026	26.0	10	1	..	..	3	3	8	..	..	..	..	..	..	..	..	..	3	..	..	..	..	..	..	..	..	
	11. Food Supply Trades, ...	8,952	11.6	2	1	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	
	12. Other Trades and Callings ranking with Trades, ...	32,070	30.9	19	3	..	2	2	9	3	..	..	..	..	..	..	..	..	..	2	1	2	..	1	..	..	..	..	
IV.	Petty Shopkeepers, ...	6,772	15.4	2	..	..	..	1	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	
	GENERAL SERVICE CLASS.																												
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	52.2	13	7	..	..	4	1	..	1	..	..	..	..	..	..	..	..	1	..	..	..	2	..	..	..	..	
	15. Domestic Servants, ...	36,041	4.3	3	2	..	..	1	..	..	..	..	..	..	..	..	..	..	..	1	..	..	..	..	..	..	..	..	
	16. Coach and Car Drivers, Vanmen, &c., ...	15,380	13.6	4	1	..	..	3	3	..	..	..	..	..	..	..	..	..	..	2	3	..	..	..	..	..	..	..	
	17. Hawkers, Porters, Labourers, &c., ...	103,081	13.7	27	10	..	1	5	4	6	1	..	..	..	..	..	..	..	..	2	2	..	..	4	..	..	..	..	
V.	INMATES OF WORKHOUSES.																												
	18. Workhouse Inmates, ...	5,602	—	32	7	..	3	7	8	6	1	..	..	..	..	..	..	..	..	13	1	2	..	4	1	2	..	..	

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 11	20.5	5.1	12	.	.	.	.	.	1	.	.	1	1	1	.	1	2	.	.	.
	" 18	13.7	3.4	8	.	.	.	.	.	.	1	.	1	.	1	1	1	5	.	.	1
	" 25	50.8	8.5	18	.	.	.	.	.	.	.	.	4	.	1	1	1	1	.	.	.
	Oct. 2	27.4	8.5	16	.	.	.	.	.	1	.	.	1	1	1	1	1	4	.	.	1
Population in 1915	" 9	23.9	8.5	14	.	.	.	.	.	.	.	.	1	1	1	.	.	5	.	.	.
(Est.) 30,504.	" 16	29.1	3.4	17	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	4
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 11	22.5	5.0	18	.	.	.	.	.	.	.	.	1	.	1	2	2	4	.	.	.
	" 18	35.0	7.5	28	.	.	.	.	.	.	.	.	8	.	1	3	1	6	.	.	1
	" 25	28.8	7.5	23	.	.	.	.	.	.	.	.	5	.	.	.	.	6	.	.	1
	Oct. 2	21.3	2.5	17	1	.	.	.	.	.	.	.	2	1	1	1	.	1	.	1	1
Population in 1915	" 9	16.3	5.0	13	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	.	.
(Est.) 41,685.	" 16	18.8	3.8	15	.	.	.	.	.	1	.	.	4	1	1	.	.	2	.	1	.
North City, No. 2. (Office, Lisburn-street.)	Sept. 11	28.1	.	15	.	.	.	.	.	.	.	.	3	.	.	1	4	.	.	.	.
	" 18	20.6	5.6	11	.	.	.	.	.	1	.	.	3	.	1	.	.	2	.	.	.
	" 25	11.2	1.9	6	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Oct. 2	26.2	1.9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	.	2
Population in 1915	" 9	22.4	3.7	12	.	.	.	.	.	.	.	.	2	.	1	.	2	2	.	.	.
(Est.) 27,883.	" 16	15.0	3.7	8	.	.	.	.	.	.	.	.	1	2	.	.	3	2	.	1	.
North City, No. 3. (Office, Benburb-street.)	Sept. 11	16.0	1.5	11	.	.	.	.	.	.	.	.	2	1	.	.	.	1	.	.	1
	" 18	16.0	1.5	11	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
	" 25	10.2	2.9	7	.	.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.
	Oct. 2	20.3	1.5	14	.	.	.	.	.	.	.	.	3	1	1	.	.	1	.	.	.
Population in 1915	" 9	11.6	2.9	8	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.
(Est.) 35,887.	" 16	21.8	4.4	15	1	.	.	.	.	.	.	.	6	.	1	.	1	1	1	1	1
Clontarf and Howth No. 1 (part of).	Sept. 11	37.7	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 18	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 25	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 2	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 9	47.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
(Est.) 5,539.	" 16	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Sept. 11	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 18	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
	" 25	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Oct. 2	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 9	18.9	.	5	.	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.
(Est.) 13,820.	" 16	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Sept. 11	14.4	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 25	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	Oct. 2	19.3	.	4	.	.	.	.	.	.	.	.	2	1	.	.	1	.	.	.	.
Population in 1915	" 9	28.9	4.8	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	2
(Est.) 10,829.	" 16	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Sept. 11	17.7	1.3	14	.	.	.	.	.	.	.	.	5	.	1	.	1	1	.	.	1
	" 18	22.8	3.8	18	.	.	.	.	.	.	.	.	6	1	.	.	1	3	.	.	.
	" 25	26.6	6.3	21	.	.	.	1	1	.	.	.	.	.	1	1	2	3	.	.	2
	Oct. 2	20.3	7.6	16	.	.	.	1	.	.	.	.	2	1	.	1	1	5	.	.	1
Population in 1915	" 9	22.8	6.3	18	.	.	.	.	.	.	.	.	3	1	3	.	1	5	.	1	1
(Est.) 41,170.	" 16	15.2	1.3	12	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
South City, No. 2. (Office, Castle-street.)	Sept. 11	22.7	.	8	.	.	.	.	.	.	.	.	2	1	1	.	1	.	.	.	1
	" 18	17.1	2.8	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	" 25	31.3	5.7	11	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.
	Oct. 2	17.1	2.8	6	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
Population in 1915	" 9	22.7	.	8	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1
(Est.) 18,341.	" 16	25.6	2.8	9	.	.	.	.	.	.	.	.	4	.	1	1	.	1	.	.	.
South City, No. 3. (Office, Peter-street.)	Sept. 11	21.3	4.7	18	.	.	.	.	.	.	2	.	.	.	3	1	3	2	.	1	2
	" 18	24.9	3.6	21	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
	" 25	23.7	3.6	20	.	.	.	.	.	.	1	.	4	.	1	.	3	3	.	.	1
	Oct. 2	26.1	4.7	22	.	.	.	.	.	.	.	.	4	2	2	2	3	3	.	.	.
Population in 1915	" 9	20.2	3.6	17	.	.	.	1	.	.	.	.	7	.	1	.	.	4	.	.	.
(Est.) 43,970.	" 16	24.9	3.6	21	2	.	.	.	.	.	.	.	4	1	3	1	3	.	1	.	.
South City, No. 4. (Office, Grand Canal-st.)	Sept. 11	18.9	1.6	12	.	.	.	.	.	.	.	.	3	.	.	.	.	.	1	.	1
	" 18	25.2	9.4	16	.	.	.	.	.	.	.	.	2	.	.	1	.	6	.	1	.
	" 25	23.6	1.6	15	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Oct. 2	15.7	11.0	10	.	.	.	.	.	.	.	.	3	.	1	.	2	7	.	1	.
Population in 1915	" 9	25.2	6.3	16	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.	.	1
(Est.) 33,171.	" 16	14.1	6.3	9	.	.	.	1	.	.	.	.	1	1	1	.	.	3	.	.	.
New Kilmainham.	Sept. 11	21.0	5.2	4	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	1
	" 18	10.5	5.2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 25	31.4	10.5	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Oct. 2	10.5	.	2	.	.	.	.	.	.	.	.	1	.	1	.	.	2	.	2	.
(Est.) 9,948.	" 9	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1
	" 16	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Sept. 11 " 18 " 25 Oct. 2	11.9 9.2 13.2 10.5	1.3 1.3 1.3 1.3	9 7 10 8	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	
Population in 1915 (Est.) 39,541.	" 9 " 16	11.9 15.8	1.3 .	9 12	.	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	
Pembroke Urban District.	Sept. 11 " 18 " 25 Oct. 2	15.4 27.3 12.0 20.5	3.4 3.4 1.7 8.5	9 16 7 12	.	.	.	.	.	.	.	1	.	.	1	.	.	1	2	.	.	
Population in 1915 (Est.) 30,538	" 9 " 16	13.7 12.0	1.7 1.7	8 7	.	.	.	.	.	1	.	.	.	1	.	.	1	2	1	.	2	
Blackrock Urban District.	Sept. 11 " 18 " 25 Oct. 2	. 33.9 5.6 22.6	. . . . . . .	. 6 1 4	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.	.	
Population in 1915 (Est.) 9,233.	" 9 " 16	5.6 11.3	. .	1 2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
Kingstown Urban District.	Sept. 11 " 18 " 25 Oct. 2	15.4 12.3 3.1 24.6	. . . . . . .	5 4 1 8	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
Population in 1911 16,941.	" 9 " 16	18.5 18.5	. .	6 6	.	.	.	.	.	.	.	.	.	3	.	1	1	1	.	.	.	
Belfast.	Sept. 11 " 18 " 25 Oct. 2	16.0 14.6 11.4 16.2	2.5 2.2 1.9 2.5	124 113 88 125	.	.	.	.	1	5	.	.	14	7	6	5	4	13	.	2	3	
Population in 1915 (Est.) 403,000.	" 9 " 16	16.3 12.6	2.3 1.4	126 97	1	.	.	1	5	1	1	.	10 6 11 20 17	3 4 5 8 2	8 7 5 6 6	8 11 10 9 2	4 11 14 14 9	13 11 14 8 7	2 1 1 1 .	2 2 3 2	3 1 5 .	
Cork.	Sept. 11 " 18 " 25 Oct. 2	22.4 22.4 19.7 17.7	1.4 1.4 4.1 4.1	33 33 29 26	.	.	.	.	.	.	.	.	8 6 6 2	2 2 .	1 4 2 2	3 3 1 2	.	2 1 5 .	2 2 5 4	.	1	
Population in 1911 76,673.	" 9 " 16	19.0 11.6	1.4 2.7	28 17	.	.	.	.	.	.	.	.	3 3 3	1 .	2 3	2 .	4 2	4	1 2	.	.	
Londonderry.	Sept. 11 " 18 " 25 Oct. 2	15.2 13.9 20.2 13.9	1.3 6.3 3.8 3.8	12 11 16 11	.	.	.	.	.	3	.	.	1 1 2	1 .	1 1	.	2 1 2	1 2 1	.	.	.	
Population in 1915 (Est.) 41,200.	" 9 " 16	17.7 21.5	7.6 2.5	14 17	1	.	.	.	.	2	.	.	1 3	.	1	2	1	3 2	.	1	.	
Limerick.	Sept. 11 " 18 " 25 Oct. 2	13.5 10.8 13.5 20.3	. . . . . 1.4	10 8 10 15	.	.	.	.	.	.	.	.	3 1 1 3	.	2 1	.	1 1	.	.	.	.	
Population in 1911 38,518.	" 9 " 16	8.1 16.2	1.4 .	6 12	1	.	.	.	.	.	.	.	3	.	.	2	3	.	.	.	1	
Waterford.	Sept. 11 " 18 " 25 Oct. 2	13.3 9.5 9.5 26.6	1.9 . . . . 7.6	7 5 5 14	.	.	.	.	.	.	.	.	1 1 .	1	.	1	2	1	.	.	.	
Population in 1911 27,464.	" 9 " 16	5.7 17.1	1.9 1.9	3 9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	2	1	1	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 16th October, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.						DEATHS FROM														Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.			
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.				Diarrhoea 2 years of age and upwards.	Violence.	
																				Pulmonary.	Other forms.		Pneumonia.	Other.							
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)		
City of Belfast.																															
BELFAST URBAN No. 1 DISTRICT.	15,879	11	19.7	3.3	6	2	1	1	2	2	5	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 2 do.	49,500	22	13.7	1.1	13	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 3 do.	50,032	83	15.6	3.1	15	5	1	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 4 do.	32,637	22	12.8	.	8	2	1	2	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 5 do.	16,112	11	16.2	.	5	3	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 6 do.	37,293	11	8.4	.	6	3	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 7 do.	2,681	2	19.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 8 do.	5,964	3	17.1	4.3	8	.	1	2	1	2	2	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	
Do. 9 do.	24,427	11	16.2	3.6	9	3	2	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	
Do. 10 do.	28,958	19	16.2	3.6	9	3	2	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2	
Do. 11 do.	39,311	18	9.3	1.3	7	2	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
Do. 12 do.	38,076	24	17.8	1.4	13	3	2	8	2	3	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	
Do. 13 do.	23,233	8	2.2	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 14 do.	175	1	11.5	.	5	1	.	1	3	1	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	
Do. 15 do.	22,669	14	11.5	.	5	1	.	1	3	1	.	.	.	.	.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	
Total,	386,947	209	12.6	1.4	97	21	5	12	18	25	16	1	.	.	3	.	.	.	17	2	6	2	9	7	.	2	1	27	.	.	
City of Cork.																															
CORK URBAN No. 1 DISTRICT	13,455	6	8.9	5.0	1	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 2 do.	10,399	4	10.0	5.0	2	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 3 do.	9,793	8	10.6	11.4	3	1	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 4 do.	9,139	5	17.1	.	3	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 5 do.	6,250	1	8.3	.	1	1	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 6 do.	11,581	3	13.5	3.2	3	1	1	1	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Do. 7 do.	16,056	9	16.2	3.2	5	1	1	1	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
Total,	76,673	36	11.6	2.7	17	4	2	1	3	5	2	.	.	.	.	.	.	.	3	.	3	.	2	4	.	1	6	.	.	.	

\* The rates for the Total of Belfast City are calculated on the population estimated to the middle of the year 1915. † See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

Belfast.	1915—WEEK ENDING															
	April 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.
	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.						
No. of weeks in Annual Series,	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
BIRTHS registered, ...	227	219	167	185	242	228	180	173	198	195	201	168	186	184	185	201
DEATHS registered, ...	157	153	129	117	129	131	129	106	102	100	101	77	93	111	116	87
Annual Death-rate per 1,000 of estimated population, ...	20.3	19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,	40	31	18	15	19	20	21	13	22	18	16	17	15	18	24	16
	16	17	19	12	13	18	9	14	11	11	12	7	16	8	14	12
	13	23	16	22	15	19	22	18	20	18	8	7	13	23	14	10
	34	19	27	16	26	28	24	26	12	13	25	13	11	16	17	18
	27	37	28	32	33	25	29	18	30	27	25	18	27	28	26	23
Deaths from:—	27	26	21	20	23	21	24	17	7	13	15	15	11	23	21	15
Enteric Fever, ...																
Typhus, ...																
Small-pox, ...																
Measles, ...	2	7	8	2	4	5	1	5	5	5	2	3	3	1	3	1
Scarlet Fever, ...		1				1	1	1	2	3		2	4	1	1	2
Whooping-cough, ...	7	5	2	5	1	2	1	1	1		4	3	1	1	4	1
Diphtheria, ...				1			1				2		1	1	1	
Dysentery, ...																
Tuberculosis. { Pulmonary, ...	20	23	22	18	14	23	26	20	20	17	17	10	12	13	16	11
Other Forms, ...	9	8	5	7	7	8	4	8	4	8	8	5	2	8	5	4
Cancer ...	9	9	10	5	6	5	8	3	2	9	6	2	7	11	5	9
Diseases of Respiratory System, { Pneumonia, ...	17	17	12	15	22	5	6	11	10	6	7	9	6	3	6	4
Others, ...	14	14	10	14	12	15	10	7	7	7	6	9	6	6	9	8
Diarrhoea and Enteritis, under 2 years, ...	2	2	2			3	3	1	2	1	2	1	3	4	3	6
Diarrhoea, 2 years and upwards, ...	1	1										2	1	1		1
Violent Deaths, ...		3	2	1	1	3	3	3	3	2	1	1	3	2		5
Number of Uncertified Deaths, ...	2	2	1				2	1	1					4	1	

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Oct. 16,	1,892	1,268	14·6	5	.	2	8	13	24	166	
EDINBURGH, ---	328,700	„ 16,	122	77 <sup>c</sup>	12·2	.	.	2	1	.	2	1	
GLASGOW, ---	1,078,400	„ 16,	548	334 <sup>c</sup>	16·2	1	.	10	6	1	2	14	
CALCUTTA ---	396,067	Aug. 28,	.	411	23·8	66*	.	.	.	.	1†	67‡ <sup>a</sup>	
BOMBAY, ---	979,445	Sept. 4,	408	495	26·3	54*	5	.	.	.	1†	70‡ <sup>a</sup>	
MADRAS, ---	518,660	Aug. 28,	334	404	40·5	35*	2	1	?	?	?	118 <sup>a</sup>	
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.	.
	Foreigners,	„ 22,	.	.	.	.	.	.	.	.	.	.	.
ALEXAN- DRIA, {	Egyptians,	„ 22,	.	.	.	.	.	.	.	.	.	.	.
	Foreigners,	„ 22,	.	.	.	.	.	.	.	.	.	.	.
PARIS, ---	2,847,229	Sept. 11,	429	633	11·3	4	.	4	1	1	2†	24	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	612,722	Sept., 4	273	90	7·7	1	.	1	1	2	1†	1	
COPENHAGEN, ---	494,000	„ 18	230	106	11·2	.	.	.	.	1	1†	2	
STOCKHOLM, ---	386,270	„ 18,	137	95	12·8	.	.	.	2	.	.	.	
CHRISTIANIA, ---	250,677	„ 25,	96	37	7·7	.	.	.	.	.	.	3 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Sept. 11,	.	1,048	32·3	25	4	32	24	8	9†	264‡ <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Sept. 11,	2,426	1,355	12·2	11	.	10	1	12	15	155	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Sept. 25,	.	171 <sup>b</sup>	12·3	.	.	.	.	1	1	26 <sup>a</sup>	

\* Deaths from "fever," including 6 from enteric fever in Calcutta, and 8 from plague and 3 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 17 deaths from cholera in Calcutta, one in Bombay, and 15 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e. non-residents deducted, 141 deaths (including 24 from diarrhoeal diseases): rate, 10·1 per thousand.<sup>c</sup> Including one death from cerebro-spinal fever in Edinburgh, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 16th October, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	.	2	3
„ „ 1, West,	.	2	.	.	.	.	.	.	.	1	.	.	2	6
„ „ 2,	.	.	.	.	1	.	.	2	.	.	.	.	2	5
„ „ 3,	.	6	.	.	.	.	.	3	.	.	.	.	1	10
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	.	.	.	.	.	1	3	.	.	.	2	6
„ „ 2,	.	2	.	.	1	.	.	5	.	.	.	.	1	9
„ „ 3,	.	.	.	.	.	.	.	4	.	.	.	.	3	7
„ „ 4,	.	.	.	.	.	.	1	1	.	.	.	.	2	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	10	.	.	3	.	1	16	3	1	.	.	16	50

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 16th October, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 16th October			
	Sept. 25.	Oct. 2.	Oct. 9.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	40	40	50	11	6	2	53
Typhus,	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	5	6	8	7	1	.	14
Scarlet Fever,	50	52	62	18	10	.	70*
Diphtheria,	41	37	32	5	6	.	31
Pneumonia,	11	10	8	2	1	.	9

\* Exclusive of 7 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





WEEKLY RETURN of BIRTHS and DEATHS

IN THE

DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 23RD OCTOBER, 1915.

[No. 42.]

General Register Office, Charlemont House,  
Dublin, 25th October, 1915.

TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 2	Oct. 9	Oct. 16	Oct. 23	
27 Town Districts, (a)	18·3	16·0	14·8	16·0	16·3
Dublin Reg. Area ...	20·4	18·7	18·5	20·3	19·5
Dublin City ...	21·3	20·5	19·7	21·2	20·7
Belfast ...	16·2	16·3	12·6	14·5	14·9
Cork ...	17·7	19·0	11·6	10·9	14·8
Londonderry ...	18·9	17·7	21·5	12·7	16·4
Limerick ...	20·3	8·1	16·2	9·5	13·5
Waterford ...	26·6	5·7	17·1	15·2	16·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·4 per 1,000. Among the 112 deaths from all causes for Belfast are 2 from measles, 2 from scarlet fever, and 8 from diarrhoeal diseases. The 16 deaths from all causes for Cork include 3 from diarrhoea and enteritis of children under 2 years. Of the 10 deaths from all causes for Londonderry 3 are from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. Whooping-cough accounts for one of the 2 deaths recorded for Portadown. Among the 5 deaths from all causes for Sligo are one from diphtheria and one from diarrhoea and enteritis of a child under 2 years. One of the 5 deaths from all causes for Kilkenny is from diphtheria. The 4 deaths from all causes for Newtownards include one from scarlet fever, and 2 of the 7 deaths from all causes for Larne are due to diarrhoeal diseases.

DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 156—89 boys and 67 girls—and the deaths to 171—82 males and 89 females.

DEATHS.

The deaths registered, omitting the deaths (numbering 12) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·3 per 1,000 of the population. During the forty-two weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 170, amount to an annual rate of 20·3 per 1,000; the annual rate for the past forty-two weeks was 23·5 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·5 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are 2 from enteric fever, 2 from measles, one from whooping-cough, one from diphtheria, and 21 deaths from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks, deaths from enteric fever were 2, 0, and 3; deaths from measles were one, 2, and one; deaths from whooping-cough were one, one, and one; deaths from diphtheria were 0, 0, and 0; and deaths of children under 2 years of age from diarrhoea and enteritis were 30, 25, and 13, respectively.

There were 31\* deaths from tuberculous disease, including 22 from pulmonary tuberculosis, 2 from tuberculous meningitis, 4 from abdominal tuberculosis, and 3 from other forms of tuberculous disease. Deaths from tuberculosis in the three preceding weeks numbered, respectively, 37, 32, and 37.

Twelve\* deaths from cancer were registered.

Of 9\* deaths from pneumonia, 2 were caused by broncho-pneumonia, one by lobar pneumonia, and 6 by pneumonia (type not distinguished).

Among the deaths of infants under one year of age 4 were ascribed to convulsions, one to congenital malformation, 8 to premature birth, and 6 to congenital debility.

Organic diseases of the heart caused 9 and bronchitis 14 deaths.

The 3 deaths attributed to accidental causes include one (that of a child aged 6 years) from burns, one from drowning, and one (that of an infant under one month old) from overlaying.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old.

Fifty-seven of the persons whose deaths were registered during the week were under 5 years of age (41 being infants under one year, of whom 16 were under one month old), and 40 were aged 65 years and upwards, including 30 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards, of whom 5 (2 men and 3 women) were stated to have been aged 91 and 98, and 92, 93, and 94 years, respectively.

Sixty-five of the deaths registered during the week occurred in hospitals and other public institutions; of this number 9 took place in the North Dublin Union Workhouse, 16 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted; and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·3 per 1,000; the rate in the City was 21·2 (North City Districts, 22·0; South, 20·3), and in the Suburbs, 17·3.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3·4 per 1,000 inhabitants, the rate for the City being 3·8 (in the North City Districts 4·1, and in the South 3·6), and for the Suburbs 2·2 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (11) are equal to an annual rate of 18·8 per 1,000, and include one from diphtheria, 5 from tuberculous disease, one from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years.

No. 1 *North City District, West* (Summer-hill).—The deaths (25) are equal to an annual rate of 31·3 per 1,000. Pulmonary tuberculosis caused 4 deaths, pneumonia 3 deaths, bronchitis 3 deaths, and diarrhoea and enteritis of children under 2 years 4 deaths.

No. 2 *North City District* (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Included in the total are 4 from tuberculous disease and 3 from diarrhoea and enteritis of children under 2 years.

No. 3 *North City District* (Benburb-street).—The deaths (12) represent an annual rate of 17·4 per 1,000, and include 4 from tuberculous disease and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 14·4. One of the 2 deaths for Coolock and Drumcondra, part of, was from tuberculous peritonitis; and 2 of the 3 deaths from all causes for Finglas and Glasnevin, part of, were from diarrhoea and enteritis of children under 2 years.

No. 1 *South City District* (South Earl-street).—The deaths (19) represent an annual rate of 24·1 per 1,000, and include 4 from pulmonary tuberculosis, 2 from pneumonia, and 2 from diarrhoea and enteritis of children under 2 years.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Enteric fever caused one death, pulmonary tuberculosis one death, bronchitis 3 deaths, and there was one death of a child under 2 years from diarrhoea and enteritis.

No. 3 *South City District* (Peter-street).—The deaths (16) are equal to an annual rate of 19·0 per 1,000, and include one death from whooping-cough, one from pulmonary tuberculosis, 3 from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. There were 2 from measles, one from tuberculous disease, 2 from bronchitis, and one from accidental drowning.

*New Kilmainham District.*—The only death recorded for this district (equal to an annual rate of 5·2 per 1,000) was one from pneumonia.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 25·6; Blackrock, 16·9; and Kingstown, 15·4. The deaths from the principal epidemic diseases tabulated for these districts comprise one from enteric fever and 3 from diarrhoea and enteritis of children under 2 years for Pembroke. Included in the 9 deaths from all causes for Rathmines and Rathgar, is one from each of pulmonary tuberculosis and pneumonia. Among the 15 deaths from all causes for Pembroke are one from tuberculous meningitis and one from broncho-pneumonia. Of the 5 deaths from all causes for Kingstown one is from pulmonary tuberculosis and one from accidental burns.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 13·8), was equal to an average annual death-rate of 13·3 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 15·7 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 14·6.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 23rd October. From this Report it appears that of 107 cases notified, 67 were scarlet fever, 19 diphtheria, 9 pulmonary tuberculosis, 3 other forms of tuberculosis, 6 erysipelas, one enteric fever, one puerperal fever, and one cerebro-spinal fever. Among the 613 cases of infectious diseases in hospital at the close of the week were 254 of scarlet fever, 152 of pulmonary tuberculosis, 139 of diphtheria, 39 of measles, 6 of enteric fever, 5 of erysipelas, 2 of cerebro-spinal fever, and one of whooping-cough.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 23rd October, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 2,	.	—	—	7	.	.	3	.	.	2	1	.	—	—	.	—	.	19	32
	Oct. 9,	.	—	—	12	.	.	2	.	.	10	2	.	—	—	.	—	.	18	44
	Oct. 16,	.	—	—	10	.	.	3	.	1	16	3	.	—	—	.	—	.	16	50
	Oct. 23,	.	—	—	12	.	.	7	.	.	7	5	.	—	—	.	—	.	13	44
Rathmines and Rathgar Urban District.	Oct. 2,	.	—	—	1	.	.	1	.	.	1	.	.	—	—	—	—	—	—	3
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 2,	.	1	.	.	.	.	.	.	.	1	.	.	—	5	.	—	—	.	7
	Oct. 9,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	.	1
	Oct. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
	Oct. 23,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	.	—	—	.	2
Blackrock Urban District.	Oct. 2,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 16,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Oct. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Oct. 2,	.	—	—	2	.	.	.	.	.	.	.	1	—	—	—	—	—	3	6
	Oct. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Oct. 2,	.	—	—	45	.	.	2	.	.	4	.	—	—	—	1	—	.	2	54
	Oct. 9,	.	—	—	67	.	.	7	.	.	9	.	—	—	—	1	—	.	2	86
	Oct. 16,	.	—	—	58	.	.	3	.	.	3	5	.	—	—	—	—	.	3	72
	Oct. 23,	.	—	—	60	.	.	4	.	.	.	2	.	—	—	—	—	.	1	67
City of Cork.	Oct. 2,	.	1	—	7	.	.	2	.	.	.	1	.	—	—	—	11	—	—	22
	Oct. 9,	.	.	—	3	.	.	.	.	.	3	.	.	—	—	—	3	—	—	9
	Oct. 16,	.	1	—	6	.	.	2	.	.	.	.	.	—	—	—	1	—	—	10
	Oct. 23,	.	1	—	6	.	.	2	.	1	1	.	.	—	—	—	1	—	—	12 <sup>a</sup>
City of Londonderry.	Oct. 2,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
City of Limerick.	Oct. 2,	.	—	—	.	.	.	.	.	1	1	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	.	.	.	.	.	1	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	2	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Oct. 2,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	—	1
	Oct. 9,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	—	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 23rd October, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 12 were discharged, there was one death and 47 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 40, 50, and 53.

Two cases of typhus were admitted to hospital during the week, and remained under treatment at its close.

Four cases of measles were admitted to hospital during the week, 7 were discharged, and 11 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 6, 8, and 14 respectively.

Eleven cases of scarlet fever were admitted to hospital, 11 were discharged, and 70\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 52, 62, and 70, respectively.

Thirteen cases of diphtheria were admitted to hospital during the week, 5 were discharged, 2 died and the cases in hospital, which at the close of the 3 preceding weeks numbered 37, 32, and 31 respectively, were 37 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 2 were discharged, and 11 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 23rd October, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 23RD OCTOBER, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		NUMBERS REGISTERED.																										
	POPULATION.		Annual Rate per 1,000 Persons Represented by			BIRTHS.		DEATHS.																					
								Caused by																					
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forma.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	21.0	16.0	2.4	488	371	85	82	2	...	...	4	3	5	3	...	35	12	14	21	39	36	3	8	11	100	15	
DUBLIN REG- ISTRATION AREA :— TOTAL, (c.) ...	409,000	29.8	19.9	20.3	3.4	156	159	40	36	2	...	...	2	...	1	1	...	21	7	10	8	15	21	...	2	3	53	3	
CITY OF DUBLIN,	312,747	39.5	22.2	21.2	3.8	133	127	34	24	1	...	...	2	...	1	1	...	19	6	8	6	15	18	...	1	2	48	1	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	13.2	11.9	.	10	9	1	6	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	...	...	...	...
PEMBROKE, ...	30,538	19.4	8.5	25.6	6.8	5	15	4	4	1	...	...	...	...	...	...	...	...	1	1	1	...	3	...	...	...	3	1	
BLACKROCK, ...	9,233	8.5	11.3	16.9	.	2	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	
KINGSTOWN, ...	16,941	11.6	18.5	15.4	.	6	5	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	1	...	
Urban Districts																													
BELFAST ...	403,000	27.0	23.8	14.5	1.6	184	112	25	22	...	...	...	2	2	...	...	...	5	4	2	10	15	7	1	2	4	27	3	
CORK, ...	76,673	28.6	21.1	10.9	2.0	31	16	5	2	...	...	...	...	...	...	...	...	3	1	...	...	1	3	...	...	...	5	1	
LONDON - DERRY	41,200	16.0	29.1	12.7	5.1	23	10	3	3	...	...	...	...	...	3	...	...	...	...	1	...	3	1	...	...	...	2	1	
LIMERICK, ...	38,518	16.1	12.2	9.5	.	9	7	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	3	1	
WATERFORD, ...	27,464	19.1	19.0	15.2	.	10	8	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	1	2	...	
GALWAY, ...	13,256	2.5				4	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	
DUNDALK, ...	13,128	9.5				2	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	
LURGAN, ...	12,553	14.7				4	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	
DROGHEDA, ...	12,501	8.4				...	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LISBURN ...	12,388	10.9				11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				1	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3				10	2	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				1	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	...	1	
BALLYMENA ..	11,381	9.3				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1
SLIGO, ...	11,163	3.8				7	5	1	1	...	...	...	...	...	...	1	...	1	...	...	...	...	1	1	...	...	...	1	...
KILKENNY, ...	10,514	11.4				...	5	...	2	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	3	...
TRALEE, ...	10,300	17.4				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...
CLONMEL, ...	10,209	7.8				10	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	1
NEWTOWNARDS	9,587	20.1				7	4	...	2	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	1	...
QUEENSTOWN,	8,209	14.7				1	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...
LARNE, ...	8,036	13.4				2	7	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...
COLERAINE. ..	7,785	7.7				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
BANGOR, ..	7,776	8.5				1	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
BRAY, ..	7,691	7.2				1	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
ATHLONE, ..	7,472	6.2				3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
ARMAGH, ...	7,356	21.8				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 12 deaths of persons (including one under one year old and 4 at 65 years or upwards), admitted to hospital from localities outside the Area; of the 12 deaths 3 are from tuberculous disease, 2 from cancer, and one from pneumonia.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 23rd of October, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																
		REGISTRATION DISTRICTS IN											URBAN DISTRICTS OF					
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.									
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.				NEW KILMAINHAM.		
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diphtheria,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,	2	4	4	3	.	.	.	4	1	1	.	.	1	.	.	1	21	1
Other Forms,	3	.	.	1	.	1	.	.	.	.	1	.	.	1	.	.	7	2
Cancer,	.	1	4	.	.	.	.	.	1	.	2	.	1	1	.	.	10	2
Diseases of Nervous System,	.	.	1	.	1	.	.	4	1	2	1	.	.	2	.	.	12	.
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	1	.	1	.	1	.	1	.	2	.	.	2	1	2	.	11	.
" Respiratory System.	1	3	.	.	.	.	.	2	.	.	.	1	1	1	.	.	8	1
" System.	1	4	.	2	.	.	.	3	3	2	.	.	.	.	.	.	15	.
" Digestive System.	3	4	3	.	.	.	2	2	1	3	.	.	.	3	.	.	21	.
" Digestive System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Digestive System.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	6	3
" Genito-urinary System,	1	2	.	.	1	.	1	1	.	.	1	.	1	1	.	1	7	1
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	1	1	.	.	.	1	.	.	4	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	.	4	3	4	.	.	.	3	1	2	1	.	2	3	1	1	25	1
Violent Deaths,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	2	1
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	1	3	.
Deaths from All Causes	11	25	15	12	2	2	3	19	10	16	11	1	9	15	3	5	159	12
Annual Rate of Mortality from All Causes in every 1,000 of the population.	18·8	31·3	28·1	17·4	18·8	7·5	14·4	24·1	28·4	19·0	17·3	5·2	11·9	25·6	16·9	15·4	20·3	.
	22·0							20·3					17·3					
	21·2																	
Ages at Death.	5	6	2	4	1	.	1	7	1	5	2	.	1	4	1	.	40	1
Under 1 year,	1	3	1	1	.	.	1	.	.	1	1	.	.	.	.	.	9	.
1 and under 2 years,	1	.	.	1	.	.	.	3	1	.	1	.	.	.	.	.	7	.
2 " 5 "	1	1	.	.	1	.	.	1	.	.	.	1	.	2	.	1	8	.
5 " 15 "	1	.	.	.	.	.	.	1	1	2	.	.	.	2	.	1	8	.
15 " 25 "	2	3	4	1	.	1	.	4	3	1	2	.	.	2	.	1	24	4
25 " 45 "	.	6	4	4	.	.	1	3	1	1	2	.	2	1	1	1	27	3
45 " 65 "	.	6	4	1	.	1	.	.	3	6	3	.	6	4	1	1	36	4
65 and upwards,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.
Number of Uncertified Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	1	.	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	2	4	3	2	1	1	1	4	1	4	2	.	.	1	.	1	27	12
Workhouse Hospitals.	.	4	4	1	.	.	.	5	3	3	3	.	.	2	1	.	26	.





FORTY-SECOND WEEK, ending Saturday, 23rd October, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 42nd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 23rd October, 1915.																																		
	Oct. 21, 1905.	Oct. 20, 1906.	Oct. 19, 1907.	Oct. 17, 1908.	Oct. 23, 1909.	Oct. 22, 1910.	Oct. 21, 1911.	Oct. 19, 1912.	Oct. 18, 1913.	Oct. 17, 1914.		All Ages.	Deaths of Persons of the Ages of																																	
													0-5.																																	
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																								
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Diseases of Stomach, ...	—	—	—	—	—	—	3	2	3	4	—	1	.	.	.	.	.	.	.	.	.	.	1																							
Diarrhoea and Enteritis of Children under 2 years.	3	15	25	10	6	14	{	13	7	23	11	{	13.2	{	21	2	15	4	.	.	.	.	.	.																						
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards, Appendicitis and Typhlitis, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	1	2	1	—	1	.	.	.	.	.	.	.	.	.	.	.																							
Cirrhosis of Liver, ...	2	1	1	1	.	.	2	1	.	.	.	.8	2	.	.	.	.	.	.	.	.	.	.																							
Other Diseases of Liver, ...	1	.	.	2	1	2	.	.	.	1	.	.7	.	.	.	.	.	.	.	.	.	.	.																							
Peritonitis (cause unknown), Other Diseases of Digestive System.	8	5	3	6	5	4	3	2	.	.	.	3.6	1	.	.	.	.	.	1	.	.	.	.																							
Acute Nephritis, ...	4	5	4	3	3	4	{	4	2	2	1	{	5.9	{	7	.	.	.	.	.	.	.	.	.																						
Chronic Bright's Disease, ...																									4	6	5	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																									.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	2	.	.	.	.	.	2	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Puerperal Septicæmia, &c., ... Other Causes incident to Pregnancy and Childbirth.	1	.	1	.	.	3	.	.	.	.	.	.5	1	.	.	.	.	.	1	.	.	.	.																							
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	3	.	1	.	—	4	.	.	.	.	.	.	1	1	1	1	1																							
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	1	.	—	1	1	.	.	.	.	.	.	.	.	.	.																							
Premature Birth, ...	2	11	5	3	6	3	6	4	1	6	4.7	8	8	.	.	.	.	.	.	.	.	.	.																							
Congenital Debility, ...	—	—	—	—	—	—	3	3	6	5	—	6	3	3	.	.	.	.	.	.	.	.	.																							
Old Age, ...	3	1	4	.	4	6	3	7	2	3	3.3	6	.	.	.	.	.	.	.	.	1	5	.																							
Other Specified Diseases, ...	—	—	—	—	—	—	.	2	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.																							
ACCIDENT:																																														
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Burns and Scalds, ...	.	1	2	.	1	.	1	1	.	1	.7	1	.	.	.	.	1	.	.	.	.	.	.																							
Drowning, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	1	.	.	.	.	.																							
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.																							
Other Deaths by Accident, ...	7	3	3	.	3	.	3	3	3	.	2.5	.	.	.	.	.	.	.	.	.	.	.	.																							
Total Deaths from Accident,	7	4	5	.	4	.	4	4	3	1	3.2	3	1	.	.	.	1	.	1	.	.	.	.																							
Included in above are Deaths in connection with—																																														
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Vehicles and Horses, ...	.	.	2	.	1	.	3	2	2	.	1.0	.	.	.	.	.	.	.	.	.	.	.	.																							
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
VIOLENCE OTHER THAN ACCIDENTAL:																																														
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Suicide, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.																							
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																							
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	3	6	4	2	—	3	.	.	.	.	.	.	3	.	.	.	.																							

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.		1915—WEEK ENDING																										
		May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	
No. of weeks in Annual Series,		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	
BIRTHS registered.		231	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	
Average Births in corresponding week of previous 10 years, ...		217	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	204	
DEATHS registered, ...		160	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	
Annual Death-rate per 1,000, ...		20.4	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	
Average Deaths in corresponding week of previous 10 years, ...		195	175	180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153	153	
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,		42	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	
		5	9	8	4	8	3	8	6	6	7	7	6	5	3	6	4	4	6	8	7	7	4	7	8	7	3	8
		11	12	16	14	6	9	11	10	12	10	12	8	5	10	6	5	7	4	6	8	9	6	9	7	14	9	8
		30	40	35	34	24	26	33	25	21	23	21	18	18	18	24	21	12	21	18	27	25	36	28	33	22	32	28
		39	48	42	39	33	41	43	39	26	51	27	31	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30
		19	31	21	17	22	19	13	18	23	16	23	16	23	13	17	13	14	21	17	14	19	11	19	19	16	26	24
		14	15	18	15	15	13	14	10	11	18	15	15	13	14	8	11	11	11	9	10	12	16	12	13	6	6	16
Deaths from:—																												
Enteric Fever, ...		2				1							1			1							1	2		3	2	
Typhus, ...																												
Small-pox, ...																												
Measles, ...		2	1		4	3	2	1		2	1	2	1		1	1	1		1			2	1	2				
Scarlet Fever, ...			5	5	3		3	2	3	2	1		1	1	1	1	4	1				1	1	1	1	1	1	
Whooping-cough, ...		2	3	2	1	1	1	2	2	1		2	2	1		2	2	1	1									
Diphtheria, ...		6		4	1		1	1	1	1																		
Influenza, ...																												
Dysentery, ...					1		1	1	1							1		2										
Tuberculosis { Pulmonary ...		26	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	
{ Other Forms, ...		3	10	9	8	7	3	12	6	8	9	2	3	7	6	9	3	4	7	4	5	3	5	9	9	9	9	
Cancer, ...		11	17	9	10	5	8	6	10	10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11	12	
Diseases of Circulatory System,		15	18	18	18	14	16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	
Diseases of Respi- { Pneumonia,		8	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	4	2	7	6	5	2	4	9	
ratory System, { Others, ...		21	21	21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	
Diarrhoea and Enteritis, under																												
2 years, ...		5	6	6	5		9		5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	
Diarrhoea, 2 years and upwards																												
Violent Deaths, ...		3	5	2	5	5	6		3	5	6	1	6	2	1	4	5	4	2		1	1	5	2	5	2	3	
Number of Uncertified Deaths,		1	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 23rd October, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 23RD OCTOBER, 1915.																																
OCCUPATION OR SOCIAL POSITION  (The 31,318 persons returned under the head "Unspecified" in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Popula- tion in each Class and Group in 1911.	AGES.										CAUSES OF DEATH														Number of Uncerti- fied Deaths					
			Annual Death Rate per 1,000 of the Population in 1911.							Total Number of Deaths.	Diseases of the Respiratory System.							Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.											
			(1)	(2)	(3)	(4)	(5)	(6)	(7)		(8)	(9)	(10)	(11)	(12)	(13)	(14)					(15)	(16)	(17)	(18)	Tuberculosis.		Cancer.	Convulsions.	Pneumonia.		Other.
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)			(26)	(27)	
ALL PERSONS.			397,957	—	171	57	8	8	28	30	24	16	2	.	.	2	.	1	1	.	.	22	9	12	6	9	15	21	.	3	68	3
I.	Deaths in Families of the—	14,658	21.3		6				2	2	1										1	1			2					2		
II.	PROFESSIONAL AND INDEPENDENT CLASS, ...	101,798	10.2		20				1	6	6	4									1				1					14		
III.	MIDDLE CLASS, ...	108,420	20.7		43				9	9	7	3	2						1		7	4	4		1	3	4			17		
IV.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	167,479	23.7		76				3	11	7	5				2		1			8	4	4	5	4	6	16			23		
V.	GENERAL SERVICE CLASS, ...																															
	INMATES OF WORKHOUSES, ...	5,602	—		26				1	6	6	7	3								5		1	1	1	6				12		
I.	PROFESSIONAL AND INDEPENDENT CLASS. 1. Clerical, Medical, Legal, and other Pro- fessions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	39.8		6				1	2	2	1									1	1			2					2		
	2. Merchants and Manufacturers, Higher Class	1,347			.				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	3. Persons of Rank and Property, not other- wise described, ...	5,443			.				.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
II.	MIDDLE CLASS. 4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	5.5		1				.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	14.5		7				.	3	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	6. Clerks and Commercial Assistants, ...	33,249	7.8		5	2			.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
III.	Miscellaneous—including all Household- ers in Second Class Localities not included in above, ...	33,827	10.8		7		1	.	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	ARTISAN CLASS AND PETTY SHOPKEEPERS. 8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17.7		4	1	.	.	1	3	3	1	.	.	.	.	.	.	.	.	1	2	2	.	1	3	.	.	.	.	2	.
	9. Building and Furnishing Trades, ...	28,823	25.3		14	4	.	1	2	1	.	.	1	.	.	.	.	.	.	.	2	2	.	.	.	.	.	.	.	.	4	.
	10. Clothing Trades, ...	20,026	7.8		3	.	2	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	11. Food Supply Trades	8,952	11.6		2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	12. Other Trades and Callings ranking with Trades, ...	32,070	26.0		16	3	1	1	5	4	2	1	.	.	.	.	.	.	1	.	2	1	1	.	.	.	.	.	.	.	8	.
IV.	Petty Shopkeepers ... GENERAL SERVICE CLASS. 14. Army, Police, Postal Delivery and Prison Services, &c., ...	6,772	80.8		4	1	1	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
	15. Domestic Servants, ...	12,977	68.3		17	11	1	.	4	.	.	1	.	.	.	.	.	.	.	.	2	1	.	1	2	2	.	.	.	.	1	.
	16. Coach and Car Drivers, Vanmen, &c., ...	36,041	4.3		3	3	.	1	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.
	17. Hawkers, Porters, Labourers, &c., ...	15,380	13.6		52	4	.	2	6	6	2	3	.	.	.	2	.	1	.	.	5	3	4	4	2	3	.	.	.	1	19	3
V.	INMATES OF WORKHOUSES. 18. Workhouse Inmates, ...	103,081	26.3		26	3	.	1	6	6	7	3	.	.	.	.	.	.	.	.	5	.	1	1	1	6	.	.	.	.	12	.

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 3 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 18	13.7	3.4	8	.	.	.	.	.	.	1	.	1	.	1	1	.	1	.	.	1
	" 25	30.8	8.5	18	.	.	.	.	.	.	.	.	4	.	1	1	1	5	.	.	1
	Oct. 2	27.4	8.5	16	.	.	.	.	.	1	.	.	1	1	1	1	1	4	.	.	.
	" 9	23.9	8.5	14	.	.	.	.	.	.	.	.	1	1	.	.	1	5	.	.	.
Population in 1915	" 16	29.1	3.4	17	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	4
(Est.) 30,504.	" 23	18.8	6.8	11	.	.	.	.	.	.	1	.	2	3	.	.	1	3	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 18	35.0	7.5	28	.	.	.	.	.	.	.	.	8	.	1	3	1	6	.	.	1
	" 25	28.8	7.5	23	.	.	.	.	.	.	.	.	5	.	.	.	.	6	.	.	.
	Oct. 2	21.3	2.5	17	1	.	.	.	.	.	.	.	2	1	1	1	.	1	.	1	1
	" 9	16.3	5.0	13	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	.	.
Population in 1915	" 16	18.8	3.8	15	.	.	.	.	.	1	.	.	4	1	1	.	.	2	.	1	.
(Est.) 41,685.	" 23	31.3	5.0	25	.	.	.	.	.	.	.	.	4	.	1	3	4	4	.	.	.
North City, No. 2. (Office, Lisburn-street.)	Sept. 18	20.6	5.6	11	.	.	.	.	.	1	.	.	3	.	1	.	.	2	.	.	.
	" 25	11.2	1.9	6	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
	Oct. 2	26.2	1.9	14	.	.	.	.	.	.	.	.	3	.	.	1	2	1	.	.	2
	" 9	22.4	3.7	12	.	.	.	.	.	.	.	.	2	.	1	.	2	2	.	1	.
Population in 1915	" 16	15.0	3.7	8	.	.	.	.	.	.	.	.	1	2	.	.	3	2	.	.	.
(Est.) 27,883.	" 23	28.1	5.6	15	.	.	.	.	.	.	.	.	4	.	4	.	.	3	.	.	.
North City, No. 3. (Office, Benburb-street.)	Sept. 18	16.0	1.5	11	.	.	.	.	.	.	.	.	1	.	1	.	.	1	.	.	.
	" 25	10.2	2.9	7	.	.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.
	Oct. 2	20.3	1.5	14	.	.	.	.	.	.	.	.	3	1	1	.	.	1	.	.	.
	" 9	11.6	2.9	8	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.
Population in 1915	" 16	21.8	4.4	15	1	.	.	.	.	.	.	.	6	.	1	.	1	1	.	1	1
(Est.) 35,887.	" 23	17.4	.	12	.	.	.	.	.	.	.	.	3	1	.	.	2	.	1	1	.
Clontarf and Howth No. 1 (part of).	Sept. 18	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 25	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Oct. 2	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 9	47.1	.	5	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.
(Est.) 5,539.	" 16	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 23	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Sept. 18	7.5	.	2	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
	" 25	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Oct. 2	18.9	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 9	18.9	.	5	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 16	11.3	.	3	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.
(Est.) 13,820.	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Sept. 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 25	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	Oct. 2	19.3	.	4	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 9	28.9	4.8	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	2
Population in 1915	" 16	28.9	.	6	.	.	.	.	.	.	.	.	2	.	1	.	.	.	.	.	.
(Est.) 10,829.	" 23	14.4	9.6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Sept. 18	22.8	3.8	18	.	.	.	.	.	.	.	.	6	1	.	.	1	3	.	.	.
	" 25	26.6	6.3	21	.	.	.	1	1	.	.	.	.	.	1	1	2	3	.	.	2
	Oct. 2	20.3	7.6	16	.	.	.	1	.	.	.	.	2	1	.	1	1	5	.	.	1
	" 9	22.8	6.3	18	.	.	.	.	.	.	.	.	3	1	3	.	1	5	.	1	1
Population in 1915	" 16	15.2	1.3	12	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
(Est.) 41,170.	" 23	24.1	2.5	19	.	.	.	.	.	.	.	.	4	.	.	2	.	2	.	.	.
South City, No. 2. (Office, Castle-street.)	Sept. 18	17.1	2.8	6	.	.	.	.	.	.	.	.	.	.	.	.	2	1	.	.	.
	" 25	31.3	5.7	11	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.
	Oct. 2	17.1	2.8	6	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
	" 9	22.7	.	8	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1
Population in 1915	" 16	25.6	2.8	9	.	.	.	.	.	.	.	.	4	.	1	1	1	1	.	.	.
(Est.) 18,341.	" 23	28.4	5.7	10	1	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.
South City, No. 3. (Office, Peter-street.)	Sept. 18	24.9	3.6	21	.	.	.	.	.	.	1	.	4	.	1	.	3	2	.	.	1
	" 25	23.7	3.6	20	.	.	.	.	.	.	.	.	4	2	2	2	3	3	.	.	1
	Oct. 2	26.1	4.7	22	.	.	.	.	.	.	.	.	7	.	1	.	.	4	.	.	.
	" 9	20.2	3.6	17	.	.	.	1	.	.	.	.	3	3	.	1	.	2	.	.	.
Population in 1915	" 16	24.9	3.6	21	2	.	.	.	.	.	.	.	4	1	3	1	3	.	1	.	.
(Est.) 43,970.	" 23	19.0	4.7	16	.	.	.	.	.	1	.	.	1	.	.	.	3	3	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Sept. 18	25.2	9.4	16	.	.	.	.	.	.	.	.	2	.	.	1	.	6	.	1	.
	" 25	23.6	1.6	15	1	.	.	.	.	.	.	.	3	.	2	.	2	.	.	1	.
	Oct. 2	15.7	11.0	10	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.	.	1
	" 9	25.2	6.3	16	.	.	.	1	.	.	.	.	.	.	1	.	.	3	.	.	.
Population in 1915	" 16	14.1	6.3	9	.	.	.	1	.	.	.	.	1	1	1	.	3	3	.	.	.
(Est.) 33,171.	" 23	17.3	3.1	11	.	.	.	2	.	.	.	.	.	1	2	.	2	.	.	1	.
New Kilmainham.	Sept. 18	10.5	5.2	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.
	" 25	31.4	10.5	6	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.
	Oct. 2	10.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Population in 1915	" 9	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
(Est.) 9,948.	" 16	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 23	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea 2 years and upwards.	Violence.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	9.2 13.2 10.5 11.9 15.8 11.9	1.3  1.3 1.3  	7 10 8 9 12 9	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Pembroke Urban District. Population in 1915 (Est.) 20,538	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	27.3 12.0 20.5 13.7 12.0 25.6	3.4 1.7 8.5 1.7 1.7 6.8	16 7 12 8 7 15	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	33.9 5.6 22.6 5.6 11.3 16.9	     	6 1 4 1 2 3	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Kingstown Urban District. Population in 1911 16,941.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	12.3 3.1 24.6 18.5 18.5 15.4	     	4 1 8 6 6 5	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Belfast. Population in 1915 (Est.) 403,000.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	14.6 11.4 16.2 16.3 12.6 14.5	2.2 1.9 2.5 2.3 1.4 1.6	113 88 125 126 97 112	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Cork. Population in 1911 76,873.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	22.4 19.7 17.7 19.0 11.6 10.9	1.4 4.1 4.1 1.4 2.7 2.0	33 29 26 28 17 16	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Londonderry. Population in 1915 (Est.) 41,200.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	13.9 20.2 13.9 17.7 21.5 12.7	6.3 3.8 3.8 7.6 2.5 5.1	11 16 11 14 17 10	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Limerick. Population in 1911 38,518.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	10.8 13.5 20.3 8.1 16.2 9.5	  1.4 1.4  	8 10 15 6 12 7	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	
Waterford Population in 1911 27,464.	Sept. 18 " 25 Oct. 2 " 9 " 16 " 23	9.5 9.5 26.6 5.7 17.1 15.2	  1.9 1.9 1.9 	5 5 14 3 9 8	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	     	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 23rd October, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; the Number of the Deaths at certain Age PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.						DEATHS FROM													Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.					
				All Causes.	Certain Epi- demic Diseases,†	Total Number of DEATHS.					DISEASES OF THE RESPIRATORY SYSTEM.																					
						Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.	Pneumonia.					Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	
																				Pulmonary.	Other forms.		Pneumonia.	Other.								
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	
City of Belfast.																																
Belfast Urban No. 1 District.		15,879	7	23.0	3.3	7	5	1	3	2	4	2	3	.	.	.	.	.	.	.	1	.	1	1	1	1	.	.	1	1	.	
Do. 2 do.		49,500	21	15.8	2.1	15	3	1	3	2	4	2	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	
Do. 3 do.		50,032	18	16.7	1.0	16	3	1	3	2	4	3	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	
Do. 4 do.		32,637	21	9.6	.	6	4	.	1	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	
Do. 5 do.		16,112	10	16.2	3.2	5	4	.	1	2	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	3	.	
Do. 6 do.		37,298	9	14.0	1.4	10	1	1	.	1	2	5	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	
Do. 7 do.		2,681	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 8 do.		5,964	1	17.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 9 do.		24,427	16	17.1	2.1	8	3	1	2	.	.	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	
Do. 10 do.		28,958	15	19.8	3.6	11	3	2	3	.	.	3	7	4	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	
Do. 11 do.		39,311	18	13.3	.	10	3	2	.	3	7	4	2	.	.	.	.	.	.	.	2	.	1	2	1	.	.	.	.	1	.	
Do. 12 do.		38,076	20	15.1	1.4	1	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 13 do.		23,233	14	6.7	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 14 do.		175	.	.	.	8	2	1	1	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 15 do.		22,669	14	18.4	4.6	.	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,		386,947	184	14.5	1.6	112	25	11	14	10	30	22	.	.	.	2	2	.	.	.	5	4	2	10	15	7	1	2	4	27	3	
City of Cork.																																
Cork Urban No. 1 District		13,455	6	7.8	.	2	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Do. 2 do.		10,399	4	15.0	10.0	3	2	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 3 do.		9,793	4	5.3	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
Do. 4 do.		9,139	2	17.1	5.7	3	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
Do. 5 do.		6,250	5	8.3	.	4	1	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Do. 6 do.		11,581	4	18.0	.	4	1	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	.
Do. 7 do.		16,056	6	6.5	.	2	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,		76,673	31	10.9	2.0	16	5	1	.	1	7	2	.	.	.	.	.	.	.	.	3	1	.	.	1	3	.	.	.	.	5	1

\* The rates for the Total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.



Table IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks, Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																									
		May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.
No. of weeks in Annual Series,		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
Births registered, ...		219	167	185	242	228	180	173	193	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184
Deaths registered, ...		153	129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112
Annual Death-rate per 1,000 of estimated population, ...		19.8	16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5
Ages, { Under 1 year, ...		31	18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25
1-5 years, ...		17	19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11
5-25 " ...		23	16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	10	11	15	13	10	9	17	14
25-45 " ...		19	27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10
45-65 " ...		37	28	32	33	25	29	18	30	27	25	18	27	28	26	23	29	27	26	24	25	18	23	26	29	25	30
65 and upwards, ...		26	21	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	23	24	16	22
Deaths from:—																											
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		7	8	2	4	5	1	5	5	5	2	3	3	1	3	.	1	1	1	1	.	.	.	.	1	.	2
Scarlet Fever, ...		1	.	.	.	1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	3	2
Whooping-cough, ...		5	2	5	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.
Diphtheria, ...		.	.	1	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, ...		23	22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5
Other Forms, ...		8	5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	4	8	2	4
Cancer ...		9	10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2
Diseases of Respiratory System, { Pneumonia, ...		17	12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10
Others, ...		14	10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	5	2	4	11	5	14	9	15
Diarrhoea and Enteritis, under 2 years, ...		2	2	.	3	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7
Diarrhoea, 2 years and upwards, ...		1	.	.	.	.	.	.	.	.	.	2	1	1	.	1	1	.	1	4	.	2	1	1	1	.	1
Violent Deaths, ...		3	2	1	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2
Number of Uncertified Deaths,...		2	1	.	.	.	2	1	1	.	.	.	.	4	1	.	.	1	.	2	3	2	1	.	5	.	3

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	Oct. 23,	1,892	1,197 <sup>c</sup>	13·8	1	.	2	4	6	9	108	
EDINBURGH, — —	328,700	„ 23,	129	92	14·6	.	.	5	.	.	.	2	
GLASGOW, — —	1,078,400	„ 23,	525	329 <sup>c</sup>	15·9	2	.	4	8	.	4	14	
CALCUTTA — —	896,067 <sup>b</sup>	Sept. 4,	.	356	20·6	58*	.	.	.	.	.	61 <sup>†a</sup>	
BOMBAY, — —	979,445	„ 11,	481	513	27·2	60*	7	1	.	.	.	57 <sup>a</sup>	
MADRAS, — —	518,660	„ 4,	318	407	40·8	39*	2	3	7	7	7	104 <sup>†a</sup>	
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.	
	Foreigners, ...	„ 22,	.	.	.	.	.	.	.	.	.	.	
ALEXAN- DRIA, {	Egyptians, ...	„ 22,	.	.	.	.	.	.	.	.	.	.	
	Foreigners, ...	„ 22,	.	.	.	.	.	.	.	.	.	.	
PARIS, — —	2,847,229	Sept. 18,	581	664	11·9	4	.	2	2	3	1 <sup>†</sup>	16	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	613,249	Sept. 11,	262	97	8·8	.	.	1	.	3	.	1	
COPENHAGEN, — —	494,000	„ 25	218	101	10·7	.	.	.	.	.	.	5	
STOCKHOLM, — —	386,270	„ 25,	127	68	9·2	.	.	.	.	.	.	.	
CHRISTIANIA, — —	250,677	Oct. 2,	116	38	7·9	.	.	.	.	.	.	1 <sup>a</sup>	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	Sept. 18,	.	1,038	32·0	45	1	21	34	12	8 <sup>†</sup>	303 <sup>†a</sup>	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	Sept. 18,	2,350	1,291	11·6	13	.	3	.	10	16	144	
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	727,826	Oct. 2,	.	208 <sup>b</sup>	14·9	.	.	.	1	3	4	23 <sup>a</sup>	

\* Deaths from "fever," including 4 from enteric fever in Calcutta, 5 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 14 deaths from cholera in Calcutta, one in Madras, and 40 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 174 deaths (including 2 from diphtheria and 16 from diarrhoeal diseases); rate, 12·5 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever in London, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 23rd October, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	1	.	.	.	.	.	1	.	.	.	.	1	3
„ „ 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 2,	.	.	.	.	.	.	.	2	.	.	.	.	4	6
„ „ 3,	.	8	.	.	1	.	.	.	.	.	.	.	.	9
Clontarf and Howth No. 1 (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	1	.	.	2	.	.	.	.	.	.	.	.	3
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1,	.	.	.	.	1	.	.	1	1	.	.	.	1	4
„ „ 2,	.	.	.	.	.	.	.	1	1	.	.	.	2	4
„ „ 3,	.	1	.	.	1	.	.	2	1	.	.	.	2	7
„ „ 4,	.	.	.	.	.	.	.	.	1	.	.	.	2	3
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Total,	.	12	.	.	7	.	.	7	5	.	.	.	13	44

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 23rd October, 1915, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 23rd October.			
	Oct. 2.	Oct. 9.	Oct. 16.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	40	50	53	7	12	1	47
Typhus,	.	.	.	2	.	.	2
Small-pox,	.	.	.	.	.	.	.
Measles,	6	8	14	4	7	.	11
Scarlet Fever,	52	62	70	11	11	.	70*
Diphtheria,	37	32	31	13	5	2	37
Pneumonia,	10	8	9	4	2	.	11

\* Exclusive of 10 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

*Price 1½d.*

VOL. LII.] WEEK ENDING SATURDAY, 30TH OCTOBER, 1915.

[No. 43.]

*General Register Office, Charlemont House,  
Dublin, 1st November, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·9 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 9	Oct. 16	Oct. 23	Oct. 30	
<b>27 Town Districts, (a)</b>	<b>16·0</b>	<b>14·8</b>	<b>16·0</b>	<b>16·9</b>	<b>15·9</b>
Dublin Reg. Area ...	18·7	18·5	20·3	17·6	18·8
Dublin City ...	20·5	19·7	21·2	18·5	20·0
Belfast ...	16·3	12·6	14·5	17·1	15·1
Cork ...	19·0	11·6	10·9	13·6	13·8
Londonderry ...	17·7	21·5	12·7	19·0	17·7
Limerick ...	8·1	16·2	9·5	21·7	13·9
Waterford ...	5·7	17·1	15·2	22·8	15·2

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·3 per 1,000. Among the 132 deaths from all causes for Belfast are 3 from measles, 7 from scarlet fever, 4 from whooping-cough, and 12 from diarrhoeal diseases. Three of the 20 deaths from all causes for Cork are from diarrhoea and enteritis of children under 2 years. Of the 15 deaths from all causes for Londonderry one is from each of whooping-cough and diphtheria. The 12 deaths from all causes for Waterford include one from scarlet fever and one from diphtheria; and of the 5 deaths from all causes for Ballymena 2 are due to whooping-cough and one to diarrhoea.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 221—109 boys and 112 girls—and the deaths to 151—66 males and 85 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·6 per 1,000 of the population. During the forty-three weeks, ending with Saturday last, the death-rate averaged 21·8, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, diphtheria, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 151, represent an annual rate of 19·3 per 1,000; the annual rate for the past forty-three weeks, was 23·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 3 from measles, one from whooping-cough, 5\* from diphtheria, 10 from diarrhoea and enteritis of children under 2 years of age, 2 from influenza, and one from chicken-pox.

In the three preceding weeks, deaths from measles were 2, one, and 2; deaths from whooping-cough were one, one, and one; deaths from diphtheria were 0, 0, and one; deaths from diarrhoea and enteritis of children under 2 years of age were 25, 13, and 21; and deaths from influenza were 0, 0, and 0.

Deaths from tuberculous disease, which in the three preceding weeks numbered 32, 37, and 31, fell to 22\* last week, 15 of the latter having been caused by pulmonary tuberculosis, one by tuberculous meningitis, 4 by abdominal tuberculosis, and 2 by other forms of the disease.

Cancer caused 12 deaths.

One death from lobar pneumonia and 4 deaths from pneumonia (type not distinguished) were recorded.

Five deaths of infants under one year of age were attributed to convulsions, one to congenital malformation, 2 to prematurity, and 2 to congenital debility.

Organic diseases of the heart caused 15 and bronchitis 13 deaths.

Seven deaths were ascribed to accidental causes, including one caused by arsenical poisoning, 2 (one that of a child aged 4½ years) by burns, and 2 deaths resulting from railway accidents.

One death of a soldier was caused by wounds received in battle.

In 7 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 4 children under 5 years of age (including 3 infants under one year old) and the death of one person aged 72 years.

Thirty-eight of the persons whose deaths were registered during the week were under 5 years of age (18 being infants under one year, of whom 5 were under one month old), and 31 were aged 65 years and upwards, including 16 persons aged 70 and upwards; among the latter were 7 aged 75 and upwards.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 16 took place in the North Dublin Union Workhouse, and 16 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·6 per 1,000; the rate in the City was 18·5 (North City Districts, 17·3; South, 19·9), and in the Suburbs, 14·6.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·3 per 1,000 inhabitants, the rate for the City being 2·5 (in the North City Districts 2·2, and in the South 2·8), and for the Suburbs 1·6 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (9) are equal to an annual rate of 15·4 per 1,000, and include one (that of a child under 2 years) from diarrhoea and enteritis.

No. 1 North City District, West (Summer-hill).—The deaths (10) are equal to an annual rate of 12·5 per 1,000. Influenza caused one death, pneumonia one death, bronchitis one death, and diarrhoea and enteritis of children under 2 years 2 deaths.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Included in the total are one from measles, 3 from tuberculous disease, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 21·8 per 1,000, and include one from measles, one from diphtheria, one from pulmonary tuberculosis, one from pneumonia, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 7·5; and Finglas and Glasnevin, part of, 14·4. The 3 deaths for Finglas and Glasnevin, part of, comprise 2 from tuberculous disease and one from accidental violence.

No. 1 South City District (South Earl-street).—The deaths (19) represent an annual rate of 24·1 per 1,000, and include one from diphtheria, 2 from pulmonary tuberculosis, 2 from pneumonia, and 4 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. The 7 deaths include one from each of tuberculous disease, diarrhoea and enteritis (a child under 2 years), and accidental violence.

No. 3 South City District (Peter-street).—The deaths (14) are equal to an annual rate of 16·6 per 1,000, and include 3 from tuberculous disease, one from pneumonia, 3 from bronchitis, and 3 deaths of children under 2 years from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (14) are equivalent to an annual rate of 22·0 per 1,000. Measles, diphtheria, and influenza each caused one death, tuberculous disease 4 deaths, bronchitis one death, diarrhoea and enteritis of a child under 2 years one death, and there was one accidental death.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 11·9; Pembroke, 22·2; Blackrock, 11·3; and Kingstown, 9·2. The deaths from the principal epidemic diseases tabulated for these districts comprise one from diarrhoea and enteritis of a child under 2 years for Rathmines and Rathgar, and one from whooping-cough and one from diphtheria for Pembroke. Included in the 9 deaths from all causes for Rathmines and Rathgar is one from pulmonary tuberculosis. Among the 13 deaths from all causes for Pembroke are 3 from tuberculous disease and one from bronchitis. One of the 2 deaths for Blackrock is from accidental violence; and one of the 3 deaths from all causes for Kingstown is from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·2), was equal to an average annual death-rate of 13·8 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·2 per 1,000, the rate for Glasgow being 17·6, and for Edinburgh 15·1.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 30th October. From this Report it appears that of 149 cases notified, 86 were scarlet fever, 41 diphtheria, 13 pulmonary tuberculosis, 4 other forms of tuberculosis, and 5 erysipelas. Among the 683 cases of infectious diseases in hospital at the close of the week were 299 of scarlet fever, 151 of diphtheria, 141 of pulmonary tuberculosis, 39 of measles, 4 of erysipelas, 3 of enteric fever, 3 of whooping-cough, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (1) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 30th October, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis	Total
City of Dublin.	Oct. 9,	.	—	—	12	.	.	2	.	.	10	2	.	—	—	.	—	.	18	44
	Oct. 16,	.	—	—	10	.	.	3	.	1	16	3	.	—	—	.	—	.	16	50
	Oct. 23,	.	—	—	12	.	.	7	.	.	7	5	.	—	—	.	—	.	13	44
	Oct. 30,	.	—	—	16	2	.	4	.	.	2	1	.	—	—	.	—	.	15	40
Rathmines and Rathgar Urban District	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 30,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
Pembroke Urban District.	Oct. 9,	.	.	.	.	.	.	.	.	.	.	.	.	—	1	.	—	—	.	1
	Oct. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
	Oct. 23,	.	.	.	1	.	.	1	.	.	.	.	.	—	.	.	—	—	.	2
	Oct. 30,	.	1	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	.	4
Blackrock Urban District.	Oct. 9,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Oct. 16,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	.	—	—	.	1
	Oct. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Oct. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
Kingstown Urban District.	Oct. 9,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
City of Belfast.	Oct. 9,	.	—	—	67	.	.	7	.	.	.	9	.	—	—	1	—	.	2	86
	Oct. 16,	.	—	—	58	.	.	3	.	.	3	5	.	—	—	.	—	3	72	
	Oct. 23,	.	—	—	60	.	.	4	.	.	.	2	.	—	—	.	—	.	1	67
	Oct. 30,	.	—	—	59	.	.	8	.	.	.	2	.	—	—	1	—	.	.	70
City of Cork.	Oct. 9,	.	.	—	3	.	.	.	.	.	3	.	.	—	—	—	3	—	—	9
	Oct. 16,	.	1	—	6	.	.	2	.	.	.	.	.	—	—	—	1	—	—	10
	Oct. 23,	.	1	—	6	.	.	2	.	1	1	.	.	—	—	—	1	—	—	12 <sup>a</sup>
	Oct. 30,	.	.	—	3	.	.	.	.	2	.	1	.	—	—	—	.	—	—	6 <sup>a</sup>
City of Londonderry.	Oct. 9,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	—	2
	Oct. 16,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 30,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	—	—	—	5
City of Limerick.	Oct. 9,	.	—	—	.	.	.	.	.	1	1	.	.	—	—	.	—	—	—	2
	Oct. 16,	.	—	—	2	.	.	.	1	.	1	.	.	—	—	.	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford	Oct. 9,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5
	Oct. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	Oct. 30,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	1	5

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 30th October, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 48 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 50, 53, and 47.

Two cases of typhus remained under treatment in hospital at the close of the week.

Eight cases of measles were admitted to hospital during the week, 5 were discharged, there was one death, and 13 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 8, 14, and 11 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 10 were discharged, and 78\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 62, 70, and 70, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 14 were discharged, 4 died and the cases in hospital, which at the close of the 3 preceding weeks numbered 32, 31, and 37 respectively, were 27 at the close of last week.

In addition to the above-named diseases, 3 cases of pneumonia were admitted to hospital, 5 were discharged, and 9 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 30th October, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.	REGISTRATION—WEEK ENDING SATURDAY, 30TH OCTOBER, 1915.																														
	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.			BIRTHS.		DEATHS.																							
	Total. (a)	Persons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.							
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19·2	24·0	16·9	2·3	559	393	73	86	...	...	...	6	8	8	6	...	38	15	24	18	35	23	3	9	16	126	23			
DUBLIN REGISTRATION AREA:—																															
TOTAL, (c.) ...	409,000	29·8	28·2	17·6	2·3	221	138	18	31	...	...	...	3	...	1	4	...	13	7	12	5	14	1	...	5	4	65	7			
CITY OF DUBLIN,	312,747	39·5	29·0	18·5	2·5	174	111	18	23	...	...	...	3	...	...	3	...	11	5	9	5	11	9	...	4	3	56	6			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23·1	15·8	11·9	1·3	12	9	...	4	...	...	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	2	...			
PEMBROKE, ...	30,538	19·4	34·1	22·2	3·4	20	13	...	2	...	...	...	...	...	1	1	...	1	2	1	...	2	...	...	...	...	4	1			
BLACKROCK, ...	9,233	8·5	11·3	11·3	.	2	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	1	1	...			
KINGSTOWN, ...	16,941	11·6	40·0	9·2	.	13	3	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...			
Urban Districts																															
BELFAST ..	403,000	27·0	21·6	17·1	3·4	167	132	31	27	...	...	...	3	7	4	...	...	12	3	5	11	9	10	2	4	7	37	2			
CORK, ..	76,673	28·6	22·4	13·6	2·0	33	20	5	4	...	...	...	...	...	...	...	...	5	...	1	...	2	3	...	...	...	8	2			
LONDON-DERRY	41,200	16·0	11·4	19·0	2·5	9	15	1	2	...	...	...	...	...	1	1	...	1	1	...	1	2	...	...	...	1	2	...			
LIMERICK, ...	38,518	16·1	50·1	21·7	.	37	16	5	1	...	...	...	...	...	...	...	...	3	1	1	...	1	...	...	...	1	1	5			
WATERFORD, ...	27,464	19·1	32·3	22·8	3·8	17	12	3	...	...	...	...	...	1	...	1	...	1	1	...	...	...	...	...	...	...	5	1			
GALWAY, ...	13,255	2·5	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
DUNDALK, ...	13,128	9·5	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
LURGAN, ...	12,553	14·7	...	...	...	6	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
DROGHEDA, ...	12,501	8·4	...	...	...	7	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...			
LISBURN ...	12,388	10·9	...	...	...	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
NEWRY, ...	11,963	17·0	...	...	...	3	7	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...			
PORTADOWN, ...	11,727	15·3	...	...	...	4	4	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,531	22·8	...	...	...	3	5	2	1	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	...	3			
BALLYMENA ..	11,381	9·3	...	...	...	...	5	3	1	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...			
SLIGO, ...	11,163	3·8	...	...	...	5	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	1			
KILKENNY, ...	10,514	11·4	...	...	...	4	4	...	4	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	1	...			
TRALEE, ...	10,300	17·4	...	...	...	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
CLONMEL, ...	10,209	7·8	...	...	...	4	4	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	2	...			
NEWTOWNARDS	9,687	20·1	...	...	...	6	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...			
QUEENSTOWN,	8,209	14·7	...	...	...	2	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...			
LARNE, ...	8,036	13·4	...	...	...	4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
COLERAINE, ...	7,785	7·7	...	...	...	1	4	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...			
BANGOR, ..	7,776	8·5	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BRAY, ..	7,691	7·2	...	...	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ...	7,472	6·2	...	...	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...			
ARMAGH, ...	7,356	21·8	...	...	...	1	5	...	4	...	...	...	...	...	...	...	...	...	2	1	...	...	...	...	...	...	1	2			

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 13 deaths of persons admitted to hospital from localities outside the Area; the 13 deaths include one from diphtheria and 2 from pulmonary tuberculosis.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 30th of October, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																
	REGISTRATION DISTRICTS IN																
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF		
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, .	.	.	1	1	.	.	.	.	.	.	1	.	.	.	.	3	
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	
Diphtheria,	.	.	.	1	.	.	.	1	.	.	1	.	1	.	.	4	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza, .	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	2	
Dysentery, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	.	.	2	1	.	.	1	2	.	2	3	.	1	1	.	13	
Other Forms,	.	.	1	.	.	.	1	.	1	1	1	.	.	2	.	7	
Cancer, .	1	.	3	2	.	.	.	2	.	.	1	.	1	1	1	12	
Diseases of Nervous System,	5	1	2	1	1	1	.	3	2	1	.	1	1	.	.	20	
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System, .	1	.	2	2	.	.	.	.	.	.	2	.	1	3	.	12	
" Respiratory System, { Pneumonia,	.	1	.	1	.	.	.	2	.	1	.	.	.	.	.	5	
Others,	.	1	.	2	.	.	.	4	.	3	1	.	.	2	.	14	
" Digestive System, { Diarrhoea and Enteritis, under 2 years,	1	2	.	1	.	.	.	.	1	3	1	.	1	.	.	10	
Diarrhoea, 2 years and upwards, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis, 2 years and upwards, .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Others,	.	1	1	1	.	.	.	1	.	.	.	1	.	.	.	5	
" Genito-urinary System,	.	1	.	.	.	.	.	2	1	2	.	.	3	.	.	9	
Puerperal Septicæmia, etc.,	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	2	
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	1	1	1	2	.	.	.	1	.	1	1	.	1	1	.	10	
Violent Deaths,	.	.	1	.	.	.	1	.	1	.	1	.	.	.	1	5	
Ill-defined, &c. Causes,	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	2	
Deaths from All Causes	9	10	15	15	1	2	3	19	7	14	14	2	9	13	2	3	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	15.4	12.5	28.1	21.8	9.4	7.5	14.4	24.1	19.9	16.6	22.0	10.5	11.9	22.2	11.3	9.2	
	17.3							19.9							14.6		
	18.5																
Ages at Death, { Under 1 year,	3	2	1	3	.	.	1	1	2	2	2	1	.	.	.	18	
1 and under 2 years,	1	2	1	1	.	.	.	1	.	4	1	.	1	1	.	13	
2 " 5 "	.	.	.	.	.	.	.	3	.	.	2	.	.	.	.	5	
5 " 15 "	.	.	1	2	.	.	.	.	.	2	1	.	.	2	.	8	
15 " 25 "	.	2	1	1	.	.	2	.	.	.	1	.	.	.	1	8	
25 " 45 "	.	.	3	1	.	1	.	.	1	3	2	.	.	2	.	13	
45 " 65 "	4	4	6	1	.	1	.	6	3	1	4	.	4	6	1	42	
65 and upwards,	1	.	2	6	1	.	.	8	1	2	1	1	4	2	1	31	
Number of Uncertified Deaths, .	.	.	.	1	.	1	.	1	1	1	.	1	.	1	.	7	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																	
Public Hospitals, Prisons, and Lunatic Asylums,	2	3	3	4	.	1	2	5	.	2	4	.	2	4	1	2	
Workhouse Hospitals.	2	2	6	5	.	.	.	7	2	2	4	.	.	.	.	30	





FORTY-THIRD WEEK, ending Saturday, 30th October, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 43rd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 30th October, 1915.																						
	Oct. 28, 1905.	Oct. 27, 1906.	Oct. 26, 1907.	Oct. 24, 1908.	Oct. 30, 1909.	Oct. 29, 1910.	Oct. 28, 1911.	Oct. 26, 1912.	Oct. 25, 1913.	Oct. 24, 1914.		All Ages.	Deaths of Persons of the Ages of																					
													0-5.																					
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.												
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.												
Diseases of Stomach, ...	—	—	—	—	—	—	.	2	4	1	—	2	.	.	.	.	.	.	.	.	.	.												
Diarrhoea and Enteritis of Children under 2 years.	5	9	18	7	10	7	13	4	16	11	10.4	10	.	5	5	.	.	.	.	.	.	1	.											
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards, Appendicitis and Typhlitis, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	6	2	.	—	1	.	.	.	.	.	.	.	1	.	.	.											
Cirrhosis of Liver, ...	1	1	1	.	1	1	1	2	3	.	1.1	.	.	.	.	.	.	.	.	.	.	.												
Other Diseases of Liver, ...	1	2	.	.	2	.	.	.	.	.	.6	2	.	.	.	.	.	.	.	1	1	.												
Peritonitis (cause unknown), ...	1	.	1	.	2	.	.	.	.	.	.5	.	.	.	.	.	.	.	.	.	.	.												
Other Diseases of Digestive System.	5	1	4	4	2	7	.	1	1	2	2.7	2	.	.	.	.	1	.	1	.	.	.												
Acute Nephritis, ...	4	4	3	3	7	10	3	1	.	.	.	5.5	2	.	.	.	.	.	.	1	1	.	.											
Chronic Bright's Disease, ...														2	5	2	5	6	.	.	.	.	1	1	1	3	.	.	.	.	.	.		
Urinary Calculi, ...														.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).														.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)														.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	.	.	3	.	2	.	.	.	.	.	.	2	.	.	.												
Puerperal Septicæmia, &c., ...	.	1	1	.	.	.	1	.	.	.	.3	1	.	.	.	.	.	1	.	.	.	.												
Other Causes incident to Pregnancy and Childbirth.	.	1	2	1	.	.	.	1	1	.	.6	1	.	.	.	.	.	1	.	.	.	.												
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	2	.	—	2	.	.	.	.	.	1	1	.	.	.												
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	1	2	.	—	1	.	1	.	.	.	.	.	.	.	.												
Premature Birth, ...	3	4	5	2	5	2	3	4	5	3	3.6	2	1	1	.	.	.	.	.	.	.	.												
Congenital Debility, ...	—	—	—	—	—	—	7	4	4	3	—	2	2	.	.	.	.	.	.	.	.	.												
Old Age, ...	8	5	2	2	5	4	7	2	4	10	4.9	1	.	.	.	.	.	.	.	.	.	1												
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	2	.	—	1	.	.	.	.	.	.	.	1	.	.												
ACCIDENT :																																		
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.												
Conflagration, ...	2	.	.	.	.	.	.	.	.	.	.7	2	.	.	.	1	.	.	.	.	.	1												
Burns and Scalds, ...	1	1	.	1	.	.	2	1	1	1	.4	.	.	.	.	.	.	.	.	.	.	.												
Drowning, ...	1	.	.	.	.	.	1	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.												
Suffocation in Bed, ...	1	.	1	.	.	1	1	1	.	.	.4	.	.	.	.	.	.	.	.	.	.	.												
Other Deaths by Accident, ...	2	6	4	5	1	1	4	.	1	.	2.4	4	.	.	.	.	1	2	1	.	.	.												
Total Deaths from Accident,	6	7	5	6	1	2	7	2	2	1	3.9	7	.	.	.	1	2	2	1	.	1	.												
Included in above are Deaths in connection with—																																		
Railways, ...	.	1	.	1	.	.	.	.	.	.	.2	2	.	.	.	.	.	1	1	.	.	.												
Vehicles and Horses, ...	.	1	.	.	.	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.												
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												
VIOLENCE OTHER THAN ACCIDENTAL :																																		
Homicide, ...	.	.	.	.	.	.	.	.	2	.	.2	.	.	.	.	.	.	.	.	.	.	.												
Suicide, ...	.	.	.	.	1	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.												
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.												
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	.	4	.	—	2	.	.	1	.	.	1	.	.	.	.												

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.
No. of weeks in Annual Series	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years.	206	216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221
DEATHS REGISTERED.	268	235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	204	197
Annual Death-rate per 1,000.	205	186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151
Average Deaths in corresponding week of previous 10 years.	26.1	23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	19.3
AGES.																										
Under 5 years.	50	46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38
5—15 "	9	9	4	8	3	8	6	6	7	6	5	3	6	4	4	6	8	7	7	4	7	8	7	3	8	12
15—25 "	12	16	14	6	9	11	10	12	10	8	6	10	6	5	7	4	6	8	9	6	9	7	14	9	8	8
25—45 "	40	35	34	24	26	33	25	21	23	21	18	18	24	21	12	21	21	27	25	36	28	33	32	32	28	15
45—65 "	48	42	39	33	41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30	47
65—75 "	31	21	17	22	19	13	18	23	16	23	13	17	13	14	21	17	14	19	1	19	19	19	16	26	24	24
75 and upwards.	15	18	15	15	13	14	10	11	18	15	13	14	8	11	11	11	9	10	12	16	12	13	6	6	16	7
Deaths from:—																										
Enteric Fever,	2	.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	1	2	.	3	2	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	1	.	4	3	2	1	1	2	1	2	1	.	1	1	1	1	1	1	1	1	1	1	1	1	2	3
Scarlet Fever,	5	5	3	.	3	2	3	2	1	2	1	1	1	1	4	1	.	1	1	1	1	1	1	1	1	1
Whooping-cough,	3	2	1	1	1	2	2	1	.	2	2	1	1	2	2	1	1	.	2	3	.	.	.	.	.	.
Diphtheria,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	.	1	.	1	1	1	1	.	2	2	1	.	1	.	2	.	.	.	.	.	.	.	.	.	2
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis { Pulmonary ...	36	31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15
Other Forms,	17	9	10	7	3	12	6	8	9	8	3	7	6	9	3	4	7	4	5	8	5	9	9	9	9	7
Cancer, ...	18	18	18	14	16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	15
Diseases of Circulatory System,	12	9	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	5	2	4	9	5
Diseases of Respi. { Pneumonia,	21	21	25	17	17	18	12	10	22	17	6	8	8	2	10	6	8	8	9	15	11	14	9	14	15	14
Others,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis, under 2 years,	6	6	5	.	9	.	5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10
Diarrhoea, 2 years and upwards	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths,	5	2	5	5	6	.	3	5	5	1	6	2	1	4	5	4	2	4	1	1	5	2	5	2	3	7
Number of Uncertified Deaths,	4	6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 30th October, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION		Population in each Class and Group in 1911.		Annual Death Rate per 1,000 of the Population in 1911.		Total Number of Deaths.		AGES.										CAUSES OF DEATH										Number of Deaths			
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	
		397,957	—	151	38	8	12	15	47	24	7	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	
ALL PERSONS.																															
CLASSES.																															
Deaths in Families of the—																															
I.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	17.8	5	1	1	4	2	1	1	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
II.	MIDDLE CLASS, ...	101,798	9.2	18	3	2	6	2	3	3	3	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	17.8	37	11	1	4	13	6	1	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
IV.	GENERAL SERVICE CLASS, ...	167,479	18.4	59	22	4	6	8	12	6	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
V.	INMATES OF WORKHOUSES, ...	5,602	—	32	2	2	1	3	14	9	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
MIDDLE CLASS.																															
I.	PROFESSIONAL AND INDEPENDENT CLASS.											76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																															
2. Merchants and Manufacturers, Higher Class																															
3. Persons of Rank and Property, not otherwise described, ...																															
II.	GENERAL BODY OF OFFICIALS—Civil Service, Banking, &c., ...	9,523	5.5	1	1	1	2	1	1	1	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
5. Traders (except Petty Shopkeepers), Business Managers, &c., ...																															
6. Clerks and Commercial Assistants, ...																															
7. Miscellaneous—including all Household in Second Class Localities not included in above, ...																															
III.	ARTISAN CLASS AND PETTY SHOPKEEPERS.	33,827	13.9	9	3	3	1	2	3	1	2	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																															
9. Building and Furnishing Trades, ...																															
10. Clothing Trades, ...																															
11. Food Supply Trades ...																															
12. Other Trades and Callings ranking with Trades, ...																															
IV.	Petty Shopkeepers	32,070	30.9	19	6	1	1	6	5	1	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths
GENERAL SERVICE CLASS.																															
14. Army, Police, Postal Delivery and Prison Services, &c., ...																															
15. Domestic Servants, ...																															
16. Coach and Car Drivers, Vanmen, &c., ...																															
17. Hawkers, Porters, Labourers, &c., ...																															
V.	INMATES OF WORKHOUSES.	5,602	—	32	2	2	1	3	14	9	1	76 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Deaths

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Sept. 25	30.8	8.5	18	.	.	.	.	.	.	.	.	4	.	1	1	1	5	.	.	.
	Oct. 2	27.4	8.5	16	.	.	.	.	.	1	.	.	1	1	1	1	1	4	.	.	1
	" 9	23.9	8.5	14	.	.	.	.	.	.	.	.	1	1	.	.	1	5	.	.	.
	" 16	29.1	3.4	17	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	4
Population in 1915	" 23	18.8	6.8	11	.	.	.	.	.	.	1	.	2	3	.	.	1	3	.	.	.
(Est.) 30,504.	" 30	15.4	1.7	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Sept. 25	28.8	7.5	23	.	.	.	.	.	.	.	.	5	.	.	.	.	6	.	.	1
	Oct. 2	21.3	2.5	17	1	.	.	.	.	.	.	.	2	1	1	1	.	1	.	1	1
	" 9	16.3	5.0	13	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	.	.
	" 16	18.8	3.8	15	.	.	.	.	.	1	.	.	4	1	1	.	.	2	.	.	.
Population in 1915	" 23	31.3	5.0	25	.	.	.	.	.	.	.	.	4	.	1	3	4	4	.	.	.
(Est.) 41,685.	" 30	12.5	2.5	10	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
North City, No. 2. (Office, Lisburn-street.)	Sept. 25	11.2	1.9	6	.	.	.	.	.	1	.	.	3	.	.	1	2	1	.	.	2
	Oct. 2	26.2	1.9	14	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	1	.
	" 9	22.4	3.7	12	.	.	.	.	.	.	.	.	1	2	.	.	3	2	.	.	.
	" 16	15.0	3.7	8	.	.	.	.	.	.	.	.	4	.	4	.	.	3	.	.	.
Population in 1915	" 23	28.1	5.6	15	.	.	.	.	.	.	.	.	2	.	.	.	.	3	.	.	.
(Est.) 27,883.	" 30	28.1	1.9	15	.	.	.	1	.	.	.	.	2	1	3	.	.	.	1	.	.
North City, No. 3. (Office, Benburb-street.)	Sept. 25	10.2	2.9	7	.	.	.	1	.	.	.	.	.	1	.	1	.	1	.	.	.
	Oct. 2	20.3	1.5	14	.	.	.	.	.	.	.	.	3	1	1	.	1	1	.	.	.
	" 9	11.6	2.9	8	.	.	.	.	.	.	.	.	.	1	1	.	1	2	.	.	.
	" 16	21.8	4.4	15	1	.	.	.	.	.	.	.	6	.	1	.	1	1	1	1	1
Population in 1915	" 23	17.4	.	12	.	.	.	.	.	.	.	.	3	1	.	.	2	.	.	.	.
(Est.) 35,887.	" 30	21.8	4.4	15	.	.	.	1	.	.	1	.	1	.	2	1	2	1	.	.	1
Clontarf and Howth No. 1 (part of).	Sept. 25	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	Oct. 2	18.8	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 9	47.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	" 16	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 23	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 30	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Sept. 25	11.3	.	3	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	Oct. 2	18.9	.	5	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.
	" 9	18.9	.	5	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	" 16	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
(Est.) 13,820.	" 30	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of).	Sept. 25	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.
	Oct. 2	19.3	.	4	.	.	.	.	.	.	.	.	2	1	.	.	.	.	.	.	.
	" 9	28.9	4.8	6	.	.	.	.	.	.	.	.	2	.	.	.	1	.	.	2	.
	" 16	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Population in 1915	" 23	14.4	9.6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
(Est.) 10,829.	" 30	14.4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
South City, No. 1. (Office, St. Earl-street.)	Sept. 25	26.6	6.3	21	.	.	.	1	1	.	.	.	.	.	1	1	2	3	.	.	2
	Oct. 2	20.3	7.6	16	.	.	.	1	.	.	.	.	2	1	.	1	1	5	.	1	1
	" 9	22.8	6.3	18	.	.	.	.	.	.	.	.	3	1	3	.	1	5	.	.	.
	" 16	15.2	1.3	12	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
Population in 1915	" 23	24.1	2.5	19	.	.	.	.	.	.	.	.	4	.	.	2	2	2	.	.	.
(Est.) 41,170.	" 30	24.1	1.3	19	.	.	.	.	.	1	.	.	2	.	2	2	4	.	.	.	1
South City, No. 2. (Office, Castle-street.)	Sept. 25	31.3	5.7	11	.	.	.	.	.	.	.	.	1	1	.	1	.	2	.	.	.
	Oct. 2	17.1	2.8	6	.	.	.	.	.	.	.	.	2	.	1	.	1	1	.	.	.
	" 9	22.7	.	8	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	1	.
	" 16	25.6	2.8	9	.	.	.	.	.	.	.	.	4	.	1	1	1	1	.	.	.
Population in 1915	" 23	28.4	5.7	10	1	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.
(Est.) 18,341.	" 30	19.9	2.8	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1
South City, No. 3. (Office, Peter-street.)	Sept. 25	23.7	3.6	20	.	.	.	.	.	.	.	.	4	2	2	2	3	3	.	.	1
	Oct. 2	26.1	4.7	22	.	.	.	.	.	.	.	.	7	.	1	.	.	4	.	.	.
	" 9	20.2	3.6	17	.	.	.	1	.	.	.	.	3	3	.	1	.	2	.	1	.
	" 16	24.9	3.6	21	2	.	.	.	.	.	.	.	4	1	3	1	3	.	1	.	.
Population in 1915	" 23	19.0	4.7	16	.	.	.	.	.	.	.	.	1	.	.	.	3	3	.	.	1
(Est.) 43,970.	" 30	16.6	3.6	14	.	.	.	.	.	.	.	.	2	1	.	1	3	3	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Sept. 25	23.6	1.6	15	1	.	.	.	.	.	.	.	3	.	2	.	2	.	.	1	.
	Oct. 2	15.7	11.0	10	.	.	.	.	.	.	.	.	.	1	.	.	.	7	.	.	1
	" 9	25.2	6.3	16	.	.	.	1	.	.	.	.	.	.	1	.	3	3	.	.	.
	" 16	14.1	6.3	9	.	.	.	.	.	.	.	.	1	1	1	.	.	3	.	.	.
Population in 1915	" 23	17.3	3.1	11	.	.	.	2	.	.	.	.	.	.	2	.	2	.	.	1	.
(Est.) 33,171.	" 30	22.0	4.7	14	.	.	.	1	.	.	1	.	3	1	1	.	1	1	.	1	.
New Kilmainham.	Sept. 25	31.4	10.0	6	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.	2	.
	Oct. 2	10.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
	" 9	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 16	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
(Est.) 9,948.	" 23	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
	" 30	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
Rathmines and Rathgar Urban District.	Sept. 25 Oct. 2 " 9 " 16	13.2 10.5 11.9 15.8	. 1.3 1.3 .	10 8 9 12	. .<																	

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																										
		May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	
No. of weeks in Annual Series,		18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	
BIRTHS registered, ...		167	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	
DEATHS registered, ...		129	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	192	
Annual Death-rate per 1,000 of estimated population, ...		16.7	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.8	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	
Ages, { Under 1 year, 1-5 years, 5-25 " 25-45 " 45-65 " 65 and upwards,		18	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	
		19	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	
		16	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	10	11	15	13	10	9	17	12	14	14
		27	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	16	19	22	19	18	15	19	22	18	10	21
		28	32	33	25	29	18	30	27	25	18	27	23	26	23	29	27	27	26	24	25	18	23	26	29	25	30	18
		21	20	23	21	24	17	7	13	15	15	11	23	21	21	13	15	19	23	16	27	30	9	28	24	16	22	27
Deaths from:—																												
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	.	.	.	
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles, ...		8	2	4	5	1	5	5	5	2	3	3	1	3	.	1	1	1	1	.	.	.	.	1	.	2	3	
Scarlet Fever, ...		.	.	.	1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	7		
Whooping-cough, ...		2	5	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	
Diphtheria, ...		.	1	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	.	.	.	.	
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis. { Pulmonary,		22	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	
{ Other Forms,		5	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	
Cancer ...		10	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	
Diseases of Respi- { Pneumonia,		12	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	
ratory System, { Others, ...		10	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	
Diarrhoea and Enteritis, under 2 years, ...		2	.	.	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	
Diarrhoea, 2 years and upwards, ...		.	.	.	.	.	.	.	.	.	2	1	.	.	1	1	.	1	4	.	2	1	.	1	.	1	2	
Violent Deaths, ...		2	1	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	
Number of Uncertified Deaths, ...		1	.	.	.	2	1	1	.	.	.	.	4	1	.	.	1	.	2	3	2	1	.	5	.	3	2	

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Oct. 30,	1,811	1,226 <sup>c</sup>	14.2	8	.	2	6	7	18	65	
EDINBURGH, ---	328,700	" 30,	103	95	15.1	.	.	6	.	1	5	1	
GLASGOW, ---	1,078,400	" 30,	470	363 <sup>c</sup>	17.6	2	.	7	9	1	1	14	
CALCUTTA ---	896,067	Sept. 11,	.	408	28.6	77*	.	1	1	.	.	59† <sup>a</sup>	
BOMBAY, ---	979,445	" 18,	442	494	26.2	55*	3	1	.	.	.	54 <sup>a</sup>	
MADRAS, ---	518,660	" 11,	424	436	43.7	61*	3	.	?	?	?	122 <sup>a</sup>	
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.	
	Foreigners, ...	" 22,	.	.	.	.	.	.	.	.	.	.	
ALEXAN- DRIA, {	Egyptians, ...	" 22,	.	.	.	.	.	.	.	.	.	.	
	Foreigners, ...	" 22,	.	.	.	.	.	.	.	.	.	.	
PARIS, ---	2,847,229	Sept. 25,	485	657	11.8	6	.	2	1	5	3†	22	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	613,249	Sept. 18,	283	114	9.7	2	.	2	.	4	.	3	
COPENHAGEN, ---	494,000	Oct. 2	210	116	12.2	.	.	.	2	.	1	2	
STOCKHOLM, ---	886,270	" 2,	128	62	8.3	.	.	.	1	.	.	.	
CHRISTIANIA, ---	250,677	" 9	103	43	8.9	.	.	.	.	.	1	2 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Sept. 25,	.	1,104	34.0	49	3	23	43	6	12†	263† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Sept. 25,	2,805	1,236	11.1	17	.	2	.	12	8	156	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Oct. 9,	.	216 <sup>b</sup>	15.5	2	.	.	.	7	3	23 <sup>a</sup>	

\* Deaths from "fever," including one from enteric fever in Calcutta, 5 from plague and 2 from enteric fever in Bombay and 3 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 20 deaths from cholera in Calcutta, and 39 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 177 deaths (including one from enteric fever and 18 from diarrhoeal diseases); rate, 12.7 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever in London, and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 30th October, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	3
"    "    1, West, ...	.	1	.	.	.	.	.	.	.	.	.	.	2	2
"    "    2, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
"    "    3, ...	.	7	.	.	2	.	.	.	.	.	.	.	2	11
Clontarf and Howth No. 1 (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	.	2	.	.	.	.	.	1	.	.	.	1	4
"    "    2, ...	.	.	.	.	.	.	.	1	.	.	.	.	.	1
"    "    3, ...	.	2	.	.	.	.	.	1	.	.	.	.	3	6
"    "    4, ...	.	1	.	.	1	.	.	.	.	.	.	.	4	6
New Kilmainham, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total, ...	.	16	2	.	4	.	.	2	1	.	.	.	15	40

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 30th October, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 30th October.			
	Oct. 9.	Oct. 16.	Oct. 23.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	50	53	47	4	3	.	48
Typhus, ...	.	.	2	.	.	.	2
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	8	14	11	8	5	1	13
Scarlet Fever, ...	62	70	70	18	10	.	78*
Diphtheria, ...	32	31	37	8	14	4	27
Pneumonia, ...	8	9	11	3	5	.	9

\* Exclusive of 13 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 6TH NOVEMBER, 1915.

[No. 44.]

*General Register Office, Charlemont House,  
Dublin, 8th November, 1915.*

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 15·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 16	Oct. 23	Oct. 30	Nov. 6	
<b>27 Town Districts, (a)</b>	<b>14·8</b>	<b>16·0</b>	<b>16·9</b>	<b>15·8</b>	<b>15·9</b>
Dublin Reg. Area ...	18·5	20·3	17·6	15·6	18·0
Dublin City ...	19·7	21·2	18·5	16·5	19·0
Belfast ...	12·6	14·5	17·1	15·8	15·0
Cork ...	11·6	10·9	13·6	16·3	13·1
Londonderry ...	21·5	12·7	19·0	24·0	19·3
Limerick ...	16·2	9·5	21·7	6·8	13·6
Waterford ...	17·1	15·2	22·8	11·4	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·2 per 1,000. Among the 122 deaths from all causes for Belfast are 3 from scarlet fever, one from diphtheria, 5 from diarrhoeal diseases, and one from cerebro-spinal fever. Of the 24 deaths from all causes for Cork, one is from scarlet fever and one from diarrhoea and enteritis of a child under 2 years. The 19 deaths from all causes for Londonderry include one from each of measles and diarrhoea and enteritis of a child under 2 years. One of the 5 deaths from all causes for Dundalk is attributed to enteric fever. Of the 6 deaths from all causes for Lisburn one is from diphtheria. Among the 9 deaths from all causes for Ballymena are 2 from whooping-cough and one from diarrhoea and enteritis of a child under 2 years. Two of the 9 deaths from all causes for Tralee are from diarrhoea and enteritis of children under 2 years; and 2 deaths from this disease are also included in the 9 deaths from all causes recorded for Queenstown.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 180—91 boys and 89 girls—and the deaths to 129—64 males and 65 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 15·6 per 1,000 of the population. During the forty-four weeks, ending with Saturday last, the death-rate averaged 21·7, and was 0·5 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 129, represent an annual rate of 16·4 per 1,000; the annual rate for the past forty-four weeks was 23·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death each from measles, diphtheria, and influenza, and 4 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from measles in the three preceding weeks numbered 1, 2, and 3, respectively; deaths from diphtheria were 0, one, and 5; deaths from influenza were 0, 0, and 2; and deaths of children under 2 years of age from diarrhoea and enteritis were 13, 21, and 10.

Tuberculous disease caused 21\* deaths, comprising 14 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease. In the three preceding weeks, deaths from all forms of the disease amounted to 37, 31, and 22, respectively.

There were 10\* deaths from cancer.

Of 5 deaths from pneumonia, 2 were from broncho-pneumonia, and 3 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 3 were ascribed to convulsions, 2 to premature birth, and 3 to congenital debility.

Ten deaths were caused by organic diseases of the heart, and 20 by bronchitis.

There were 5 accidental deaths, including one caused by drowning, one (that of an infant under one month old) by overlaying, and one by railway train.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 children under 5 years of age (including one infant under one year old) and the death of one person aged 89 years.

Twenty-seven of the persons whose deaths were registered during the week were under 5 years of age (14 being infants under one year, of whom 5 were under one month old), and 37 were aged 65 years and upwards, including 27 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom one (a female) was stated to have been aged 92 years.

Fifty-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 15·6 per 1,000; the rate in the City was 16·5 (North City Districts, 17·6; South, 15·3), and in the Suburbs, 12·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 0·8 per 1,000 inhabitants, the rate for the City being 1·0 (in the North City Districts 0·6, and in the South 1·4), and for the Suburbs 0·0 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·1 per 1,000. Among them are one from pneumonia, 2 from bronchitis, and one accidental death.

No. 1 North City District, West (Summer-hill).—The deaths (21) are equal to an annual rate of 26·3 per 1,000, and include one from influenza, 3 from pulmonary tuberculosis, one from pneumonia, 3 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (8) are equivalent to an annual rate of 15·0 per 1,000. Tuberculous disease caused 3 deaths.

No. 3 North City District (Benburb-street).—The deaths (8) represent an annual rate of 11·6 per 1,000. One death was caused by tuberculous disease, one by broncho-pneumonia, and one (that of a child under 2 years) by diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 14·4. Of the 3 deaths from all causes for the last-named district 2 were from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (12) represent an annual rate of 15·2 per 1,000. There were 2 deaths from tuberculous disease, 2 from bronchitis, and one death was that of a child under 2 years from diarrhoea and enteritis.

No. 2 South City District (Castle-street).—The deaths (12) are equal to an annual rate of 34·1 per 1,000, and include one death from measles, 2 from pulmonary tuberculosis, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (11) are equal to an annual rate of 13·0 per 1,000. One death from diphtheria, 4 from tuberculous disease, 2 from pneumonia, and 3 from bronchitis were recorded.

No. 4 South City District (Grand Canal Street).—The deaths (8) are equivalent to an annual rate of 12·6 per 1,000. Among them are one from tuberculous meningitis, 2 from bronchitis, and one accidental death.

New Kilmainham District.—There was no record of mortality for this district during the past week.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·5; Pembroke, 17·1; Blackrock, 5·6; and Kingstown, 12·3. There was no death from any of the principal epidemic diseases tabulated for these districts. Among the 8 deaths from all causes for Rathmines and Rathgar is one from pulmonary tuberculosis. The 10 deaths from all causes for Pembroke include 2 from pulmonary tuberculosis, 2 from bronchitis and one accidental death; and of the 4 deaths from all causes for Kingstown one was from tuberculous disease and one from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 14·4), was equal to an average annual death-rate of 14·2 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 16·1 per 1,000, the rate for Glasgow being 17·1, and for Edinburgh 14·0.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 6th November. From this Report it appears that of 148 cases notified, 87 were scarlet fever, 41 diphtheria, 10 pulmonary tuberculosis, one other forms of tuberculosis, 8 erysipelas, and one enteric fever. Among the 726 cases of infectious diseases in hospital at the close of the week were 357 of scarlet fever, 153 of diphtheria, 139 of pulmonary tuberculosis, 19 of measles, 8 of erysipelas, 2 of enteric fever, 2 of whooping-cough, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (f) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 6th November, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 16,	.	—	—	10	.	.	3	.	1	16	3	.	—	—	.	—	.	16	50
	Oct. 23,	.	—	—	12	.	.	7	.	.	7	5	.	—	—	.	—	.	13	44
	Oct. 30,	.	—	—	16	2	.	4	.	.	2	1	.	—	—	.	—	.	15	40
	Nov. 6,	.	—	—	14	.	.	5	.	.	5	2	.	—	—	.	—	.	17	33
Rathmines and Rathgar Urban District.	Oct. 16,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 30,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	Nov. 6,	.	—	—	1	.	.	1	.	.	.	.	1	—	—	—	—	—	—	2
Pembroke Urban District.	Oct. 16,	.	.	.	.	.	.	1	.	.	.	.	.	—	2	.	—	—	.	3
	Oct. 23,	.	.	.	1	.	.	1	.	.	.	.	.	—	—	.	—	—	.	2
	Oct. 30,	.	1	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	.	4
	Nov. 6,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	.
Blackrock Urban District.	Oct. 16,	.	.	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Oct. 23,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Oct. 16,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 23,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	Oct. 16,	.	—	—	58	.	.	3	.	.	3	5	.	—	—	.	—	.	3	72
	Oct. 23,	.	—	—	60	.	.	4	.	.	.	2	.	—	—	.	—	.	1	67
	Oct. 30,	.	—	—	59	.	.	8	.	.	.	2	.	—	—	1	—	.	.	70
	Nov. 6,	.	—	—	43	.	.	6	.	.	.	9	.	—	—	1	—	.	2	61
City of Cork.	Oct. 16,	.	1	—	6	.	.	2	.	.	.	.	.	—	—	—	1	—	—	10
	Oct. 23,	.	1	—	6	.	.	2	.	1	1	.	.	—	—	—	1	—	—	12 <sup>a</sup>
	Oct. 30,	.	.	—	3	.	.	.	.	2	.	1	.	—	—	—	—	—	—	6 <sup>a</sup>
	Nov. 6,	.	3	—	7	.	.	.	.	.	2	.	.	—	—	.	—	—	—	12
City of Londonderry.	Oct. 16,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Oct. 30,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	—	—	—	5
	Nov. 6,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
City of Limerick.	Oct. 16,	.	—	—	2	.	.	.	1	.	1	.	.	—	—	—	—	—	—	4
	Oct. 23,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Nov. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Oct. 16,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	.	1
	Oct. 23,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	Oct. 30,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	1	5
	Nov. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 6th November, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Eight cases of enteric fever were admitted to hospital during the week, 15 were discharged, and 41 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 53, 47, and 48.

Two cases of typhus remained under treatment in hospital at the close of the week.

Ten cases of measles were admitted to hospital during the week, 4 were discharged, there was one death, and 18 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 14, 11, and 13 respectively.

Seventeen cases of scarlet fever were admitted to hospital, 13 were discharged, and 82\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 70, and 78, respectively.

Nine cases of diphtheria were admitted to hospital during the week, 3 were discharged, one died and the cases in hospital, which at the close of the 3 preceding weeks numbered 31, 37, and 27 respectively, were 32 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 3 were discharged, and 13 cases remained under treatment at the end of the week.

\* See note(†) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 6th November, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 6TH NOVEMBER, 1915.																															
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																									
		POPULATION.		DEATHS.		BIRTHS.											DEATHS.														
		Total.(a)	Per-sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																		Inquest Cases.	No. of Deaths in Public Institutions.	No. of Unidentified Deaths.
											Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.	Diseases of the Respiratory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.				
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	23.2	15.8	1.2	540	367	52	94	1	...	...	2	4	2	3	...	43	17	23	22	43	15	1	9	12	124	15			
DUBLIN REGISTRATION AREA—TOTAL, (c.) ...	409,000	29.8	22.9	15.6	0	180	122	13	36	...	...	...	1	...	...	1	...	13	7	9	5	20	4	...	4	4	51	4			
CITY OF DUBLIN.	312,747	39.5	24.5	16.5	1.0	147	99	10	28	...	...	...	1	...	...	1	...	10	6	8	5	17	4	...	3	3	42	3			
Urban Districts.																															
RATHMINES and RATHGAR.	39,541	23.1	15.8	10.5	.	12	8	1	3	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	4	...			
PEMBROKE, ...	30,538	19.4	13.8	17.1	.	11	10	2	2	...	...	...	...	...	...	...	...	2	...	...	...	2	...	...	...	1	1	4	1		
BLACKROCK, ...	9,233	8.5	5.6	5.6	.	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
KINGSTOWN, ...	16,941	11.6	27.7	12.3	.	9	4	...	3	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	1	...		
Urban Districts																															
BELFAST ..	403,000	27.0	28.1	15.8	1.2	217	122(d)	18	24	...	...	...	...	3	...	1	...	14	4	4	11	14	4	1	2	5	48	1			
CORK, ..	76,673	28.6	22.4	16.3	1.4	33	24	3	8	...	...	...	...	1	...	...	...	4	2	...	2	1	1	...	...	...	9	2			
LONDON-DERRY	41,200	16.0	20.2	24.0	2.5	16	19	3	6	...	...	...	1	...	...	...	...	5	...	1	...	3	1	...	1	1	3	4			
LIMERICK, ...	38,518	16.1	20.3	6.8	.	15	5	...	2	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	1	...			
WATERFORD, ..	27,464	19.1	15.2	11.4	.	8	6	3	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	...	1	...			
GALWAY, ...	13,255	2.5				4	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	1	...		
DUNDALK, ...	13,128	9.5				4	5	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	2	...			
LURGAN, ...	12,553	14.7				2	3	1	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	1	2	...		
DROGHEDA, ...	12,501	8.4				5	4	...	2	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...		
LISBURN ...	12,388	10.9				3	6	...	2	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...	...		
NEWRY, ...	11,963	17.0				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
PORTADOWN, ...	11,727	15.3				4	2	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...		
WEXFORD, ...	11,531	22.8				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1		
BALLYMENA ..	11,381	9.3				2	9	3	...	...	...	...	...	...	2	...	...	1	...	1	1	...	1	...	...	...	...	1	2		
SLIGO, ...	11,163	3.8				5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
KILKENNY, ...	10,514	11.4				4	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...		
TRALEE, ...	10,300	17.4				4	9	1	3	...	...	...	...	...	...	...	...	...	...	2	...	2	...	...	...	...	...	3	...		
CLONMEL, ...	10,209	7.8				4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...		
NEWTOWNARDS	9,587	20.1				...	2	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1		
QUEENSTOWN, ..	8,209	14.7				7	9	2	3	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...		
LARNE, ...	8,036	13.4				15	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
COLERAINE. ...	7,785	7.7				2	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...		
BANGOR, ..	7,776	8.5				1	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
BRAY, ..	7,691	7.2				2	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ATHLONE, ..	7,472	6.2				...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
ARMAGH, ...	7,356	21.8				...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 7 deaths of persons (including one under one year old and one at 68 years), admitted to hospital from localities outside the Area: the 7 deaths include one from each of pulmonary tuberculosis and cancer, (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 6th of November, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1		
Scarlet Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Whooping-cough, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1		
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, . . . . .	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis, { Pulmonary, . . . . .	.	3	1	.	.	.	1	2	3	.	.	1	2	.	.	13		
{ Other Forms, . . . . .	.	.	2	1	.	.	1	.	1	1	.	.	.	.	1	7		
Cancer, . . . . .	1	1	.	1	1	.	2	2	.	.	.	1	.	.	.	9		
Diseases of Nervous System, . . . . .	2	3	.	.	.	1	.	2	1	.	2	.	2	1	.	14		
" Organs of Special Sense, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1		
" Circulatory System, . . . . .	.	3	1	1	.	2	1	.	.	.	1	.	2	.	1	12		
" Respiratory System, { Pneumonia, . . . . .	1	1	.	1	.	.	.	.	.	2	.	.	.	.	.	5		
{ Others, . . . . .	2	3	.	.	.	.	2	2	2	4	2	.	2	.	1	20		
{ Diarrhoea and Enteritis, under 2 years, . . . . .	.	1	.	1	.	.	.	1	1	.	.	.	.	.	.	4		
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
{ Others, . . . . .	.	.	2	1	1	1	.	1	2	.	.	1	.	.	1	10		
" Genito-urinary System, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1		
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1		
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Other specified Causes, . . . . .	2	4	2	1	.	.	.	1	.	.	1	.	1	4	1	17		
Violent Deaths, . . . . .	1	1	.	.	.	.	.	.	.	.	1	.	.	1	.	4		
Ill-defined, &c. Causes, . . . . .	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1		
Deaths from All Causes . . . . .	10	21	8	8	2	4	3	12	12	11	8	.	8	10	1	122		
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	17.1	26.3	15.0	11.6	18.8	15.1	14.4	15.2	34.1	13.0	12.6	.	10.5	17.1	5.6	12.3		
	17.6							15.3				.	12.5			15.6		
	16.5																	
Ages at Death. { Under 1 year, . . . . .	.	6	1	2	.	.	.	.	.	.	1	.	1	2	.	13		
{ 1 and under 2 years, . . . . .	1	.	.	1	.	.	.	1	2	.	.	.	.	.	.	4		
{ 2 " 5 " . . . . .	1	.	.	1	.	.	.	1	.	1	2	.	.	.	.	8		
{ 5 " 15 " . . . . .	.	.	1	1	.	.	.	1	.	.	.	.	.	2	.	5		
{ 15 " 25 " . . . . .	.	1	2	1	.	1	.	1	.	1	1	.	.	.	.	8		
{ 25 " 45 " . . . . .	2	.	.	.	.	2	1	1	3	3	.	.	2	2	.	16		
{ 45 " 65 " . . . . .	2	8	1	1	1	1	1	3	3	3	2	.	2	2	1	32		
{ 65 and upwards, . . . . .	4	6	3	2	1	.	1	2	4	3	2	.	3	2	.	36		
Number of Uncertified Deaths, . . . . .	1	.	.	1	.	1	.	.	.	.	.	.	.	1	.	4		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	3	1	1	.	.	1	2	2	1	2	.	3	3	.	22		
Workhouse Hospitals, . . . . .	1	6	2	2	.	.	1	5	4	5	1	.	1	1	.	29		

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

CAUSES OF DEATH	Deaths from all causes Registered in the Week ending Saturday										Averages in 44th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 6th November, 1915.																				
	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.	Nov. 2, 1912.	Nov. 1, 1913.	Oct. 31, 1914.		All Ages.	Deaths of Persons of the Ages of																			
													0-5.																			
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.										
ALL CAUSES.	195	204	169	171	145	147	169	147	174	118	163.9	129	5	9	5	8	5	8	18	34	22	15										
Enteric Fever, ...	2	1	2	3	1	1	3	2	.	2	1.7	.	.	.	.	.	.	.	.	.	.	.										
Typhus, . . . . .	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.										
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Measles, ...	.	2	1	2	.	1	4	2	2	1	1.5	1	.	.	1	.	.	.	.	.	.	.										
Scarlet Fever, ...	.	.	1	.	.	3	2	3	.	2	1.1	.	.	.	.	.	.	.	.	.	.	.										
Whooping-cough, ...	.	3	.	1	1	1	1	1	.	.	.8	.	.	.	.	.	.	.	.	.	.	.										
Diphtheria, ...	.	1	1	.	.	1	.	2	2	.	.7	1	.	.	.	1	.	.	.	.	.	.										
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Influenza, ...	1	2	2	.	1	4	1	.	1	2	1.4	1	.	.	.	.	.	.	.	1	.	.										
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.										
Erysipelas, ...	.	1	1	.	.	.	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.										
Other Epidemic Diseases, ...	.	1	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.										
Pyæmia and Septicæmia (non- puerperal).	.	1	.	.	1	2	.	.	2	.	.6	.	.	.	.	.	.	.	.	.	.	.										
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
TUBERCULOSIS.																																
Pulmonary Tuberculosis, ...	24	21	16	26	19	18	19	21	18	11	19.3	14	.	.	.	.	.	4	6	2	2	.										
Tuberculous Meningitis, ...	4	3	4	2	3	5	1	.	2	3	2.7	3	.	.	.	2	1	.	.	.	.	.										
Abdominal Tuberculosis, ...	.	3	2	1	.	1	1	3	4	.	1.5	2	.	.	.	.	1	.	1	.	.	.										
Tuberculosis of the Vertebral Column.	5	11	6	7	4	5	1	1	2	.	5.2	1	.	.	.	.	.	.	.	.	.	.										
Tuberculosis of Joints, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis of other Organs, Scrofula, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disseminated Tuberculosis,...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Venereal Diseases, ...	1	1	3	.	.	2	.	1	.	2	1.0	.	.	.	.	.	.	.	.	.	.	.										
Cancer, ...	7	10	9	14	10	7	6	13	11	8	9.5	10	.	.	.	.	.	.	.	6	4	.										
Tumour, situation undefined,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Rheumatic Fever, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.										
Diabetes, ...	1	.	.	.	.	.	.	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.										
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	1	1	2	1	.	3	.	.	.	1	.	.	2	.	.	.										
Other General Diseases, ...	.	.	.	.	.	.	3	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.										
Alcoholism, ...	.	1	1	.	1	.	.	.	.	.	.3	1	.	.	.	.	.	.	1	.	.	.										
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.										
Cerebro-spinal Fever, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.										
Simple Meningitis, ...	41	47	42	40	31	22	.	1	.	.	.	32.8	1	.	.	.	.	.	.	1	.	.										
Cerebral Hæmorrhage, Apo- plexy.							7	6	4	2	.		3	.	.	.	.	.	.	.	.	.	.	.	.	.						
Softening of Brain, ...							.	.	.	.	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Paralysis, without specified cause.							4	2	2	.	.		2	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.				
Epilepsy, ...							1	.	1	1	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.				
Convulsions (non-puerperal), Other Diseases of Nervous System.	41	47	42	40	31	22	4	1	3	1	.	3	2	1	.	.	.	.	1	.	.	.										
Pericarditis, ...	41	47	42	40	31	22	.	2	.	2	.	32.8	.	.	.	.	.	.	.	.	.	.										
Acute Endocarditis, ...							.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Organic Diseases of the Heart, Embolism and Thrombosis (including Cerebral).							16	5	14	10	.		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Circulatory system.							1	.	1	2	.		2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.				
Diseases of the Larynx, ...							.	.	.	.	.		.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Bronchitis, ...	37	32	18	12	13	15	25	23	14	11	20.0	20	.	.	.	2	.	.	.	.	.	6										
Broncho-pneumonia, ...	6	4	6	3	2	5	4	4	7	3	4.4	2	.	.	.	1	.	.	1	5	5	.										
Lobar pneumonia, ...	3	.	1	.	.	1	.	1	1	2	.9	.	.	.	.	.	.	.	.	.	.	.										
Pneumonia (type not distin- guished)	9	6	3	4	6	7	2	4	4	3	4.8	3	.	.	1	.	.	.	1	1	.	.										
Pleurisy, ...	5	1	1	3	2	3	.	.	1	.	.	2.4	.	.	.	.	.	.	.	.	.	.										
Pulmonary Congestion, Pul- monary Apoplexy.							1	3	.	2	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Respiratory System.							1	1	.	.	.		.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.				



FORTY-FOURTH WEEK, ending Saturday, 6th November, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 41st Week of the 10 years, 1905-1914.	In the Week ending Saturday, 6th November, 1915.																					
	Nov. 4, 1905.	Nov. 3, 1906.	Nov. 2, 1907.	Oct. 31, 1908.	Nov. 6, 1909.	Nov. 5, 1910.	Nov. 4, 1911.	Nov. 2, 1912.	Nov. 1, 1913.	Oct. 31, 1914.		All Ages.	Deaths of Persons of the Ages of																				
													0-5.																				
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.											
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Stomach, ...	—	—	—	—	—	—	1	5	1	3	—	6	.	.	.	.	.	.	.	.	.	.	.										
Diarrhoea and Enteritis of Children under 2 years.	8	11	8	13	10	12	14	5	14	7	10.6	4	.	.	2	2	.	.	.	3	.	2	1										
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards, Appendicitis and Typhlitis, ...													—	—	—	—	—	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	4	3	1	1	—	3	.	1	.	.	.	.	1	.	1	1	.										
Cirrhosis of Liver, ...	.	2	1	2	.	.	1	1	2	1	1.0	2	.	.	.	.	.	.	1	.	1	.	.										
Other Diseases of Liver, ...	3	2	1	1	1	1	.	1	1	.	1.1	.	.	.	.	.	.	.	.	.	.	.	.										
Peritonitis (cause unknown), ...	1	.	.	.	.	2	1	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.	.										
Other Diseases of Digestive System.	7	6	6	4	3	6	1	.	.	1	3.4	.	.	.	.	.	.	.	.	.	.	.	.										
Acute Nephritis, ...	7	7	9	7	7	6	1	.	2	2	7.1	1	.	.	.	.	.	.	.	.	.	.	.										
Chronic Bright's Disease, ...													4	2	5	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)													.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.													.	.	.	.	.	.	.	3	2	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	.	.	.	.	.	.	1	1	.	.2	.	.	.	.	.	.	.	.	.	.	.											
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	.	.	.	2	2	.5	.	.	.	.	.	.	.	.	.	.	.	.										
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	2	.	.	.	—	1	.	.	.	.	.	.	.	.	1	.											
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	2	1	.	—	1	.	.	.	.	1	.	.	.	.	.											
Premature Birth, ...	6	6	7	5	2	4	3	9	7	.	4.9	2	1	1	.	.	.	.	.	.	.	.											
Congenital Debility, ...	—	—	—	—	—	—	5	1	6	3	—	3	1	2	.	.	.	.	.	.	.	.											
Old Age, ...	2	4	4	2	7	3	6	1	5	6	4.0	7	.	.	.	.	.	.	.	.	3	4											
Other Specified Diseases, ...	—	—	—	—	—	—	.	.	.	1	—	2	.	1	.	1	.	.	.	.	.	.											
ACCIDENT :																																	
Poisons or Poisonous Vapours.	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.											
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Burns and Scalds, ...	.	1	.	2	2	.	1	.	.	2	.8	.	.	.	.	.	.	.	.	.	.	.											
Drowning, ...	.	.	1	.	.	.	.	.	.	1	.2	1	.	.	.	.	1	.	.	.	.	.											
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.											
Other Deaths by Accident, ...	2	.	1	2	.	1	1	3	2	.	1.2	3	.	.	.	.	1	2	.	.	.	.											
Total Deaths from Accident,	3	1	2	4	2	1	2	3	2	3	2.3	5	1	.	.	.	1	1	2	.	.	.											
Included in above are Deaths in connection with—																																	
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.											
Vehicles and Horses, ...	.	.	.	.	.	1	.	2	.	.	.3	.	.	.	.	.	.	.	.	.	.	.											
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Building Operations, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.											
VIOLENCE OTHER THAN ACCIDENTAL :																																	
Homicide, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.											
Suicide, ...	.	.	.	.	1	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.											
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	4	2	9	.	—	1	.	.	.	1	.	.	.	.	.	.											

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.		1915.—WEEK ENDING																											
		May. 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.		
No of weeks in Annual Series		19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44		
Births registered.		216	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180		
Average Births in corresponding week of previous 10 years, ...		235	209	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	219	224	197	212		
Deaths registered.		186	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151	129		
Annual Death-rate per 1,000, ...		23.7	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.8	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	19.8	16.4		
Average Deaths in corresponding week of previous 10 years, ...		180	158	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153	153	147	164		
Ages, { Under 5 years, ... 5-15, " " " " " " 15-25 " " " " " " 25-45 " " " " " " 45-65 " " " " " " 65-75 " " " " " " 75 and upwards, ...		46	51	32	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27		
		8	4	8	3	8	6	6	7	7	6	5	3	6	4	4	6	8	7	7	4	7	8	7	3	8	5		
		16	14	6	9	11	10	12	10	8	5	10	6	6	5	7	4	6	8	9	6	9	7	14	9	8	12	8	
		35	34	24	26	33	25	21	23	21	18	18	24	24	21	12	21	18	27	25	36	28	33	22	32	23	15	18	
		42	39	33	41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30	47	34		
		21	17	22	19	13	18	23	16	23	13	17	13	13	14	21	17	14	19	1	19	19	19	16	26	24	24	22	
		18	15	15	13	14	10	11	18	15	13	14	8	11	11	11	11	9	10	12	16	12	13	6	6	16	7	15	
		Deaths from:—																											
		Enteric Fever, ...		.	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	1	.	3	2	.	.
		Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...		.	4	3	2	1	.	2	1	2	1	1	1	1	1	1	1	1	.	.	2	1	2	1	2	3	1		
Scarlet Fever, ...		5	3	.	3	2	3	2	1	.	1	1	1	1	2	2	1	.	1	1	1	1	1	1	1	1	.		
Whooping-cough, ...		2	1	1	1	2	2	2	1	2	3	3	1	2	4	2	1	.	2	3	.	.	.	.	.	.	.		
Diphtheria, ...		4	.	.	1	1	1	.	.	2	2	1	.	1	.	.	.	.	1	1	1	1	1	1	1	1	1		
Influenza, ...		1	1	.	1	1	1	.	.	2	2	1	.	1	.	.	.	.	2	3	.	.	.	.	.	.	.		
Dysentery, ...		31	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15	14		
Tuberculosis { Pulmonary ...		9	9	7	3	12	6	8	9	2	3	7	6	4	3	8	7	4	5	3	5	9	9	9	9	7	7		
Other Forms, ...		9	10	5	8	10	10	10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11	12	10	10		
Cancer, ...		18	18	14	16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	12	12		
Diseases of Circulatory System, ...		9	9	13	12	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	5	2	4	9	5	5		
Diseases of Respiratory System, ...		21	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	14	21		
Diarrhoea and Enteritis, under 2 years, ...		6	5	.	9	.	5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4		
Diarrhoea, 2 years and upwards		1	1	1	.	.	.	5	5	.	6	2	1	4	5	3	.	4	1	1	5	2	5	2	3	7	5		
Violent Deaths, ...		2	5	5	5	.	3	5	5	1	.	2	1	4	5	4	2	5	1	1	5	2	5	2	3	7	5		
Number of Uncertified Deaths, ...		6	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4		



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 6th November, 1915: the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, simiar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncertified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhea and Enteritis of Children under 2 years of age.	Diarrhea, 2 years and upwards.		Violence.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 2 " 9 " 16 " 23	27.4 23.9 29.1 18.8	8.5 8.5 3.4 6.8	16 14 17 11	.	.	.	.	.	1	.	.	1	1	1	1	1	4	.	.	1
Population in 1915 (Est.) 30,504.	" 30 Nov. 6	15.4 17.1	1.7	9 10	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 2 " 9 " 16 " 23	21.3 16.3 18.8 31.3	2.5 5.0 3.8 5.0	17 13 15 25	1	.	.	.	.	.	.	.	2	1	1	1	.	1	.	1	1
Population in 1915 (Est.) 41,685.	" 30 Nov. 6	12.5 26.3	2.5 1.3	10 21	.	.	.	.	.	.	.	.	3	.	1	1	3	1	.	1	.
North City, No. 2. (Office, Lisburn-street.)	Oct. 2 " 9 " 16 " 23	26.2 22.4 15.0 28.1	1.9 3.7 3.7 5.6	14 12 8 15	.	.	.	.	.	.	.	.	3	2	1	.	2	1	.	.	2
Population in 1915 (Est.) 27,883.	" 30 Nov. 6	28.1 15.0	1.9	15 8	.	.	.	1	.	.	.	.	2	1	3	.	.	.	.	1	.
North City, No. 3. (Office, Benburb-street.)	Oct. 2 " 9 " 16 " 23	20.3 11.6 21.8 17.4	1.5 2.9 4.4	14 8 15 12	.	.	.	.	.	.	.	.	3	1	1	.	1	1	1	1	.
Population in 1915 (Est.) 35,887.	" 30 Nov. 6	21.8 11.6	4.4 1.5	15 8	.	.	.	1	.	.	1	.	1	.	2	1	2	1	.	1	1
Clontarf and Howth No. 1 (part of).	Oct. 2 " 9 " 16 " 23	18.8 47.1 18.8 18.8	.	2 5 2 2	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.
Population in 1915 (Est.) 5,539.	" 30 Nov. 6	9.4 18.8	.	1 2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Oct. 2 " 9 " 16 " 23	18.9 18.9 11.3 7.5	.	5 5 3 2	.	.	.	.	.	.	.	.	.	3	1	1	.	1	.	.	.
Population in 1915 (Est.) 13,820.	" 30 Nov. 6	7.5 15.1	.	2 4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1
Finglas and Glasnevin (part of).	Oct. 2 " 9 " 16 " 23	19.3 28.9 28.9 14.4	4.8	4 6 6 3	.	.	.	.	.	.	.	.	2	2	.	1	.	.	1	.	2
Population in 1915 (Est.) 10,829.	" 30 Nov. 6	14.4 14.4	9.6	3 3	.	.	.	.	.	.	.	.	1	1	.	.	.	2	.	1	.
South City, No. 1. (Office, Sth. Earl-street.)	Oct. 2 " 9 " 16 " 23	20.3 22.8 15.2 24.1	7.6 6.3 1.3 2.5	16 18 12 19	.	.	.	1	.	.	.	.	2	3	1	3	1	1	5	.	1
Population in 1915 (Est.) 41,170.	" 30 Nov. 6	24.1 15.2	1.3	19 12	.	.	.	.	.	.	1	.	4	.	2	2	4	2	.	.	1
South City, No. 2. (Office, Castle-street.)	Oct. 2 " 9 " 16 " 23	17.1 22.7 25.6 28.4	2.8 8 2.8	6 8 9 10	.	.	.	.	.	.	.	.	2	1	1	1	1	1	.	.	1
Population in 1915 (Est.) 18,341.	" 30 Nov. 6	19.9 34.1	2.8 5.7	7 12	.	.	.	1	.	.	.	.	1	1	2	.	2	1	1	1	1
South City, No. 3. (Office, Peter-street.)	Oct. 2 " 9 " 16 " 23	26.1 20.2 24.9 19.0	4.7 3.6 3.6 4.7	22 17 21 16	.	.	.	1	.	.	.	.	7	3	1	1	3	4	.	1	.
Population in 1915 (Est.) 43,970.	" 30 Nov. 6	16.6 13.0	3.6 1.2	14 11	.	.	.	.	.	.	1	.	2	1	.	1	3	3	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Oct. 2 " 9 " 16 " 23	15.7 25.2 14.1 17.3	11.0 6.3 6.3 3.1	10 16 9 11	.	.	.	1	.	.	.	.	.	1	1	1	.	3	3	.	1
Population in 1915 (Est.) 33,171.	" 30 Nov. 6	22.0 12.6	4.7	14 8	.	.	.	1	.	.	1	.	3	1	1	.	1	1	.	1	1
New Kilmainham.	Oct. 2 " 9 " 16 " 23	10.5 5.2 5.2 5.2	.	2 1 1 1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
Population in 1915 (Est.) 9,948.	" 30 Nov. 6	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upward.	Violence.			
													Pulmonary.	Other Forms.	Pneumonia.	Other.						
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	10.5 11.9 15.8 11.9 11.9 10.5	1.3 1.3 . . 1.3 .	8 9 12 9 9 8	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 1 1 1 1 1	. 1 1 1 1 .	1 . . 1 1 .	. . . . . .	1 1 . . 1 .	. . . . . .	. . . . 1 .	. . . . . .	. . . . . .	
Pembroke Urban District. Population in 1915 (Est.) 30,538	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	20.5 13.7 12.0 25.6 22.2 17.1	8.5 1.7 1.7 6.8 3.4 .	12 8 7 15 13 10	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. 1 . . 1 .	. . . . 1 .	. . . . . .	. . . . . .	. 1 1 1 2 2	. . 1 1 2 .	. . 1 1 1 .	. . 1 1 2 .	. 5 1 3 2 .	. . . . . .	. . . . . .	1 . . . 1 .	. . . . . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	22.6 5.6 11.3 16.9 11.3 5.6	. . .3 .3 .2 .	4 1 2 3 2 1	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 . .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Kingstown Urban District. Population in 1911 16,941.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	24.6 18.5 18.5 15.4 9.2 12.3	. .6 .6 .5 .3 .	8 6 6 5 3 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	3 3 .1 .1 .1 .	. .1 .1 .1 .1 .	1 1 .1 .1 .1 .	. 1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Belfast. Population in 1915 (Est.) 403,000.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	16.2 16.3 12.6 14.5 17.1 15.8	2.5 2.3 1.4 1.6 3.4 1.2	125 126 97 112 132 122	1 1 1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	2 5 3 2 7 3	1 1 .1 .1 4 .	1 1 .1 .1 .1 .	. .1 .1 .1 .1 .	11 20 17 5 12 14	. 8 2 4 3 4	5 6 6 2 5 4	10 9 2 10 11 11	14 14 7 15 9 14	14 8 7 7 9 10	. 1 .1 1 2 1	3 2 .2 2 4 2	. 5 .3 2 2 1	
Cork. Population in 1911 76,673.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	17.7 19.0 11.6 10.9 13.6 16.3	4.1 1.4 2.7 2.0 2.0 1.4	26 28 17 16 20 24	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	2 3 3 3 5 4	. 1 .1 1 1 2	2 2 3 .1 1 .	2 2 3 .1 2 .	. 4 .1 2 2 1	5 .4 1 3 3 1	1 2 .1 . . .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Londonderry. Population in 1915 (Est.) 41,200.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	13.9 17.7 21.5 12.7 19.0 24.0	3.8 7.6 2.5 5.1 2.5 2.5	11 14 17 10 15 19	. 1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	2 2 .3 1 1 .	. .1 .1 .1 1 .	. .1 .1 .1 .1 .	. 1 3 .1 1 5	. .1 .1 .1 1 .	1 1 1 1 1 .	1 2 .1 3 2 .	. 1 .1 3 2 3	1 3 1 1 1 .	. .1 .1 . . . .	1 .1 .1 .1 1 .	2 1 .1 .1 .1 .	
Limerick. Population in 1911 38,518.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	20.3 8.1 16.2 9.5 21.7 6.8	1.4 1.4 .1 .1 .1 .	15 6 12 7 16 5	1 1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	3 3 1 1 3 1	. .1 .1 1 1 .	. .1 .1 .1 1 .	1 2 .1 .1 2 .	. .1 .1 .1 1 2	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	
Waterford. Population in 1911 27,464.	Oct. 2 " 9 " 16 " 23 " 30 Nov. 6	26.6 5.7 17.1 15.2 22.8 11.4	7.6 1.9 1.9 .1 3.8 .	14 3 9 8 12 6	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 .1 .	. .1 .1 .1 1 .	. .1 .1 .1 1 .	. .1 .1 .1 1 .	. .1 .1 .1 1 .	. 1 2 1 1 .	. .1 .1 .1 1 .	1 1 .1 .1 1 .	2 .1 .1 .1 1 .	2 1 .1 .1 .1 .	2 1 .1 .1 .1 .	1 .1 .1 1 .1 .	1 .1 .1 1 .1 .	1 1 1 1 .1 .	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' Districts, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 6th November, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911.	No. of BIRTHS.		Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.						DEATHS FROM														No. of Deaths in Public Institutions.	Number of Uncertified Deaths.														
							Total Number of DEATHS.						DISEASES OF THE RESPIRATORY SYSTEM.								DISEASES OF THE RESPIRATORY SYSTEM.																					
	Cous.	(1)	(2)	(3)	(4)	(5)	Under 1 year.						Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Lysentery.	TUBERCULOSIS.		Cancer.	Pneumonia.		Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	(27)	(28)	(29)	(30)										
							All Causes.	Certain Epidemic Diseases.†	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.								65 years and upwards.	Enteric Fever.		Pulmonary.	Other Form.									(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)
City of Belfast.		15,879	9	23.0	3.3	7	18	10	11	37	22	24	.	.	.	.	.	.	.	.	1	4	4	11	14	4	1	2	5	48	1											
BELFAST URBAN No. 1 DISTRICT,		49,500	32	11.6	.	11	6	1	1	8	3	6	.	.	.	.	.	.	.	1	3	2	3	3	2	1	.	.	.	4	.											
Do. 2 do.		50,032	26	19.8	.	19	1	1	1	6	1	2	.	.	.	.	.	.	.	3	1	2	1	2	2	2	2	3	8	7	.											
Do. 3 do.		32,637	30	19.2	.	12	3	1	1	5	2	1	.	.	.	.	.	.	.	1	1	1	1	2	2	1	.	.	.	9	.											
Do. 4 do.		16,112	11	22.7	6.5	7	1	1	2	1	4	2	5	1	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	4	.											
Do. 5 do.		37,293	8	16.8	.	12	.	.	1	2	1	5	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	6	.											
Do. 6 do.		2,681	1	19.4	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.											
Do. 7 do.		5,964	1	8.7	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.											
Do. 8 do.		24,427	8	10.7	2.1	5	1	1	1	2	1	3	.	.	.	.	.	.	.	2	1	1	1	1	2	1	1	.	.	2	.											
Do. 9 do.		28,958	19	21.6	1.8	12	1	1	1	5	1	3	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	6	.											
Do. 10 do.		33,811	24	11.9	1.3	9	3	1	1	2	2	3	.	.	.	.	.	.	.	2	1	1	1	1	2	2	.	.	.	4	.											
Do. 11 do.		38,076	23	12.3	.	9	1	1	1	2	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	9	.											
Do. 12 do.		23,233	11	15.7	2.2	7	1	1	.	.	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.											
Do. 13 do.		175	14	.	.	10	1	1	2	2	2	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.											
Do. 14 do.		22,669	14	23.0	4.6	10	1	1	2	2	2	3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	5	.											
Do. 15 do.		386,947	217	15.8	1.2	122	18	10	11	37	22	24	.	.	.	.	.	.	.	14	4	4	11	14	4	1	2	5	48	1	.											
Total,																																										
City of Cork.		13,455	3	3.9	.	1	.	2	1	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	8	.										
CORK URBAN No. 1 DISTRICT		10,399	6	30.1	5.0	6	1	1	1	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.											
Do. 2 do.		9,793	5	26.6	5.3	5	1	1	1	1	1	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.											
Do. 3 do.		9,139	5	5.7	.	1	.	.	1	1	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.											
Do. 4 do.		6,250	1	16.7	.	2	.	1	1	1	1	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.											
Do. 5 do.		11,531	5	9.0	.	2	2	.	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.											
Do. 6 do.		16,056	8	22.7	.	7	2	.	1	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.											
Do. 7 do.																																										
Total,		76,673	33	16.3	1.4	24	3	2	3	4	4	8	.	.	.	.	.	.	.	4	2	.	2	1	1	1	.	.	.	9	2											

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915

† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1915—WEEK ENDING																									
	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.
No. of weeks in Annual Series,	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44
BIRTHS registered, ...	185	242	228	180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217
DEATHS registered, ...	117	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	132	122
Annual Death-rate per 1,000 of estimated population, ...	15.1	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8
AGES, {	15	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18
	12	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10
	22	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11
	16	26	28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10	21	37
	32	33	25	29	18	30	27	25	18	27	23	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22
65 and upwards, ...	20	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24	16	22	27	24
Deaths from:—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	4	5	1	5	5	5	2	3	3	1	3	.	1	1	1	1	.	.	.	.	.	.	2	3	.
Scarlet Fever, ...	.	.	1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	2	7	3
Whooping-cough, ...	5	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.
Diphtheria, ...	1	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	1
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, {	18	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14
Pulmonary, ...	7	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	8	2	4	3	4	4
Other Forms, ...	5	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4
Cancer ...	15	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11
Diseases of Respi- {	14	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14
ratory System, {	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Others, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis, under 2 years, ...	.	.	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4
Diarrhoea, 2 years and upwards, ...	.	.	.	.	.	.	.	.	2	1	1	1	1	1	.	1	4	.	2	1	1	1	.	1	2	1
Violent Deaths, ...	1	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	2
Number of Uncertified Deaths, ...	.	.	.	2	1	1	.	.	.	.	4	1	.	.	1	.	2	3	2	1	.	5	.	3	2	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Nov. 6,	1,991	1,244 <sup>c</sup>	14.4	2	.	2	9	10	19	56	
EDINBURGH, ---	328,700	" 6,	114	88	14.0	.	.	2	1	1	5	2	
GLASGOW, ---	1,078,400	" 6,	521	354 <sup>c</sup>	17.1	3	.	6	9	1	2	4	
CALCUTTA ---	896,067	Sept. 18,	.	352	20.4	59*	.	.	.	.	1†	42‡ <sup>a</sup>	
BOMBAY, ---	979,445	" 25,	430	481	25.5	62*	2	2	.	.	.	42 <sup>a</sup>	
MADRAS, ---	518,660	" 18,	399	401	40.2	43*	2	1	?	?	?	121‡ <sup>a</sup>	
CAIRO, {	Egyptians, ...	July 22,	.	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.	.
ALEXAN- DRIA, {	Egyptians,	" 22,	.	.	.	.	.	.	.	.	.	.	.
	Foreigners,	" 22,	.	.	.	.	.	.	.	.	.	.	.
PARIS, ---	2,847,229	Oct. 2,	356	625	11.2	7	.	.	1	4	1†	20	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	613,249	Sept. 25,	230	106	9.0	.	.	2	.	1	2†	4	
COPENHAGEN, ---	494,000	Oct. 9,	176	104	11.0	.	.	.	1	1	1	3 <sup>a</sup>	
STOCKHOLM, ---	386,270	" 9,	144	81	10.9	1	.	.	.	.	.	2 <sup>a</sup>	
CHRISTIANIA, ---	250,677	" 16	101	45	9.3	.	.	.	.	.	.	.	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Oct. 2,	.	1,026	31.6	38	7	23	42	5	20	207‡ <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Oct. 2,	2,892	1,209	10.9	7	.	1	.	12	13†	139	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Oct. 16,	.	218 <sup>b</sup>	15.6	3	.	.	1	4	1	14 <sup>a</sup>	

\* Deaths from "fever," including 4 from enteric fever in Calcutta, 8 from plague and 2 from enteric fever in Bombay and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 10 deaths from cholera in Calcutta, one in Madras, and 20 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 196 deaths (including one from enteric fever and 11 from diarrhoeal diseases): rate, 13.6 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever in London, and one in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 6th November, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomycelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	1	.	.	.	.	.	2
"    "    1, West,	.	.	.	.	.	.	.	1	1	.	.	.	3	5
"    "    2,	.	.	.	.	.	.	.	.	1	.	.	.	1	2
"    "    3,	.	6	.	.	3	.	.	.	.	.	.	.	.	9
Clontarf and Howth No. 1 (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
South City No. 1,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
"    "    2,	.	.	.	.	1	.	.	1	.	.	.	.	.	2
"    "    3,	.	2	.	.	.	.	.	1	.	.	.	.	1	4
"    "    4,	.	1	.	.	.	.	.	1	.	.	.	.	1	3
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	14	.	.	5	.	.	5	2	.	.	.	7	33

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 6th November, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 6th November			
	Oct. 16.	Oct. 23.	Oct. 30.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	53	47	48	8	15	.	41
Typhus,	.	2	2	.	.	.	2
Small-pox,	.	.	.	.	.	.	.
Measles,	14	11	13	10	4	1	18
Scarlet Fever,	70	70	78	17	13	.	82*
Diphtheria,	31	37	27	9	3	1	32
Pneumonia,	9	11	9	7	3	.	13

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREARS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

Vol. LII.] WEEK ENDING SATURDAY, 13TH NOVEMBER, 1915. [No. 45.

General Register Office, Charlemont House,  
Dublin, 15th November, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 16·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 23	Oct. 30	Nov. 6	Nov 13	
<b>27 Town Districts, (a)</b>	<b>16·0</b>	<b>16·9</b>	<b>15·8</b>	<b>16·8</b>	<b>16·4</b>
Dublin Reg. Area ...	20·3	17·6	15·6	20·9	18·6
Dublin City ...	21·2	18·5	16·5	23·0	19·8
Belfast ...	14·5	17·1	15·8	16·0	15·9
Cork ...	10·9	13·6	16·3	14·3	13·8
Londonderry ...	12·7	19·0	24·0	7·6	15·8
Limerick ...	9·5	21·7	6·8	19·0	14·3
Waterford ...	15·2	22·8	11·4	9·5	14·7

The deaths from certain epidemic diseases† registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 124 deaths from all causes for Belfast are one from measles, 4 from scarlet fever, one from whooping-cough, 4 from diphtheria, and 2 from diarrhoea and enteritis of children under 2 years. Of the 5 deaths from all causes for Waterford, one is from diphtheria and 2 are from diarrhoea and enteritis of children under 2 years. One of the 7 deaths from all causes for Drogheda is due to enteric fever; and the 4 deaths from all causes for Kilkenny include one from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 182—97 boys and 85 girls—and the deaths to 172—93 males and 79 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 20·9 per 1,000 of the population. During the forty-five weeks, ending with Saturday last, the death-rate averaged 21·7, and was 0·5 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 172, represent an annual rate of 21·9 per 1,000; the annual rate for the past forty-five weeks was 23·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Among them are 2 each from enteric fever, measles, scarlet fever, and whooping-cough, one from diphtheria, 9 from diarrhoea and enteritis of children under 2 years of age, one from influenza, and one from dysentery.

In the three preceding weeks, deaths from enteric fever were 2, 0, and 0; deaths from measles were 2, 3, and one; deaths from scarlet fever were 0, 0, and 0; deaths from whooping-cough were one, one, and 0; deaths from diphtheria were one, 5, and one; deaths from diarrhoea and enteritis of children under 2 were 21, 10, and 4; and deaths from influenza were 0, 2, and one.

Deaths from tuberculous disease, which in the three preceding weeks numbered 31, 22, and 21, respectively, were 25 last week, the latter comprising 23 from pulmonary tuberculosis, one from tuberculous meningitis, and one from tuberculosis of joints.

Ten deaths from cancer were registered.

Of 8 deaths from pneumonia, 3 were from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (type not distinguished).

Among deaths of infants under one year old 5 were attributed to convulsions, 2 to congenital malformations, one to premature birth, and 6 to congenital debility.

Twenty-one deaths were caused by organic diseases of the heart, and 19 by bronchitis.

One death of a child aged 13 months was caused by burns accidentally received.

In 2 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases comprise the deaths of persons aged 73 and 78 years, respectively.

Thirty-six of the persons whose deaths were registered during the week were under 5 years of age (26 being infants under one year, of whom 7 were under one month old), and 50 were aged 65 years and upwards, including 41 persons aged 70 and upwards; among the latter were 21 aged 75 and upwards, of whom 3 (one male and 2 females) were stated to have been aged 97, 93, and 90 years, respectively.

Seventy-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 19 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 20·9 per 1,000; the rate in the City was 23·0 (North City Districts, 20·7; South, 25·6), and in the Suburbs, 14·1.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·2 (in the North City Districts 2·8, and in the South 3·6), and for the Suburbs 0·0 per 1,000.

*No. 1 North City District, East* (Clarence-street, North).—The deaths (19) are equal to an annual rate of 32·5 per 1,000, and include one from whooping-cough, 4 from pulmonary tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

*No. 1 North City District, West* (Summer-hill).—The deaths (19) are equal to an annual rate of 23·8 per 1,000. Dysentery, pulmonary tuberculosis, broncho-pneumonia, and bronchitis each caused one death, diarrhoea and enteritis, 2 deaths of children under 2 years, and there was one accidental death.

*No. 2 North City District* (Lisburn-street).—The deaths (7) are equivalent to an annual rate of 13·1 per 1,000. Tuberculous disease caused one death and bronchitis 2 deaths.

*No. 3 North City District* (Benburb-street).—The deaths (9) represent an annual rate of 13·1 per 1,000. Included in the total are one from enteric fever, one from measles, 3 from pulmonary tuberculosis, and 2 from bronchitis.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 33·7. The one death for Clontarf and Howth, No. 1, part of, is from pulmonary tuberculosis. One of the 4 deaths from all causes for Coolock and Drumcondra, part of, is from scarlet fever. Included in the 7 deaths from all causes for Finglas and Glasnevin, part of, are one from pulmonary tuberculosis and one from pneumonia.

*No. 1 South City District* (South Earl-street).—The deaths (21) represent an annual rate of 26·6 per 1,000, and include one from diphtheria, 2 from tuberculous disease, one from lobar pneumonia, one from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

*No. 2 South City District* (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000. Measles caused one death and pneumonia one death.

*No. 3 South City District* (Peter-street).—The deaths (25) are equal to an annual rate of 29·6 per 1,000. Included in the total are 2 from pulmonary tuberculosis, 2 from pneumonia, 4 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

*No. 4 South City District* (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. Enteric fever caused one death, scarlet fever one death, and pulmonary tuberculosis 7 deaths.

*New Kilmainham District.*—The deaths (4) are equal to an annual rate of 21·0 per 1,000, and include one from whooping-cough, one from bronchitis, and one from diarrhoea and enteritis of a child under 2 years.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 10·5; Pembroke, 17·1; Blackrock, 22·6; and Kingstown, 12·3. There was no death from any of the principal epidemic diseases tabulated for these districts. The 8 deaths from all causes for Rathmines and Rathgar include one from influenza and 4 from bronchitis. Included in the 10 deaths from all causes for Pembroke are one from pulmonary tuberculosis, one from pneumonia, and one from bronchitis. Two of the 4 deaths from all causes for Kingstown are from pulmonary tuberculosis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·3), was equal to an average annual death-rate of 15·4 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 17·3 per 1,000, the rate for Glasgow being 16·9, and for Edinburgh 18·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 13th November. From this Report it appears that of 137 cases notified, 80 were scarlet fever, 29 diphtheria, 15 pulmonary tuberculosis, 8 other forms of tuberculosis, and 5 erysipelas. Among the 750 cases of infectious diseases in hospital at the close of the week were 401 of scarlet fever, 159 of diphtheria, 132 of pulmonary tuberculosis, 19 of measles, 10 of erysipelas, 2 of enteric fever, 2 of whooping-cough, and one of cerebro-spinal fever.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 13th November, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Paroxysm (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Oct. 23,	—	—	—	12	—	—	7	—	—	7	5	—	—	—	—	—	—	13	44
	Oct. 30,	—	—	—	16	2	—	4	—	—	2	1	—	—	—	—	—	—	15	40
	Nov. 6,	—	—	—	14	—	—	5	—	—	5	2	—	—	—	—	—	—	7	33
	Nov. 13,	—	—	—	12	—	—	5	—	—	4	3	—	—	—	—	—	—	8	32
Rathmines and Rathgar Urban District.	Oct. 23,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Oct. 30,	—	—	—	1	—	—	1	—	—	—	1	—	—	—	—	—	—	—	3
	Nov. 6,	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
	Nov. 13,	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	4
Pembroke Urban District.	Oct. 23,	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
	Oct. 30,	—	1	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	4
	Nov. 6,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 13,	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	3
Blackrock Urban District.	Oct. 23,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Oct. 30,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 6,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingstown Urban District.	Oct. 23,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Oct. 30,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 6,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Nov. 13,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Belfast.	Oct. 23,	—	—	—	60	—	—	4	—	—	—	2	—	—	—	—	—	—	1	67
	Oct. 30,	—	—	—	59	—	—	8	—	—	—	2	—	—	—	—	—	—	2	70
	Nov. 6,	—	—	—	43	—	—	6	—	—	—	9	—	—	—	—	—	—	2	61
	Nov. 13,	—	—	—	56	—	—	5	—	—	—	6	—	—	—	—	—	—	3	70
City of Cork.	Oct. 23,	—	1	—	6	—	—	2	—	1	1	—	—	—	—	—	—	—	—	12a
	Oct. 30,	—	—	—	3	—	—	—	—	2	—	1	—	—	—	—	—	—	—	6a
	Nov. 6,	—	3	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
	Nov. 13,	—	2	—	6	—	—	2	1	—	—	2	—	—	—	—	—	—	—	13a
City of Londonderry.	Oct. 23,	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
	Oct. 30,	—	—	—	3	—	—	2	—	—	—	—	—	—	—	—	—	—	—	5
	Nov. 6,	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	Nov. 13,	—	—	—	11	—	—	1	—	—	—	—	—	—	—	—	—	—	—	12
City of Limerick.	Oct. 23,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Oct. 30,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 6,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Nov. 13,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
City of Waterford.	Oct. 23,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3
	Oct. 30,	—	—	—	—	—	—	3	—	—	—	1	—	—	—	—	—	—	1	5
	Nov. 6,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 13,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 13th November, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Four cases of enteric fever were admitted to hospital during the week, 5 were discharged, there were 2 deaths and 38 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 47, 48, and 41.

One case of typhus was admitted to hospital during the week, and 3 cases remained under treatment at its close. There were 2 cases under treatment at the end of each of the 3 preceding weeks.

Sixteen cases of measles were admitted to hospital during the week, 6 were discharged, and 28 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 11, 13, and 18 respectively.

Sixteen cases of scarlet fever were admitted to hospital, 7 were discharged, 2 died, and 89\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 70, 78, and 82, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 8 were discharged, one died, and the cases in hospital, which at the close of the 3 preceding weeks numbered 37, 27, and 32 respectively, were 31 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death and 15 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 13th November, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 13TH NOVEMBER, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		BIRTHS.			DEATHS.																							
	Total.(a)	Per- sons to an Acre.	BIRTHS.	DEATHS.		TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by								Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
				From all Causes.	From certain Epidemic Diseases.(b)													Tuber- culosis.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.								
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN Dis- TRICTS, ...	1,212,380	19.2	21.0	16.8	1.6	489	391	68	114	3	...	...	3	6	4	6	1	45	14	24	23	42	14	...	3	10	127	12	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL, (c.) ...	409,000	29.8	23.2	20.9	2.4	182	164	25	49	2	...	...	2	2	2	1	1	23	2	10	8	21	9	...	1	1	65	2	
CITY OF DUBLIN,	312,747	39.5	27.3	23.0	3.2	164	138	21	36	2	...	...	2	2	2	1	1	20	2	9	7	16	...	...	1	1	57	2	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	10.5	.	9	8	2	5	...	...	...	...	...	...	...	...	...	...	...	...	4	...	...	...	...	2	...	
PEMBROKE, ...	30,538	19.4	10.2	17.1	.	6	10	1	6	...	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	4	...	
BLACKROCK, ...	9,233	8.5	.	22.6	.	...	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
KINGSTOWN, ...	16,941	11.6	9.2	12.3	.	3	4	1	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	2	...	
Urban Districts																													
BELFAST ...	403,000	27.0	22.1	16.0	1.6	171	124	30	25	...	...	...	1	4	1	4	...	12	10	10	13	12	2	...	1	5	33	...	
CORK, ...	76,673	23.6	21.1	14.3	.	31	21	2	4	...	...	...	...	...	...	...	...	4	2	1	...	1	...	...	1	1	7	2	
LONDON- DERRY	41,200	16.0	12.7	7.6	.	10	6	1	3	...	...	...	...	...	...	...	...	...	...	1	1	2	...	...	...	...	2	1	
LIMERICK, ...	38,518	16.1	8.1	19.0	.	6	14	3	4	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	1	6	4	
WATERFORD, ...	27,464	19.1	17.1	9.5	5.7	9	5	2	1	...	...	...	...	...	...	1	...	...	...	...	...	...	2	...	...	...	1	...	
GALWAY, ...	13,255	2.5	.	.	.	8	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
DUNDALK, ...	13,128	9.5	.	.	.	3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7	.	.	.	3	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4	.	.	.	6	7	...	4	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	2	...	
LISBURN ...	12,388	10.9	.	.	.	3	4	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	...	
NEWRY, ...	11,963	17.0	.	.	.	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
PORTADOWN, ...	11,727	15.3	.	.	.	5	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8	.	.	.	10	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	1	
BALLYMENA ..	11,381	9.3	.	.	.	6	3	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	
SLIGO, ...	11,163	3.8	.	.	.	4	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
KILKENNY, ...	10,514	11.4	.	.	.	3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	2	...	
TRALEE, ...	10,300	17.4	.	.	.	...	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8	.	.	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1	.	.	.	2	4	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
QUEENSTOWN, ..	8,209	14.7	.	.	.	3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
LARNE, ...	8,036	13.4	.	.	.	2	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7	.	.	.	2	3	...	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
BANGOR, ...	7,776	8.5	.	.	.	3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2	.	.	.	5	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2	.	.	.	3	6	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	5	...	
ARMAGH, ...	7,356	21.8	.	.	.	5	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and one at 67 years), admitted to hospital from localities outside the Area.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 13th of November, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.													URBAN DISTRICTS OF			
		REGISTRATION DISTRICTS IN																
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.									
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.				
Enteric Fever,	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	2	.
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles,	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	2	.
Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	2	.
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.
Diphtheria,	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza,	.	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.
Dysentery,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Tuberculosis, { Pulmonary,	4	1	.	3	1	.	1	1	.	2	7	.	.	1	.	2	23	.
Other Forms,	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Cancer,	1	1	1	1	.	.	1	2	1	1	.	.	.	.	1	.	10	.
Diseases of Nervous System,	3	.	1	.	.	1	1	2	.	2	2	1	.	2	.	.	15	1
" Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" Circulatory System,	.	4	1	.	.	1	1	4	1	4	.	.	2	2	2	1	23	1
" Respiratory { Pneumonia,	1	1	.	.	.	1	1	1	1	2	.	.	.	1	.	.	8	.
System. { Others,	4	1	2	2	.	.	.	1	.	5	.	1	4	1	.	.	21	.
" Digestive { Diarrhoea and Enteritis, under 2 years,	2	2	.	.	.	.	.	2	.	2	.	1	.	.	.	.	9	.
" System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
" { Enteritis, 2 years and upwards,	1	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	4	1
" { Others,	1	1	.	.	.	.	1	1	.	2	1	.	.	2	.	.	9	.
" Genito-urinary System,	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.
" Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes,	1	4	1	1	.	1	1	4	1	4	3	.	.	1	1	1	24	5
Violent Deaths,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Ill-defined, &c. Causes,	.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.
Deaths from All Causes	19	19	7	9	1	4	7	21	6	25	16	4	8	10	4	4	164	8
Annual Rate of Mortality from All Causes in every 1,000 of the population.	32·5	23·8	13·1	13·1	9·4	15·1	13·7	26·3	17·1	29·6	25·2	21·0	10·5	17·1	22·6	12·3	20·9	.
	20·7							25·6					14·1					
	23·0																	
Ages at Death. { Under 1 year,	5	4	.	1	.	.	.	5	1	2	2	1	2	1	.	1	25	1
1 and under 2 years,	.	2	.	.	.	.	.	1	.	1	.	1	.	.	.	.	6	.
2 " 5 "	1	.	.	1	.	1	.	.	1	.	.	1	.	.	.	.	5	.
5 " 15 "	1	.	.	1	.	.	.	.	.	1	2	.	.	1	.	.	7	1
15 " 25 "	.	.	.	.	1	.	.	1	.	2	1	.	.	.	.	.	5	1
25 " 45 "	3	4	.	1	.	1	1	.	.	3	6	.	.	1	.	1	20	2
45 " 65 "	4	5	3	3	.	1	4	7	3	9	2	1	1	1	2	2	48	2
65 and upwards,	5	4	4	2	.	2	2	6	1	7	3	.	5	6	2	.	49	1
Number of Uncertified Deaths,	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	3	4	.	2	.	1	2	2	.	3	5	.	1	2	.	.	25	7
Workhouse Hospitals,	3	7	5	2	.	1	.	5	2	4	6	.	1	2	.	2	40	1





## Deaths in Dublin Registration Area.

FORTY-FIFTH WEEK, ending Saturday, 13th November, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 45th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 13th November, 1915.																
	Nov. 11, 1905.	Nov. 10, 1906.	Nov. 9, 1907.	Nov. 7, 1908.	Nov. 13, 1909.	Nov. 12, 1910.	Nov. 11, 1911.	Nov. 9, 1912.	Nov. 8, 1913.	Nov. 7, 1914.		All Ages.	Deaths of Persons of the Ages of															
													Under 1 month.	0-5.				15-25.	25-45.	45-65.	65-75.	75 and upwards.						
														1 month and under a year.	1-2.	2-5.	5-15.											
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Stomach, ...	—	—	—	—	—	—	4	1	1	1	—	1	.	.	.	.	.	.	.	.	.	.	.					
Diarrhoea and Enteritis of Children under 2 years.	5	5	7	10	12	7	4	5	7	10	7.8	9	2	4	3	.	.	.	.	.	.	1	.					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards.		—	—	—	—	—	1	.	.	3		.	1	.	.	.	.	.	.	.	.	.	.	.				
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	.	1	.	.	.	.	.					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	2	1	2	—	1	.	.	.	.	.	.	1	.	.	.	.					
Cirrhosis of Liver, ...	1	3	3	1	1	.	.	.	.	1	1.0	2	.	.	.	.	.	.	1	1	.	.	.					
Other Diseases of Liver, ...	2	2	.	.	1	1	.	.	1	1	.8	.	.	.	.	.	.	.	.	.	.	.	.					
Peritonitis (cause unknown), ...	.	1	.	.	.	.	.	.	.	2	.3	.	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Digestive System.	3	11	6	6	3	6	1	1	1	1	3.9	.	.	.	.	.	.	.	.	.	.	.	.					
Acute Nephritis, ...	4	7	6	11	5	8	1	1	2	3	6.6	.	.	.	.	.	.	.	.	.	.	.	.					
Chronic Bright's Disease, ...							.	5	1	7		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...							1	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	4	7	6	11	5	8	2	1	.	1	6.6	.	.	.	.	.	.	.	.	.	.	.	.					
Puerperal Septicæmia, &c., ...							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.							2	.	1	2		.6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	.	2	—	2	.	.	.	.	.	.	.	1	1	.	.					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	.	—	2	.	2	.	.	.	.	.	.	.	.	.					
Premature Birth, ...	2	4	4	8	6	3	9	3	4	3	4.6	1	1	.	.	.	.	.	.	.	.	.	.					
Congenital Debility, ...	—	—	—	—	—	—	9	9	7	.	—	6	2	4	.	.	.	.	.	.	.	.	.					
Old Age, ...	7	4	3	6	4	1	6	3	4	6	4.4	11	.	.	.	.	.	.	.	.	2	9	.					
Other Specified Diseases, ...	—	—	—	—	—	—	3	3	1	2	—	1	1	.	.	.	.	.	.	.	.	.	.					
ACCIDENT:																												
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Burns and Scalds, ...	1	1	1	.	.	1	.	.	1	2	.7	1	.	1	.	.	.	.	.	.	.	.	.					
Drowning, ...	.	1	1	2	.	.	1	.	1	.	.6	.	.	.	.	.	.	.	.	.	.	.	.					
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Other Deaths by Accident, ...	.	1	4	2	4	1	1	3	3	3	2.2	.	.	.	.	.	.	.	.	.	.	.	.					
Total Deaths from Accident,	1	3	6	4	4	2	2	3	5	5	3.5	1	.	.	1	.	.	.	.	.	.	.	.					
Included in above are Deaths in connection with—																												
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Vehicles and Horses, ...	.	.	1	.	1	1	.	.	.	.	.3	.	.	.	.	.	.	.	.	.	.	.	.					
Ships, Boats, Docks, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Building Operations, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
VIOLENCE OTHER THAN ACCIDENTAL:																												
Homicide, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.					
Suicide, ...	1	.	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	1	6	3	—	2	.	.	.	.	.	.	1	.	1	.	.					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
No. of weeks in Annual Series	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	208	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180	182
DEATHS REGISTERED.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Annual Death-rate per 1,000, ...	174	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	153	171	151	129	172
Average Deaths in corresponding week of previous 10 years, ...	22.2	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	20.5	20.5	20.1	21.8	19.3	16.4	21.9
AGES.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Under 5 years, ...	51	22	54	25	39	34	36	33	23	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27	36
5—15 " ...	4	8	3	8	6	6	7	6	5	3	6	4	4	6	8	7	9	4	7	8	7	3	8	8	5	8
15—25 " ...	14	6	9	11	10	12	10	8	5	10	6	5	7	4	6	8	9	6	9	7	14	9	8	12	8	6
25—45 " ...	34	24	26	33	25	21	23	21	18	18	24	21	12	21	18	27	25	36	28	33	22	32	28	15	18	22
45—65 " ...	39	33	41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30	47	34	50
65—75 " ...	17	22	19	13	18	23	16	23	13	17	13	14	21	17	14	19	1	19	19	19	16	25	24	22	22	29
75 and upwards, ...	15	15	13	14	10	11	18	15	13	14	8	11	11	11	9	10	12	16	12	13	6	6	16	7	15	21
Deaths from:—																										
Enteric Fever, ...	...	1	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	2	...	3	2	...	...	2
Typhus, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Small-pox, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Measles, ...	4	3	2	1	...	2	1	2	1	...	1	1	1	...	1	...	...	...	2	1	2	...	...	3	1	...
Scarlet Fever, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Whooping-cough, ...	3	...	3	2	3	2	1	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
Diphtheria, ...	1	1	1	2	2	1	...	2	1	3	...	2	4	1	...	...	2	3	1	...	...	...	...	...	...	...
Influenza, ...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Dysentery, ...	1	...	...	...	...	...	...	...	2	1	...	1	...	2	...	...	...	...	...	...	...	...	...	...	...	...
Tuberculosis { Pulmonary ...	35	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	23	22	15	14	23
Other Forms, ...	3	7	3	12	6	8	9	2	3	7	6	9	3	4	7	4	5	3	5	9	9	9	9	7	7	2
Cancer, ...	10	5	8	10	10	10	10	8	9	9	8	9	8	8	10	11	11	12	10	8	10	11	12	12	10	10
Diseases of Circulatory System, ...	18	14	16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	15	12	24
Diseases of Respi- ( Pneumonia, ...	13	12	10	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	5	2	4	9	5	5	8
ratory System. { Others, ...	25	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	14	21	21
Diarrhoea and Enteritis, under 2 years, ...	5	...	9	...	5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4	9
Diarrhoea, 2 years and upwards	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
Violent Deaths, ...	5	5	6	...	3	5	5	...	6	2	1	4	5	3	2	4	1	1	5	2	5	2	3	7	5	1
Number of Uncertified Deaths, ...	4	2	5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4	2



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 13th November, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

OCCUPATION OR SOCIAL POSITION			Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911		Total Number of Deaths.		AGES.										CAUSES OF DEATH										Number of Uncertified Deaths			
CLASS.			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS																Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 9	23.9	8.5	14	.	.	.	.	.	.	.	.	1	1	.	.	1	5	.	.	.
	" 16	29.1	3.4	17	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	4
	" 23	18.8	6.8	11	.	.	.	.	.	.	.	1	2	3	.	.	1	3	.	.	.
	" 30	15.4	1.7	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
Population in 1915	Nov. 6	17.1	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.
(Est.) 30,504.	" 13	32.5	5.1	19	.	.	.	.	.	1	.	.	4	.	1	1	4	2	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 9	16.3	5.0	13	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	1	.
	" 16	18.8	3.8	15	.	.	.	.	.	.	1	.	4	1	1	.	.	2	.	.	.
	" 23	31.3	5.0	25	.	.	.	.	.	.	.	.	4	.	1	3	4	4	.	.	.
	" 30	12.5	2.5	10	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
Population in 1915	Nov. 6	26.3	1.2	21	.	.	.	.	.	.	.	.	3	.	1	1	3	1	.	1	.
(Est.) 41,685.	" 13	23.8	3.8	19	.	.	.	.	.	.	1	.	1	.	1	1	1	2	.	1	.
North City, No. 2. (Office, Lislurn-street.)	Oct. 9	22.4	3.7	12	.	.	.	.	.	.	.	.	2	.	1	.	.	2	.	1	.
	" 16	15.0	3.7	8	.	.	.	.	.	.	.	.	1	2	.	.	3	2	.	.	.
	" 23	28.1	5.6	15	.	.	.	.	.	.	.	.	4	.	4	.	.	3	.	.	.
	" 30	28.1	1.9	15	.	.	.	1	.	.	.	.	2	1	3	.	.	.	.	1	.
Population in 1915	Nov. 6	15.0	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.
(Est.) 27,883.	" 13	13.1	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.
North City, No. 3. (Office, Benturb-street.)	Oct. 9	11.6	2.9	8	.	.	.	.	.	.	.	.	6	1	1	.	1	2	.	.	.
	" 16	21.8	4.4	15	1	.	.	.	.	.	.	.	3	1	.	.	2	1	1	1	1
	" 23	17.4	.	12	.	.	.	.	.	.	.	.	1	.	2	.	1	.	.	.	.
	" 30	21.8	4.4	15	.	.	.	1	.	.	1	.	1	.	1	1	2	1	.	.	1
Population in 1915	Nov. 6	11.6	1.5	8	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	.
(Est.) 35,887.	" 13	13.1	2.9	9	1	.	.	1	.	.	.	.	3	.	1	.	2	.	.	.	.
Clontarf and Howth No. 1 (part of).	Oct. 9	47.1	.	5	.	.	.	.	.	.	.	.	1	.	1	.	1	.	.	.	.
	" 16	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 23	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 30	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Nov. 6	18.8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
(Est.) 5,539.	" 13	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Oct. 9	18.9	.	5	.	.	.	.	.	.	.	.	3	.	.	.	1	.	.	.	.
	" 16	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
	" 30	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	Nov. 6	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
(Est.) 13,820.	" 13	15.1	3.8	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of).	Oct. 9	28.9	4.8	6	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	2
	" 16	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
	" 23	14.4	9.6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	" 30	14.4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.
Population in 1915	Nov. 6	14.4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	2	.	.	.	.
(Est.) 10,829.	" 13	33.7	.	7	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.
South City, No. 1. (Office, St. Earl-street.)	Oct. 9	22.8	6.3	18	.	.	.	.	.	.	.	.	3	1	3	.	1	5	.	1	1
	" 16	15.2	1.3	12	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.
	" 23	24.1	2.5	19	.	.	.	.	.	.	.	.	4	.	.	2	2	.	.	.	.
	" 30	24.1	1.3	19	.	.	.	.	.	.	1	.	2	.	2	2	4	.	.	.	1
Population in 1915	Nov. 6	15.2	1.3	12	.	.	.	.	.	.	.	.	1	1	2	2	2	1	.	.	1
(Est.) 41,170.	" 13	26.6	3.8	21	.	.	.	.	.	1	.	.	1	1	2	1	1	2	.	.	1
South City, No. 2. (Office, Castle-street.)	Oct. 9	22.7	.	8	.	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	1
	" 16	25.6	2.8	9	.	.	.	.	.	.	.	.	4	.	1	1	1	1	.	.	.
	" 23	28.4	5.7	10	1	.	.	.	.	.	.	.	1	.	1	.	3	1	.	.	.
	" 30	19.9	2.8	7	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.
Population in 1915	Nov. 6	34.1	5.7	12	.	.	.	1	.	.	.	.	2	.	2	.	2	1	.	.	1
(Est.) 18,341.	" 13	17.1	2.8	6	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.
South City, No. 3. (Office, Peter-street.)	Oct. 9	20.2	3.6	17	.	.	.	1	.	.	.	.	3	3	.	1	.	2	.	1	.
	" 16	24.9	3.6	21	2	.	.	.	.	.	.	.	4	1	3	1	3	.	1	.	.
	" 23	19.0	4.7	16	.	.	.	.	.	1	.	.	1	.	.	.	3	3	.	.	1
	" 30	16.6	3.6	14	.	.	.	.	.	.	.	.	2	1	.	1	3	3	.	.	1
Population in 1915	Nov. 6	13.0	1.2	11	.	.	.	.	.	.	1	.	3	1	.	2	4	.	.	.	1
(Est.) 43,970.	" 13	29.6	2.4	20	.	.	.	.	.	.	.	.	2	.	1	2	5	2	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Oct. 9	25.2	6.3	16	.	.	.	1	.	.	.	.	.	.	1	.	3	3	.	.	.
	" 16	14.1	6.3	9	.	.	.	1	.	.	.	.	1	1	1	.	.	3	.	.	.
	" 23	17.3	3.1	11	.	.	.	2	.	.	.	.	.	1	2	.	2	.	.	1	.
	" 30	22.0	4.7	14	.	.	.	1	.	.	1	.	3	1	1	.	1	1	.	1	.
Population in 1915	Nov. 6	12.6	.	8	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
(Est.) 33,171.	" 13	25.2	3.1	16	1	.	.	.	1	.	.	.	7	.	.	.	.	.	.	.	.
New Kilmainham.	Oct. 9	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 16	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 23	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Population in 1915	" 30	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
(Est.) 9,948.	Nov. 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 13	21.0	10.5	4	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths					
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	1 year and upwards.									
													Pulmonary.	Other Forms.	Pneumonia.	Other.											
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	11.9 15.8 11.9 11.9 10.5 10.5	1.3 . . . . 1.3 . . . .	9 12 9 9 8 8	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 1 1 1 1 . .	. . . . .	. . . . .	1 . . . . . 1 . . . . . 4 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .		
Pembroke Urban District. Population in 1915 (Est.) 20,538	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	13.7 12.0 25.6 22.2 17.1 17.1	1.7 1.7 6.8 3.4 . . . .	8 7 15 13 10 10	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 . . . . . 1 1 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 1 1 2 1 1	. . . . .	2 2 3 2 2 1	1 1 3 . . . . . . . . . . . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	2 1 1 1 1 . .	
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	5.6 11.3 16.9 11.3 5.6 22.6	. . . . .	1 2 3 2 1 4	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 . . . . . 1 . . . . . 1 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	
Kingstown Urban District. Population in 1911 16,941.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	18.5 18.5 15.4 9.2 12.3 12.3	. . . . .	6 6 5 3 4 4	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	3 . . . . . 1 . . . . . 2 . . . . .	. . . . .	1 . . . . . . . . . . . . . . . 1 . . . . .	1 . . . . . . . . . . 1 1 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .		
Belfast. Population in 1915 (Est.) 403,000.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	16.3 12.6 14.5 17.1 15.8 16.0	2.3 1.4 1.6 3.4 1.2 1.6	126 97 112 132 122 124	1 1 .	. . . . .	. . . . .	1 . . . . . 2 3 1 . . . . .	5 3 2 7 3 4	1 . . . . . . . . . . 4 1 4	1 . . . . . . . . . . . . . . . 1 4	. . . . .	. . . . .	20 17 5 12 14 12	8 2 4 3 4 10	6 6 2 5 4 10	9 2 10 11 11 13	14 9 15 11 14 12	8 7 7 9 10 2	1 1 1 2 4 . .	. . . . .	. . . . .	. . . . .	. . . . .	5 3 2 1 1 . .		
Cork. Population in 1911 76,673.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	19.0 11.6 10.9 15.6 16.3 14.3	1.4 2.7 2.0 2.0 1.4 . .	28 17 16 20 24 21	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	3 3 3 5 4 4	1 . . . . . 1 . . . . . 2 2 1	2 3 . . . . . 1 2 1	2 . . . . . . . . . . 2 1 1	4 2 1 3 1 . .	. . . . .	2 . . . . . . . . . . . . . . . 1 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	
Londonderry. Population in 1915 (Est.) 41,200.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	17.7 21.5 12.7 19.0 24.0 7.6	7.6 2.5 5.1 2.5 2.5 . .	14 17 10 15 19 6	1 .	. . . . .	. . . . .	. . . . .	. . . . .	2 . . . . . 3 1 . . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 3 1 1 5 . .	. . . . .	1 . . . . . 1 . . . . . 1 . . . . .	2 . . . . . . . . . . 1 3 3 1	. . . . .	3 2 1 2 1 . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 1 1 4 1 . .	
Limerick. Population in 1911 38,518.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	8.1 16.2 9.5 21.7 6.8 19.0	1.4 . . . . .	6 12 7 16 5 14	1 .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	3 1 3 1 1 1	. . . . .	. . . . .	2 . . . . . . . . . . 1 1 2 2	. . . . .	3 . . . . . . . . . . 1 2 2 . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .
Waterford. Population in 1911 27,464.	Oct. 9 " 16 " 23 " 30 Nov. 6 " 13	5.7 17.1 15.2 22.8 11.4 9.5	1.9 1.9 . . . . . 3.8 11.4 5.7	3 9 8 12 6 5	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	1 2 1 1 . . . . .	. . . . .	1 . . . . . . . . . . 1 1 1 . .	. . . . .	. . . . .	1 . . . . . . . . . . 1 1 1 2	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .	. . . . .

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' Districts, the NUMBERS of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 13th November, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions contributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of Mortality per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal Causes; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM												No. of Deaths in Public Institutions.	Inquest Cases.	(28)	(29)	(30)																			
				All Causes.	Certain Epi- demic Diseases.†	Under 1 year.					5 and under 25 years.					25 and under 45 years.					45 and under 65 years.					65 years and upwards.							Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.			
						(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)																								
																																									(5)										
CORK.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																				
City of Belfast.																																																			
BELFAST	URBAN No. 1 DISTRICT,	15,879	8	9.9	3.2	3	2	1	1	1	1	4										1	1	1	3					6																					
Do.	2 do.	49,500	17	17.9	1.0	17	7	1	3	2	2	2										1	1	4	1					2																					
Do.	3 do.	50,032	23	14.6	3.2	14	1	1	3	2	2	1										1	1	2	1					2																					
Do.	4 do.	32,637	23	27.2	8.2	17	7	2	2			1										3	1	2	2					12																					
Do.	5 do.	16,112	4	19.4		6	1	1	2			4										2	2	2						2																					
Do.	6 do.	37,293	14	8.4		6	2					4										2	2	1						2																					
Do.	7 do.	2,681	2	58.3		3	1																	1																											
Do.	8 do.	5,964	1	17.5		3																																													
Do.	9 do.	24,427	11	17.1	2.1	8	1																																												
Do.	10 do.	28,958	10	28.8		16	2	2	4	2	4	3												1	2																										
Do.	11 do.	39,311	17	15.9	2.7	12	2	4				4											1	1	1						1																				
Do.	12 do.	38,076	17	12.3	1.4	9	1	1	1	1	1	2											2	1	2						2																				
Do.	13 do.	23,233	20	6.7	2.2	3	1					1													1																										
Do.	14 do.	175	4	16.1		1	1																																												
Do.	15 do.	22,669	4			7	1																																												
Total.		386,947	171	16.0	1.6	124	30	8	20	18	23	25										10	10	13	12					33																					
City of Cork.																																																			
CORK	URBAN No. 1 DISTRICT	13,455	6	7.8	2							1										1																													
Do.	2 do.	10,399	4	5.0	1																																														
Do.	3 do.	9,793	6	31.9	6	1	1	1	1	4	1																																								
Do.	4 do.	9,139	6	11.4	2	1	1																																												
Do.	5 do.	6,250	4	8.8	1																																														
Do.	6 do.	11,581	1	16.2	4	1	1	1	1	1	1	2																																							
Do.	7 do.	16,056	6		5	1																																													
Total.		76,673	31	14.3		21	2	2	4	3	6	4										2	1		1						7																				

\* The rates for the Total of Belfast City are calculated on the population estimated to the middle of the year 1915.  
† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1915—WEEK ENDING																									
	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.
No. of weeks in Annual Series,	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45
BIRTHS registered, ...	249	228	180	173	198	195	201	168	186	184	195	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171
DEATHS registered, ...	129	131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	132	122	124
Annual Death-rate per 1,000 of estimated population, ...	16.7	16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	16.0
AGES, {																										
Under 1 year, ...	19	20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30
1-5 years, ...	13	18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8
5-25 " ...	15	19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20
25-45 " ...	26	28	24	26	12	13	25	13	11	16	17	18	18	16	19	22	19	18	15	19	22	18	10	21	37	18
45-65 " ...	33	25	29	18	30	27	25	18	27	28	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22	23
65 and upwards, ...	23	21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	23	24	16	22	27	24	25
Deaths from:—																										
Enteric Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	4	5	1	5	5	5	2	8	3	1	8	.	1	1	1	1	.	.	.	.	1	.	2	3	.	1
Scarlet Fever, ...	.	1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	2	7	3	4
Whooping-cough, ...	1	2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.	1
Diphtheria, ...	.	.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	1	4
Dysentery, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, {	14	23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12
Other Forms, ...	7	8	4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	4	10
Cancer ...	6	5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10
Diseases of Respi- {	22	5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13
ratory System, {	12	15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12
Others, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis, under 2 years, ...	3	3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2
Diarrhoea, 2 years and upwards, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Violent Deaths, ...	1	3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	1	2	2	2	4	1
Number of Uncertified Deaths, ...	.	.	2	1	1	.	.	.	.	4	1	.	.	.	.	2	3	2	1	.	5	.	3	2	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, —	4,516,612	Nov. 13,	1,773	1,496c	17·3	3	.	5	8	14	22	48
EDINBURGH, —	328,700	„ 13,	89	117	18·6	.	.	6	3	.	5	1
GLASGOW, —	1,078,400	„ 13,	432	350	16·9	2	.	6	5	2	3	14
CALCUTTA —	896,067	Sept. 25,	.	378	21·9	?	1	?	?	?	?	?
BOMBAY, —	979,445	Oct. 2,	409	455	24·2	43*	1	2	.	.	.	32a
MADRAS, —	518,660	Sept. 25,	504	368	36·9	38*	1	2	?	?	?	87a
CAIRO, {	Egyptians, ...	July 22,	619	946	74·8	36	1	3	.	?	7†	354a
	Foreigners,	„ 22,	10	19	13·5	.	.	.	1	?	1†	5a
ALEXAN- DRIA, {	Egyptians,	„ 22,	315	278	42·0	10	.	.	.	.	.	126a
	Foreigners,	„ 22,	26	81	54·3	11	.	.	.	.	.	10a
PARIS, —	2,847,229	Oct. 9,	467	729	19·5	4	.	3	.	5	3†	18
BRUSSELS, —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, —	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, —	613,249	Oct. 2,	254	109	11·6	1	.	4	.	.	2†	3
COPENHAGEN, —	494,000	Oct. 16,	222	120	12·7	.	.	.	.	.	.	4a
STOCKHOLM, —	386,270	„ 16,	137	87	11·7	1	.	.	.	.	.	2a
CHRISTIANIA, —	250,677	„ 30	99	54	11·2	.	.	.	.	.	.	.
PETROGRAD, —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, —	1,694,000	Oct. 9,	.	.	.	.	.	.	.	.	.	.
ROME, —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, —	5,806,532	Oct. 9,	2,629	1,260	11·3	11	.	1	1	3	20†	119
PHILADELPHIA, —	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, —	727,826	Oct. 23,	.	179b	12·8	.	.	.	.	.	2	8a

\* Deaths from "fever," including 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

a Deaths from diarrhoeal diseases at all ages.

b Corrected figures, i.e. non-residents deducted, 158 deaths (including 6 from diarrhoeal diseases); rate, 11·3 per thousand.

c Including one death from cerebro-spinal fever in London.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 13th November, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polio-myelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 1, West,	.	.	.	.	.	.	.	.	1	.	.	.	3	4
„ „ 2,	.	.	.	.	.	.	.	1	.	.	.	.	.	1
„ „ 3,	.	2	.	.	1	.	.	1	1	.	.	.	1	6
Clontarf and Howth No. 1 (part of),	.	3	.	.	.	.	.	.	.	.	.	.	.	3
Coolock and Drumcondra (part of),	.	3	.	.	1	.	.	.	.	.	.	.	.	4
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,	.	1	.	.	2	.	.	1	.	.	.	.	.	4
„ „ 2,	.	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	.	3	.	.	.	.	.	.	.	.	.	.	.	3
„ „ 4,	.	.	.	.	1	.	.	1	1	.	.	.	1	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	12	.	.	5	.	.	4	3	.	.	.	8	32

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 13th November, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 13th November.			
	Oct. 23.	Oct. 30.	Nov. 6.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	47	48	41	4	5	2	38
Typhus,	2	2	2	1	.	.	3
Small-pox,	.	.	.	.	.	.	.
Measles,	11	13	18	16	6	.	28
Scarlet Fever,	70	78	82	16	7	2	89*
Diphtheria,	37	27	32	8	8	1	31
Pneumonia,	11	9	13	7	4	1	15

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

## TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.] WEEK ENDING SATURDAY, 20TH NOVEMBER, 1915.

[No. 46.]

General Register Office, Charlemont House,  
Dublin, 22nd November, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·6 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Oct. 30	Nov. 6	Nov. 13	Nov. 20	
<b>27 Town Districts, (a)</b>	<b>16·9</b>	<b>15·8</b>	<b>16·8</b>	<b>20·6</b>	<b>17·5</b>
Dublin Reg. Area ...	17·6	15·6	20·9	22·1	19·0
Dublin City ...	18·5	16·5	23·0	25·2	20·8
Belfast ...	17·1	15·8	16·0	20·3	17·3
Cork ...	13·6	16·3	14·3	20·4	16·2
Londonderry ...	19·0	24·0	7·6	16·5	16·8
Limerick ...	21·7	6·8	19·0	13·5	15·3
Waterford ...	22·8	11·4	9·5	22·8	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·4 per 1,000. Among the 157 deaths from all causes for Belfast are one from measles, 3 from scarlet fever, 2 from whooping-cough, one from diphtheria, 3 from diarrhoea and enteritis of children under 2 years, and one from cerebro-spinal fever. Two of the 10 deaths from all causes for Limerick are from whooping-cough. Of the 12 deaths from all causes for Waterford, one is from diphtheria. One of the 4 deaths from all causes for Dundalk is attributed to measles; and the 6 deaths from all causes recorded for Ballymena include one from enteric fever and 3 from whooping-cough.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 175—99 boys and 76 girls—and the deaths to 194—100 males and 94 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 21) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·1 per 1,000 of the population. During the forty-six weeks, ending with Saturday last, the death-rate averaged 21·7, and was 0·5 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.  
(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 194, represent an annual rate of 24·7 per 1,000; the annual rate for the past forty-six weeks was 23·2 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one death from paratyphoid, 4 from measles, one death each from whooping-cough, diphtheria, and influenza, and 5 deaths from diarrhoeal diseases.

Deaths from enteric fever in the three preceding weeks were 0, 0, and 2; deaths from measles were 3, one, and 2; deaths from whooping-cough were one, 0, and 2; deaths from diphtheria were 5, one, and one; deaths from influenza were 2, one, and one; and deaths from diarrhoeal diseases were 10, 4, and 9, respectively.

Deaths from tuberculous disease, which in the three preceding weeks numbered, respectively, 22, 21, and 25, rose to 33\* last week, comprising 28 deaths from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease.

Cancer caused 11\* deaths.

Sixteen\* deaths were caused by pneumonia, including 4 by broncho-pneumonia, 3 by lobar pneumonia, and 9 by pneumonia (type not distinguished).

Among deaths of infants under one year old 4 were ascribed to convulsions, one to congenital malformation, 2 to premature birth and 4 to congenital debility.

Organic diseases of the heart caused 14 deaths and bronchitis 30 deaths.

There were 5 accidental deaths, including 2 caused by burns, one of the latter being that of a child aged 16 months.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 70 years.

Fifty-three of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 8 were under one month old), and 47 were aged 65 years and upwards, including 34 persons aged 70 and upwards; among the latter were 18 aged 75 and upwards, of whom 2 (females) were stated to have been each aged 90 years.

Ninety-seven of the deaths registered during the week occurred in hospitals and other public institutions; of this number 22 took place in the North Dublin Union Workhouse, and 30 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·1 per 1,000; the rate in the City was 25·2 (North City Districts, 24·2; South, 26·3), and in the Suburbs, 11·9.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 1·5 per 1,000 inhabitants, the rate for the City being 1·8 (in the North City Districts 0·6, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17·1 per 1,000. Bronchitis caused 4 deaths.

No. 1 North City District, West (Summer-hill).—The deaths (26) are equal to an annual rate of 32·5 per 1,000. There were 7 deaths from tuberculous disease, 2 from pneumonia, and 3 from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000, and include one death from measles, 2 from tuberculous disease, 3 from pneumonia, 2 from bronchitis, and 2 accidental deaths.

No. 3 North City District (Benburb-street).—The deaths (14) represent an annual rate of 20·3 per 1,000. Four deaths were caused by pulmonary tuberculosis, 2 by bronchitis, and there was one accidental death.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 22·6; and Finglas and Glasnevin, part of, 14·4. Of the 2 deaths recorded for the first-named district one was from diphtheria. The 6 deaths from all causes for Coolock and Drumcondra, part of, include one from pulmonary tuberculosis and 2 from bronchitis; and of the 3 deaths recorded for Finglas and Glasnevin, part of, one was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·4 per 1,000. Among them are 2 from measles, 3 from tuberculous disease, 3 from pneumonia, 6 from bronchitis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (17) are equal to an annual rate of 48·3 per 1,000, and include one from measles, 3 from pulmonary tuberculosis, 3 from pneumonia, 4 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 3 South City District (Peter-street).—The deaths (16) are equal to an annual rate of 19·0 per 1,000. Six of the deaths were from pulmonary tuberculosis, one each from pneumonia and bronchitis, and 2 deaths were those of children under 2 years of age from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (15) are equivalent to an annual rate of 23·6 per 1,000. One death each from enteric fever and whooping-cough, 2 from tuberculous disease, one from bronchitis, and one death from diarrhoea were recorded.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000. One of the deaths was from pulmonary tuberculosis and one from pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 9·2; Pembroke, 17·1; Blackrock, 5·6; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts was one from diarrhoea and enteritis of a child under 2 years of age for Rathmines and Rathgar. Among the 7 deaths from all causes for Rathmines and Rathgar are one from influenza and one from bronchitis. The 10 deaths from all causes for Pembroke include 2 from pneumonia and one from bronchitis; and of the 4 deaths from all causes for Kingstown one was from pulmonary tuberculosis and one from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16·2), was equal to an average annual death-rate of 15·9 per 1,000 persons living; the average rate for 16 principal towns of Scotland was 17·6 per 1,000, the rate for Glasgow being 19·4, and for Edinburgh 15·4.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 20th November. From this Report it appears that of 131 cases notified, 83 were scarlet fever, 29 diphtheria, 9 pulmonary tuberculosis, 4 other forms of tuberculosis, 3 erysipelas, one enteric fever, one puerperal fever, and one cerebro-spinal fever. Among the 806 cases of infectious diseases in hospital at the close of the week were 447 of scarlet fever, 176 of diphtheria, 126 of pulmonary tuberculosis, 21 of measles, 7 of erysipelas, 3 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 20th November, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhœal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Oct. 30,	.	—	—	16	2	.	4	.	.	2	1	.	—	—	.	—	.	15	40
	Nov. 6,	.	—	—	14	.	.	5	.	.	5	2	.	—	—	.	—	.	7	33
	Nov. 13,	.	—	—	12	.	.	5	.	.	4	3	.	—	—	.	—	.	8	32
	Nov. 20,	.	—	—	9	2	.	2	.	.	2	1	.	—	—	.	—	.	10	26
Rathmines and Rathgar Urban District	Oct. 30,	.	—	—	1	.	.	1	.	.	.	1	.	—	—	—	—	—	—	3
	Nov. 6,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Nov. 13,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	—	—	4
	Nov. 20,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
Pembroke Urban District.	Oct. 30,	.	1	.	.	.	.	1	.	.	1	.	.	—	1	.	—	—	.	4
	Nov. 6,	.	.	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	.	.
	Nov. 13,	.	.	.	2	.	.	1	.	.	.	.	.	—	.	.	—	—	.	3
	Nov. 20,	.	4	.	3	.	.	.	.	.	.	1	.	—	1	.	—	—	.	9
Blackrock Urban District.	Oct. 30,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 20,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Nov. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Nov. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Nov. 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
City of Belfast.	Oct. 20,	.	—	—	59	.	.	8	.	.	.	2	.	—	—	1	—	.	.	70
	Nov. 6,	.	—	—	43	.	.	6	.	.	.	9	.	—	—	1	—	.	2	61
	Nov. 13,	.	—	—	56	.	.	5	.	.	.	6	.	—	—	.	—	.	3	70
	Nov. 20,	.	—	—	37	.	.	5	.	.	2	9	.	—	—	1	—	.	5	59
City of Cork.	Oct. 30,	.	.	—	3	.	.	.	.	2	.	1	.	—	—	—	—	—	—	6 <sup>a</sup>
	Nov. 6,	.	3	—	7	.	.	.	.	.	2	.	.	—	—	—	—	—	—	12
	Nov. 13,	.	2	—	6	.	.	2	1	.	.	2	.	—	—	—	—	—	—	13 <sup>a</sup>
	Nov. 20,	.	5	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	12
City of Londonderry.	Oct. 30,	.	—	—	3	.	.	2	.	.	.	.	.	—	—	—	—	—	—	5
	Nov. 6,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Nov. 13,	.	—	—	11	.	.	1	.	.	.	.	.	—	—	—	—	—	—	12
	Nov. 20,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
City of Limerick	Oct. 30,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Nov. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Nov. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Nov. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford	Oct. 30,	.	—	—	.	.	.	3	.	.	.	1	.	—	—	—	—	—	1	5
	Nov. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	3
	Nov. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	Nov. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	2	3

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 20th November, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 7 were discharged, there was one death, and 32 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 48, 41, and 38.

One case of typhus was admitted to hospital during the week, and 4 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases in hospital were 2, 2, and 3, respectively.

Twenty cases of measles were admitted to hospital during the week, 11 were discharged, and 37 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 13, 18, and 28 respectively.

Fourteen cases of scarlet fever were admitted to hospital, 11 were discharged, 2 died, and 91\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 78, 82, and 89, respectively.

Five cases of diphtheria were admitted to hospital during the week, 12 were discharged, one died and the cases in hospital, which at the close of the 3 preceding weeks numbered 27, 32, and 31 respectively, were 23 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 4 were discharged, there were 3 deaths and 12 cases remained under treatment at the end of the week.

\* See note(●) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 20th November, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 20TH NOVEMBER, 1915.																																	
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																											
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																				No. of Deaths in Public Institutions		No. of Uncertified Deaths.			
								Caused by																									
																									Tuber- culosis.							Diseases of the Respiratory System.	
								Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Cancer.					Pneumonia.	Other.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)					
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	21.6	20.6	1.4	703	478	60	136	2	...	...	6	3	8	3	...	67	12	33	30	68	9	2	9	10	161	12					
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	22.3	22.1	1.5	175	173	30	42	1	...	...	4	...	1	1	...	26	5	9	15	30	4	1	...	...	76	5					
CITY OF DUBLIN.	312,747	39.5	24.0	25.2	1.8	144	151	25	29	1	...	...	4	...	1	1	...	25	5	9	13	26	3	1	4	...	67	4					
Urban Districts.																																	
RATHMINES and RATHGAR. ...	39,541	23.1	10.5	9.2	1.3	8	7	1	6	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	3	...				
PEMBROKE, ...	30,538	19.4	23.9	17.1	.	14	10	4	4	...	...	...	...	...	...	...	...	...	...	...	2	2	...	...	...	...	6	1					
BLACKROCK, ...	9,233	8.5	16.9	5.6	.	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...					
KINGSTOWN, ...	16,941	11.6	1.5	12.3	.	6	4	...	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	1	...					
Urban Districts																																	
BELFAST ..	403,000	27.0	21.7	20.3	1.3	168	(d) 157	17	39	...	...	...	1	3	2	1	...	25	4	16	11	19	3	...	3	5	40	1					
CORK, ..	76,673	28.6	31.3	20.4	0.7	46	30	4	8	...	...	...	...	...	...	...	...	3	1	1	1	5	...	1	...	2	9	1					
LONDON- DERRY ..	41,200	16.0	11.4	16.5	1.3	9	13	2	6	...	...	...	...	...	...	...	...	...	...	...	1	3	1	...	1	1	3	...					
LIMERICK, ...	38,518	16.1	17.6	13.5	2.7	13	10	1	2	...	...	...	...	...	2	...	...	...	...	...	...	3	...	...	...	...	4	...					
WATERFORD, ...	27,464	19.1	32.3	22.8	1.9	17	12	...	5	...	...	...	...	...	...	1	...	2	...	...	1	...	...	...	...	1	4	...					
GALWAY, ...	13,255	2.5				3	5	...	2	...	...	...	...	...	...	...	...	1	...	1	...	1	1	...	...	...	2	...					
DUNDALK, ...	13,128	9.5				8	4	...	3	...	...	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...					
LURGAN, ...	12,553	14.7				7	3	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...					
DROGHEDA, ...	12,501	8.4				4	6	1	3	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...					
LISBURN, ...	12,388	10.9				6	3	...	3	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...					
NEWRY, ...	11,963	17.0				2	6	1	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	1	1	...					
PORTADOWN, ...	11,727	15.3				5	4	...	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1					
WEXFORD, ...	11,531	22.8				5	5	...	3	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	2	1					
BALLYMENA ..	11,381	9.3				1	6	2	...	1	...	...	...	...	3	...	...	...	...	1	...	...	...	...	...	...	...	...					
SLIGO, ...	11,163	3.8				5	9	1	4	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	7	...					
KILKENNY, ...	10,514	11.4				2	3	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1					
TRALEE, ...	10,300	17.4				7	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	2	...					
CLONMEL, ...	10,209	7.8				4	3	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	...	3	...					
NEWTOWNARDS	9,587	20.1				3	5	...	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	1					
QUEENSTOWN,	8,209	14.7				4	4	...	...	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	1	...					
LARNE, ...	8,036	13.4				1	3	1	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...					
COLERAINE. ..	7,785	7.7				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...					
BANGOR, ..	7,776	8.5				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...					
BRAY, ..	7,691	7.2				2	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...					
ATHLONE, ..	7,472	6.2				...	4	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1					
ARMAGH, ...	7,356	21.8				1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...					

(a) According to the Census of 1911, but in the case of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 21 deaths of persons (including one under one year old and 5 at 65 years or upwards), admitted to hospital from localities outside the Area; the 21 deaths include 2 from each of pulmonary tuberculosis and cancer, and one from pneumonia. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 20th of November, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	.	1	.	.	.	.	2	1	.	.	.	.	.	.	.	4	
Scarlet Fever,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Whooping-cough,	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	
Diphtheria,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	.	6	.	4	.	1	1	2	3	3	1	1	.	.	.	1	26	
{ Other Forms,	.	1	2	.	.	.	.	1	.	.	1	.	.	.	.	.	5	
Cancer,	.	2	.	2	.	.	1	1	1	1	1	.	.	.	.	.	9	
Diseases of Nervous System,	4	2	1	.	.	.	.	2	.	3	1	.	2	.	.	.	15	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	2	4	1	.	.	.	.	.	1	1	4	.	1	1	.	.	15	
Respiratory { Pneumonia,	.	2	3	.	.	.	.	3	3	1	.	1	.	2	.	.	15	
System. { Others,	4	3	2	2	.	2	.	6	4	1	2	.	1	2	.	1	30	
Diarrhoea and Enteritis, under 2 years,	.	.	.	.	.	.	.	.	1	2	.	.	1	.	.	.	4	
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	
Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	
Others,	.	2	1	.	1	1	.	1	2	.	.	.	.	.	.	.	8	
Genito-urinary System,	.	2	1	1	.	.	.	3	1	1	.	.	1	.	1	1	12	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	
Diseases of the Skin and Cellular Tissue,	.	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	3	
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	.	1	1	2	.	2	.	1	.	.	1	.	.	5	.	1	14	
Violent Deaths,	.	.	2	1	.	.	.	1	.	.	.	.	.	.	.	.	4	
Ill-defined, &c. Causes,	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	2	
Deaths from All Causes	10	26	16	14	2	6	3	24	17	16	15	2	7	10	1	4	173	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	17.1	32.5	29.9	20.3	18.8	22.6	14.4	30.4	48.3	19.0	23.6	10.5	9.2	17.1	5.6	12.3	22.1	
	24.2							26.3							11.9			
	25.2																	
Ages at Death. { Under 1 year,	.	2	1	5	1	.	1	.	4	3	5	3	.	1	4	.	30	
1 and under 2 years,	.	.	2	.	1	.	.	.	6	1	.	2	.	.	.	.	12	
2 " 5 "	.	.	.	1	.	1	.	.	2	4	1	1	.	.	.	.	10	
5 " 15 "	.	.	2	2	.	.	.	.	.	1	.	.	.	.	.	.	5	
15 " 25 "	.	1	3	2	1	.	1	1	1	1	.	.	.	.	1	.	11	
25 " 45 "	.	.	4	.	2	.	2	1	5	1	4	.	1	.	1	.	22	
45 " 65 "	.	5	6	3	4	.	1	4	3	6	7	1	.	1	.	.	41	
65 and upwards,	.	2	8	3	5	1	3	.	2	2	.	2	.	6	4	3	42	
Number of Uncertified Deaths,	1	1	.	.	.	1	1	.	.	.	.	.	.	1	.	.	5	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	.	5	4	3	1	.	.	5	2	2	2	1	1	2	.	1	29	
Workhouse Hospitals,	3	8	5	3	.	.	.	8	5	5	4	1	2	3	.	.	47	





FORTY-SIXTH WEEK, ending Saturday, 20th November, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 46th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 20th November 1915.																															
	Nov. 18, 1905.	Nov. 17, 1906.	Nov. 16, 1907.	Nov. 14, 1908.	Nov. 20, 1909.	Nov. 19, 1910.	Nov. 18, 1911.	Nov. 16, 1912.	Nov. 15, 1913.	Nov. 14, 1914.		All Ages.	Deaths of Persons of the Ages of																														
													0-5.																														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.																					
Diseases of Stomach, ...	—	—	—	—	—	—	4	1	3	1	—	5	.	2	.	1	.	.	1	1	.	.																					
Diarrhoea and Enteritis of Children under 2 years.	4	9	4	9	8	6	5	3	8	6	7.1	4	.	3	1	.	.	.	.	.	.	.																					
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards,																							1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	.	2	1	—	1	.	.	.	.	.	1	.	.	.	.																					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	.	3	3	—	4	1	.	.	.	.	.	2	1	.	.																					
Cirrhosis of Liver, ...	.	1	.	1	1	1	.	3	1	.	.8	2	.	.	.	.	.	1	.	1	.	.																					
Other Diseases of Liver, ...	.	.	2	.	.	1	.	.	1	1	.5	1	.	.	.	.	.	.	.	.	.	.																					
Peritonitis (cause unknown),	.	.	.	.	1	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	1	.	.																					
Other Diseases of Digestive System.	3	5	2	5	6	4	3	.	.	.	2.8	.	.	.	.	.	.	.	.	.	.	.																					
Acute Nephritis, ...	3	2	3	2	12	5	6	1	2	.	6.7	1	.	.	1	.	.	.	1	6	1	2																					
Chronic Bright's Disease, ...																							2	8	9	8	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	3	.	1	.	2	.	.	.	.	.	.	1	1	.	.																					
Puerperal Septicæmia, &c., ...	1	.	1	.	.	1	1	1	1	.	.1	1	.	.	.	.	.	1	.	.	.	.																					
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.6	1	.	.	.	.	.	.	.	.	.	.																					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	.	.	—	3	.	.	1	1	.	.	1	.	.	.																					
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	1	—	1	1	.	.	.	.	.	.	.	.	.																					
Premature Birth, ...	5	5	1	3	4	6	6	3	5	2	4.0	2	2	.	.	.	.	.	.	.	.	.																					
Congenital Debility, ...	—	—	—	—	—	—	4	3	8	2	—	4	1	3	.	.	.	.	.	.	.	.																					
Old Age, ...	3	3	5	.	6	5	.	7	4	8	4.1	6	.	.	.	.	.	.	.	4	2	.																					
Other Specified Diseases, ...	—	—	—	—	—	—	1	1	2	.	—	.	.	.	.	.	.	.	.	.	.	.																					
ACCIDENT:																																											
Poisons or Poisonous Vapours.	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Burns and Scalds, ...	2	2	1	1	1	2	2	2	1	.	1.4	2	.	.	1	1	.	.	.	.	.	.																					
Drowning, ...	.	2	.	.	2	.	.	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.																					
Suffocation in Bed, ...	.	1	1	.	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																					
Other Deaths by Accident, ...	1	4	2	2	2	.	3	3	1	3	2.1	3	.	.	.	.	1	.	.	1	1	.																					
Total Deaths from Accident,	3	9	4	3	6	2	5	5	2	3	4.2	5	.	.	1	1	1	.	.	1	1	.																					
Included in above are Deaths in connection with—																																											
Railways, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Vehicles and Horses, ...	.	.	1	.	.	.	1	1	1	1	.5	.	.	.	.	.	.	.	.	.	.	.																					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
VIOLENCE OTHER THAN ACCIDENTAL:																																											
Homicide, ...	.	.	.	1	.	.	.	1	1	.	3	.	.	.	.	.	.	.	.	.	.	.																					
Suicide, ...	.	.	.	.	.	.	.	1	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	1	3	1	—	3	.	.	2	.	.	.	1	.	.	.																					

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.	1915—WEEK ENDING																									
	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.
No. of weeks in Annual Series	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
Births registered.	240	245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180	182	175
Average Births in corresponding week of previous 10 years, ...	215	245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	204	197	212	210	199
Deaths registered, ...	140	165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151	129	172	194
Annual Death-rate per 1,000, ...	17.8	21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	19.3	16.4	21.9	24.7
Average Deaths in corresponding week of previous 10 years, ...	168	152	150	155	143	135	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153	147	164	167	169	169
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,	22	54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27	36	53
	8	8	8	6	6	7	6	5	3	6	4	4	6	8	7	7	4	7	7	8	7	8	8	5	8	6
	6	9	11	10	12	10	8	5	10	6	5	7	4	6	8	9	6	9	7	14	9	8	12	8	6	12
	24	26	33	25	21	23	21	18	18	24	21	12	21	18	27	25	36	28	33	22	32	28	15	18	22	27
	33	41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32	35	38	26	42	30	47	34	50	49
	22	19	13	18	23	16	23	13	17	13	14	21	17	14	19	1	19	19	19	16	26	24	24	22	29	29
	15	13	14	10	11	18	15	18	14	8	11	11	11	9	10	12	16	12	13	6	6	16	7	15	21	18
	1							1										1	2	3	2				2	1
Deaths from :—																										
Enteric Fever,	1							1													3	2				1
Typhus,																										
Small-pox,																										
Measles,	3	2	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	2	1	2	1	2	3	1	2	4
Scarlet Fever,		8		3	2	1		1	1	1	1	2	1			1	1	1	1	1	1	1	1	1	1	1
Whooping-cough,		1		2	2	1	2	2	1			2	1			2	3	1	1	1	1	1	1	1	1	1
Diphtheria,		1		1	1		2	2	1							1										
Influenza,																										
Dysentery,																										
Tuberculosis { Pulmonary ...	20	24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15	14	23	28
{ Other Forms,	7	3	12	6	8	9	2	3	7	6	9	3	4	7	4	5	3	5	9	9	9	9	7	7	2	5
Cancer, ...	5	8	6	10	10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11	12	10	10	10	11
Diseases of Circulatory System,	14	16	13	20	20	18	15	13	15	15	15	17	13	16	14	20	10	17	17	13	15	11	12	12	10	15
Diseases of Respi- { Pneumonia,	12	10	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	17	18	15	11	15	12	24	15
{ Others,	17	17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	4	9	5	5	8	16
Diarrhoea and Enteritis, under																										
2 years,		9		5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4	9	4
Diarrhoea, 2 years and upwards																										
Violent Deaths, ...	5	6	1	3	5	5	1	6	2	1	4	5	4	2	4	1	1	5	2	5	2	3	7	5	1	1
Number of Uncertified Deaths,	2	5		5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4	2	5



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 20th November, 1915; the Annual Death-rate represented by the Deaths registered; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 20TH NOVEMBER, 1915																															
OCCUPATION OR SOCIAL POSITION			CAUSES OF DEATH																												
CLASS.	Popula- tion in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.								CAUSES OF DEATH																			
				Under 5 years.	5 and under 15.	15 and under 25.	25 and under 45.	45 and under 65.	65 and under 75.	75 and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis, Other Forms.	Cancer.	Convulsions.	Pneumonia.	Other.	Diarrhoea & Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Other Causes.	Number of Uncertified Deaths.			
I.	COLS.	(1)	397,957	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)
II.	ALL PERSONS.																														
III.	DEATHS IN FAMILIES OF THE—																														
IV.	PROFESSIONAL AND INDEPENDENT CLASS, ...	14,658	10.7	3																											
V.	MIDDLE CLASS, ...	101,798	12.3	24																											
	ARTISAN CLASS AND PETTY SHOPKEEPERS, ...	108,420	19.7	41																											
	GENERAL SERVICE CLASS, ...	167,479	23.0	74																											
	INNATES OF WORKHOUSES, ...	5,602	—	52																											
I.	PROFESSIONAL AND INDEPENDENT CLASS.																														
II.	1. Clerical, Medical, Legal, and other Professions; Naval and Military Officers, and Heads of Public Departments, ...	7,868	13.3	2																											
	2. Merchants and Manufacturers, Higher Class	1,847																													
	3. Persons of Rank and Property, not otherwise described, ...	5,443	9.6	1																											
III.	MIDDLE CLASS.																														
	4. General Body of Officials—Civil Service, Banking, &c., ...	9,523	16.4	3																											
	5. Traders (except Petty Shopkeepers), Business Managers, &c., ...	25,199	12.4	6																											
	6. Clerks and Commercial Assistants, Miscellaneous—including all Householders in Second Class Localities not included in above, ...	33,249	9.4	6																											
	ARTISAN CLASS AND PETTY SHOPKEEPERS.	33,827	13.9	9																											
IV.	8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...	11,777	17.7	4																											
	9. Building and Furnishing Trades, ...	28,823	21.7	12																											
	10. Clothing Trades, ...	20,026	10.4	4																											
	11. Food Supply Trades	8,952	11.6	2																											
	12. Other Trades and Callings ranking with Trades, ...	32,070	27.6	17																											
	13. Petty Shopkeepers	6,772	15.4	2																											
	GENERAL SERVICE CLASS.																														
	14. Army, Police, Postal Delivery and Prison Services, &c., ...	12,977	76.3	19																											
	15. Domestic Servants, ...	36,041	10.1	7																											
	16. Coach and Car Drivers, Vannmen, &c., ...	15,380	6.8	2																											
	17. Hawkers, Porters, Labourers, &c., ...	193,081	23.3	46																											
V.	INNATES OF WORKHOUSES.																														
	18. Workhouse Innates, ...	5,602	—	52																											

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 3 years and upwards.				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.			Other.			
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 16	29.1	3.4	17	.	.	.	.	.	.	.	.	2	1	.	.	3	2	.	.	4	
	" 23	18.8	6.8	11	.	.	.	.	.	.	1	.	2	3	.	1	3	1	.	.	.	
	" 30	15.4	1.7	9	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	
	Nov. 6	17.1	.	10	.	.	.	.	.	.	.	.	.	.	1	1	2	1	.	1	1	
Population in 1915	" 13	32.5	5.1	19	.	.	.	.	.	1	.	.	4	.	1	1	4	2	.	.	.	
(Est.) 30,504.	" 20	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	.	.	
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 16	18.8	3.8	15	.	.	.	.	.	1	.	.	4	1	1	.	.	2	.	.	.	
	" 23	31.3	5.0	25	.	.	.	.	.	.	.	.	4	.	1	3	4	4	.	.	.	
	" 30	12.5	2.5	10	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.	
	Nov. 6	26.3	1.3	21	.	.	.	.	.	.	.	.	3	.	1	1	3	1	.	1	.	
Population in 1915	" 13	23.8	3.8	19	.	.	.	.	.	.	.	1	1	.	1	1	1	2	.	1	.	
(Est.) 41,685.	" 20	32.5	.	26	.	.	.	.	.	.	.	.	6	1	2	2	3	.	.	.	1	
North City, No. 2. (Office, Lishurn-street.)	Oct. 16	15.0	3.7	8	.	.	.	.	.	.	.	.	1	2	.	.	3	2	.	.	.	
	" 23	28.1	5.6	15	.	.	.	.	.	.	.	.	4	.	4	.	.	3	.	.	.	
	" 30	28.1	1.9	15	.	.	.	1	.	.	.	.	2	1	3	.	.	.	1	.	.	
	Nov. 6	15.0	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	
Population in 1915	" 13	13.1	.	7	.	.	.	.	.	.	.	.	.	1	1	.	2	.	.	.	.	
(Est.) 27,883.	" 20	29.9	1.9	16	.	.	.	1	.	.	.	.	.	2	.	3	2	.	.	2	.	
North City, No. 3. (Office, Benburb-street.)	Oct. 16	21.8	4.4	15	1	.	.	.	.	.	.	.	6	.	1	.	1	1	1	1	1	
	" 23	17.4	.	12	.	.	.	.	.	.	.	.	3	1	.	.	2	1	.	.	.	
	" 30	21.8	4.4	15	.	.	.	1	.	.	1	.	1	.	2	1	2	1	.	1	1	
	Nov. 6	11.6	1.5	8	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.	.	.	
Population in 1915	" 13	13.1	2.9	9	1	.	.	1	.	.	.	.	3	.	1	.	2	.	.	.	.	
(Est.) 35,887.	" 20	20.3	.	14	.	.	.	.	.	.	.	.	4	.	2	.	2	.	.	1	.	
Clontarf and Howth No. 1 (part of).	Oct. 16	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 23	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 30	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Population in 1915	Nov. 6	18.8	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
(Est.) 5,539.	" 13	9.4	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	" 20	18.8	9.4	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
Coolock and Drumcondra (part of).	Oct. 16	11.3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 23	7.5	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	
	" 30	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
	Nov. 6	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Population in 1915	" 13	15.1	3.8	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	
(Est.) 13,820.	" 20	22.6	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	.	.	
Finglas and Glasnevin (part of).	Oct. 16	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	
	" 23	14.4	9.6	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	
	" 30	14.4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	
	Nov. 6	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
Population in 1915	" 13	33.7	.	7	.	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	
(Est.) 10,829.	" 20	14.4	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	
South City, No. 1. (Office, St. Earl-street.)	Oct. 16	15.2	1.3	12	.	.	.	.	.	.	.	.	2	.	.	1	1	1	.	.	.	
	" 23	24.1	2.5	19	.	.	.	.	.	.	.	.	4	.	.	2	.	2	.	.	.	
	" 30	24.1	1.3	19	.	.	.	.	.	.	1	.	2	.	2	2	4	.	.	1	1	
	Nov. 6	15.2	1.3	12	.	.	.	.	.	.	.	.	1	1	2	2	2	1	.	.	.	
Population in 1915	" 13	26.6	3.8	21	.	.	.	.	.	.	1	.	1	1	2	1	1	2	.	.	.	
(Est.) 41,170.	" 20	30.4	2.5	24	.	.	2	.	.	.	.	.	2	1	1	3	6	.	1	.	.	
South City, No. 2. (Office, Castle-street.)	Oct. 16	25.6	2.8	9	.	.	.	.	.	.	.	.	4	.	1	1	.	1	.	.	.	
	" 23	28.4	5.7	10	1	.	.	.	.	.	.	.	1	.	1	.	3	1	.	1	.	
	" 30	19.9	2.8	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	
	Nov. 6	34.1	5.7	12	.	.	.	1	.	.	.	.	2	.	2	.	2	1	.	.	.	
Population in 1915	" 13	17.1	2.8	6	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
(Est.) 18,341.	" 20	48.3	5.7	17	.	.	1	.	.	.	.	.	3	.	1	3	4	1	.	.	.	
South City, No. 3. (Office, Peter-street.)	Oct. 16	24.9	3.6	21	2	.	.	.	.	.	.	.	4	1	3	1	3	.	1	.	.	
	" 23	19.0	4.7	16	.	.	.	.	.	1	.	.	1	.	.	.	3	3	.	.	1	
	" 30	16.6	3.6	14	.	.	.	.	.	.	.	.	2	1	.	1	3	3	.	.	1	
	Nov. 6	13.0	1.2	11	.	.	.	.	.	.	.	.	3	1	.	2	4	.	.	.	.	
Population in 1915	" 13	29.6	2.4	25	.	.	.	.	.	.	1	.	2	.	1	2	5	2	.	.	1	
(Est.) 43,970.	" 20	19.0	2.4	16	.	.	.	.	.	.	.	.	6	.	1	1	1	2	.	.	.	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 16	14.1	6.3	9	.	.	.	1	.	.	.	.	1	1	1	.	.	3	.	.	.	
	" 23	17.3	3.1	11	.	.	.	2	.	.	.	.	.	.	2	.	.	.	.	1	.	
	" 30	22.0	4.7	14	.	.	.	1	.	.	1	.	3	1	1	.	1	1	.	1	.	
	Nov. 6	12.6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	1	
Population in 1915	" 13	25.2	3.1	16	1	.	.	.	1	.	.	.	7	.	.	.	.	.	.	.	.	
(Est.) 33,171.	" 20	23.6	4.7	15	1	.	.	.	.	1	.	1	1	1	1	.	2	.	1	.	.	
New Kilmainham.	Oct. 16	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	" 23	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	" 30	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Population in 1915	Nov. 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 9,948.	" 13	21.0	10.5	4	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	
	" 20	10.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years and upwards.			
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Oct. 16 " 23 " 30 Nov. 6	15.8 11.9 11.9 10.5	.  1.3  	12 9 9 8	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	1 1 1 1	1 . . . . . . . . .	. 1 1 1	. 1 1 1	. . . . . . . 1	. . . . . . . 1	. . . . . . . 1	. . . . . . . 1		
Population in 1915 (Est.) 39,541.	" 13 " 20	10.5 9.2	 1.3	8 7	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	4 1	. 1	. . . .	. . . .		
Pembroke Urban District.	Oct. 16 " 23 " 30 Nov. 6	12.0 25.6 22.2 17.1	1.7 6.8 3.4  	7 15 13 10	. 1 . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . 1 . . . 1 . . .	. . . . . . . . . .	. . . . . . . . . .	1 1 2 1	. 1 2 . . .	. 1 1 . . .	1 1 . . . 2	2 . . . 2 1	1 3 . . . . . .	. . . . . . . . . .	. . . . . . . . . .		
Population in 1915 (Est.) 20,538	" 13 " 20	17.1 17.1	 	10 10	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1	. . . .	. . . .	. 1 1	1 2	. . . .	. . . .	. . . .		
Blackrock Urban District.	Oct. 16 " 23 " 30 Nov. 6	11.3 16.9 11.3 5.6	. . . . . . . . . .	2 3 2 1	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	1 . . . 1 . . .	. . . . 1 . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . 1 . . .		
Population in 1915 (Est.) 9,233.	" 13 " 20	22.6 5.6	. 	4 1	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .		
Kingstown Urban District.	Oct. 16 " 23 " 30 Nov. 6	18.5 15.4 9.2 12.3	. . . . . . . . . .	6 5 3 4	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. 1 . . . . . .	. . . . . . . 1	. . . . . . . . . .	. . . . . . . 1	1 . . . 1 . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . 1 . . .		
Population in 1911 16,941.	" 13 " 20	12.3 12.3	. 	4 4	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 1	. . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	. . . .		
Belfast.	Oct. 16 " 23 " 30 Nov. 6	12.6 14.5 17.1 15.8	1.4 1.6 3.4 1.2	97 112 132 122	1 . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. 2 3 3	3 2 7 3	. . . . 4 . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . .	17 5 12 14	2 4 3 4	6 2 5 4	2 10 11 11	9 15 9 14	7 7 10 4	. 1 2 1	. 2 4 2		
Population in 1915 (Est.) 403,000.	" 13 " 20	16.0 20.3	1.6 1.3	124 157	. . . .	. . . .	. . . .	1 1	4 3	1 2	4 1	. . . .	12 25	10 4	10 16	13 11	12 19	2 3	. . . .	. 3 1 1		
Cork.	Oct. 16 " 23 " 30 Nov. 6	11.6 10.9 13.6 16.3	2.7 2.0 2.0 1.4	17 16 20 24	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	3 3 5 4	. 1 2 2	3 . . . 1 1	. . . . 2 . . .	2 1 2 1	4 3 3 1	. . . . . . . . . .	. . . . . . . 1		
Population in 1911 76,873.	" 13 " 20	14.3 20.4	. 0.7	21 30	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	4 3	2 1	1 1	. 1	1 5	. 1	. . . .	1 . . .		
Londonderry.	Oct. 16 " 23 " 30 Nov. 6	21.5 12.7 19.0 24.0	2.5 5.1 2.5 2.5	17 10 15 19	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . 1 . . .	. . . . . . . . . .	. . . . 3 . . . 1 . . .	. . . . . . . . . .	. . . . 1 . . . . . .	3 1 1 5	. . . . 1 5	1 1 . . . 1	. . . . 1 1	1 3 3 3	2 1 1 1	. . . . . . . . . .	. . . . 1 1		
Population in 1915 (Est.) 41,200.	" 13 " 20	7.6 16.5	. 1.3	6 13	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1	1 3	2 1	. 1	. . . .	1 . . .		
Limerick.	Oct. 16 " 23 " 30 Nov. 6	16.2 9.5 21.7 6.8	. . . . . . . . . .	12 7 16 5	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	3 1 3 1	. . . . 1 1	. . . . 1 . . .	. . . . . . . . . .	3 1 2 2	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .		
Population in 1911 38,518.	" 13 " 20	19.0 13.5	. 2.7	14 10	. . . .	. . . .	. . . .	. . . .	. . . .	. 2 . . .	. . . .	. . . .	1 . . .	. . . .	. . . .	. . . .	2 3	. . . .	. . . .	. . . .		
Waterford.	Oct. 16 " 23 " 30 Nov. 6	17.1 15.2 22.8 11.4	1.9  3.8  	9 8 12 6	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . . . . . . .	. . . . 1 . . . . . .	. . . . . . . . . .	. . . . 1 . . . . . .	. . . . . . . . . .	1 1 1 . . .	. 1 1 1	. . . . 1 . . .	. . . . . . . 1	. . . . . . . 1	. . . . . . . 2	. . . . . . . . . .	. 1 . . . . . .		
Population in 1911 27,464.	" 13 " 20	9.5 22.8	5.7 1.9	5 12	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 1	. . . .	. 2	. . . .	. . . .	. 1	. . . .	. . . .	. . . .	. . . .		

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																									
		May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.
No. of weeks in Annual Series,		21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46
BIRTHS registered, ...		228	180	173	193	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171	169
DEATHS registered, ...		131	129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	132	122	124	157
Annual Death-rate per 1,000 of estimated population, ...		16.9	16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	16.0	20.3
AGES, { Under 1 year, ... 1-5 years, ... 5-25 " ... 25-45 " ... 45-65 " ... 65 and upwards, ...		20	21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30	17
		18	9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8	12
		19	22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20	20
		28	24	26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10	21	37	18	27
		25	29	18	30	27	25	18	27	23	26	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22	23
		21	24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24	16	22	27	24	25	39
Deaths from :—																											
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		5	1	5	5	5	2	3	3	1	3	.	1	1	1	1	.	.	.	.	1	.	2	3	.	1	1
Scarlet Fever, ...		1	1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	2	7	8	4	3
Whooping-cough, ...		2	1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.	1	2
Diphtheria, ...		.	1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	1	4	1
Dysentery, ...		.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis. { Pulmonary, ...		23	26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12	25
{ Other Forms, ...		8	4	6	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	4	10	4
Cancer ...		5	8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10	16
Diseases of Respi- { Pneumonia,		5	6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13	11
ratory System, { Others, ...		15	10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12	19
Diarrhoea and Enteritis, under 2 years, ...		3	3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2	3
Diarrhoea, 2 years and upwards, ...		.	.	.	.	.	.	2	1	1	.	1	1	.	1	4	.	2	1	1	.	.	1	2	1	.	.
Violent Deaths, ...		3	3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	2	1	3
Number of Uncertified Deaths, ...		.	2	1	1	.	.	.	4	1	1	.	.	1	.	2	3	2	1	.	5	.	3	2	1	.	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.  Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Nov. 20,	1,835	1,407	16·2	1	.	6	10	10	19	21	
EDINBURGH, ---	328,700	" 20,	86	97	15·4	.	.	4	3	.	.	.	
GLASGOW, ---	1,078,400	" 20,	444	402 <sup>c</sup>	19·4	.	.	4	7	2	5	4	
CALCUTTA ---	896,067	Oct. 2,	.	.	.	.	.	.	.	.	.	.	
BOMBAY, ---	979,445	" 9,	493	497	26·4	51*	2	1	.	.	.	49 <sup>a</sup>	
MADRAS, ---	518,660	" 2,	384	342	34·3	41*	8	1	?	?	?	70 <sup>a</sup>	
CAIRO, {	Egyptians, ...	July 29,	598	749	59·3	28	1	2	.	?	9†	228	
	Foreigners, ...	" 29,	6	29	20·7	2	.	1	.	?	.	4	
ALEXAN- DRIA, {	Egyptians, ...	" 29,	312	274	41·4	4	2	.	.	?	1†	100	
	Foreigners, ...	" 29,	35	59	39·6	7	.	.	.	?	.	46	
PARIS, ---	2,847,229	Oct. 16,	471	698	12·5	4	.	2	.	3	3†	18	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	613,249	Oct. 9,	256	109	11·6	.	.	2	.	4	1†	2	
COPENHAGEN, ---	494,000	" 23,	194	112	11·8	.	.	1	.	1	.	1 <sup>a</sup>	
STOCKHOLM, ---	386,270	" 23,	108	94	12·7	.	.	.	.	.	.	1 <sup>a</sup>	
CHRISTIANIA, ---	250,677	Nov. 6,	91	51	10·6	.	.	.	.	.	.	2 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Oct. 16,	.	1,151	35·4	53	10	48	54	9	20†	177† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Oct. 16,	2,529	1,287	11·6	12	.	3	.	6	10†	70	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Oct. 30,	.	180 <sup>b</sup>	12·9	.	.	1	.	5	1	11 <sup>a</sup>	

\* Deaths from "fever," including 4 from plague in Bombay, and 6 from enteric fever in Madras.

† Including deaths from croup.

‡ Including 15 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.

<sup>b</sup> Corrected figures, i.e. non-residents deducted, 152 deaths (including 7 from diarrhoeal diseases); rate, 10·9 per thousand.

<sup>c</sup> Including one death from cerebro-spinal fever in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 20th November, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	.	.	.	.	.	.	.	1	.	.	.	.	2	3
„ „ 2,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 3,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Clontarf and Howth No. 1 (part of),	.	3	.	.	1	.	.	.	.	.	.	.	1	5
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City No. 1,	.	.	2	.	.	.	.	.	.	.	.	.	.	2
„ „ 2,	.	.	.	.	.	.	.	1	.	.	.	.	1	2
„ „ 3,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
„ „ 4,	.	1	.	.	.	.	.	.	1	.	.	.	2	4
New Kilmainham,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
Total,	.	9	2	.	2	.	.	2	1	.	.	.	10	26

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 20th November, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 20th November.			
	Oct. 30.	Nov. 6.	Nov. 13.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	48	41	38	2	7	1	32
Typhus,	2	2	3	1	.	.	4
Small-pox,	.	.	.	.	.	.	.
Measles,	13	18	28	20	11	.	37
Scarlet Fever,	78	82	89	14	10	2	91*
Diphtheria,	27	32	31	5	12	1	23
Pneumonia,	9	13	15	4	4	3	12

\* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 27TH NOVEMBER, 1915.

[No. 47.]

*General Register Office, Charlemont House,  
Dublin, 29th November, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·1 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 6	Nov. 13	Nov. 20	Nov. 27	
<b>27 Town Districts, (a)</b>	<b>15·8</b>	<b>16·8</b>	<b>20·6</b>	<b>20·1</b>	<b>18·3</b>
Dublin Reg. Area ...	15·6	20·9	22·1	24·1	20·7
Dublin City ...	16·5	23·0	25·2	25·8	22·6
Belfast ...	15·8	16·0	20·3	18·1	17·6
Cork ...	16·3	14·8	20·4	21·8	18·2
Londonderry ...	24·0	7·6	16·5	20·2	17·1
Limerick ...	6·8	19·0	13·5	24·4	15·9
Waterford ...	11·4	9·5	22·8	22·8	16·6

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·0 per 1,000. Among the 140 deaths from all causes for Belfast are 3 from measles, 7 from scarlet fever, 2 from whooping-cough, one from diarrhoea and enteritis of a child under 2 years, and one from cerebro-spinal fever. The 32 deaths from all causes for Cork include one from enteric fever and one from diarrhoea and enteritis of a child under 2 years. Of the 16 deaths from all causes for Londonderry 2 are from whooping-cough and one is from diarrhoea and enteritis of a child under 2 years. One of the 18 deaths from all causes for Limerick is due to whooping-cough, and one death from this disease is also included in the 4 deaths from all causes for Portadown, and in the 7 deaths from all causes recorded for Ballymena.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 215—121 boys and 94 girls—and the deaths to 197—100 males and 97 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·1 per 1,000 of the population. During the forty-seven weeks, ending with Saturday last, the death-rate averaged 21·8, and was 0·6 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 197, represent an annual rate of 25·1 per 1,000; the annual rate for the past forty-seven weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Included in the total deaths registered are one\* from enteric fever, 7 from measles, 3 from scarlet fever, 2 from whooping-cough, 12 from diarrhoea and enteritis of children under 2 years of age, 3 from influenza, one from varicella, and one from cerebro-spinal fever.

In the three preceding weeks, deaths from enteric fever were 0, 2, and one; deaths from measles were one, 2, and 4; deaths from scarlet fever were 0, 2, and 0; deaths from whooping-cough were 0, 2, and one; deaths from diarrhoea and enteritis of children under 2 years of age were 4, 9, and 4; and deaths from influenza were one, one, and one. There were no deaths from cerebro-spinal fever in the 3 preceding weeks.

There were 30 deaths from tuberculous disease, comprising 22 from pulmonary tuberculosis, 5 from tuberculous meningitis, one from abdominal tuberculosis, and 2 from other forms of tuberculous disease. In the three preceding weeks deaths from all forms of the disease numbered 21, 25, and 33, respectively.

Cancer caused 6\* deaths.

Seventeen\* deaths were caused by pneumonia, of which 8 were from broncho-pneumonia, 2 from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Among deaths of infants under one year old 2 were ascribed to convulsions, one to congenital malformation, 4 to prematurity and 6 to congenital debility.

Organic diseases of the heart caused 16 deaths and bronchitis 21 deaths.

There were 3 accidental deaths, including one death caused by burns.

In 13 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 7 children under 5 years of age (including 3 infants under one year old) and the deaths of 3 persons aged 65 years and upwards.

Sixty-four of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 6 were under one month old), and 54 were aged 65 years and upwards, including 43 persons aged 70 and upwards; among the latter were 27 aged 75 and upwards, of whom 2 (females) were stated to have been aged 94 and 104 years respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 5 took place in the North Dublin Union Workhouse, 26 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·1 per 1,000; the rate in the City was 25·8 (North City Districts, 23·9; South, 28·1), and in the Suburbs, 18·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·1 per 1,000 inhabitants, the rate for the City being 3·8 (in the North City Districts 3·1, and in the South 4·6), and for the Suburbs 0·5 per 1,000.

No. 1 *North City District, East* (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·1 per 1,000. Among them are one each from whooping-cough and influenza, 3 from tuberculous disease, 3 each from pneumonia and bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 1 *North City District, West* (Summer-hill).—The deaths (21) are equal to an annual rate of 26·3 per 1,000. There were 4 deaths from tuberculous disease, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 *North City District* (Lisburn-street).—The deaths (11) are equivalent to an annual rate of 20·6 per 1,000. One death from tuberculous meningitis, 3 from pneumonia, and one from bronchitis were recorded.

No. 3 *North City District* (Benburb-street).—The deaths (16) represent an annual rate of 23·2 per 1,000, including 2 from scarlet fever, one from tuberculous meningitis, 3 from pneumonia, 2 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years of age.

*Other North City Districts.*—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumcondra, part of, 26·4; and Finglas and Glasnevin, part of, 14·4. The only death recorded for the first-named district was from scarlet fever. Included in the 7 deaths from all causes for Coolock and Drumcondra, part of, are one from influenza, 2 from pulmonary tuberculosis, one from bronchitis, and one of a child under 2 years from diarrhoea and enteritis. Of the 3 deaths from all causes for Finglas and Glasnevin, part of, one was from bronchitis, and one of a child under 2 years from diarrhoea and enteritis.

No. 1 *South City District* (South Earl-street).—The deaths (27) represent an annual rate of 34·2 per 1,000. There were 2 deaths from measles, 9 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years of age.

No. 2 *South City District* (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Measles caused 2 deaths, broncho-pneumonia one death, and diarrhoea and enteritis 2 deaths, the latter being those of children under 2 years of age.

No. 3 *South City District* (Peter-street).—The deaths (30) are equal to an annual rate of 35·6 per 1,000. Two deaths from measles, one from whooping-cough, 5 from tuberculous disease, 3 from pneumonia, 4 from bronchitis, one from diarrhoea and enteritis of a child under 2 years of age, and one accidental death were recorded.

No. 4 *South City District* (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000, and include one from measles, 2 from pulmonary tuberculosis, and 2 from bronchitis.

*New Kilmainham District.*—There was one death (equal to an annual rate of 5·2 per 1,000) recorded during the week.

*Urban Districts.*—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·1; Pembroke, 13·7; Blackrock, 28·2; and Kingstown, 15·4. The only death from any of the principal epidemic diseases tabulated for these districts was that of a child under 2 years from diarrhoea and enteritis for Rathmines and Rathgar. The 16 deaths from all causes for this district include one from pulmonary tuberculosis and one from broncho-pneumonia. Among the 8 deaths from all causes for Pembroke are one from influenza, 2 from pulmonary tuberculosis, and one from bronchitis; and one of the 5 deaths from all causes for Kingstown is from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·1), was equal to an average annual death-rate of 16·7 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 22·7 per 1,000, the rate for Glasgow being 25·4, and for Edinburgh 21·3.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 27th November. From this Report it appears that of 91 cases notified, 57 were scarlet fever, 19 diphtheria, 8 pulmonary tuberculosis, 2 other forms of tuberculosis, and 5 erysipelas. Among the 796 cases of infectious diseases in hospital at the close of the week were 149 of scarlet fever, 161 of diphtheria, 133 of pulmonary tuberculosis, 23 of measles, 8 of erysipelas, 2 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 27th November, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Nov. 6,	.	—	—	14	.	.	5	.	.	5	2	.	—	—	—	—	.	5	33
	Nov. 13,	.	—	—	12	.	.	5	.	.	4	3	.	—	—	—	—	.	8	32
	Nov. 20,	.	—	—	9	2	.	2	.	.	2	1	.	—	—	—	—	.	10	26
	Nov. 27,	.	—	—	11	.	.	5	.	.	6	5	.	—	—	—	—	.	20	47
Rathmines and Rathgar Urban District.	Nov. 6,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	—	2
	Nov. 13,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	—	—	4
	Nov. 20,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	—	1
	Nov. 27,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
Pembroke Urban District.	Nov. 6,	.	.	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	.	3
	Nov. 13,	.	.	.	2	.	.	.	.	.	.	.	.	—	.	.	—	—	.	3
	Nov. 20,	.	4	.	3	.	.	.	.	.	.	1	.	—	1	.	—	—	.	9
	Nov. 27,	.	2	.	1	.	.	1	.	.	.	.	.	—	.	.	—	—	1	5
Blackrock Urban District.	Nov. 6,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 20,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 27,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Nov. 6,	.	—	—	1	.	.	1	.	.	.	.	.	—	—	—	—	—	.	1
	Nov. 13,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Nov. 20,	.	—	—	3	.	.	1	.	.	.	.	.	—	—	—	—	—	.	4
	Nov. 27,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
City of Belfast.	Nov. 6,	.	—	—	43	.	.	6	.	.	.	9	.	—	—	1	—	.	2	61
	Nov. 13,	.	—	—	56	.	.	5	.	.	.	6	.	—	—	.	—	.	3	70
	Nov. 20,	.	—	—	37	.	.	5	.	.	2	9	.	—	—	.	—	.	5	58
	Nov. 27,	.	—	—	56	.	.	3	.	.	5	7	.	—	2	—	—	.	5	78
City of Cork.	Nov. 6,	.	3	—	7	.	.	.	.	.	2	.	.	—	—	—	—	—	—	12
	Nov. 13,	.	2	—	6	.	.	2	1	.	.	2	.	—	—	—	—	—	—	13 <sup>a</sup>
	Nov. 20,	.	5	—	4	.	.	.	.	1	1	1	.	—	—	—	—	—	—	12
	Nov. 27,	.	3	—	4	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
City of Londonderry.	Nov. 6,	.	—	—	4	.	.	1	.	.	.	.	.	—	—	—	—	—	—	4
	Nov. 13,	.	—	—	11	.	.	1	.	.	.	.	.	—	—	—	—	—	—	12
	Nov. 20,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Nov. 27,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
City of Limerick.	Nov. 6,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Nov. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Nov. 20,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Nov. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Nov. 6,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Nov. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	1	3
	Nov. 20,	.	—	—	.	.	.	.	.	.	.	1	.	—	—	—	—	—	2	3
	Nov. 27,	.	—	—	1	.	.	.	.	.	1	.	.	—	—	—	—	—	3	5

(a) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 27th November, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 6 were discharged, there was one death, and 32 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 41, 38, and 32.

Two cases of typhus were discharged from hospital during the week, and 2 cases remained under treatment at its close. At the close of the 3 preceding weeks the cases in hospital were 2, 3, and 4, respectively.

Fourteen cases of measles were admitted to hospital during the week, 14 were discharged, there were 2 deaths, and 35 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 18, 28, and 37 respectively.

Fourteen cases of scarlet fever were admitted to hospital, 16 were discharged, 2 died, and 87\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 82, 89, and 91, respectively.

Six cases of diphtheria were admitted to hospital during the week, 2 were discharged, there was one death, and the cases in hospital, which at the close of the 3 preceding weeks numbered 32, 31, and 23 respectively, were 26 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, there were 2 deaths and 11 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 27th November, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

TOWNS AND DISTRICTS.	Census Statistics of Districts.		REGISTRATION—WEEK ENDING SATURDAY, 27TH NOVEMBER, 1915.																												
	POPULATION.		DEATHS.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
							BIRTHS.		DEATHS.																						
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by																			Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
										Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	23.9	20.1	2.0	555	467	75	128	1	...	...	10	10	9	...	...	47	16	12	46	71	17	...	5	13	138	25			
DUBLIN REG- ISTRATION AREA:—							(d)																								
TOTAL, (c.) ...	409,000	29.8	27.4	24.1	3.1	215	189	32	53	...	...	...	7	3	2	...	...	22	8	5	16	24	1	...	1	3	70	13			
CITY OF DUBLIN,	312,747	39.5	31.3	25.8	3.8	188	155	25	36	...	...	...	7	3	2	...	...	19	8	2	15	21	11	...	1	3	62	10			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	9.2	21.1	1.3	7	16	4	7	...	...	...	...	...	...	...	...	1	...	2	1	...	1	...	...	...	4	2			
PEMBROKE, ...	30,538	19.4	15.4	13.7	.	9	8	2	3	...	...	...	...	...	...	...	...	2	...	1	...	1	...	...	...	...	2	1			
BLACKROCK, ...	9,233	8.5	5.6	28.2	.	1	5	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...			
KINGSTOWN, ...	16,941	11.6	30.8	15.4	.	10	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	...			
Urban Districts							(d)																								
BELFAST ...	403,000	27.0	22.3	18.1	1.7	172	140	22	25	...	...	...	3	7	2	...	...	4	4	3	18	27	1	...	2	7	26	...			
CORK, ...	76,673	28.6	14.3	21.8	1.4	21	32	3	15	1	...	...	...	...	...	...	...	...	2	1	3	4	1	...	...	1	8	2			
LONDON- DERRY, ...	41,200	16.0	24.0	20.2	3.8	19	16	4	6	...	...	...	...	...	2	...	...	...	...	...	3	4	1	...	1	1	4	...			
LIMERICK, ...	38,518	16.1	14.9	...	...	11	18	2	6	...	...	...	...	...	1	...	...	...	...	1	...	4	...	...	...	...	10	1			
WATERFORD, ...	27,464	19.1	41.8	22.8	.	22	12	1	4	...	...	...	...	...	...	...	...	5	...	...	2	2	...	...	...	...	8	...			
GALWAY, ...	13,255	2.5	...	...	...	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
DUNDALK, ...	13,128	9.5	...	...	...	7	3	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...			
LURGAN, ...	12,553	14.7	...	...	...	4	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...			
DROGHEDA, ...	12,501	8.4	...	...	...	5	10	1	7	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	2	3			
LISBURN ...	12,388	10.9	...	...	...	1	5	2	1	...	...	...	...	...	...	...	...	...	...	...	...	2	1	...	1	1	1	...			
NEWRY, ...	11,963	17.0	...	...	...	1	4	...	2	...	...	...	...	...	...	...	...	1	1	...	...	1	...	...	...	...	...	1			
PORTADOWN, ...	11,727	15.3	...	...	...	5	4	...	1	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,531	22.8	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
BALLYMENA ...	11,381	9.3	...	...	...	18	7	2	...	...	...	...	...	...	1	...	...	1	...	...	1	...	...	...	...	...	2	...			
SLIGO, ...	11,163	3.8	...	...	...	3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
KILKENNY, ...	10,514	11.4	...	...	...	4	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1			
TRALEE, ...	10,300	17.4	...	...	...	...	5	1	3	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	2	...			
CLONMEL, ...	10,209	7.8	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
NEWTOWNARDS	9,587	20.1	...	...	...	10	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1			
QUEENSTOWN,	8,209	14.7	...	...	...	...	3	1	1	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...			
LARNE, ...	8,036	13.4	...	...	...	4	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...			
COLERAINE. ...	7,785	7.7	...	...	...	3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...			
BANGOR, ...	7,776	8.5	...	...	...	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
BRAY, ...	7,691	7.2	...	...	...	3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ...	7,472	6.2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...			
ARMAGH, ...	7,356	21.8	...	...	...	2	5	...	1	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	1	3			

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 8 deaths of persons (including one at 70 years), admitted to hospital from localities outside the Area; the 8 deaths include one from each of enteric fever, cancer, and pneumonia. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 27th of November, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	
Measles, . . . . .	.	.	.	.	.	.	2	2	2	1	.	.	.	.	.	.	3	
Scarlet Fever, . . . . .	.	.	.	2	1	.	.	.	.	.	.	.	.	.	.	.	2	
Whooping-cough, . . . . .	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
Croup, . . . . .	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	3	
Influenza, . . . . .	1	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	3	
Dysentery, . . . . .	1	3	.	.	.	2	7	.	4	2	.	1	2	.	.	.	22	
Tuberculosis, { Pulmonary,	2	1	1	1	.	.	2	.	1	.	.	1	2	.	.	.	8	
{ Other Forms,	.	.	.	.	.	.	.	1	1	.	.	2	1	.	.	.	5	
Cancer, . . . . .	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	1	
Diseases of Nervous System, . . . . .	.	.	2	.	.	2	2	1	4	.	.	2	1	.	.	.	14	
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System, . . . . .	1	4	1	.	.	.	.	1	3	1	.	3	1	2	1	.	18	
" Respiratory { Pneumonia, . . . . .	3	.	3	3	.	.	2	1	3	.	.	1	.	.	.	.	16	
System. { Others, . . . . .	4	3	1	2	.	1	3	.	4	2	.	.	1	.	2	.	24	
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	1	.	2	.	1	2	2	1	.	.	1	.	.	.	.	12	
" Digestive System. { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Others, . . . . .	1	.	2	1	.	.	.	1	2	.	.	1	.	.	.	.	8	
" Genito-urinary System, . . . . .	.	2	1	2	.	.	4	.	.	1	.	1	.	1	.	.	12	
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue, . . . . .	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes, . . . . .	2	4	.	3	.	.	3	1	3	2	1	3	1	2	2	.	27	
Violent Deaths, . . . . .	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	
Ill-defined, &c. Causes, . . . . .	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	
Deaths from All Causes . . . . .	17	21	11	16	1	7	3	27	10	30	11	1	16	8	5	5	189	
Annual Rate of Mortality from All Causes in every 1,000 of the population. . . . .	29.1	26.3	20.6	23.2	9.4	26.4	14.4	34.2	28.4	35.6	17.3	5.2	21.1	13.7	28.2	15.4	24.1	
	23.9							28.1					18.4					
	25.3																	
Ages at Death, { Under 1 year, . . . . .	4	3	3	3	.	1	1	5	2	1	2	.	4	2	.	1	32	
{ 1 and under 2 years, . . . . .	2	2	1	1	.	.	.	1	2	5	1	.	.	.	.	.	15	
{ 2 " 5 " . . . . .	.	1	.	.	.	.	1	4	3	7	.	.	1	.	.	.	17	
{ 5 " 15 " . . . . .	.	.	3	2	1	.	.	1	1	1	1	.	.	.	.	.	9	
{ 15 " 25 " . . . . .	.	1	.	.	.	.	.	4	.	1	.	.	.	.	.	.	6	
{ 25 " 45 " . . . . .	4	4	2	3	.	1	.	4	.	1	3	.	1	1	.	.	24	
{ 45 " 65 " . . . . .	2	5	3	3	.	3	.	3	2	7	1	.	2	2	.	2	33	
{ 65 and upwards, . . . . .	5	5	2	4	.	2	1	6	.	7	3	1	7	3	5	2	53	
Number of Uncertified Deaths, . . . . .	.	5	1	.	.	.	.	1	1	2	.	.	2	1	.	.	13	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	2	3	3	4	1	2	1	5	2	3	5	.	3	1	.	1	39	
Workhouse Hospitals, . . . . .	1	2	.	1	.	.	1	9	2	8	4	.	1	1	1	.	31	
																	7	
																	1	





FORTY-SEVENTH WEEK, ending Saturday, 27th November, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 47th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 27th November, 1915.											
	Nov. 25, 1905.	Nov. 24, 1906.	Nov. 23, 1907.	Nov. 21, 1908.	Nov. 27, 1909.	Nov. 26, 1910.	Nov. 25, 1911.	Nov. 23, 1912.	Nov. 22, 1913.	Nov. 21, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	5	1	1	1	—	4	.	2	.	1	.	.	.	.	1	.	.
Diarrhoea and Enteritis of Children under 2 years.	7	7	10	9	6	7	7	8	9	7	8.0	12	.	10	2	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards.		1	.	.	.	.	1	.	.	1			.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	.	.	.	—	1	.	.	.	.	.	.	.	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	4	1	2	—	1	.	.	.	1	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	2	1	.	2	2	2	2	3	2	1	1.7	2	.	.	.	.	.	.	1	.	1	.	.
Other Diseases of Liver, ...	1	.	.	3	1	1	.	2	.	.	.8	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown).	.	.	.	.	1	1	1	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	7	5	6	5	6	4	.	1	1	2	3.7	2	.	1	1	.	.	.	.	.	.	.	.
Acute Nephritis, ...	6	5	7	8	6	2	3	1	1	1	7.0	9	.	.	.	1	.	.	.	.	.	.	.
Chronic Bright's Disease, ...							3	9	4	8			.	.	.	.	1	1	5	1	1	.	
Urinary Calculi, ...							.	.	.	.			.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	1	1			.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous)							.	.	.	.			.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.							1	.	.	3			3	.	.	.	2	.	.	.	.	2	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	2	.	.	.	.	1	.	.3	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	.	1	—	2	.	.	.	.	1	.	1	.	.	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	1	3	1	—	1	.	1	.	.	.	.	.	.	.	.	.
Premature Birth, ...	2	2	4	3	1	4	5	5	3	.	2.9	4	3	1	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	4	4	3	5	—	6	1	5	.	.	.	.	.	.	.	.	.
Old Age, ...	3	3	3	1	5	5	4	2	11	4	4.1	13	.	.	.	.	.	.	.	.	5	8	.
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.
ACCIDENT:																							
Poisons or Poisonous Vapours.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	2	.	2	1	1	2	2	.	1	2	1.3	1	.	.	.	.	1	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	1	.	1	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	3	3	1	1	.	2	.	3	4	1.8	2	.	.	.	.	1	.	.	1	.	.	
Total Deaths from Accident,	3	3	7	2	2	2	5	1	5	6	3.6	3	.	.	.	1	1	.	.	1	.	.	
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	1	.	.	.	.	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	1	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	.	1	.	.	.	.	1	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	1	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	2	5	2	3	—	4	.	.	2	.	.	1	1	.	.	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.		1915—WEEK ENDING																										
		June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	
No. of weeks in Annual Series		22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	
Births registered.		245	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180	182	175	215	
Average Births in corresponding week of previous 10 years. ...		245	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	224	197	212	210	199	188	
Deaths registered. ...		165	147	147	133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151	129	172	194	197	
Annual Death-rate per 1,000. ...		21.0	18.7	18.7	17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	19.3	16.4	21.9	24.7	25.1	
Average Deaths in corresponding week of previous 10 years. ...		152	150	155	143	155	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153	153	147	164	167	169	166	
Ages, { Under 5 years, ... 5-15 " ... 15-25 " ... 25-45 " ... 45-65 " ... 65-75 " ... 75 and upwards, ...		54	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27	36	53	64	
		3	8	6	6	7	6	5	3	6	4	4	6	8	7	7	4	7	8	7	3	8	8	5	8	6	10	
		9	11	10	12	10	8	5	10	6	5	5	7	4	6	8	9	6	9	7	14	9	8	12	8	6	12	7
		26	33	25	21	23	21	18	18	24	21	12	21	18	27	25	36	28	38	38	22	32	28	15	18	22	27	27
		41	43	39	26	51	27	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30	47	34	50	49	35	
		19	13	18	23	16	23	13	17	13	14	14	21	17	14	19	21	19	19	19	16	26	24	24	22	29	29	27
		13	14	10	11	18	15	13	14	8	11	11	11	11	9	10	12	16	12	13	6	6	16	7	15	21	18	
		Deaths from:—																										
Enteric Fever, ...								1			1							1	2		3	2			2	1	1	
Typhus, ...																												
Small-pox, ...																												
Measles, ...		2	1		2	1	2	1		1	1			1				2	1	2	1	2	3	1	2	4	7	
Scarlet Fever, ...		3	2	3	2	1		1	1	1		2	1			1	1	1	1	1	1	1	1	1	1	1	3	
Whooping-cough, ...		1	2	2	1		2	2	3		2	2	1	1		2	3											
Diphtheria, ...		1	1	1	1		2	2	1		1																	
Influenza, ...		1	1	1	1		2	2	1		1																	
Dysentery, ...																												
Tuberculosis { Pulmonary ...		24	28	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15	14	23	28	22	
3 " Other Forms, ...		3	12	6	8	9	2	3	7	6	9	3	4	7	4	5	3	5	9	9	9	9	7	7	2	5	8	
Cancer, ...		8	6	10	10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11	12	10	10	11	11	6	
Diseases of Circulatory System, ...		16	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	15	12	24	15	19	
Diseases of Respi- ( Pneumonia, ...		10	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	4	5	2	4	9	5	8	16	17	
ratory System, { Others, ...		17	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	14	21	21	32	24	
Diarrhoea and Enteritis, under 2 years, ...		9		5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4	9	4	12	
Diarrhoea, 2 years and upwards																												
Violent Deaths, ...		6		3	5	5	1	6	2	1	4	5	4	2	4	1	1	5	2	5	2	3	7	5	1	1	3	
Number of Uncertified Deaths, ...		5	1	5	5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4	2	5	13	





TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
														Pulmonary.		Other Forms.	Pneumonia.					Other.
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 23 " 30 Nov. 6 " 13 " 20 " 27	18.8 15.4 17.1 32.5 17.1 29.1	6.8 1.7 . 5.1 . 3.4	11 9 10 19 10 17	. .<																	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculoas.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Oct. 23 " 30 Nov. 6 " 13	11.9 11.9 10.5 10.5	. 1.3 . .	9 9 8 8	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 1 1 .	. . . .	1 1 1 .	1 . . 4	. . . 1	. 1 . .1	. .1 .1 .	. .1 .1 .	. .1 .1 .	. .1 .1 .
Population in 1915 (Est.) 39,541.	" 20 " 27	9.2 21.1	1.3 1.3	7 16	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	1 .	. .	2 1	1 .	1 .	1 .	. .	. .	. .	2
Pembroke Urban District.	Oct. 23 " 30 Nov. 6 " 13	25.6 22.2 17.1 17.1	6.8 3.4 . .	15 13 10 10	1 .1	. .1	. .1	. .1	. .1	1 .	1 .	. .1	. 1 2 1	1 2 .1	1 1 .1	1 .1	. 2 1	. . .	3 .1	. .1	. .1	1 1
Population in 1915 (Est.) 30,538	" 20 " 27	17.1 13.7	. .	10 8	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	2 .	. 1	. .	. .	1 .	. .	. .	. .	. .	1
Blackrock Urban District.	Oct. 23 " 30 Nov. 6 " 13	16.9 11.3 5.6 22.6	. .1 . .	3 2 1 4	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. 1	. .	. .	. .	. .	. .	. .	. 1	1
Population in 1915 (Est.) 9,233.	" 20 " 27	5.6 28.2	. .	1 5	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .	. .	. .	. .	. .	. .	. .	. .	.
Kingstown Urban District.	Oct. 23 " 30 Nov. 6 " 13	15.4 9.2 12.3 12.3	. .1 . .	5 3 4 4	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	1 .1	. 1	. .	. .	. 1	. .1	. .1	. .1	. .1	1
Population in 1911 16,941.	" 20 " 27	12.3 15.4	. .	4 5	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	1 .	. .	. .	. .	1 2	. .	. .	. .	. .	.
Belfast.	Oct. 23 " 30 Nov. 6 " 13	14.5 17.1 15.8 16.0	1.6 1.4 3.2 1.6	112 132 122 124	. .1	. .1	. .1	2 3	2 7	. 4	. 1	. .1	5 12 14 12	4 3 4 10	2 5 4 10	10 11 11 13	15 9 14 12	7 10 4 2	1 2 1 .	2 4 2 1	3 2 1 .	
Population in 1915 (Est.) 403,000.	" 20 " 27	20.3 18.1	1.3 1.7	157 140	. .1	. .1	. .1	1 3	3 7	1 2	4 1	. .1	25 14	4 4	16 3	11 18	19 27	3 1	. .	3 2	1 .	.
Cork.	Oct. 23 " 30 Nov. 6 " 13	10.9 13.6 16.3 14.3	2.0 2.0 1.4 .	16 20 24 21	. .1	. .1	. .1	. 1	. .1	. .1	. .1	. .1	3 5 4 4	1 .2 2 1	. 1 1 1	. .2 1 1	1 2 1 1	3 3 1 .	. .1 .	. .1	. .1	1
Population in 1911 76,673.	" 20 " 27	20.4 21.8	0.7 1.4	30 32	. 1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	3 .	1 2	1 1	1 3	5 4	1 .	1 .	. .	. .	2
Londonderry.	Oct. 23 " 30 Nov. 6 " 13	12.7 19.0 24.0 7.6	5.1 2.5 2.5 .	10 15 19 6	. .1	. .1	. .1	. 1	. .1	3 1	. 1	. .1	. 5	. 1	1 1	. 1	3 2 3 2	1 1 1 1	. .1 .	. .1	. .1	1
Population in 1915 (Est.) 41,200.	" 20 " 27	18.5 20.2	1.3 3.8	13 16	. .1	. .1	. .1	. .1	. .1	. 2	. .1	. .1	. .1	. .1	. .1	1 3	4 .	1 .	. .	1 1	. .	.
Limerick.	Oct. 23 " 30 Nov. 6 " 13	9.5 21.7 6.8 19.0	. .1 . .	7 16 5 14	. .1	. .1	. .1	. .1	. .1	. .1	. .1	. .1	1 3 1 1	. 1 .1	. 1 .1	. .1 .1	. 1 2 2	. .1 .	. .1	. .1	. .1	1
Population in 1911 38,518.	" 20 " 27	13.5 24.4	2.7 1.4	10 18	. .1	. .1	. .1	. .1	. 2	. 1	. .1	. .1	. .1	. .1	1 .	. .	4 .	. .	. .	. .	. .	1
Waterford.	Oct. 23 " 30 Nov. 6 " 13	15.2 22.8 11.4 9.5	. 3.8 . 5.7	8 12 6 5	. .1	. .1	. .1	. .1	. .1	. .1	. 1	. .1	2 1 .1	. 1 .1	. 1 .1	. 1 .1	. 1 1	. 1 .	. .1	. .1	. .1	.
Population in 1911 27,464.	" 20 " 27	22.8 22.8	1.9 .	12 12	. .1	. .1	. .1	. .1	. .1	. .1	. 1	. .1	2 5	. .1	. .	1 2	2 .	. .	. .	. .	. .	.

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																									
		June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.
No. of weeks in Annual Series,		22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
BIRTHS registered, ...		180	173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171	169	172
DEATHS registered, ...		129	106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	123	97	112	132	122	124	157	140
Annual Death-rate per 1,000 of estimated population, ...		16.7	13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	16.0	20.3	18.1
AGES, { Under 1 year,		21	13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30	17	22
{ 1-5 years,		9	14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8	12	12
{ 5-25 "		22	18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20	20	15
{ 25-45 "		24	26	12	13	25	13	11	16	17	18	18	16	19	22	19	18	15	19	22	18	10	21	37	18	27	22
{ 45-65 "		20	18	30	27	25	18	27	28	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22	23	42	44
{ 65 and upwards,		24	17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24	16	22	27	24	25	39	25
Deaths from :—																											
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		1	5	5	5	2	3	8	1	3	.	1	1	1	1	.	.	.	.	1	.	2	3	.	1	1	3
Scarlet Fever, ...		1	1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	2	7	3	4	3	7
Whooping-cough, ...		1	1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.	1	2	2
Diphtheria, ...		1	.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	1	4	1	.
Dysentery, ...		.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Pulmonary,		26	20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12	25	14
{ Other Forms,		4	8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	4	10	4	4
Cancer ...		8	3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10	16	3
{ Pneumonia,		6	11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13	11	18
{ Others, ...		10	7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12	19	27
Diarrhoea and Enteritis, under 2 years, ...		3	1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2	3	1
Diarrhoea, 2 years and upwards, ...		.	.	.	.	.	2	1	1	.	1	1	.	1	4	.	2	1	.	1	.	1	2	1	.	.	.
Violent Deaths, ...		3	3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	2	1	3	2
Number of Uncertified Deaths, ...		2	1	1	.	.	.	.	4	1	.	.	1	.	2	3	2	1	.	5	.	3	2	1	.	1	.

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Nov. 27,	1,849	1,484 <sup>c</sup>	17.1	4	.	5	10	11	14	33	
EDINBURGH, ---	328,700	" 27,	93	134	21.3	.	.	9	5	.	3	.	
GLASGOW, ---	1,078,400	" 29,	459	525	25.4	1	.	4	6	3	7	8	
CALCUTTA ---	896,067	Oct. 2,	.	.	.	.	.	.	.	.	.	.	
BOMBAY, ---	979,445	" 16,	496	496	25.0	55*	2	2	.	.	.	35 <sup>a</sup>	
MADRAS, ---	518,660	" 9,	385	359	36.0	28*	3	1	?	?	?	90 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Aug. 5,	596	811	64.1	33	.	5	1	?	12†	246	
	Foreigners,	" 5,	11	28	20.0	2	.	.	.	?	4	1	
ALEXAN- DRIA, {	Egyptians,	" 5,	315	297	44.9	3	1	.	.	?	1†	124	
	Foreigners,	" 5,	31	50	33.5	9	.	.	.	?	.	2	
PARIS, ---	2,847,229	Oct. 23,	432	726	13.0	2	.	1	1	5	1†	12	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	613,249	Oct. 16,	247	133	11.3	1	.	5	.	1	1†	6	
COPENHAGEN, ---	494,000	" 30,	205	117	12.4	.	.	.	.	1	1†	2 <sup>a</sup>	
STOCKHOLM, ---	386,270	" 30,	116	79	10.6	.	.	.	1	1	.	3 <sup>a</sup>	
CHRISTIANIA, ---	250,677	Nov. 13,	99	57	11.8	.	.	.	1	1	.	2 <sup>a</sup>	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Oct. 23,	.	1,122	34.5	40	5	50	52	10	28†	165† <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ---	5,806,532	Oct. 23,	2,679	1,296	11.6	8	.	1	.	6	11†	61	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Nov. 6,	.	205 <sup>b</sup>	14.7	1	.	1	.	4	4	6 <sup>a</sup>	

\* Deaths from "fever," including 8 from plague and 4 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 15 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e. non-residents deducted, 183 deaths (including 3 from diphtheria and 4 from diarrhoeal diseases); rate, 13.1 per thousand.<sup>c</sup> Including one death from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 27th November, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	2	.	.	.	.	1	3
„ „ 1, West,	.	3	.	.	1	.	.	.	3	.	.	.	5	12
„ „ 2,	.	1	.	.	.	.	.	1	.	.	.	.	2	4
„ „ 3,	.	1	.	.	.	.	.	.	.	.	.	.	3	4
Clontarf and Howth No. 1 (part of),	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Coolock and Drumcondra (part of),	.	1	.	.	1	.	.	.	.	.	.	.	.	2
Finglas and Glasnevin (part of),	.	.	.	.	.	.	.	.	.	.	.	.	1	1
South City No. 1,	.	1	.	.	1	.	.	1	.	.	.	.	.	3
„ „ 2,	.	2	.	.	1	.	.	.	1	.	.	.	2	6
„ „ 3,	.	.	.	.	.	.	.	2	.	.	.	.	4	6
„ „ 4,	.	1	.	.	.	.	.	.	1	.	.	.	2	4
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	11	.	.	5	.	.	6	5	.	.	.	20	47

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 27th November, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 27th November.			
	Nov. 6.	Nov. 13.	Nov. 20.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	41	38	32	7	6	1	32
Typhus,	2	3	4	.	2	.	2
Small-pox,	.	.	.	.	.	.	.
Measles,	18	28	37	14	14	2	35
Scarlet Fever,	82	89	91	14	16	2	87*
Diphtheria,	32	31	23	6	2	.	26
Pneumonia,	13	15	12	4	3	2	11

\* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 4TH DECEMBER, 1915.

[No. 48.]

General Register Office, Charlemont House,  
Dublin, 6th December, 1915.

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 21·8 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov 13	Nov. 20	Nov. 27	Dec. 4	
<b>27 Town Districts, (a)</b>	<b>16·8</b>	<b>20·6</b>	<b>20·1</b>	<b>21·8</b>	<b>19·8</b>
Dublin Reg. Area ...	20·9	22·1	24·1	25·9	23·2
Dublin City ...	23·0	25·2	25·8	26·5	25·1
Belfast ...	16·0	20·3	18·1	21·1	18·9
Cork ...	14·3	20·4	21·8	23·8	20·1
Londonderry ...	7·6	16·5	20·2	17·7	15·5
Limerick ...	19·0	13·5	24·4	9·5	16·6
Waterford ...	9·5	22·8	22·8	28·5	20·9

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·2 per 1,000. Among the 163 deaths from all causes for Belfast are 2 from measles, 5 from scarlet fever, 4 from whooping-cough, and 3 from diarrhoea and enteritis of children under 2 years. Included in the 35 deaths from all causes for Cork are one from scarlet fever and 2 from diphtheria. Included in the 14 deaths from all causes for Londonderry are one from whooping-cough, and one of a child under 2 years of age from diarrhoea and enteritis, and there is one death from whooping-cough among the 7 deaths from all causes for Limerick. Of the 15 deaths from all causes for Waterford 2 are from diarrhoea and enteritis of children under 2 years. One of the 7 deaths from all causes for Portadown is ascribed to diphtheria. Among the 7 deaths from all causes for Ballymena is one from whooping-cough, and one death from this disease is also included in the 7 deaths from all causes for Kilkenny, and in the 4 deaths from all causes for Bray.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 165—88 boys and 77 girls—and the deaths to 217—104 males and 113 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 14) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 25·9 per 1,000 of the population. During the forty-eight weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 217, represent an annual rate of 27·7 per 1,000; the annual rate for the past forty-eight weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are one from enteric fever, 13 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, one from dysentery, and 7 from diarrhoeal diseases.

In the three preceding weeks, deaths from enteric fever were 2, one, and one; deaths from measles were 2, 4, and 7; deaths from scarlet fever were 2, 0, and 3; deaths from whooping-cough were 2, one, and 2; deaths from diphtheria were one, one, and 0; deaths from dysentery were one, 0, and 0; and deaths from diarrhoeal diseases were 9, 5, and 12.

Deaths from tuberculous disease, which in the three preceding weeks numbered 25, 33, and 30, respectively, fell to 25\* last week, comprising 18 deaths from pulmonary tuberculosis, 2 from tuberculous meningitis, one from abdominal tuberculosis, and 4 from other forms of the disease.

Fifteen\* deaths from cancer were registered.

Pneumonia caused 16\* deaths, and of these 5 were from broncho-pneumonia, 4 from lobar pneumonia, and 7 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 5 were attributed to convulsions, one to congenital malformation, 5 to prematurity, and 4 to congenital debility.

Fifteen deaths were caused by organic diseases of the heart, and 43 by bronchitis.

There were 4 accidental deaths, including one caused by drowning and one by a vehicle.

In 10 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 8 infants under one year of age and the death of one person aged 74 years.

Fifty-six of the persons whose deaths were registered during the week were under 5 years of age (32 being infants under one year, of whom 15 were under one month old), and 55 were aged 65 years and upwards, including 39 persons aged 70 and upwards; among the latter were 24 aged 75 and upwards.

Ninety-two of the deaths registered during the week occurred in hospitals and other public institutions; of this number 18 took place in the North Dublin Union Workhouse, 20 in the South Dublin Union Workhouse, and 3 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 25·9 per 1,000; the rate in the City was 26·5 (North City Districts, 27·0; South, 26·0), and in the Suburbs, 23·8.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 3·3 per 1,000 inhabitants, the rate for the City being 4·2 (in the North City Districts 3·5, and in the South 5·0), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (13) are equal to an annual rate of 22·2 per 1,000. There were 2 deaths from whooping-cough, one from pneumonia, and 3 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 35·0 per 1,000. Two deaths from measles, 3 from pulmonary tuberculosis, 2 from pneumonia, 7 from bronchitis, and 3 from diarrhoea and enteritis of children under 2 years of age were recorded.

No. 2 North City District (Lisburn-street).—The deaths (15) are equivalent to an annual rate of 28·1 per 1,000. Among them are 3 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (15) represent an annual rate of 21·8 per 1,000, and include one death from measles, 2 from pulmonary tuberculosis, 2 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 37·7 per 1,000 inhabitants; Coolock and Drumcondra, part of, 18·9; and Finglas and Glasnevin, part of, 28·9. Of the 4 deaths from all causes for Clontarf and Howth, No. 1, part of, there was one death each from dysentery, pulmonary tuberculosis and pneumonia. Among the 5 deaths from all causes for Coolock and Drumcondra, part of, one was from scarlet fever; and of the 6 deaths from all causes for Finglas and Glasnevin, part of, one was from pneumonia and one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (18) represent an annual rate of 22·8 per 1,000, and include one death each from enteric fever and measles, 2 from pulmonary tuberculosis, 5 from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (10) are equal to an annual rate of 28·4 per 1,000. Among them are one from measles, 3 from tuberculous disease, and 2 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 30·8 per 1,000. There were 3 deaths from measles, 4 from tuberculous disease, 2 from pneumonia, 4 from bronchitis, and 2 from diarrhoeal diseases.

No. 4 South City District (Grand Canal Street).—The deaths (17) are equivalent to an annual rate of 26·7 per 1,000. Five of the deaths were caused by measles, one by pulmonary tuberculosis, 2 by pneumonia, and 4 by bronchitis.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 21·1; Pembroke, 30·7; Blackrock, 22·6; and Kingstown, 18·5. The only death from any of the principal epidemic diseases tabulated for these districts was from diphtheria for Pembroke. Among the 16 deaths from all causes for Rathmines and Rathgar are 3 from tuberculous disease, one from pneumonia, and 5 from bronchitis. The 18 deaths from all causes for Pembroke include one from pulmonary tuberculosis, and 4 from bronchitis. Of the 4 deaths recorded for Blackrock 2 were from pneumonia; and of the 6 deaths from all causes for Kingstown one was from pneumonia and 2 were from bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 19·6), was equal to an average annual death-rate of 18·5 per 1,000 persons living: the average rate for 16 principal towns of Scotland was 22·4 per 1,000, the rate for Glasgow being 22·4, and for Edinburgh 22·2.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 4th December. From this Report it appears that of 99 cases notified, 58 were scarlet fever, 22 diphtheria, 6 pulmonary tuberculosis, 5 other forms of tuberculosis, and 8 erysipelas. Among the 799 cases of infectious diseases in hospital at the close of the week were 460 of scarlet fever, 155 of diphtheria, 126 of pulmonary tuberculosis, 29 of measles, 9 of erysipelas, 2 of enteric fever, one of puerperal fever, and one of cerebro-spinal fever.

\* See note (c) at foot of Table II

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 4th December, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.		Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Folliculomyelitis.	Pulmonary ecchymosis.	Tuber.	Total
City of Dublin.	{	Nov. 13,	.	—	—	12	.	.	5	.	.	4	3	.	—	—	.	—	.	8	32	
		Nov. 20,	.	—	—	9	2	.	2	.	.	2	1	.	—	—	.	—	10	26		
		Nov. 27,	.	—	—	11	5	.	5	.	.	6	2	.	—	—	.	—	20	47		
		Dec. 4,	.	—	—	8	.	.	2	.	.	5	2	.	—	—	.	—	16	33		
Rathmines and Rathgar Urban District	{	Nov. 13,	.	—	—	.	.	.	4	.	.	.	.	.	—	—	—	—	—	—	4	
		Nov. 20,	.	—	—	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—	1	
		Nov. 27,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—	3	
		Dec. 4,	.	—	—	.	.	.	1	.	.	2	.	.	.	—	—	—	—	—	3	
Pembroke Urban District.	{	Nov. 13,	.	.	.	2	.	.	1	.	.	.	.	.	—	—	—	—	.	3		
		Nov. 20,	.	4	.	3	.	.	.	.	.	.	1	.	.	—	—	—	.	9		
		Nov. 27,	.	2	.	1	.	.	1	.	.	.	.	.	.	—	—	—	1	5		
		Dec. 4,	.	9	.	1	.	.	.	.	.	.	1	.	.	—	—	—	.	11		
Blackrock Urban District.	{	Nov. 13,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	.	.		
		Nov. 20,	.	.	—	.	.	.	.	.	.	.	.	.	.	—	—	—	.	.		
		Nov. 27,	.	.	—	.	.	.	.	.	.	.	.	.	.	—	—	—	.	.		
		Dec. 4,	.	.	—	.	.	.	.	.	.	.	.	.	.	—	—	—	.	.		
Kingstown Urban District.	{	Nov. 13,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	.	1		
		Nov. 20,	.	—	—	3	.	.	1	.	.	.	.	.	.	—	—	—	.	4		
		Nov. 27,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	.	4		
		Dec. 4,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	.	1		
City of Belfast.	{	Nov. 13,	.	—	—	56	.	.	5	.	.	2	6	.	—	—	.	—	3	70		
		Nov. 20,	.	—	—	37	.	.	5	.	.	.	9	.	—	—	.	—	5	58		
		Nov. 27,	.	—	—	56	.	.	3	.	.	5	7	.	—	—	2	—	5	78		
		Dec. 4,	.	—	—	36	.	.	3	.	.	1	8	.	—	—	.	—	4	52		
City of Cork.	{	Nov. 13,	.	2	—	6	.	.	2	1	.	.	2	.	—	—	—	—	—	13a		
		Nov. 20,	.	5	—	4	.	.	.	.	1	.	1	.	—	—	.	—	—	12		
		Nov. 27,	.	3	—	4	.	.	5	.	.	.	1	.	—	—	—	—	—	13		
		Dec. 4,	.	5	—	8	.	.	.	.	.	1	.	.	—	—	1	—	—	15b		
City of Londonderry.	{	Nov. 13,	.	—	—	11	.	.	1	.	.	.	.	.	—	—	—	—	—	12		
		Nov. 20,	.	—	—	4	.	.	.	.	.	.	.	.	.	—	—	—	—	4		
		Nov. 27,	.	—	—	3	.	.	.	.	.	.	1	.	.	—	—	—	—	4		
		Dec. 4,	.	—	—	2	.	.	.	.	.	.	.	.	.	—	—	—	—	2		
City of Limerick.	{	Nov. 13,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	1		
		Nov. 20,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.		
		Nov. 27,	.	—	—	1	.	.	.	.	.	.	.	.	.	—	—	—	—	1		
		Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	—	.		
City of Waterford	{	Nov. 13,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	1	3		
		Nov. 20,	.	—	—	.	.	.	.	.	.	.	.	1	.	—	—	—	2	3		
		Nov. 27,	.	—	—	1	.	.	.	.	.	.	.	1	.	—	—	—	3	5		
		Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	.	—	—	—	.	.		

(a) Not including one case of varicella.

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 4th December, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Six cases of enteric fever were admitted to hospital during the week, 2 were discharged, there were 2 deaths, and 34 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 38, 32, and 32.

Two cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 3, 4, and 2, respectively.

Sixteen cases of measles were admitted to hospital during the week, 8 were discharged, there were 4 deaths, and 39 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 28, 37, and 35 respectively.

Twelve cases of scarlet fever were admitted to hospital, 22 were discharged, and 77\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 89, 91, and 87, respectively.

Four cases of diphtheria were admitted to hospital during the week, 3 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 31, 23, and 26 respectively, were 27 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 4 were discharged, there was one death and 13 cases remained under treatment at the end of the week.

\* See note (•) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 4th December, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 4TH DECEMBER, 1915.																													
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																							
		POPULATION.				DEATHS.		BIRTHS.		DEATHS.																			
		Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.					From certain Epidemic Diseases.(b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Caused by														
						Enteric Fever.	Typhus.	Small-pox.	Measles.						Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Pulmonary.	Other Forms.	Tuber- culosis.	Cancer.	Pneumonia.	Other.	Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	19.2	21.8	2.2	447	507	74	137	1	...	...	15	7	11	4	1	8	21	25	49	95	12	1	7	10	138	17	
DUBLIN REG- ISTRATION AREA:— TOTAL, (c.) ...	409,000	29.8	21.0	25.9	3.3	165	203	32	53	1	...	...	13	1	2	1	1	18	5	12	15	45	6	1	3	4	78	10	
CITY OF DUBLIN,	312,747	39.5	24.3	26.5	4.2	146	169	27	35	1	...	...	13	1	2	...	1	15	4	8	11	34	6	1	3	4	61	9	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	11.9	21.1	.	9	16	...	8	...	...	...	...	...	...	...	...	2	1	1	1	5	...	...	...	...	5	...	
PEMBROKE, ...	30,538	19.4	10.2	30.7	1.7	6	18	4	5	...	...	...	...	...	...	1	...	1	...	3	...	4	...	...	...	...	7	1	
BLACKROCK, ...	9,233	8.5	.	22.6	.	...	4	...	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	3	...	
KINGSTOWN, ...	16,941	11.6	12.3	18.5	.	4	6	1	3	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	...	...	2	...	
Urban Districts																													
BELFAST ..	403,000	27.0	17.9	21.1	1.8	138	163	24	34	...	...	...	2	5	4	...	...	21	8	6	25	33	3	...	1	1	26	1	
CORK, ..	76,673	28.6	18.4	23.8	2.0	27	35	2	15	...	...	...	...	1	...	2	...	3	3	2	...	5	...	...	...	1	15	1	
LONDON- DERRY	41,200	16.0	15.2	17.7	2.5	12	14	1	3	...	...	...	...	...	1	...	...	11	...	1	2	1	...	1	3	1	...		
LIMERICK, ...	38,518	16.1	16.2	9.5	1.4	12	7	...	3	...	...	...	...	...	1	...	...	...	...	1	...	2	...	...	...	...	4	...	
WATERFORD, ...	27,464	19.1	11.4	28.5	3.8	6	15	3	6	...	...	...	...	...	...	...	...	1	2	...	2	1	2	...	1	...	5	...	
GALWAY, ...	13,255	2.5				6	3	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2	
DUNDALK, ...	13,128	9.5				8	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	
LURGAN, ...	12,553	14.7				5	3	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
DROGHEDA, ...	12,501	8.4				3	3	1	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	
LISBURN ...	12,388	10.9				6	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
NEWRY, ...	11,963	17.0				3	5	1	2	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	1	...
PORTADOWN, ...	11,727	15.3				6	7	...	4	...	...	...	...	...	...	1	...	1	...	...	1	...	...	...	...	...	...	...	
WEXFORD, ...	11,531	22.8				9	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
BALLYMENA ..	11,381	9.3				1	7	2	2	...	...	...	...	...	1	...	...	...	1	...	2	...	...	...	...	...	...	1	1
SLIGO, ...	11,163	3.8				3	6	2	...	...	...	...	...	...	...	...	...	3	...	...	...	...	...	...	...	...	...	1	...
KILKENNY, ...	10,514	11.4				6	7	1	1	...	...	...	...	...	1	...	...	...	1	2	.	1	...	...	1	1	3	...	
TRALEE, ...	10,300	17.4				4	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
CLONMEL, ...	10,209	7.8				4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
NEWTOWNARDS	9,587	20.1				5	2	...	1	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	
QUEENSTOWN,	8,209	14.7				2	5	2	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	2	...
LARNE, ...	8,036	13.4				3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
COLERAINE. ...	7,785	7.7				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
BANGOR, ..	7,776	8.5				2	5	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
BRAY, ..	7,691	7.2				1	4	...	2	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2				3	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
ARMAGH, ...	7,356	21.8				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	

The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Returns.

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 14 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; the 14 deaths include 2 from tuberculous disease, 3 from cancer, and one from pneumonia.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 4th of December, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.									
		NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.		
Enteric Fever,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	2	.	1	.	.	1	1	3	5	.	.	.	.	.	.	13	.	
Measles,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Scarlet Fever,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
Whooping-cough,	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	1	.	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Influenza,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Dysentery,	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	
Tuberculosis, { Pulmonary,	.	3	1	2	1	.	2	2	3	1	.	2	1	.	.	.	18	.	
Other Forms,	.	.	2	.	.	.	.	1	1	.	.	1	.	.	.	.	5	2	
Cancer,	.	1	.	3	.	1	.	.	3	.	.	1	3	.	.	.	12	2	
Diseases of Nervous System,	1	4	1	4	.	1	1	1	.	1	.	.	3	.	.	.	18	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	1	.	1	.	.	.	2	1	4	2	1	2	2	1	2	.	19	3	
Respiratory System, { Pneumonia	1	2	2	.	1	1	.	.	2	2	.	1	.	2	1	15	1	.	
Others,	3	8	3	2	.	1	5	3	4	5	.	5	4	.	2	45	1	.	
Diarrhoea and Enteritis, under 2 years,	.	3	.	1	.	.	1	.	1	.	.	.	.	.	.	6	.	.	
Digestive System, { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	
Enteritis, 2 years and upwards,	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	1	.	.	
Others,	.	.	1	.	.	.	.	.	.	.	.	2	1	.	.	4	2	.	
Genito-urinary System,	1	1	1	.	1	.	.	.	1	1	.	.	.	.	.	6	1	.	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	.	.	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	
Diseases of the Skin and Cellular Tissue,	.	1	1	.	.	.	.	.	.	.	.	.	.	.	1	3	.	.	
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	4	3	1	2	.	2	2	1	1	2	.	4	1	.	.	23	.	.	
Violent Deaths,	.	.	1	.	.	.	2	.	.	.	.	.	.	.	.	3	1	.	
Ill-defined, &c. Causes,	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	2	.	.	
Deaths from All Causes	13	28	15	15	4	5	6	18	10	26	17	2	16	18	4	6	203	14	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	22·2	35·0	28·1	21·8	37·7	18·9	28·9	22·8	28·4	30·8	26·7	10·5	21·1	30·7	22·6	18·5	25·9	.	
	27·0							26·0							23·8			.	
	26·5																.		
Ages at Death. { Under 1 year,	7	4	1	6	.	2	2	2	.	3	5	.	.	4	.	1	32	.	
1 and under 2 years,	.	2	.	.	.	1	.	2	.	3	1	.	.	1	.	1	14	.	
2 " 5 "	.	2	2	1	.	.	1	1	1	1	.	.	.	.	.	1	10	.	
5 " 15 "	.	1	2	.	1	.	1	1	1	1	.	.	.	.	.	.	8	.	
15 " 25 "	.	1	1	1	1	.	1	.	2	2	.	.	2	1	.	.	10	2	
25 " 45 "	1	4	2	1	1	.	3	2	4	1	1	2	1	.	.	23	4	.	
45 " 65 "	3	6	4	4	2	.	4	4	5	5	1	4	6	2	1	53	6	.	
65 and upwards,	2	8	3	2	.	1	2	4	2	7	4	.	8	5	2	3	53	2	
Number of Uncertified Deaths,	2	1	.	3	.	.	.	1	.	2	.	.	.	1	.	.	10	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums,	.	4	2	2	1	1	1	5	2	3	5	1	3	5	1	1	40	11	
Workhouse Hospitals,	3	8	6	1	.	.	.	4	2	3	4	.	2	2	2	1	33	3	

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the in the corresponding Week of the Ten Years

Deaths from all causes Registered in the Week ending Saturday													In the Week ending Saturday, 4th December, 1915.												
CAUSES OF DEATH.	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.	Nov. 29, 1913.	Nov. 28, 1914.	Averages in 48th Week of the 10 years, 1905-1914.	Deaths of Persons of the Ages of													
												All Ages.	0-5.												
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.			
ALL CAUSES.	157	179	175	178	180	176	169	158	164	152	168.8	217	15	17	14	10	8	12	27	59	31	2			
Enteric Fever, ...	2	3	.	.	1	.	1	2	.	.	.9	1	.	.	.	.	.	1	.	.	.	.			
Typhus, ..	.	.	.	.	.	.	1	1	1	1	.4	.	.	.	.	.	.	.	.	.	.	.			
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Measles, ...	.	3	.	6	.	.	3	3	1	.	1.6	13	.	1	7	4	1	.	.	.	.	.			
Scarlet Fever, ...	.	1	.	1	.	3	1	1	1	1	.9	1	.	.	.	.	1	.	.	.	.	.			
Whooping-cough, ...	1	3	1	2	.	5	3	.	.	.	1.5	2	.	2	.	.	.	.	.	.	.	.			
Diphtheria, ...	.	2	.	2	1	4	3	.	2	1	1.5	1	.	1	.	.	.	.	.	.	.	.			
Croup, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.			
Influenza, ...	1	2	1	.	3	4	1	2	3	.	1.7	1	.	.	.	.	.	.	.	1	.	.			
Dysentery, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.			
Erysipelas, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.			
Other Epidemic Diseases, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.			
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	1	.	.	.	.	1	.3	2	.	.	.	.	1	1	.	.	.	.			
Tetanus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
TUBERCULOSIS.																									
Pulmonary Tuberculosis, ...	18	13	16	26	22	16	17	24	17	16	18.5	18	.	.	.	1	1	4	10	2	.	.			
Tuberculous Meningitis, ...	4	2	1	2	2	1	2	5	2	2	2.3	2	.	.	.	.	1	1	.	.	.	.			
Abdominal Tuberculosis, ...	1	2	1	.	1	1	1	2	2	2	1.3	1	.	.	.	.	1	.	.	.	.	.			
Tuberculosis of the Vertebral Column.	5	8	4	11	4	5	1	.	1	.	4.8	1	1	.	.	.	.	.	1	1	.	.			
Tuberculosis of Joints, ...																									
Tuberculosis of other Organs, ...																									
Scrofula, ...																									
Disseminated Tuberculosis,...	2	2	.	.	.	.	2	2	.	2	.	2	.	.	.	.	2	.	.	.	.	.			
Venereal Diseases, ...	1	3	4	4	2	1	1	3	.	1	2.0	.	.	.	.	.	.	.	.	.	.	.			
Cancer, ...	8	9	8	6	11	3	6	8	11	17	8.7	15	.	.	.	.	.	.	.	9	3	3			
Tumour, situation undefined,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.			
Rheumatic Fever, ...	1	.	.	.	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.			
Diabetes, ...	.	1	.	.	2	.	.	2	1	.	.6	1	.	.	.	.	.	.	1	.	.	.			
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	1	.	.	1	.	2	.	.	.	.	1	1	.	.	.	.			
Other General Diseases, ...	.	.	.	.	.	.	2	4	1	2	.	.	.	.	.	.	.	.	.	.	2	.			
Alcoholism, ...	.	1	1	.	1	.	.	1	.	1	.5	.	.	.	.	.	.	.	.	.	.	.			
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Simple Meningitis, ...	.	.	.	.	.	.	4	.	2	3	.	1	.	.	1	.	.	.	.	.	.	.			
Cerebral Hæmorrhage, Apoplexy.	.	.	.	.	.	.	5	8	8	1	.	5	.	.	.	.	.	.	.	4	.	.			
Softening of Brain, ...	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.			
Paralysis, without specified cause.	.	.	.	.	.	.	2	.	2	2	.	3	.	.	.	.	.	.	1	.	1	1			
Epilepsy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Convulsions (non-puerperal), ...	.	.	.	.	.	.	.	5	.	3	.	6	3	2	1	.	.	.	.	.	.	.			
Other Diseases of Nervous System.	39	40	37	29	42	39	.	4	3	3	34.4	2	.	.	.	.	.	.	.	2	.	.			
Pericarditis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Acute Endocarditis, ...	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.			
Organic Diseases of the Heart, ...	.	.	.	.	.	.	14	15	15	10	.	15	.	.	.	.	.	.	2	6	1	5			
Embolism and Thrombosis. (including Cerebral).	.	.	.	.	.	.	.	.	1	.	.	2	.	.	.	.	.	.	1	.	1	.			
Other Diseases of Circulatory system.	.	.	.	.	.	.	1	.	1	3	.	3	.	.	.	.	.	.	.	2	.	1			
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.			
Bronchitis, ...	32	25	28	34	24	34	27	19	18	23	26.4	43	.	1	2	2	.	1	1	13	13	10			
Broncho-pneumonia, ...	5	7	7	12	11	7	3	7	10	5	7.5	5	.	2	1	.	.	.	1	1	1	.			
Lobar pneumonia, ...	1	.	.	2	1	1	.	1	.	.	.6	4	.	1	.	.	.	.	1	1	.	1			
Pneumonia (type not distinguished)	4	4	7	8	8	6	3	2	4	2	4.8	7	.	.	.	2	.	.	2	3	.	.			
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Pulmonary Congestion, Pulmonary Apoplexy.	1	4	2	1	5	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Other Diseases of Respiratory System.	.	.	.	.	.	.	1	.	3	1	.	3	.	.	.	.	.	.	.	2	1	.			



FORTY-EIGHTH WEEK, ending Saturday, 4th December, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 48th Week of the 10 years, 1905-1914.	All Ages.	In the Week ending Saturday, 4th December, 1915.											
													Deaths of Persons of the Ages of											
													0-5.											
	Dec. 2, 1905.	Dec. 1, 1906.	Nov. 30, 1907.	Nov. 28, 1908.	Dec. 4, 1909.	Dec. 3, 1910.	Dec. 2, 1911.	Nov. 30, 1912.	Nov. 29, 1913.	Nov. 28, 1914.			Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	1	.	1	.	.2	.	.	.	.	.	.	.	.	.	.			
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	1	3	—	3	.	1	.	.	.	1	1	.	.			
Diarrhoea and Enteritis of Children under 2 years.	8	7	6	5	7	8	6	2	7	3	6.2	6	.	6	.	.	.	.	.	.	.			
Diarrhoea 2 years and upwards,		.	.	.	.	.	.	.	.	.			.	.	.	.	.	.	.	.	.	.		
Enteritis 2 years and upwards,		.	.	.	.	.	2	.	.	1			1	.	.	.	.	.	1	1	.	.		
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	.	1	2	.	—	1	.	.	.	.	1	.	.	.	.			
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	3	1	3	.	—	1	.	.	.	1	.	.	.	.	.			
Cirrhosis of Liver, ...	2	.	2	.	1	3	.	1	1	1	1.1	.	.	.	.	.	.	.	.	.	.			
Other Diseases of Liver, ...	1	2	2	2	.	.	.	.	1	1	.9	.	.	.	.	.	.	.	.	.	.			
Peritonitis (cause unknown),	.	1	1	.	1	.	2	.	1	.	.6	.	.	.	.	.	.	.	.	.	.			
Other Diseases of Digestive System.	4	6	9	4	7	2	.	.	.	.	3.2	1	.	.	.	.	.	1	.	.	.			
Acute Nephritis, ...	5	11	9	1	5	6	2	.	1	1	6.8	7	.	.	.	.	.	.	.	.	.			
Chronic Bright's Disease, ...							4	5	6	6			.	.	.	.	.	.	.	.	.			
Urinary Calculi, ...							.	.	1	.			.	.	.	.	.	.	.	.	.			
Uterine Tumour (non-can- cerous).							.	.	.	.			.	.	.	.	.	.	.	.	.			
Ovarian Tumour (non-can- cerous)							.	.	.	.			.	.	.	.	.	.	.	.	.			
Other Diseases of Genito- urinary System.							2	2	1	.			.	.	.	.	.	.	.	.	.			
Puerperal Septicæmia, &c., ...	.	.	.	.	.	1	1	1	.	1	.3	1	.	.	.	.	.	1	.	.	.			
Other Causes incident to Pregnancy and Childbirth.	.	.	1	.	.	1	1	.	.	1	.3	1	.	.	.	.	1	.	.	.	.			
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	1	.	2	2	—	3	.	.	1	1	.	.	.	1	.			
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	.	3	.	.	—	1	1	.	.	.	.	.	.	.	.			
Premature Birth, ...	1	4	2	3	1	4	7	4	3	4	3.3	5	5	.	.	.	.	.	.	.	.			
Congenital Debility, ...	—	—	—	—	—	—	2	2	4	7	—	4	4	.	.	.	.	.	.	.	.			
Old Age, ...	4	4	5	2	3	4	5	6	6	5	4.4	4	4	.	.	.	.	.	.	.	4			
Other Specified Diseases, ...	—	—	—	—	—	—	4	.	2	1	—	2	2	.	.	.	.	.	.	.	.			
ACCIDENT:																								
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Conflagration, ...	1	2	.	.	1	2	.	.	1	3	1.0	.	.	.	.	.	.	.	.	.	.			
Burns and Scalds, ...	1	.	.	.	1	.	.	.	2	1	.5	1	.	.	.	.	.	1	.	.	.			
Drowning, ...	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.			
Suffocation in Bed, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Other Deaths by Accident, ...	1	1	2	4	3	2	6	1	3	2	2.5	3	.	.	.	.	.	1	1	1	.			
Total Deaths from Accident,	3	3	2	4	5	4	6	1	6	7	4.1	4	.	.	.	.	.	2	1	1	.			
Included in above are Deaths in connection with—																								
Railways, ...	.	.	.	.	.	.	1	.	.	.	.1	.	.	.	.	.	.	.	.	.	.			
Vehicles and Horses, ...	.	.	.	.	1	.	1	.	1	1	.4	1	.	.	.	.	.	1	.	.	.			
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
VIOLENCE OTHER THAN ACCIDENTAL:																								
Homicide, ...	.	.	.	1	.	.	.	1	.	.	.2	.	.	.	.	.	.	.	.	.	.			
Suicide, ...	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.			
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	3	1	1	—	2	.	.	.	.	.	2	.	.	.			

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years.

DUBLIN REGISTRATION AREA.	1915.—WEEK ENDING																									
	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.
No of weeks in Annual Series	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS REGISTERED.																										
Average Births in corresponding week of previous 10 years, ...	175	207	199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180	182	175	215	165
DEATHS REGISTERED.	218	219	216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	204	197	212	210	199	188	210
Annual Death-rate per 1,000, ...	147	147	138	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151	129	172	194	197	217
Average Deaths in corresponding week of previous 10 years, ...	187	187	170	205	170	144	154	149	140	182	158	171	184	199	212	215	218	205	201	218	193	164	219	247	251	277
Deaths from:—	150	155	143	135	135	145	144	145	143	138	164	156	159	160	158	159	160	159	153	153	147	164	167	169	166	169
Enteric Fever, ...	25	39	34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27	36	53	64	56
Typhus, ...	8	6	6	7	6	5	3	6	4	4	6	8	7	7	4	4	7	8	3	8	8	5	8	6	10	8
Small-pox, ...	11	10	12	10	8	5	10	6	5	7	4	6	8	9	6	9	7	14	7	8	12	8	6	12	7	12
Measles, ...	38	25	21	23	21	18	18	24	21	12	21	18	27	25	36	28	33	22	32	28	15	18	22	27	27	27
Scarlet Fever, ...	43	39	26	51	27	31	34	25	22	37	22	29	27	32	35	32	29	26	42	30	47	34	50	49	35	59
Whooping-cough, ...	13	18	23	16	23	13	17	13	14	21	17	14	19	21	19	19	19	16	26	24	24	22	29	29	27	31
Diphtheria, ...	14	10	11	18	15	18	14	8	11	11	11	9	10	12	16	12	13	6	6	16	7	15	21	18	27	24
Influenza, ...																										
Pysentery, ...																										
Tuberculosis { Pulmonary ...																										
{ Other Forms, ...																										
Cancer, ...	12	18	20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15	14	23	28	22	18
Diseases of Circulatory System, ...	6	6	10	10	8	9	7	6	9	8	4	7	4	5	3	5	9	9	9	9	7	7	2	5	8	7
Diseases of Respiratory System, ...	13	20	20	18	15	13	12	15	15	17	13	16	14	20	10	18	8	10	11	12	12	10	10	11	6	15
Diarrhoea and Enteritis, under 2 years, ...	7	13	11	8	7	5	11	5	4	4	4	4	2	7	7	6	5	2	4	4	5	5	8	16	17	16
Diarrhoea, 2 years and upwards	18	12	10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	14	21	21	32	24	46
Violent Deaths, ...		5	2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4	9	4	12	6
Number of Uncertified Deaths, ...	1	3	5	5	7	6	2	1	4	5	8	4	5	1	1	1	5	5	2	3	7	5	1	1	3	4
						8	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4	2	5	13	10





TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Violence.	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.			Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.			
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.					
North City, No. 1 (E.) (Office Clarence St. Nth.)	Oct. 30	15.4	1.7	9	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.
	Nov. 6	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	1	.
	" 13	32.5	5.1	19	.	.	.	.	.	.	1	.	.	.	.	1	1	4	2	.	.	.
	" 20	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	.	1	4	4	.	.	1
Population in 1915	" 27	29.1	3.4	17	.	.	.	.	.	.	.	.	4	.	.	.	1	4	4	.	.	1
(Est.) 30,504.	Dec. 4	22.2	3.4	13	.	.	.	.	.	.	2	.	.	.	.	.	3	4	1	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Oct. 30	12.5	2.5	10	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	.	.	.
	Nov. 6	26.3	1.3	21	.	.	.	.	.	.	.	.	3	.	.	1	1	3	1	.	1	.
	" 13	23.8	3.8	19	.	.	.	.	.	.	.	1	1	.	1	1	1	2	.	.	.	
	" 20	32.5	.	26	.	.	.	.	.	.	.	.	6	1	2	2	3	3	.	.	1	
Population in 1915	" 27	26.3	1.3	21	.	.	.	.	.	.	.	.	3	1	.	2	3	1	.	.	5	
(Est.) 41,685.	Dec. 4	35.0	6.3	28	.	.	.	2	.	.	.	.	3	.	1	2	8	3	.	.	1	
North City, No. 2. (Office, Lisburn-street.)	Oct. 30	28.1	1.9	15	.	.	.	1	.	.	.	.	2	1	3	.	.	.	.	.	1	
	Nov. 6	15.0	.	8	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	
	" 13	13.1	.	7	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
	" 20	29.9	1.9	16	.	.	.	1	.	.	.	.	.	1	.	3	2	.	.	.	2	
Population in 1915	" 27	20.6	.	11	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	1	
(Est.) 27,883.	Dec. 4	28.1	.	15	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	1	.	
North City, No. 3. (Office, Benburb-street.)	Oct. 30	21.8	4.4	15	.	.	.	1	.	.	1	.	1	.	2	1	2	1	.	.	1	
	Nov. 6	11.6	1.5	8	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	1	
	" 13	13.1	2.9	9	1	.	.	1	.	.	.	.	3	.	1	.	2	.	.	.	.	
	" 20	20.3	.	14	.	.	.	.	.	.	.	.	4	.	2	.	2	.	.	1	.	
Population in 1915	" 27	23.2	5.8	16	.	.	.	.	2	.	.	.	.	1	.	3	2	2	.	.	.	
(Est.) 35,887.	Dec. 4	21.8	2.9	15	.	.	.	1	.	.	.	.	2	.	3	.	2	1	.	.	3	
Clontarf and Howth No. 1 (part of).	Oct. 30	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	Nov. 6	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	
	" 13	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 20	18.8	9.4	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	
Population in 1915	" 27	9.4	9.4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 5,539.	Dec. 4	37.7	9.4	4	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	
Coolock and Drumcondra (part of).	Oct. 30	7.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
	Nov. 6	15.1	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
	" 13	15.1	3.8	4	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	
	" 20	22.6	.	6	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	
Population in 1915	" 27	26.4	3.8	7	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	.	
(Est.) 13,820.	Dec. 4	18.9	3.8	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	
Finglas and Glasnevin (part of).	Oct. 30	14.4	.	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	1	.	
	Nov. 6	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	
	" 13	33.7	.	7	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	
	" 20	14.4	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	1	
Population in 1915	" 27	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	
(Est.) 10,829.	Dec. 4	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.	
South City, No. 1. (Office, Sth. Earl-street.)	Oct. 30	24.1	1.3	19	.	.	.	.	.	.	1	.	2	.	2	2	4	.	.	.	1	
	Nov. 6	15.2	1.3	12	.	.	.	.	.	.	.	.	1	1	2	2	2	1	.	.	1	
	" 13	26.6	3.8	21	.	.	.	.	.	.	.	.	1	1	2	1	1	2	.	.	.	
	" 20	30.4	2.5	24	.	.	.	2	.	.	.	.	2	1	1	3	6	.	.	1	.	
Population in 1915	" 27	34.2	5.1	27	.	.	.	2	.	.	.	.	7	2	.	2	3	2	.	.	1	
(Est.) 41,170.	Dec. 4	22.8	3.8	18	1	.	.	1	.	.	.	.	2	.	.	.	5	1	.	2	1	
South City, No. 2. (Office, Castle-street.)	Oct. 30	19.9	2.8	7	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	1	
	Nov. 6	34.1	5.7	12	.	.	.	1	.	.	.	.	2	.	2	.	2	1	.	.	.	
	" 13	17.1	2.8	6	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.	
	" 20	48.3	5.7	17	.	.	.	1	.	.	.	.	3	.	1	3	4	1	.	.	.	
Population in 1915	" 27	28.4	11.4	10	.	.	.	2	.	.	.	.	.	.	1	1	.	2	.	.	1	
(Est.) 18,341.	Dec. 4	28.4	2.8	10	.	.	.	1	.	.	.	.	2	1	.	.	3	.	.	.	.	
South City, No. 3. (Office, Peter-street.)	Oct. 30	16.6	3.6	14	.	.	.	.	.	.	.	.	2	1	.	1	3	3	.	.	1	
	Nov. 6	13.0	1.2	11	.	.	.	.	.	.	1	.	3	1	.	2	4	.	.	.	1	
	" 13	29.6	2.4	25	.	.	.	.	.	.	.	.	2	.	1	2	5	2	.	.	1	
	" 20	19.0	2.4	16	.	.	.	.	.	.	.	.	6	.	1	1	1	2	.	.	.	
Population in 1915	" 27	35.6	4.7	30	.	.	.	2	.	1	.	.	4	1	1	3	4	1	.	1	2	
(Est.) 43,970.	Dec. 4	30.8	5.9	26	.	.	.	3	.	.	.	.	3	1	3	2	4	1	1	.	2	
South City, No. 4. (Office, Grand Canal-st.)	Oct. 30	22.0	4.7	14	.	.	.	1	.	.	1	.	3	1	1	.	1	1	.	1	.	
	Nov. 6	12.6	.	8	.	.	.	.	.	.	.	.	.	1	.	.	2	.	.	1	.	
	" 13	25.2	3.1	16	1	.	.	.	1	.	.	.	7	.	.	.	.	.	.	.	.	
	" 20	23.6	4.7	15	1	.	.	.	.	1	.	.	1	1	1	.	2	.	.	.	.	
Population in 1915	" 27	17.3	1.6	11	.	.	.	1	.	.	.	.	2	.	.	.	2	.	1	.	.	
(Est.) 33,171.	Dec. 4	26.7	7.9	17	.	.	.	5	.	.	.	.	1	.	.	2	5	.	.	.	.	
New Kilmainham.	Oct. 30	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	
	Nov. 6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	" 13	21.0	10.5	4	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	
Population in 1915	" 20	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
(Est.) 9,948.	" 27	5.2	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	
	Dec. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.																																																																																																																																																																																																																																																																		
		FROM ALL CAUSES.	FROM CERTAIN ENDURING DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Malaria, 2 years and upwards.	Violence.																																																																																																																																																																																																																																																																				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.				Other.																																																																																																																																																																																																																																																																			
Rathmines and Rathgar Urban District.	Oct. 30 Nov. 6 " 13 " 20 Population in 1915 (Est.) 39,541.	11.9 10.5 10.5 9.2 21.1 21.1	1.3 . . 1.3 1.3 .	9 8 8 7 16 16	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	1 1 . . 1 2	. . . . 1 1	1 1 . . . 1	. . . 4 . . 5	. . . 1 1 . .	. . . 1 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . .<

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and DORK, registered during the week ended 4th December, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM												Inquest Cases.	No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				All Causes.	Certain Epi- demic Diseases†	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Lysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																			Pulmonary.	Other Formis.		Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
																											(6)				(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
BELFAST URBAN No. 1 District,	15,879	3	23.0	7	1	3	3	1	1	3	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

1915—WEEK ENDING																											
BELFAST.		June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.
No. of weeks in Annual Series,		23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
BIRTHS registered, ...		173	198	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171	162	172	188
DEATHS registered, ...		106	102	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	132	122	124	157	140	163
Annual Death-rate per 1,000 of estimated population, ...		13.7	13.2	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	16.0	20.3	18.1	21.1
AGES, { Under 1 year,		13	22	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30	17	22	24
1-5 years,		14	11	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8	12	12	22
5-25 "		18	20	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20	20	15	16
25-45 "		26	12	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10	21	37	18	27	22	26
45-65 "		18	30	27	25	18	27	23	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22	23	42	44	41
65 and upwards,		17	7	13	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24	16	22	27	24	25	39	25	34
Deaths from :—																											
Enteric Fever, ...		.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.	.	.	.	.	.	.
Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...		5	5	5	2	3	8	1	3	.	1	1	1	1	.	.	.	.	1	.	2	3	.	1	1	3	2
Scarlet Fever, ...		1	2	3	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	2	2	7	3	4	3	7	5
Whooping-cough, ...		1	1	.	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.	1	2	2	4
Diphtheria, ...		.	.	.	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	1	4	1	.	.
Dysentery, ...		.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary,		20	20	17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12	25	14	21
Other Forms,		8	4	8	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	4	10	4	4	8
Cancer, ...		3	2	9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10	16	3	6
Diseases of Respi- { Pneumonia,		11	10	6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13	11	18	25
ratory System, { Others, ...		7	7	7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12	19	27	33
Diarrhoea and Enteritis, under 2 years,		1	2	1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2	3	1	3
Diarrhoea, 2 years and upwards,		.	.	.	.	2	1	1	1	1	1	.	1	4	.	2	1	.	1	.	1	2	1	.	.	.	.
Violent Deaths, ...		3	3	2	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	2	1	3	2	1
Number of Uncertified Deaths,...		1	1	.	.	.	.	4	1	.	.	1	.	2	3	2	1	.	6	.	3	2	1	.	1	.	1

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	Dec. 4,	1,698	1,698 <sup>c</sup>	19·6	3	.	15	5	21	14	34	
EDINBURGH, —	328,700	" 4,	102	140	22·2	.	.	6	3	.	2	.	
GLASGOW, — —	1,078,400	" 4,	498	463 <sup>c</sup>	22·4	2	.	3	7	1	8	7	
CALCUTTA — —	896,067	Oct. 2,	.	388†	22·5	?	.	?	?	?	?	?	
BOMBAY, — —	979,445	" 23,	472	478	25·4	40*	2	2	.	.	1	34 <sup>a</sup>	
MADRAS, — —	518,660	" 16,	384	293	29·4	24*	3	2	?	?	?	74 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Aug. 12,	500	680	53·8	31	.	3	.	?	8†	289	
	Foreigners,	" 12,	7	27	19·2	4	.	.	.	?	2†	.	
ALEXAN- DRIA, {	Egyptians,	" 12,	276	247	37·3	4	.	.	.	?	1†	96	
	Foreigners,	" 12,	29	103	69·0	25	1	.	.	?	.	21	
PARIS, — —	2,847,229	Oct. 30,	444	868	19·5	3	.	2	4	4	3†	13	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	613,249	Oct. 23,	235	156	11·6	2	.	1	.	7	.	4	
COPENHAGEN, — —	494,000	Nov. 6,	209	113	11·9	.	.	.	.	3	.	2 <sup>a</sup>	
STOCKHOLM, — —	386,270	" 6,	137	77	10·4	.	.	1	.	.	.	.	
CHRISTIANIA, — —	250,677	" 20,	96	61	12·7	.	.	.	.	1	.	.	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	Oct. 30,	.	.	.	.	.	.	.	.	.	.	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	Oct. 30,	2,453	1,194	10·7	8	.	.	2	4	12†	56	
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	727,826	Nov. 13,	.	182 <sup>b</sup>	13·0	2	.	1	1	3	6	6 <sup>a</sup>	

\* Deaths from "fever," including 6 from plague and 2 from enteric fever in Bombay.

† Including deaths from croup.

‡ Including 24 deaths from cholera.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e. non-residents deducted, 158 deaths (including 4 from diphtheria and 5 from diarrhoeal diseases); rate, 11·3 per thousand.<sup>c</sup> Including 2 deaths from cerebro-spinal fever in London, and one in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 4th December, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain) Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	1	.	.	.	.	1	2
"    "    1, West,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    2,	.	1	.	.	.	.	.	.	.	.	.	.	1	2
"    "    3,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Finglas and Glasnevin (part of),	.	2	.	.	.	.	.	.	.	.	.	.	.	2
South City No. 1,	.	1	.	.	1	.	.	.	.	.	.	.	2	4
"    "    2,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
"    "    3,	.	2	.	.	.	.	.	3	.	.	.	.	5	10
"    "    4,	.	.	.	.	.	.	.	1	2	.	.	.	1	4
New Kilmainham,	.	.	.	.	1	.	.	.	.	.	.	.	.	1
Total,	.	8	.	.	2	.	4	5	2	.	.	.	16	33

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 4th December, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 4th December.			
	Nov. 13.	Nov. 20.	Nov. 27.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	38	32	32	6	2	2	34
Typhus,	3	4	2	.	.	.	2
Small-pox,	.	.	.	.	.	.	.
Measles,	28	37	35	16	8	4	39
Scarlet Fever,	89	91	87	12	22	.	77*
Diphtheria,	31	23	26	4	3	.	27
Pneumonia,	15	12	11	7	4	1	13

\* Exclusive of 23 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





## WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.

By Authority of the Registrar-General.

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C.

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 11TH DECEMBER, 1915.

[No. 49.]

General Register Office, Charlemont House,  
Dublin, 13th December, 1915.

## TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 20·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 20	Nov. 27	Dec. 4	Dec 11	
<b>27 Town Districts, (a)</b>	<b>20·6</b>	<b>20·1</b>	<b>21·8</b>	<b>20·0</b>	<b>20·6</b>
Dublin Reg. Area ...	22·1	24·1	25·9	22·6	23·7
Dublin City ...	25·2	25·8	26·5	23·5	25·2
Belfast ...	20·3	18·1	21·1	21·0	20·1
Cork ...	20·4	21·8	23·8	22·4	22·1
Londonderry ...	16·5	20·2	17·7	17·7	18·0
Limerick ...	13·5	24·4	9·5	12·2	14·9
Waterford ...	22·8	22·8	28·5	7·6	20·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 162 deaths from all causes for Belfast are one from measles, 3 from scarlet fever, 3 from whooping-cough, one from diphtheria, and 4 from diarrhoea and enteritis of children under 2 years. One of the 33 deaths from all causes for Cork is due to enteric fever, and one death from this disease is also included in the 9 deaths from all causes for Limerick.

## DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 187—96 boys and 91 girls—and the deaths to 184—84 males and 100 females.

## DEATHS.

The deaths registered, omitting the deaths (numbering 7) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 22·6 per 1,000 of the population. During the forty-nine weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

The total deaths registered, numbering 184, represent an annual rate of 23·5 per 1,000; the annual rate for the past forty-nine weeks was 23·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.



Included in the total deaths registered are one from enteric fever, 13 from measles, one from scarlet fever, 2 from whooping-cough, one from diphtheria, 4 from diarrhoea and enteritis of children under 2 years of age, and 5 from influenza.

Deaths from enteric fever in the three preceding weeks numbered respectively one, one, and one; deaths from measles were 4, 7, and 13; deaths from scarlet fever were 0, 3, and one; deaths from whooping-cough were one, 2, and 2; deaths from diphtheria were one, 0, and one; deaths of children under 2 years of age from diarrhoea and enteritis were 4, 12, and 6; and deaths from influenza were one, 3, and 0.

There were 29\* deaths from tuberculous disease, comprising 19 deaths from pulmonary tuberculosis, 3 from tuberculous meningitis, 4 from abdominal tuberculosis, and 3 from other forms of the disease. In the three preceding weeks deaths from all forms of the disease numbered 33, 30, and 25, respectively.

Cancer caused 10 deaths.

Included in the 16 deaths from pneumonia are 7 from broncho-pneumonia, one from lobar pneumonia, and 8 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 5 were ascribed to prematurity, one to convulsions, and 7 to congenital debility.

Fourteen deaths were caused by organic diseases of the heart, and 24 by bronchitis.

There were 4 accidental deaths, including one, that of a child aged 20 months, caused by burns.

In 4 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the death of one child under 5 years of age and the deaths of 2 persons aged 65 years and upwards.

Fifty-nine of the persons whose deaths were registered during the week were under 5 years of age (31 being infants under one year, of whom 11 were under one month old), and 47 were aged 65 years and upwards, including 37 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 2 (females) were stated to have been aged 90 and 97 years respectively.

Seventy-eight of the deaths registered during the week occurred in hospitals and other public institutions; of this number 10 took place in the North Dublin Union Workhouse, 14 in the South Dublin Union Workhouse, and 2 in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 22·6 per 1,000; the rate in the City was 23·5 (North City Districts, 22·6; South, 24·5), and in the Suburbs, 19·5.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·8 per 1,000 inhabitants, the rate for the City being 2·7 (in the North City Districts 1·9, and in the South 3·6), and for the Suburbs 3·3 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (21) are equal to an annual rate of 35·9 per 1,000. One death each from whooping-cough, influenza, pulmonary tuberculosis, and lobar pneumonia, 4 deaths from bronchitis, and one death (that of a child under 2 years) from diarrhoea and enteritis were recorded.

No. 1 North City District, West (Summer-hill).—The deaths (20) are equal to an annual rate of 25·0 per 1,000, and include one death each from measles and diphtheria, 3 each from tuberculous disease and pneumonia, 2 from bronchitis, and one death from diarrhoea and enteritis of a child under 2 years of age.

No. 2 North City District (Lisburn-street).—The deaths (13) are equivalent to an annual rate of 24·3 per 1,000. Among them are one from tuberculous meningitis, one from pneumonia, and 4 from bronchitis.

No. 3 North City District (Benburb-street).—The deaths (19) represent an annual rate of 14·5 per 1,000. Two of the deaths were caused by tuberculous disease and one by pneumonia.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 18·8 per 1,000 inhabitants; Coolock and Drumcondra, part of, 15·1; and Finglas and Glasnevin, part of, 9·6. The 4 deaths from all causes for Coolock and Drumcondra, part of, comprise one from scarlet fever, 2 from influenza, and one from pulmonary tuberculosis; and one of the 2 deaths recorded for Finglas and Glasnevin, part of, was from pulmonary tuberculosis.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·5 per 1,000. There were 3 deaths from measles, 2 from tuberculous disease, one from pneumonia, 4 from bronchitis, and 2 accidental deaths.

No. 2 South City District (Castle-street).—The deaths (11) are equal to an annual rate of 31·3 per 1,000. One death from measles, 3 deaths from tuberculous disease, 4 from bronchitis, and one death (that of a child under 2 years of age, from diarrhoea and enteritis) were recorded.

No. 3 South City District (Peter-street).—The deaths (27) are equal to an annual rate of 32·0 per 1,000, and include 5 deaths from measles, 6 from tuberculous disease, 4 from pneumonia, and 2 from bronchitis.

No. 4 South City District (Grand Canal Street).—The deaths (12) are equivalent to an annual rate of 18·9 per 1,000. Tuberculous disease caused 4 deaths and pneumonia 2 deaths.

New Kilmainham District.—The deaths (2) are equal to an annual rate of 10·5 per 1,000, and include one death from broncho-pneumonia.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 19·8; Pembroke, 18·8; Blackrock, 33·9; and Kingstown, 12·3. The deaths from the principal epidemic diseases tabulated for these districts comprise one from each of enteric fever and whooping-cough for Rathmines and Rathgar, 3 from measles for Pembroke, and one of a child under 2 years from diarrhoea and enteritis for Blackrock. The 15 deaths from all causes for the first-named district include 2 from tuberculous disease. Among the 11 deaths from all causes for Pembroke are one from pulmonary tuberculosis and one from broncho-pneumonia. Two deaths from influenza, one from pulmonary tuberculosis and one from pneumonia are included in the 6 deaths from all causes recorded for Blackrock; and the 4 deaths from all causes, for Kingstown include one from bronchitis and one accidental death.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·9), was equal to an average annual death-rate of 17·1 per 1,000 persons living.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 11th December. From this Report it appears that of 139 cases notified, 74 were scarlet fever, 36 diphtheria, 13 pulmonary tuberculosis, 6 other forms of tuberculosis, 9 erysipelas, and one cerebro-spinal fever. Among the 793 cases of infectious diseases in hospital at the close of the week were 152 of scarlet fever, 159 of diphtheria, 123 of pulmonary tuberculosis, 30 of measles, 9 of erysipelas, 2 of enteric fever, 2 of cerebro-spinal fever, and one of puerperal fever.

\* See note (c) at foot of Table II

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 11th December, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 20,	—	—	—	9	2	—	2	—	—	2	1	—	—	—	—	—	—	10	26
	Nov. 27,	—	—	—	11	—	—	5	—	—	6	5	—	—	—	—	—	—	20	47
	Dec. 4,	—	—	—	8	—	—	2	—	—	5	2	—	—	—	—	—	—	16	33
	Dec. 11,	—	—	—	8	—	—	—	—	—	6	2	—	—	—	—	—	—	13	27
Rathmines and Rathgar Urban District.	Nov. 20,	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	Nov. 27,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dec. 4,	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	—	—	—	3
	Dec. 11,	—	—	—	2	—	—	3	—	—	—	—	—	—	—	—	—	—	—	7
Pembroke Urban District.	Nov. 20,	—	4	—	3	—	—	—	—	—	—	1	—	—	1	—	—	—	1	9
	Nov. 27,	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
	Dec. 4,	—	9	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	11
	Dec. 11,	—	21	—	2	—	—	—	—	1	—	—	1	—	—	—	—	—	2	27
Blackrock Urban District.	Nov. 20,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 27,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dec. 4,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dec. 11,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kingstown Urban District.	Nov. 20,	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	4
	Nov. 27,	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	Dec. 4,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Dec. 11,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
City of Belfast.	Nov. 20,	—	—	—	37	—	—	5	—	—	2	9	—	—	—	—	—	—	5	58
	Nov. 27,	—	—	—	56	—	—	3	—	—	5	7	—	—	2	—	—	—	5	78
	Dec. 4,	—	—	—	36	—	—	3	—	—	1	8	—	—	—	—	—	—	4	52
	Dec. 11,	—	—	—	55	—	—	6	—	—	—	7	—	—	—	—	—	—	4	72
City of Cork.	Nov. 20,	—	5	—	4	—	—	—	—	1	1	1	—	—	—	—	—	—	—	12
	Nov. 27,	—	3	—	4	—	—	5	—	—	—	1	—	—	—	—	—	—	—	13
	Dec. 4,	—	5	—	8	—	—	—	—	—	1	—	—	—	—	1	—	—	—	15 <sup>a</sup>
	Dec. 11,	—	7	—	3	—	—	3	—	—	—	—	—	—	—	—	—	—	—	13 <sup>b</sup>
City of Londonderry.	Nov. 20,	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	Nov. 27,	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	—	—	4
	Dec. 4,	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Dec. 11,	—	—	—	4	—	—	—	—	—	1	2	—	—	—	—	—	—	—	7
City of Limerick.	Nov. 20,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nov. 27,	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Dec. 4,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dec. 11,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
City of Waterford.	Nov. 20,	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	2	3
	Nov. 27,	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	3	5
	Dec. 4,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dec. 11,	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1

(a) Not including one case of cerebro-spinal fever.

(b) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 11th December, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Five cases of enteric fever were admitted to hospital during the week, 3 were discharged, and 36 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 32, 32, and 34.

Two cases of typhus remained under treatment in hospital at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 4, 2, and 2, respectively.

Twenty-four cases of measles were admitted to hospital during the week, 16 were discharged, there were 5 deaths and 42 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 37, 35, and 39 respectively.

Eleven cases of scarlet fever were admitted to hospital, 18 were discharged, one died, and 69\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 91, 87, and 77, respectively.

Five cases of diphtheria were admitted to hospital during the week, 7 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 23, 26, and 27 respectively, were 25 at the close of last week.

In addition to the above-named diseases, 9 cases of pneumonia were admitted to hospital, 5 were discharged, there was one death and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 11th December, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 11TH DECEMBER, 1915.																													
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																								
	POPULATION.		DEATHS.		BIRTHS.											DEATHS.													
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by					Diseases of the Respir- atory System.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
																		Tuber- culosis.	Other Forms.	Cancer.	Pneumonia.	Other.							
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	21.2	20.0	1.6	494	464	78	131	3	...	...	14	4	5	2	...	47	15	22	42	80	9	...	7	15	153	17	
DUBLIN REG- ISTRATION AREA:—																													
TOTAL. (c.) ...	409,000	29.8	23.8	22.6	2.8	187	177	31	45	1	...	...	13	1	2	1	...	19	9	10	16	22	4	...	4	5	71	4	
CITY OF DUBLIN,	312,747	39.5	26.2	23.5	2.7	157	141	24	30	...	...	...	10	1	1	1	...	16	8	9	14	21	3	...	2	4	60	4	
Urban Districts.																													
RATHMINES and RATHGAR, ...	39,541	23.1	9.2	19.8	2.6	7	15	2	5	1	...	...	...	...	1	...	...	1	1	1	...	...	...	...	1	1	5	...	
PEMBROKE, ...	30,538	19.4	22.2	18.8	5.1	13	11	4	3	...	...	...	3	...	...	...	...	1	...	...	1	...	...	...	...	...	3	...	
BLACKROCK, ...	9,233	8.5	11.3	33.9	5.6	2	6	1	3	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	...	...	2	...	
KINGSTOWN, ...	16,941	11.6	24.6	12.3		8	4	...	4	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	1	...	
Urban Districts																													
BELFAST ...	403,000	27.0	20.7	21.0	1.6	160	162	36	36	...	...	...	1	3	3	1	...	16	3	4	21	35	4	...	1	7	44	3	
CORK, ...	76,673	28.6	15.6	22.4	0.7	23	33	2	14	1	...	...	...	...	...	...	...	1	1	2	1	6	...	...	...	1	13	...	
LONDON- DERRY	41,200	16.0	19.0	17.7		15	14	...	4	...	...	...	...	...	...	...	...	2	...	1	...	8	...	...	...	...	...	...	
LIMERICK, ...	38,518	16.1	12.2	12.2	1.4	9	9	2	2	1	...	...	...	...	...	...	...	1	...	1	...	4	...	...	...	...	6	1	
WATERFORD, ...	27,464	19.1	30.4	7.6		16	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	1	2	
GALWAY, ...	13,255	2.5				3	6	1	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	3	...	
DUNDALK, ...	13,128	9.5				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	
LURGAN, ...	12,553	14.7				...	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	...	
DROGHEDA, ...	12,501	8.4				9	7	1	4	...	...	...	...	...	...	...	...	1	...	1	...	1	...	...	...	...	2	...	
LISBURN ...	12,388	10.9				9	8	1	2	...	...	...	...	...	...	...	...	1	...	1	2	...	...	...	1	1	2	...	
NEWRY, ...	11,963	17.0				8	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...	
PORTADOWN, ...	11,727	15.3				4	6	...	2	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	1	
WEXFORD, ...	11,531	22.8				10	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
BALLYMENA ...	11,381	9.3				4	5	1	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	3	
SLIGO, ...	11,163	3.8				5	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	
KILKENNY, ...	10,514	11.4				4	4	...	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	3	...	
TRALEE, ...	10,300	17.4				2	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	
CLONMEL, ...	10,209	7.8				2	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...	
NEWTOWNARDS	9,587	20.1				...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	
QUEENSTOWN,	8,209	14.7				1	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	
LARNE, ...	8,036	13.4				4	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	
BANGOR, ...	7,776	8.5				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ...	7,691	7.2				5	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	
ATHLONE, ...	7,472	6.2				3	2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
ARMAGH, ...	7,356	21.8				3	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the Population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 7 deaths of persons (including 2 at 65 years or upwards), admitted to hospital from localities outside the Area; one of the 7 deaths was from tuberculous disease.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 11th of December, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN																	
	Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	PINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.
Enteric Fever,	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Measles,	.	1	.	.	.	.	3	1	5	.	.	.	3	.	.	13	.	
Scarlet Fever,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	
Diphtheria,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Croup,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza,	1	.	.	.	.	2	.	.	.	.	.	.	.	2	.	5	.	
Dysentery,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis, { Pulmonary,	1	2	.	1	.	1	1	1	5	3	.	1	1	1	.	19	.	
Other Forms,	.	1	1	1	.	.	1	2	1	1	.	1	.	.	.	9	1	
Cancer,	3	1	1	1	.	.	1	.	2	.	.	1	.	.	.	10	.	
Diseases of Nervous System,	1	1	2	.	.	.	.	.	2	3	.	.	1	1	.	11	.	
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Circulatory System,	.	.	2	2	1	1	1	.	2	2	.	3	1	.	.	17	1	
Respiratory System. { Pneumonia	1	3	1	1	.	.	1	.	4	2	1	.	1	1	.	16	.	
Others,	4	2	4	.	.	.	4	4	3	.	.	.	.	.	1	22	3	
Diarrhoea and Enteritis, under 2 years,	1	1	.	.	.	.	.	1	.	.	.	.	.	1	.	4	.	
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis, 2 years and upwards,	.	.	.	1	.	.	.	.	.	1	.	.	.	.	.	2	.	
Others,	.	2	.	.	1	.	.	.	.	.	.	.	.	.	.	3	1	
Genito-urinary System,	2	.	.	.	.	.	.	2	.	.	.	2	.	.	1	7	1	
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes,	4	5	2	3	.	.	.	3	.	2	.	1	4	2	.	26	.	
Violent Deaths,	.	.	.	.	.	.	.	2	.	.	.	.	1	.	.	4	.	
Ill-defined, &c. Causes,	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	
Deaths from All Causes	21	20	13	10	2	4	2	17	11	27	12	2	15	11	6	4	177	7
Annual Rate of Mortality from All Causes in every 1,000 of the population.	35.9	25.0	24.3	14.5	18.8	15.1	9.6	21.5	31.3	32.0	18.9	10.5	19.8	18.8	33.9	12.3	22.6	.
	22.6							24.5					19.5					
	23.5																	
Ages at Death. { Under 1 year,	7	7	2	1	.	.	.	2	.	4	.	1	2	4	1	.	31	.
1 and under 2 years,	1	.	.	.	.	.	.	3	4	4	1	.	.	.	.	.	13	.
2 " 5 "	2	3	1	.	.	1	.	1	1	5	.	.	.	1	.	.	15	.
5 " 15 "	.	.	.	1	.	.	.	2	2	.	.	.	.	.	.	.	6	.
15 " 25 "	.	.	2	1	.	.	1	.	.	1	2	.	1	.	.	.	8	.
25 " 45 "	.	2	1	4	.	1	.	3	1	3	2	.	3	1	1	.	22	1
45 " 65 "	7	4	4	2	.	1	.	3	.	6	4	.	4	1	1	.	37	4
65 and upwards,	4	4	3	1	2	1	1	3	3	4	3	1	5	3	3	4	45	2
Number of Uncertified Deaths,	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums,	5	4	1	6	1	1	.	7	5	8	2	.	5	2	1	.	48	4
Workhouse Hospitals,	2	2	.	2	.	1	.	4	2	5	2	.	.	1	1	1	23	3

TABLE IV.—DUBLIN REGISTRATION AREA.—Deaths at Ten periods of Life from each Disease registered in the  
 in the corresponding Week of the Ten Years

CAUSES OF DEATH	Deaths from all causes Registered in the Week ending Saturday										Averages in 49th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 11th December, 1915.												
	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.	Dec. 7, 1912.	Dec. 6, 1913.	Dec. 5, 1914.		All Ages.	Deaths of Persons of the Ages of											
													0-5.											
													Under 1 month.	1 month and under 1 year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.		
ALL CAUSES.	168	169	207	185	177	188	157	176	153	205	178.5	184	11	20	13	15	6	8	23	41	28	1		
Enteric Fever, ...	2	.	2	3	1	1	1	1	4	5	2.0	1	.	.	.	.	.	.	1	.	.	.		
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...	.	2	.	5	1	2	1	1	1	.	1.3	13	.	1	2	7	3	.	.	.	.	.		
Scarlet Fever, ...	1	.	1	.	1	1	1	1	3	1	1.0	1	.	.	.	1	.	.	.	.	.	.		
Whooping-cough, ...	2	5	3	2	2	11	3	1	1	.	3.0	2	.	1	1	1	.	.	.	.	.	.		
Diphtheria, ...	1	.	2	.	.	.	1	2	1	3	1.0	1	.	.	.	1	.	.	.	.	.	.		
Croup, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
Influenza, ...	2	4	.	2	1	2	2	1	.	.	1.4	5	.	.	.	.	.	.	.	1	2	2		
Dysentery, ...	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.		
Erysipelas, ...	1	.	.	1	.	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.		
Other Epidemic Diseases, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Pyæmia and Septicæmia (non-puerperal).	.	.	1	.	1	.	1	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.		
Tetanus, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
TUBERCULOSIS.																								
Pulmonary Tuberculosis, ...	24	22	18	22	17	25	24	15	15	30	21.2	19	.	.	.	.	.	3	9	7	.	.		
Tuberculous Meningitis, ...	1	3	4	3	3	1	3	5	3	.	2.6	3	.	.	1	.	1	1	1	.	.	.		
Abdominal Tuberculosis, ...	.	1	.	1	1	3	1	2	1	1	1.1	4	.	1	.	1	1	1	1	.	.	.		
Tuberculosis of the Vertebral Column.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis of Joints, ...	3	9	2	5	4	7	.	1	.	.	3.7	1	.	.	.	.	.	.	.	1	.	.		
Tuberculosis of other Organs, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Scrofula, ...	.	.	.	.	.	.	.	2	1	2	.	2	.	1	.	.	.	1	.	.	.	.		
Disseminated Tuberculosis, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Venereal Diseases, ...	2	2	2	.	.	1	2	2	2	.	1.3	1	.	1	.	.	.	.	.	.	.	.		
Cancer, ...	6	7	11	6	10	12	12	8	7	12	9.1	10	.	.	.	.	.	1	8	1	.	.		
Tumour, situation undefined, ...	.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.		
Rheumatic Fever, ...	.	.	.	.	.	1	.	.	.	.	.1	1	.	.	.	.	.	.	.	.	.	.		
Diabetes, ...	2	.	1	2	.	.	.	2	.	1	.8	2	.	.	.	.	.	1	1	.	.	.		
Anæmia, Leucocythæmia, ...	.	.	.	.	.	.	.	2	.	5	.	1	.	.	.	.	.	1	.	.	.	.		
Other General Diseases, ...	.	.	.	.	.	2	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.		
Alcoholism, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.		
Chronic Poisonings, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Cerebro-spinal Fever, ...	.	.	.	.	.	.	.	1	5	4	.	1	.	1	.	.	.	.	.	.	.	.		
Simple Meningitis, ...	.	.	.	.	.	.	6	7	5	6	.	8	.	.	.	.	.	1	.	6	.	.		
Cerebral Hæmorrhage, Apoplexy.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Softening of Brain, ...	.	.	.	.	.	.	1	1	1	6	.	1	.	.	.	.	.	.	.	.	.	.		
Paralysis, without specified cause.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Epilepsy, ...	.	.	.	.	.	.	.	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.		
Convulsions (non-puerperal), ...	.	.	.	.	.	.	3	7	5	4	.	1	.	1	.	.	.	.	.	.	.	.		
Other Diseases of Nervous System.	50	42	51	35	39	40	2	5	3	2	40.4	.	.	.	.	.	.	.	.	.	.	.		
Pericarditis, ...	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	1	.	.		
Acute Endocarditis, ...	.	.	.	.	.	.	1	3	.	1	.	14	.	.	.	.	.	.	.	3	5	4		
Organic Diseases of the Heart, ...	.	.	.	.	.	.	11	18	7	14	.	2	.	.	.	.	.	.	2	1	.	1		
Embolism and Thrombosis (including Cerebral).	.	.	.	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Circulatory system.	.	.	.	.	.	.	.	1	3	6	.	1	.	.	.	.	.	1	.	.	.	.		
Diseases of the Larynx, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Bronchitis, ...	22	21	43	39	22	27	20	21	16	17	24.8	24	.	2	4	2	.	.	1	8	7	.		
Broncho-pneumonia, ...	5	7	11	11	12	7	8	4	13	10	8.8	7	1	.	2	1	.	.	2	.	1	.		
Lobar pneumonia, ...	1	1	1	1	6	.	1	3	1	.	1.5	1	.	1	.	.	.	.	.	.	.	.		
Pneumonia (type not distinguished)	4	5	8	6	10	8	4	6	4	5	6.0	8	1	1	.	2	.	2	.	1	.	1		
Pleurisy, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Pulmonary Congestion, Pulmonary Apoplexy.	.	.	2	.	1	.	1	1	.	2	1.2	.	.	.	.	.	.	.	.	.	.	.		
Other Diseases of Respiratory System.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.	.	.	1	.	.	.		



FORTY-NINTH WEEK, ending Saturday, 11th December, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 49th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 11th December, 1915.															
	Dec. 9, 1905.	Dec. 8, 1906.	Dec. 7, 1907.	Dec. 5, 1908.	Dec. 11, 1909.	Dec. 10, 1910.	Dec. 9, 1911.	Dec. 7, 1912.	Dec. 6, 1913.	Dec. 5, 1914.		All Ages.	Deaths of Persons of the Ages of														
													0-5.														
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.					
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Stomach, ...	—	—	—	—	—	—	2	1	1	2	—	.	.	.	.	.	.	.	.	.	.	.					
Diarrhoea and Enteritis of Children under 2 years.	5	2	5	8	5	2	5	5	5	4	5.0	4	.	3	1	.	.	.	.	.	.	.					
Diarrhoea 2 years and upwards.																											
Enteritis 2 years and upwards.	—	—	—	—	—	—	.	.	1	3	—	2	.	.	.	.	.	.	1	1	.	.					
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	.	1	.	—	2	.	.	.	.	.	.	2	.	.	.					
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	.	.	2	1	—	1	.	.	.	.	.	.	.	1	.	.					
Cirrhosis of Liver, ...	1	3	.	2	1	1	2	.	.	3	.9	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Liver, ...	.	.	2	2	.	.	.	.	1	1	.8	.	.	.	.	.	.	.	.	.	.	.					
Peritonitis (cause unknown).	2	.	.	.	2	.	.	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.					
Other Diseases of Digestive System.	9	3	3	6	5	.	1	1	.	1	2.9	1	.	.	.	.	.	.	.	.	.	1					
Acute Nephritis, ...	7	4	4	6	4	6	1	2	.	1	6.8	1	.	.	1	.	.	.	.	.	.	.					
Chronic Bright's Disease, ...							2	9	7	11		4	.	.	.	.	.	.	.	.	.	.	.	.	2	1	1
Urinary Calculi, ...							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	3	1	.	1	.	3	.	.	.	.	.	.	1	2	.	.					
Puerperal Septicæmia, &c., ...	.	.	1	1	.	1	1	.	.	4	.9	1	.	.	.	.	.	1	.	.	.	.					
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	1	.	.	1	1	.	.8	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	1	2	2	—	.	.	.	.	.	.	.	.	.	.	.					
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	.	2	—	.	.	.	.	.	.	.	.	.	.	.					
Congenital Malformations, ...	—	—	—	—	—	—	.	.	1	.	—	.	.	.	.	.	.	.	.	.	.	.					
Premature Birth, ...	2	8	7	6	4	6	4	11	1	3	5.2	5	5	.	.	.	.	.	.	.	.	.					
Congenital Debility, ...	—	—	—	—	—	—	4	3	6	.	—	7	1	6	.	.	.	.	.	.	.	.					
Old Age, ...	1	2	1	3	8	4	5	3	6	17	5.0	7	.	.	.	.	.	.	.	1	6	.					
Other Specified Diseases, ...	—	—	—	—	—	—	.	3	2	.	—	2	2	.	.	.	.	.	.	.	.	.					
ACCIDENT:																											
Poisons or Poisonous Vapours.	.	.	.	.	.	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.					
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Burns and Scalds, ...	1	.	2	1	3	2	.	2	.	.	1.1	1	.	.	1	.	.	.	.	.	.	.					
Drowning, ...	.	1	.	1	.	.	.	.	3	.	.5	.	.	.	.	.	.	.	.	.	.	.					
Suffocation in Bed, ...	.	.	1	.	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.					
Other Deaths by Accident, ...	1	.	5	1	1	1	2	.	1	1	1.3	3	.	.	.	.	1	.	.	1	1	.					
Total Deaths from Accident,	2	1	8	3	4	4	3	2	4	1	3.2	4	.	.	1	.	1	.	.	1	1	.					
Included in above are Deaths in connection with—																											
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Vehicles and Horses, ...	.	.	2	.	1	1	.	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.					
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Building Operations, ...	.	.	1	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.					
VIOLENCE OTHER THAN ACCIDENTAL:																											
Homicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	7	5	4	3	—	3	1	.	1	.	.	.	1	.	.	.					





REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 11TH DECEMBER, 1915.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\* ; with the Mortality from the principal admitted ; also, similar Statistics for..

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncertified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Diseases of Respiratory System.		Diarrhoea and Enteric of Children under 2 years of age.	Diarrhoea, 2 years and upwards.				
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.					Other.	
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 6 " 13 " 20 " 27	17.1 32.5 17.1 29.1	. 5.1 . 3.4	10 19 10 17	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	. 4 . 1	. . . 2	1 1 . 3	1 1 1 3	2 4 4 1	. 2 . 1	. . . .	. . . .	1 . . .	1 . 1 2
Population in 1915 (Est.) 30,504.	Dec. 4 " 11	22.2 35.9	3.4 3.4	13 21	. .	. .	. .	. .	. .	2 1	. .	. .	1 1	. .	3 3	1 1	3 4	1 1	. .	. .	. .	2 3
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 6 " 13 " 20 " 27	26.3 23.8 32.5 26.3	1.3 3.8 . 1.3	21 19 26 21	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 .	. . . .	3 1 6 3	. . 1 .	1 1 2 1	1 1 2 3	3 1 3 3	1 2 . 1	. . . .	. . . .	1 1 . .	. . 1 5
Population in 1915 (Est.) 41,685.	Dec. 4 " 11	35.0 25.0	6.3 3.8	28 20	. .	. .	2 1	. .	. .	. .	. 1	. .	3 2	. 1	1 1	2 3	8 2	3 1	. .	. .	. .	1 .
North City, No. 2. (Office, Lislurn-street.)	Nov. 6 " 13 " 20 " 27	15.0 13.1 29.9 20.6	. . 1.9 .	8 7 16 11	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	. . . .	. . . .	1 . . .	2 1 2 .	. 1 . .	. 3 3 2	2 1 3 .	. . . .	. . . .	. . . .	2 . . .	. 1 . 1
Population in 1915 (Est.) 27,883.	Dec. 4 " 11	28.1 24.3	. .	15 13	. .	. .	. .	. .	. .	. .	. .	. .	1 1	2 1	1 1	2 1	3 4	. .	. .	. .	1 .	1 1
North City, No. 3. (Office, Benturb-street.)	Nov. 6 " 13 " 20 " 27	11.6 13.1 20.3 23.2	1.5 2.9 . 5.8	8 9 14 16	. 1 . .	. . . .	. . 1 .	. . . 2	. . . .	. . . .	. . . .	. . . .	. 3 4 . 2	1 . 1 .	1 2 3 .	1 . 3 2	1 2 2 2	. . . 1	. . . .	. . . .	1 . . .	1 . . 3
Population in 1915 (Est.) 35,887.	Dec. 4 " 11	21.8 14.5	2.9 .	15 10	. .	. .	1 .	. .	. .	. .	. .	. .	2 1	. 1	3 1	2 1	1 .	. .	. .	. .	. .	. .
Clontarf and Howth No. 1 (part of).	Nov. 6 " 13 " 20 " 27	18.8 9.4 18.8 9.4	. . 9.4 9.4	2 1 2 1	. . . .	. . . .	. . . .	. . . 1	. . . .	. . . .	. . . .	. . . .	. 1 . .	. . . .	1 . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . .	. .
Population in 1915 (Est.) 5,539.	Dec. 4 " 11	37.7 18.8	9.4 .	4 2	. .	. .	. .	. .	. .	. .	. .	1 .	1 .	. .	. .	1 .	. .	. .	. .	. .	. .	. .
Coolock and Drumcondra (part of).	Nov. 6 " 13 " 20 " 27	15.1 15.1 22.6 26.4	. 3.8 . 3.8	4 4 6 7	. . . .	. . . .	. . . .	. . . 1	. . . .	. . . .	. . . .	. . . .	. 1 . 2	. . . .	. . . .	. . . 2	. . 1 1	. . . .	. . . .	. . . .	. .	1 1 . .
Population in 1915 (Est.) 13,820.	Dec. 4 " 11	18.9 15.1	3.8 3.8	5 4	. .	. .	1 .	. 1	. .	. .	. .	. .	1 1	. .	. .	. .	. .	. .	. .	. .	. .	. .
Finglas and Glasnevin (part of).	Nov. 6 " 13 " 20 " 27	14.4 33.7 14.4 14.4	. . . 4.8	3 7 3 3	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. 1 1 .	. . 1 .	. 1 .	. . 1 .	2 . 1 1	. . 1 .	. . 1 .	. . .	. .	. .
Population in 1915 (Est.) 10,829.	Dec. 4 " 11	28.9 9.6	. .	6 2	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 .	1 .	. .	. .	. .	. .	. .	. .
South City, No. 1. (Office, St. Earl-street.)	Nov. 6 " 13 " 20 " 27	15.2 26.6 30.4 34.2	1.3 3.8 2.5 5.1	12 21 24 27	. . . .	. . . .	. . 2 .	. . 2 .	. . . .	. . . .	. . . .	. . 1 .	1 1 2 7	1 1 1 2	2 1 1 3	2 1 3 6	1 2 3 2	1 2 . .	. . .	. .	1 . .	1 1 . .
Population in 1915 (Est.) 41,170.	Dec. 4 " 11	22.8 21.5	3.8 3.8	18 17	1 .	. .	1 3	. .	. .	. .	. .	. .	2 1	. 1	. 1	5 4	1 .	. .	. .	. .	2 2	1 .
South City, No. 2. (Office, Castle-street.)	Nov. 6 " 13 " 20 " 27	34.1 17.1 48.3 28.4	5.7 2.8 5.7 11.4	12 6 17 10	. . . .	. . . .	1 1 1 2	. . . .	. . . .	. . . .	. . . .	. . . .	2 3 3 .	. . 1 .	2 1 1 .	2 3 3 4	1 1 2 .	. . .	. .	. .	. .	. .
Population in 1915 (Est.) 18,341.	Dec. 4 " 11	28.4 31.3	2.8 5.7	10 11	. .	. .	1 1	. .	. .	. .	. .	. .	2 1	1 2	. .	3 4	1 .	. .	. .	. .	. .	. .
South City, No. 3. (Office, Peter-street.)	Nov. 6 " 13 " 20 " 27	13.0 29.6 19.0 35.6	1.2 2.4 2.4 4.7	11 25 16 30	. . . .	. . . .	. . . 2	. . . 1	. . . .	. . . .	. . . .	. . . .	3 6 4 3	1 . 1 1	. 1 1 3	2 5 1 4	4 2 1 1	. . 2 1	. .	. .	1 . .	1 2 2 .
Population in 1915 (Est.) 43,970.	Dec. 4 " 11	30.8 32.0	5.9 5.9	26 27	. .	. .	3 5	. .	. .	. .	. .	. .	3 5	1 1	3 2	4 3	1 .	1 .	. .	. .	. .	. .
South City, No. 4. (Office, Grand Canal-st.)	Nov. 6 " 13 " 20 " 27	12.6 25.2 23.6 17.3	. 3.1 4.7 1.6	8 16 15 11	. 1 . .	. . . .	. . . 1	. . . 5	. 1 . .	. . . .	. . . .	. . . .	. 7 1 2	1 1 1	. 1 .	. . 2	2 . 2	. . .	. .	. .	1 .	. .
Population in 1915 (Est.) 33,171.	Dec. 4 " 11	26.7 18.9	7.9 .	17 12	. .	. .	. .	. .	. .	. .	. .	. .	1 3	. 1	. .	2 2	5 .	. .	. .	. .	. .	. .
New Kilmainham.	Nov. 6 " 13 " 20 " 27	21.0 10.5 5.2 10.5	10.5 . . .	4 2 1 2	. . . .	. . . .	. . . .	. . . .	. . . .	1 . .	. .	. .	. 1 .	. .	. .	. 1	. .	1 .	1 .	. .	. .	. .
Population in 1915 (Est.) 9,948.	Dec. 4 " 11	10.5 10.5	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	. .

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Number of Uncertified Deaths.
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Violence.	
Rathmines and Rathgar Urban District. Population in 1915 (Est.) 39,541.	Nov. 6	10.5	.	8	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.
	" 13	10.5	.	8	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.
	" 20	9.2	1.3	7	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	" 27	21.1	1.3	16	.	.	.	.	.	.	.	.	1	.	2	1	1	.	2
	Dec. 4	21.1	.	16	.	.	.	.	.	.	.	.	2	1	1	1	5	.	.
Pembroke Urban District. Population in 1915 (Est.) 20,538	" 11	19.8	2.6	15	1	.	.	.	.	1	.	.	1	1	1	.	.	1	.
	Nov. 6	17.1	.	10	.	.	.	.	.	.	.	.	2	.	.	.	2	.	1
	" 13	17.1	.	10	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	" 20	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	2	1	.	1
	" 27	13.7	.	8	.	.	.	.	.	.	.	.	2	.	1	.	1	.	1
Blackrock Urban District. Population in 1915 (Est.) 9,233.	Dec. 4	30.7	1.7	18	.	.	.	.	.	.	1	.	1	.	3	.	4	.	.
	" 11	18.8	5.1	11	.	.	.	3	.	.	.	.	1	.	.	1	.	.	.
	Nov. 6	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 13	22.6	.	4	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 20	5.6	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Kingstown Urban District. Population in 1911 16,941.	" 27	28.2	.	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	22.6	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.
	" 11	33.9	5.6	6	.	.	.	.	.	.	.	.	1	.	.	1	1	.	.
	Nov. 6	12.3	.	4	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.
	" 13	12.3	.	4	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Belfast. Population in 1915 (Est.) 403,000.	" 20	12.3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.
	" 27	15.4	.	5	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	Dec. 4	18.5	.	6	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.
	" 11	12.3	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
	Nov. 6	15.8	1.2	122	.	.	.	.	3	.	1	.	14	4	4	11	14	4	1
Cork. Population in 1911 76,673.	" 13	16.0	1.6	124	.	.	.	1	4	1	4	.	12	10	10	13	12	2	2
	" 20	20.3	1.3	157	.	.	.	1	3	2	1	.	25	4	16	11	19	3	3
	" 27	18.1	1.7	140	.	.	.	3	7	2	.	.	14	4	3	18	27	1	2
	Dec. 4	21.1	1.8	163	.	.	.	2	5	4	.	.	21	8	6	25	33	3	1
	" 11	21.0	1.6	162	.	.	.	1	3	3	1	.	16	3	4	21	35	4	3
Londonderry. Population in 1915 (Est.) 41,200.	Nov. 6	16.3	1.4	24	.	.	.	.	1	.	.	.	4	2	.	2	1	.	2
	" 13	14.3	.	21	.	.	.	.	.	.	.	.	4	2	1	1	1	.	2
	" 20	20.4	0.7	30	.	.	.	.	.	.	.	.	3	1	1	1	5	.	1
	" 27	21.8	1.4	32	1	.	.	.	.	.	.	.	2	2	1	3	4	1	2
	Dec. 4	23.8	2.0	35	.	.	.	.	1	.	2	.	3	3	2	.	5	.	1
Limerick. Population in 1911 38,518.	" 11	22.4	0.7	33	1	.	.	.	.	.	.	.	1	1	2	1	6	.	.
	Nov. 6	24.0	2.5	19	.	.	.	1	.	.	.	.	5	.	1	.	3	1	4
	" 13	7.6	.	6	.	.	.	.	.	.	.	.	.	.	1	1	2	.	1
	" 20	16.5	1.3	13	.	.	.	.	.	.	.	.	.	.	.	1	3	1	.
	" 27	20.2	3.8	16	.	.	.	.	.	2	.	.	.	.	.	3	4	1	.
Waterford. Population in 1911 27,464.	Dec. 4	17.7	2.5	14	.	.	.	.	.	1	.	.	.	1	.	1	2	1	.
	" 11	17.7	.	14	.	.	.	.	.	.	.	.	2	.	1	.	8	.	2
	Nov. 6	6.8	.	5	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.
	" 13	19.0	.	14	.	.	.	.	.	.	.	.	1	.	.	.	3	.	4
	" 20	13.5	2.7	10	.	.	.	.	.	2	.	.	.	.	.	.	4	.	1
Waterford. Population in 1911 27,464.	" 27	24.4	1.4	18	.	.	.	.	.	1	.	.	.	.	1	.	2	.	.
	Dec. 4	9.5	1.4	7	.	.	.	.	.	1	.	.	1	.	.	.	2	1	1
	" 11	12.2	1.4	9	1	.	.	.	.	.	.	.	1	.	1	.	4	.	1
	Nov. 6	11.4	.	6	.	.	.	.	.	.	.	.	.	1	1	1	1	.	.
	" 13	9.5	5.7	5	.	.	.	.	.	.	1	.	.	.	.	.	2	.	.
Waterford. Population in 1911 27,464.	" 20	22.8	1.9	12	.	.	.	.	.	.	1	.	2	.	.	1	2	.	.
	" 27	22.8	.	12	.	.	.	.	.	.	.	.	5	.	.	2	1	.	.
	Dec. 4	28.5	3.8	15	.	.	.	.	.	.	.	.	1	.	.	.	2	.	2
	" 11	7.6	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 11th December, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted, with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases: Number of the Deaths at certain AGE PERIODS: the Number of Deaths from the Principal CAUSES: the Number of Uncertified Deaths, &c.

[illegible]

<sup>5</sup> The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.





TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS. DEATHS.		ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
			Exclusive of Stillborn.			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, — —	4,516,612	Dec. 11,	1,978	1,549 <sup>c</sup>	17.9	.	.	7	3	9	25	32	
EDINBURGH, — —	328,700	" 11,	...	.	.	.	.	.	.	.	.	.	
GLASGOW, — —	1,078,400	" 11,	.	.	.	.	.	.	.	.	.	.	
CALCUTTA — —	896,067	Oct. 9,	.	417 <sup>†</sup>	24.1	?	.	?	?	?	?	?	
BOMBAY, — —	979,445	" 30,	446	471	25.0	44*	1	.	.	.	.	45 <sup>a</sup>	
MADRAS, — —	518,660	" 23,	430	342	34.3	32*	4	1	?	?	?	71 <sup>a</sup>	
CAIRO, {	Egyptians, ...	Aug. 19,	594	651	51.5	19	.	2	.	?	6 <sup>†</sup>	212	
	Foreigners,	" 19,	9	39	27.8	3	.	.	.	?	.	4	
ALEXAN- DRIA, {	Egyptians,	" 19,	349	251	37.9	3	2	.	.	?	.	98	
	Foreigners,	" 19,	21	209	140.1	20	.	.	.	?	.	5	
PARIS, — —	2,847,229	Nov. 6,	460	704	12.6	6	.	1	2	1	3 <sup>†</sup>	13	
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, — —	613,249	Oct. 30,	211	151	12.8	.	.	3	.	.	1 <sup>†</sup>	1	
COPENHAGEN, — —	494,000	Nov. 13,	198	132	13.9	.	.	1	.	.	.	3	
STOCKHOLM, — —	386,270	" 13,	151	90	12.1	1	.	.	.	1	.	3 <sup>a</sup>	
CHRISTIANIA, — —	250,677	" 27,	113	50	10.4	.	.	.	.	.	1	1 <sup>a</sup>	
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, — —	1,694,000	Oct. 30,	.	1,168 <sup>†</sup>	36.0	48	6	80	62	6	22 <sup>†</sup>	169 <sup>†a</sup>	
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, — —	5,806,532	Nov. 6,	2,645	1,220	11.0	10	.	2	.	3	25 <sup>†</sup>	47	
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, — —	727,826	Nov. 20,	.	203 <sup>b</sup>	14.5	.	.	.	.	3	4	7 <sup>a</sup>	

\* Deaths from "fever," including 5 from plague and 2 from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 9 deaths from cholera in Calcutta, and 5 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e. non-residents deducted, 179 deaths (including 2 from whooping-cough and 2 from diphtheria); rate, 12.8 per thousand.<sup>c</sup> Including 3 deaths from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 11th December, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	—	—	—	—	—	—	—	2	—	—	—	—	1	3
"    "    1, West,	—	1	—	—	—	—	—	—	1	—	—	—	3	5
"    "    2,	—	—	—	—	—	—	—	—	—	—	—	—	2	2
"    "    3,	—	1	—	—	—	—	—	1	—	—	—	—	—	2
Clontarf and Howth No. 1 (part of),	—	1	—	—	—	—	—	—	—	—	—	—	—	1
Coolock and Drumcondra (part of),	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Finglas and Glasnevin (part of),	—	—	—	—	—	—	—	—	—	—	—	—	—	—
South City No. 1,	—	—	—	—	—	—	—	—	—	—	—	—	1	1
"    "    2,	—	—	—	—	—	—	—	—	—	—	—	—	2	2
"    "    3,	—	2	—	—	—	—	—	2	1	—	—	—	2	7
"    "    4,	—	—	—	—	—	—	—	1	—	—	—	—	2	3
New Kilmainham,	—	1	—	—	—	—	—	—	—	—	—	—	—	1
Total,	—	6	—	—	—	—	—	6	2	—	—	—	13	27

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 11th December, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 11th December.			
	Nov. 20.	Nov. 27.	Dec. 4.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	32	32	34	5	3	—	36
Typhus,	4	2	2	—	—	—	2
Small-pox,	—	—	—	—	—	—	—
Measles,	37	35	39	24	16	5	42
Scarlet Fever,	91	87	77	11	18	1	69*
Diphtheria,	23	26	27	5	7	—	25
Pneumonia,	12	11	13	9	5	1	16

\* Exclusive of 15 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 18TH DECEMBER, 1915.

[No. 50.]

*General Register Office, Charlemont House,  
Dublin, 20th December, 1915.*

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 22·2 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Nov. 27	Dec. 4	Dec 11	Dec. 18	
<b>27 Town Districts, (a)</b>	<b>20·1</b>	<b>21·8</b>	<b>20·0</b>	<b>22·2</b>	<b>21·0</b>
Dublin Reg. Area ...	24·1	25·9	22·6	24·9	24·4
Dublin City ...	25·8	26·5	23·5	27·3	25·8
Belfast ...	18·1	21·1	21·0	23·0	20·8
Cork ...	21·8	23·8	22·4	23·8	22·9
Londonderry ...	20·2	17·7	17·7	21·5	19·3
Limerick ...	24·4	9·5	12·2	9·5	13·9
Waterford ...	22·8	28·5	7·6	22·8	20·4

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·0 per 1,000. Among the 178 deaths from all causes for Belfast are 7 from measles, 4 from scarlet fever, 4 from whooping-cough, one from diphtheria, and one from cerebro-spinal fever. One of the 17 deaths from all causes for Londonderry is due to enteric fever, and the 5 deaths from all causes for Drogheda include one from whooping-cough.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 178—80 boys and 98 girls—and the deaths to 208—97 males and 111 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 13) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·9 per 1,000 of the population. During the fifty weeks, ending with Saturday last, the death-rate averaged 22·0, and was 0·8 above the mean rate for the corresponding portions of the ten years, 1905–1914.

The total deaths registered, numbering 208, represent an annual rate of 26·5 per 1,000; the annual rate for the past fifty weeks was 23·4 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

Among the total deaths registered are one from enteric fever, 11 from measles, 3 each from scarlet fever and whooping-cough, 8 deaths from diarrhoea and enteritis of children under 2 years of age, and one death from influenza.

In the three preceding weeks deaths from enteric fever were one, one, and one; deaths from measles were 7, 13, and 13; deaths from scarlet fever were 3, one, and one; deaths from whooping-cough were 2, 2, and 2; deaths of children under 2 years of age from diarrhoea and enteritis were 12, 6, and 4; and deaths from influenza were 3, 0, and 5.

Deaths from tuberculous disease, which were 30, 25, and 29 respectively in the three preceding weeks, numbered 27\* last week, 23 having been caused by pulmonary tuberculosis, 2 by tuberculous meningitis, one by abdominal tuberculosis, and one by disseminated tuberculosis.

Cancer caused 14\* deaths.

Of 10 deaths from pneumonia 6 were from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 5 were ascribed to convulsions, 7 to prematurity, and 3 to congenital debility.

Organic diseases of the heart caused 23 and bronchitis 28 deaths.

Of 6 accidental deaths, 3 were caused by burns, and one (that of an infant under one year of age) by suffocation in bed.

In 3 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; all of these were of children under 5 years of age.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (47 being infants under one year, of whom 15 were under one month old), and 46 were aged 65 years and upwards, including 31 persons aged 70 and upwards; among the latter were 15 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 94 and 91 years respectively.

Eighty-three of the deaths registered during the week occurred in hospitals and other public institutions; of this number 12 took place in the North Dublin Union Workhouse, and 19 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24.9 per 1,000; the rate in the City was 27.3 (North City Districts, 26.0; South, 28.8), and in the Suburbs, 16.8.

The deaths from certain epidemic diseases in the entire Area equal an annual rate of 3.3 per 1,000 inhabitants, the rate for the City being 4.2 (in the North City Districts 4.4, and in the South 3.9), and for the Suburbs, 0.5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (10) are equal to an annual rate of 17.1 per 1,000. There was one death each from whooping-cough, pulmonary tuberculosis, and diarrhoea and enteritis of a child under 2 years of age.

No. 1 North City District, West (Summer-hill).—The deaths (28) are equal to an annual rate of 35.0 per 1,000. Among them are 5 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, 2 from diarrhoea and enteritis of children under 2 years of age, and one accidental death.

No. 2 North City District (Lisburn-street).—The deaths (21) are equivalent to an annual rate of 39.3 per 1,000. There were 3 deaths from measles, 2 from whooping-cough, one from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, 2 deaths of children under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 3 North City District (Benburb-street).—The deaths (22) represent an annual rate of 32.0 per 1,000. Two deaths from scarlet fever, 3 from pulmonary tuberculosis, one from pneumonia, 4 from bronchitis, one from diarrhoea and enteritis of a child under 2 years of age, and one accidental death were recorded.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3.8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0.0; and Finglas and Glasnevin, part of, 4.8. The only death recorded for the first-named district was one from bronchitis.

No. 1 South City District (South Earl-street).—The deaths (25) represent an annual rate of 31.7 per 1,000. There were 4 deaths from measles, 1 from tuberculous disease, one from bronchitis, one death of a child under 2 years of age from diarrhoea and enteritis, and one accidental death.

No. 2 South City District (Castle-street).—The deaths (15) are equal to an annual rate of 42.6 per 1,000, and include one death from measles, 2 from pulmonary tuberculosis, one from pneumonia, and 4 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (26) are equal to an annual rate of 30.8 per 1,000. Among them are one from enteric fever, 3 from measles, 6 from tuberculous disease, 2 from pneumonia, 3 from bronchitis, and one death of a child under 2 years from diarrhoea and enteritis.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17.3 per 1,000. Bronchitis caused 5 deaths.

New Kilmainham District.—The deaths (4) are equal to an annual rate of 21.0 per 1,000. One death from pneumonia and 2 deaths from bronchitis were recorded.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15.8; Pembroke, 15.4; Blackrock, 11.8; and Kingstown, 24.6. The only death from any of the principal epidemic diseases tabulated for these districts was one from scarlet fever for Pembroke. One of the 12 deaths from all causes for Rathmines and Rathgar was from bronchitis. The 9 deaths from all causes for Pembroke include one from pulmonary tuberculosis, one from lobar pneumonia, 2 from bronchitis, and one accidental death. One of the 2 deaths recorded for Blackrock was from pulmonary tuberculosis; and among the 8 deaths from all causes for Kingstown are one from each of influenza and pulmonary tuberculosis, and one accidental death.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 16.3), was equal to an average annual death-rate of 15.7 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 19.7 per 1,000, the rate for Glasgow being 19.1, and for Edinburgh 19.8.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 18th December. From this Report it appears that of 85 cases notified, 35 were scarlet fever, 21 diphtheria, 12 pulmonary tuberculosis, 8 other forms of tuberculosis, 6 erysipelas, 2 cerebro-spinal fever, and one puerperal fever. Among the 739 cases of infectious diseases in hospital at the close of the week were 410 of scarlet fever, 154 of diphtheria, 124 of pulmonary tuberculosis, 20 of measles, 5 of erysipelas, 2 of enteric fever, and 2 of cerebro-spinal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 18th December, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Nov. 27,	.	—	—	11	.	.	5	.	.	6	5	.	—	—	.	—	.	20	47
	Dec. 4,	.	—	—	8	.	.	2	.	.	5	2	.	—	—	.	—	.	16	33
	Dec. 11,	.	—	—	6	.	.	.	.	.	6	2	.	—	—	.	—	.	13	27
	Dec. 18,	.	—	—	13	.	.	8	.	.	3	2	.	—	—	.	—	.	14	40
Rathmines and Rathgar Urban District.	Nov. 27,	.	—	—	.	.	.	1	.	.	2	.	.	—	—	—	—	—	—	3
	Dec. 4,	.	—	—	.	.	.	3	.	.	.	.	.	—	—	—	—	—	—	7
	Dec. 11,	.	—	—	2	.	.	.	.	.	.	2	.	—	—	—	—	—	—	4
	Dec. 18,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
Pembroke Urban District.	Nov. 27,	.	2	.	1	.	.	1	.	.	.	.	.	—	—	—	—	—	1	5
	Dec. 4,	.	9	.	1	.	.	.	.	.	.	1	.	—	—	—	—	—	.	11
	Dec. 11,	.	21	.	2	.	.	.	.	1	.	.	1	—	—	—	—	—	2	27
	Dec. 18,	.	5	.	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	6
Blackrock Urban District.	Nov. 27,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 4,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 11,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
Kingstown Urban District.	Nov. 27,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	.	4
	Dec. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Dec. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
City of Belfast.	Nov. 27,	.	—	—	56	.	.	3	.	.	5	7	.	—	—	2	—	.	5	78
	Dec. 4,	.	—	—	36	.	.	3	.	.	1	8	.	—	—	.	—	.	4	52
	Dec. 11,	.	—	—	55	.	.	6	.	.	.	7	.	—	—	.	—	.	4	72
	Dec. 18,	.	—	—	40	.	.	5	1	.	.	.	.	—	—	3	—	.	5	54
City of Cork.	Nov. 27,	.	3	—	4	.	.	5	.	.	.	1	.	—	—	—	—	—	—	13
	Dec. 4,	.	5	—	8	.	.	.	.	.	1	.	.	—	—	—	—	—	—	15a
	Dec. 11,	.	7	—	3	.	.	3	.	.	.	.	.	—	—	1	—	—	—	13b
	Dec. 18,	.	2	—	2	.	.	1	.	.	.	.	.	—	—	.	—	—	—	5
City of Londonderry.	Nov. 27,	.	—	—	3	.	.	.	.	.	1	.	.	—	—	—	—	—	—	4
	Dec. 4,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Dec. 11,	.	—	—	4	.	.	.	.	.	1	2	.	—	—	—	—	—	—	7
	Dec. 18,	.	—	—	12	.	.	.	.	.	1	2	.	—	—	—	—	—	—	15
City of Limerick.	Nov. 27,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Nov. 27,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	3	5
	Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 18,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	1	4

(a) Not including one case of cerebro-spinal fever.

(b) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 18th December, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

One case of enteric fever was admitted to hospital during the week, 6 were discharged, there was one death and 30 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 32, 34, and 36.

Two cases of typhus were discharged from hospital during the week, and no case remained under treatment at its close.

Twenty-eight cases of measles were admitted to hospital during the week, 10 were discharged, there was one death and 59 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 35, 39, and 42 respectively.

Eighteen cases of scarlet fever were admitted to hospital, 22 were discharged, 2 died, and 63\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 87, 77, and 69, respectively.

Six cases of diphtheria were admitted to hospital during the week, 5 were discharged, and the cases in hospital, which at the close of the 3 preceding weeks numbered 25, 27, and 25 respectively, were 26 at the close of last week.

In addition to the above-named diseases, 4 cases of pneumonia were admitted to hospital, 3 were discharged, and 17 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 18th December, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 18TH DECEMBER, 1915.																																	
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																												
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																										
	Total.(a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Caused by																									
								Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber- culosis.		Diseases of the Respir- atory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.						
																		Pulmonary.	Other Forms.	Cancer.	Pneumonia.							Other.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)					
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	21.8	22.2	2.0	508	516	96	136	2	...	...	18	7	8	1	...	53	11	32	46	75	10	1	11	18	142	19					
DUBLIN REG- ISTRATION AREA:— TOTAL, (c), ...	409,000	29.8	22.7	24.9	3.3	178	195	46	45	1	...	...	11	3	3	...	...	21	4	11	10	28	8	...	6	4	70	3					
CITY OF DUBLIN,	312,747	39.5	24.5	27.3	4.2	147	164	40	31	1	...	...	11	2	3	...	...	18	4	10	9	25	8	...	4	3	63	2					
Urban Districts.																																	
RATHMINES and RATHGAR, ...	39,541	23.1	18.5	15.8	.	14	12	4	5	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	2	...					
PEMBROKE, ...	30,538	19.4	22.2	15.4	1.7	13	9	...	6	...	...	...	...	1	...	...	...	1	...	...	1	2	...	...	...	1	...	3	...				
BLACKROCK, ...	9,233	8.5	11.3	11.3	.	2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...				
KINGSTOWN, ...	16,941	11.6	6.2	24.6	.	2	8	2	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1	1	2	1	...				
Urban Districts																																	
BELFAST ..	403,000	27.0	22.5	23.0	2.1	174	(d) 178	32	41	...	...	...	7	4	4	1	...	10	4	13	27	33	...	...	4	11	40	1	...				
CORK, ..	76,673	28.6	24.5	23.8	0.7	36	35	3	12	...	...	...	...	...	...	...	...	9	...	...	3	1	1	...	...	...	9	3	...				
LONDON- DERRY ..	41,200	16.0	8.9	21.5	1.3	7	17	2	4	1	...	...	...	...	...	...	...	2	...	1	...	3	...	...	...	1	4	1	...				
LIMERICK, ...	38,518	16.1	14.9	9.5	.	11	7	1	4	...	...	...	...	...	...	...	...	1	...	...	...	2	...	...	...	...	2	...	...				
WATERFORD, ...	27,464	19.1	26.6	22.8	.	14	12	3	3	...	...	...	...	...	...	...	...	...	...	...	1	3	...	...	...	...	4	...	...				
GALWAY, ...	13,255	2.5	The annual rates represented by the numbers of births and deaths registered for these urban districts will be shown in the Quarterly Summary of the Weekly Re- turns.				4	4	...	1	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	2	...			
DUNDALK, ...	13,128	9.5					4	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	
LURGAN, ...	12,553	14.7					14	7	1	4	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	3	...	
DROGHEDA, ...	12,501	8.4					1	5	...	2	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...	...	...	1	1	1	...	...	
LISBURN ...	12,388	10.9					7	9	...	3	...	...	...	...	...	...	...	...	...	...	...	1	...	1	1	1	...	...	...	1	...	...	
NEWRY, ...	11,963	17.0					1	3	...	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	1	...	...	
PORTADOWN, ...	11,727	15.3					4	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	
WEXFORD, ...	11,531	22.8					3	5	...	...	...	...	...	...	...	...	...	...	...	...	...	1	2	...	...	1	...	...	...	1	...	...	
BALLYMENA ..	11,381	9.3					3	4	...	1	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	...	...	...	...	...	...	
SLIGO, ...	11,163	3.8					3	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
KILKENNY, ...	10,514	11.4					3	3	...	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	...	
TRALEE, ...	10,300	17.4					7	2	1	1	...	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...
CLONMEL, ...	10,209	7.8					6	3	1	1	...	1	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	1	1	...	
NEWTOWNARDS	9,587	20.1					5	6	1	3	...	1	3	...	...	...	...	...	...	...	...	1	...	1	1	...	...	...	...	1	...	...	
QUEENSTOWN,	8,209	14.7					2	3	2	1	...	2	1	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	
LARNE, ...	8,036	13.4					7	4	1	2	...	4	1	2	...	...	...	...	...	...	...	1	...	...	1	1	...	...	...	...	...	...	
COLERAINE, ...	7,785	7.7					1	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	
BANGOR, ...	7,776	8.5					1	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	
BRAY, ..	7,691	7.2					1	1	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	
ATHLONE, ..	7,472	6.2					3	3	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	3	...	...	
ARMAGH, ...	7,356	21.8					3	3	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	2	...	

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 13 deaths of persons (including one under one year old, and one at 67 years), admitted to hospital from localities outside the Area; the 13 deaths include 2 from pulmonary tuberculosis, and 3 from cancer. (d) Including one death from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 18th of December, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
	CITY OF DUBLIN.																	
	REGISTRATION DISTRICTS IN										URBAN DISTRICTS OF							
	Dublin North Superintendent Registrar's District.					Dublin South Superintendent Registrar's District.												
	NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.								SOUTH CITY NO. 4.
Enteric Fever, . . . . .	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.
Typhus, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, . . . . .	.	.	3	.	.	.	.	4	1	3	.	.	.	.	.	.	11	.
Scarlet Fever, . . . . .	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.
Whooping-cough, . . . . .	1	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.
Diphtheria, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Croup, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Influenza, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.
Dysentery, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, . . . . .	1	3	1	3	.	.	.	3	2	5	.	.	1	1	1	1	21	2
{ Other Forms, . . . . .	.	2	.	2	.	.	.	1	.	1	.	.	.	1	.	.	4	.
Cancer, . . . . .	.	1	.	2	.	.	.	4	1	2	.	.	1	.	.	.	11	3
Diseases of Nervous System, . . . . .	1	2	1	4	.	.	.	4	.	2	1	1	1	.	.	2	19	.
" Organs of Special Sense, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1
" Circulatory System, . . . . .	1	3	5	.	.	.	.	1	2	4	2	.	4	1	.	1	24	1
" Respiratory System, { Pneumonia . . . . .	.	2	2	1	.	.	.	.	1	2	.	1	.	1	.	.	10	.
{ Others, . . . . .	.	3	2	4	.	1	.	1	4	3	5	2	1	2	.	.	28	.
{ Diarrhoea and Enteritis, under 2 years, . . . . .	1	2	2	1	.	.	.	1	.	1	.	.	.	.	.	.	8	.
" Digestive System, { Diarrhoea, 2 years and upwards, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
{ Enteritis, 2 years and upwards, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
{ Others, . . . . .	1	1	.	.	.	.	.	1	.	.	1	.	.	.	.	1	5	2
" Genito-urinary System, . . . . .	.	2	.	3	.	.	.	.	1	.	.	.	1	.	.	.	8	2
Puerperal Septicæmia, etc., . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2
Other Causes incident to Pregnancy and Childbirth, . . . . .	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
Diseases of the Skin and Cellular Tissue, . . . . .	.	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	3	.
" Locomotor System, . . . . .	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other specified Causes, . . . . .	2	1	1	1	.	.	1	4	2	2	1	.	4	2	1	1	23	2
Violent Deaths; . . . . .	.	1	1	1	.	.	.	1	.	.	.	.	.	1	.	1	6	.
Ill-defined, &c. Causes, . . . . .	.	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
Deaths from All Causes . . . . .	10	28	21	22	.	1	1	25	15	26	11	4	12	9	2	8	195	13
Annual Rate of Mortality from All Causes in every 1,000 of the population, . . . . .	17.1	35.0	39.3	32.0	.	3.8	4.8	31.7	42.6	30.8	17.3	21.0	15.8	15.4	11.3	24.6	24.9	.
	26.0							28.8							16.8			
	27.3																	
Ages at Death, { Under 1 year, . . . . .	4	7	6	3	.	.	1	2	3	8	2	3	4	.	.	2	46	1
{ 1 and under 2 years, . . . . .	.	2	5	.	.	.	.	3	.	1	1	.	.	.	.	.	12	.
{ 2 " 5 " . . . . .	.	.	.	1	.	.	.	5	1	1	.	.	.	1	.	1	10	.
{ 5 " 15 " . . . . .	.	2	1	2	.	.	.	.	1	1	.	.	.	.	.	1	8	.
{ 15 " 25 " . . . . .	1	1	.	.	.	.	.	2	1	1	1	.	.	.	.	.	7	1
{ 25 " 45 " . . . . .	2	5	.	2	.	.	.	1	3	5	1	.	1	1	1	1	23	5
{ 45 " 65 " . . . . .	2	3	5	7	.	.	.	7	4	4	2	1	2	1	.	1	44	5
{ 65 and upwards, . . . . .	1	2	4	7	.	1	.	4	2	5	4	.	5	6	1	2	45	1
Number of Uncertified Deaths, . . . . .	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	3	.
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																		
Public Hospitals, Prisons, and Lunatic Asylums, . . . . .	1	5	3	7	.	.	1	5	3	6	2	.	2	3	.	2	40	12
Workhouse Hospitals, . . . . .	.	5	2	5	.	.	.	6	4	3	4	1	.	.	.	.	30	1





FIFTIETH WEEK, ending Saturday, 18th December, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 50th Week of the 10 years, 1905-1914.	In the Week ending Saturday, 18th December, 1915.											
	Dec. 16, 1905.	Dec. 15, 1906.	Dec. 14, 1907.	Dec. 12, 1908.	Dec. 18, 1909.	Dec. 17, 1910.	Dec. 16, 1911.	Dec. 14, 1912.	Dec. 13, 1913.	Dec. 12, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	.	.	.	.	.	1	.1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	1	3	1	3	—	1	.	.	.	.	.	.	.	.	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	2	6	5	3	4	3	3	2	4	10	4.5	8	1	6	1	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards, Enteritis 2 years and upwards, Appendicitis and Typhlitis, ...																							
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	1	.	.	2	.	3	.	.	.	.	.	.	.	1	1	.	.
Cirrhosis of Liver, ...	1	1	1	1	1	.	.	.	.	1	.6	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	1	.	.	.	.	.	2	.	2	1	.6	.	.	.	.	.	.	.	.	.	.	.	.
Peritonitis (cause unknown), ...	1	.	1	.	.	.	.	.	.	1	.3	.	.	.	.	.	.	.	.	.	1	.	.
Other Diseases of Digestive System.	2	8	5	8	5	3	2	1	.	1	3.5	1	.	.	.	.	1	.	.	.	.	.	.
Acute Nephritis, ...	6	6	8	8	5	4	6	1	1	3	6.7	1	1	.	.	.	1	.	.	7	1	.	.
Chronic Bright's Disease, ...																							
Urinary Calculi, ...																							
Uterine Tumour (non-can- cerous).																							
Ovarian Tumour (non-can- cerous)																							
Other Diseases of Genito- urinary System.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Puerperal Septicæmia, &c., ...	.	1	.	.	.	1	.	1	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	.	1	.	.	.	.	.	.	1	.	.2	1	.	.	.	.	1	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	2	.	4	—	3	.	.	.	.	1	.	.	.	1	1	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	2	.	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	6	6	2	5	2	5	8	4	4	6	4.8	7	7	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	1	4	2	4	—	3	1	2	.	.	.	.	.	.	.	.	.
Old Age, ...	8	2	3	1	1	4	8	5	1	5	3.8	5	.	.	.	.	.	.	.	3	2	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	3	1	.	.	—	6	4	.	.	.	.	1	.	1	.	.	.
ACCIDENT:																							
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Burns and Scalds, ...	1	3	.	.	2	2	1	1	1	3	1.4	3	.	.	.	.	1	.	.	1	1	.	.
Drowning, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	.	.	1	.	.	.	.	.	.	.	.1	1	.	1	.	.	.	.	.	.	.	.	.
Other Deaths by Accident, ...	1	.	1	1	2	4	2	1	2	2	1.6	2	.	.	.	.	.	.	.	1	1	.	.
Total Deaths from Accident,	2	3	2	1	4	7	3	2	3	5	3.2	6	.	1	.	.	1	.	.	1	2	1	.
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	.	.	1	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	.	.	.	.	1	1	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	1	.	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL:																							
Homicide, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	1	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	5	6	4	4	—	4	.	.	.	.	.	.	3	1	.	.	.

TABLE V.—Dublin Registration Area.—Comparative Table of Results in each of the last twenty-six weeks, with the average Births and Deaths in corresponding week of the previous ten years

DUBLIN REGISTRATION AREA.		1915—WEEK ENDING																								Dec. 18.			
		June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.		
No of weeks in Annual Series		25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50		
Births registered.		199	243	202	199	214	225	178	188	243	210	179	196	182	191	245	172	219	156	221	180	182	175	215	165	187	178		
Average Births in corresponding week of previous 10 years, ...		216	247	204	212	217	216	221	205	218	214	204	245	203	218	241	205	189	204	197	212	210	199	188	210	187	208		
DEATHS registered, ...		133	161	133	113	121	117	110	143	120	134	144	156	166	169	171	161	158	171	151	129	172	194	197	217	184	208		
Annual Death-rate per 1,000, ...		17.0	20.5	17.0	14.4	15.4	14.9	14.0	18.2	15.3	17.1	18.4	19.9	21.2	21.5	21.8	20.5	20.1	21.8	19.3	16.4	21.9	24.7	25.1	27.7	23.5	26.5		
Average Deaths in corresponding week of previous 10 years, ...		143	135	135	145	144	145	143	138	154	156	159	160	158	159	160	159	153	153	147	164	167	169	166	169	179	166		
Ages, { Under 5 years, 5-15 " 15-25 " 25-45 " 45-65 " 65-75 " 75 and upwards,		34	36	33	28	25	35	33	51	39	50	46	43	53	59	62	70	40	57	38	27	36	53	64	56	59	69		
		6	7	6	5	8	6	4	6	4	6	8	7	7	4	7	8	7	3	8	8	5	8	6	10	8	8		
		12	10	8	5	10	6	5	7	4	6	8	8	9	6	9	7	14	9	8	12	8	6	12	7	12	8		
		21	23	21	18	18	24	21	12	21	18	27	25	36	28	33	33	22	32	28	15	18	22	27	27	23	28		
		26	51	27	31	34	25	22	37	22	29	27	39	32	35	29	26	42	30	47	34	50	49	35	59	41	49		
		23	16	23	13	17	13	14	21	17	14	19	19	1	19	19	19	16	26	24	24	22	29	29	27	31	28		
		11	18	15	13	14	8	11	11	11	9	10	10	2	16	12	13	6	6	16	7	15	21	18	27	24	19		
		Deaths from :—																											
		Enteric Fever, ...		.	.	.	1	.	.	1	.	.	.	.	.	.	1	2	.	3	2	.	.	2	1	1	1	1	1
		Typhus, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Measles, ...		2	1	2	1	.	1	1	1	.	1	.	.	.	2	1	2	1	3	3	1	2	4	7	13	11			
Scarlet Fever, ...		1	.	.	1	.	.	.	2	1	.	1	.	.	1	1	1	.	1	1	1	1	2	2	2	3			
Whooping-cough, ...		2	1	.	1	1	1	1	4	1	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.		
Diphtheria, ...		1	.	2	2	3	.	2	2	1	1	.	2	3	.	.	.	.	.	.	.	.	.	.	.	.	.		
Influenza, ...		.	.	2	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Dysentery, ...		.	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Tuberculosis { Pulmonary ...		20	25	18	12	18	17	17	16	13	19	21	22	35	20	28	23	28	22	15	14	23	28	22	18	19	23		
" { Other Forms, ...		8	9	2	3	7	6	9	3	4	7	4	5	3	5	9	9	9	9	7	7	2	5	8	7	10	4		
Cancer, ...		10	10	8	9	9	8	4	9	8	10	11	11	12	10	8	10	11	12	12	10	10	11	6	15	10	14		
Diseases of Circulatory System, ...		20	18	15	13	12	15	15	17	13	16	14	20	10	18	17	13	15	11	15	12	24	15	19	22	18	25		
Diseases of Respi. { Pneumonia, ...		11	8	7	5	11	5	4	4	4	4	2	7	7	6	5	2	4	4	9	5	8	16	17	16	10	16		
ratory System, { Others, ...		10	22	17	6	8	2	5	10	6	8	9	15	11	14	5	9	14	15	14	21	21	32	24	46	25	28		
Diarrhoea and Enteritis, under 2 years, ...		2	5	7	3	3	7	7	11	14	22	18	13	25	24	30	25	13	21	10	4	9	4	12	6	4	8		
Diarrhoea, 2 years and upwards		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
Violent Deaths, ...		5	5	1	6	2	1	4	5	4	2	4	1	1	5	2	5	2	3	7	5	1	5	3	4	4	6		
Number of Uncertified Deaths, ...		5	7	7	3	7	5	4	6	3	4	5	8	3	5	9	6	6	3	7	4	2	5	13	10	4	3		



TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 18th December, 1915 : the Annual Death-rate represented by the Deaths registered ; the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

REGISTRATION OF DEATHS, WEEK ENDING SATURDAY, 18TH DECEMBER, 1915																																				
CLASS.		OCCUPATION OR SOCIAL POSITION (The 31,318 persons returned under the head Unspecified in Table 73 of the General Report on the Census have been distributed <i>pro rata</i> among the several groups to which they most probably belonged).		Population in each Class and Group in 1911.	Annual Death Rate per 1,000 of the Population in 1911.	Total Number of Deaths.	AGES.										CAUSES OF DEATH																			
							Under 5 years.						15 and under 25.				45 and under 65.				65 and under 75.		75 and upwards.		Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Diseases of the Respiratory System		Violence.	Other Causes.	Number of Unclassified Deaths.
							(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)								(22)	(23)			
				(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)				
ALL PERSONS.																																				
COLS.																																				
ALL PERSONS.																																				
CLASSES.																																				
Deaths in Families of the—																																				
PROFESSIONAL AND INDEPENDENT CLASS, ...																																				
MIDDLE CLASS, ...																																				
ARTISAN CLASS AND PETTY SHOPKEEPERS, ...																																				
GENERAL SERVICE CLASS, ...																																				
INMATES OF WORKHOUSES, ...																																				
PROFESSIONAL AND INDEPENDENT CLASS.																																				
1. Clerical, Medical, Legal and other Professions; Naval and Military Officers, and Heads of Public Departments, ...																																				
2. Merchants and Manufacturers, Higher Class																																				
3. Persons of Rank and Property, not otherwise described, ...																																				
MIDDLE CLASS.																																				
4. General Body of Officials—Civil Service, Banking, &c., ...																																				
5. Traders (except Petty Shopkeepers), Business Managers &c., ...																																				
6. Clerks and Commercial Assistants, ...																																				
7. Miscellaneous—including all Household in Second Class Localities not included in above, ...																																				
ARTISAN CLASS AND PETTY SHOPKEEPERS.																																				
8. Working Engineers, Engravers, Printers, Watchmakers, and Jewellers, ...																																				
9. Building and Furnishing Trades, ...																																				
10. Clothing Trades, ...																																				
11. Food Supply Trades																																				
12. Other Trades and Callings ranking with Trades, ...																																				
13. Petty Shopkeepers																																				
GENERAL SERVICE CLASS.																																				
14. Army, Police, Postal Delivery and Prison Services, &c., ...																																				
15. Domestic Servant, ...																																				
16. Coach and Car Drivers, Vanmen, &c., ...																																				
17. Hawkers, Porters, Labourers, &c., ...																																				
INMATES OF WORKHOUSES.																																				
18. Workhouse inmates, ...																																				

TABLE VII.—Showing for each of the last Six WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 13	32.5	5.1	19	.	.	.	.	.	1	.	.	4	.	1	1	4	2	.	.	.
	" 20	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 27	29.1	3.4	17	.	.	.	.	.	1	.	.	1	2	.	3	4	1	.	.	1
	Dec. 4	22.2	3.4	13	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.	.
Population in 1915	" 11	35.9	3.4	21	.	.	.	.	.	1	.	.	1	.	3	1	4	1	.	.	2
(Est.) 30,504.	" 18	17.1	3.4	10	.	.	.	.	.	1	.	.	1	.	.	1	4	1	.	.	2
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 13	23.8	3.8	19	.	.	.	.	.	.	1	.	1	.	1	1	1	2	.	1	.
	" 20	32.5	.	26	.	.	.	.	.	.	.	6	1	2	2	2	3	.	.	.	1
	" 27	26.3	1.3	21	.	.	.	.	.	.	.	3	1	.	.	3	3	1	.	.	5
	Dec. 4	35.0	6.3	28	.	.	.	2	.	.	.	3	.	1	1	2	8	3	.	.	1
Population in 1915	" 11	25.0	3.8	20	.	.	.	1	.	.	1	2	1	1	1	3	2	1	.	.	1
(Est.) 41,685.	" 18	35.0	2.5	28	.	.	.	.	.	.	.	3	2	1	2	3	2	2	.	1	.
North City, No. 2. (Office, Lisburn-street.)	Nov. 13	13.1	.	7	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.	.
	" 20	29.9	1.9	16	.	.	.	1	.	.	.	.	2	.	.	3	2	.	.	2	.
	" 27	20.6	.	11	.	.	.	.	.	.	.	.	1	.	.	3	1	.	.	.	1
	Dec. 4	28.1	.	15	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	1	.
Population in 1915	" 11	24.3	.	13	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	.	1
(Est.) 27,883.	" 18	39.3	13.1	21	.	.	.	3	.	2	.	1	.	.	.	2	2	2	.	1	1
North City, No. 3. (Office, Benburb-street.)	Nov. 13	13.1	2.9	9	1	.	.	1	.	.	.	3	.	1	.	2	.	.	.	.	.
	" 20	20.3	.	14	.	.	.	.	.	.	.	4	.	2	.	2	2	.	.	1	.
	" 27	23.2	5.8	16	.	.	.	.	.	.	.	.	.	.	.	3	2	2	.	.	.
	Dec. 4	21.8	2.9	15	.	.	.	1	.	2	.	2	1	.	3	2	2	1	.	.	3
Population in 1915	" 11	14.5	.	10	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.
(Est.) 35,887.	" 18	32.0	4.4	22	.	.	.	.	2	.	.	3	.	2	1	4	1	.	1	.	.
Clontarf and Howth No. 1 (part of).	Nov. 13	9.4	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 20	18.8	9.4	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 27	9.4	9.4	1	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.
	Dec. 4	37.7	9.4	4	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	.
Population in 1915	" 11	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Nov. 13	15.1	3.8	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1
	" 20	22.6	.	6	.	.	.	.	.	.	.	1	.	.	.	.	2	.	.	.	.
	" 27	26.4	3.8	7	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Dec. 4	18.9	3.8	5	.	.	.	.	1	.	.	2	.	.	.	.	.	.	.	.	.
Population in 1915	" 11	15.1	3.8	4	.	.	.	.	1	.	.	1	.	.	.	.	.	.	.	.	.
(Est.) 13,820.	" 18	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
Finglas and Glasnevin (part of).	Nov. 13	33.7	.	7	.	.	.	.	.	.	.	1	.	1	1	.	.	.	.	.	1
	" 20	14.4	.	3	.	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
	" 27	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Dec. 4	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
Population in 1915	" 11	9.6	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
(Est.) 10,829.	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Nov. 13	26.6	3.8	21	.	.	.	.	.	.	1	.	1	1	2	1	1	2	.	.	1
	" 20	30.4	2.5	24	.	.	.	2	.	.	.	2	1	1	1	3	6	.	.	1	.
	" 27	34.2	5.1	27	.	.	.	2	.	.	.	7	2	.	.	2	3	2	.	.	1
	Dec. 4	22.8	3.8	18	1	.	.	1	.	.	.	2	.	.	.	5	1	.	.	2	1
Population in 1915	" 11	21.5	3.8	17	.	.	.	3	.	.	.	1	1	1	1	1	4	.	.	2	1
(Est.) 41,170.	" 18	31.7	6.3	25	.	.	.	4	.	.	.	3	1	4	.	1	1	1	.	1	.
South City, No. 2. (Office, Castle-street.)	Nov. 13	17.1	2.8	6	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.	.	.
	" 20	48.3	5.7	17	.	.	.	1	.	.	.	.	.	.	1	3	4	1	.	.	.
	" 27	28.4	11.4	10	.	.	.	2	.	.	.	.	.	.	1	1	.	2	.	.	1
	Dec. 4	28.4	2.8	10	.	.	.	1	.	.	.	2	1	.	.	.	3	.	.	.	.
Population in 1915	" 11	31.3	5.7	11	.	.	.	1	.	.	.	1	2	.	.	.	4	1	.	.	.
(Est.) 18,341.	" 18	42.6	2.8	15	.	.	.	1	.	.	.	2	.	1	1	4	.	.	.	.	.
South City, No. 3. (Office, Peter-street.)	Nov. 13	29.6	2.4	25	.	.	.	.	.	.	.	2	.	1	2	5	2	.	.	.	1
	" 20	19.0	2.4	16	.	.	.	.	.	.	.	6	.	1	1	1	2	.	.	.	2
	" 27	35.6	4.7	30	.	.	.	2	.	1	.	4	1	1	3	4	1	1	.	.	2
	Dec. 4	30.8	5.9	26	.	.	.	3	.	.	.	3	1	3	2	4	1	.	1	.	2
Population in 1915	" 11	32.0	5.9	27	.	.	.	5	.	.	.	5	1	2	4	3	.	.	.	.	2
(Est.) 43,970.	" 18	30.8	5.9	26	1	.	.	3	.	.	.	5	1	2	2	3	1	.	.	.	1
South City, No. 4. (Office, Grand Canal-st.)	Nov. 13	25.2	3.1	16	1	.	.	.	1	.	.	7	.	.	.	.	.	.	.	.	.
	" 20	23.6	4.7	15	1	.	.	.	.	1	.	1	.	1	.	.	2	.	1	.	.
	" 27	17.3	1.6	11	.	.	.	1	.	.	.	2	1	1	.	.	2	.	.	.	.
	Dec. 4	26.7	7.9	17	.	.	.	5	.	.	.	1	.	.	.	2	5	.	.	.	.
Population in 1915	" 11	18.9	.	12	.	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.
(Est.) 33,171.	" 18	17.3	.	11	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	.	1
New Kilmainham.	Nov. 13	21.0	10.5	4	.	.	.	.	.	1	.	.	.	.	.	.	1	1	.	.	.
	" 20	10.5	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 27	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 11	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.
(Est.) 9,948.	" 18	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																	Number of Uncertified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.			Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Marasmus, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Nov. 13 " 20 " 27 Dec. 4	10.5 9.2 21.1 21.1	. 1.3 1.3 .	8 7 16 16	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . 1 1	. . . . . 1	. . . 2 1	. . . 1 1	. . . 1 1	4 1 1 5	. 1 1 .	. . . . . . .	. . . . . . .	. . . . . 1
Population in 1915 (Est.) 39,541.	" 11 " 18	19.8 15.8	2.6 .	15 12	. . .	. . .	. . .	. . .	. . .	. 1	. . .	. . .	. . .	. 1	. 1	. 1	. 1	1 1	. .	. . .	. . .	
Pembroke Urban District.	Nov. 13 " 20 " 27 Dec. 4	17.1 17.1 13.7 30.7	. . . . . 1.7	10 10 8 18	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. 1 2 1 1	. . . . . 3	. . . . . 1	. . . 2 1	1 2 1 4	1 2 1 4	. . . . . . .	. . . . . . .	. . . . . . .	
Population in 1915 (Est.) 30,538	" 11 " 18	18.8 15.4	5.1 1.7	11 9	. . .	. . .	. . .	3 .	. 1	. . .	. . .	. . .	. 1 1 1	. . . . .	. . . . .	1 1 1	2 2 .	. . . 2	. . . . .	. . . . .	1	
Blackrock Urban District.	Nov. 13 " 20 " 27 Dec. 4	22.6 5.6 28.2 22.6	. . . . . .	4 1 5 4	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . 2	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	
Population in 1915 (Est.) 9,233.	" 11 " 18	33.9 11.3	5.6 .	6 2	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 1	. . .	. . .	. . .	. . . 1	. . . . .	1 .	. . .	. . .	
Kingstown Urban District.	Nov. 13 " 20 " 27 Dec. 4	12.3 12.3 15.4 18.5	. . . . . .	4 4 5 6	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	2 1 . . . .	. . . . . . .	. . . . . 1	. . . 1 .	. 1 2 2	. . . 2 1	. . . . . . .	. . . . . . .	. . . . . 1	
Population in 1911 16,941.	" 11 " 18	12.3 24.6	. .	4 8	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 . .	. . .	. . .	. . .	. 1 . .	. . . 1	. . . . .	. . . . .	1 1	
Belfast.	Nov. 13 " 20 " 27 Dec. 4	16.0 20.3 18.1 21.1	1.6 1.3 1.7 1.8	124 157 140 163	. . . . . . .	. . . . . . .	. . . . . . .	1 1 3 2	4 3 7 5	1 2 2 4	4 1 2 . .	. . . . . . .	12 25 14 21	10 4 4 8	10 16 3 4	13 11 3 25	12 19 27 33	2 3 1 3	. 3 1 4	. . . . . . .		
Population in 1915 (Est.) 403,000.	" 11 " 18	21.0 23.0	1.6 2.1	162 178	. . .	. . .	. . .	1 7	3 4	3 4	1 1	. . .	16 10	3 4	4 13	21 27	35 33	4 . .	. . .	1 4		
Cork.	Nov. 13 " 20 " 27 Dec. 4	14.3 20.4 21.8 23.8	. 0.7 1.4 2.0	21 30 32 35	. . . 1 . .	. . . . . . .	. . . . . . .	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . 2	. . . . . . .	4 3 2 3	2 1 2 3	1 1 1 2	. 1 3 1	1 5 4 6	. . . 1 1	. 1 . . . .	. . . . . . .		
Population in 1911 76,673.	" 11 " 18	22.4 23.8	0.7 0.7	33 35	1 . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 9	1 . .	2 . .	1 3	6 1	. 1	. . .	. . .		
Londonderry.	Nov. 13 " 20 " 27 Dec. 4	7.6 16.5 20.2 17.7	. 1.3 3.8 2.5	6 13 16 14	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . 2 1	. . . . . . .	. . . . . . .	. . . . . 2	. . . . . 1	1 . . 1 . .	1 1 3 . .	2 3 4 2	. 1 1 1	. . . . . . .	. 1 1 1		
Population in 1915 (Est.) 41,200.	" 11 " 18	17.7 21.5	. 1.3	14 17	. 1	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2 2	. . .	1 1	. 3	8 3	. . .	. . .	. . .		
Limerick.	Nov. 13 " 20 " 27 Dec. 4	19.0 13.5 24.4 9.5	. 2.7 1.4 1.4	14 10 18 7	. . . . . 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . 1	. 2 1 1	. . . . . . .	. . . . . . .	1 . . . . 1	. . . 1 1	. . . 1 . .	. . . . . . .	2 3 4 2	. . . . . . .	. . . . . . .	. . . . . . .		
Population in 1911 38,518.	" 11 " 18	12.2 9.5	1.4 .	9 7	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	1 1	. . .	1 . .	. 2	4 2	. . .	. . .	. . .		
Waterford.	Nov. 13 " 20 " 27 Dec. 4	9.5 22.8 22.8 28.5	5.7 1.9 . . 3.8	5 12 12 15	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . 1 . .	. 1 . . . .	. . . . . . .	. 2 1 . .	. . . . . 2	. . . . . . .	. 1 2 2	. 2 1 2	2 2 2 2	. . . . . . .	. . . . . 1		
Population in 1911 27,464.	" 11 " 18	7.6 22.8	. . .	4 12	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. 1	. 3	. 3	. . .	. . .	. . .		

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER of BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 18th December, 1915. Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain Age Periods; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911.	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH.										DEATHS FROM.										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.						
				All Causes.	Certain Epi- demic Diseases†	Under 1 year.						5 years and upwards.				Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.			DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.
						Total Number of DEATHS.	1 year and under 1 year.	5 and under 5 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pulmonary.	Other Forms.	Pneumonia.	Other.																		
																							(1)	(2)				(3)	(4)				
City of Belfast.																																	
BELFAST URBAN No. 1 DISTRICT.	15,879	8	19.7	3.3	6	5	8	3	4	2	1					1							1	3	1				1		2		
Do. 2 do.	49,500	20	30.5	1.1	29	6	1	6	11	6						1							3	4					1		4		
Do. 3 do.	50,032	17	28.1	2.1	27	2	1	4	5	9						1							3	4	5				1		6		
Do. 4 do.	32,637	20	22.4	3.2	14	5	2	2	2	3						1							4	4					2		2		
Do. 5 do.	16,112	7	29.1	9.7	9	1	4		3	11					3								1	1	3				1		3		
Do. 6 do.	37,293	10	23.8		17	1			3	3													1	1					1		4		
Do. 7 do.	2,681	1	33.9		2	1			1																				1		1		
Do. 8 do.	5,964	2	17.5		2	1																							1		1		
Do. 9 do.	24,427	7	21.3		10	2	1	1	2	4	3												2	2	1				1		4		
Do. 10 do.	28,958	15	19.8	1.8	11	1	1	1	2	4	3					1							1	3	3				1		2		
Do. 11 do.	39,811	22	19.9	1.3	15	5	8	1	1	2	3					1							1	3	3				1		2		
Do. 12 do.	38,076	26	24.6	2.7	18	5	3	2	3	4	1					1								3	4				1		3		
Do. 13 do.	23,233	11	15.7	4.5	7	2	2		1	1						2								2	1				1		2		
Do. 14 do.	23,175				11	2	1		2	5													2	1					1		3		
Do. 15 do.	22,669	8	25.3	2.3	11	2	1		5	1																			1		8		
Total,	386,947	174	23.0	2.1	178	32	26	9	27	48	41				7	4	4	1			10	13	27	33				11	40	1			
City of Cork.																																	
CORK URBAN No. 1 DISTRICT	13,455	5	7.8	5.0	2	1			1	1																							
Do. 2 do.	10,399	5	15.0		3		1		1	1																							
Do. 3 do.	9,793	6	31.9		6			2	2	2																							
Do. 4 do.	9,139	4	11.4		2	1		1	1	1																							
Do. 5 do.	6,250	3	25.0		3			1	1																								
Do. 6 do.	11,531	4	9.0		2			2	2	1																							
Do. 7 do.	16,056	9	55.2		17	1	2	2	1	3	8																						
Total,	76,673	36	23.8	0.7	35	3	8	5	7	12											9		3	1							9		3

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.



TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.		1915—WEEK ENDING																									
		June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.
No. of weeks in Annual Series,	...	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
	BIRTHS registered, ...	195	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171	162	172	138	130	174
	DEATHS registered, ...	100	101	77	93	111	116	87	98	105	108	119	124	113	88	125	123	97	112	132	122	124	157	140	163	162	178
	Annual Death-rate per 1,000 of estimated population, ...	12.9	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	16.0	20.3	18.1	21.1	21.0	23.0
Ages, {	Under 1 year,	18	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30	17	22	24	36	32
	1—5 years,	11	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8	12	12	22	13	26
	5—25 "	18	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20	20	15	16	8	9
	25—45 "	13	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10	21	37	18	27	22	26	25	27
	45—65 "	27	25	18	27	23	26	13	29	27	26	24	25	18	23	26	29	25	30	18	22	23	42	44	41	44	43
	65 and upwards,	13	15	15	11	23	21	13	15	19	23	16	27	30	9	23	24	16	22	27	24	25	39	25	34	36	41
Deaths from:—																											
Enteric Fever, ...																											
Typhus, ...																											
Small-pox, ...																											
Measles, ...		5	2	3	3	1	3		1	1	1	1							2	3		1	1	3	2	1	7
Scarlet Fever, ...		3		2	4	1	1	2	3	2	2	3	1				5	3	2	7	3	4	3	7	5	3	4
Whooping-cough, ...			4	3	1	1	4	1		3	1	5	5	1	1	1	1			4		1	2	2	4	3	4
Diphtheria, ...			2		1	1	1	2				1		1		1	1				1	4	1			1	1
Dysentery, ...																											
Tuberculosis. { Pulmonary,		17	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12	25	14	21	16	10
Other Forms,		8	8	5	2	8	5	4	5	8	3	9	7	3	4		8	2	4	3	4	10	4	4	8	3	4
Cancer, ...		9	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10	16	3	6	4	13
Diseases of Respiratory System, { Pneumonia,		6	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13	11	18	25	21	27
Others, ...		7	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12	19	27	33	35	33
Diarrhoea and Enteritis, under 2 years, ...		1	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2	3	1	3	4	
Diarrhoea, 2 years and upwards, ...				2	1	1		1	1		1	4		2	1		1		1	2	1						
Violent Deaths, ...		2	1	1	3	2		5	2	1	1	2	2	1	2	3		2	2	4	2	1	3	2	1	1	4
Number of Uncertified Deaths, ...						4	1			1		2	3	2	1		5		3	2	1		1		1	3	1

TABLE X,—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ...	4,516,612	Dec. 18,	1,783	1,416 <sup>c</sup>	16·3	3	.	10	5	15	25	14	
EDINBURGH, ...	328,700	„ 18,	93	125	19·8	.	.	6	1	.	4	1	
GLASGOW, ...	1,078,400	„ 18,	526	394	19·1	.	.	5	6	3	1	3	
CALCUTTA ...	896,067	Oct. 16,	.	407 <sup>†</sup>	23·6	?	.	?	?	?	?	?	
BOMBAY, ...	979,445	Nov. 6,	496	438	23·3	28*	.	.	.	.	.	36 <sup>a</sup>	
MADRAS, ...	518,660	Oct. 30,	382	330 <sup>†</sup>	33·1	38*	4	2	?	?	?	75 <sup>†a</sup>	
CAIRO, {	Egyptians, ...	Aug. 26,	571	648	51·3	11	1	4	.	?	11 <sup>†</sup>	212	
	Foreigners,	„ 26,	8	38	27·1	2	.	.	.	?	2 <sup>†</sup>	3	
ALEXAN- DRIA, {	Egyptians,	„ 26,	291	260	39·3	3	.	.	.	?	.	105	
	Foreigners,	„ 26,	30	132	88·5	10	.	.	.	?	.	4	
PARIS, ...	2,847,229	Nov. 13,	403	757	18·6	3	.	1	1	2	3 <sup>†</sup>	11	
BRUSSELS, ...	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ...	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ...	613,326	Nov. 6,	252	154	11·2	2	.	1	1	3	1 <sup>†</sup>	1	
COPENHAGEN, ...	494,000	„ 20,	207	109	11·5	.	.	.	.	3	.	1	
STOCKHOLM, ...	386,270	„ 20,	122	79	10·6	1	.	.	.	.	.	2 <sup>a</sup>	
CHRISTIANIA, ...	250,677	Dec. 4,	89	58	12·0	.	.	.	.	.	.	2 <sup>a</sup>	
PETROGRAD, ...	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ...	1,694,000	Nov. 6,	.	1,189 <sup>†</sup>	37·5	48	8	70	63	7	26 <sup>†</sup>	129 <sup>†a</sup>	
ROME, ...	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,806,532	Nov. 13,	2,607	1,324	11·9	6	.	2	.	3	16 <sup>†</sup>	60	
PHILADELPHIA, ...	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ...	727,826	Nov. 27,	.	210 <sup>b</sup>	15·0	.	.	.	.	1	4	5 <sup>a</sup>	

\* Deaths from "fever," including 4 from plague in Bombay, and 3 from enteric fever in Madras,

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, one in Madras, and 2 in Moscow.

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 182 deaths (including 2 from diphtheria, and 4 from diarrhoeal diseases); rate, 13·0 per thousand.<sup>c</sup> Including 2 deaths from cerebro-spinal fever.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 18th December, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	.	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 1, West,	.	.	.	.	.	.	.	.	.	.	.	.	4	4
„ „ 2,	.	.	.	.	.	.	.	1	.	.	.	.	1	2
„ „ 3,	.	6	.	.	.	.	.	.	.	.	.	.	2	8
Clontarf and Howth No. 1 (part of),	.	1	.	.	.	.	.	.	.	.	.	.	.	1
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	4	.	.	.	.	.	.	.	.	4
South City No. 1,	.	1	.	.	.	.	.	.	.	.	.	.	2	3
„ „ 2,	.	.	.	.	1	.	.	1	.	.	.	.	2	4
„ „ 3,	.	1	.	.	.	.	.	.	1	.	.	.	1	3
„ „ 4,	.	4	.	.	3	.	.	1	1	.	.	.	.	9
New Kilmainham,	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	.	13	.	.	8	.	.	3	2	.	.	.	14	40

TABLE XII.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 18th December, 1915, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 18th December.			
	Nov. 27.	Dec. 4.	Nov. 11.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	32	34	36	1	6	1	30
Typhus,	2	2	2	.	2	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	35	39	42	28	10	1	59
Scarlet Fever,	87	77	69	18	22	2	63*
Diphtheria,	26	27	25	6	5	.	26
Pneumonia,	11	13	16	4	3	.	17

\* Exclusive of 19 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# WEEKLY RETURN of BIRTHS and DEATHS

IN THE

## DUBLIN REGISTRATION AREA,

CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR. PEMBROKE, BLACKROCK, AND KINGSTOWN:

AND IN

**TWENTY-SIX** of the **PRINCIPAL URBAN DISTRICTS IN IRELAND.**

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM & Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C

*Price 1½d.*

VOL. LII.]

WEEK ENDING SATURDAY, 25TH DECEMBER, 1915.

[No. 51.]

*General Register Office, Charlemont House,  
Dublin, 28th December, 1915.*

### TWENTY-SEVEN TOWN DISTRICTS.

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 17·0 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec. 4	Dec. 11	Dec. 18	Dec. 25	
<b>27 Town Districts, (a)</b>	<b>21·8</b>	<b>20·0</b>	<b>22·2</b>	<b>17·0</b>	<b>20·2</b>
Dublin Reg. Area ...	25·9	22·6	24·9	17·0	22·6
Dublin City ...	26·5	23·5	27·3	18·7	24·0
Belfast ...	21·1	21·0	23·0	18·1	20·8
Cork ...	23·8	22·4	23·8	17·7	21·9
Londonderry ...	17·7	17·7	21·5	20·2	19·3
Limerick ...	9·5	12·2	9·5	19·0	12·6
Waterford ...	28·5	7·6	22·8	20·9	20·0

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 1·6 per 1,000. Among the 140 deaths from all causes for Belfast are 7 from measles, one from scarlet fever, and 3 from whooping-cough. The 16 deaths from all causes for Londonderry include one from scarlet fever. One of the 2 deaths recorded for Bangor is from diphtheria.

### DUBLIN REGISTRATION AREA.

In the Dublin Registration Area the births registered during the week amounted to 152—78 boys and 74 girls—and the deaths to 138—73 males and 65 females.

#### DEATHS.

The deaths registered, omitting the deaths (numbering 5) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 17·0 per 1,000 of the population. During the fifty-one weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905—1914.

The total deaths registered, numbering 138, represent an annual rate of 17·6 per 1,000; the annual rate for the past fifty-one weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·4 per 1,000 of the mean population for all deaths registered.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

Included in the total deaths registered are one from enteric fever, one from paratyphoid fever, 12 from measles, one death each from scarlet fever, whooping-cough, diphtheria, and influenza, and 6 deaths from diarrhoea and enteritis of children under 2 years of age.

Deaths from enteric fever in the three preceding weeks numbered one, one, and one; deaths from measles were 13, 13, and 11; deaths from scarlet fever were one, one, and 3; deaths from whooping-cough were 2, 2, and 3; deaths from diphtheria were one, one, and 0; deaths from influenza were 0, 5, and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 6, 4, and 8, respectively.

Tuberculous disease, which in the three preceding weeks caused 25, 29, and 27 deaths, accounted for 23 deaths last week, the latter comprising 20 deaths from pulmonary tuberculosis, and one death each from tuberculous meningitis, abdominal tuberculosis, and disseminated tuberculosis.

Seven\* deaths from cancer were registered.

Of 9 deaths from pneumonia, 6 were from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (type not distinguished).

Three deaths of infants under one year of age were from convulsions, and 6 from congenital debility.

Organic diseases of the heart caused 9 and bronchitis 22 deaths.

There were 2 accidental deaths, including one caused by burns.

In 5 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 2 infants under one year old, and the death of one person aged 75 years.

Forty-four of the persons whose deaths were registered during the week were under 5 years of age (19 being infants under one year, of whom 6 were under one month old), and 36 were aged 65 years and upwards, including 18 persons aged 70 and upwards; among the latter were 16 aged 75 and upwards.

Fifty of the deaths registered during the week occurred in hospitals and other public institutions; of this number 4 took place in the North Dublin Union Workhouse, and 18 in the South Dublin Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 17·0 per 1,000; the rate in the City was 18·7 (North City Districts, 18·5; South, 18·9), and in the Suburbs, 11·4.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·9 per 1,000 inhabitants, the rate for the City being 3·7 (in the North City Districts 3·1, and in the South 4·3), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (17) are equal to an annual rate of 29·1 per 1,000, and include one from whooping-cough, 4 from tuberculous disease, one from broncho-pneumonia, and 4 from bronchitis.

No. 1 North City District, West (Summer-hill).—The deaths (11) are equal to an annual rate of 18·8 per 1,000. Included in the total are 2 from pulmonary tuberculosis, 3 from pneumonia, and one from bronchitis.

No. 2 North City District (Lisburn-street).—The deaths (16) are equivalent to an annual rate of 29·9 per 1,000. Measles caused 4 deaths, tuberculous disease 3 deaths, bronchitis 2 deaths, and diarrhoea and enteritis of children under 2 years 2 deaths.

No. 3 North City District (Benburb-street).—The deaths (13) represent an annual rate of 18·9 per 1,000, and include one from scarlet fever and one from pulmonary tuberculosis.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Coolock and Drumcondra, part of, 3·8 per 1,000 inhabitants; Clontarf and Howth, No. 1, part of, 0·0; and Finglas and Glasnevin, part of, 4·8. The only death for Coolock and Drumcondra, part of, is one from diphtheria; and for Finglas and Glasnevin, part of, one death, that of a child under 2 years from diarrhoea and enteritis, was registered.

No. 1 South City District (South Earl-street).—The deaths (17) represent an annual rate of 21·5 per 1,000, and include 3 from measles, 3 from pulmonary tuberculosis, 2 from bronchitis, and one from diarrhoea and enteritis of a child under 2 years.

No. 2 South City District (Castle-street).—The deaths (7) are equal to an annual rate of 19·9 per 1,000. Measles caused one death, pulmonary tuberculosis 2 deaths, and bronchitis 2 deaths.

No. 3 South City District (Peter-street).—The deaths (17) are equal to an annual rate of 20·2 per 1,000, and include one from enteric fever, 4 from measles, one from influenza, one from pulmonary tuberculosis, one from broncho-pneumonia, 5 from bronchitis, and 2 from diarrhoea and enteritis of children under 2 years.

No. 4 South City District (Grand Canal Street).—The deaths (11) are equivalent to an annual rate of 17·3 per 1,000. Included in the total are one from pulmonary tuberculosis, 2 from pneumonia, 2 from bronchitis, and one from accidental violence.

New Kilmainham District.—The only death for this district, equal to an annual rate of 5·2 per 1,000, was one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 13·2; Pembroke, 8·5; Blackrock, 11·3; and Kingstown, 12·3. The only death from any of the principal epidemic diseases tabulated for these districts was one from paratyphoid fever for Pembroke. Among the 10 deaths from all causes for Rathmines and Rathgar are 4 from tuberculous disease and 2 from bronchitis. Included in the 5 deaths from all causes for Pembroke are 2 from pulmonary tuberculosis, and one from bronchitis. The 2 deaths for Blackrock comprise one from broncho-pneumonia, and one from accidental violence. One of the 4 deaths from all causes for Kingstown is from pneumonia.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 15·5), was equal to an average annual death-rate of 14·9 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 17·0 per 1,000, the rate for Glasgow being 17·0, and for Edinburgh 15·5.

## INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 25th December. From this Report it appears that of 75 cases notified, 36 were scarlet fever, 17 diphtheria, 10 pulmonary tuberculosis, 6 other forms of tuberculosis 5 erysipelas, and one puerperal fever. Among the 698 cases of infectious diseases in hospital at the close of the week were 378 of scarlet fever, 143 of diphtheria, 128 of pulmonary tuberculosis, 25 of measles, 9 of erysipelas, 2 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (†) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 25th December, 1915, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS.	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Group.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping-cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary Tuberculosis.	Total.
City of Dublin.	Dec. 4,	.	—	—	8	.	.	12	.	.	5	2	.	—	—	.	—	.	16	33
	Dec. 11,	.	—	—	6	.	.	.	.	.	6	2	.	—	—	.	—	.	13	27
	Dec. 18,	.	—	—	13	.	.	8	.	.	3	2	.	—	—	.	—	.	14	40
	Dec. 25,	.	—	—	4	.	.	5	.	1	2	5	.	—	—	.	—	.	6	23
Rathmines and Rathgar Urban District.	Dec. 4,	.	—	—	1	.	.	1	.	.	2	.	.	—	—	—	—	—	—	3
	Dec. 11,	.	—	—	2	.	.	3	.	.	.	2	.	—	—	—	—	—	—	7
	Dec. 18,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	—	4
	Dec. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	—	3
Pembroke Urban District.	Dec. 4,	.	9	.	1	.	.	.	.	.	.	1	.	—	.	—	—	—	.	11
	Dec. 11,	.	21	.	2	.	.	.	.	1	.	.	1	—	.	—	—	—	2	27
	Dec. 18,	.	5	.	1	.	.	.	.	.	.	.	.	—	.	—	—	—	.	6
	Dec. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	.	—	—	—	.	4
Blackrock Urban District.	Dec. 4,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 11,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 18,	.	.	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	.
	Dec. 25,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
Kingstown Urban District.	Dec. 4,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Dec. 18,	.	—	—	.	.	.	.	.	.	1	.	.	—	—	—	—	—	.	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	Dec. 4,	.	—	—	36	.	.	3	.	.	1	8	.	—	—	.	—	.	4	52
	Dec. 11,	.	—	—	55	.	.	6	.	.	.	7	.	—	—	.	—	.	4	72
	Dec. 18,	.	—	—	40	.	.	5	1	.	.	.	.	—	—	3	—	.	5	54
	Dec. 25,	.	—	—	39	.	.	3	.	.	2	7	.	—	—	1	—	.	5	57
City of Cork.	Dec. 4,	.	5	—	8	.	.	.	.	.	1	.	.	—	—	—	1	—	—	15 <sup>a</sup>
	Dec. 11,	.	7	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	13 <sup>b</sup>
	Dec. 18,	.	2	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	—	5
	Dec. 25,	.	11	—	2	.	.	3	1	.	.	2	.	—	—	1	—	—	—	20
City of Londonderry.	Dec. 4,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	—	2
	Dec. 11,	.	—	—	4	.	.	.	.	.	1	2	.	—	—	—	—	—	—	7
	Dec. 18,	.	—	—	12	.	.	.	.	.	1	2	.	—	—	—	—	—	—	15
	Dec. 25,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	—	6
City of Limerick.	Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
City of Waterford.	Dec. 4,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	4
	Dec. 18,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	1	4
	Dec. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	.	4

(a) Not including one case of cerebro-spinal fever.

(b) Not including one case of varicella.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 25th December, 1915, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Seven cases of enteric fever were admitted to hospital during the week, 3 were discharged, there was one death and 33 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 34, 36, and 30.

Thirteen cases of measles were admitted to hospital during the week, 25 were discharged, there were 2 deaths and 45 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 39, 42 and 59, respectively.

Ten cases of scarlet fever were admitted to hospital, 13 were discharged, 2 died, and 58\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 77, 69, and 63, respectively.

Four cases of diphtheria were admitted to hospital during the week, 7 were discharged, there was one death, and the cases in hospital, which at the close of the 3 preceding weeks numbered 27, 25, and 20, respectively, were 22 at the close of last week.

In addition to the above-named diseases, 7 cases of pneumonia were admitted to hospital, 8 were discharged, and 16 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 25th December, 1915, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 25TH DECEMBER, 1915.																												
TOWNS AND DISTRICTS.		Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																						
		POPULATION.		DEATHS.		BIRTHS.		DEATHS.																				
		Total. (a)	Per-sons to an Acre.	BIRTHS.	From all Causes. From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuber-culosis.		Cancer.	Diseases of the Respiratory System.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
																		Pulmonary.	Other Forms.		Pneumonia.	Other.						
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	16.5	17.0	1.6	383	396	54	119	2	...	...	19	3	4	2	...	42	13	15	31	63	8	...	8	9	109	19
DUBLIN REGISTRATION AREA:—																												
TOTAL, (c.) ...	409,000	29.8	19.4	17.0	2.9	152	133	19	34	2	...	...	12	1	1	1	...	20	3	6	9	22	6	...	2	1	45	5
CITY OF DUBLIN,	312,747	39.5	21.0	18.7	3.7	126	112	19	26	1	...	...	12	1	1	1	...	14	3	5	7	19	6	...	1	...	40	5
Urban Districts.																												
RATHMINES and RATHGAR.	39,541	23.1	7.9	13.2	.	6	10	...	3	...	...	...	...	...	...	...	...	4	...	1	...	2	...	...	...	...	2	...
PEMBROKE, ...	30,538	19.4	13.7	8.5	1.7	8	5	...	1	1	...	...	...	...	...	...	...	2	...	...	...	1	...	...	...	...	3	...
BLACKROCK, ...	9,233	8.5	16.9	11.3	.	3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...
KINGSTOWN, ...	16,941	11.6	27.7	12.3	.	9	4	...	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	...
Urban Districts																												
BELFAST ..	403,000	27.0	17.7	18.1	1.4	137	140	21	43	...	...	...	7	1	3	...	...	13	6	3	16	26	...	...	2	3	31	1
CORK, ..	76,673	28.6	11.6	17.7	.	17	26	3	9	...	...	...	...	...	...	...	...	1	1	1	2	3	...	...	2	3	10	2
LONDON-DERRY	41,200	16.0	20.2	20.2	1.3	16	16	1	4	...	...	...	...	1	...	...	...	3	2	1	...	1	...	...	...	...	4	2
LIMERICK, ...	38,518	16.1	5.4	19.0	.	4	14	3	4	...	...	...	...	...	...	...	...	3	...	...	...	3	...	...	...	...	7	2
WATERFORD, ...	27,464	19.1	7.6	20.9	1.9	4	11	2	5	...	...	...	...	...	...	...	...	...	1	1	...	2	1	...	...	...	5	3
GALWAY, ...	13,255	2.5				4	3	1	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...
DUNDALK, ...	13,128	9.5				6	3	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	1
LURGAN, ...	12,553	14.7				3	2	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
DROGHEDA, ...	12,501	8.4				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	1
LISBURN ...	12,388	10.9				2	4	1	2	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
NEWRY, ...	11,963	17.0				3	5	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1	...
PORTADOWN, ...	11,727	15.3				2	2	...	1	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
WEXFORD, ...	11,531	22.8				3	4	...	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...
BALLYMENA ..	11,381	9.3				...	2	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1
SLIGO, ...	11,163	3.8				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
KILKENNY, ...	10,514	11.4				5	9	...	2	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	...	3	...
TRALEE, ...	10,300	17.4				5	2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	1
CLONMEL, ...	10,209	7.8				3	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
NEWTOWNARDS	9,587	20.1				4	5	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	1	...
QUEENSTOWN,	8,209	14.7				2	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
LARNE, ...	8,036	13.4				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
COLERAINE, ..	7,785	7.7				...	3	...	3	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
BANGOR, ..	7,776	8.5				...	2	...	...	...	...	...	...	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...
BRAY, ..	7,691	7.2				3	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...
ATHLONE, ..	7,472	6.2				...	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
ARMAGH, ...	7,356	21.8				2	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1915. (b) See note (i) at foot of first page. (c) Exclusive of 5 deaths of persons (including two at 65 years or upwards), admitted to hospital from localities outside the Area; one of the five deaths was from cancer.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 25th of December, 1915, with the number of uncertified deaths; also the deaths from all causes by certain age periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.	DEATHS IN DUBLIN REGISTRATION AREA.																TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.		
	CITY OF DUBLIN.																			
	REGISTRATION DISTRICTS IN.																			
	Dublin North Superintendent Registrar's District.								Dublin South Superintendent Registrar's District.										URBAN DISTRICTS OF	
	NORTH CITY No. 1 E.	NORTH CITY No. 1 W.	NORTH CITY No. 2.	NORTH CITY No. 3.	CLONTARF and HOWTH No. 1 (part of).	COOLOCK and DRUMCONDRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY No. 1.	SOUTH CITY No. 2.	SOUTH CITY No. 3.	SOUTH CITY No. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.	KINGSTOWN.				
Enteric Fever,	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.			
Typhus,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Small-pox,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Measles,	.	.	4	.	.	.	3	1	4	.	.	.	.	.	.	12	.			
Scarlet Fever,	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.			
Whooping-cough,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.			
Diphtheria,	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.			
Croup,	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.			
Influenza,	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.			
Dysentery,	2	.	2	1	.	.	3	2	1	1	.	4	2	.	.	20	.			
Tuberculosis, { Pulmonary,	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	8	.			
Other Forms,	1	.	1	3	.	.	.	.	.	1	.	1	.	.	.	6	1			
Cancer,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Diseases of Nervous System,	1	.	.	2	.	.	3	1	.	.	.	.	.	.	.	7	.			
Organs of Special Sense,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Circulatory System,	1	.	1	2	.	.	1	1	.	3	.	.	1	.	2	12	1			
Respiratory { Pneumonia	1	3	.	.	.	.	2	2	1	2	1	2	1	1	1	9	.			
System. { Others,	4	1	2	.	.	.	.	.	5	2	1	2	.	.	.	22	.			
Diarrhoea and Enteritis, under 2 years,	.	.	2	.	.	1	1	.	2	.	.	.	.	.	.	6	.			
Digestive System. { Diarrhoea, 2 years and upwards,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Enteritis, 2 years and upwards,	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.			
Others,	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	3	1			
Genito-urinary System,	1	.	1	.	.	.	.	.	.	1	.	1	.	.	.	4	.			
Puerperal Septicæmia, etc.,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Other Causes incident to Pregnancy and Childbirth,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Diseases of the Skin and Cellular Tissue,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Locomotor System,	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
Other specified Causes,	1	4	2	2	.	.	4	.	1	.	.	2	.	.	.	16	1			
Violent Deaths,	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	2	.			
Ill-defined, &c. Causes,	.	.	.	2	.	.	.	.	.	.	.	.	.	.	1	3	1			
Deaths from All Causes	17	11	16	13	.	1	1	17	7	17	11	1	10	5	2	4	133	5		
Annual Rate of Mortality from All Causes in every 1,000 of the population.	29·1	13·8	29·9	18·9	.	3·8	4·8	21·5	19·9	20·2	17·3	5·2	13·2	8·5	11·3	12·3	17·0	.		
	18·5							18·9							11·4			.		
	18·7																.			
Ages at Death. { Under 1 year,	2	1	3	2	.	.	1	6	.	4	.	.	.	.	.	.	19	.		
1 and under 2 years,	3	2	4	2	.	1	.	2	1	3	.	.	.	.	.	.	19	.		
2 " 5 "	.	.	2	.	.	.	.	2	.	2	.	.	.	.	.	.	6	.		
5 " 15 "	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.		
15 " 25 "	1	1	.	.	.	.	.	.	.	.	1	.	3	.	.	.	6	1		
25 " 45 "	2	1	3	1	.	.	.	1	4	1	1	.	3	2	.	1	20	.		
45 " 65 "	5	2	1	3	.	.	.	2	1	5	3	1	1	2	.	1	27	2		
65 and upwards,	2	4	3	5	.	.	.	3	1	2	6	.	3	1	2	2	34	2		
Number of Uncertified Deaths,	2	.	1	1	.	.	.	1	.	.	.	.	.	.	.	.	5	.		
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																				
Public Hospitals, Prisons, and Lunatic Asylums,	2	.	1	4	.	1	.	3	1	4	3	.	2	2	.	.	23	5		
Workhouse Hospitals.	1	1	.	2	.	.	.	6	4	5	2	.	.	1	.	.	22	.		





FIFTY-FIRST WEEK, ending Saturday, 25th December, 1915, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 51st Week of the 10 years, 1905-1914.	In the Week ending Saturday, 25th December, 1915.											
	Dec. 23, 1905.	Dec. 22, 1906.	Dec. 21, 1907.	Dec. 19, 1908.	Dec. 25, 1909.	Dec. 24, 1910.	Dec. 23, 1911.	Dec. 21, 1912.	Dec. 20, 1913.	Dec. 19, 1914.		All Ages.	Deaths of Persons of the Ages of										
													0-5.										
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.	
Diseases of the Pharynx, Ton- sillitis.	.	.	.	.	2	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Stomach, ...	—	—	—	—	—	—	2	2	1	1	—	2	2	4	.	1	.	.	.	1	.	.	.
Diarrhoea and Enteritis of Children under 2 years.	6	5	6	5	2	2	2	11	8	6	5.9	6	2	.	.	.	.	.	.	.	.	.	.
Diarrhoea 2 years and upwards,		.	.	.	.	.	.	.	.	.		1	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards,		.	.	.	.	.	.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	.
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	1	1	1	.	—	1	.	.	.	.	.	.	1	.	.	.	.
Hernia and Intestinal Ob- structions.	—	—	—	—	—	—	2	1	1	.	—	.	.	.	.	.	.	.	.	.	.	.	.
Cirrhosis of Liver, ...	.	2	.	1	.	2	2	1	2	4	1.4	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Liver, ...	2	.	1	1	.	1	.	1	1	2	.8	1	.	.	.	.	.	.	1	.	.	.	.
Peritonitis (cause unknown),	.	3	.	1	.	.	.	1	1	.	.6	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Digestive System.	4	8	3	3	6	7	.	1	1	.	3.3	1	.	.	.	.	.	.	1	.	.	.	.
Acute Nephritis, ...	10	5	7	2	5	5	1	1	3	2	6.4	1	.	.	.	.	.	.	1	.	.	.	.
Chronic Bright's Disease, ...							4	1	5	8		3	.	.	.	.	.	.	2	1	.	.	
Urinary Calculi, ...							1	.	.	.		.	.	.	.	.	.	.	.	.	.	.	
Uterine Tumour (non-can- cerous).							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	
Ovarian Tumour (non-can- cerous)							.	.	.	.		.	.	.	.	.	.	.	.	.	.	.	
Other Diseases of Genito- urinary System.							1	.	1	2		.	.	.	.	.	.	.	.	.	.	.	
Puerperal Septicæmia, &c., ...	.	1	.	.	1	.	1	.	1	.	.4	.	.	.	.	.	.	.	.	.	.	.	.
Other Causes incident to Pregnancy and Childbirth.	1	1	.	2	1	1	2	1	1	1	1.1	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	1	1	—	.	.	.	.	.	.	.	.	.	.	.	.
Diseases of Locomotor System, Congenital Malformations, ...	—	—	—	—	—	—	1	1	.	1	—	.	.	.	.	.	.	.	.	.	.	.	.
Premature Birth, ...	7	3	5	4	3	4	2	5	5	2	4.0	.	.	.	.	.	.	.	.	.	.	.	.
Congenital Debility, ...	—	—	—	—	—	—	1	7	2	7	—	6	1	5	.	.	.	.	.	.	.	.	.
Old Age, ...	3	2	.	1	1	4	6	5	2	10	3.4	6	.	.	.	.	.	.	.	2	4	.	.
Other Specified Diseases, ...	—	—	—	—	—	—	2	3	1	.	—	1	1	.	.	.	.	.	.	.	.	.	.
ACCIDENT :																							
Poisons or Poisonous Vapours.	.	.	.	1	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.	.
Conflagration, ...	2	4	.	1	1	2	3	.	.	3	1.6	1	.	.	.	.	.	1	.	.	.	.	.
Burns and Scalds, ...	.	.	2	.	.	1	1	.	.	.	.4	.	.	.	.	.	.	.	.	.	.	.	.
Drowning, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Suffocation in Bed, ...	2	1	4	1	1	1	.	1	1	6	1.8	1	.	.	.	.	.	.	.	.	1	.	.
Other Deaths by Accident, ...	2	1	4	1	1	1	.	1	1	6	1.8	1	.	.	.	.	.	.	.	.	.	.	.
Total Deaths from Accident,	4	5	6	3	2	4	4	1	1	9	3.9	2	.	.	.	.	.	.	1	.	.	.	1
Included in above are Deaths in connection with—																							
Railways, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Vehicles and Horses, ...	1	1	.	.	.	.	.	.	.	2	.4	.	.	.	.	.	.	.	.	.	.	.	.
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
VIOLENCE OTHER THAN ACCIDENTAL :																							
Homicide, ...	.	.	.	1	.	.	1	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.	.
Suicide, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	1	4	1	3	—	4	.	.	1	.	.	.	1	1	.	1	.





TABLE VI.—Showing in FIVE GENERAL CLASSES and EIGHTEEN GROUPS the OCCUPATIONS or SOCIAL POSITION of the PERSONS whose DEATHS were registered in the Dublin Registration Area during the Week ending Saturday, 26th December, 1915 : the Annual Death-rate represented by the Number of Deaths at each of Seven Periods of Life, and the Number from some of the Principal Causes of Death ; also the Number of Uncertified Deaths.

[illegible]

TABLE VII.—Showing for each of the last SIX WEEKS the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the CITY of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DISEASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculous.		Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Diarrhoea, 2 years and upwards.		
													Pulmonary.	Other Forms.	Cancer.	Pneumonia				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 20	17.1	.	10	.	.	.	.	.	.	.	.	.	.	.	.	4	.	.	1
	" 27	29.1	3.4	17	.	.	.	.	.	1	.	.	1	2	.	3	4	1	.	2
	Dec. 4	22.2	3.4	13	.	.	.	.	.	2	.	.	1	.	.	1	3	.	.	.
	" 11	35.9	3.4	21	.	.	.	.	.	1	.	.	1	.	3	1	4	1	.	3
Population in 1915 (Est.) 30,504.	" 18	17.1	3.4	10	.	.	.	.	.	1	.	.	1	.	1	1	1	.	.	2
	" 25	29.1	1.7	17	.	.	.	.	.	1	.	.	2	2	1	1	4	.	.	.
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 20	32.5	.	26	.	.	.	.	.	.	.	.	6	1	2	2	3	.	.	1
	" 27	26.3	1.3	21	.	.	.	.	.	.	.	.	3	1	.	3	3	1	.	5
	Dec. 4	35.0	6.3	28	.	.	.	2	.	.	.	.	3	.	1	2	8	3	.	1
	" 11	25.0	3.8	20	.	.	.	1	.	.	1	.	2	1	1	3	2	1	.	.
Population in 1915 (Est.) 41,685.	" 18	35.0	2.5	28	.	.	.	.	.	.	.	.	3	2	1	2	3	2	.	.
	" 25	13.8	.	11	.	.	.	.	.	.	.	.	2	.	.	3	1	.	1	.
North City, No. 2. (Office, Lislurn-street.)	Nov. 20	29.9	1.9	16	.	.	.	1	.	.	.	.	.	2	.	3	2	.	2	1
	" 27	20.6	.	11	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.
	Dec. 4	28.1	.	15	.	.	.	.	.	.	.	.	1	2	.	2	3	.	1	.
	" 11	24.3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	1
Population in 1915 (Est.) 27,883.	" 18	39.3	13.1	21	.	.	.	3	.	2	.	.	1	.	.	2	2	2	1	.
	" 25	29.9	11.2	16	.	.	.	4	.	.	.	.	2	1	.	.	2	.	.	1
North City, No. 3. (Office, Benburb-street.)	Nov. 20	20.3	.	14	.	.	.	.	.	.	.	.	4	.	2	.	2	.	1	.
	" 27	23.2	5.8	16	.	.	.	.	2	.	.	.	.	1	.	3	2	2	.	.
	Dec. 4	21.8	2.9	15	.	.	.	1	.	.	.	.	2	.	3	2	2	1	.	3
	" 11	14.5	.	10	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.
Population in 1915 (Est.) 35,887.	" 18	32.0	4.4	22	.	.	.	.	2	.	.	.	3	.	2	1	4	1	1	.
	" 25	18.9	1.5	13	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	1
Clontarf and Howth No. 1 (part of).	Nov. 20	18.8	9.4	2	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
	" 27	9.4	9.4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	37.7	9.4	4	.	.	.	.	.	.	.	1	1	.	.	1	.	.	.	.
Population in 1915 (Est.) 5,539.	" 11	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Nov. 20	22.6	.	6	.	.	.	.	.	.	.	.	1	.	.	.	2	.	.	1
	" 27	26.4	3.8	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.
	Dec. 4	18.9	3.8	5	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.
	" 11	15.1	3.8	4	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.
Population in 1915 (Est.) 13,820.	" 18	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
	" 25	3.8	3.8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Nov. 20	14.4	.	3	.	.	.	.	.	.	.	.	1	.	1	.	.	.	.	1
	" 27	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.
	Dec. 4	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.
	" 11	9.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
Population in 1915 (Est.) 10,829.	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 25	4.8	4.8	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Nov. 20	30.4	2.5	24	.	.	.	2	.	.	.	.	2	1	1	3	6	.	1	.
	" 27	34.2	5.1	27	.	.	.	2	.	.	.	.	7	2	.	2	3	2	.	1
	Dec. 4	22.8	3.8	18	1	.	.	1	.	.	.	.	2	.	.	5	1	.	2	1
	" 11	21.5	3.8	17	.	.	.	3	.	.	.	.	1	1	1	1	4	.	.	.
Population in 1915 (Est.) 41,170.	" 18	31.7	6.3	25	.	.	.	4	.	.	.	.	3	1	4	1	1	1	.	.
	" 25	21.5	5.1	17	.	.	.	3	.	.	.	.	3	.	.	2	1	.	.	1
South City, No. 2. (Office, Castle-street.)	Nov. 20	48.3	5.7	17	.	.	.	1	.	.	.	.	3	.	1	3	4	1	.	.
	" 27	28.4	11.4	10	.	.	.	2	.	.	.	.	.	.	.	.	2	.	.	1
	Dec. 4	28.4	2.8	10	.	.	.	1	.	.	.	.	2	1	.	3	.	.	.	.
	" 11	31.3	5.7	11	.	.	.	1	.	.	.	.	1	2	.	4	1	.	.	.
Population in 1915 (Est.) 18,341.	" 18	42.6	2.8	15	.	.	.	1	.	.	.	.	2	.	1	1	4	.	.	.
	" 25	19.9	2.8	7	.	.	.	1	.	.	.	.	2	.	.	2	.	.	.	.
South City, No. 3. (Office, Peter-street.)	Nov. 20	19.0	2.4	16	.	.	.	.	.	.	.	.	6	.	1	1	1	.	.	.
	" 27	35.6	4.7	30	.	.	.	2	.	1	.	.	4	1	1	3	4	1	1	2
	Dec. 4	30.8	5.9	26	.	.	.	3	.	.	.	.	3	1	3	2	4	1	1	.
	" 11	32.0	5.9	27	.	.	.	5	.	.	.	.	5	1	2	4	3	.	.	.
Population in 1915 (Est.) 43,970.	" 18	30.8	5.9	26	1	.	.	3	.	.	.	.	5	1	2	2	3	1	.	.
	" 25	20.2	8.3	17	1	.	.	4	.	.	.	.	1	.	.	1	5	2	.	.
South City, No. 4. (Office, Grand Canal-st.)	Nov. 20	23.6	4.7	15	1	.	.	.	.	1	.	.	1	1	1	.	2	.	1	.
	" 27	17.3	1.6	11	.	.	.	1	.	.	.	.	2	.	.	.	.	.	.	.
	Dec. 4	26.7	7.9	17	.	.	.	5	.	.	.	.	1	.	.	2	5	.	.	.
	" 11	18.9	.	12	.	.	.	.	.	.	.	.	3	1	.	.	.	.	.	.
Population in 1915 (Est.) 33,171.	" 18	17.3	.	11	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	1
	" 25	17.3	.	11	.	.	.	.	.	.	.	.	1	.	1	2	2	.	1	.
New Kilmainham.	Nov. 20	10.5	.	2	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.
	" 27	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915 (Est.) 9,948.	" 11	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
	" 18	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
	" 25	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM																Number of Uncertified Deaths.	
		FROM ALL CAUSES.	CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Farrago, 2 years and upwards.	Violence.		
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Nov. 20 " 27 Dec. 4 " 11	9.2 21.1 21.1 19.8	1.3 1.3 . 2.6	7 16 16 15	. . . 1	. . . .	. . . .	. . . .	. . . .	. . . 1	. . . .	. . . .	1 2 1 1	. . 1 1	. . 1 1	. 1 1 .	1 1 5 .	1 1 . .	. . . .	. . . .	. . 1 .	. . . .
Population in 1915 (Est.) 39,541.	" 18 " 25	15.8 13.2	. .	12 10	. .	. .	. .	. .	. .	. .	. .	. .	4 .	. .	1 1	. .	1 2	. .	. .	. .	. .	. .
Pembroke Urban District.	Nov. 20 " 27 Dec. 4 " 11	17.1 13.7 30.7 18.8	. . 1.7 5.1	10 8 18 11	. . . .	. . . .	. . . .	. . . 3	. . . .	. . . 1	. . . .	. . . .	2 1 1 1	. . . .	. 1 3 .	2 . 1 1	2 1 4 2	. . . .	. . . .	. . . .	. . 1 .	. . . .
Population in 1915 (Est.) 30,538	" 18 " 25	15.4 8.5	1.7 1.7	9 5	1 .	. .	. .	. .	1 .	. .	. .	. .	2 2	. .	. .	. .	1 1	. .	. .	. .	. .	. .
Blackrock Urban District.	Nov. 20 " 27 Dec. 4 " 11	5.6 28.2 22.6 33.9	. . . 5.6	1 5 4 6	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . 1 1	. . . .	. . . 1	. . 2 1	. . . .	. . . 1	. . . .	. . . .	. . . .	. . 1 .
Population in 1915 (Est.) 9,233.	" 18 " 25	11.3 11.3	. .	2 2	. .	. .	. .	. .	. .	. .	. .	. .	1 .	. .	. .	. 1	. .	. .	. .	. .	. .	1 .
Kingstown Urban District.	Nov. 20 " 27 Dec. 4 " 11	12.3 15.4 18.5 12.3	. . . .	4 5 6 4	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	1 . . 1	. . . .	. . . .	. . 1 1	1 2 2 1	. . . .	. . . .	. . . .	. . . .	. . 1 .
Population in 1911 16,941.	" 18 " 25	24.6 12.3	. .	8 4	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. .	. 1	. .	. .	. .	. .	. .	1 .
Belfast.	Nov. 20 " 27 Dec. 4 " 11	20.3 18.1 21.1 21.0	1.3 1.7 1.8 1.6	157 140 163 162	. . . .	. . . .	. . . .	1 3 2 1	3 7 5 3	2 2 4 3	1 . . 1	. . . .	25 14 21 16	4 3 8 3	16 3 6 4	11 18 25 21	19 27 33 35	3 1 3 4	. . . .	. . . .	. . . .	3 2 1 1
Population in 1915 (Est.) 403,000.	" 18 " 25	23.0 18.1	2.1 1.4	178 140	. .	. .	. .	7 7	4 1	4 3	1 .	. .	10 13	4 6	13 3	27 16	33 26	. .	. .	. .	. .	4 2
Cork.	Nov. 20 " 27 Dec. 4 " 11	20.4 21.8 23.8 22.4	0.7 1.4 2.0 0.7	30 32 35 33	. 1 . 1	. . . .	. . . .	. . . .	. . 1 .	. . . .	. . . .	. . . .	3 3 1 9	1 2 1 1	1 1 2 .	1 3 5 1	5 4 6 1	. 1 . .	. . . .	. . . .	. . . .	1 2 1 3
Population in 1911 76,673.	" 18 " 25	23.8 17.7	0.7 .	35 26	. .	. .	. .	. .	. .	. .	. .	. .	1 1	1 1	1 .	3 2	1 3	. .	. .	. .	. .	2 .
Londonderry.	Nov. 20 " 27 Dec. 4 " 11	16.5 20.2 17.7 17.7	1.3 3.8 2.5 .	13 16 14 14	. . . .	. . . .	. . . .	. . . .	. . . .	. . 2 1	. . . .	. . . .	. . 2 2	. 1 . .	. . 1 .	1 3 . .	3 4 2 8	1 1 1 3	. . . .	. . . .	. . . .	1 1 1 .
Population in 1915 (Est.) 41,200.	" 18 " 25	21.5 20.2	1.3 1.3	17 16	1 .	. .	. .	. .	. 1	. .	. .	. .	3 .	2 .	1 1	. .	1 1	. .	. .	. .	. .	2 .
Limerick.	Nov. 20 " 27 Dec. 4 " 11	13.5 24.4 9.5 12.2	2.7 1.4 1.4 1.4	10 18 7 9	. . . 1	. . . .	. . . .	. . . .	. . . .	. 1 .	. . .	. . .	. . 1 1	. . . .	1 1 .	. . .	3 4 2 4	. . . 2	. . . .	. . . .	. . . .	. . 1 .
Population in 1911 38,518.	" 18 " 25	9.5 19.0	. .	7 14	. .	. .	. .	. .	. .	. .	. .	. .	3 .	. .	. .	3 .	. .	. .	. .	. .	. .	2 .
Waterford.	Nov. 20 " 27 Dec. 4 " 11	22.8 22.8 28.5 7.6	1.9 . 3.8 .	12 12 15 4	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	. . . .	2 5 1 .	. . 2 .	. . . .	1 2 2 1	. 2 1 2	. . 2 3	. . . .	. . . .	. . . .	. . 1 .
Population in 1911 27,464.	" 18 " 25	22.8 20.9	. 1.9	12 11	. .	. .	. .	. .	. .	. .	. .	. .	. .	1 1	. .	1 2	3 2	. 1	. .	. .	. .	3 .

\* See note (†) at foot of first page.





TABLE IX.—City of Belfast.—Comparative Table of Results in each of the last twenty-six weeks. Deaths in Public Institutions of persons admitted from without the City are omitted.

BELFAST.	1915.—WEEK ENDING																									
	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.
No. of weeks in Annual Series,	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
BIRTHS registered, ...	201	168	186	184	185	201	162	171	185	191	183	159	182	189	177	209	184	167	217	171	169	172	138	130	174	137
DEATHS registered, ...	101	77	93	111	116	87	98	105	108	119	124	113	88	125	126	97	112	132	122	124	157	140	163	162	178	140
Annual Death-rate per 1,000 of estimated population, ...	13.1	10.0	12.0	14.4	15.0	11.3	12.7	13.6	14.0	15.4	16.0	14.6	11.4	16.2	16.3	12.6	14.5	17.1	15.8	20.3	18.1	21.1	21.1	21.0	23.0	18.1
Ages, { Under 1 year, 1-5 years, 5-25 " " 25-45 " " 45-65 " " 65 and upwards, ...	16	17	15	18	24	16	19	18	23	32	29	22	22	32	28	21	25	31	18	30	17	22	24	36	32	21
	12	7	16	8	14	12	7	15	7	14	9	12	9	11	6	5	11	21	10	8	12	12	22	13	26	21
	8	7	13	23	14	10	10	10	10	11	15	13	10	9	17	12	14	14	11	20	20	15	16	8	9	12
	25	13	11	16	17	13	18	16	19	22	19	18	15	19	22	18	10	21	37	18	27	22	26	25	27	16
	25	18	27	23	26	23	29	27	26	24	25	18	23	26	29	25	30	18	22	23	42	44	41	44	43	27
Deaths from:—	15	15	11	23	21	13	15	19	23	16	27	30	9	28	24	16	22	27	24	25	39	25	34	36	41	43
Enteric Fever, ...	.	.	.	.	.	.	.	.	1	2	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.
Typhus, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Measles, ...	2	3	3	1	3	.	1	1	1	1	.	.	.	.	1	.	2	3	.	1	1	3	2	1	7	7
Scarlet Fever, ...	.	2	4	1	1	2	3	2	2	3	1	.	1	2	5	3	2	7	3	4	3	7	5	3	4	1
Whooping-cough, ...	4	3	1	1	4	1	.	3	1	5	5	1	1	1	1	.	.	4	.	1	2	2	4	3	4	3
Diphtheria, ...	2	.	1	1	1	2	.	.	.	1	.	1	.	1	1	.	.	.	.	1	4	.	.	1	1	.
Dysentery, ...	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Tuberculosis, { Pulmonary, ...	17	10	12	13	16	11	9	15	14	12	14	10	6	11	20	17	5	12	14	12	25	14	21	16	10	13
Other Forms, ...	8	5	2	8	5	4	5	8	3	9	7	3	4	.	8	2	4	3	4	10	4	4	8	3	4	6
Cancer ...	6	2	7	11	5	9	8	7	6	2	6	8	7	5	6	6	2	5	4	10	16	3	6	4	13	3
Diseases of Respiratory System, { Pneumonia, ...	7	9	6	3	6	4	7	2	5	4	5	8	11	10	9	2	10	11	11	13	11	18	25	21	27	16
Others, ...	6	9	6	6	9	8	6	3	5	2	4	11	5	14	14	9	15	9	14	12	19	27	33	35	33	26
Diarrhoea and Enteritis, under 2 years, ...	2	1	3	4	3	3	6	9	8	18	13	13	11	14	8	7	7	10	4	2	3	1	3	4	.	.
Diarrhoea, 2 years and upwards, ...	.	2	1	1	.	1	1	.	1	4	.	2	1	.	1	.	1	2	1	.	.	.	.	.	.	.
Violent Deaths, ...	1	1	3	2	.	5	2	1	1	2	2	1	2	3	.	2	2	4	2	1	3	2	1	1	4	2
Number of Uncertified Deaths, ...	.	.	.	4	1	.	.	1	.	2	3	2	1	.	5	.	3	2	1	.	1	.	1	3	1	1

TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM							
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.	
LONDON, ---	4,516,612	Dec. 25,	1,512	1,345 <sup>c</sup>	15·5	2	.	9	6	20	9	15	
EDINBURGH, ---	328,700	" 25,	88	98 <sup>c</sup>	15·5	.	.	1	2	.	.	.	
GLASGOW, ---	1,078,400	" 25,	487	352 <sup>c</sup>	17·0	1	.	4	2	1	2	5	
CALCUTTA ---	896,067	Oct. 23,	.	422 <sup>†</sup>	24·5	?	1	?	?	?	?	?	
BOMBAY, ---	979,445	Nov. 13,	484	473	25·1	47*	.	.	.	1	.	31 <sup>a</sup>	
MADRAS, ---	518,660	" 6,	302	239 <sup>†</sup>	24·0	31*	4	3	?	?	?	56 <sup>†a</sup>	
CAIRO, {	Egyptians, ...	Sept. 2,	512	606	47·9	8	.	.	.	?	18 <sup>†</sup>	166	
	Foreigners,	" 2,	14	31	22·3	4	.	.	.	?	1 <sup>†</sup>	2	
ALEXAN- DRIA, {	Egyptians,	" 2,	308	261	39·4	1	.	.	.	?	.	80	
	Foreigners,	" 2,	38	145	97·2	16	.	.	.	?	.	3	
PARIS, ---	2,847,229	Nov. 20,	481	701	12·6	1	.	.	1	4	3 <sup>†</sup>	3	
BRUSSELS, ---	780,843	—	.	.	.	.	.	.	.	.	.	.	
ANTWERP, ---	313,833	—	.	.	.	.	.	.	.	.	.	.	
AMSTERDAM, ---	614,831	Nov. 13,	254	148	12·5	2	.	1	.	4	3 <sup>†</sup>	3	
COPENHAGEN, ---	494,000	" 27,	188	125	14·2	.	.	.	.	2	2 <sup>†</sup>	4	
STOCKHOLM, ---	386,270	" 27,	137	87	11·7	1	.	.	1	1	1	1	
CHRISTIANIA, ---	250,677	Dec. 11,	91	67	13·9	.	.	.	1	.	1	.	
PETROGRAD, ---	1,728,200	—	.	.	.	.	.	.	.	.	.	.	
MOSCOW, ---	1,694,000	Nov. 13,	.	1,047	32·2	51	7	57	61	11	23 <sup>†</sup>	97 <sup>a</sup>	
ROME, ---	591,943	—	.	.	.	.	.	.	.	.	.	.	
NEW YORK, ...	5,806,532	Nov. 20,	2,658	1,332	11·9	8	.	3	1	5	17 <sup>†</sup>	43	
PHILADELPHIA, ---	1,657,810	—	.	.	.	.	.	.	.	.	.	.	
BOSTON, ---	727,826	Dec. 4,	.	243 <sup>b</sup>	17·4	2	.	1	.	1	4	9 <sup>a</sup>	

\* Deaths from "fever," including 9 from plague and 2 from enteric fever in Bombay, and 4 from enteric fever in Madras,

† Including deaths from croup.

‡ Including 23 deaths from cholera in Calcutta, and 2 in Madras

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, *i.e.* non-residents deducted, 209 deaths (including 3 from diphtheria, and 7 from diarrhoeal diseases); rate, 15·0 per thousand.<sup>c</sup> Including 3 deaths from cerebro-spinal fever in London, one in Edinburgh and 2 in Glasgow.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 25th December, 1915.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)— Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Poliomyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East, ...	.	.	.	.	1	.	.	1	.	.	.	.	.	2
„ „ 1, West, ...	.	1	.	.	.	.	.	.	1	.	.	.	2	5
„ „ 2, ...	.	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ 3, ...	.	.	.	.	.	.	.	.	1	.	.	.	1	2
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	1	.	.	2	.	.	.	1	.	.	.	.	4
Finglas and Glasnevin (part of), ...	.	.	.	.	1	.	.	.	.	.	.	.	.	1
South City No. 1, ...	.	1	.	.	.	.	.	1	.	.	.	.	.	2
„ „ 2, ...	.	.	.	.	.	.	1	.	.	.	.	.	.	1
„ „ 3, ...	.	1	.	.	.	.	.	.	1	.	.	.	.	2
„ „ 4, ...	.	.	.	.	.	.	.	.	.	.	.	.	1	1
New Kilmainham, ...	.	.	.	.	.	.	.	.	1	.	.	.	.	1
Total, ...	.	4	.	.	5	.	1	2	5	.	.	.	6	23

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 25th December, 1915, with the number under treatment at the close of each of the last four weeks.

DISEASES.	No. of Cases in Hospital at close of week ended			Week ended 25th December.			
	Dec. 4.	Dec. 11.	Dec. 18.	No. admitted.	Dis- charged.	Died.	No. under treatment at close of week.
Enteric Fever, ...	34	36	30	7	3	1	33
Typhus, ...	2	2	.	.	.	.	.
Small-pox, ...	.	.	.	.	.	.	.
Measles, ...	39	42	59	13	25	2	45
Scarlet Fever, ...	77	69	63	10	13	2	58*
Diphtheria, ...	27	25	26	4	7	1	22
Pneumonia, ...	18	16	17	7	8	.	16

\* Exclusive of 16 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.

1. The first part of the report is devoted to a general survey of the situation in the country.

No.	Name	Age	Sex	Profession	Marital Status	Religion	Education	Income	Assets	Liabilities	Notes
1	John Doe	35	M	Teacher	Married	Protestant	High School	\$1,200	\$5,000	\$2,000	
2	Jane Smith	28	F	Nurse	Single	Catholic	College	\$800	\$1,000	\$0	
3	Robert Brown	42	M	Farmer	Married	Methodist	High School	\$1,500	\$10,000	\$3,000	
4	Mary White	55	F	Homemaker	Married	Baptist	Elementary	\$600	\$2,000	\$1,000	
5	William Black	60	M	Retired	Married	Anglican	University	\$1,000	\$8,000	\$4,000	
6	Elizabeth Green	70	F	Widow	Widowed	Presbyterian	High School	\$400	\$1,500	\$0	
7	Thomas Grey	30	M	Student	Single	Evangelical	College	\$500	\$0	\$0	
8	Sarah Hall	45	F	Shopkeeper	Married	Quaker	High School	\$900	\$3,000	\$1,500	
9	James King	50	M	Engineer	Married	Unitarian	University	\$1,800	\$12,000	\$5,000	
10	Anna Lee	65	F	Widow	Widowed	Anglican	Elementary	\$300	\$1,000	\$0	



**WEEKLY RETURN of BIRTHS and DEATHS**

IN THE

**DUBLIN. REGISTRATION AREA,**CONSISTING OF THE CITY OF DUBLIN AND THE URBAN DISTRICTS OF RATHMINES  
AND RATHGAR, PEMBROKE, BLACKROCK, AND KINGSTOWN;

AND IN

**TWENTY-SIX of the PRINCIPAL URBAN DISTRICTS IN IRELAND.***By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE

By ALEX. THOM &amp; Co., LIMITED, ABBEY STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LTD., 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America and other Foreign Countries of  
T. FISHER UNWIN, LTD., LONDON, W.C

Price 1½d.

VOL. LII.]

WEEK ENDING SATURDAY, 1ST JANUARY, 1916.

[No. 542.]

General Register Office, Charlemont House,  
Dublin, 3rd January, 1916.

**TWENTY-SEVEN TOWN DISTRICTS.**

The average annual death-rate represented by the deaths registered\* last week as appertaining to the Dublin Registration Area and the twenty-six principal provincial Urban Districts of Ireland was 24·3 per 1,000 of their aggregate population, which, for the purposes of these Returns, is estimated at 1,212,380.† The deaths registered in each of the past four weeks and during the whole of that period, as appertaining to the undermentioned areas, corresponded to the following annual rates per 1,000.

COUNTY BOROUGH, &c.	Week ending				Average Rate for 4 weeks.
	Dec 11	Dec. 18	Dec. 25	Jan. 1	
<b>27 Town Districts, (a)</b>	<b>20·0</b>	<b>22·2</b>	<b>17·0</b>	<b>24·3</b>	<b>20·9</b>
Dublin Reg. Area ...	22·6	24·9	17·0	24·0	22·1
Dublin City ...	23·5	27·3	18·7	26·0	23·9
Belfast ...	21·0	23·0	18·1	25·1	21·8
Cork ...	22·4	23·8	17·7	32·0	24·0
Londonderry ...	17·7	21·5	20·2	13·9	18·3
Limerick ...	12·2	9·5	19·0	16·2	14·2
Waterford ...	7·6	22·8	20·9	22·8	18·5

The deaths from certain epidemic diseases‡ registered in the 27 town districts during last week\* were equal to an annual rate of 2·6 per 1,000. Among the 194 deaths from all causes for Belfast are one from enteric fever, 9 from measles, 5 from scarlet fever, one from whooping-cough, 3 from diarrhoeal diseases, and 2 from cerebro-spinal fever. Included in the 47 deaths from all causes for Cork are 4 from measles, 3 from scarlet fever, one from whooping-cough, and 4 from diphtheria. Four of the 12 deaths from all causes for Limerick are due to whooping-cough, and 2 of the 6 deaths from all causes for Portadown and one of the 6 deaths from all causes for Ballymena are also from this disease. One of the 5 deaths from all causes for Newtownards is ascribed to scarlet fever.

**DUBLIN REGISTRATION AREA.**

In the Dublin Registration Area the births registered during the week amounted to 156—96 boys and 60 girls—and the deaths to 196—109 males and 87 females.

**DEATHS.**

The deaths registered, omitting the deaths (numbering 8) of persons admitted into public institutions from localities outside the Area, represent an annual rate of mortality of 24·0 per 1,000 of the population. During the fifty-two weeks, ending with Saturday last, the death-rate averaged 21·9, and was 0·7 above the mean rate for the corresponding portions of the ten years, 1905–1914.

\* Exclusive of deaths of persons admitted into Public Institutions from without the respective Districts.

† See note (a) Table II.

‡ Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery, and diarrhoeal diseases.

(a) For particulars of other town districts, see Table II.

The total deaths registered, numbering 196, represent an annual rate of 25·0 per 1,000; the annual rate for the past fifty-two weeks was 23·3 per 1,000, and the average annual rate for the corresponding period of the past ten years was 22·3 per 1,000 of the mean population for all deaths registered.

Among the total deaths registered are 9 from measles, one from scarlet fever, 3 from whooping-cough, 2 from diphtheria, one from influenza, and 4 from diarrhoea and enteritis of children under 2 years of age.

In the three preceding weeks deaths from measles were 13, 11, and 12; deaths from scarlet fever were one, 3, and one; deaths from whooping-cough were 2, 3, and one; deaths from diphtheria were one, 0, and one; deaths from influenza were 5, one, and one; and deaths of children under 2 years of age from diarrhoea and enteritis were 4, 8, and 6, respectively.

Tuberculous disease caused 24 deaths, including 19 from pulmonary tuberculosis, one from tuberculous meningitis, 2 from abdominal tuberculosis, and 2 from other forms of the disease. Deaths from tuberculous disease in the three preceding weeks numbered, respectively, 29, 27, and 23.

Fourteen\* deaths were attributed to cancer.

Of 20 deaths from pneumonia, 13 were from broncho-pneumonia, one from lobar pneumonia, and 6 from pneumonia (type not distinguished).

Among deaths of infants under one year of age 4 were ascribed to convulsions, 2 to congenital malformations, 7 to premature birth, and 3 to congenital debility.

Organic diseases of the heart caused 16 and bronchitis 30 deaths.

The 6 deaths ascribed to accidental causes include one death (that of a child aged 20 months) caused by scalds, and one death by drowning. One death of a soldier was caused by wounds received in battle.

One case of homicide and one case of suicide were recorded.

In 8 instances the cause of death was "uncertified," there having been no medical attendant during the last illness; these cases include the deaths of 5 children under 5 years of age (including 3 infants under one year old), and the death of a person aged 72 years.

Sixty-nine of the persons whose deaths were registered during the week were under 5 years of age (35 being infants under one year, of whom 11 were under one month old), and 47 were aged 65 years and upwards, including 34 persons aged 70 and upwards; among the latter were 19 aged 75 and upwards, of whom 2 (a male and a female) were stated to have been aged 91 and 95 years respectively.

Sixty-six of the deaths registered during the week occurred in hospitals and other public institutions; of this number 11 took place in the North Dublin Union Workhouse, 15 in the South Dublin Union Workhouse, and one in the Rathdown Union Workhouse.

The following are the principal features of the Dublin District Returns for last week, deaths in Public Institutions being assigned to the Districts from which the deceased were admitted, and the annual death-rate for each District calculated on the mortality so distributed. [See Tables III. and VII.]

As already stated, the death-rate for the entire Registration Area was 24·0 per 1,000; the rate in the City was 26·0 (North City Districts, 25·4; South, 26·7), and in the Suburbs, 17·3.

The deaths from certain epidemic diseases† in the entire Area equal an annual rate of 2·4 per 1,000 inhabitants, the rate for the City being 3·0 (in the North City Districts 2·8, and in the South 3·2), and for the Suburbs 0·5 per 1,000.

No. 1 North City District, East (Clarence-street, North).—The deaths (15) are equal to an annual rate of 25·6 per 1,000, and include one death each from measles and diphtheria, 4 from tuberculous disease, one from pneumonia, one from bronchitis, one from diarrhoea and enteritis of a child under 2 years, and one accidental death.

No. 1 North City District, West (Sunmer-hill).—The deaths (25) are equal to an annual rate of 31·3 per 1,000. Among them are one from scarlet fever, 2 from whooping-cough, 3 from pulmonary tuberculosis, one from broncho-pneumonia, 3 from bronchitis, and one death of a child under 2 years of age from diarrhoea and enteritis.

No. 2 North City District (Lisburn-street).—The deaths (14) are equivalent to an annual rate of 26·2 per 1,000. One death from pulmonary tuberculosis, 3 from pneumonia, and 2 from bronchitis, were recorded.

No. 3 North City District (Benburb-street).—The deaths (18) represent an annual rate of 26·2 per 1,000. Measles caused one death, tuberculous disease 5 deaths, bronchitis one death, and diarrhoea and enteritis one death, the latter being that of a child under 2 years of age.

Other North City Districts.—The annual death-rates represented by the deaths recorded last week are:—Clontarf and Howth, No. 1, part of, 9·4 per 1,000 inhabitants; Coolock and Drumeendra, part of, 18·9; and Finglas and Glasnevin, part of, 14·4.

No. 1 South City District (South Earl-street).—The deaths (24) represent an annual rate of 30·4 per 1,000. There were 3 deaths from measles, one from diphtheria, 2 from tuberculous disease, 3 from pneumonia, and 6 from bronchitis.

No. 2 South City District (Castle-street).—The deaths (6) are equal to an annual rate of 17·1 per 1,000, and include one death from measles, one from broncho-pneumonia, and 3 from bronchitis.

No. 3 South City District (Peter-street).—The deaths (24) are equal to an annual rate of 28·5 per 1,000. Two of the deaths were from measles, 6 from tuberculous disease, 4 from pneumonia, 4 from bronchitis, and one death was attributed to violence, accidentally caused.

No. 4 South City District (Grand Canal Street).—The deaths (16) are equivalent to an annual rate of 25·2 per 1,000. One death from measles, one from pulmonary tuberculosis, 2 from pneumonia, 3 from bronchitis, one death (that of a child under 2 years of age) from diarrhoea and enteritis, and one accidental death, were recorded.

New Kilmainham District.—The deaths (5) are equal to an annual rate of 26·2 per 1,000. Among them are one from pulmonary tuberculosis and one from bronchitis.

Urban Districts.—The annual death-rates represented by the deaths recorded last week are:—Rathmines and Rathgar, 15·8; Pembroke, 13·7; Blackrock, 22·6; and Kingstown, 24·6. The only death from any of the principal epidemic diseases tabulated for these districts was from whooping-cough for Rathmines and Rathgar, the 12 deaths from all causes for this district including one from pulmonary tuberculosis, 4 from pneumonia, and 2 from bronchitis. Among the 8 deaths from all causes for Pembroke are one from bronchitis and 2 accidental deaths. Two of the 4 deaths recorded for Blackrock are from bronchitis; and the 8 deaths from all causes for Kingstown include one from each of influenza, pneumonia, and bronchitis.

## ENGLAND AND SCOTLAND.

The mortality last week in 96 large English towns (including London, in which the rate was 17·4), was equal to an average annual death-rate of 16·6 per 1,000 persons living. The average rate for 16 principal towns of Scotland was 17·4 per 1,000, the rate for Glasgow being 15·9, and for Edinburgh 18·4.

### INFECTIOUS DISEASE IN EDINBURGH.

The Registrar-General has been favoured by A. Maxwell Williamson, M.D., B.Sc., Medical Officer of Health for Edinburgh, with a copy of his Return of Infectious Diseases notified during the week ended 1st January. From this Report it appears that of 76 cases notified, 35 were scarlet fever, 21 diphtheria, 11 pulmonary tuberculosis, one other forms of tuberculosis, 5 erysipelas, 2 cerebro-spinal fever, and one enteric fever. Among the 647 cases of infectious diseases in hospital at the close of the week were 326 of scarlet fever, 138 of diphtheria, 131 of pulmonary tuberculosis, 24 of measles, 9 of erysipelas, 2 of cerebro-spinal fever, one of enteric fever, and one of puerperal fever.

\* See note (c) at foot of Table II.

† See note (i) at foot of first page.



## STATE OF INFECTIOUS DISEASE.

RETURNS of the number of cases of Infectious Diseases notified under the "Infectious Diseases (Notification) Act, 1889," and the "Tuberculosis Prevention (Ireland) Act, 1908," as furnished by the respective sanitary authorities.

TABLE I.—Showing the NUMBER of CASES of INFECTIOUS DISEASES notified in the Dublin Registration Area (viz.:—the City of Dublin and the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock and Kingstown), and in the Cities of Belfast, Cork, Londonderry, Limerick, and Waterford, during the week ended 1st January, 1916, and each of the preceding three weeks. A dash (—) denotes that the disease in question is not notifiable in the District.

CITIES AND URBAN DISTRICTS	Week ending	Small-pox.	Measles.	Rubella or Epidemic Rose Rash.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Varicella.	Whooping cough.	Cerebro-spinal Fever.	Diarrhoeal Diseases.	Acute Poliomyelitis.	Pulmonary tuberculosis.	Total.
City of Dublin.	Dec. 11,	.	—	—	6	.	.	.	.	.	6	2	.	—	—	.	—	—	13	27
	Dec. 18,	.	—	—	13	.	.	8	.	.	3	2	.	—	—	.	—	—	14	40
	Dec. 25,	.	—	—	4	.	.	5	.	1	2	5	.	—	—	.	—	6	23	
	Jan. 1,	.	—	—	4	.	.	4	.	1	4	.	.	—	—	1	—	10	24	
Rathmines and Rathgar Urban District.	Dec. 11,	.	—	—	2	.	.	3	.	.	.	2	.	—	—	—	—	—	—	7
	Dec. 18,	.	—	—	4	.	.	.	.	.	.	.	.	—	—	—	—	—	4	4
	Dec. 25,	.	—	—	3	.	.	.	.	.	.	.	.	—	—	—	—	—	3	3
	Jan. 1,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	3	3
Pembroke Urban District.	Dec. 11,	.	21	.	2	.	.	.	.	1	.	.	1	—	.	.	—	—	2	27
	Dec. 18,	.	5	.	1	.	.	.	.	.	.	.	.	—	.	.	—	—	3	3
	Dec. 25,	.	4	.	.	.	.	.	.	.	.	.	.	—	.	.	—	—	4	4
	Jan. 1,	.	8	.	.	.	.	1	.	.	.	.	.	—	.	.	—	—	9	9
Blackrock Urban District.	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	.
	Dec. 25,	.	2	—	.	.	.	.	.	.	.	.	.	—	—	.	—	—	.	2
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	1	2
Kingstown Urban District.	Dec. 11,	.	—	—	2	.	.	.	.	.	.	.	.	—	—	—	—	—	.	2
	Dec. 18,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	.	1
City of Belfast.	Dec. 11,	.	—	—	55	.	.	6	.	.	.	7	.	—	—	—	—	.	4	72
	Dec. 18,	.	—	—	40	.	.	5	1	.	.	.	.	—	—	3	—	.	5	54
	Dec. 25,	.	—	—	39	.	.	3	.	.	2	7	.	—	—	1	—	.	5	57
	Jan. 1,	.	—	—	39	.	.	6	.	.	2	4	.	—	—	2	—	.	5	58
City of Cork.	Dec. 11,	.	7	—	3	.	.	3	.	.	.	.	.	—	—	—	—	—	—	13 <sup>a</sup>
	Dec. 18,	.	2	—	2	.	.	1	.	.	.	.	.	—	—	—	—	—	5	5
	Dec. 25,	.	11	—	2	.	.	3	1	.	.	2	.	—	—	—	1	—	20	20
	Jan. 1,	.	12	—	3	.	.	2	.	.	.	.	.	—	—	—	—	—	17 <sup>b</sup>	17 <sup>b</sup>
City of Londonderry.	Dec. 11,	.	—	—	4	.	.	.	.	.	1	2	.	—	—	—	—	—	—	7
	Dec. 18,	.	—	—	12	.	.	.	.	.	1	2	.	—	—	—	—	—	15	15
	Dec. 25,	.	—	—	3	.	.	2	.	.	.	1	.	—	—	—	—	—	6	6
	Jan. 1,	.	—	—	.	.	.	1	.	.	.	.	.	—	—	—	—	—	1	1
City of Limerick.	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
	Dec. 18,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	.	—	—	—	1
	Dec. 25,	.	—	—	1	.	.	.	.	.	.	.	.	—	—	—	—	—	—	1
	Jan. 1,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	—	.
City of Waterford.	Dec. 11,	.	—	—	.	.	.	.	.	.	.	.	.	—	—	—	—	—	1	1
	Dec. 18,	.	—	—	2	.	.	.	.	.	.	1	.	—	—	—	—	—	1	4
	Dec. 25,	.	—	—	2	.	.	2	.	.	.	.	.	—	—	—	—	—	4	4
	Jan. 1,	.	—	—	1	.	.	.	.	.	.	1	.	—	—	—	—	—	2	2

(a) Not including one case of varicella.

(b) Not including one case of cerebro-spinal fever.

## CASES OF INFECTIOUS DISEASES UNDER TREATMENT IN DUBLIN HOSPITALS.

Table XII. exhibits the number of cases of certain infectious diseases treated in the Dublin Hospitals during the week ended 1st January, 1916, and the number under treatment at the close of each of the 3 preceding weeks.

From this it appears that:—

Two cases of enteric fever were admitted to hospital during the week, 4 were discharged, and 31 cases remained under treatment at its close, the respective numbers in hospital at the close of the 3 preceding weeks being 36, 30, and 33.

Twenty-six cases of measles were admitted to hospital during the week, 7 were discharged, there were 2 deaths and 62 cases remained under treatment at its close. At the end of the 3 preceding weeks such cases were 42, 59 and 45, respectively.

Seven cases of scarlet fever were admitted to hospital; 10 were discharged, and 55\* cases remained under treatment at the close of the week. At the close of the 3 preceding weeks the cases in hospital were 69, 63, and 58, respectively.

Eight cases of diphtheria were admitted to hospital during the week, 6 were discharged, there were 2 deaths, and the cases in hospital, which at the close of the 3 preceding weeks numbered 25, 26, and 22, respectively, were 22 at the close of last week.

In addition to the above-named diseases, 8 cases of pneumonia were admitted to hospital, 5 were discharged, and 19 cases remained under treatment at the end of the week.

\* See note (\*) at foot of Table XII.

TABLE II.—BIRTHS and DEATHS registered during the week ending Saturday, 1st January, 1916, in the DUBLIN REGISTRATION AREA and in each of the under-mentioned 26 URBAN DISTRICTS (exclusive of Deaths in Public Institutions of Persons admitted from other Districts), with the Number of Deaths from some of the PRINCIPAL CAUSES, and the Number of Uncertified Deaths.

REGISTRATION—WEEK ENDING SATURDAY, 1ST JANUARY, 1916.																															
TOWNS AND DISTRICTS.	Census Statistics of Districts.		Annual Rate per 1,000 Persons Represented by		NUMBERS REGISTERED.																										
	POPULATION.		DEATHS.		BIRTHS.		DEATHS.																								
	Total. (a)	Per- sons to an Acre.	BIRTHS.	From all Causes.	From certain Epidemic Diseases. (b)	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Caused by										Violence.	Inquest Cases.	No. of Deaths in Public Institutions.	No. of Uncertified Deaths.
																		Tuber- culosis.	Diseases of the Respir- atory System		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.									
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)			
TOTAL OF 27 TOWN DIS- TRICTS, ...	1,212,380	19.2	21.6	24.3	2.6	502	564	95	137	1	...	...	22	10	12	6	...	56	19	24	62	90	9	1	20	23	155	27			
DUBLIN REG- ISTRATION AREA— TOTAL, (c.) ...	409,000	29.8	19.9	24.0	2.4	156	188	34	44	...	...	...	9	1	3	2	...	19	5	11	20	32	4	...	8	9	58	8			
CITY OF DUBLIN,	312,747	39.5	21.8	26.0	3.0	131	156	28	34	...	...	...	9	1	2	2	...	18	5	8	15	26	4	...	6	6	51	8			
Urban Districts.																															
RATHMINES and RATHGAR, ...	39,541	23.1	21.1	15.8	1.3	16	12	3	3	...	...	...	...	...	1	...	...	1	...	1	4	2	...	...	...	...	2	...			
PEMBROKE, ...	30,538	19.4	6.8	13.7	.	4	8	1	2	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	2	2	2	...			
BLACKROCK, ...	9,233	8.5	.	22.6	.	...	4	...	2	...	...	...	...	...	...	...	...	...	...	1	...	2	...	...	...	2	...				
KINGSTOWN, ...	16,941	11.6	15.4	24.6	.	5	8	2	3	...	...	...	...	...	...	...	...	...	...	1	1	1	...	...	...	1	1	...			
Urban Districts																															
BELFAST ..	403,000	27.0	20.3	25.1	2.5	157	194(d)	31	40	1	...	...	9	5	1	...	...	12	9	7	28	38	2	1	8	12	49	5			
CORK, ..	76,673	28.6	21.1	32.0	8.2	31	47	8	11	...	...	...	4	3	1	4	...	3	...	2	3	4	...	...	...	1	19	2			
LONDON- DERRY	41,200	16.0	34.2	13.9	1.3	27	11	3	4	...	...	...	...	...	...	...	...	3	...	...	...	1	1	...	...	1	...	2			
LIMERICK, ...	38,518	16.1	29.8	16.2	5.4	22	12	...	5	...	...	...	...	...	4	...	...	2	...	...	...	2	...	...	...	...	3	2			
WATERFORD, ...	27,464	19.1	20.9	22.8	1.9	11	12	2	4	...	...	...	...	...	...	...	...	1	...	1	1	6	1	...	...	...	6	1			
GALWAY, ...	13,255	2.5				9	10	3	2	...	...	...	...	...	...	...	...	2	...	...	1	...	1	...	...	...	2	2			
DUNDALK, ...	13,128	9.5				9	8	2	2	...	...	...	...	...	...	...	...	1	...	...	2	...	...	...	...	...	1	1			
LURGAN, ...	12,553	14.7				3	4	2	...	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	1	1	1	...			
DROGHEDA, ...	12,501	8.4				2	3	1	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	...			
LISBURN ...	12,388	10.9				2	10	...	5	...	...	...	...	...	...	...	...	2	...	...	1	1	...	...	...	...	4	...			
NEWRY, ...	11,963	17.0				6	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
PORTADOWN, ...	11,727	16.3				6	6	1	2	...	...	...	...	...	2	...	...	...	...	...	...	...	...	...	...	...	...	...			
WEXFORD, ...	11,531	22.8				4	7	...	2	...	...	...	...	...	...	...	...	...	1	...	1	1	...	...	2	2	1	...			
BALLYMENA ..	11,381	9.3				4	6	...	2	...	...	...	...	...	1	...	...	2	...	1	...	...	...	...	...	...	1	...			
SLIGO, ...	11,163	3.8				5	5	3	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...	...			
KILKENNY, ...	10,514	11.4				...	5	1	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	3	...			
TRALEE, ...	10,300	17.4				7	2	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	...	...	1	...			
CLONMEL, ...	10,209	7.8				2	3	...	1	...	...	...	...	...	...	...	...	...	1	...	...	1	...	...	...	...	...	...			
NEWTOWNARDS	9,587	20.1				4	5	...	2	...	...	...	...	1	...	...	...	...	...	...	...	2	...	...	...	...	2	...			
QUEENSTOWN,	8,209	14.7				10	3	...	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...			
LARNE, ...	8,036	13.4				3	4	2	2	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	1	1	1	...			
COLERAINE, ...	7,785	7.7				2	2	...	1	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
BANGOR, ..	7,776	8.5				5	4	...	2	...	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...	...	...	...			
BRAY, ..	7,691	7.2				2	3	...	2	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...			
ATHLONE, ..	7,472	6.2				12	5	1	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	1	...			
ARMAGH, ...	7,356	21.8				1	4	1	2	...	...	...	...	...	...	...	...	...	...	...	2	...	...	...	...	...	...	1	...		

(a) According to the Census of 1911, but in the cases of the Districts comprising the Dublin Registration Area, and for the Cities of Belfast and Londonderry, the population given is that estimated to the middle of 1915. (b) See note (1) at foot of first page. (c) Exclusive of 8 deaths of persons (including one under one year old and 3 at 65 years or upwards), admitted to hospital from localities outside the Area; three of the 8 deaths were from cancer. (d) Including 2 deaths from cerebro-spinal fever.



TABLE III.—DUBLIN REGISTRATION AREA.—DEATHS in the several Registrars' Districts of the City of Dublin, and in the Urban Districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, registered during the Week ending Saturday the 1st of January, 1916, with the number of uncertified deaths; also the deaths from all causes by certain age-periods. *The Deaths in Public Institutions are assigned to the Districts from which the deceased were admitted.*

NAMES OF DISEASES, &c.		DEATHS IN DUBLIN REGISTRATION AREA.															TOTAL FOR DUBLIN REGISTRATION AREA.	Deaths in Institutions of Persons admitted from without the Registration Area.	
		CITY OF DUBLIN.																	
		REGISTRATION DISTRICTS IN																	
		Dublin North Superintendent Registrar's District.							Dublin South Superintendent Registrar's District.							URBAN DISTRICTS OF			
		NORTH CITY NO. 1 E.	NORTH CITY NO. 1 W.	NORTH CITY NO. 2.	NORTH CITY NO. 3.	CLONTARF and HOWTH NO. 1 (part of).	COOLOCK and DRUMCONRA (part of).	FINGLAS and GLASNEVIN (part of).	SOUTH CITY NO. 1.	SOUTH CITY NO. 2.	SOUTH CITY NO. 3.	SOUTH CITY NO. 4.	NEW KILMAINHAM.	RATHMINES and RATHGAR.	PEMBROKE.	BLACKROCK.			KINGSTOWN.
Enteric Fever.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Typhus.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Small-pox.	1	.	.	.	.	.	3	1	2	1	.	.	.	.	.	.	9	.	
Measles.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	
Scarlet Fever.	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	
Whooping-cough.	1	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	
Diphtheria.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
Croup.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Influenza.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	
Dysentery.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Tuberculosis.	3	3	1	4	.	.	1	.	4	1	1	1	1	.	.	.	19	.	
{ Pulmonary.	1	.	.	1	.	.	1	.	2	.	.	.	.	.	.	.	5	.	
{ Other Forms.	.	2	1	1	.	2	.	.	1	1	.	1	.	1	1	1	11	3	
Cancer.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Diseases of Nervous System.	1	3	.	3	.	.	1	2	.	1	.	1	2	1	.	2	17	1	
" Organs of Special Sense.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" Circulatory System.	1	4	.	2	.	1	1	1	.	3	1	.	.	1	.	2	18	1	
" Respiratory System.	1	1	3	.	.	.	3	1	4	2	.	4	.	.	.	1	20	.	
{ Pneumonia	1	4	2	1	.	.	6	3	4	4	1	2	1	2	1	.	32	.	
{ Others.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Diarrhoea and Enteritis, under 2 years.	1	1	.	1	.	.	.	.	.	1	.	.	.	.	.	.	4	.	
" Digestive System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Diarrhoea, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Enteritis, 2 years and upwards.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
{ Others.	.	1	3	1	.	.	.	.	.	.	.	.	.	.	.	.	5	.	
" Genito-urinary System.	.	.	1	.	.	.	.	1	.	1	1	1	.	.	.	.	5	2	
Puerperal Septicæmia, etc.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other Causes incident to Pregnancy and Childbirth.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	
Diseases of the Skin and Cellular Tissue.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	.	2	.	
" Locomotor System.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Other specified Causes.	1	2	3	2	1	2	1	1	.	4	1	.	1	1	.	.	20	1	
Violent Deaths.	1	1	.	.	.	.	.	2	.	1	1	.	.	2	.	.	8	.	
Ill-defined, &c. Causes.	2	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	5	.	
Deaths from All Causes	15	25	14	18	1	5	3	24	6	24	16	5	12	8	4	8	188	8	
Annual Rate of Mortality from All Causes in every 1,000 of the population.	25.6	31.3	26.2	26.2	9.4	18.9	14.4	30.4	17.1	28.5	25.2	26.2	15.8	13.7	22.6	24.6	24.0	.	
	25.4							26.7					17.3						
	26.0																		
Ages at Death.	Under 1 year.	1	4	5	3	.	2	1	4	1	4	2	1	3	1	.	2	34	1
	1 and under 2 years.	3	.	1	2	.	.	.	4	2	2	2	.	1	2	.	.	19	.
	2 " 5 "	1	2	1	.	.	.	.	5	1	3	1	.	.	.	.	.	15	.
	5 " 15 "	.	.	.	.	.	.	.	3	.	1	.	1	.	.	.	.	5	.
	15 " 25 "	2	1	1	2	1	.	1	.	.	.	.	.	.	1	.	.	9	.
	25 " 45 "	4	6	1	4	.	.	1	1	4	2	1	1	.	.	1	26	1	
	45 " 65 "	3	4	3	6	.	1	2	.	3	5	.	3	3	1	2	36	3	
	65 and upwards.	1	8	2	1	.	2	1	5	1	7	4	2	3	2	3	44	3	
Number of Uncertified Deaths.		1	1	2	.	.	.	3	.	.	1	.	.	.	.	.	8	.	
NUMBER of the above DEATHS which occurred in HOSPITALS, PRISONS, LUNATIC ASYLUMS, and WORKHOUSE HOSPITALS.																			
Public Hospitals, Prisons, and Lunatic Asylums.	3	6	3	5	.	2	.	2	1	5	1	1	2	.	2	.	33	6	
Workhouse Hospitals.	2	5	2	2	.	.	.	4	.	5	1	1	.	2	.	1	25	2	





FIFTY-SECOND WEEK, ending Saturday, 1st January, 1916, with, as far as practicable, the deaths from each cause 1905-1914, and the average for those Weeks.

CAUSES OF DEATH.	Deaths from all causes Registered in the Week ending Saturday										Averages in 52nd Week of the 10 years, 1905-1914.	In the Week ending Saturday, 1st January, 1916.																														
	Dec. 30, 1905.	Dec. 29, 1906.	Dec. 28, 1907.	Dec. 26, 1908.	Jan. 1, 1910.	Dec. 31, 1910.	Dec. 30, 1911.	Dec. 28, 1912.	Dec. 27, 1913.	Dec. 26, 1914.		All Ages.	Deaths of Persons of the Ages of																													
													0-5.																													
													Under 1 month.	1 month and under a year.	1-2.	2-5.	5-15.	15-25.	25-45.	45-65.	65-75.	75 and upwards.																				
Diseases of the Pharynx, Tonsillitis.	.	.	.	.	.	.	2	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																				
Diseases of Stomach, ...	—	—	—	—	—	—	1	4	3	2	—	.	.	.	.	.	.	.	.	.	.	.																				
Diarrhoea and Enteritis of Children under 2 years.	2	8	.	1	8	2	3	.	5	5	3.8	4	.	4	.	.	.	.	.	.	.	.																				
Diarrhoea 2 years and upwards.																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
Enteritis 2 years and upwards.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	.	.																				
Appendicitis and Typhlitis, ...	—	—	—	—	—	—	2	1	2	.	—	4	.	.	1	.	1	1	1	.	.	.																				
Hernia and Intestinal Obstructions.	—	—	—	—	—	—	2	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Cirrhosis of Liver, ...	2	2	.	1	2	.	1	2	.	.	1.0	1	.	.	.	.	.	.	1	.	.	.																				
Other Diseases of Liver, ...	2	.	3	2	1	1	1	.	.	.	1.0	.	.	.	.	.	.	.	.	.	.	.																				
Peritonitis (cause unknown), ...	.	1	.	.	.	.	1	.	.	1	.4	.	.	.	.	.	.	.	.	.	.	.																				
Other Diseases of Digestive System.	1	2	5	3	5	5	.	.	1	1	2.3	.	.	.	.	.	.	.	.	.	.	.																				
Acute Nephritis, ...	6	8	6	5	6	9	3	.	1	3	6.9	1	.	.	.	.	.	1	.	.	.	.																				
Chronic Bright's Disease, ...																							7	2	6	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	
Urinary Calculi, ...																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Uterine Tumour (non-cancerous).																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Ovarian Tumour (non-cancerous)																							.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Other Diseases of Genito-urinary System.	.	.	.	.	.	.	1	3	1	.	.	2	.	.	.	.	.	.	.	1	1	.																				
Puerperal Septicæmia, &c., ...	.	1	.	.	.	.	.	.	.	.	.1	.	.	.	.	.	.	.	.	.	.	.																				
Other Causes incident to Pregnancy and Childbirth.	1	1	.	1	.	.	.	.	.	.	.3	1	.	.	.	.	1	.	.	.	.	.																				
Diseases of Skin and Cellular Tissues.	—	—	—	—	—	—	.	.	.	.	—	2	.	.	.	.	.	.	.	1	1	.																				
Diseases of Locomotor System.	—	—	—	—	—	—	.	.	.	1	—	.	.	1	.	.	.	.	.	.	.	.																				
Congenital Malformations, ...	—	—	—	—	—	—	1	.	1	1	—	2	7	6	1	.	.	.	.	.	.	.																				
Premature Birth, ...	1	4	1	1	9	1	2	4	2	3	2.7	3	1	2	.	.	.	.	.	.	.	.																				
Congenital Debility, ...	—	—	—	—	—	—	2	.	.	.	3.7	4	.	.	.	.	.	.	.	.	.	.																				
Old Age, ...	4	2	1	6	4	4	9	1	3	3	—	1	.	1	.	.	.	.	.	.	.	.																				
Other Specified Diseases, ...	—	—	—	—	—	—	2	.	.	1	—	.	.	.	.	.	.	.	.	.	.	.																				
ACCIDENT:																																										
Poisons or Poisonous Vapours.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Conflagration, ...	2	.	2	1	1	1	1	2	.	2	1.2	1	.	.	1	.	.	.	.	.	.	.																				
Burns and Scalds, ...	1	.	.	.	.	.	.	.	.	.	.1	1	.	.	.	.	.	.	.	1	.	.																				
Drowning, ...	.	1	.	.	1	.	.	.	.	.	.2	.	.	.	.	.	.	.	.	.	.	.																				
Suffocation in Bed, ...	2	4	2	.	.	3	6	2	2	.	2.1	4	.	.	.	.	1	2	.	1	.	.																				
Other Deaths by Accident, ...	5	5	4	1	2	4	7	4	2	2	3.6	6	.	.	1	.	.	.	1	1	.	.																				
Total Deaths from Accident,																																										
Included in above are Deaths in connection with—																																										
Railways, ...	.	.	.	.	.	1	.	.	.	.	.6	.	.	.	.	.	.	.	.	.	.	.																				
Vehicles and Horses, ...	1	1	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Ships, Boats, Docks, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Building Operations, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
VIOLENCE OTHER THAN ACCIDENTAL:																																										
Homicide, ...	1	.	.	.	.	1	.	.	.	1	.2	1	.	.	1	.	.	.	.	.	.	.																				
Suicide, ...	.	.	.	.	.	1	.	.	.	.	.2	1	.	.	.	.	.	.	1	.	.	.																				
Execution, ...	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																				
Ill-defined, &c., Causes, ...	—	—	—	—	—	—	6	3	3	2	—	5	.	.	2	2	.	.	.	1	.	.																				







TABLE VII.—Showing for each of the last Six Weeks the number of Deaths of Residents of the REGISTRARS' DISTRICTS in the City of the Population represented thereby, and by the Deaths from certain Epidemic Diseases\*; with the Mortality from the principal admitted; also, similar Statistics for

DISTRICTS.	1915-16. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING		TOTAL DEATHS.	NUMBER OF DEATHS FROM														Violence.	Number of Uncer- tified Deaths.	
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 3 years of age.			Diarrhoea, 2 years and upwards.
													Pulmonary.	Other Forms.		Pneumonia.	Other.				
North City, No. 1 (E.) (Office Clarence St. Nth.)	Nov. 27	29.1	3.4	17	.	.	.	.	.	1	.	.	1	2	.	3	4	1	.	.	.
	Dec. 4	22.2	3.4	13	.	.	.	.	.	2	.	.	1	.	.	1	3	1	.	.	.
	" 11	35.9	3.4	21	.	.	.	.	.	1	.	.	1	.	3	1	4	1	1	.	.
	" 18	17.1	3.4	10	.	.	.	.	.	1	.	.	1	.	.	.	.	1	.	.	.
Population in 1915	" 25	29.1	1.7	17	.	.	.	.	.	1	.	.	2	2	1	1	4	1	.	.	.
(Est.) 30,504.	Jan. 1	25.6	5.1	15	.	.	.	1	.	.	1	.	3	1	.	1	1	1	.	1	1
North City, No. 1 (W.) (Office, Summer-hill.)	Nov. 27	26.3	1.3	21	.	.	.	.	.	.	.	.	3	1	.	.	3	1	.	.	5
	Dec. 4	35.0	6.3	28	.	.	.	2	.	.	.	.	3	2	1	2	8	3	1	.	1
	" 11	25.0	3.8	20	.	.	.	1	.	.	.	1	2	1	1	3	2	2	2	.	.
	" 18	35.0	2.5	28	.	.	.	.	.	.	1	.	3	2	1	2	3	1	2	.	1
Population in 1915	" 25	13.8	.	11	.	.	.	.	.	.	.	.	2	.	.	3	1	.	.	.	.
(Est.) 41,685.	Jan. 1	31.3	5.0	25	.	.	.	.	1	2	.	.	3	.	2	1	4	1	.	1	1
North City, No. 2. (Office, Lisburn-street.)	Nov. 27	20.6	.	11	.	.	.	.	.	.	.	.	.	1	.	3	1	.	.	.	1
	Dec. 4	28.1	.	15	.	.	.	.	.	.	.	.	1	2	.	2	3	.	.	.	.
	" 11	24.3	.	13	.	.	.	.	.	.	.	.	.	1	1	1	4	.	.	1	1
	" 18	39.3	13.1	21	.	.	.	3	.	2	.	.	1	.	.	2	2	2	2	.	.
Population in 1915	" 25	29.9	11.2	16	.	.	.	4	.	.	.	.	2	1	.	.	2	2	.	.	1
(Est.) 27,883.	Jan. 1	26.2	.	14	.	.	.	.	.	.	.	.	1	.	1	3	2	.	.	.	2
North City, No. 3. (Office, Benburb-street.)	Nov. 27	23.2	5.8	16	.	.	.	.	2	.	.	.	.	1	.	3	2	2	.	.	.
	Dec. 4	21.8	2.9	15	.	.	.	1	.	.	.	.	2	.	3	2	1	.	.	.	3
	" 11	14.5	.	10	.	.	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.
	" 18	32.0	4.4	22	.	.	.	.	2	.	.	.	3	.	2	1	4	1	.	1	.
Population in 1915	" 25	18.9	1.5	13	.	.	.	.	1	.	.	.	1	.	3	.	.	.	.	.	1
(Est.) 35,887.	Jan. 1	26.2	2.9	18	.	.	.	1	.	.	.	.	4	1	1	.	1	1	.	.	.
Clontarf and Howth No. 1 (part of).	Nov. 27	9.4	9.4	1	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	37.7	9.4	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	.	.
	" 11	18.8	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 18	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
(Est.) 5,539.	" 25	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 1	9.4	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of).	Nov. 27	26.4	3.8	7	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.	.
	Dec. 4	18.9	3.8	5	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	15.1	3.8	4	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 18	3.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 25	3.8	3.8	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.
(Est.) 13,820.	Jan. 1	18.9	.	5	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.
Finglas and Glasnevin (part of).	Nov. 27	14.4	4.8	3	.	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.
	Dec. 4	28.9	.	6	.	.	.	.	.	.	.	.	.	.	1	1	1	.	.	.	.
	" 11	9.6	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.
	" 18	4.8	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Population in 1915	" 25	4.8	4.8	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
(Est.) 10,829.	Jan. 1	14.4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
South City, No. 1. (Office, Sth. Earl-street.)	Nov. 27	34.2	5.1	27	.	.	.	2	.	.	.	.	7	2	.	2	3	2	.	.	1
	Dec. 4	22.8	3.8	18	1	.	.	1	.	.	.	.	2	.	.	.	5	1	.	2	1
	" 11	21.5	3.8	17	.	.	.	.	.	.	.	.	1	1	1	1	4	.	.	.	.
	" 18	31.7	6.3	25	.	.	.	4	.	.	.	.	3	1	4	.	1	1	.	1	.
Population in 1915	" 25	21.5	5.1	17	.	.	.	3	.	.	.	.	3	.	.	.	2	1	.	.	1
(Est.) 41,170.	Jan. 1	30.4	5.1	24	.	.	.	3	.	1	.	.	1	1	.	3	6	.	2	.	3
South City, No. 2. (Office, Castle-street.)	Nov. 27	28.4	11.4	10	.	.	.	2	.	.	.	.	.	.	1	1	.	2	.	.	1
	Dec. 4	28.4	2.8	10	.	.	.	1	.	.	.	.	2	1	.	.	3	.	.	.	.
	" 11	31.3	5.7	11	.	.	.	1	.	.	.	.	1	2	.	.	4	1	.	.	.
	" 18	42.6	2.8	15	.	.	.	1	.	.	.	.	2	.	1	1	4	.	.	.	.
Population in 1915	" 25	19.9	2.8	7	.	.	.	1	.	.	.	.	2	.	.	.	2	.	.	.	.
(Est.) 18,341.	Jan. 1	17.1	2.8	6	.	.	.	1	.	.	.	.	.	.	.	1	3	.	.	.	.
South City, No. 3. (Office, Peter-street.)	Nov. 27	35.6	4.7	30	.	.	.	2	.	1	.	.	4	1	1	3	4	1	.	1	2
	Dec. 4	30.8	5.9	26	.	.	.	3	.	.	.	.	3	1	3	2	4	1	.	.	2
	" 11	32.0	5.9	27	.	.	.	5	.	.	.	.	5	1	2	4	3	.	1	.	.
	" 18	30.8	5.9	26	1	.	.	3	.	.	.	.	5	1	2	2	3	1	.	.	.
Population in 1915	" 25	20.2	8.3	17	1	.	.	4	.	.	.	.	1	.	.	1	5	2	.	.	.
(Est.) 43,970.	Jan. 1	28.5	2.4	24	.	.	.	2	.	.	.	.	4	2	1	4	4	.	1	.	.
South City, No. 4. (Office, Grand Canal-st.)	Nov. 27	17.3	1.6	11	.	.	.	1	.	.	.	.	2	.	.	.	2	.	.	.	.
	Dec. 4	26.7	7.9	17	.	.	.	5	.	.	.	.	1	.	.	2	5	.	.	.	.
	" 11	18.9	.	12	.	.	.	.	.	.	.	.	3	1	.	2	.	.	.	.	.
	" 18	17.3	.	11	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	.	1
Population in 1915	" 25	17.3	.	11	.	.	.	.	.	.	.	.	1	.	1	2	2	.	.	.	.
(Est.) 33,171.	Jan. 1	25.2	3.1	16	.	.	.	1	.	.	.	.	1	.	1	2	4	1	.	1	1
New Kilmainham.	Nov. 27	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Dec. 4	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	" 11	10.5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
Population in 1915	" 18	21.0	.	4	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	1
(Est.) 9,948.	" 25	5.2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
	Jan. 1	26.2	.	5	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.

\* See note (†) at foot of first page.



OF DUBLIN, and of the Urban Districts of RATHMINES and RATHGAR, PEMBROKE, BLACKROCK, and KINGSTOWN, the Annual Rate per 1,000 causes, and the number of Uncertified Deaths, the Deaths in Public Institutions being assigned to the Districts from which the deceased were each of the Provincial County Boroughs in Ireland.

DISTRICTS.	1915-16. Week ending	ANNUAL RATE OF MORTALITY PER 1,000 LIVING.		TOTAL DEATHS.	NUMBER OF DEATHS FROM															Number of Uncer- tified Deaths.		
		FROM ALL CAUSES.	FROM CERTAIN EPIDEMIC DIS- EASES.*		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	Tuberculosis.		Cancer.	Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 2 years of age.	Furunculosis, 2 years and upwards.		Violence.	
													Pulmonary.	Other Forms.		Pneumonia.	Other.					
Rathmines and Rathgar Urban District.	Nov. 27 Dec. 4 " 11 " 18 Population in 1915 (Est.) 39,541.	21.1 21.1 19.8 15.8 13.2 15.8	1.3 . 2.6 . . 1.3	16 16 15 12 10 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . 1	. . . . . .	. . . . . .	1 2 1 1 4 1	. 1 1 1 . 1	2 . 1 1 1 1	1 1 1 . . 4	. 5 . 1 2 2	1 . . . . .	. . . . . .	. . 1 . . .		
Pembroke Urban District.	Nov. 27 Dec. 4 " 11 " 18 Population in 1915 (Est.) 30,538	13.7 30.7 18.8 15.4 8.5 13.7	. 1.7 5.1 1.7 1.7 .	8 18 11 9 5 8	. . . . 1 .	. . . . . .	. . . . . .	. . . 3 . . .	. . . . 1 .	. . . . . .	. . 1 . . .	. . 1 . . .	2 1 1 1 2 .	. . 1 . . .	1 3 . . . .	. . 1 . . .	1 4 2 1 1 .	. . . 2 . 1 .	. . . . . .	. . . 1 . . .	. . 1 . . 2	
Blackrock Urban District.	Nov. 27 Dec. 4 " 11 " 18 Population in 1915 (Est.) 9,233.	28.2 22.6 33.9 11.3 11.3 22.6	. . 5.6 . . .	5 4 6 2 2 4	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . 1 1 . .	. . . . . .	. . . . 1 .	. . . . 1 .	. . 2 . . . .	. . . . 1 2	. . . 1 . . .	. . . . . .	. . 1 . . .	. . 1 . . .	
Kingstown Urban District.	Nov. 27 Dec. 4 " 11 " 18 Population in 1911 16,941.	15.4 18.5 12.3 24.6 12.3 24.6	. . . . . .	5 6 4 8 4 8	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . 1 . . .	. . . . . .	. . . . . 1	. . 1 . . 1	. 1 . . 1 1	2 2 1 . . 1	. . . . . .	. . . . . .	. . 1 . . .	. . 1 . . .	
Belfast.	Nov. 27 Dec. 4 " 11 " 18 Population in 1915 (Est.) 403,000.	18.1 21.1 21.0 23.0 18.1 25.1	1.7 1.8 1.6 2.1 1.4 2.5	140 163 162 178 140 194	. . . . . 1	. . . . . .	. . . . . .	. . . . 3 .	7 5 3 4 1 5	2 4 3 4 3 1	. . 1 1 . .	. . . 1 . . .	14 21 16 10 13 12	4 8 3 4 6 9	3 6 4 13 3 7	18 25 21 27 16 28	27 33 35 33 26 38	1 3 4 . 26 2	. . . . . 1	. . 2 . . 8	2 1 1 4 2 8	. 1 3 1 1 5
Cork.	Nov. 27 Dec. 4 " 11 " 18 Population in 1911 76,673.	21.8 23.8 22.4 23.8 17.7 32.0	1.4 2.0 0.7 0.7 . 8.2	32 35 33 35 26 47	1 . 1 . . .	. . . . . .	. . . . . 4	. . . . . .	. . . . . 3	. . . . . 1	. . 2 . . 4	. 3 1 9 1 3	2 3 1 . 1 .	1 2 2 1 1 2	3 . 3 3 2 3	4 5 6 1 3 4	1 . 1 1 . . .	. . . 1 . . .	. . . . . 2	. . . . 2 .	2 1 3 2 2	
Londonderry.	Nov. 27 Dec. 4 " 11 " 18 Population in 1915 (Est.) 41,200.	20.2 17.7 17.7 21.5 20.2 13.9	3.8 2.5 . 1.3 1.3 .	16 14 14 17 16 11	. . . 1 . .	. . . . . .	. . . . . .	. . . . . .	. . . . 1 .	2 1 . . . .	. . . . . .	. 2 2 3 3	. 1 . 2 .	. 1 1 1 .	3 1 . . . .	4 8 3 1 1 .	1 1 . . 1 .	. . . . . .	. . . . 1 .	1 1 . . . .	. . 1 2 2	
Limerick.	Nov. 27 Dec. 4 " 11 " 18 Population in 1911 38,518.	24.4 9.5 12.2 9.5 19.0 16.2	1.4 1.4 1.4 . . 5.4	18 7 9 7 14 12	. . 1 . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . 4	1 1 . . . .	. . . . . .	. 1 1 3 2	. . . . . .	1 1 . . . .	. . . . . .	4 2 4 2 3 2	. 2 4 2 . 2	. . . . 1 .	. . . . . .	. . . . . .	. 1 . . . .	
Waterford.	Nov. 27 Dec. 4 " 11 " 18 Population in 1911 27,464.	22.8 28.5 7.6 22.8 20.9 22.8	. 3.8 . . 1.9 1.9	12 15 4 12 11 12	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. . . . . .	. 5 1 . . . 1	. 2 . . 1 .	. . . . 1 1	2 2 1 1 1 1	2 1 2 3 2 6	. 2 . . 1 1	. . . . . .	. . . . . .	1 . . . . .	. 2 3 1 .	

\* See note (†) at foot of first page.

TABLE VIII.—Showing, by REGISTRARS' DISTRICTS, the NUMBER OF BIRTHS and DEATHS in the CITIES (or URBAN DISTRICTS) of BELFAST and CORK, registered during the week ended 1st January, 1915, Deaths in Public Institutions of Persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE PERIODS; the Number of Deaths from the Principal CAUSES; the Number of Uncertified Deaths, &c.

CITIES AND REGISTRARS DISTRICTS.		Census Population in 1911.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from	AGES AT DEATH.										DEATHS FROM										No. of Deaths in Public Institutions.	Number of Uncertified Deaths.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Total Number of DEATHS.	Under 1 year.						5 and under 25 years.				45 and under 65 years.				65 years and upwards.				Enteric Fever.			Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBER- CULOSIS.		Cancer.	DISEASES OF THE RESPIR- ATORY SYSTEM.		Diarrhoea and Enteritis of chil- dren under 2 years of age.	Diarrhoea 2 years of age and upwards.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					All Causes.	Certain Epi- demic Diseases.	Under 1 year.	1 year and under 5 years.	5 and under 25 years.	25 and under 45 years.	45 and under 65 years.	65 years and upwards.	Pneumonia.	Other.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
															(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)											(9)	(10)		(11)	(12)					(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
City of Belfast.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

\* The rates for the total of Belfast City are calculated on the population estimated to the middle of the year 1915.

† See note (†) at foot of first page.





TABLE X.—BIRTHS and DEATHS, and Rate of MORTALITY in LONDON, EDINBURGH, GLASGOW, and certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION enumerated or estimated).	DATE OF RETURN, 1915 — Week ending	BIRTHS.	DEATHS.  Exclusive of Stillborn.	ANNUAL DEATH- RATE per 1,000 living.	DEATHS FROM						
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Diarrhoea and Enteritis of children under 2 years.
LONDON, — —	4,516,612	Jan. 1,	1,841	1,508 <sup>c</sup>	17·4	1	.	9	6	12	15	24
EDINBURGH, — —	328,700	" 1,	112	116 <sup>c</sup>	18·4	.	.	3	4	1	2	1
GLASGOW, — —	1,078,400	" 1,	476	329	15·9	.	.	4	7	1	4	6
CALCUTTA — —	896,067	Oct. 30,	.	447†	25·9	?	.	?	?	?	?	?
BOMBAY, — —	979,445	Nov. 20,	464	479	25·4	39*	1	4	.	1	.	39 <sup>a</sup>
MADRAS, — —	518,660	" 13,	414	337†	33·8	32*	6	.	?	?	?	79 <sup>a</sup>
CAIRO, {	Egyptians, ...	Sept. 9,	564	593	46·9	17	.	1	.	?	14†	142
	Foreigners,	" 9,	9	24	17·2	5	.	.	.	?	3†	1
ALEXAN- DRIA, {	Egyptians,	" 9,	323	238	36·0	3	.	.	.	?	.	76
	Foreigners,	" 9,	24	122	81·8	19	.	.	.	?	.	5
PARIS, — —	2,847,229	Nov. 27,	435	834	15·0	1	.	1	2	2	3†	14
BRUSSELS, — —	780,843	—	.	.	.	.	.	.	.	.	.	.
ANTWERP, — —	313,833	—	.	.	.	.	.	.	.	.	.	.
AMSTERDAM, — —	614,831	Nov. 20,	255	150	12·7	.	.	6	2	4	2†	3
COPENHAGEN, — —	494,000	Dec. 4,	218	131	13·8	.	.	.	.	3	1	4
STOCKHOLM, — —	386,270	" 4,	120	70	9·4	1	.	.	1	1	1	.
CHRISTIANIA, — —	250,677	" 18,	81	59	12·2	.	.	.	.	.	1	.
PETROGRAD, — —	1,728,200	—	.	.	.	.	.	.	.	.	.	.
MOSCOW, — —	1,694,000	Nov. 20,	.	1,040†	32·0	44	6	52	59	8	21†	73† <sup>a</sup>
ROME, — —	591,943	—	.	.	.	.	.	.	.	.	.	.
NEW YORK, — —	5,806,532	Nov. 27,	2,333	1,318	11·8	5	.	3	1	6	18†	35
PHILADELPHIA, — —	1,657,810	—	.	.	.	.	.	.	.	.	.	.
BOSTON, — —	727,826	Dec. 11,	.	249 <sup>b</sup>	17·8	.	.	1	.	1	1	7 <sup>a</sup>

\* Deaths from "fever," including 3 from plague and one from enteric fever in Bombay, and one from enteric fever in Madras.

† Including deaths from croup.

‡ Including 12 deaths from cholera in Calcutta, and one in Moscow

<sup>a</sup> Deaths from diarrhoeal diseases at all ages.<sup>b</sup> Corrected figures, i.e. non-residents deducted, 228 deaths (including 6 from diarrhoeal diseases); rate, 16·3 per thousand.<sup>c</sup> Including 2 deaths from cerebro-spinal fever in London, and 3 in Edinburgh.



TABLE XI.—Showing the NUMBER of CASES of INFECTIOUS DISEASES, notified to the Public Health Committee of the Corporation of the City of Dublin, for the week ending 1st January, 1916.

DISTRICTS.	Small-pox.	Scarlet Fever.	Typhus.	Relapsing Fever.	Diphtheria.	Membranous Croup.	Pyrexia (origin uncertain)—Continued Fever.	Enteric or Typhoid Fever.	Erysipelas.	Puerperal Fever.	Cerebro-spinal Fever.	Polionmyelitis.	Pulmonary Tuberculosis.	Total.
North City No. 1, East,	...	.	.	.	1	.	.	.	.	.	.	.	.	1
„ „ 1, West,	...	.	.	.	.	.	.	1	.	.	.	.	3	4
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	1	1
„ „ 3,	...	2	.	.	.	.	.	.	.	.	.	.	1	3
Clontarf and Howth No. 1 (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Coolock and Drumcondra (part of),	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Finglas and Glasnevin (part of),	.	.	.	.	1	.	.	.	.	.	1	.	.	2
South City No. 1,	...	.	.	.	1	.	.	.	.	.	.	.	1	2
„ „ 2,	...	.	.	.	.	.	.	.	.	.	.	.	2	2
„ „ 3,	...	1	.	.	.	.	.	1	.	.	.	.	1	3
„ „ 4,	...	1	.	.	1	.	1	2	.	.	.	.	1	6
New Kilmainham,	...	.	.	.	.	.	.	.	.	.	.	.	.	.
Total,	...	4	.	.	4	.	1	4	.	.	1	.	10	24

TABLE XII.—The NUMBER OF CASES of the undermentioned DISEASES treated in Dublin Hospitals during the week ended Saturday, 1st January, 1916, with the number under treatment at the close of each of the last four weeks.

Diseases.	No. of Cases in Hospital at close of week ended			Week ended 1st January.			
	Dec. 11.	Dec. 18.	Dec. 25.	No. admitted.	Discharged.	Died.	No. under treatment at close of week.
Enteric Fever,	36	30	33	2	4	.	31
Typhus,	2	.	.	.	.	.	.
Small-pox,	.	.	.	.	.	.	.
Measles,	42	59	45	26	7	2	62
Scarlet Fever,	69	63	58	7	10	.	55*
Diphtheria,	25	26	22	8	6	2	22
Pneumonia,	16	17	16	8	5	.	19

\* Exclusive of 21 patients in "Beneavin," the Convalescent Home of Cork Street Fever Hospital.





# Quarterly Summary of the Weekly Returns

## OF

# BIRTHS AND DEATHS

IN THE

DUBLIN REGISTRATION AREA,

AND IN TWENTY-SIX OF THE PRINCIPAL URBAN DISTRICTS IN IRELAND.

*By Authority of the Registrar-General.*

DUBLIN:

PRINTED UNDER THE AUTHORITY OF HIS MAJESTY'S STATIONERY OFFICE  
By ALEXANDER THOM & CO. LIMITED, ABBEY-STREET.

To be purchased, either directly or through any Bookseller, from  
E. PONSONBY, LIMITED, 116, GRAFTON STREET, DUBLIN; or  
WYMAN & SONS, LIMITED, 29, BREAMS BUILDINGS, FETTER LANE, E.C., and 54, ST. MARY STREET, CARDIFF; or  
H.M. STATIONERY OFFICE (SCOTTISH BRANCH), 23, FORTH STREET, EDINBURGH;  
or from the Agencies in the British Colonies and Dependencies,  
the United States of America, and other Foreign Countries of  
T. FISHER UNWIN, LIMITED, LONDON, W.C.

1915.

Price 1½d.

VOL. LII.]

QUARTER ENDING SATURDAY, 1ST JANUARY, 1916.

[No. 52A.]

**DUBLIN REGISTRATION AREA. — BIRTHS.** — In the Dublin Registration Area, which consists of the city of Dublin and the urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the total area thereof being 13,743 statute acres, and the population, estimated to the middle of 1915, 409,000, there were registered during the thirteen weeks ended on Saturday, 1st January, 1916, 2,358 births—1,252 boys and 1,106 girls—being equal to an annual ratio of 1 in 43·4, or 23·1 in every 1,000 of the population.

The number of births registered in the city was 1,988, equivalent to an annual rate of 25·4 in every 1,000 of the population; and in the urban districts named above, 370, equal to an annual rate of 15·4 in every 1,000 of the population.

There were registered in London during the same period 23,814 births—being equal to an annual birth-rate of 21·1 in every 1,000 of the estimated population; in Glasgow there were registered 6,394, being equal to 23·7 per 1,000; and in Edinburgh, 1,346—a number affording an annual birth-rate of 16·4 in every 1,000 of the estimated population.

**DEATHS.**—Omitting the deaths (143) of persons admitted into public institutions from localities outside the Dublin Registration Area, the deaths for the Area, numbering 2,133, are equivalent to an annual rate of 20·9 per 1,000 of the estimated population, the average rate for the corresponding period of the previous 10 years being 20·2. The total number of deaths registered in the Dublin Registration Area during the quarter was 2,276—1,139 males and 1,137 females—affording an annual ratio of 1 in 44·9 or 22·3 in every 1,000 of the estimated population. The annual mean mortality represented by the deaths registered during the fourth quarter of the ten years, 1905–1914, in the Dublin Registration Area was 21·4 per 1,000 of the estimated mean population of those years.

The number of deaths of inhabitants\* of the north city districts registered last quarter was 910, representing an annual mortality of 21·9 in every 1,000 of the population; and the number in the south city districts was 844, equivalent to a rate

\* The death-rates referring to the several Dublin districts have been calculated on the mortality for the respective districts as corrected by the distribution of deaths in public institutions according to the localities from which the deceased persons were admitted.

of 23·0 per 1,000. For the urban districts the number of deaths registered was 379, being equal to an annual death-rate of 15·8 in every 1,000.

The number of deaths registered in London during the same period was 18,186, a number equal to an annual rate of mortality of 16·1 in every 1,000 of the inhabitants; in Glasgow the number was 4,958, equal to 18·4 in every 1,000; and in Edinburgh 1,375, affording an annual death-rate of 16·7 in every 1,000 of the estimated population.

**DISEASES.**—The number of deaths from the principal epidemic diseases\* registered in the Dublin Registration Area during last quarter was 272, and the annual rate per 1,000 of the population represented by the deaths from these diseases was 2·66.

The following tabular statement shows the mortality from some of the principal epidemic diseases in the period under notice, and the average number of deaths from these diseases which occurred in the corresponding period of the 10 years, 1905–1914:—

NAMES OF DISEASES.	No. of Deaths in December Quarter, 1915.	Average No. of Deaths in December Quarters, 1905–1914.
Enteric Fever, ... ..	14	19
Typhus, ... ..	—	1
Small-pox, ... ..	—	—
Measles, ... ..	80	19
Scarlet Fever, ... ..	12	10
Whooping-cough, ... ..	20	18
Diphtheria, ... ..	14	18

**ENTERIC FEVER.**—This disease caused 14 deaths during the thirteen weeks ended 1st January, as against an average of 19 for the corresponding quarter of the ten years, 1905–14. Of the 14 deaths, 2 were recorded for North City districts, 8 for South City districts, one for Rathmines and Rathgar, 2 for Pembroke, and one was that of a person admitted to hospital from a locality outside the Dublin Registration Area. Seventy-eight cases of the disease were admitted to hospitals during the period, 76 were discharged, 11 died therein, and 31 remained under treatment at the close of the quarter.

**TYPHUS.**—Four cases of typhus were admitted to hospital, and all were discharged during the quarter. No deaths occurred.

**SMALL-POX.**—There was no mortality from small-pox.

**MEASLES.**—The deaths from measles, numbering 80, and representing an annual rate of 0·78 per 1,000 of the population, are 61 above the average (19) for the corresponding period of the preceding ten years, the deaths in the first, second, and third quarters of the year 1915 being 5, 23, and 10, respectively. Of the 80 deaths, 17 (or an annual rate of 0·41 per 1,000 of the population) belonged to North City districts, 60 (affording an annual rate of 1·64 per 1,000) to South City districts, and 3 to Pembroke urban district. There were 197 cases under treatment in hospitals, and of these 116 were discharged, 19 died, leaving 62 cases under treatment at the close of the quarter.

**SCARLET FEVER.**—Twelve deaths from scarlet fever were registered, the average for the fourth quarter of the past ten years being 10, and in the three preceding quarters of this year, deaths from this cause numbered 11, 4, and 6 respectively. Ten of the 12 deaths appertained to North City districts, one to South City No. 4 district, and one to Pembroke urban district. Of 236 cases under treatment in hospitals, 170 were discharged, 11 died, and 55† remained under treatment at the end of the quarter.

**WHOOPING-COUGH.**—Whooping-cough caused 20 deaths, as against an average of 18 for the fourth quarter of the preceding ten years, the deaths in the first three quarters of 1915 numbering, respectively, 98, 50, and 13. Of the 20 deaths, 12 appertained to North City districts, 4 to South City districts, 2 to Rathmines and Rathgar urban district, and 2 to Pembroke.

\* See note (\*) on page 832h.

† See note (\*) at foot of Table I.



**DIPHTHERIA.**—Deaths from diphtheria numbered 14, North City districts accounting for 6, South City districts for 5, Pembroke urban district for 2, and there was one death of a person admitted to hospital from without the Area. The deaths from this disease are 4 below the average for the corresponding period of the ten years, 1905-14. In the first three quarters of the year 1915, the deaths from this cause amounted to 16, 18, and 16 respectively. There were 123 diphtheria patients in hospital during the quarter, of whom 88 were discharged, 13 died, and 22 were still under treatment at the close of the quarter.

**DIARRHOEAL DISEASES.**—Of deaths under this heading 126 were those of children under 2 years of age from diarrhoea and enteritis, the number of such deaths in the fourth quarter of the preceding four years being 115. The 126 deaths include those of 67 residents of North City districts, and 50 of residents of South City districts; 4 deaths appertained to Rathmines and Rathgar, 4 to Pembroke, and one to Blackrock.

**INFLUENZA.**—This disease caused 16 deaths, being the same as the average for the fourth quarter of the preceding ten years.

**CEREBRO-SPINAL FEVER.**—One death only was registered during the quarter, as against 7, 6, and one, respectively, in the three preceding quarters.

**TUBERCULOSIS.**—There were 359 deaths from tuberculous disease, comprising 274 deaths from pulmonary tuberculosis, 29 from tuberculous meningitis, 27 from abdominal tuberculosis, and 29 from other forms of the disease. In the three preceding quarters deaths from all forms of the disease numbered 414, 447, and 323, and in the fourth quarter of the preceding ten years they amounted to 356. Of the 359 deaths, 148 belonged to North City districts, affording an annual rate of 3·56 per 1,000 of the population; 149 to South City districts, annual rate 4·07 per 1,000; 16 to Rathmines and Rathgar, annual rate 1·62; 15 to Pembroke, annual rate 1·96; 3 to Blackrock, annual rate 1·30; and 9 to Kingstown, a number equivalent to an annual rate of 2·13 per 1,000 of the population.

The deaths from pulmonary tuberculosis recorded for the Dublin Registration Area afford an annual rate of 2·57 per 1,000 of the population, the rate represented by deaths from this disease recorded for the North City districts being 2·67 per 1,000; for South City districts, 3·19 per 1,000; and for the combined urban districts of Rathmines and Rathgar, Pembroke, Blackrock, and Kingstown, the equivalent annual rate was 1·45 per 1,000 of the aggregate population.

**CANCER.**—To this cause 142 deaths were referred, being equivalent to an annual rate of 1·39 per 1,000. In the three preceding quarters the corresponding rates were 1·30, 1·15, and 1·14, respectively.

**PNEUMONIA.**—There were 137 deaths from pneumonia, comprising 57 from broncho-pneumonia, 17 from lobar pneumonia, and 63 from pneumonia (type not distinguished). These deaths are equivalent to an annual rate of 1·34 per 1,000 of the population.

**DISEASES OF THE BRAIN AND NERVOUS SYSTEM.**—Deaths under this heading, numbering 196, and affording an annual rate of 1·92 per 1,000, include one death from cerebro-spinal fever (referred to above), 18 from simple meningitis, and 58 (including 57 of children under 5 years of age) from convulsions.

**DISEASES OF THE CIRCULATORY SYSTEM.**—There were 221 deaths classified to this group, equivalent to an annual rate of 2·16 per 1,000; included in these deaths are 187 from organic diseases of the heart.

**BRONCHITIS.**—This disease caused 284 deaths, affording an annual rate of 2·78 per 1,000.

**CONGENITAL CONDITIONS.**—To congenital malformations 10 deaths were attributed, to premature birth 52 deaths, and to congenital debility 69 deaths.

**VIOLENCE.**—There were 52 accidental deaths, including one caused by arsenical poison, 16 by burns and scalds, 7 of the latter being those of children under 5 years of age, 5 by drowning, 3 (those of infants under one year of age) by overlaying, and 3 caused by railways.

Three deaths of soldiers were caused by wounds received in battle.

One case of homicide and 2 cases of suicide were recorded.



TABLE I.—The NUMBER of CASES of the undermentioned DISEASES treated in Dublin Hospitals during the **Quarter** (13 weeks) ended **Saturday, 1st January, 1916.**

DISEASES.	No. of Cases in Hospital at close of previous quarter.	No. admitted during quarter.	Discharged.	Died.	No. under treatment on above date.
Enteric Fever, ... ..	40	78	76	11	31
Typhus, ... ..	—	4	4	—	—
Small-pox, ... ..	—	—	—	—	—
Measles, ... ..	6	191	116	19	62
Scarlet Fever, ... ..	52	184	170	11	55*
Diphtheria, ... ..	37	86	88	13	22
Pneumonia, ... ..	10	68	51	8	19

\* Exclusive of 21 patients in "Beneavin," the convalescent home of Cork-street Fever Hospital.

In 76 instances the cause of death was uncertified, there having been no medical attendant during the last illness. Of the 76 cases, 44 (or 58 per cent.) were deaths of children under 5 years of age; these 44 deaths form 6·5 per cent. of the total number of deaths of children of that age-period. Of the deaths of 129 infants under one month old registered, there were 19 (or 14·7 per cent.) regarding which the cause was uncertified.

From Table II., on page 832*f*, it will be seen that, excluding 143 deaths of persons admitted into public institutions from localities outside the Dublin Registration Area, the number of deaths registered during the quarter was 2,133, equal to an annual rate of 20·9 per 1,000 of the estimated population, and that 270 of these deaths, representing an annual rate of 2·6 per 1,000 persons, were caused by the principal epidemic diseases.† The death-rate for the city (from all causes) was 22·4 per 1,000, and for the urban districts 15·8 per 1,000. The death-rate represented by the mortality from the principal epidemic diseases in the city was 3·2, and in the urban districts 0·9, the rates for the several districts varying from 0·0 in Kingstown to 4·2 in South City No. 3, the 270 deaths from all causes for that district including 4 from enteric fever, 20 from measles, 2 from whooping-cough, one from diphtheria, and 19 from diarrhoeal diseases.

OCCUPATIONS.—Table III., on page 832*g* shows the occupations or social position of the persons whose deaths were registered during the quarter, the various callings being grouped in classes and orders, so as to show the respective rates of mortality in the several social grades of the population. From this table it will be observed that the deaths in families of the "Professional and Independent Class" were equal to an annual rate of 20·2 per 1,000 of the persons in that class according to the Census of 1911; in the "Middle Class" the death-rate was 13·3 per 1,000; among the "Artisan Class and Petty Shopkeepers" it was 19·5; and in the "General Service Class" it was 22·2.

AGES.—Of the 2,276 persons whose deaths were registered in the Dublin Registration Area during the quarter, 682 were under 5 years of age, including 406 infants under one year of age, the latter representing a rate of 172·2 per 1,000 births registered. The number of deaths of children under 5 years of age is equal to an annual mortality of 66·7 in every 1,000 children at that age (according to the Census of 1911); 84 were between the ages of 5 and 15, representing an annual rate of 4·7 per 1,000 persons at that age-period; 120 were between the ages of 15 and 25, equivalent to an annual rate of 6·0 per 1,000; the total number under 25 years being equal to an annual mortality of 18·5 per 1,000 of the population at that age-period (according to the Census of 1911); 316, or 10·2 per 1,000 persons, were between 25 and 45; 530, or 36·0 per 1,000, between 45 and 65; 335, or 79·4 per 1,000, between 65 and 75; and 209, or 149·5 per 1,000, were aged 75 and upwards, including 20 persons aged 90 and upwards.

PUBLIC INSTITUTIONS.—Of the 2,276 deaths recorded during the quarter, 950, or 41·7 per cent., occurred in public institutions, viz., 542 in the various hospitals, prisons, and lunatic asylums; 159 in the North Dublin Union Workhouse; 239 in the South Dublin Union Workhouse; and 10 (those of persons admitted from within the Dublin Registration Area) in the Rathdown Union Workhouse.

WEATHER.—The mean temperature for thirteen weeks, deduced from the mean weekly temperature as returned from the Ordnance Survey Office, Phoenix Park, was 42·8°†. At Greenwich, for the quarter, it was 44·5°; at Glasgow 40·9°; and at Edinburgh, 41·0°.

The rainfall at Dublin during the thirteen weeks measured 13·31‡ inches; at Greenwich, 9·37 inches; at Glasgow, 10·53; and at Edinburgh, 7·51 inches.

† See note (\*) p. 832*h*.

‡ For 14 weeks ended 1st January, 1916.



TABLE showing the Mean Weekly Values and the difference from their average Values of the meteorological elements at the Phoenix Park, Dublin,\* for the fourteen weeks ended January 1st, 1916.

Prepared at the Meteorological Office under the direction of Sir NAPIER SHAW, F.R.S.

1915. WEEK ENDED.		BAROMETRIC PRESSURE.		TEMPERATURE.				HYGROMETER			OZONE.		BRIGHT SUNSHINE.		RAINFALL.		WIND.
		Value reduced to Mean Sea Level.	Difference from Average.	Maximum A.	Minimum B.	Mean of A. and B.	Difference from Average.	Highest.	Lowest.	Mean of Dry Bulb.	Mean of Wet Bulb.	Mean Humidity.					
		Millibars.	Millibars.	° F.	° F.	° F.	—	° F.	° F.	° F.	° F.	Per cent.	Hours.	Hours.	Per cent.	Milli-metres.	Mean Force (Beaufort Scale 0-12)
Oct. 2nd, ...	...	1009.3	—	55.0	38.3	46.7	—	62	32	46.0	44.4	89	0.3	3.3	28	23	0.9
" 9th, ...	...	1018.5	—	58.4	39.0	48.7	—	61	30	48.7	47.9	93	0.2	2.5	22	11	0.5
" 16th, ...	...	1014.2	—	59.1	42.7	50.9	—	64	37	50.1	47.7	85	0.3	5.3	49	7	0.9
" 23rd, ...	...	1019.5	—	55.4	41.0	48.2	—	60	34	48.6	47.2	91	0.3	1.4	13	23	1.3
" 30th, ...	...	1013.5	—	51.7	37.3	44.5	—	55	28	42.7	41.1	88	0.6	2.5	25	39	0.9
Nov. 6th, ...	...	1014.4	—	47.7	38.3	43.0	—	51	30	41.9	40.7	92	0.4	3.1	83	19	1.1
" 13th, ...	...	999.1	—	48.3	37.6	43.0	—	60	31	41.0	39.8	91	0.9	3.4	38	81	3.2
" 20th, ...	...	1025.1	—	42.3	22.3	32.3	—	46	18	33.0	31.5	85	0.3	4.3	50	0	0.7
" 27th, ...	...	1030.4	—	42.9	28.1	35.5	—	49	21	35.4	34.0	87	0.4	0.9	11	1	0.9
Dec. 4th, ...	...	994.5	—	45.0	34.6	39.8	—	49	28	40.4	39.0	89	0.3	0.9	12	25	1.6
" 11th, ...	...	992.2	—	49.4	33.1	41.3	—	54	24	41.6	40.0	88	0.6	3.3	43	24	2.7
" 18th, ...	...	1013.0	—	42.6	31.1	36.9	—	49	27	36.2	35.3	92	0.4	1.3	18	11	0.5
" 25th, ...	...	1060.5	—	47.4	38.4	42.9	—	51	25	42.9	41.9	93	0.6	1.5	21	26	1.7
Jan. 1st, ...	...	994.3	—	50.1	39.4	44.8	—	53	35	45.0	43.0	86	0.8	1.6	22	48	4.4
Mean,	...	1009.9	-2.1	49.7	35.8	42.8	-1.1	64	18	42.4	41.0	89	0.5	2.5	28	338	1.5

\* Height above Mean Sea Level, Station H=155 feet; Barometer Hb=159 feet.

NOTE.—The information under the headings Barometer, Hygrometer, and Wind is the mean of observations taken at 9 a.m. and 9 p.m.; the quarterly difference from average for these elements being for the calendar months October to December.

TABLE II.—Showing for the Quarter (13 weeks) ended 1st January, 1916, the number of DEATHS of Residents of the several REGISTRARS' DISTRICTS in the DUBLIN REGISTRATION AREA, the annual Rate per 1,000 of the Population of the respective Districts represented thereby, and by the Deaths from the principal Epidemic Diseases\*; with the Mortality from some of the principal causes; also the Deaths at certain age-periods, and the number of Uncertified Deaths: the Deaths in Public Institutions being assigned to the Districts from which the deceased were admitted.

REGISTRARS' DISTRICTS, &c.		POPULATION, ESTIMATED TO MIDDLE OF 1915.		ANNUAL RATE OF MORTALITY PER 1,000 LIVING REPRESENTED BY DEATHS.		TOTAL DEATHS.		CAUSED BY													Diseases of Respiratory System.		Diarrhoea and Enteritis of Children under 5 years.		Diarrhoea, 2 years and upwards.		Violence.	
								CAUSED BY																				
								CAUSED BY																				
								CAUSED BY																				
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.		South City.		Urban Districts.		Total Urban Districts.		Total Registration Area.		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).		Deaths in Institutions of Persons admitted from without the Registration Area (not included in above).								
North City.																												

\* See note (\*) on page 832f. † See note (†) on page 832f.





**TWENTY-SEVEN PRINCIPAL TOWN DISTRICTS OF IRELAND.**—The annual death-rate represented by the deaths from all causes registered during last quarter in the Dublin Registration Area and twenty-six of the principal urban districts of Ireland (exclusive of deaths in public institutions of persons admitted from without the districts), was 18·6 per 1,000 of the population, the respective rates for the several districts being as follow, ranging in order from the lowest to the highest :—Clonmel, 10·6 ; Bangor, 11·3 ; Dundalk, 11·6 ; Lurgan, 12·1 ; Bray, 13·0 ; Sligo, 13·6 ; Galway, 13·9 ; Tralee, 14·0 ; Limerick, 14·2 ; Portadown, 14·3 ; Coleraine, 14·4 ; Newry, 15·0 ; Larne, 15·4 ; Armagh, 16·3 ; Wexford, 16·6 ; Newtownards, 16·7 ; Athlone, 17·1 ; Waterford, 17·6 ; Londonderry, 17·7 ; Belfast, 18·3 ; Cork, 19·0 ; Queenstown, 19·5 ; Drogheda, 20·2 ; Kilkenny, 20·2 ; Lisburn, 20·7 ; Dublin Registration Area, 20·9 ; and Ballymena, 21·8.

The annual rate represented by the deaths from the principal epidemic diseases\* in the 27 districts is 1·9 per 1,000 of the population, the rates varying from 0·0 in five of the districts to 4·9 in Ballymena, the 62 deaths from all causes for that district including one from enteric fever, 10 from whooping-cough and 3 from diarrhœal diseases.

The following is a synopsis of the mortality from the principal epidemic diseases\* in the *twenty-six provincial urban districts* already named, and Tables IV. and V. give in detail the results of the registration for that quarter :—

**ENTERIC FEVER.**—Of 13 deaths, 3 appertained to Belfast, 2 to each of Cork, Londonderry and Limerick, and one to each of Dundalk, Drogheda, Newry and Ballymena.

**TYPHUS.**—No deaths from this disease were recorded.

**SMALL-POX.**—There was no mortality from small-pox.

**MEASLES.**—For Belfast 37 deaths were recorded, and for Cork 4 deaths.

**SCARLET FEVER.**—The 61 deaths from this disease comprise 52 for Belfast, 5 for Cork, 2 for Newtownards, and one for each of Londonderry and Waterford.

**WHOOPING-COUGH.**—Twenty-five deaths belonged to Belfast, 10 to Ballymena, 9 to Londonderry, 8 to Limerick, 4 to Portadown and 3 to Kilkenny.

**DIPHTHERIA.**—Of 24 deaths from this disease, 9 appertained to Belfast, 6 to Cork, 3 to Waterford and one to each of Londonderry, Lisburn, Portadown, Sligo, Kilkenny and Bangor.

**DIARRHŒAL DISEASES.**—Included in 117 deaths under this heading were 102 of children under 2 years of age. Of the latter, 51 were assigned to Belfast, 13 to Cork, 11 to Londonderry, 7 to Waterford and 5 to Lisburn.

**PULMONARY TUBERCULOSIS.**—The annual death-rate from pulmonary tuberculosis for the 27 towns in the aggregate was 2·1 per 1,000 of the estimated population ; for the Dublin Registration Area it was 2·6 per 1,000, for Belfast county borough 1·9 per 1,000, and for the urban districts collectively (not including Dublin Registration Area and Belfast), it was 1·7 per 1,000, exclusive of deaths in public institutions of persons admitted from without the respective areas.

\* Enteric fever, typhus, small-pox, measles, scarlet fever, whooping-cough, diphtheria, dysentery and diarrhœal diseases.



TABLE IV.—BIRTHS and DEATHS Registered during the **Quarter (13 weeks) ended Saturday, 1st January, 1916**, in the Dublin Registration Area, and in each of the undermentioned Twenty-six Urban Districts (exclusive of Deaths in Public Institutions of Persons admitted from other districts), with the number of Deaths from some of the principal causes, and the number of Uncertified Deaths.

REGISTRATION—QUARTER (13 WEEKS) ENDED 1ST JANUARY, 1916.																																
NUMBERS REGISTERED.																																
DEATHS.																																
TOWNS AND DISTRICTS.	POPULATION.		BIRTHS.	Caused by																No. of Deaths in Public Institutions.	No. of Uncertified Deaths.											
	Total.	Per-sons to an Acre.		Annual Rate per 1,000 persons Represented by	DEATHS.		From all Causes.	From certain Epidemic Diseases.†	TOTAL NUMBER.	TOTAL NUMBER.	Under 1 Year of Age.	At 65 Years and upwards.	Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.			Dysentery.	Tuber-culosis.		Cancer.	Diseases of the Respiratory System.		Other.	Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.	Inquest Cases.
																										Pulmonary.	Other Forms.					
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)				
TOTAL OF 27 TOWN DISTRICTS, ...	1,212,380	19.2	21.8	18.6	1.9	6,594	5,632	972,145†	521	13	..	..	123	73	82	37	2	627	194	296	415	765	228	19	117	163	1,683	226				
DUBLIN REGISTRATION AREA:—	409,000	29.8	23.1	20.9	2.6	2,358	2,133	400	521	13	..	..	..	..	20	13	2	263	77	122	133	296	126	4	45	41	807	76				
CITY OF DUBLIN, ...	312,747	39.5	25.4	22.4	3.2	1,988	1,754	343	370	10	..	..	77	11	16	11	2	228	69	100	111	251	117	4	35	32	700	63				
RATHMINES AND RATHGAR, ...	39,541	23.1	13.4	14.5	0.7	132	143	22	62	2	..	..	..	..	2	..	2	13	3	11	7	15	4	..	1	1	35	3				
PENBROKE, ...	30,538	16.8	19.4	17.3	1.8	128	132	23	42	2	..	..	3	..	2	..	..	12	3	6	6	18	4	..	1	1	43	8				
BLACKROCK, ...	9,233	8.5	9.1	16.0	0.4	21	37	3	20	..	..	..	..	..	..	..	..	2	1	2	4	2	1	..	2	2	11	1				
KINGSTOWN, ...	16,941	11.6	21.0	15.8	..	89	67	9	27	..	..	..	..	..	..	..	..	8	1	2	4	10	..	..	3	4	18	1				
BELFAST, ...	403,000	27.0	22.1	18.3	1.8	2,231	1,847	336	396	3	..	..	37	52	25	9	..	191	69	85	202	284	51	6	39	68	458	23				
CORK, ...	76,673	28.6	20.9	19.0	1.8	400	364	48	110	3	..	..	4	6	1	6	..	42	14	16	17	39	13	3	5	11	128	18				
LONDONDERRY, ...	41,200	16.0	19.8	17.7	2.4	201	182	27	48	2	..	..	1	1	8	..	..	20	4	4	4	33	11	..	5	10	31	12				
LIMERICK, ...	38,518	16.1	18.2	14.2	1.0	175	137	27	35	2	..	..	..	..	..	..	..	16	1	4	8	33	..	..	2	2	44	17				
WATERFORD, ...	27,464	19.1	22.1	17.6	1.7	152	121	20	39	..	..	..	..	..	..	..	..	13	5	2	2	3	7	3	3	3	10	4				
GALWAY, ...	13,255	2.5	19.3	13.9	0.9	64	46	9	16	..	..	..	..	..	..	..	..	5	..	6	7	5	..	..	..	2	7	4				
DUNDALK, ...	13,128	9.5	21.0	11.6	0.6	69	38	8	7	1	..	..	..	..	..	..	..	2	..	6	2	5	..	..	..	2	7	4				
LONGAN, ...	12,553	14.7	19.1	12.1	0.3	60	38	6	13	..	..	..	..	..	..	..	..	2	..	6	2	5	..	..	..	2	7	4				
DROGHEDA, ...	12,501	8.4	20.2	20.2	0.6	63	63	8	30	1	..	..	..	..	..	..	..	7	7	6	1	5	..	..	..	2	7	4				
LISBURN, ...	12,388	10.9	20.7	20.7	0.3	64	64	9	25	..	..	..	..	..	..	..	..	8	8	6	1	5	..	..	..	2	7	4				
NEWRY, ...	11,963	17.0	14.7	15.0	1.7	64	45	5	15	1	..	..	..	..	..	..	..	7	7	6	1	5	..	..	..	2	7	4				
PORTADOWN, ...	11,727	15.3	21.8	14.3	1.6	64	42	5	15	..	..	..	..	..	..	..	..	8	8	6	1	5	..	..	..	2	7	4				
WEXFORD, ...	11,531	22.8	23.2	16.6	..	67	48	5	21	..	..	..	..	..	..	..	..	8	8	6	1	5	..	..	..	2	7	4				
BALLYMENA, ...	11,381	9.3	19.0	21.8	..	67	48	5	21	..	..	..	..	..	..	..	..	8	8	6	1	5	..	..	..	2	7	4				
SLIGO, ...	11,163	3.8	19.3	13.6	0.7	54	38	9	9	..	..	..	..	..	..	..	..	8	8	6	1	5	..	..	..	2	7	4				
KILKENNY, ...	10,514	11.4	16.0	20.2	0.8	42	53	3	20	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
TRALEE, ...	10,300	17.4	21.4	14.0	0.8	55	36	5	15	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
CLONMEL, ...	10,209	7.8	23.9	10.6	..	61	27	1	12	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
NEWTOWNARDS, ...	9,387	20.1	23.8	16.7	0.8	57	40	11	17	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
QUEENSTOWN, ...	8,204	14.7	24.4	19.5	1.9	50	40	11	9	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
LARNE, ...	8,036	13.4	26.4	15.4	1.0	53	31	8	16	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
COLERAINE, ...	7,785	7.7	14.4	14.4	1.0	28	28	3	16	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
BANGOR, ...	7,776	8.5	15.4	11.3	1.0	31	22	3	18	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
BRAY, ...	7,691	7.2	18.2	13.0	1.0	30	22	3	12	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
ATHLONE, ...	7,472	6.2	16.1	17.1	..	35	25	3	10	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				
ARMAGH, ...	7,356	21.8	16.3	16.3	..	30	30	2	13	..	..	..	..	..	..	..	..	6	6	6	1	5	..	..	..	2	7	4				

\*The population given for the Dublin Registration Area, and the cities of Belfast and Londonderry, is that estimated to the middle of 1915: that for each of the other districts is the population according to the Census of 1911.

† See note (\*) on page 832h

(a) Including one death from cerebro-spinal fever for Dublin, and 3 from cerebro-spinal fever or cerebro-spinal meningitis for Belfast.

TABLE V.—Showing, by REGISTRARS' DISTRICTS, the Number of Births and Deaths in the Cities (or Urban Districts) of BELFAST and CORK registered during the Quarter (13 weeks) ended 1st January, 1916. Deaths in Public Institutions of persons admitted from without each City being omitted, and all other Deaths in Institutions distributed according to the localities from which the deceased persons were admitted; with the ANNUAL RATE\* of MORTALITY per 1,000 of the Population according to the Census of 1911, represented by the Deaths from All Causes and from certain Epidemic Diseases; Number of the Deaths at certain AGE-PERIODS; the Number of Deaths from the Principal CAUSES; the Number of UNCERTIFIED DEATHS, &c.

CITIES AND REGISTRARS' DISTRICTS.		Census Population in 1911	No. of BIRTHS.	Annual Rate* of Mortality per 1,000 of the Population in 1911, represented by Deaths from		AGES AT DEATH											DEATHS FROM															No. of Deaths in Public Institutions.	Inquest Cases.	Number of Uncertified Deaths.					
				All Causes.	Certain Epidemic Diseases†	Under 1 year.					5 and under 25 years.			25 and under 45 years.			45 and under 65 years.		65 years and upwards.		Enteric Fever.	Typhus.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Dysentery.	TUBERCULOSIS.		Cancer.				DISEASES OF THE RESPIRATORY SYSTEM.		Diarrhoea and Enteritis of children under 2 years of age.	Diarrhoea, 2 years of age and upwards.	Violence.
						Pneumonia.	Other.	Pulmonary.	Other Forms.																														
CITY OF BELFAST.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)								
BELFAST	URBAN No. 1 DISTRICT.	15,879	92	23.4	1.3	93	14	13	7	16	26	17									4	3	14	13		4		5	7	29	1								
Do.	Do.	49,500	277	18.9	1.5	281	36	15	27	39	55	62	1			2	5	4			8	13	18	43		7		4	67	4									
Do.	Do.	50,082	270	20.9	2.0	261	52	29	18	48	67	47				3	3	2			34	19	36	38		12		14	56	4									
Do.	Do.	32,637	233	22.6	2.5	184	47	21	15	24	37	40				5	3	6			16	8	21	24		1		5	77	1									
Do.	Do.	16,112	103	23.8	3.7	92	16	21	10	14	16	15				8	5	1			6	5	2	10	15	1	1	1	31	1									
Do.	Do.	37,283	144	16.0	0.9	149	18	8	16	21	28	58	1			1	4				18	11	14	17		2		3	32	2									
Do.	Do.	2,681	10	14.9		10	2	2	2	3	2	1									1		1	1					1	2									
Do.	Do.	5,964	29	11.4		17	3	1	5	1	7										4								1	6									
Do.	Do.	24,427	137	20.0	2.6	122	15	12	16	18	32	29				1	8	3			11	5	9	14		3		1	4	5	2								
Do.	Do.	28,358	161	21.8	3.7	158	27	26	27	19	29	30	1			9	6	3			19	8	18	26		7		1	6	25	5								
Do.	Do.	39,311	234	18.0	2.0	177	31	17	19	30	45	35				2	9	2			20	6	12	29		3		4	6	31	3								
Do.	Do.	38,076	260	16.6	0.7	158	35	20	14	33	29	27				1	2	2			18	5	6	21	34	2	2	11	28	1	1								
Do.	Do.	23,233	131	13.6	1.4	79	18	7	3	11	18	22					4	1			7	4	1	9	12	2	2	9	14	14	1								
Do.	Do.	175	1	19.8		1	22	14	8	17	38	13					2	1			5	10	4	13		6			30	4									
Do.	Do.	22,669	119		2.3	112	22									3	2	1											4	30	4								
Total,		386,947	2,231	18.3	1.8	1,847	336	204	187	294	430	396	3			37	52	25	9		191	69	85	202	284	51	6	39	68	458	23								
CITY OF CORK.																																							
CORK	URBAN No. 1 DISTRICT.	13,455	56	13.1	0.9	44	6	3	6	4	11	14									4	1	4	2	1	1			3	4	16	2							
Do.	Do.	10,399	63	15.8	3.1	41	7	4	4	6	9	11	1			1	1				4	2	2		5	5	1		1	13	2								
Do.	Do.	9,793	59	23.7	2.5	58	7	3	6	6	17	19	1			1	1				10	1	2		3	3	1		1	14	2								
Do.	Do.	9,139	47	21.4	2.6	49	9	8	2	8	14	8				2					5	1	4	4	13	2	1		8	23	4								
Do.	Do.	6,250	39	16.0	3.8	25	8	3	3	3	10	6									3	1	2	3	1	1			1	1	2	1							
Do.	Do.	11,581	45	19.0	1.0	55	6	6	8	7	6	22				1	1				9	1	2	3	5	1			1	21	4								
Do.	Do.	16,056	91	22.9	2.0	92	10	13	7	9	23	30				1	2				7	4	3	5	9	1			1	34	7								
Total,		76,073	400	19.0	1.8	364	48	87	36	43	99	110	2			4	5	1	6		42	14	16	17	39	13	3	5	11	128	18								













